
CLAIMS

1. A compound of Formula (I) or a pharmaceutically acceptable salt thereof:



(I)

wherein:

Z is O or CR^6R^7;

at least one of X^1, X^2, and X^3 is N and the others are CR^4;

Y is selected from 5- or 6-membered monocyclic heteroaryl, 9- or 10-membered bicyclic heteroaryl, 5- or 6-membered heteroaryl fused to 5- or 6-membered cycloalkyl or 5- or 6-membered heterocyclyl, phenyl, heterocyclyl, C_{3-7}cycloalkyl, and QR^8; wherein:

i. Q is absent, O, or NR^9;

ii. R^8 is C_{1-6}alkyl, C_{1-3}alkylene-phenyl, or C_{1-3}alkylene-heteroaryl;

iii. Y is optionally substituted with one or more substituents Y^A, wherein at each occurrence Y^A is independently selected from halo, oxo, C_{1-4}alkyl, hydroxy, C_{1-4}alkoxy, C_{1-3}haloalkyl, cyano, $C(O)R^{10}$, and C_{3-7}cycloalkyl; and

iv. Y^A is optionally further substituted with one or more substituents independently selected from halo, C_{1-4}alkyl, hydroxy, C_{1-4}alkoxy, C_{3-7}cycloalkyl, C_{1-3}alkylene-$NR^{11}R^{12}$, and C_{1-3}haloalkyl;

R^1 and R^2 are independently selected from hydrogen, C_{1-4}alkyl, C_{3-7}cycloalkyl, C_{1-5}alkoxy, and phenyl, wherein said C_{1-4}alkyl, C_{3-7}cycloalkyl, C_{1-5}alkoxy, or phenyl is optionally substituted with one or more substituents independently selected from halo, C_{1-4}alkyl, and C_{1-3}haloalkyl; provided that R^1 and R^2 cannot be both hydrogen; OR

R^1 and R^2, taken together with the carbon atom to which they are attached, form a 4- to 10-membered cycloalkyl ring, wherein the cycloalkyl ring is optionally substituted with one or more substituents independently selected from halo, C_{1-4}alkyl, and C_{1-3}haloalkyl;

R^3 is hydrogen, fluoro, or methyl;

R^4 at each occurrence is independently selected from hydrogen, fluoro, methyl, hydroxy, and trifluoromethyl;

R^5 is selected from 5- or 6-membered monocyclic heteroaryl, 4- to 10-membered heterocyclyl, $C(O)NR^{13}R^{14}$, $OC(O)NR^{15}R^{16}$, and $NR^{17}C(O)C_{1-6}$alkyl, wherein R^{13}, R^{14}, R^{15}, R^{16}, and R^{17} are independently selected from hydrogen and C_{1-6}alkyl; and wherein R^5 is optionally substituted with one or more substituents independently selected from hydroxy, halo, C_{1-4}alkyl, C_{1-4}alkoxy, C_{1-3}haloalkyl, C_{3-7}cycloalkyl, cyano, and oxo;

R^6 is hydrogen, fluoro, C_{1-6}alkyl, or C_{3-7}cycloalkyl; wherein when R^6 is C_{1-6}alkyl or C_{3-7}cycloalkyl, said groups are optionally substituted with one or more substituents independently selected from hydroxy, halo, C_{1-4}alkyl, C_{1-4}alkoxy, C_{1-3}haloalkyl, and C_{1-3}haloalkoxy;


R^7 is selected from hydrogen, deuterium, halo, and C_{1-4}alkyl;

R^9 is hydrogen or C_{1-4}alkyl;

R^{10} is hydroxy, C_{1-4}alkyl, or C_{1-4}alkoxy; and

R^{11} and R^{12} are independently selected from hydrogen, C_{1-4}alkyl, and $C(O)OC_{1-4}$alkyl.

2. The compound according to claim 1, having a structure according to Formula IA, or a pharmaceutically acceptable salt thereof:



(IA)

,

wherein Z, X^1, X^2, X^3, Y, R^1, R^2, R^3, R^4, and R^5 are as defined in claim 1.

3. The compound according to claim 1 or claim 2, wherein Z is CR^6R^7.

4. The compound according to any one of claims 1 to 3, wherein

(A) one of X^1, X^2, and X^3 is N, and the others are CR^4; or

(B) X^1 is N, and X^2 and X^3 are CR^4.

5. The compound according to any one of claims 1 to 4, wherein Y is:

(A) selected from 5- or 6-membered monocyclic heteroaryl, 5- or 6-membered heteroaryl fused to 5- or 6-membered cycloalkyl or 5- or 6-membered heterocyclyl, heterocyclyl, cyclopropyl, and QR^8; wherein:

i. Q is absent, O, or NR^9;

ii. R^8 is C_{1-6}alkyl, C_{1-3}alkylene-phenyl, or C_{1-3}alkylene-heteroaryl;


iii. Y is optionally substituted with one or more substituents Y^A, wherein at each occurrence Y^A is independently selected from halo, C_{1-4}alkyl, C_{1-3}haloalkyl, cyano, $C(O)R^{10}$, and C_{3-7}cycloalkyl; and

iv. Y^A is optionally further substituted with one or more substituents independently selected from halo, hydroxy, C_{3-7}cycloalkyl, and C_{1-3}alkylene-$NR^{11}R^{12}$;

(B) QR^8 wherein Q is absent or O, R^8 is C_{1-6}alkyl, CH_2-phenyl, CH_2-heteroaryl, CF_2-phenyl, or CF_2-heteroaryl, and said phenyl and heteroaryl groups are optionally substituted with one or more substituents Y^A, wherein at each occurrence Y^A is independently selected from fluoro, chloro, C_{1-4}alkyl, C_{1-3}haloalkyl, cyano, $C(O)R^{10}$, and cyclopropyl; and each Y^A is optionally further substituted with one or more substituents independently selected from halo, hydroxy, cyclopropyl, and C_{1-3}alkylene-$NR^{11}R^{12}$;

(C) 5- or 6-membered monocyclic heteroaryl optionally substituted with one or more substituents Y^A, wherein at each occurrence Y^A is independently selected from fluoro, chloro, C_{1-4}alkyl, C_{1-3}haloalkyl, cyano, $C(O)R^{10}$, and cyclopropyl, and wherein each Y^A is optionally further substituted with one or more substituents independently selected from halo, hydroxy, cyclopropyl, and C_{1-3}alkylene-$NR^{11}R^{12}$; or

(D) a 5- or 6-membered monocyclic heteroaryl selected from one of the following structures:



,


wherein the heteroaryl is optionally substituted with one or more substituents Y^A, wherein at each occurrence Y^A is independently selected from fluoro, chloro, C_{1-4}alkyl, C_{1-3}haloalkyl, cyano, $C(O)R^{10}$, and cyclopropyl, and wherein each Y^A is optionally further substituted with one or more substituents independently selected from halo, hydroxy, cyclopropyl, and C_{1-3}alkylene-$NR^{11}R^{12}$.

6. The compound according to any one of claims 1 to 5, wherein one of the following statements (A)-(C) applies:

(A) R^1 and R^2 are independently selected from hydrogen, C_{1-4}alkyl, C_{3-7}cycloalkyl, and C_{1-5}alkoxy, wherein said C_{1-4}alkyl, C_{3-7}cycloalkyl, or C_{1-5}alkoxy is optionally substituted with one or more substituents independently selected from halo, C_{1-4}alkyl, and C_{1-3}haloalkyl; provided that R^1 and R^2 cannot be both hydrogen;

(B) R^1 and R^2 together with the carbon atom to which they are attached form a cyclohexyl ring, wherein the cyclohexyl ring is substituted with one or more substituents independently selected from halo, C_{1-4}alkyl, and C_{1-3}haloalkyl;

(C) the combined R^1, R^2, and R^3 group is a group selected from:



wherein ∿∿ is the point of attachment to the rest of the compound of Formula I; and each cyclopropyl or cyclohexyl ring is optionally substituted with one or more substituents independently selected from halo, C_{1-4}alkyl, and C_{1-3}haloalkyl.

7. The compound according to any one of claims 1 to 6, wherein R^3 is hydrogen.

8. The compound according to any one of claims 1 to 7, wherein R^4 at each occurrence is independently selected from:

(A) hydrogen, fluoro, and methyl; or


(B) hydrogen and fluoro.

9. The compound according to any one of claims 1 to 8, wherein R^5 is selected from:

(A) 5- or 6-membered monocyclic heteroaryl, 4- to 10-membered heterocyclyl, $C(O)NR^{13}R^{14}$, $OC(O)NR^{15}R^{16}$, and $NR^{17}C(O)C_{1-6}$alkyl, wherein R^{13}, R^{14}, R^{15}, R^{16}, and R^{17} are independently selected from hydrogen and C_{1-6}alkyl; and wherein R^5 is optionally substituted with one or more substituents independently selected from halo, C_{1-4}alkyl, C_{1-3}haloalkyl, C_{3-7}cycloalkyl, and oxo;


(B) 5-membered monocyclic heteroaryl, 5-membered heterocyclyl, and $NR^{17}C(O)C_{1-6}$alkyl, wherein R^{17} is hydrogen or methyl; and wherein R^5 is optionally substituted with one or more substituents independently selected from hydroxy, halo, C_{1-4}alkyl, C_{1-3}haloalkyl, C_{3-7}cycloalkyl, and oxo;

(C) the structure:




wherein ~~~ is the point of attachment to the rest of the compound of Formula I; R^x is C_{1-6}alkyl optionally substituted with one or more substituents independently selected from hydroxy, halo, C_{1-4}alkoxy, C_{1-3}haloalkyl, and C_{3-7}cycloalkyl; and R^y is hydrogen or C_{1-6}alkyl; or R^x and R^y, taken together with the atoms to which they are attached, form a 5- to 8-membered heterocyclic ring, optionally substituted with one or more substituents independently selected from hydroxy, halo, C_{1-4}alkyl, C_{1-4}alkoxy, C_{1-3}haloalkyl, C_{3-7}cycloalkyl, and oxo, optionally wherein R^x is C_{1-4}alkyl optionally substituted with one or more substituents independently selected from hydroxy, fluoro, methoxy, and cyclopropyl; and R^y is hydrogen or methyl; or R^x and R^y, taken together with the atoms to which they are attached, form a 5-membered heterocyclic ring, optionally substituted with one or more substituents independently selected from fluoro, C_{1-4}alkyl, trifluoromethyl, and oxo;

(D) the structure:



wherein ~~~ is the point of attachment to the rest of the compound of Formula I; and the structure is optionally substituted with one or more substituents independently selected from fluoro, methyl, trifluoromethyl, and oxo; or

(E) R^5 has a structure selected from:



wherein ~~~ is the point of attachment to the rest of the compound of Formula I.

10. The compound according to any one of claims 1 to 9, wherein R^6 is:

(A) hydrogen, C_{1-6}alkyl, or C_{3-7}cycloalkyl; wherein when R^6 is C_{1-6}alkyl or C_{3-7}cycloalkyl, said groups are optionally substituted with one or more substituents independently selected from hydroxy, halo, C_{1-4}alkyl, C_{1-4}alkoxy, and C_{1-3}haloalkyl; or

(B) hydrogen, methyl, or cyclopropyl; wherein when R^6 is methyl or cyclopropyl, said groups are optionally substituted with one or more substituents independently selected from fluoro and methoxy.


11. The compound according to any one of claims 1 to 10, wherein R^7 is:


(A) selected from hydrogen, deuterium, fluoro, and methyl; or


(B) hydrogen.


12. The compound according to claim 1, having a structure according to:

(A) any one of Formulae IB to IE, or a pharmaceutically acceptable salt thereof:


(IB)


(IC)



(ID)


(IE)

,

wherein Z, X^1, X^2, X^3, Y, R^1, R^2, R^3, R^4, R^5, R^6, and R^7 are as defined in any one of claims 1 to 11; or

(B) Formula IF, or a pharmaceutically acceptable salt thereof:


(IF)

,

wherein Y, R^1, R^2, R^3, R^4, R^6, and R^7 are as defined in any one of claims 1 to 11; R^x is C_{1-6}alkyl optionally substituted with one or more substituents independently selected from hydroxy, halo, C_{1-4}alkoxy, C_{1-3}haloalkyl, and C_{3-7}cycloalkyl, and R^y is hydrogen or C_{1-6}alkyl; or R^x and R^y, taken together with the atoms to which they are attached, form a 5- to 8-membered heterocyclic ring, optionally substituted with one or more substituents independently selected from hydroxy, halo, C_{1-4}alkyl, C_{1-4}alkoxy, C_{1-3}haloalkyl, C_{3-7}cycloalkyl, and oxo.

13. The compound according to claim 1, wherein the compound is selected from one of the following compounds, or a pharmaceutically acceptable salt thereof:

Tert-butyl ((S)-1-((1r,4S)-4-methylcyclohexyl)-2-oxo-2-((4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)ethyl)carbamate;

4-Cyclopropyl-N-((S)-1-((1r,4S)-4-methylcyclohexyl)-2-oxo-2-((4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)ethyl)-1,2,5-oxadiazole-3-carboxamide;

1-Methyl-N-((S)-1-((1r,4S)-4-methylcyclohexyl)-2-oxo-2-((4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)ethyl)-1H-pyrazole-5-carboxamide;

1-Isopropyl-N-((S)-1-((1r,4S)-4-methylcyclohexyl)-2-oxo-2-((4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)ethyl)-1H-pyrazole-5-carboxamide;

Benzyl ((S)-1-((1r,4S)-4-methylcyclohexyl)-2-oxo-2-((4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)ethyl)carbamate;

Tert-butyl ((S)-1-(4,4-difluorocyclohexyl)-2-oxo-2-((4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)ethyl)carbamate;

Tert-butyl 6-(((S)-1-((1r,4S)-4-methylcyclohexyl)-2-oxo-2-((4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)ethyl)carbamoyl)-3,4-dihydropyrrolo[1,2-a]pyrazine-2(1H)-carboxylate;

4-Cyclopropyl-N-((S)-1-(4,4-difluorocyclohexyl)-2-oxo-2-((4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)ethyl)-1,2,5-oxadiazole-3-carboxamide;

N-((S)-1-(4,4-Difluorocyclohexyl)-2-oxo-2-((4-(((S)-2-oxo-4-(trifluoromethyl)-imidazolidin-1-yl)methyl)pyridin-2-yl)amino)ethyl)-1-methyl-1H-pyrazole-5-carboxamide;

Benzyl ((S)-1-(4,4-difluorocyclohexyl)-2-oxo-2-((4-(((S)-2-oxo-4-(trifluoromethyl)-imidazolidin-1-yl)methyl)pyridin-2-yl)amino)ethyl)carbamate;

Tert-butyl 6-(((S)-1-(4,4-difluorocyclohexyl)-2-oxo-2-((4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)ethyl)carbamoyl)-3,4-dihydropyrrolo[1,2-a]pyrazine-2(1H)-carboxylate;

N-((S)-1-(4,4-Difluorocyclohexyl)-2-oxo-2-((4-(((S)-2-oxo-4-(trifluoromethyl)-imidazolidin-1-yl)methyl)pyridin-2-yl)amino)ethyl)-1-isopropyl-1H-pyrazole-5-carboxamide;

N-((S)-1-(4,4-Difluorocyclohexyl)-2-oxo-2-((4-(((S)-2-oxo-4-(trifluoromethyl)-imidazolidin-1-yl)methyl)pyridin-2-yl)amino)ethyl)-3-ethylisoxazole-4-carboxamide;

1-Cyclopropyl-N-((S)-1-(4,4-difluorocyclohexyl)-2-oxo-2-((4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)ethyl)-1H-pyrazole-5-carboxamide;

N-((S)-1,1-Dicyclopropyl-3-oxo-3-((4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)propan-2-yl)-1-methyl-1H-pyrazole-5-carboxamide;

4-Cyclopropyl-N-((S)-1,1-dicyclopropyl-3-oxo-3-((4-(((S)-2-oxo-4-(trifluoromethyl)-imidazolidin-1-yl)methyl)pyridin-2-yl)amino)propan-2-yl)-1,2,5-oxadiazole-3-carboxamide;

N-((S)-1,1-Dicyclopropyl-3-oxo-3-((4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)propan-2-yl)-1-isopropyl-1H-pyrazole-5-carboxamide;

N-((S)-1,1-Dicyclopropyl-3-oxo-3-((4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)propan-2-yl)-4-methyl-1,2,5-oxadiazole-3-carboxamide;

Tert-butyl ((1-(4-(((S)-1-(4,4-difluorocyclohexyl)-2-oxo-2-((4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)ethyl)carbamoyl)isoxazol-3-yl)cyclopropyl)methyl)carbamate;

3-Cyclopropyl-N-((S)-1-(4,4-difluorocyclohexyl)-2-oxo-2-((4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)ethyl)isoxazole-4-carboxamide;

N-((S)-1-(4,4-Difluorocyclohexyl)-2-oxo-2-((4-(((S)-2-oxo-4-(trifluoromethyl)-imidazolidin-1-yl)methyl)pyridin-2-yl)amino)ethyl)-3-isopropylisoxazole-4-carboxamide;

3-(1-(Aminomethyl)cyclopropyl)-N-((S)-1-(4,4-difluorocyclohexyl)-2-oxo-2-((4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)ethyl)isoxazole-4-carboxamide;

Tert-butyl ((S)-2-((4-((5-methyl-6-oxo-5,7-diazaspiro[3.4]octan-7-yl)methyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)carbamate;

Tert-butyl ((S)-2-((4-((4,4-dimethyl-2-oxoimidazolidin-1-yl)methyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)carbamate;

4-Cyclopropyl-N-((S)-2-((4-((4,4-dimethyl-2-oxoimidazolidin-1-yl)methyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)-1,2,5-oxadiazole-3-carboxamide;

Tert-butyl ((S)-1-((1r,4S)-4-methylcyclohexyl)-2-oxo-2-((4-((((2,2,2-trifluoroethyl)carbamoyl)oxy)methyl)pyridin-2-yl)amino)ethyl)carbamate;

Tert-butyl (S)-(1-(4,4-difluorocyclohexyl)-2-((4-((4,4-dimethyl-2,5-dioxoimidazolidin-1-yl)methyl)pyridin-2-yl)amino)-2-oxoethyl)carbamate;

Tert-butyl (S)-(1-(4,4-difluorocyclohexyl)-2-((4-((2,5-dioxoimidazolidin-1-yl)methyl)pyridin-2-yl)amino)-2-oxoethyl)carbamate;

Tert-butyl ((S)-2-((4-(((R)-5-methyl-2-oxoimidazolidin-1-yl)methyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)carbamate;

Tert-butyl ((S)-2-((4-(((R)-4-methyl-2-oxoimidazolidin-1-yl)methyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)carbamate;

(S)-N-(1,1-Dicyclopropyl-3-oxo-3-((4-(2-oxo-2-((3,3,3-trifluoropropyl)amino)ethyl)-pyridin-2-yl)amino)propan-2-yl)-1-methyl-1H-pyrazole-5-carboxamide;
(S)-N-(1,1-Dicyclopropyl-3-oxo-3-((4-((4,4,4-trifluorobutanamido)methyl)pyridin-2-yl)amino)propan-2-yl)-1-methyl-1H-pyrazole-5-carboxamide;
N-((S)-1,1-Dicyclopropyl-3-((4-(((R)-4-methyl-2-oxoimidazolidin-1-yl)methyl)pyridin-2-yl)amino)-3-oxopropan-2-yl)-1-methyl-1H-pyrazole-5-carboxamide;
1-Cyclopropyl-N-((S)-1,1-dicyclopropyl-3-((4-(((R)-4-methyl-2-oxoimidazolidin-1-yl)methyl)pyridin-2-yl)amino)-3-oxopropan-2-yl)-1H-pyrazole-5-carboxamide;
N-(1-(4,4-Difluorocyclohexyl)-2-((4-((1-methyl-6-oxo-1,6-dihydropyridin-2-yl)methyl)pyridin-2-yl)amino)-2-oxoethyl)-1-isopropyl-1H-pyrazole-5-carboxamide;
N-(1-(4,4-Difluorocyclohexyl)-2-((4-((1-methyl-6-oxo-1,6-dihydropyridin-2-yl)methyl)pyridin-2-yl)amino)-2-oxoethyl)-1-ethyl-1H-pyrazole-5-carboxamide;
N-(1-(4,4-Difluorocyclohexyl)-2-((4-((1-methyl-6-oxo-1,6-dihydropyridin-2-yl)methyl)pyridin-2-yl)amino)-2-oxoethyl)-1-methyl-1H-pyrazole-5-carboxamide;
N-((2S)-1,1-Dicyclopropyl-3-((4-(cyclopropyl(4,4,4-trifluorobutanamido)methyl)pyridin-2-yl)amino)-3-oxopropan-2-yl)-1-methyl-1H-pyrazole-5-carboxamide;
4-Cyclopropyl-N-((2S)-1,1-dicyclopropyl-3-((4-(cyclopropyl(4,4,4-trifluorobutanamido)methyl)pyridin-2-yl)amino)-3-oxopropan-2-yl)-1,2,5-oxadiazole-3-carboxamide;
N-((2S)-1,1-Dicyclopropyl-3-((4-(cyclopropyl(4,4,4-trifluorobutanamido)-methyl)pyridin-2-yl)amino)-3-oxopropan-2-yl)-1-isopropyl-1H-pyrazole-5-carboxamide;
N-((2S)-1,1-Dicyclopropyl-3-((4-(cyclopropyl(4,4,4-trifluorobutanamido)-methyl)pyridin-2-yl)amino)-3-oxopropan-2-yl)-3-ethylisoxazole-4-carboxamide;
Tert-butyl (S)-(1-(4,4-difluorocyclohexyl)-2-oxo-2-((4-((((2,2,2-trifluoroethyl)-carbamoyl)oxy)methyl)pyridin-2-yl)amino)ethyl)carbamate;
4-Cyclopropyl-N-(2-((4-(cyclopropyl(4,4,4-trifluorobutanamido)methyl)pyridin-2-yl)amino)-1-(4,4-difluorocyclohexyl)-2-oxoethyl)-1,2,5-oxadiazole-3-carboxamide;
N-(2-((4-(Cyclopropyl(4,4,4-trifluorobutanamido)methyl)pyridin-2-yl)amino)-1-(4,4-difluorocyclohexyl)-2-oxoethyl)-1-methyl-1H-pyrazole-5-carboxamide;
N-(2-((4-(Cyclopropyl(4,4,4-trifluorobutanamido)methyl)pyridin-2-yl)amino)-1-(4,4-difluorocyclohexyl)-2-oxoethyl)-1-isopropyl-1H-pyrazole-5-carboxamide;
N-(2-((4-(Cyclopropyl(4,4,4-trifluorobutanamido)methyl)pyridin-2-yl)amino)-1-(4,4-difluorocyclohexyl)-2-oxoethyl)-3-ethylisoxazole-4-carboxamide;
Tert-butyl ((S)-2-((5-fluoro-4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)carbamate;

Tert-butyl ((S)-2-((4-((1,4-dimethyl-1H-pyrazol-5-yl)methyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)carbamate;

N-(1-(4,4-Difluorocyclohexyl)-2-((4-((1-methyl-6-oxo-1,6-dihydropyridin-3-yl)methyl)pyridin-2-yl)amino)-2-oxoethyl)-1-methyl-1H-pyrazole-5-carboxamide;

N-(1-(4,4-Difluorocyclohexyl)-2-((4-((1,4-dimethyl-1H-pyrazol-5-yl)methyl)pyridin-2-yl)amino)-2-oxoethyl)-1-methyl-1H-pyrazole-5-carboxamide;

N-(1-(4,4-Difluorocyclohexyl)-2-((4-((1-methyl-2-oxo-1,2-dihydropyridin-4-yl)methyl)pyridin-2-yl)amino)-2-oxoethyl)-1-methyl-1H-pyrazole-5-carboxamide;

N-((S)-2-((4-((1,4-Dimethyl-1H-pyrazol-5-yl)methyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)-1-isopropyl-1H-pyrazole-5-carboxamide;

(1R,2S,5S)-N-((2S)-1,1-Dicyclopropyl-3-((4-(cyclopropyl(4,4,4-trifluorobutanamido)-methyl)pyridin-2-yl)amino)-3-oxopropan-2-yl)-3,6,6-trimethyl-3-azabicyclo[3.1.0]-hexane-2-carboxamide;

(5-Methylisoxazol-3-yl)methyl ((S)-1-(4,4-difluorocyclohexyl)-2-oxo-2-((4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)ethyl)carbamate;

4-Cyclopropyl-N-((1S)-2-((4-(2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)-1,2,5-oxadiazole-3-carboxamide;

(1,5-Dimethyl-1H-pyrazol-3-yl)methyl ((S)-1-(4,4-difluorocyclohexyl)-2-oxo-2-((4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)ethyl)carbamate;

4-Cyclopropyl-N-((S)-2-((5-fluoro-4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)-1,2,5-oxadiazole-3-carboxamide;

N-((S)-2-((5-Fluoro-4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)-4-methyl-1,2,5-oxadiazole-3-carboxamide;

N-((S)-2-((5-Fluoro-4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)-1-isopropyl-1H-pyrazole-5-carboxamide;

N-((S)-2-((5-Fluoro-4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)-1-methyl-1H-pyrazole-5-carboxamide;

Tert-butyl ((S)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)carbamate;

Tert-butyl ((S)-2-((4-((R)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)carbamate;

1-Fluoro-N-((S)-1-((1r,4S)-4-methylcyclohexyl)-2-oxo-2-((4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)ethyl)cyclopropane-1-carboxamide;

N-((S)-1-((1r,4S)-4-Methylcyclohexyl)-2-oxo-2-((4-(((S)-2-oxo-4-(trifluoromethyl)-imidazolidin-1-yl)methyl)pyridin-2-yl)amino)ethyl)-1-(4,4,4-trifluoro-3-hydroxybutyl)-1H-pyrazole-5-carboxamide;

(4-Methyl-1,2,5-oxadiazol-3-yl)methyl ((S)-1-(4,4-difluorocyclohexyl)-2-oxo-2-((4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)ethyl);

Tert-butyl ((1S)-2-((4-(cyclopropyl(4,4,4-trifluorobutanamido)methyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)carbamate;

Tert-butyl ((1S)-2-((4-(cyclopropyl(4,4,4-trifluorobutanamido)methyl)pyridin-2-yl)amino)-1-(4,4-difluorocyclohexyl)-2-oxoethyl)carbamate;

N-((1S)-2-((4-(2-Methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)-4-methyl-1,2,5-oxadiazole-3-carboxamide;

N-((1S)-2-((4-(2-Methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)-1-methyl-1H-pyrazole-5-carboxamide;

3-Isopropyl-N-((1S)-2-((4-(2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)isoxazole-4-carboxamide;

1-Isopropyl-N-((1S)-2-((4-(2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)-1H-pyrazole-5-carboxamide;

Tert-butyl ((S)-2-((4-((3,5-dimethyl-1H-pyrazol-4-yl)methyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)carbamate;

Tert-butyl ((S)-1-((1r,4S)-4-methylcyclohexyl)-2-oxo-2-((5-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-3-yl)amino)ethyl)carbamate;

Tert-butyl ((R)-1-((1r,4R)-4-methylcyclohexyl)-2-oxo-2-((5-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-3-yl)amino)ethyl)carbamate;

Benzyl ((rac)-3-(tert-butoxy)-1-oxo-1-((4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)propan-2-yl)carbamate;

N-(3-(Tert-butoxy)-1-oxo-1-((4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)propan-2-yl)-4-cyclopropyl-1,2,5-oxadiazole-3-carboxamide;

N-(3-(Tert-butoxy)-1-oxo-1-((4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)propan-2-yl)-1-methyl-1H-pyrazole-5-carboxamide;

4-Cyclopropyl-N-((S)-1-((1r,4S)-4-methylcyclohexyl)-2-oxo-2-((5-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-3-yl)amino)ethyl)-1,2,5-oxadiazole-3-carboxamide;

4-Cyclopropyl-N-((R)-1-((1r,4R)-4-methylcyclohexyl)-2-oxo-2-((5-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-3-yl)amino)ethyl)-1,2,5-oxadiazole-3-carboxamide;

4-Ethyl-N-((1S)-2-((4-(2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)-1,2,5-oxadiazole-3-carboxamide;

N-((1S)-2-((4-(2-Methoxy-1-((RS)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)-2-methyl-4-(trifluoromethyl)pyrimidine-5-carboxamide;

N-((1S)-2-((4-(2-Methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)-5-methylthiazole-4-carboxamide;

5-Cyano-N-((1S)-2-((4-(2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)thiazole-4-carboxamide;

N-((1S)-2-((4-(2-Methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)-1-methyl-1H-tetrazole-5-carboxamide;

6-Bromo-N-((1S)-2-((4-(2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)-3-methylpicolinamide;

2-Chloro-N-((1S)-2-((4-(2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)-5-methylpyrimidine-4-carboxamide;

4-Cyclopropyl-N-((1S)-2-((4-(cyclopropyl(4,4,4-trifluorobutanamido)methyl)pyridin-2-yl)amino)-1-(4,4-difluorocyclohexyl)-2-oxoethyl)-1,2,5-oxadiazole-3-carboxamide;

(S)-2-(3-Benzylureido)-2-((1r,4S)-4-methylcyclohexyl)-N-(4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)acetamide;

(S)-2-(3-Benzylureido)-2-(4,4-difluorocyclohexyl)-N-(4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)acetamide;

Benzyl ((2R,3R)-3-(tert-butoxy)-1-oxo-1-((4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)butan-2-yl)carbamate;

Benzyl ((2S,3R)-3-(tert-butoxy)-1-oxo-1-((4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)butan-2-yl)carbamate;

N-((2S,3R)-3-(Tert-butoxy)-1-oxo-1-((4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)butan-2-yl)-4-cyclopropyl-1,2,5-oxadiazole-3-carboxamide;

N-((2S,3R)-3-(Tert-butoxy)-1-oxo-1-((4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)butan-2-yl)-1-methyl-1H-pyrazole-5-carboxamide;

Tert-butyl ((S)-1,1-dicyclopropyl-3-oxo-3-((4-(((S)-2-oxo-4-(trifluoromethyl)-imidazolidin-1-yl)methyl)pyridin-2-yl)amino)propan-2-yl)carbamate;

N-((1S)-2-((4-(Cyclopropyl(4,4,4-trifluorobutanamido)methyl)pyridin-2-yl)amino)-1-(4,4-difluorocyclohexyl)-2-oxoethyl)oxazole-2-carboxamide;

N-((1S)-2-((4-(Cyclopropyl(4,4,4-trifluorobutanamido)methyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)-1-isopropyl-1H-pyrazole-5-carboxamide;

N-((S)-2-((4-((R)-Cyclopropyl(4,4,4-trifluorobutanamido)methyl)pyridin-2-yl)amino)-1-(4,4-difluorocyclohexyl)-2-oxoethyl)-1-methyl-1H-pyrazole-5-carboxamide;

N-((1S)-2-((4-(Cyclopropyl(4,4,4-trifluorobutanamido)methyl)pyridin-2-yl)amino)-1-(4,4-difluorocyclohexyl)-2-oxoethyl)-1-ethyl-1H-pyrazole-5-carboxamide;

N-((1S)-2-((4-(Cyclopropyl(4,4,4-trifluorobutanamido)methyl)pyridin-2-yl)amino)-1-(4,4-difluorocyclohexyl)-2-oxoethyl)oxazole-4-carboxamide;

N-((1S)-2-((4-(Cyclopropyl(4,4,4-trifluorobutanamido)methyl)pyridin-2-yl)amino)-1-(4,4-difluorocyclohexyl)-2-oxoethyl)-1-isopropyl-1H-pyrazole-5-carboxamide;

N-((1S)-2-((4-(Cyclopropyl(4,4,4-trifluorobutanamido)methyl)pyridin-2-yl)amino)-1-(4,4-difluorocyclohexyl)-2-oxoethyl)-1-methyl-1H-imidazole-2-carboxamide;

N-((1S)-2-((4-(2-Methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)-1-methyl-1H-imidazole-2-carboxamide;

(2S)-2-(2-(3,5-Dimethylisoxazol-4-yl)acetamido)-N-(4-(2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)-2-((1r,4S)-4-methylcyclohexyl)acetamide;

(2S)-N-(4-(2-Methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)-2-(2-(5-methyl-1H-pyrazol-3-yl)acetamido)-2-((1r,4S)-4-methylcyclohexyl)-acetamide;

1-Isopropyl-N-((1S)-2-((4-(2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)-1H-imidazole-2-carboxamide;

N-((2S,3S)-3-(Tert-butoxy)-1-oxo-1-((4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)butan-2-yl)-4-cyclopropyl-1,2,5-oxadiazole-3-carboxamide;

N-((1S)-2-((4-(Cyclopropyl(4,4,4-trifluorobutanamido)methyl)pyridin-2-yl)amino)-1-(4,4-difluorocyclohexyl)-2-oxoethyl)-1-isopropyl-1H-imidazole-2-carboxamide;
1-Methyl-N-((1S)-1-((1r,4S)-4-methylcyclohexyl)-2-oxo-2-((4-((2-oxopyrrolidin-3-yl)oxy)pyridin-2-yl)amino)ethyl)-1H-pyrazole-5-carboxamide;
1-Isopropyl-N-((1S)-1-((1r,4S)-4-methylcyclohexyl)-2-oxo-2-((4-((2-oxopyrrolidin-3-yl)oxy)pyridin-2-yl)amino)ethyl)-1H-pyrazole-5-carboxamide;
N-((S)-2-((4-(2-Methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)-4-methylisoxazole-3-carboxamide;
4-Cyclopropyl-N-((S)-2-((4-(2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)isoxazole-3-carboxamide;
N-((S)-2-((4-(2-Methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)-4-methyloxazole-5-carboxamide;
(S)-N-(4-(2-Methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)-2-((1r,4S)-4-methylcyclohexyl)-2-(2-(3-methylisoxazol-5-yl)acetamido)acetamide;
1-Ethyl-N-((S)-2-((4-(2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)-1H-pyrazole-5-carboxamide;
3-Ethyl-N-((S)-2-((4-(2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)isoxazole-4-carboxamide;
3-Cyclopropyl-N-((S)-2-((4-(2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)isoxazole-4-carboxamide;
N-((2S,3R)-3-(Tert-butoxy)-1-oxo-1-((4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)butan-2-yl)-1-isopropyl-1H-pyrazole-5-carboxamide;
N-((2S,3R)-3-(Tert-butoxy)-1-oxo-1-((4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)butan-2-yl)-4-methyl-1,2,5-oxadiazole-3-carboxamide;
N-((2S,3R)-3-(Tert-butoxy)-1-oxo-1-((4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)butan-2-yl)-4-ethyl-1,2,5-oxadiazole-3-carboxamide;
N-((2S,3R)-3-(Tert-butoxy)-1-oxo-1-((4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)butan-2-yl)-3-isopropylisoxazole-4-carboxamide;
Tert-butyl ((1S)-1-(4,4-difluorocyclohexyl)-2-((4-(2-methoxy-1-(4,4,4-trifluorobutanamido)ethyl)pyridin-2-yl)amino)-2-oxoethyl)carbamate;

4-Cyclopropyl-N-((1S)-1-(4,4-difluorocyclohexyl)-2-((4-(2-methoxy-1-(4,4,4-trifluorobutanamido)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-1,2,5-oxadiazole-3-carboxamide;

N-((1S)-1-(4,4-Difluorocyclohexyl)-2-((4-(2-methoxy-1-(4,4,4-trifluorobutanamido)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-1-methyl-1H-pyrazole-5-carboxamide;

N-((1S)-1-(4,4-Difluorocyclohexyl)-2-((4-(2-methoxy-1-(4,4,4-trifluorobutanamido)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-1-isopropyl-1H-pyrazole-5-carboxamide;

N-((1S)-1-(4,4-Difluorocyclohexyl)-2-((4-(2-methoxy-1-(4,4,4-trifluorobutanamido)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-1-ethyl-1H-pyrazole-5-carboxamide;

1-Cyclopropyl-N-((1S)-1-(4,4-difluorocyclohexyl)-2-((4-(2-methoxy-1-(4,4,4-trifluorobutanamido)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-1H-pyrazole-5-carboxamide;

N-((1S)-1-(4,4-Difluorocyclohexyl)-2-((4-(2-methoxy-1-(4,4,4-trifluorobutanamido)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-1-methyl-1H-imidazole-2-carboxamide;

N-((1S)-1-(4,4-Difluorocyclohexyl)-2-((4-(2-methoxy-1-(4,4,4-trifluorobutanamido)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-1-isopropyl-1H-imidazole-2-carboxamide;

1-(Cyclopropylmethyl)-N-((1S)-1-(4,4-difluorocyclohexyl)-2-((4-(2-methoxy-1-(4,4,4-trifluorobutanamido)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-1H-pyrazole-5-carboxamide;

2,2-Difluoro-N-((S)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)-2-(p-tolyl)acetamide;

2,2-Difluoro-N-((1S)-2-((4-(2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)-2-phenylacetamide;

Tert-butyl ((1S)-1-((1r,4S)-4-methylcyclohexyl)-2-oxo-2-((4-(((S)-2-oxo-4-(trifluoromethyl)-imidazolidin-1-yl)methyl-*d*)pyridin-2-yl)amino)ethyl)carbamate;

4-Cyclopropyl-N-((S)-1-((1r,4S)-4-methylcyclohexyl)-2-oxo-2-((4-(((3R,5S)-2-oxo-5-(trifluoromethyl)pyrrolidin-3-yl)methyl)pyridin-2-yl)amino)ethyl)-1,2,5-oxadiazole-3-carboxamide;

1-Ethyl-N-((S)-1-((1r,4S)-4-methylcyclohexyl)-2-oxo-2-((4-(((3R,5S)-2-oxo-5-(trifluoromethyl)pyrrolidin-3-yl)methyl)pyridin-2-yl)amino)ethyl)-1H-pyrazole-5-carboxamide;

1-Isopropyl-N-((S)-1-((1r,4S)-4-methylcyclohexyl)-2-oxo-2-((4-(((3R,5S)-2-oxo-5-(trifluoromethyl)pyrrolidin-3-yl)methyl)pyridin-2-yl)amino)ethyl)-1H-pyrazole-5-carboxamide;

1-Ethyl-N-((S)-1-((1r,4S)-4-methylcyclohexyl)-2-oxo-2-((4-(((3S,5S)-2-oxo-5-(trifluoromethyl)pyrrolidin-3-yl)methyl)pyridin-2-yl)amino)ethyl)-1H-pyrazole-5-carboxamide;

1-Isopropyl-N-((S)-1-((1r,4S)-4-methylcyclohexyl)-2-oxo-2-((4-(((3S,5S)-2-oxo-5-(trifluoromethyl)pyrrolidin-3-yl)methyl)pyridin-2-yl)amino)ethyl)-1H-pyrazole-5-carboxamide;

N-((1S)-1-(4,4-difluorocyclohexyl)-2-oxo-2-((4-(3,3,3-trifluoro-1-(4,4,4-trifluorobutanamido)propyl)pyridin-2-yl)amino)ethyl)-4-ethylisoxazole-5-carboxamide;

N-((S)-1-(4,4-difluorocyclohexyl)-2-oxo-2-((4-((R)-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)butyl)pyridin-2-yl)amino)ethyl)-4-ethylisoxazole-3-carboxamide;

N-((S)-1-(4,4-difluorocyclohexyl)-2-((4-((R)-2-methyl-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)propyl)pyridin-2-yl)amino)-2-oxoethyl)-4-ethylisoxazole-3-carboxamide;

N-((1S)-2-((4-(cyclopropyl(3,3,3-trifluoropropanamido)methyl)pyridin-2-yl)amino)-1-(4,4-difluorocyclohexyl)-2-oxoethyl)-1-isopropyl-1H-pyrazole-5-carboxamide;

N-((1S)-2-((4-(cyclopropyl(4,4,4-trifluorobutanamido)methyl)pyridin-2-yl)amino)-1-(4,4-difluorocyclohexyl)-2-oxoethyl)-3-ethylisoxazole-4-carboxamide;

4-Cyclopropyl-N-((S)-2-((4-(cyclopropyl((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)-1-(4,4-difluorocyclohexyl)-2-oxoethyl)-1,2,5-oxadiazole-3-carboxamide;

N-((1S)-2-((4-(cyclopropyl((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)-1-(4,4-difluoro cyclohexyl)-2-oxoethyl)-4-methyl-1,2,5-oxadiazole-3-carboxamide;

N-((1S)-2-((4-((cyclopropyl((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)-1-(4,4-difluoro cyclohexyl)-2-oxoethyl)-1-ethyl-1H-pyrazole-5-carboxamide;

N-((1S)-2-((4-(cyclopropyl((S)-2-oxo-4-(trifluoromethyl) imidazolidin-1-yl)methyl) pyridin-2-yl)amino)-1-(4,4-difluorocyclohexyl)-2-oxoethyl)-1-methyl-1H-pyrazole-5-carboxamide;

N-((S)-1-(4,4-difluorocyclohexyl)-2-oxo-2-((4-((R)-1-(4,4,4-trifluorobutanamido)ethyl)pyridin-2-yl)amino)ethyl)-1-isopropyl-1H-pyrazole-5-carboxamide;

4-Cyclopropyl-N-((S)-1-(4,4-difluorocyclohexyl)-2-((4-((R)-1-(4-methyl-2-oxo-2,3-dihydro-1H-imidazol-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-1,2,5-oxadiazole-3-carboxamide;

N-((1S)-1-(4,4-Difluorocyclohexyl)-2-oxo-2-((4-(1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)ethyl)-4-methyl-1,2,5-oxadiazole-3-carboxamide;

4-cyclopropyl-N-((S)-1-(4,4-difluorocyclohexyl)-2-oxo-2-((4-(1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino) ethyl)-1,2,5-oxadiazole-3-carboxamide;

N-((1S)-1-(4,4-difluorocyclo hexyl)-2-oxo-2-((4-(1-((S)-2-oxo-4-(trifluoromethyl) imidazolidin-1-yl)ethyl) pyridin-2-yl)amino) ethyl)-1-methyl-1H-pyrazole-5-carboxamide;

N-((S)-1-(4,4-difluorocyclohexyl)-2-oxo-2-((4-(2-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)propan-2-yl)pyridin-2-yl)amino)ethyl)-1-methyl-1H-pyrazole-5-carboxamide;

N-((S)-1-(4,4-difluorocyclohexyl)-2-oxo-2-((4-(2-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)propan-2-yl)pyridin-2-yl)amino)ethyl)-3-ethylisoxazole-4-carboxamide;

N-((S)-1-(4,4-difluorocyclohexyl)-2-oxo-2-((4-(2-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)propan-2-yl)pyridin-2-yl)amino)ethyl)-1-ethyl-1H-pyrazole-5-carboxamide;

N-((S)-1-(4,4-difluorocyclohexyl)-2-oxo-2-((4-(2-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)propan-2-yl)pyridin-2-yl)amino)ethyl)-1-isopropyl-1H-pyrazole-5-carboxamide;

N-((S)-2-((4-((S)-1-(5,5-difluoro-2-oxotetrahydropyrimidin-1(2H)-yl)-2-methoxyethyl)pyridin-2-yl)amino)-1-(4,4-difluorocyclohexyl)-2-oxoethyl)-5-ethylisoxazole-4-carboxamide;

N-((S)-2-((4-((S)-1-(5,5-difluoro-2-oxotetrahydropyrimidin-1(2H)-yl)-2-methoxyethyl)pyridin-2-yl)amino)-1-(4,4-difluorocyclohexyl)-2-oxoethyl)-4-ethylisoxazole-3-carboxamide;

N-((S)-2-((4-((S)-1-(5,5-difluoro-2-oxotetrahydropyrimidin-1(2H)-yl)-2-methoxyethyl)pyridin-2-yl)amino)-1-(4,4-difluorocyclohexyl)-2-oxoethyl)-3-ethylisoxazole-4-carboxamide;

N-((S)-2-((4-((S)-1-(5,5-difluoro-2-oxotetrahydropyrimidin-1(2H)-yl)-2-methoxyethyl)pyridin-2-yl)amino)-1-(4,4-difluorocyclohexyl)-2-oxoethyl)-1-ethyl-1H-pyrazole-5-carboxamide;

N-((S)-2-((4-((S)-1-(5,5-difluoro-2-oxotetrahydropyrimidin-1(2H)-yl)-2-methoxyethyl)pyridin-2-yl)amino)-1-(4,4-difluorocyclohexyl)-2-oxoethyl)-1-methyl-1H-pyrazole-5-carboxamide;

N-((S)-2-((4-((S)-1-(5,5-difluoro-2-oxotetrahydropyrimidin-1(2H)-yl)-2-methoxyethyl)pyridin-2-yl)amino)-1-(4,4-difluorocyclohexyl)-2-oxoethyl)-1-isopropyl-1H-pyrazole-5-carboxamide;

N-((S)-2-((4-((S)-1-(5,5-difluoro-2-oxotetrahydropyrimidin-1(2H)-yl)-2-methoxyethyl)pyridin-2-yl)amino)-1-(4,4-difluorocyclohexyl)-2-oxoethyl)-4-ethyl-1,2,5-oxadiazole-3-carboxamide;

N-((S)-2-((4-((S)-1-(5,5-difluoro-2-oxotetrahydropyrimidin-1(2H)-yl)-2-methoxyethyl)pyridin-2-yl)amino)-1-(4,4-difluorocyclohexyl)-2-oxoethyl)-4-methyl-1,2,5-oxadiazole-3-carboxamide;

4-Cyclopropyl-N-((S)-1-(4,4-difluorocyclohexyl)-2-((4-(2-methoxy-1-((3S,5S)-2-oxo-5-(trifluoromethyl)pyrrolidin-3-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-1,2,5-oxadiazole-3-carboxamide;

4-Cyclopropyl-N-((1S)-1-(4,4-difluorocyclohexyl)-2-((4-(2-methoxy-1-((3R,5S)-2-oxo-5-(trifluoromethyl)pyrrolidin-3-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-1,2,5-oxadiazole-3-carboxamide;

4-Cyclopropyl-N-((1S)-1-(4,4-difluorocyclohexyl)-2-((4-(2-methoxy-1-((3R,5S)-2-oxo-5-(trifluoromethyl)pyrrolidin-3-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-1,2,5-oxadiazole-3-carboxamide;

N-((S)-1-(4,4-Difluorocyclohexyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-4-ethyl-1,2,5-oxadiazole-3-carboxamide;

N-((S)-1-(4,4-difluorocyclohexyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-4-isopropylisoxazole-3-carboxamide;

N-((S)-1-(4,4-difluorocyclohexyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-1-(ethyl-d5)-1H-pyrazole-5-carboxamide;

N-((S)-1-(4,4-difluorocyclohexyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-1-(ethyl-d5)-1H-pyrazole-3-carboxamide;

4-cyclobutyl-N-((S)-1-(4,4-difluorocyclohexyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)isoxazole-3-carboxamide;

N-((S)-1-(4,4-difluorocyclohexyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-4-(2,2-difluoroethoxy)isoxazole-3-carboxamide;

N-((S)-1-(4,4-difluorocyclohexyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-4-(2,2,2-trifluoroethoxy)-1,2,5-oxadiazole-3-carboxamide;

N-((S)-1-(4,4-difluorocyclohexyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-3-methylisoxazole-4-carboxamide;

N-((S)-1-(4,4-difluorocyclohexyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-4-isopropyl-1,2,5-oxadiazole-3-carboxamide;

N-((S)-1-(4,4-difluorocyclohexyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-4-methylisoxazole-3-carboxamide;

N-((S)-1-(4,4-difluorocyclohexyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-3-isopropylisoxazole-4-carboxamide;

N-((S)-1-(4,4-difluorocyclohexyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-3-ethylisoxazole-4-carboxamide;

N-((S)-1-(4,4-difluorocyclohexyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-4-methyl-1,2,5-oxadiazole-3-carboxamide;

4-cyclopropyl-N-((S)-1-(4,4-difluorocyclohexyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-1,2,5-oxadiazole-3-carboxamide;

N-((S)-1-(4,4-difluorocyclohexyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-1-ethyl-1H-pyrazole-5-carboxamide;

N-((S)-1-(4,4-difluorocyclohexyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-1-methyl-1H-pyrazole;

N-((S)-1-(4,4-difluorocyclohexyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-1-isopropyl-1H-pyrazole-5-carboxamide;

(S)-2-(4,4-difluorocyclohexyl)-N-(4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)-2-(2-(6-methoxypyridin-3-yl)acetamido)acetamide;

2-(3-cyanophenyl)-N-((S)-1-(4,4-difluorocyclohexyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imid azolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)propan amide;

(S)-2-(2-(3-cyanophenyl)acetamido)-2-(4,4-difluorocyclohexyl)-N-(4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imid azolidin-1-yl)ethyl)pyridin-2-yl)acetamide;

N-((1S)-1-(4,4-difluorocyclohexyl)-2-oxo-2-((4-(1-(4,4,4-trifluorobutanamido)propyl)pyridin-2-yl)amino)ethyl)-4-ethyl-1,2,5-oxadiazole-3-carboxamide;

N-((S)-1-(4,4-difluorocyclohexyl)-2-oxo-2-((4-((R)-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)propyl)pyridin-2-yl)amino)ethyl)-4-ethylisoxazole-3-carboxamide;

N-((S)-1-(4,4-difluorocyclohexyl)-2-oxo-2-((4-((R)-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)propyl)pyridin-2-yl)amino)ethyl)-4-ethyl-1,2,5-oxadiazole-3-carboxamide;

N-((S)-1-(4,4-difluorocyclohexyl)-2-oxo-2-((4-((R)-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)propyl)pyridin-2-yl)amino)ethyl)-3-ethylisoxazole-4-carboxamide;

N-((S)-1-(4,4-difluorocyclohexyl)-2-oxo-2-((4-((R)-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)propyl)pyridin-2-yl)amino)ethyl)-4-methyl-1,2,5-oxadiazole-3-carboxamide;

4-cyclopropyl-N-((S)-1-(4,4-difluorocyclohexyl)-2-oxo-2-((4-((R)-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)propyl)pyridin-2-yl)amino)ethyl)-1,2,5-oxadiazole-3-carboxamide;

N-((S)-1-(4,4-difluorocyclohexyl)-2-oxo-2-((4-((R)-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)propyl)pyridin-2-yl)amino)ethyl)-1-ethyl-1H-pyrazole-5-carboxamide;

N-((S)-1-(4,4-difluorocyclohexyl)-2-oxo-2-((4-((R)-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)propyl)pyridin-2-yl)amino)ethyl)-1-methyl-1H-pyrazole-5-carboxamide;

N-((S)-1-(4,4-difluorocyclohexyl)-2-oxo-2-((4-((R)-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)propyl)pyridin-2-yl)amino)ethyl)-1-isopropyl-1H-pyrazole-5-carboxamide;

N-((1S)-1-(4,4-difluorocyclohexyl)-2-oxo-2-((4-((2-oxo-5-(trifluoromethyl)-2,5-dihydro-1H-pyrrol-3-yl)methyl)pyridin-2-yl)amino)ethyl)-3-ethylisoxazole-4-carboxamide;

N-((S)-1-(4,4-difluorocyclohexyl)-2-oxo-2-((4-(((3S,5S)-2-oxo-5-(trifluoromethyl)pyrrolidin-3-yl)methyl)pyridin-2-yl)amino)ethyl)-4-ethyloxazole-5-carboxamide;

N-((S)-1-(4,4-difluorocyclohexyl)-2-oxo-2-((4-(((3S,5S)-2-oxo-5-(trifluoromethyl)pyrrolidin-3-yl)methyl)pyridin-2-yl)amino)ethyl)-5-ethylisoxazole-4-carboxamide;

N-((S)-1-(4,4-difluorocyclohexyl)-2-oxo-2-((4-(((3S,5S)-2-oxo-5-(trifluoromethyl)pyrrolidin-3-yl)methyl)pyridin-2-yl)amino)ethyl)-5-isopropylisoxazole-4-carboxamide;

N-((S)-1-(4,4-difluorocyclohexyl)-2-oxo-2-((4-(((3S,5S)-2-oxo-5-(trifluoromethyl)pyrrolidin-3-yl)methyl)pyridin-2-yl)amino)ethyl)-4-ethyl-1,2,5-oxadiazole-3-carboxamide;

N-((S)-1-(4,4-difluorocyclohexyl)-2-oxo-2-((4-(((3S,5S)-2-oxo-5-(trifluoromethyl)pyrrolidin-3-yl)methyl)pyridin-2-yl)amino)ethyl)-4-methyl-1,2,5-oxadiazole-3-carboxamide;

4-cyclopropyl-N-((S)-1-(4,4-difluorocyclohexyl)-2-oxo-2-((4-(((3S,5S)-2-oxo-5-(trifluoromethyl)pyrrolidin-3-yl)methyl)pyridin-2-yl)amino)ethyl)-1,2,5-oxadiazole-3-carboxamide;

N-((S)-1-(4,4-difluorocyclohexyl)-2-oxo-2-((4-(((3S,5S)-2-oxo-5-(trifluoromethyl)pyrrolidin-3-yl)methyl)pyridin-2-yl)amino)ethyl)-1-ethyl-1H-pyrazole-5-carboxamide;

N-((S)-1-(4,4-difluorocyclohexyl)-2-oxo-2-((4-(((3S,5S)-2-oxo-5-(trifluoromethyl)pyrrolidin-3-yl)methyl)pyridin-2-yl)amino)ethyl)-1-methyl-1H-pyrazole-5-carboxamide;

N-((S)-1-(4,4-difluorocyclohexyl)-2-oxo-2-((4-(((3S,5S)-2-oxo-5-(trifluoromethyl)pyrrolidin-3-yl)methyl)pyridin-2-yl)amino)ethyl)-1-isopropyl-1H-pyrazole-5-carboxamide;

N-((S)-1,1-Dicyclopropyl-3-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-3-oxopropan-2-yl)-4-methyl-1,2,5-oxadiazole-3-carboxamide;

4-cyclopropyl-N-((S)-1,1-dicyclopropyl-3-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-3-oxopropan-2-yl)-1,2,5-oxadiazole-3-carboxamide;

N-((S)-1,1-dicyclopropyl-3-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-3-oxopropan-2-yl)-1-methyl-1H-pyrazole-5-carboxamide;

N-((S)-1,1-dicyclopropyl-3-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl) imidazolidin-1-yl)ethyl) pyridin-2-yl)amino)-3-oxopropan-2-yl)-1-isopropyl-1H-pyrazole-5-carboxamide;

N-((S)-1,1-dicyclopropyl-3-oxo-3-((4-(((3S,5S)-2-oxo-5-(trifluoromethyl)pyrrolidin-3-yl)methyl)pyridin-2-yl)amino)propan-2-yl)-1-ethyl-1H-pyrazole-5-carboxamide;

4-Cyclopropyl-N-((1S)-1-((1r,4S)-4-methylcyclohexyl)-2-oxo-2-((4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl-d)pyridin-2-yl)amino)ethyl)-1,2,5-oxadiazole-3-carboxamide;

1-Methyl-N-((1S)-1-((1r,4S)-4-methylcyclohexyl)-2-oxo-2-((4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl-d)pyridin-2-yl)amino)ethyl)-1H-pyrazole-5-carboxamide;

4-Cyclopropyl-N-((1S)-2-((4-(2-hydroxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)-1,2,5-oxadiazole-3-carboxamide;

4-Cyclopropyl-N-((1S)-2-((4-(cyclopropyl(4,4,4-trifluorobutanamido)methyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)-1,2,5-oxadiazole-3-carboxamide;

N-((1S)-2-((4-(cyclopropyl(4,4,4-trifluorobutanamido)methyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)-1-methyl-1H-pyrazole-5-carboxamide;

4-methyl-N-((S)-1-((1r,4S)-4-methylcyclohexyl)-2-oxo-2-((4-((R)-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)ethyl)-1,2,5-oxadiazole-3-carboxamide;

4-cyclopropyl-N-((S)-1-((1r,4S)-4-methylcyclohexyl)-2-oxo-2-((4-((R)-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)ethyl)-1,2,5-oxadiazole-3-carboxamide;

1-ethyl-N-((S)-1-((1r,4S)-4-methylcyclohexyl)-2-oxo-2-((4-((R)-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)ethyl)-1H-pyrazole-5-carboxamide;

1-methyl-N-((S)-1-((1r,4S)-4-methylcyclohexyl)-2-oxo-2-((4-((R)-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)ethyl)-1H-pyrazole-5-carboxamide;

1-isopropyl-N-((S)-1-((1r,4S)-4-methylcyclohexyl)-2-oxo-2-((4-((R)-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)ethyl)-1H-pyrazole-5-carboxamide;

N-((1S)-2-((4-(2-methoxy-1-(4,4,4-trifluorobutanamido)ethyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)-4-methyl-1,2,5-oxadiazole-3-carboxamide;

4-cyclopropyl-N-((1S)-2-((4-(2-methoxy-1-(4,4,4-trifluorobutanamido)ethyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)-1,2,5-oxadiazole-3-carboxamide;

1-ethyl-N-((1S)-2-((4-(2-methoxy-1-(4,4,4-trifluorobutanamido)ethyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)-1H-pyrazole-5-carboxamide;

N-((1S)-2-((4-(2-methoxy-1-(4,4,4-trifluorobutanamido)ethyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)-1-methyl-1H-pyrazole-5-carboxamide;

1-isopropyl-N-((1S)-2-((4-(2-methoxy-1-(4,4,4-trifluorobutanamido)ethyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)-1H-pyrazole-5-carboxamide;

2-(3-Cyanophenyl)-2,2-difluoro-N-((S)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)acetamide;

2,2-difluoro-N-((S)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)-2-(1-methyl-1H-pyrazol-5-yl)acetamide;

2-(3-chlorophenyl)-2,2-difluoro-N-((S)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)acetamide;

2-(3,5-difluorophenyl)-2,2-difluoro-N-((S)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)acetamide;

2,2-difluoro-N-((S)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)-2-(pyrazin-2-yl)acetamide;

2,2-difluoro-N-((S)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)-2-(6-methoxypyridin-3-yl)acetamide;

(S)-N-(4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)-2-((1r,4S)-4-methylcyclohexyl)-2-(2-(5-methylisoxazol-3-yl)acetamido)acetamide;

2-fluoro-N-((S)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxoethyl)-2-phenylacetamide;

2,2-difluoro-N-((S)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-1-((1r,4S)-4-methylcyclohexyl)-2-oxo ethyl)-3-methylbutanamide;

4-methyl-N-((S)-1-((1r,4S)-4-methylcyclohexyl)-2-oxo-2-((4-((R)-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)propyl)pyridin-2-yl)amino)ethyl)-1,2,5-oxadiazole-3-carboxamide;

4-cyclopropyl-N-((S)-1-((1r,4S)-4-methylcyclohexyl)-2-oxo-2-((4-((R)-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)propyl)pyridin-2-yl)amino)ethyl)-1,2,5-oxadiazole-3-carboxamide;

1-ethyl-N-((S)-1-((1r,4S)-4-methylcyclohexyl)-2-oxo-2-((4-((R)-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)propyl)pyridin-2-yl)amino)ethyl)-1H-pyrazole-5-carboxamide;

1-methyl-N-((S)-1-((1r,4S)-4-methylcyclohexyl)-2-oxo-2-((4-((R)-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)propyl)pyridin-2-yl)amino)ethyl)-1H-pyrazole-5-carboxamide;

1-isopropyl-N-((S)-1-((1r,4S)-4-methylcyclohexyl)-2-oxo-2-((4-((R)-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)propyl)pyridin-2-yl)amino)ethyl)-1H-pyrazole-5-carboxamide;

N-((S)-1-(3,3-difluorocyclobutyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-4-ethylisoxazole-3-carboxamide;

N-((S)-1-(3,3-difluorocyclobutyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-1-isopropyl-1H-pyrazole-5-carboxamide;

4-Cyclopropyl-N-((S)-1-((1s,4R)-4-methylcyclohexyl)-2-oxo-2-((4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)ethyl)-1,2,5-oxadiazole-3-carboxamide;

1-Methyl-N-((S)-1-((1s,4R)-4-methylcyclohexyl)-2-oxo-2-((4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)ethyl)-1H-pyrazole-5-carboxamide;

N-((S)-1-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-1-oxo-3-((1,1,1-trifluoro-2-methylpropan-2-yl)oxy)propan-2-yl)-4-methylisoxazole-3-carboxamide;

4-ethyl-N-((S)-1-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-1-oxo-3-((1,1,1-trifluoro-2-methylpropan-2-yl)oxy)propan-2-yl)-1,2,5-oxadiazole-3-carboxamide;

3-ethyl-N-((S)-1-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-1-oxo-3-((1,1,1-trifluoro-2-methylpropan-2-yl)oxy)propan-2-yl)isoxazole-4-carboxamide;

N-((S)-1-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-1-oxo-3-((1,1,1-trifluoro-2-methylpropan-2-yl)oxy)propan-2-yl)-4-methyl-1,2,5-oxadiazole-3-carboxamide;

4-cyclopropyl-N-((S)-1-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl) imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-1-oxo-3-((1,1,1-trifluoro-2-methylpropan-2-yl)oxy)propan-2-yl)-1,2,5-oxadiazole-3-carboxamide;

1-ethyl-N-((S)-1-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-1-oxo-3-((1,1,1-trifluoro-2-methylpropan-2-yl)oxy)propan-2-yl)-1H-pyrazole-5-carboxamide;

N-((S)-1-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-1-oxo-3-((1,1,1-trifluoro-2-methylpropan-2-yl)oxy)propan-2-yl)-1-methyl-1H-pyrazole-5-carboxamide;

1-isopropyl-N-((S)-1-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-1-oxo-3-((1,1,1-trifluoro-2-methylpropan-2-yl)oxy)propan-2-yl)-1H-pyrazole-5-carboxamide;

4-methyl-N-((S)-1-oxo-1-((4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)-3-((1,1,1-trifluoro-2-methylpropan-2-yl)oxy)propan-2-yl)-1,2,5-oxadiazole-3-carboxamide;

4-cyclopropyl-N-((S)-1-oxo-1-((4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)-3-((1,1,1-trifluoro-2-methylpropan-2-yl)oxy)propan-2-yl)-1,2,5-oxadiazole-3-carboxamide;

1-methyl-N-((S)-1-oxo-1-((4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)-3-((1,1,1-trifluoro-2-methylpropan-2-yl)oxy)propan-2-yl)-1H-pyrazole-5-carboxamide;

4-Cyclopropyl-N-(1-(4-fluorocyclohexyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-1,2,5-oxadiazole-3-carboxamide;

1-ethyl-N-(1-(4-fluorocyclohexyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-1H-pyrazole-5-carboxamide;

4-(2,2-difluoroethoxy)-N-(1-(4-fluorocyclohexyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl) imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)isoxazole-3-carboxamide;

N-(1-(4-fluorocyclohexyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl) imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-4-(2,2,2-trifluoroethoxy)-1,2,5-oxadiazole-3-carboxamide;

N-(1-(4-fluorocyclohexyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl) imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-3-methylisoxazole-4-carboxamide;

N-(1-(4-fluorocyclohexyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl) imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-4-methylisoxazole-3-carboxamide;

4-ethyl-N-(1-(4-fluorocyclohexyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-1,2,5-oxadiazole-3-carboxamide;

3-ethyl-N-(1-(4-fluorocyclohexyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)isoxazole-4-carboxamide;

N-(1-(4-fluorocyclohexyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl) imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-4-methyl-1,2,5-oxadiazole-3-carboxamide;

N-(1-(4-fluorocyclohexyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl) imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-1-methyl-1H-pyrazole-5-carboxamide;

N-(1-(4-fluorocyclohexyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl) imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-1-isopropyl-1H-pyrazole-5-carboxamide;

4-Ethyl-N-((S)-1-((1r,4S)-4-fluorocyclohexyl)-2-oxo-2-((4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)ethyl)-1,2,5-oxadiazole-3-carboxamide;

N-((S)-1-((1r,4S)-4-fluorocyclohexyl)-2-oxo-2-((4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)ethyl)-4-methyl-1,2,5-oxadiazole-3-carboxamide;

4-cyclopropyl-N-((S)-1-((1r,4S)-4-fluorocyclohexyl)-2-oxo-2-((4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)ethyl)-1,2,5-oxadiazole-3-carboxamide;

1-ethyl-N-((S)-1-((1r,4S)-4-fluorocyclohexyl)-2-oxo-2-((4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)ethyl)-1H-pyrazole-5-carboxamide;

N-((S)-1-((1r,4S)-4-fluorocyclohexyl)-2-oxo-2-((4-(((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)methyl)pyridin-2-yl)amino)ethyl)-1-methyl-1H-pyrazole-5-carboxamide;

4-Cyclopropyl-N-(1-(4-fluoro-4-methylcyclohexyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-1,2,5-oxadiazole-3-carboxamide;

N-(1-(4-fluoro-4-methylcyclohexyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-4-methyl-1,2,5-oxadiazole-3-carboxamide;

1-ethyl-N-(1-(4-fluoro-4-methylcyclohexyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-1H-pyrazole-5-carboxamide;

3-ethyl-N-((1S)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxo-1-(4-(trifluoromethyl)cyclohexyl)ethyl)isoxazole-4-carboxamide;

1-ethyl-N-((1S)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxo-1-(4-(trifluoromethyl)cyclohexyl)ethyl)-1H-pyrazole-5-carboxamide;

N-((1S)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxo-1-(4-(trifluoromethyl)cyclohexyl)ethyl)-1-methyl-1H-pyrazole-5-carboxamide;

1-isopropyl-N-((1S)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxo-1-(4-(trifluoromethyl)cyclohexyl)ethyl)-1H-pyrazole-5-carboxamide;

N-((S)-1-((S)-3,3-difluorocyclohexyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-4-ethylisoxazole-3-carboxamide;

N-((S)-1-((S)-3,3-difluorocyclohexyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-3-ethylisoxazole-4-carboxamide;

N-((S)-1-((S)-3,3-difluorocyclohexyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-1-ethyl-1H-pyrazole-5-carboxamide;

N-((S)-1-((S)-3,3-difluorocyclohexyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-1-isopropyl-1H-pyrazole-5-carboxamide;

N-((1S)-1-(4-chlorocyclohexyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-1-ethyl-1H-pyrazole-5-carboxamide;

N-((1S)-1-(4-chlorocyclohexyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-1-methyl-1H-pyrazole-5-carboxamide;

N-((1S)-1-(4-chlorocyclohexyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-1-isopropyl-1H-pyrazole-5-carboxamide;

N-((1S)-1-(4-chlorocyclohexyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-3-methylisoxazole-4-carboxamide;

N-((1S)-1-(4-chlorocyclohexyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-4-ethylisoxazole-3-carboxamide;

N-((1S)-1-(4-chlorocyclohexyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-4-methyl-1,2,5-oxadiazole-3-carboxamide;

N-((1S)-1-(4-chlorocyclohexyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-4-ethyl-1,2,5-oxadiazole-3-carboxamide;

N-((1S)-1-(4-chlorocyclohexyl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-3-ethylisoxazole-4-carboxamide;

N-((S)-1-((1R,3s,5S)-bicyclo[3.1.0]hexan-3-yl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-5-ethylisoxazole-4-carboxamide;

N-((S)-1-((1R,3s,5S)-bicyclo[3.1.0]hexan-3-yl)-2-((4-((S)-2-methoxy-1-((S)-2-oxo-4-(trifluoromethyl)imidazolidin-1-yl)ethyl)pyridin-2-yl)amino)-2-oxoethyl)-5-isopropylisoxazole-4-carboxamide;

1-isopropyl-N-((S)-1-((1r,4S)-4-methylcyclohexyl)-2-oxo-2-((4-(((3S,5S)-2-oxo-5-(trifluoromethyl)pyrrolidin-3-yl)oxy)pyridin-2-yl)amino)ethyl)-1H-pyrazole-5-carboxamide;

3-ethyl-N-((S)-1-((1r,4S)-4-methylcyclohexyl)-2-oxo-2-((4-(((3S,5S)-2-oxo-5-(trifluoromethyl)pyrrolidin-3-yl)oxy)pyridin-2-yl)amino)ethyl)isoxazole-4-carboxamide;
1-ethyl-N-((S)-1-((1r,4S)-4-methylcyclohexyl)-2-oxo-2-((4-(((3S,5S)-2-oxo-5-(trifluoromethyl)pyrrolidin-3-yl)oxy)pyridin-2-yl)amino)ethyl)-1H-pyrazole-5-carboxamide; and
1-isopropyl-N-((S)-1-((1r,4S)-4-methylcyclohexyl)-2-oxo-2-((4-(((3R,5S)-2-oxo-5-(trifluoromethyl)pyrrolidin-3-yl)oxy)pyridin-2-yl)amino)ethyl)-1H-pyrazole-5-carboxamide.

14. A pharmaceutical composition comprising a compound according to any one of claims 1 to 13, or a pharmaceutically acceptable salt thereof, and one or more pharmaceutically acceptable excipients.

15. A compound according to any one of claims 1 to 13, or a pharmaceutically acceptable salt thereof, or a pharmaceutical composition according to claim 14, for use in:

(A) therapy;

(B) in the treatment of acute lung injury, Alzheimer's Disease, ankylosing spondylitis, axial spondyloarthritis and other spondyloarthropathies, arthritis, asthma (including severe asthma), atopic dermatitis, autoimmune diabetes, other autoimmune disorders, autoimmune thyroiditis, bone resorption, cancer (both solid tumours (such as melanomas, sarcomas, squamous cell carcinomas, transitional call cancers, and ovarian cancers) and hematologic malignancies; in particular acute myelogenous leukaemia, chronic lymphocytic leukemia, gastric cancer, and colon cancer), Castleman's disease, contact dermatitis, Crohn's Disease, chronic myelogenous leukemia, chronic obstructive pulmonary disease (COPD), coeliac disease, cystic fibrosis, dermatomyositis, discoid lupus erythematosus, eczema, enthesitis-related arthritis, endotoxic shock associated with infection, exophthalmos, fibrosing disorders including pulmonary fibrosis, gall bladder disease, giant cell arteritis, graft-versus-host disease, hepatoblastomas, hypochlorhydria, immune mediated inflammatory disorders of the central and peripheral nervous system such as multiple sclerosis and Guillain-Barr syndrome, Hidradenitis Suppurativa, inflammatory bowel disease, insulin dependent diabetes type I, intravascular coagulation, irritable bowel syndrome, Lichen Planus, liver fibrosis, lupus nephritis, lyme arthritis, meningoencephalitis, myocarditis, meningoencephalitis, Necrobiosis Lipoidica Diabeticorum, osteoporosis, pancreatitis, Papulopustular Rosacea, Parkinson's disease, pelvic inflammatory disease, periodontitis, peritonitis, Peyronie's Disease, Pilonidal disease, psoriasis, psoriatic arthritis (PsA), Pyoderma Gangrenosum, renal fibrosis, rheumatoid arthritis, scleroderma or systemic sclerosis, stroke, surgical adhesions,

systemic lupus erythematosus (SLE), systemic onset juvenile idiopathic arthritis (JIA), trauma (surgery), transplant rejection, Type I diabetes, ulcerative colitis, uveitis, or vasculitis.

16. Use of *a* compound according to any one of claims 1 to 13, or a pharmaceutically acceptable salt thereof, for the manufacture of a medicament for of treating a disease or disorder selected from acute lung injury, Alzheimer's Disease, ankylosing spondylitis, axial spondyloarthritis and other spondyloarthropathies, arthritis, asthma (including severe asthma), atopic dermatitis, autoimmune diabetes, other autoimmune disorders, autoimmune thyroiditis, bone resorption, cancer (both solid tumours (such as melanomas, sarcomas, squamous cell carcinomas, transitional call cancers, and ovarian cancers) and hematologic malignancies; in particular acute myelogenous leukaemia, chronic lymphocytic leukemia, gastric cancer, and colon cancer), Castleman's disease, contact dermatitis, Crohn's Disease, chronic myelogenous leukemia, chronic obstructive pulmonary disease (COPD), coeliac disease, cystic fibrosis, dermatomyositis, discoid lupus erythematosus, eczema, enthesitis-related arthritis, endotoxic shock associated with infection, exophthalmos, fibrosing disorders including pulmonary fibrosis, gall bladder disease, giant cell arteritis, graft-versus-host disease, hepatoblastomas, hypochlorhydria, immune mediated inflammatory disorders of the central and peripheral nervous system such as multiple sclerosis and Guillain-Barr syndrome, Hidradenitis Suppurativa, inflammatory bowel disease, insulin dependent diabetes type I, intravascular coagulation, irritable bowel syndrome, Lichen Planus, liver fibrosis, lupus nephritis, lyme arthritis, meningoencephalitis, myocarditis, meningoencephalitis, Necrobiosis Lipoidica Diabeticorum, osteoporosis, pancreatitis, Papulopustular Rosacea, Parkinson's disease, pelvic inflammatory disease, periodontitis, peritonitis, Peyronie's Disease, Pilonidal disease, psoriasis, psoriatic arthritis (PsA), Pyoderma Gangrenosum, renal fibrosis, rheumatoid arthritis, scleroderma or systemic sclerosis, stroke, surgical adhesions, systemic lupus erythematosus (SLE), systemic onset juvenile idiopathic arthritis (JIA), trauma (surgery), transplant rejection, Type I diabetes, ulcerative colitis, uveitis, and vasculitis.