

substituted with 1 to 5 groups selected from C1-4 alkyl, oxo, OH, trifluoromethyl and halogen, (11) -C1-4 alkylene-C5-C10aryl substituted with 1 to 5 groups selected from C1-4 alkyl, OH, trifluoromethyl and halogen, (12) -C1-4 alkylene-5- to 10-membered heterocycloalkyl substituted with 1 to 5 groups selected from C1-4 alkyl, oxo, OH, trifluoromethyl and halogen, (13)-C1-4 alkylene-5- to 10-membered heteroaryl substituted with 1 to 5 groups selected from C1-4 alkyl, OH, trifluoromethyl and halogen or (14) -C1-4 alkylene-O-C1-8 alkyl substituted with 1 to 5 groups selected from OH, oxo, -O-C1-4 alkyl, -O-C1-4 alkylene-O-C1-4 alkyl, halogen, nitro, cyano, C3-C8 cycloalkyl, C5-C10aryl, 5- to 10-membered heterocycloalkyl, -O-5- to 10-membered heteroaryl, -O-C3-C8 cycloalkyl, -O-C5-C10aryl, -O-5- to 10-membered heterocycloalkyl, -O-5- to 10-membered heteroaryl, -O-C1-4 alkylene-5- to 10-membered heteroaryl, -O-C1-4 alkylene-C3-C8 cycloalkyl, -O-C1-4 alkylene-C5-C10aryl, -O-C1-4 alkylene-5- to 10-membered heterocycloalkyl and -O-C1-4 alkylene-5- to 10-membered heteroaryl;

n represents an integer of 0 to 6,


wherein n represents an integer of 2 to 6, each R^7 may be same or different;

and

R^{62} represents hydrogen or halogen,

a salt thereof, an N-oxide thereof, a solvate thereof, or a prodrug thereof.


2. The compound according to claim 1, wherein the compound represented by formula (I) represents a compound represented by formula (I-A):



wherein U represents S or CH_2 ; and

the other symbols have the same meanings as described in claim 1.

3. The compound according to claim 1, wherein the compound represented by formula (I) represents a compound represented by formula (I-B):



wherein Cyc^{1-B} represents 5- to 10-membered heteroaryl;


Cyc^{3-B} represents C5-C10 aryl or 5- to 10-membered heteroaryl;

Cyc^{10-B} represents (1) 5- to 10-membered heteroaryl or (2) 5- to 10-membered heteroaryl substituted with 1 to 5 groups selected from halogen, cyano, nitro, trifluoromethyl, -COOH, -COO-C1-4 alkyl and -CONH₂;

mb represents an integer of 0 to 5; and

the other symbols have the same meanings as described in claim 1.

4. The compound according to claim 1, wherein the compound represented by formula (I) represents a compound represented by formula (I-C):



wherein Cyc^{1-C} represents 5- to 10-membered heteroaryl;

Cyc^{3-C} represents C5-C10 aryl or 5- to 10-membered heteroaryl;

Cyc^{10-C} represents (1) 5- to 10-membered heteroaryl or (2) 5- to 10-membered heteroaryl substituted with 1 to 5 groups selected from halogen, cyano, nitro, trifluoromethyl, -COOH, -COO-C1-4 alkyl and -CONH₂;

mc represents an integer of 0 to 5; and


5 the other symbols have the same meanings as described in claim 1.

10 5. The compound according to claim 1 or 2, wherein Cyc¹ represents phenyl, imidazolyl, triazolyl, pyrrolyl, pyrazolyl, furanyl, oxazolyl, thiazolyl, isothiazolyl, furazanyl, oxadiazolyl, thiadiazolyl, thienyl, pyridazinyl, indazolyl or benzimidazolyl.


6. The compound according to claim 3, wherein Cyc^{1-B} represents imidazolyl, triazolyl, tetrazolyl, oxazolyl, pyridazinyl, indazolyl or benzimidazolyl.

15 7. The compound according to claim 4, wherein Cyc^{1-C} represents imidazolyl, triazolyl, tetrazolyl, oxazolyl, pyridazinyl, indazolyl or benzimidazolyl.

8. The compound according to claim 1 or claim 2, wherein




20 represents



wherein R^{59} represents hydrogen, C1-4 alkyl or halogen;
 the arrow represents a binding position; and
 the other symbols have the same meanings as described in claim 1.

9. The compound according to any one of claims 1 to 8, wherein Cyc^2 represents pyridyl or phenyl.

10. The compound according to any one of claims 1 to 9, wherein $-Cyc^2-$ (R^6)_m, $Cyc^2(-R^6)_{mb}Cyc^{10-B}$ or $Cyc^2(-R^6)_{mc}Cyc^{10-C}$ represents



wherein R^{60} represents hydrogen, methyl or halogen;

R^{61} represents (1) hydrogen, (2) halogen, (3) nitro, (4) trifluoromethyl, (5) -COOH, (6) -COO-C1-4 alkyl, (7) cyano or (8) -CONH₂; and the arrow represents a binding position.

11. The compound according to any one of claims 1 to 10, wherein R^7 represents (1) C1-8 alkyl, (2) halogen, (3) nitro, (4) trifluoromethyl, (5) cyano, (6) oxo, (7) -OR⁴⁰, (8) -NR⁴²R⁴³, (9) -NHC(O)NR⁴⁴R⁴⁵, (10) -NHC(O)-C1-4 alkylene-NR⁴⁶R⁴⁷, (11) -NHC(O)-C1-4 alkylene-COOH, (12) -NH-S(O)₂-C1-4 alkyl, (13) -COOR⁴⁸, (14) -NHC(O)-R⁴⁹, (15) -NHC(O)-C1-4 alkylene-OR⁵⁰, (16) -NHC(O)O-R⁵¹, (17) -NHC(O)O-C1-4 alkylene -OR⁵², (18) -C(O)NH-R⁵³, (19) -OC(O)-R⁵⁵, (20) -C(O)-R⁵⁶, (21) -CH(OH)-R⁵⁷, (22) -C1-4 alkylene -NH₂, (23) -C1-4 alkylene-OH, (24) -C1-4 alkylene-OC(O)-C1-4 alkyl, (25) -C1-4 alkylene-NHC(O)-C1-4

alkyl,(26) -C1-4 alkylene-NHC(O)O-C1-4 alkyl,(27) -C1-4 alkylene-NHC(O)-CF₃, (28) -C1-4 alkylene-NHC(O)NH-C1-4 alkyl,(29) -CH=N-OR⁵⁸ or (30)-T-COOR⁶⁶.

12. The compound according to claim 1 or claim 2, wherein is selected from the group consisting of

(1) methyl [4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-4-yl)phenyl]carbamate,

(2) methyl [4-(2-((7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-4-yl)phenyl]carbamate,

(3) 4-(2-((7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-4-yl)benzamide,

(4) 6-(2-((7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-4-yl)-3,4-dihydro-2(1H)-quinolinone,

(5) methyl [4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-5-methyl-1H-imidazol-4-yl)phenyl]carbamate,

(6) 6-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-5-yl)-3,4-dihydro-2(1H)-quinolinone,

(7) 4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-5-yl)benzamide,

(8) 3-[5-(3-amino-1H-indazol-6-yl)-1H-imidazol-2-yl]-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-2,3-dihydro-5(1H)-indolizinone,

(9) (3S)-3-[5-(6-amino-3-pyridinyl)-4-chloro-1H-imidazol-2-yl]-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-2,3-dihydro-5(1H)-indolizinone,

(10) (3S)-3-[5-(6-amino-2-chloro-3-pyridinyl)-1H-imidazol-2-yl]-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-2,3-dihydro-5(1H)-indolizinone,

(11) (3S)-3-[5-(1-amino-6-isoquinolinyl)-1H-imidazol-2-yl]-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-2,3-dihydro-5(1H)-indolizinone,

(12) 4-(4-chloro-2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-5-yl)benzamide,

(13) ethyl [4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-5-yl)phenyl]carbamate,

(14) methyl [4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-5-yl)-3-methylphenyl]carbamate,

- (15) methyl [4-(2-((6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl)-1H-imidazol-5-yl)phenyl]carbamate,
- (16) 2-methoxyethyl [4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])1H-imidazol-5-yl)phenyl]carbamate,
- 5 (17) 2-methoxyethyl [4-(2-(7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])1H-imidazol-5-yl)phenyl]carbamate,
- (18) methyl [6-(4-chloro-2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])1H-imidazol-5-yl)-3-pyridiny]carbamate,
- (19) (3S)-3-[5-(6-amino-2-fluoro-3-pyridiny)-1H-imidazol-2-yl]-7-[5-chloro-10 2-(1H-tetrazol-1-yl)phenyl]-2,3-dihydro-5(1H)-indolizinone,
- (20) (6S)-6-[5-(6-amino-2-chloro-3-pyridiny)-1H-imidazol-2-yl]-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-7,8-dihydropyrrolo[1,2-a]pyrimidin-4(6H)-one,
- (21) 2-methoxyethyl [4-(2-((6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl)-1H-imidazol-5-yl)phenyl]carbamate,
- 15 (22) (3S)-3-[5-(6-amino-3-pyridiny)-4-chloro-1H-imidazol-2-yl]-7-[5-methyl-2-(1H-tetrazol-1-yl)phenyl]-2,3-dihydro-5(1H)-indolizinone,
- (23) 2-methoxyethyl [5-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])1H-imidazol-5-yl)-2-pyridiny]carbamate,
- 20 (24) 2-methoxyethyl [4-(2-((3S)-7-[5-methyl-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])1H-imidazol-5-yl)phenyl]carbamate,
- (25) 2-methoxyethyl [5-(4-chloro-2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])1H-imidazol-5-yl)-2-pyridiny]carbamate,
- 25 (26) 2-methoxyethyl [6-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])1H-imidazol-5-yl)-3-pyridiny]carbamate,
- (27) 2-methoxyethyl [4-(4-chloro-2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])1H-imidazol-5-yl)phenyl]carbamate,
- (28) 2-methoxyethyl [4-(4-methyl-2-((3S)-7-[5-methyl-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])1H-imidazol-5-yl)phenyl]carbamate,
- 30 (29) 2-methoxyethyl [6-(4-chloro-2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])1H-imidazol-5-yl)-3-pyridiny]carbamate,

(30) 2-ethoxyethyl [4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-5-yl)phenyl]carbamate,

(31) 2-methoxyethyl [4-(2-((6S)-2-[5-methyl-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl))-1H-imidazol-5-yl)phenyl]carbamate,

(32) 3-methoxypropyl [4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-5-yl)phenyl]carbamate,

(33) methyl [4-(2-((6S)-2-[5-methyl-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl))-1H-imidazol-5-yl)phenyl]carbamate,

(34) 3-oxetanyl [4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-5-yl)phenyl]carbamate,

(35) 2-methoxyethyl [4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-4-methyl-1H-imidazol-5-yl)phenyl]carbamate,

(36) methyl [4-(4-chloro-2-((6S)-2-[5-methyl-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl))-1H-imidazol-5-yl)phenyl]carbamate,

(37) 2-methoxyethyl [4-(4-chloro-2-((6S)-2-[5-methyl-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl))-1H-imidazol-5-yl)phenyl]carbamate,

(38) (2S)-2-methoxypropyl [4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny))-1H-imidazol-5-yl)phenyl]carbamate,

(39) (6S)-6-[5-(6-amino-2-fluoro-3-pyridinyl)-1H-imidazol-2-yl]-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-7,8-dihydropyrrolo[1,2-a]pyrimidin-4(6H)-one,

(40) 2-methoxyethyl [4-(2-((6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl))-4-methyl-1H-imidazol-5-yl)phenyl]carbamate,

(41) 2-(2-methoxyethoxy)ethyl [5-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny))-1H-imidazol-5-yl)-2-pyridinyl]carbamate,

(42) 2-(2-methoxyethoxy)ethyl [5-(4-chloro-2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny))-1H-imidazol-5-yl)-2-pyridinyl]carbamate,

(43) 2-(2-methoxyethoxy)ethyl [5-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-4-fluoro-1H-imidazol-5-yl)-2-pyridinyl]carbamate,

(44) 2-(2-ethoxyethoxy)ethyl [5-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-1H-imidazol-5-yl)-2-pyridinyl]carbamate,

(45) 2-(2-ethoxyethoxy)ethyl [5-(4-chloro-2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-1H-imidazol-5-yl)-2-pyridinyl]carbamate,

(46) 2-(2-ethoxyethoxy)ethyl [5-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-4-fluoro-1H-imidazol-5-yl)-2-pyridinyl]carbamate,

(47) 2-methoxyethyl [4-(4-chloro-2-((6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl)-1H-imidazol-5-yl)phenyl]carbamate,

(48) 2-methoxyethyl [6-(4-chloro-2-((6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl)-1H-imidazol-5-yl)-3-pyridinyl]carbamate,

(49) 2-ethoxyethyl [4-(2-((3S)-7-[5-methyl-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-1H-imidazol-5-yl)phenyl]carbamate,

(50) 2-ethoxyethyl [4-(2-((6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl)-1H-imidazol-5-yl)phenyl]carbamate,

(51) 2-ethoxyethyl [4-(2-((6S)-2-[5-methyl-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl)-1H-imidazol-5-yl)phenyl]carbamate,

(52) tetrahydro-2-furanylmethyl [4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-1H-imidazol-5-yl)phenyl]carbamate,

(53) methyl [4-(5-((6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl)-1H-imidazol-2-yl)phenyl]carbamate,

(54) 3-hydroxy-3-methylbutyl [4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-1H-imidazol-5-yl)phenyl]carbamate,

(55) 2-(2-ethoxyethoxy)ethyl [4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-5-yl)phenyl]carbamate,

(56) 2-(2-methoxyethoxy)ethyl [4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-5-yl)phenyl]carbamate,

5 (57) 2-fluoroethyl [4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-5-yl)phenyl]carbamate,

(58) 2-hydroxyethyl [4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-5-yl)phenyl]carbamate,

10 (59) 2-hydroxy-2-methylpropyl [4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-5-yl)phenyl]carbamate,

(60) (3S)-3-(4-chloro-5-{6-[(1,3-oxazol-2-ylmethyl)amino]-3-pyridinyl})-1H-imidazol-2-yl)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-2,3-dihydro-5(1H)-indolizinone,

(61) 2-methoxyethyl [4-(5-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-4H-1,2,4-triazol-3-yl)phenyl]carbamate,

15 (62) (3S)-3-[5-(6-amino-3-pyridinyl)-4-fluoro-1H-imidazol-2-yl]-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-2,3-dihydro-5(1H)-indolizinone,

(63) N-[4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-5-yl)phenyl]acetamide,

20 (64) methyl [4-(5-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-4-fluoro-1H-imidazol-2-yl)phenyl]carbamate,

(65) 4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-5-yl)-N-(2-methoxyethoxy)benzamide,

(66) N-[4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-4-fluoro-1H-imidazol-5-yl)phenyl]acetamide,

25 (67) 2-methoxyethyl [6-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-4-fluoro-1H-imidazol-5-yl)-3-pyridinyl]carbamate,

(68) N-[4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-5-yl)phenyl]formamide,

30 (69) 2-methoxyethyl [6-(2-((6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl)-4-fluoro-1H-imidazol-5-yl)-3-pyridinyl]carbamate,

(70) (1E)-N-[4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])]-1H-imidazol-5-yl)phenyl]-N'-hydroxyethanimidamide,

(71) (6S)-6-[5-(6-amino-3-pyridinyl)-4-fluoro-1H-imidazol-2-yl]-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-7,8-dihydropyrrolo[1,2-a]pyrimidin-4(6H)-one,

(72) N-[4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])]-1H-imidazol-5-yl)phenyl]-2-fluoroacetamide,

(73) (3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-3-[5-(4-hydroxyphenyl)-1H-imidazol-2-yl]-2,3-dihydro-5(1H)-indolizinone,

(74) ethyl 5-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])]-1H-imidazol-5-yl)-2-thiophenecarboxylate,

(75) 5-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])]-1H-imidazol-5-yl)-2-thiophenecarboxylic acid,

(76) ethyl 5-(4-chloro-2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])]-1H-imidazol-5-yl)-2-thiophenecarboxylate,

(77) 5-(4-chloro-2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])]-1H-imidazol-5-yl)-2-thiophenecarboxylic acid,

(78) 5-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])]-1H-imidazol-5-yl)-2-thiophenecarboxamide,

(79) 5-(4-chloro-2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])]-1H-imidazol-5-yl)-2-thiophenecarboxamide,

(80) 2-methoxyethyl [4-(5-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])]-1H-imidazol-2-yl)phenyl]carbamate,

(81) 2-(2-methoxyethoxy)ethyl [4-(5-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])]-1H-imidazol-2-yl)phenyl]carbamate,

(82) 2-(2-methoxyethoxy)ethyl [4-(5-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])]-4-fluoro-1H-imidazol-2-yl)phenyl]carbamate,

(83) 2-methoxyethyl [4-(5-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])]-4-fluoro-1H-imidazol-2-yl)phenyl]carbamate,

(84) 4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])]-1H-imidazol-5-yl)-2-thiophenecarboxylic acid,

(85) 4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])]-1H-imidazol-5-yl)-2-pyridinecarboxylic acid,

- (86) 5-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-4-fluoro-1H-imidazol-5-yl)-2-thiophenecarboxylic acid,
- (87) 5-(2-((3S)-8-chloro-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-1H-imidazol-5-yl)-2-thiophenecarboxylic acid,
- 5 (88) 4-(2-((3S)-8-chloro-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-1H-imidazol-5-yl)-2-thiophenecarboxylic acid,
- (89) 4-(2-((6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl)-1H-imidazol-5-yl)-2-thiophenecarboxylic acid,
- (90) 4-(2-((3S)-8-chloro-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-10 1,2,3,5-tetrahydro-3-indolizinyl)-1H-imidazol-5-yl)-2-pyridinecarboxylic acid,
- (91) 2-(2-methoxyethoxy)ethyl [5-(5-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-4-fluoro-1H-imidazol-2-yl)-2-pyridinyl]carbamate,
- (92) 2-(4-morpholinyl)ethyl 5-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-1H-imidazol-5-yl)-2-15 thiophenecarboxylate,
- (93) 2-(4-morpholinyl)ethyl 5-(4-chloro-2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-1H-imidazol-5-yl)-2-thiophenecarboxylate,
- 20 (94) 2-methoxyethyl [5-(5-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-4-fluoro-1H-imidazol-2-yl)-2-pyridinyl]carbamate,
- (95) (3S)-3-[2-(6-amino-3-pyridinyl)-4-fluoro-1H-imidazol-5-yl]-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-2,3-dihydro-5(1H)-indolizinone,
- 25 (96) 4-(2-((3S)-8-bromo-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-1H-imidazol-5-yl)-2-thiophenecarboxylic acid,
- (97) ethyl 4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-1H-imidazol-5-yl)-2-thiophenecarboxylate,
- (98) 2-(4-morpholinyl)ethyl 4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-1H-imidazol-5-yl)-2-30 thiophenecarboxylate,
- (99) 4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-4-fluoro-1H-imidazol-5-yl)-2-thiophenecarboxylic acid,

(100) isobutyl 4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-1H-imidazol-5-yl)-2-thiophenecarboxylate,

(101) 2-(dimethylamino)-2-oxoethyl 4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-1H-imidazol-5-yl)-2-

5 thiophenecarboxylate,

(102) (5-methyl-2-oxo-1,3-dioxol-4-yl)methyl 4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-1H-imidazol-5-yl)-2-thiophenecarboxylate,

10 (103) [(2,2-dimethylpropanoyl)oxy]methyl 4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-1H-imidazol-5-yl)-2-thiophenecarboxylate,

(104) methyl 4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-1H-imidazol-5-yl)-2-thiophenecarboxylate,

15 (105) 3-methylbutyl 4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-1H-imidazol-5-yl)-2-thiophenecarboxylate,

(106) isopropyl 4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-1H-imidazol-5-yl)-2-thiophenecarboxylate,

20 (107) 2,3-dihydro-1H-inden-5-yl 4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-1H-imidazol-5-yl)-2-thiophenecarboxylate,

(108) phenyl 4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-1H-imidazol-5-yl)-2-thiophenecarboxylate,

25 (109) 2-(dimethylamino)-2-oxoethyl 4-(2-((6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl)-1H-imidazol-5-yl)-2-thiophenecarboxylate,

(110) methyl 4-(2-((6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl)-1H-imidazol-5-yl)-2-thiophenecarboxylate,

30 (111) 2-(diethylamino)-2-oxoethyl 4-(2-((6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl)-1H-imidazol-5-yl)-2-thiophenecarboxylate,

(112) 1-[[{(cyclohexyloxy)carbonyl]oxy}ethyl 4-(2-{{(6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl}}-1H-imidazol-5-yl)-2-thiophenecarboxylate,

(113) cyclohexyl 2-{{(6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl}}-5-{5-[(1-[[{(cyclohexyloxy)carbonyl]oxy}ethoxy)carbonyl]-3-thienyl}}-1H-imidazole-1-carboxylate,

(114) 4-(2-{{(3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl}}-1H-imidazol-5-yl)-3-fluoro-2-thiophenecarboxylic acid,

(115) 4-(5-{7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl}-4-fluoro-1H-imidazol-2-yl)-2-thiophenecarboxylic acid,

(116) 4-(2-{{(3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl}}-1H-imidazol-5-yl)-3-fluoro-2-pyridinecarboxylic acid,

(117) [(2,2-dimethylpropanoyl)oxy]methyl 4-(2-{{(6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl}}-1H-imidazol-5-yl)-2-thiophenecarboxylate,

(118) [(2,2-dimethylpropanoyl)oxy]methyl 4-(2-{{(6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl}}-1-{{(2,2-dimethylpropanoyl)oxy]methyl}}-1H-imidazol-5-yl)-2-thiophenecarboxylate,

(119) 2,3-dihydro-1H-inden-5-yl 4-(2-{{(6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl}}-1H-imidazol-5-yl)-2-thiophenecarboxylate,

(120) ethyl 4-(2-{{(6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl}}-1H-imidazol-5-yl)-2-thiophenecarboxylate,

(121) 2-oxo-2-(1-pyrrolidinyl)ethyl 4-(2-{{(6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl}}-1H-imidazol-5-yl)-2-thiophenecarboxylate,

(122) 2-oxo-2-(1-piperidinyl)ethyl 4-(2-{{(6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl}}-1H-imidazol-5-yl)-2-thiophenecarboxylate,

(123) 2-(4-morpholinyl)-2-oxoethyl 4-(2-{{(6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl}}-1H-imidazol-5-yl)-2-thiophenecarboxylate,

(124) isobutyl 4-(2-((6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl)-1H-imidazol-5-yl)-2-thiophenecarboxylate,

(125) isopropyl 4-(2-((6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl)-1H-imidazol-5-yl)-2-thiophenecarboxylate,

(126) (5-methyl-2-oxo-1,3-dioxol-4-yl)methyl 4-(2-((6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl)-1H-imidazol-5-yl)-2-thiophenecarboxylate, and

(127) 2-(4-morpholinyl)ethyl 4-(2-((6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl)-1H-imidazol-5-yl)-2-thiophenecarboxylate.

13. A pharmaceutical composition which comprises the compound according to any one of claims 1 to 12, a salt thereof, an N-oxide thereof, a solvate thereof, or a prodrug thereof.

14. The pharmaceutical composition according to claim 13, which is a factor XIa inhibitor or a factor XIa and plasma kallikrein dual inhibitor.

15. The pharmaceutical composition according to claim 14, which is an agent for the treatment or prevention of a thromboembolic disease.

16. The compound according to any one of claims 1 to 12, a salt thereof, an N-oxide thereof, a solvate thereof, or a prodrug thereof, for use in the treatment of the human or animal body by therapy.

17. The compound according to any one of claims 1 to 12, a salt thereof, an N-oxide thereof, a solvate thereof, or a prodrug thereof, for use in treating or preventing a thromboembolic disease.

18. The compound for use according to claim 17, wherein the thromboembolic disease is selected from the group consisting of arterial cardiovascular

thromboembolic disorders, venous cardiovascular thromboembolic disorders, arterial cerebrovascular thromboembolic disorders, venous cerebrovascular thromboembolic disorders and thromboembolic disorders in the chambers of the heart or in the peripheral circulation.

5

19. The compound for use according to claim 18, wherein the thromboembolic disease is selected from unstable angina, an acute coronary syndrome, atrial fibrillation, myocardial infarction, ischemic sudden death, transient ischemic attack, stroke, atherosclerosis, peripheral occlusive arterial disease, venous thrombosis, deep vein thrombosis, thrombophlebitis, arterial embolism, coronary arterial thrombosis, cerebral arterial thrombosis, cerebral embolism, kidney embolism, pulmonary embolism, and thrombosis resulting from medical implants, devices, or procedures in which blood is exposed to an artificial surface that promotes thrombosis.

10

15

20. A method for treating a patient suffering from or susceptible to a thromboembolic disease, which comprises administering to said patient a therapeutically effective amount of a compound according to any one of claims 1 to 12, a salt thereof, an N-oxide thereof, a solvate thereof, or a prodrug thereof.

20

21. Use of a compound according to any one of claims 1 to 12, a salt thereof, an N-oxide thereof, a solvate thereof, or a prodrug thereof, in the manufacture of a medicament for use in treating or preventing a thromboembolic disease.


substituted with 1 to 5 groups selected from C1-4 alkyl, oxo, OH, trifluoromethyl and halogen, (11) -C1-4 alkylene-C5-C10aryl substituted with 1 to 5 groups selected from C1-4 alkyl, OH, trifluoromethyl and halogen, (12) -C1-4 alkylene-5- to 10-membered heterocycloalkylsubstituted with 1 to 5 groups selected from C1-4 alkyl, oxo, OH, trifluoromethyl and halogen, (13)-C1-4 alkylene-5- to 10-membered heteroaryl substituted with 1 to 5 groups selected from C1-4 alkyl, OH, trifluoromethyl and halogen or (14) -C1-4 alkylene-O-C1-8 alkyl substituted with 1 to 5 groups selected from OH, oxo, -O-C1-4 alkyl, -O-C1-4 alkylene-O-C1-4 alkyl, halogen, nitro, cyano, C3-C8 cycloalkyl, C5-C10aryl, 5- to 10-membered heterocycloalkyl, -O-5- to 10-membered heteroaryl, -O-C3-C8 cycloalkyl, -O-C5-C10aryl, -O-5- to 10-membered heterocycloalkyl, -O-5- to 10-membered heteroaryl, -O-C1-4 alkylene-5- to 10-membered heteroaryl, -O-C1-4 alkylene-C3-C8 cycloalkyl, -O-C1-4 alkylene-C5-C10aryl, -O-C1-4 alkylene-5- to 10-membered heterocycloalkyl and -O-C1-4 alkylene-5- to 10-membered heteroaryl;

n represents an integer of 0 to 6,
wherein n represents an integer of 2 to 6, each R^7 may be same or different;

and


R^{62} represents hydrogen or halogen,

with the proviso that the compound 2-n-butyl-1,6-dihydro-4-morpholino-1-[2'-cyanobiphenyl-4-yl)methyl]-6-oxopyrimidine represented by formula (i) is excluded



or a salt thereof.


2. The compound according to claim 1, wherein the compound represented by formula (I) represents a compound represented by formula (I-A):



wherein U represents S or CH₂; and

the other symbols have the same meanings as described in claim 1.

3. The compound according to claim 1, wherein the compound represented by formula (I) represents a compound represented by formula (I-B):



wherein Cyc^{1-B} represents 5- to 10-membered heteroaryl;


Cyc^{3-B} represents C5-C10 aryl or 5- to 10-membered heteroaryl;

Cyc^{10-B} represents (1) 5- to 10-membered heteroaryl or (2) 5- to 10-membered heteroaryl substituted with 1 to 5 groups selected from halogen, cyano, nitro, trifluoromethyl, -COOH, -COO-C1-4 alkyl and -CONH₂;

mb represents an integer of 0 to 5; and

the other symbols have the same meanings as described in claim 1.

4. The compound according to claim 1, wherein the compound represented by formula (I) represents a compound represented by formula (I-C):



wherein Cyc^{1-C} represents 5- to 10-membered heteroaryl;

Cyc^{3-C} represents C5-C10 aryl or 5- to 10-membered heteroaryl;

Cyc^{10-C} represents (1) 5- to 10-membered heteroaryl or (2) 5- to 10-membered heteroaryl substituted with 1 to 5 groups selected from halogen, cyano, nitro, trifluoromethyl, -COOH, -COO-C1-4 alkyl and -CONH₂;

mc represents an integer of 0 to 5; and


the other symbols have the same meanings as described in claim 1.

5. The compound according to claim 1 or 2, wherein Cyc¹ represents phenyl, imidazolyl, triazolyl, pyrrolyl, pyrazolyl, furanyl, oxazolyl, thiazolyl, isothiazolyl, furazanyl, oxadiazolyl, thiadiazolyl, thienyl, pyridazinyl, indazolyl or benzimidazolyl.


6. The compound according to claim 3, wherein Cyc^{1-B} represents imidazolyl, triazolyl, tetrazolyl, oxazolyl, pyridazinyl, indazolyl or benzimidazolyl.

7. The compound according to claim 4, wherein Cyc^{1-C} represents imidazolyl, triazolyl, tetrazolyl, oxazolyl, pyridazinyl, indazolyl or benzimidazolyl.

8. The compound according to claim 1 or claim 2, wherein




represents



wherein R^{59} represents hydrogen, C1-4 alkyl or halogen;
 the arrow represents a binding position; and
 the other symbols have the same meanings as described in claim 1.

5 9. The compound according to any one of claims 1 to 8, wherein Cyc^2 represents pyridyl or phenyl.

10 10. The compound according to any one of claims 1 to 9, wherein $-Cyc^2-$ (R^6)_m, $Cyc^2(-R^6)_{mb}Cyc^{10-B}$ or $Cyc^2(-R^6)_{mc}Cyc^{10-C}$ represents



wherein R^{60} represents hydrogen, methyl or halogen;

R^{61} represents (1) hydrogen, (2) halogen, (3) nitro, (4) trifluoromethyl, (5) -COOH, (6) -COO-C1-4 alkyl, (7) cyano or (8) -CONH₂; and the arrow represents a binding position.

15

11. The compound according to any one of claims 1 to 10,
 wherein R^7 represents (1) C1-8 alkyl, (2) halogen, (3) nitro, (4) trifluoromethyl, (5) cyano, (6) oxo, (7) -OR⁴⁰, (8) -NR⁴²R⁴³, (9) -NHC(O)NR⁴⁴R⁴⁵, (10) -NHC(O)-C1-4 alkylene-NR⁴⁶R⁴⁷, (11) -NHC(O)-C1-4 alkylene-COOH, (12) -NH-S(O)₂-C1-4 alkyl,
 20 (13) -COOR⁴⁸, (14) -NHC(O)-R⁴⁹, (15) -NHC(O)-C1-4 alkylene-OR⁵⁰, (16) -NHC(O)O-R⁵¹, (17) -NHC(O)O-C1-4 alkylene -OR⁵², (18) -C(O)NH-R⁵³, (19) -OC(O)-R⁵⁵, (20) -C(O)-R⁵⁶, (21) -CH(OH)-R⁵⁷, (22) -C1-4 alkylene -NH₂, (23) -C1-4 alkylene-OH, (24) -C1-4 alkylene-OC(O)-C1-4 alkyl, (25) -C1-4 alkylene-NHC(O)-C1-4

alkyl,(26) -C1-4 alkylene-NHC(O)O-C1-4 alkyl,(27) -C1-4 alkylene-NHC(O)-CF₃,(28)
-C1-4 alkylene-NHC(O)NH-C1-4 alkyl,(29) -CH=N-OR⁵⁸ or (30)-T-COOR⁶⁶.

12. The compound according to claim 1 or claim 2, wherein is selected from
5 the group consisting of

(1) methyl [4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-
1,2,3,5-tetrahydro-3-indoliziny]-1H-imidazol-4-yl)phenyl]carbamate,

(2) methyl [4-(2-((7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-
tetrahydro-3-indoliziny]-1H-imidazol-4-yl)phenyl]carbamate,

10 (3) 4-(2-((7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-
indoliziny]-1H-imidazol-4-yl)benzamide,

(4) 6-(2-((7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-
indoliziny]-1H-imidazol-4-yl)-3,4-dihydro-2(1H)-quinolinone,

(5) methyl [4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-
15 tetrahydro-3-indoliziny]-5-methyl-1H-imidazol-4-yl)phenyl]carbamate,

(6) 6-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-
tetrahydro-3-indoliziny]-1H-imidazol-5-yl)-3,4-dihydro-2(1H)-quinolinone,

(7) 4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-
tetrahydro-3-indoliziny]-1H-imidazol-5-yl)benzamide,

20 (8) 3-[5-(3-amino-1H-indazol-6-yl)-1H-imidazol-2-yl]-7-[5-chloro-2-(1H-
tetrazol-1-yl)phenyl]-2,3-dihydro-5(1H)-indolizinone,

(9) (3S)-3-[5-(6-amino-3-pyridinyl)-4-chloro-1H-imidazol-2-yl]-7-[5-chloro-
2-(1H-tetrazol-1-yl)phenyl]-2,3-dihydro-5(1H)-indolizinone,

(10) (3S)-3-[5-(6-amino-2-chloro-3-pyridinyl)-1H-imidazol-2-yl]-7-[5-chloro-
25 2-(1H-tetrazol-1-yl)phenyl]-2,3-dihydro-5(1H)-indolizinone,

(11) (3S)-3-[5-(1-amino-6-isoquinoliny)-1H-imidazol-2-yl]-7-[5-chloro-2-
(1H-tetrazol-1-yl)phenyl]-2,3-dihydro-5(1H)-indolizinone,

(12) 4-(4-chloro-2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-
1,2,3,5-tetrahydro-3-indoliziny]-1H-imidazol-5-yl)benzamide,

30 (13) ethyl [4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-
tetrahydro-3-indoliziny]-1H-imidazol-5-yl)phenyl]carbamate,

(14) methyl [4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-
1,2,3,5-tetrahydro-3-indoliziny]-1H-imidazol-5-yl)-3-methylphenyl]carbamate,

- (15) methyl [4-(2-((6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl)-1H-imidazol-5-yl)phenyl]carbamate,
- (16) 2-methoxyethyl [4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])1H-imidazol-5-yl)phenyl]carbamate,
- 5 (17) 2-methoxyethyl [4-(2-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])1H-imidazol-5-yl)phenyl]carbamate,
- (18) methyl [6-(4-chloro-2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])1H-imidazol-5-yl)-3-pyridiny])carbamate,
- (19) (3S)-3-[5-(6-amino-2-fluoro-3-pyridiny])1H-imidazol-2-yl]-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-2,3-dihydro-5(1H)-indolizinone,
- 10 (20) (6S)-6-[5-(6-amino-2-chloro-3-pyridiny])1H-imidazol-2-yl]-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-7,8-dihydropyrrolo[1,2-a]pyrimidin-4(6H)-one,
- (21) 2-methoxyethyl [4-(2-((6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl)-1H-imidazol-5-yl)phenyl]carbamate,
- 15 (22) (3S)-3-[5-(6-amino-3-pyridiny])4-chloro-1H-imidazol-2-yl]-7-[5-methyl-2-(1H-tetrazol-1-yl)phenyl]-2,3-dihydro-5(1H)-indolizinone,
- (23) 2-methoxyethyl [5-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])1H-imidazol-5-yl)-2-pyridiny])carbamate,
- 20 (24) 2-methoxyethyl [4-(2-((3S)-7-[5-methyl-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])1H-imidazol-5-yl)phenyl]carbamate,
- (25) 2-methoxyethyl [5-(4-chloro-2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])1H-imidazol-5-yl)-2-pyridiny])carbamate,
- 25 (26) 2-methoxyethyl [6-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])1H-imidazol-5-yl)-3-pyridiny])carbamate,
- (27) 2-methoxyethyl [4-(4-chloro-2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])1H-imidazol-5-yl)phenyl]carbamate,
- (28) 2-methoxyethyl [4-(4-methyl-2-((3S)-7-[5-methyl-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])1H-imidazol-5-yl)phenyl]carbamate,
- 30 (29) 2-methoxyethyl [6-(4-chloro-2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])1H-imidazol-5-yl)-3-pyridiny])carbamate,

(30) 2-ethoxyethyl [4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])phenyl]carbamate,

(31) 2-methoxyethyl [4-(2-((6S)-2-[5-methyl-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl)-1H-imidazol-5-yl)phenyl]carbamate,

(32) 3-methoxypropyl [4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])phenyl]carbamate,

(33) methyl [4-(2-((6S)-2-[5-methyl-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl)-1H-imidazol-5-yl)phenyl]carbamate,

(34) 3-oxetanyl [4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])phenyl]carbamate,

(35) 2-methoxyethyl [4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-4-methyl-1H-imidazol-5-yl)phenyl]carbamate,

(36) methyl [4-(4-chloro-2-((6S)-2-[5-methyl-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl)-1H-imidazol-5-yl)phenyl]carbamate,

(37) 2-methoxyethyl [4-(4-chloro-2-((6S)-2-[5-methyl-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl)-1H-imidazol-5-yl)phenyl]carbamate,

(38) (2S)-2-methoxypropyl [4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-5-yl)phenyl]carbamate,

(39) (6S)-6-[5-(6-amino-2-fluoro-3-pyridinyl)-1H-imidazol-2-yl]-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-7,8-dihydropyrrolo[1,2-a]pyrimidin-4(6H)-one,

(40) 2-methoxyethyl [4-(2-((6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl)-4-methyl-1H-imidazol-5-yl)phenyl]carbamate,

(41) 2-(2-methoxyethoxy)ethyl [5-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-5-yl)-2-pyridinyl]carbamate,

(42) 2-(2-methoxyethoxy)ethyl [5-(4-chloro-2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-5-yl)-2-pyridinyl]carbamate,

(43) 2-(2-methoxyethoxy)ethyl [5-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])]-4-fluoro-1H-imidazol-5-yl)-2-pyridiny]carbamate,

5 (44) 2-(2-ethoxyethoxy)ethyl [5-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-5-yl)-2-pyridiny]carbamate,

(45) 2-(2-ethoxyethoxy)ethyl [5-(4-chloro-2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-5-yl)-2-pyridiny]carbamate,

10 (46) 2-(2-ethoxyethoxy)ethyl [5-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-4-fluoro-1H-imidazol-5-yl)-2-pyridiny]carbamate,

15 (47) 2-methoxyethyl [4-(4-chloro-2-((6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl))-1H-imidazol-5-yl)phenyl]carbamate,

(48) 2-methoxyethyl [6-(4-chloro-2-((6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl))-1H-imidazol-5-yl)-3-pyridiny]carbamate,

20 (49) 2-ethoxyethyl [4-(2-((3S)-7-[5-methyl-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-5-yl)phenyl]carbamate,

(50) 2-ethoxyethyl [4-(2-((6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl))-1H-imidazol-5-yl)phenyl]carbamate,

25 (51) 2-ethoxyethyl [4-(2-((6S)-2-[5-methyl-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl))-1H-imidazol-5-yl)phenyl]carbamate,

(52) tetrahydro-2-furanylmethyl [4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-5-yl)phenyl]carbamate,

30 (53) methyl [4-(5-((6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl))-1H-imidazol-2-yl)phenyl]carbamate,

(54) 3-hydroxy-3-methylbutyl [4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-5-yl)phenyl]carbamate,

(55) 2-(2-ethoxyethoxy)ethyl [4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-5-yl)phenyl]carbamate,

(56) 2-(2-methoxyethoxy)ethyl [4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-5-yl)phenyl]carbamate,

5 (57) 2-fluoroethyl [4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-5-yl)phenyl]carbamate,

(58) 2-hydroxyethyl [4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-5-yl)phenyl]carbamate,

10 (59) 2-hydroxy-2-methylpropyl [4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-5-yl)phenyl]carbamate,

(60) (3S)-3-(4-chloro-5-{6-[(1,3-oxazol-2-ylmethyl)amino]-3-pyridinyl})-1H-imidazol-2-yl)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-2,3-dihydro-5(1H)-indolizinone,

(61) 2-methoxyethyl [4-(5-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-4H-1,2,4-triazol-3-yl)phenyl]carbamate,

15 (62) (3S)-3-[5-(6-amino-3-pyridinyl)-4-fluoro-1H-imidazol-2-yl]-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-2,3-dihydro-5(1H)-indolizinone,

(63) N-[4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-5-yl)phenyl]acetamide,

20 (64) methyl [4-(5-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-4-fluoro-1H-imidazol-2-yl)phenyl]carbamate,

(65) 4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-5-yl)-N-(2-methoxyethoxy)benzamide,

(66) N-[4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-4-fluoro-1H-imidazol-5-yl)phenyl]acetamide,

25 (67) 2-methoxyethyl [6-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-4-fluoro-1H-imidazol-5-yl)-3-pyridinyl]carbamate,

(68) N-[4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-5-yl)phenyl]formamide,

30 (69) 2-methoxyethyl [6-(2-((6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl)-4-fluoro-1H-imidazol-5-yl)-3-pyridinyl]carbamate,

- (70) (1E)-N-[4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-1H-imidazol-5-yl)phenyl]-N'-hydroxyethanimidamide,
- (71) (6S)-6-[5-(6-amino-3-pyridinyl)-4-fluoro-1H-imidazol-2-yl]-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-7,8-dihydropyrrolo[1,2-a]pyrimidin-4(6H)-one,
- 5 (72) N-[4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-1H-imidazol-5-yl)phenyl]-2-fluoroacetamide,
- (73) (3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-3-[5-(4-hydroxyphenyl)-1H-imidazol-2-yl]-2,3-dihydro-5(1H)-indolizinone,
- (74) ethyl 5-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-1H-imidazol-5-yl)-2-thiophenecarboxylate,
- 10 (75) 5-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-1H-imidazol-5-yl)-2-thiophenecarboxylic acid,
- (76) ethyl 5-(4-chloro-2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-1H-imidazol-5-yl)-2-thiophenecarboxylate,
- 15 (77) 5-(4-chloro-2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-1H-imidazol-5-yl)-2-thiophenecarboxylic acid,
- (78) 5-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-1H-imidazol-5-yl)-2-thiophenecarboxamide,
- (79) 5-(4-chloro-2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-1H-imidazol-5-yl)-2-thiophenecarboxamide,
- 20 (80) 2-methoxyethyl [4-(5-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-1H-imidazol-2-yl)phenyl]carbamate,
- (81) 2-(2-methoxyethoxy)ethyl [4-(5-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-1H-imidazol-2-yl)phenyl]carbamate,
- 25 (82) 2-(2-methoxyethoxy)ethyl [4-(5-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-4-fluoro-1H-imidazol-2-yl)phenyl]carbamate,
- (83) 2-methoxyethyl [4-(5-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-4-fluoro-1H-imidazol-2-yl)phenyl]carbamate,
- 30 (84) 4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-1H-imidazol-5-yl)-2-thiophenecarboxylic acid,
- (85) 4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-1H-imidazol-5-yl)-2-pyridinecarboxylic acid,

- (86) 5-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-4-fluoro-1H-imidazol-5-yl)-2-thiophenecarboxylic acid,
- (87) 5-(2-((3S)-8-chloro-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-1H-imidazol-5-yl)-2-thiophenecarboxylic acid,
- 5 (88) 4-(2-((3S)-8-chloro-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-1H-imidazol-5-yl)-2-thiophenecarboxylic acid,
- (89) 4-(2-((6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl)-1H-imidazol-5-yl)-2-thiophenecarboxylic acid,
- (90) 4-(2-((3S)-8-chloro-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-10 1,2,3,5-tetrahydro-3-indolizinyl)-1H-imidazol-5-yl)-2-pyridinecarboxylic acid,
- (91) 2-(2-methoxyethoxy)ethyl [5-(5-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-4-fluoro-1H-imidazol-2-yl)-2-pyridinyl]carbamate,
- (92) 2-(4-morpholinyl)ethyl 5-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-1H-imidazol-5-yl)-2-15 thiophenecarboxylate,
- (93) 2-(4-morpholinyl)ethyl 5-(4-chloro-2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-1H-imidazol-5-yl)-2-thiophenecarboxylate,
- 20 (94) 2-methoxyethyl [5-(5-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-4-fluoro-1H-imidazol-2-yl)-2-pyridinyl]carbamate,
- (95) (3S)-3-[2-(6-amino-3-pyridinyl)-4-fluoro-1H-imidazol-5-yl]-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-2,3-dihydro-5(1H)-indolizinone,
- 25 (96) 4-(2-((3S)-8-bromo-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-1H-imidazol-5-yl)-2-thiophenecarboxylic acid,
- (97) ethyl 4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-1H-imidazol-5-yl)-2-thiophenecarboxylate,
- (98) 2-(4-morpholinyl)ethyl 4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-1H-imidazol-5-yl)-2-30 thiophenecarboxylate,
- (99) 4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyl)-4-fluoro-1H-imidazol-5-yl)-2-thiophenecarboxylic acid,

(100) isobutyl 4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-5-yl)-2-thiophenecarboxylate,

(101) 2-(dimethylamino)-2-oxoethyl 4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-5-yl)-2-

5 thiophenecarboxylate,

(102) (5-methyl-2-oxo-1,3-dioxol-4-yl)methyl 4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-5-yl)-2-thiophenecarboxylate,

(103) [(2,2-dimethylpropanoyl)oxy]methyl 4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-5-yl)-2-

10 thiophenecarboxylate,

(104) methyl 4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-5-yl)-2-thiophenecarboxylate,

(105) 3-methylbutyl 4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-5-yl)-2-thiophenecarboxylate,

(106) isopropyl 4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-5-yl)-2-thiophenecarboxylate,

(107) 2,3-dihydro-1H-inden-5-yl 4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-5-yl)-2-

20 thiophenecarboxylate,

(108) phenyl 4-(2-((3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indoliziny])-1H-imidazol-5-yl)-2-thiophenecarboxylate,

(109) 2-(dimethylamino)-2-oxoethyl 4-(2-((6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl))-1H-imidazol-5-yl)-2-

25 thiophenecarboxylate,

(110) methyl 4-(2-((6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl))-1H-imidazol-5-yl)-2-thiophenecarboxylate,

(111) 2-(diethylamino)-2-oxoethyl 4-(2-((6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl))-1H-imidazol-5-yl)-2-thiophenecarboxylate,

30 thiophenecarboxylate,

(112) 1-{[(cyclohexyloxy)carbonyl]oxy}ethyl 4-(2-{(6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl}-1H-imidazol-5-yl)-2-thiophenecarboxylate,

(113) cyclohexyl 2-{(6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl}-5-{5-[(1-
5 {[(cyclohexyloxy)carbonyl]oxy}ethoxy)carbonyl]-3-thienyl}-1H-imidazole-1-carboxylate,

(114) 4-(2-{(3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyll}-1H-imidazol-5-yl)-3-fluoro-2-thiophenecarboxylic acid,

10 (115) 4-(5-{7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyll}-4-fluoro-1H-imidazol-2-yl)-2-thiophenecarboxylic acid,

(116) 4-(2-{(3S)-7-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-5-oxo-1,2,3,5-tetrahydro-3-indolizinyll}-1H-imidazol-5-yl)-3-fluoro-2-pyridinecarboxylic acid,

15 (117) [(2,2-dimethylpropanoyl)oxy]methyl 4-(2-{(6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl}-1H-imidazol-5-yl)-2-thiophenecarboxylate,

(118) [(2,2-dimethylpropanoyl)oxy]methyl 4-(2-{(6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl}-1-{[(2,2-dimethylpropanoyl)oxy]methyl}-1H-imidazol-5-yl)-2-thiophenecarboxylate,

20 (119) 2,3-dihydro-1H-inden-5-yl 4-(2-{(6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl}-1H-imidazol-5-yl)-2-thiophenecarboxylate,

(120) ethyl 4-(2-{(6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl}-1H-imidazol-5-yl)-2-thiophenecarboxylate,

25 (121) 2-oxo-2-(1-pyrrolidinyl)ethyl 4-(2-{(6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl}-1H-imidazol-5-yl)-2-thiophenecarboxylate,

(122) 2-oxo-2-(1-piperidinyl)ethyl 4-(2-{(6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl}-1H-imidazol-5-yl)-2-thiophenecarboxylate,

30 (123) 2-(4-morpholinyl)-2-oxoethyl 4-(2-{(6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl}-1H-imidazol-5-yl)-2-thiophenecarboxylate,

(124) isobutyl 4-(2-((6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl)-1H-imidazol-5-yl)-2-thiophenecarboxylate,

(125) isopropyl 4-(2-((6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl)-1H-imidazol-5-yl)-2-thiophenecarboxylate,

(126) (5-methyl-2-oxo-1,3-dioxol-4-yl)methyl 4-(2-((6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl)-1H-imidazol-5-yl)-2-thiophenecarboxylate, and

(127) 2-(4-morpholinyl)ethyl 4-(2-((6S)-2-[5-chloro-2-(1H-tetrazol-1-yl)phenyl]-4-oxo-4,6,7,8-tetrahydropyrrolo[1,2-a]pyrimidin-6-yl)-1H-imidazol-5-yl)-2-thiophenecarboxylate.

13. A pharmaceutical composition which comprises the compound according to any one of claims 1 to 12, or a salt thereof.

14. The pharmaceutical composition according to claim 13, which is a factor XIa inhibitor or a factor XIa and plasma kallikrein dual inhibitor.

15. The pharmaceutical composition according to claim 14, which is an agent for the treatment or prevention of a thromboembolic disease.

16. The compound according to any one of claims 1 to 12, or a salt thereof, for use in the treatment of the human or animal body by therapy.

17. The compound according to any one of claims 1 to 12, or a salt thereof, for use in treating or preventing a thromboembolic disease.

18. The compound for use according to claim 17, wherein the thromboembolic disease is selected from the group consisting of arterial cardiovascular thromboembolic disorders, venous cardiovascular thromboembolic disorders, arterial cerebrovascular thromboembolic disorders, venous cerebrovascular thromboembolic disorders and thromboembolic disorders in the chambers of the heart or in the peripheral circulation.

19. The compound for use according to claim 18, wherein the thromboembolic disease is selected from unstable angina, an acute coronary syndrome, atrial fibrillation, myocardial infarction, ischemic sudden death, transient ischemic attack, stroke, atherosclerosis, peripheral occlusive arterial disease, venous thrombosis, 5 deep vein thrombosis, thrombophlebitis, arterial embolism, coronary arterial thrombosis, cerebral arterial thrombosis, cerebral embolism, kidney embolism, pulmonary embolism, and thrombosis resulting from medical implants, devices, or procedures in which blood is exposed to an artificial surface that promotes thrombosis.

10 20. Use of a compound according to any one of claims 1 to 12, or a salt thereof, in the manufacture of a medicament for use in treating or preventing a thromboembolic disease.