

OPA16301 Sequence listing

<110> HANMI PHARM. CO., LTD.

<120> TRIPLE GLUCAGON/GLP-1/GIP RECEPTOR AGONIST

<130> OPA16301

<150> KR 10-2015-0191082
<151> 2015-12-31

<150> KR 10-2016-0163737
<151> 2016-12-02

<160> 118

<170> KoPatentIn 3.0

<210> 1
<211> 30
<212> PRT
<213> Artificial Sequence

<220>
<223> Trigonal agonist

<220>
<221> MISC_FEATURE
<222> (2)
<223> Xaa is aminoisobutyric acid (Aib)

<400> 1
His Xaa Gln Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Asp Gly
1 5 10 15
Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys Gly Cys
20 25 30

<210> 2
<211> 30
<212> PRT
<213> Artificial Sequence

<220>
<223> Trigonal agonist

<220>
<221> MISC_FEATURE
<222> (2)
<223> Xaa is aminoisobutyric acid (Aib)

<400> 2
His Xaa Gln Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Asp Gly
1 5 10 15
Gln Ala Gln Lys Glu Phe Ile Ala Trp Leu Val Lys Gly Cys
20 25 30

<210> 3
<211> 41
<212> PRT
<213> Artificial Sequence

<220>

OPA16301 Sequence listing

<223> Trigonal agonist

<220>

<221> MISC_FEATURE

<222> (2)

<223> Xaa is aminoisobutyric acid (Aib)

<400>

3
His Xaa Gln Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Leu Gly
1 5 10 15

Gln Ala Ala Lys Gln Phe Ile Ala Trp Leu Val Lys Gly Gly Gly Pro
20 25 30

Ser Ser Gly Ala Pro Pro Pro Ser Cys
35 40

<210>

4

<211>

30

<212>

PRT

<213>

Artificial Sequence

<220>

<223> Trigonal agonist

<220>

<221> MISC_FEATURE

<222> (2)

<223> Xaa is aminoisobutyric acid (Aib)

<400>

4
His Xaa Gln Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Leu Gly
1 5 10 15

Gln Gln Gln Lys Glu Phe Ile Ala Trp Leu Val Lys Gly Cys
20 25 30

<210>

5

<211>

41

<212>

PRT

<213>

Artificial Sequence

<220>

<223> Trigonal agonist

<220>

<221> MISC_FEATURE

<222> (2)

<223> Xaa is aminoisobutyric acid (Aib)

<400>

5
His Xaa Gln Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Leu Gly
1 5 10 15

Gln Gln Gln Lys Glu Phe Ile Ala Trp Leu Val Lys Gly Gly Gly Pro
20 25 30

Ser Ser Gly Ala Pro Pro Pro Ser Cys
35 40

OPA16301 Sequence listing

<210> 6
 <211> 30
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<400> 6
 His Xaa Gln Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Asp Gly
 1 5 10 15
 Gln Ala Ala Lys Glu Phe Val Ala Trp Leu Leu Lys Gly Cys
 20 25 30

<210> 7
 <211> 30
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<400> 7
 His Xaa Gln Gly Thr Phe Thr Ser Asp Val Ser Lys Tyr Leu Asp Gly
 1 5 10 15
 Gln Ala Ala Lys Glu Phe Val Ala Trp Leu Leu Lys Gly Cys
 20 25 30

<210> 8
 <211> 30
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<400> 8
 His Xaa Gln Gly Thr Phe Thr Ser Asp Val Ser Lys Tyr Leu Asp Gly
 1 5 10 15
 Gln Ala Ala Gln Glu Phe Val Ala Trp Leu Leu Lys Gly Cys
 20 25 30

OPA16301 Sequence listing

<210> 9
 <211> 30
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<400> 9
 His Xaa Gln Gly Thr Phe Thr Ser Asp Val Ser Lys Tyr Leu Asp Gly
 1 5 10 15
 Gln Ala Ala Gln Glu Phe Val Ala Trp Leu Leu Ala Gly Cys
 20 25 30

<210> 10
 <211> 41
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<400> 10
 His Xaa Gln Gly Thr Phe Thr Ser Asp Val Ser Lys Tyr Leu Asp Gly
 1 5 10 15
 Gln Ala Ala Gln Glu Phe Val Ala Trp Leu Leu Ala Gly Gly Gly Pro
 20 25 30
 Ser Ser Gly Ala Pro Pro Pro Ser Cys
 35 40

<210> 11
 <211> 41
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (1)
 <223> Xaa is 4-imidazoacetyl (CA)

<400> 11
 Xaa Gly Glu Gly Thr Phe Thr Ser Asp Leu Ser Lys Tyr Leu Asp Ser
 Page 4

OPA16301 Sequence listing

1 5 10 15
Arg Arg Gln Gln Leu Phe Val Gln Trp Leu Lys Ala Gly Gly Pro Ser
20 25 30

Ser Gly Ala Pro Pro Pro Ser His Gly
35 40

<210> 12
<211> 41
<212> PRT
<213> Artificial Sequence

<220>
<223> Trigonal agonist

<220>
<221> MISC_FEATURE
<222> (1)
<223> Xaa is 4-imidazoacetyl (CA)

<400> 12
Xaa Gly Glu Gly Thr Phe Ile Ser Asp Leu Ser Lys Tyr Met Asp Glu
1 5 10 15

Gln Ala Val Gln Leu Phe Val Glu Trp Leu Met Ala Gly Gly Pro Ser
20 25 30

Ser Gly Ala Pro Pro Pro Ser His Gly
35 40

<210> 13
<211> 41
<212> PRT
<213> Artificial Sequence

<220>
<223> Trigonal agonist

<220>
<221> MISC_FEATURE
<222> (1)
<223> Xaa is 4-imidazoacetyl (CA)

<400> 13
Xaa Gly Glu Gly Thr Phe Ile Ser Asp Tyr Ser Ile Gln Leu Asp Glu
1 5 10 15

Ile Ala Val Gln Asp Phe Val Glu Trp Leu Leu Ala Gln Lys Pro Ser
20 25 30

Ser Gly Ala Pro Pro Pro Ser His Gly
35 40

<210> 14
<211> 41
<212> PRT
<213> Artificial Sequence

<220>
<223> Trigonal agonist

OPA16301 Sequence listing

<220>
 <221> MISC_FEATURE
 <222> (1)
 <223> Xaa is 4-imidazoacetyl (CA)

<400> 14
 Xaa Gly Gln Gly Thr Phe Thr Ser Asp Tyr Ser Ile Gln Leu Asp Glu
 1 5 10 15
 Ile Ala Val Arg Asp Phe Val Glu Trp Leu Lys Asn Gly Gly Pro Ser
 20 25 30
 Ser Gly Ala Pro Pro Pro Ser His Gly
 35 40

<210> 15
 <211> 41
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (1)
 <223> Xaa is 4-imidazoacetyl (CA)

<400> 15
 Xaa Gly Gln Gly Thr Phe Thr Ser Asp Leu Ser Lys Gln Met Asp Glu
 1 5 10 15
 Glu Ala Val Arg Leu Phe Ile Glu Trp Leu Lys Asn Gly Gly Pro Ser
 20 25 30
 Ser Gly Ala Pro Pro Pro Ser His Gly
 35 40

<210> 16
 <211> 41
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (1)
 <223> Xaa is 4-imidazoacetyl (CA)

<400> 16
 Xaa Gly Gln Gly Thr Phe Thr Ser Asp Leu Ser Lys Gln Met Asp Ser
 1 5 10 15
 Glu Ala Gln Gln Leu Phe Ile Glu Trp Leu Lys Asn Gly Gly Pro Ser
 20 25 30
 Ser Gly Ala Pro Pro Pro Ser His Gly

OPA16301 Sequence listing
40

35

<210> 17
<211> 41
<212> PRT
<213> Artificial Sequence

<220>
<223> Trigonal agonist

<220>
<221> MISC_FEATURE
<222> (1)
<223> Xaa is 4-imidazoacetyl (CA)

<400> 17
Xaa Gly Gln Gly Thr Phe Thr Ser Asp Leu Ser Lys Gln Met Asp Glu
1 5 10 15
Glu Arg Ala Arg Glu Phe Ile Glu Trp Leu Leu Ala Gln Lys Pro Ser
20 25 30
Ser Gly Ala Pro Pro Pro Ser His Gly
35 40

<210> 18
<211> 41
<212> PRT
<213> Artificial Sequence

<220>
<223> Trigonal agonist

<220>
<221> MISC_FEATURE
<222> (1)
<223> Xaa is 4-imidazoacetyl (CA)

<400> 18
Xaa Gly Gln Gly Thr Phe Thr Ser Asp Leu Ser Lys Gln Met Asp Ser
1 5 10 15
Glu Arg Ala Arg Glu Phe Ile Glu Trp Leu Lys Asn Thr Gly Pro Ser
20 25 30
Ser Gly Ala Pro Pro Pro Ser His Gly
35 40

<210> 19
<211> 41
<212> PRT
<213> Artificial Sequence

<220>
<223> Trigonal agonist

<220>
<221> MISC_FEATURE
<222> (1)
<223> Xaa is 4-imidazoacetyl (CA)

OPA16301 Sequence listing

<400> 19
Xaa Gly Gln Gly Thr Phe Thr Ser Asp Leu Ser Ile Gln Tyr Asp Ser
1 5 10 15
Glu His Gln Arg Asp Phe Ile Glu Trp Leu Lys Asp Thr Gly Pro Ser
20 25 30
Ser Gly Ala Pro Pro Pro Ser His Gly
35 40

<210> 20
<211> 41
<212> PRT
<213> Artificial Sequence

<220>
<223> Trigonal agonist

<220>
<221> MISC_FEATURE
<222> (1)
<223> Xaa is 4-imidazoacetyl (CA)

<400> 20
Xaa Gly Gln Gly Thr Phe Thr Ser Asp Leu Ser Ile Gln Tyr Glu Glu
1 5 10 15
Glu Ala Gln Gln Asp Phe Val Glu Trp Leu Lys Asp Thr Gly Pro Ser
20 25 30
Ser Gly Ala Pro Pro Pro Ser His Gly
35 40

<210> 21
<211> 39
<212> PRT
<213> Artificial Sequence

<220>
<223> Trigonal agonist

<220>
<221> MISC_FEATURE
<222> (2)
<223> Xaa is aminoisobutyric acid (Aib)

<220>
<221> MISC_FEATURE
<222> (16)..(20)
<223> amino acids at positions 16 and 20 form a ring

<400> 21
Tyr Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
1 5 10 15
Cys Arg Ala Lys Glu Phe Val Gln Trp Leu Leu Asp His His Pro Ser
20 25 30
Ser Gly Gln Pro Pro Pro Ser

OPA16301 Sequence listing

35

<210> 22
 <211> 39
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<220>
 <221> MISC_FEATURE
 <222> (16)..(20)
 <223> amino acids at positions 16 and 20 form a ring

<400> 22
 Tyr Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Cys Leu Asp Glu
 1 5 10 15
 Lys Arg Ala Lys Glu Phe Val Gln Trp Leu Leu Asp His His Pro Ser
 20 25 30
 Ser Gly Gln Pro Pro Pro Ser
 35

<210> 23
 <211> 41
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<220>
 <221> MISC_FEATURE
 <222> (16)..(20)
 <223> amino acids at positions 16 and 20 form a ring

<400> 23
 Tyr Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
 1 5 10 15
 Cys Arg Ala Lys Glu Phe Val Gln Trp Leu Leu Ala Gln Lys Gly Lys
 20 25 30
 Lys Asn Asp Trp Lys His Asn Ile Thr
 35 40

<210> 24

OPA16301 Sequence listing

<211> 39
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<220>
 <221> MISC_FEATURE
 <222> (16)..(20)
 <223> amino acids at positions 16 and 20 form a ring

<400> 24
 Tyr Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
 1 5 10 15
 Cys Arg Ala Lys Glu Phe Val Gln Trp Leu Lys Asn Gly Gly Pro Ser
 20 25 30
 Ser Gly Ala Pro Pro Pro Ser
 35

<210> 25
 <211> 39
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<400> 25
 His Xaa Gln Gly Thr Phe Thr Ser Asp Cys Ser Lys Tyr Leu Asp Glu
 1 5 10 15
 Arg Ala Ala Gln Asp Phe Val Gln Trp Leu Leu Asp Gly Gly Pro Ser
 20 25 30
 Ser Gly Ala Pro Pro Pro Ser
 35

<210> 26
 <211> 39
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE

OPA16301 Sequence listing

<222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<400> 26
 His Xaa Gln Gly Thr Phe Thr Ser Asp Cys Ser Lys Tyr Leu Asp Ser
 1 5 10 15
 Arg Ala Ala Gln Asp Phe Val Gln Trp Leu Leu Asp Gly Gly Pro Ser
 20 25 30
 Ser Gly Ala Pro Pro Pro Ser
 35

<210> 27
 <211> 40
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<400> 27
 His Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
 1 5 10 15
 Arg Ala Cys Gln Asp Phe Val Gln Trp Leu Leu Asp Gln Gly Gly Pro
 20 25 30
 Ser Ser Gly Ala Pro Pro Pro Ser
 35 40

<210> 28
 <211> 41
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<400> 28
 His Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
 1 5 10 15
 Lys Arg Ala Gln Glu Phe Val Cys Trp Leu Leu Ala Gln Lys Gly Lys
 20 25 30
 Lys Asn Asp Trp Lys His Asn Ile Thr
 35 40

<210> 29

OPA16301 Sequence listing

<211> 30
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<220>
 <221> MISC_FEATURE
 <222> (16)..(20)
 <223> amino acids at positions 16 and 20 form a ring

<400> 29
 His Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
 1 5 10 15
 Lys Ala Ala Lys Glu Phe Val Gln Trp Leu Leu Asn Thr Cys
 20 25 30

<210> 30
 <211> 30
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<220>
 <221> MISC_FEATURE
 <222> (16)..(20)
 <223> amino acids at positions 16 and 20 form a ring

<400> 30
 His Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
 1 5 10 15
 Lys Ala Gln Lys Glu Phe Val Gln Trp Leu Leu Asp Thr Cys
 20 25 30

<210> 31
 <211> 29
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE

OPA16301 Sequence listing

<222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<220>
 <221> MISC_FEATURE
 <222> (16)..(20)
 <223> amino acids at positions 16 and 20 form a ring

<400> 31
 His Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
 1 5 10 15
 Lys Ala Cys Lys Glu Phe Val Gln Trp Leu Leu Ala Gln
 20 25

<210> 32
 <211> 39
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<220>
 <221> MISC_FEATURE
 <222> (16)..(20)
 <223> amino acids at positions 16 and 20 form a ring

<400> 32
 His Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
 1 5 10 15
 Lys Ala Cys Lys Asp Phe Val Gln Trp Leu Leu Asp Gly Gly Pro Ser
 20 25 30
 Ser Gly Ala Pro Pro Pro Ser
 35

<210> 33
 <211> 31
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<220>
 <221> MISC_FEATURE
 <222> (16)..(20)

OPA16301 Sequence listing

<223> amino acids at positions 16 and 20 form a ring

<400> 33

His Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Ile Ala Met Asp Glu
1 5 10 15

Ile His Gln Lys Asp Phe Val Asn Trp Leu Leu Ala Gln Lys Cys
20 25 30

<210> 34

<211> 31

<212> PRT

<213> Artificial Sequence

<220>

<223> Trigonal agonist

<220>

<221> MISC_FEATURE

<222> (2)

<223> Xaa is aminoisobutyric acid (Aib)

<220>

<221> MISC_FEATURE

<222> (16)..(20)

<223> amino acids at positions 16 and 20 form a ring

<400> 34

His Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
1 5 10 15

Lys Arg Gln Lys Glu Phe Val Asn Trp Leu Leu Ala Gln Lys Cys
20 25 30

<210> 35

<211> 31

<212> PRT

<213> Artificial Sequence

<220>

<223> Trigonal agonist

<220>

<221> MISC_FEATURE

<222> (2)

<223> Xaa is aminoisobutyric acid (Aib)

<220>

<221> MISC_FEATURE

<222> (16)..(20)

<223> amino acids at positions 16 and 20 form a ring

<400> 35

His Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Ile Ala Met Asp Glu
1 5 10 15

Ile His Gln Lys Asp Phe Val Asn Trp Leu Leu Asn Thr Lys Cys

<210> 36
 <211> 40
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<220>
 <221> MISC_FEATURE
 <222> (16)..(20)
 <223> amino acids at positions 16 and 20 form a ring

<400> 36
 His Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Cys Glu
 1 5 10 15
 Lys Arg Gln Lys Glu Phe Val Gln Trp Leu Leu Asn Gly Gly Pro Ser
 20 25 30
 Ser Gly Ala Pro Pro Pro Ser Gly
 35 40

<210> 37
 <211> 40
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<220>
 <221> MISC_FEATURE
 <222> (16)..(20)
 <223> amino acids at positions 16 and 20 form a ring

<400> 37
 His Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
 1 5 10 15
 Cys Arg Gln Lys Glu Phe Val Gln Trp Leu Leu Asn Gly Gly Pro Ser
 20 25 30
 Ser Gly Ala Pro Pro Pro Ser Gly
 35 40

OPA16301 Sequence listing

<210> 38
 <211> 40
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> Trigonal agonist

 <220>
 <221> MISC_FEATURE
 <222> (1)
 <223> Xaa is 4-imidazoacetyl (CA)

 <220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

 <400> 38
 Xaa Xaa Gln Gly Thr Phe Thr Ser Asp Lys Ser Ser Tyr Leu Asp Glu
 1 5 10 15
 Arg Ala Ala Gln Asp Phe Val Gln Trp Leu Leu Asp Gly Gly Pro Ser
 20 25 30
 Ser Gly Ala Pro Pro Pro Ser Ser
 35 40

 <210> 39
 <211> 40
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> Trigonal agonist

 <220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

 <400> 39
 His Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Gly
 1 5 10 15
 Gln His Ala Gln Cys Phe Val Ala Trp Leu Leu Ala Gly Gly Gly Pro
 20 25 30
 Ser Ser Gly Ala Pro Pro Pro Ser
 35 40

 <210> 40
 <211> 39
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> Trigonal agonist

 <220>

OPA16301 Sequence listing

<221> MISC_FEATURE

<222> (2)

<223> Xaa is aminoisobutyric acid (Aib)

<400> 40

His Xaa Gln Gly Thr Phe Thr Ser Asp Lys Ser Lys Tyr Leu Asp Glu
1 5 10 15

Arg Ala Cys Gln Asp Phe Val Gln Trp Leu Leu Asp Gly Gly Pro Ser
20 25 30

Ser Gly Ala Pro Pro Pro Ser
35

<210> 41

<211> 39

<212> PRT

<213> Artificial Sequence

<220>

<223> Trigonal agonist

<220>

<221> MISC_FEATURE

<222> (2)

<223> Xaa is aminoisobutyric acid (Aib)

<400> 41

His Xaa Gln Gly Thr Phe Thr Ser Asp Lys Ser Lys Tyr Leu Asp Glu
1 5 10 15

Cys Ala Ala Gln Asp Phe Val Gln Trp Leu Leu Asp Gly Gly Pro Ser
20 25 30

Ser Gly Ala Pro Pro Pro Ser
35

<210> 42

<211> 40

<212> PRT

<213> Artificial Sequence

<220>

<223> Trigonal agonist

<220>

<221> MISC_FEATURE

<222> (2)

<223> Xaa is aminoisobutyric acid (Aib)

<220>

<221> MISC_FEATURE

<222> (16)..(20)

<223> amino acids at positions 16 and 20 form a ring

<400> 42

Tyr Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
1 5 10 15

Lys Arg Ala Lys Glu Phe Val Gln Trp Leu Leu Asp His His Pro Ser

OPA16301 Sequence listing

20

25

30

Ser Gly Gln Pro Pro Pro Ser Cys
35 40

<210> 43
<211> 39
<212> PRT
<213> Artificial Sequence

<220>
<223> Trigonal agonist

<220>
<221> MISC_FEATURE
<222> (2)
<223> Xaa is aminoisobutyric acid (Aib)

<220>
<221> MISC_FEATURE
<222> (16)..(20)
<223> amino acids at positions 16 and 20 form a ring

<400> 43
Tyr Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
1 5 10 15

Lys Arg Ala Lys Glu Phe Val Gln Trp Leu Leu Asp His His Cys Ser
20 25 30

Ser Gly Gln Pro Pro Pro Ser
35

<210> 44
<211> 39
<212> PRT
<213> Artificial Sequence

<220>
<223> Trigonal agonist

<400> 44
His Gly Gln Gly Thr Phe Thr Ser Asp Cys Ser Lys Gln Leu Asp Gly
1 5 10 15

Gln Ala Ala Gln Glu Phe Val Ala Trp Leu Leu Ala Gly Gly Pro Ser
20 25 30

Ser Gly Ala Pro Pro Pro Ser
35

<210> 45
<211> 39
<212> PRT
<213> Artificial Sequence

<220>
<223> Trigonal agonist

<400> 45

OPA16301 Sequence listing

His Gly Gln Gly Thr Phe Thr Ser Asp Cys Ser Lys Tyr Met Asp Gly
1 5 10 15

Gln Ala Ala Gln Asp Phe Val Ala Trp Leu Leu Ala Gly Gly Pro Ser
20 25 30

Ser Gly Ala Pro Pro Pro Ser
35

<210> 46

<211> 39

<212> PRT

<213> Artificial Sequence

<220>

<223> Trigonal agonist

<400> 46

His Gly Gln Gly Thr Phe Thr Ser Asp Cys Ser Lys Tyr Leu Asp Glu
1 5 10 15

Gln His Ala Gln Glu Phe Val Ala Trp Leu Leu Ala Gly Gly Pro Ser
20 25 30

Ser Gly Ala Pro Pro Pro Ser
35

<210> 47

<211> 39

<212> PRT

<213> Artificial Sequence

<220>

<223> Trigonal agonist

<400> 47

His Gly Gln Gly Thr Phe Thr Ser Asp Cys Ser Lys Tyr Leu Asp Gly
1 5 10 15

Gln Arg Ala Gln Glu Phe Val Ala Trp Leu Leu Ala Gly Gly Pro Ser
20 25 30

Ser Gly Ala Pro Pro Pro Ser
35

<210> 48

<211> 39

<212> PRT

<213> Artificial Sequence

<220>

<223> Trigonal agonist

<400> 48

His Gly Gln Gly Thr Phe Thr Ser Asp Cys Ser Lys Tyr Leu Asp Gly
1 5 10 15

Gln Arg Ala Gln Asp Phe Val Asn Trp Leu Leu Ala Gly Gly Pro Ser
20 25 30

Ser Gly Ala Pro Pro Pro Ser
35

OPA16301 Sequence listing

<210> 49
<211> 30
<212> PRT
<213> Artificial Sequence

<220>
<223> Trigonal agonist

<220>
<221> MISC_FEATURE
<222> (1)
<223> Xaa is 4-imidazoacetyl (CA)

<220>
<221> MISC_FEATURE
<222> (2)
<223> Xaa is aminoisobutyric acid (Aib)

<220>
<221> MISC_FEATURE
<222> (16)..(20)
<223> amino acids at positions 16 and 20 form a ring

<400> 49
Xaa Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Ile Cys Met Asp Glu
1 5 10 15
Ile His Gln Lys Asp Phe Val Asn Trp Leu Leu Asn Thr Lys
20 25 30

<210> 50
<211> 40
<212> PRT
<213> Artificial Sequence

<220>
<223> Trigonal agonist

<220>
<221> MISC_FEATURE
<222> (2)
<223> Xaa is aminoisobutyric acid (Aib)

<220>
<221> MISC_FEATURE
<222> (16)..(20)
<223> amino acids at positions 16 and 20 form a ring

<400> 50
His Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
1 5 10 15
Lys Arg Ala Lys Glu Phe Val Gln Trp Leu Leu Asp His His Pro Ser
20 25 30
Ser Gly Gln Pro Pro Pro Ser Cys
35 40

OPA16301 Sequence listing

<210> 51
 <211> 30
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<220>
 <221> MISC_FEATURE
 <222> (16)..(20)
 <223> amino acids at positions 16 and 20 form a ring

<400> 51
 His Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
 1 5 10 15
 Lys Arg Gln Lys Glu Phe Val Gln Trp Leu Leu Asn Thr Cys
 20 25 30

<210> 52
 <211> 30
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<220>
 <221> MISC_FEATURE
 <222> (16)..(20)
 <223> amino acids at positions 16 and 20 form a ring

<400> 52
 His Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
 1 5 10 15
 Lys Arg Gln Lys Glu Phe Val Gln Trp Leu Leu Asp Thr Cys
 20 25 30

<210> 53
 <211> 30
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

OPA16301 Sequence listing

<220>

<221> MISC_FEATURE

<222> (2)

<223> Xaa is aminoisobutyric acid (Aib)

<220>

<221> MISC_FEATURE

<222> (16)..(20)

<223> amino acids at positions 16 and 20 form a ring

<400> 53

His Xaa Glu Gly Thr Phe Thr Ser Asp Tyr Ser Ile Ala Met Asp Glu
1 5 10 15

Ile His Gln Lys Asp Phe Val Asn Trp Leu Leu Ala Gln Cys
20 25 30

<210> 54

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Trigonal agonist

<220>

<221> MISC_FEATURE

<222> (2)

<223> Xaa is aminoisobutyric acid (Aib)

<220>

<221> MISC_FEATURE

<222> (16)..(20)

<223> amino acids at positions 16 and 20 form a ring

<400> 54

His Xaa Glu Gly Thr Phe Thr Ser Asp Tyr Ser Ile Ala Met Asp Glu
1 5 10 15

Ile His Gln Lys Asp Phe Val Asp Trp Leu Leu Ala Glu Cys
20 25 30

<210> 55

<211> 30

<212> PRT

<213> Artificial Sequence

<220>

<223> Trigonal agonist

<220>

<221> MISC_FEATURE

<222> (2)

<223> Xaa is aminoisobutyric acid (Aib)

<220>

<221> MISC_FEATURE

<222> (16)..(20)

<223> amino acids at positions 16 and 20 form a ring

OPA16301 Sequence listing

<400> 55
His Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Ile Ala Met Asp Glu
1 5 10 15

Ile His Gln Lys Asp Phe Val Asn Trp Leu Leu Ala Gln Cys
20 25 30

<210> 56
<211> 30
<212> PRT
<213> Artificial Sequence

<220>
<223> Trigonal agonist

<220>
<221> MISC_FEATURE
<222> (2)
<223> Xaa is aminoisobutyric acid (Aib)

<220>
<221> MISC_FEATURE
<222> (16)..(20)
<223> amino acids at positions 16 and 20 form a ring

<400> 56
His Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
1 5 10 15

Lys Arg Gln Lys Glu Phe Val Asn Trp Leu Leu Ala Gln Cys
20 25 30

<210> 57
<211> 30
<212> PRT
<213> Artificial Sequence

<220>
<223> Trigonal agonist

<220>
<221> MISC_FEATURE
<222> (2)
<223> Xaa is aminoisobutyric acid (Aib)

<220>
<221> MISC_FEATURE
<222> (16)..(20)
<223> amino acids at positions 16 and 20 form a ring

<400> 57
His Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Ile Ala Met Asp Glu
1 5 10 15

Ile His Gln Lys Asp Phe Val Asn Trp Leu Leu Asn Thr Cys
20 25 30

OPA16301 Sequence listing

<210> 58
 <211> 31
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> Trigonal agonist

 <220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

 <220>
 <221> MISC_FEATURE
 <222> (16)..(20)
 <223> amino acids at positions 16 and 20 form a ring

 <400> 58
 His Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
 1 5 10 15
 Lys Arg Gln Lys Glu Phe Val Gln Trp Leu Leu Asn Thr Lys Cys
 20 25 30

 <210> 59
 <211> 30
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> Trigonal agonist

 <220>
 <221> MISC_FEATURE
 <222> (1)
 <223> Xaa is 4-imidazoacetyl (CA)

 <220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

 <220>
 <221> MISC_FEATURE
 <222> (16)..(20)
 <223> amino acids at positions 16 and 20 form a ring

 <400> 59
 Xaa Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Ile Cys Met Asp Glu
 1 5 10 15
 Lys His Gln Lys Asp Phe Val Asn Trp Leu Leu Asn Thr Lys
 20 25 30

 <210> 60
 <211> 30
 <212> PRT

OPA16301 Sequence listing

<213> Artificial Sequence

<220>
<223> Trigonal agonist

<220>
<221> MISC_FEATURE
<222> (1)
<223> Xaa is 4-imidazoacetyl (CA)

<220>
<221> MISC_FEATURE
<222> (2)
<223> Xaa is aminoisobutyric acid (Aib)

<220>
<221> MISC_FEATURE
<222> (16)..(20)
<223> amino acids at positions 16 and 20 form a ring

<400> 60
Xaa Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Ile Ala Met Asp Glu
1 5 10 15
Lys His Cys Lys Asp Phe Val Asn Trp Leu Leu Asn Thr Lys
20 25 30

<210> 61
<211> 30
<212> PRT
<213> Artificial Sequence

<220>
<223> Trigonal agonist

<220>
<221> MISC_FEATURE
<222> (1)
<223> Xaa is 4-imidazoacetyl (CA)

<220>
<221> MISC_FEATURE
<222> (2)
<223> Xaa is aminoisobutyric acid (Aib)

<220>
<221> MISC_FEATURE
<222> (16)..(20)
<223> amino acids at positions 16 and 20 form a ring

<400> 61
Xaa Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Ile Ala Met Asp Glu
1 5 10 15
Ile Ala Cys Lys Asp Phe Val Asn Trp Leu Leu Asn Thr Lys
20 25 30

<210> 62

OPA16301 Sequence listing

<211> 39
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (1)
 <223> Xaa is 4-imidazoacetyl (CA)

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<400> 62
 Xaa Xaa Gln Gly Thr Phe Thr Ser Asp Lys Ser Lys Tyr Leu Asp Glu
 1 5 10 15
 Arg Ala Ala Gln Asp Phe Val Gln Trp Leu Leu Asp Gly Gly Pro Ser
 20 25 30
 Ser Gly Ala Pro Pro Pro Ser
 35

<210> 63
 <211> 39
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (1)
 <223> Xaa is 4-imidazoacetyl (CA)

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<400> 63
 Xaa Xaa Gln Gly Thr Phe Thr Ser Asp Cys Ser Lys Tyr Leu Asp Glu
 1 5 10 15
 Arg Ala Ala Gln Asp Phe Val Gln Trp Leu Leu Asp Gly Gly Pro Ser
 20 25 30
 Ser Gly Ala Pro Pro Pro Ser
 35

<210> 64
 <211> 39
 <212> PRT
 <213> Artificial Sequence

OPA16301 Sequence listing

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<220>
 <221> MISC_FEATURE
 <222> (16)..(20)
 <223> amino acids at positions 16 and 20 form a ring

<400> 64
 Tyr Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
 1 5 10 15
 Cys Ala Ala Lys Glu Phe Val Gln Trp Leu Leu Asp His His Pro Ser
 20 25 30
 Ser Gly Gln Pro Pro Pro Ser
 35

<210> 65
 <211> 39
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<220>
 <221> MISC_FEATURE
 <222> (16)..(20)
 <223> amino acids at positions 16 and 20 form a ring

<400> 65
 His Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Cys Leu Asp Glu
 1 5 10 15
 Lys Arg Ala Lys Glu Phe Val Gln Trp Leu Leu Asp His His Pro Ser
 20 25 30
 Ser Gly Gln Pro Pro Pro Ser
 35

<210> 66
 <211> 39
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

OPA16301 Sequence listing

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<220>
 <221> MISC_FEATURE
 <222> (16)..(20)
 <223> amino acids at positions 16 and 20 form a ring

<400> 66
 Tyr Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
 1 5 10 15
 Cys Arg Ala Lys Asp Phe Val Gln Trp Leu Leu Asp His His Pro Ser
 20 25 30
 Ser Gly Gln Pro Pro Pro Ser
 35

<210> 67
 <211> 39
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<220>
 <221> MISC_FEATURE
 <222> (16)..(20)
 <223> amino acids at positions 16 and 20 form a ring

<400> 67
 Tyr Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
 1 5 10 15
 Cys Ala Ala Lys Asp Phe Val Gln Trp Leu Leu Asp His His Pro Ser
 20 25 30
 Ser Gly Gln Pro Pro Pro Ser
 35

<210> 68
 <211> 39
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

OPA16301 Sequence listing

<220>
 <221> MISC_FEATURE
 <222> (16)..(20)
 <223> amino acids at positions 16 and 20 form a ring

<400> 68
 Tyr Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Cys Leu Asp Glu
 1 5 10 15
 Lys Ala Ala Lys Glu Phe Val Gln Trp Leu Leu Asp His His Pro Ser
 20 25 30
 Ser Gly Gln Pro Pro Pro Ser
 35

<210> 69
 <211> 39
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<220>
 <221> MISC_FEATURE
 <222> (16)..(20)
 <223> amino acids at positions 16 and 20 form a ring

<400> 69
 Tyr Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Cys Leu Asp Glu
 1 5 10 15
 Arg Ala Ala Lys Glu Phe Val Gln Trp Leu Leu Asp His His Pro Ser
 20 25 30
 Ser Gly Gln Pro Pro Pro Ser
 35

<210> 70
 <211> 39
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<220>
 <221> MISC_FEATURE

OPA16301 Sequence listing

<222> (16)..(20)
 <223> amino acids at positions 16 and 20 form a ring

<400> 70
 Tyr Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Cys Leu Asp Glu
 1 5 10 15
 Lys Arg Ala Lys Asp Phe Val Gln Trp Leu Leu Asp His His Pro Ser
 20 25 30
 Ser Gly Gln Pro Pro Pro Ser
 35

<210> 71
 <211> 39
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<220>
 <221> MISC_FEATURE
 <222> (16)..(20)
 <223> amino acids at positions 16 and 20 form a ring

<400> 71
 Tyr Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
 1 5 10 15
 Arg Ala Cys Lys Asp Phe Val Gln Trp Leu Leu Asp His His Pro Ser
 20 25 30
 Ser Gly Gln Pro Pro Pro Ser
 35

<210> 72
 <211> 39
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<220>
 <221> MISC_FEATURE
 <222> (16)..(20)
 <223> amino acids at positions 16 and 20 form a ring

OPA16301 Sequence listing

<400> 72
Tyr Xaa Gln Gly Thr Phe Thr Ser Asp Cys Ser Lys Tyr Leu Asp Glu
1 5 10 15
Arg Ala Ala Lys Asp Phe Val Gln Trp Leu Leu Asp His His Pro Ser
20 25 30
Ser Gly Gln Pro Pro Pro Ser
35

<210> 73
<211> 39
<212> PRT
<213> Artificial Sequence

<220>
<223> Trigonal agonist

<220>
<221> MISC_FEATURE
<222> (1)
<223> Xaa is 4-imidazoacetyl (CA)

<220>
<221> MISC_FEATURE
<222> (2)
<223> Xaa is aminoisobutyric acid (Aib)

<220>
<221> MISC_FEATURE
<222> (16)..(20)
<223> amino acids at positions 16 and 20 form a ring

<400> 73
Xaa Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
1 5 10 15
Cys Arg Ala Lys Glu Phe Val Gln Trp Leu Leu Asp His His Pro Ser
20 25 30
Ser Gly Gln Pro Pro Pro Ser
35

<210> 74
<211> 39
<212> PRT
<213> Artificial Sequence

<220>
<223> Trigonal agonist

<220>
<221> MISC_FEATURE
<222> (1)
<223> Xaa is 4-imidazoacetyl (CA)

<220>
<221> MISC_FEATURE
<222> (2)
<223> Xaa is aminoisobutyric acid (Aib)

OPA16301 Sequence listing

<220>
 <221> MISC_FEATURE
 <222> (16)..(20)
 <223> amino acids at positions 16 and 20 form a ring

<400> 74
 Xaa Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Cys Leu Asp Glu
 1 5 10 15
 Lys Arg Ala Lys Glu Phe Val Gln Trp Leu Leu Asp His His Pro Ser
 20 25 30
 Ser Gly Gln Pro Pro Pro Ser
 35

<210> 75
 <211> 40
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<220>
 <221> MISC_FEATURE
 <222> (16)..(20)
 <223> amino acids at positions 16 and 20 form a ring

<400> 75
 Tyr Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
 1 5 10 15
 Lys Ala Ala Lys Glu Phe Val Gln Trp Leu Leu Asp His His Pro Ser
 20 25 30
 Ser Gly Gln Pro Pro Pro Ser Cys
 35 40

<210> 76
 <211> 40
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<220>
 <221> MISC_FEATURE

OPA16301 Sequence listing

<222> (16)..(20)
 <223> amino acids at positions 16 and 20 form a ring

<400> 76
 Tyr Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
 1 5 10 15
 Lys Arg Ala Lys Asp Phe Val Gln Trp Leu Leu Asp His His Pro Ser
 20 25 30
 Ser Gly Gln Pro Pro Pro Ser Cys
 35 40

<210> 77
 <211> 40
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<220>
 <221> MISC_FEATURE
 <222> (16)..(20)
 <223> amino acids at positions 16 and 20 form a ring

<400> 77
 Tyr Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
 1 5 10 15
 Lys Ala Ala Lys Asp Phe Val Gln Trp Leu Leu Asp His His Pro Ser
 20 25 30
 Ser Gly Gln Pro Pro Pro Ser Cys
 35 40

<210> 78
 <211> 31
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<220>
 <221> MISC_FEATURE
 <222> (16)..(20)
 <223> amino acids at positions 16 and 20 form a ring

OPA16301 Sequence listing

<400> 78
 His Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
 1 5 10 15
 Lys Arg Gln Lys Glu Phe Val Gln Trp Leu Leu Asp Thr Lys Cys
 20 25 30

<210> 79
 <211> 31
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<220>
 <221> MISC_FEATURE
 <222> (16)..(20)
 <223> amino acids at positions 16 and 20 form a ring

<400> 79
 His Xaa Glu Gly Thr Phe Thr Ser Asp Tyr Ser Ile Ala Met Asp Glu
 1 5 10 15
 Ile His Gln Lys Asp Phe Val Asn Trp Leu Leu Ala Gln Lys Cys
 20 25 30

<210> 80
 <211> 31
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<220>
 <221> MISC_FEATURE
 <222> (16)..(20)
 <223> amino acids at positions 16 and 20 form a ring

<400> 80
 His Xaa Glu Gly Thr Phe Thr Ser Asp Tyr Ser Ile Ala Met Asp Glu
 1 5 10 15
 Ile His Gln Lys Asp Phe Val Asp Trp Leu Leu Ala Glu Lys Cys
 20 25 30

OPA16301 Sequence listing

<210> 81
 <211> 30
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (1)
 <223> Xaa is 4-imidazoacetyl (CA)

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<220>
 <221> MISC_FEATURE
 <222> (16)..(20)
 <223> amino acids at positions 16 and 20 form a ring

<400> 81
 Xaa Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
 1 5 10 15
 Lys Arg Gln Lys Glu Phe Val Gln Trp Leu Leu Asn Thr Cys
 20 25 30

<210> 82
 <211> 30
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (1)
 <223> Xaa is 4-imidazoacetyl (CA)

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<220>
 <221> MISC_FEATURE
 <222> (16)..(20)
 <223> amino acids at positions 16 and 20 form a ring

<400> 82
 Xaa Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
 1 5 10 15
 Lys Arg Gln Lys Glu Phe Val Gln Trp Leu Leu Asp Thr Cys

<210> 83
<211> 30
<212> PRT
<213> Artificial Sequence

<220>
<223> Trigonal agonist

<220>
<221> MISC_FEATURE
<222> (1)
<223> Xaa is 4-imidazoacetyl (CA)

<220>
<221> MISC_FEATURE
<222> (2)
<223> Xaa is aminoisobutyric acid (Aib)

<220>
<221> MISC_FEATURE
<222> (16)..(20)
<223> amino acids at positions 16 and 20 form a ring

<400> 83
Xaa Xaa Glu Gly Thr Phe Thr Ser Asp Tyr Ser Ile Ala Met Asp Glu
1 5 10 15
Ile His Gln Lys Asp Phe Val Asn Trp Leu Leu Ala Gln Cys
20 25 30

<210> 84
<211> 30
<212> PRT
<213> Artificial Sequence

<220>
<223> Trigonal agonist

<220>
<221> MISC_FEATURE
<222> (1)
<223> Xaa is 4-imidazoacetyl (CA)

<220>
<221> MISC_FEATURE
<222> (2)
<223> Xaa is aminoisobutyric acid (Aib)

<220>
<221> MISC_FEATURE
<222> (16)..(20)
<223> amino acids at positions 16 and 20 form a ring

<400> 84
Xaa Xaa Glu Gly Thr Phe Thr Ser Asp Tyr Ser Ile Ala Met Asp Glu
1 5 10 15
Page 36

OPA16301 Sequence listing

Ile His Gln Lys Asp Phe Val Asp Trp Leu Leu Ala Glu Cys
20 25 30

<210> 85
<211> 30
<212> PRT
<213> Artificial Sequence

<220>
<223> Trigonal agonist

<220>
<221> MISC_FEATURE
<222> (1)
<223> Xaa is 4-imidazoacetyl (CA)

<220>
<221> MISC_FEATURE
<222> (2)
<223> Xaa is aminoisobutyric acid (Aib)

<220>
<221> MISC_FEATURE
<222> (16)..(20)
<223> amino acids at positions 16 and 20 form a ring

<400> 85
Xaa Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Ile Ala Met Asp Glu
1 5 10 15

Ile His Gln Lys Asp Phe Val Asn Trp Leu Leu Ala Gln Cys
20 25 30

<210> 86
<211> 30
<212> PRT
<213> Artificial Sequence

<220>
<223> Trigonal agonist

<220>
<221> MISC_FEATURE
<222> (1)
<223> Xaa is 4-imidazoacetyl (CA)

<220>
<221> MISC_FEATURE
<222> (2)
<223> Xaa is aminoisobutyric acid (Aib)

<220>
<221> MISC_FEATURE
<222> (16)..(20)
<223> amino acids at positions 16 and 20 form a ring

<400> 86

OPA16301 Sequence listing

Xaa Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
 1 5 10 15

Lys Arg Gln Lys Glu Phe Val Asn Trp Leu Leu Ala Gln Cys
 20 25 30

<210> 87
 <211> 30
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (1)
 <223> Xaa is 4-imidazoacetyl (CA)

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<220>
 <221> MISC_FEATURE
 <222> (16)..(20)
 <223> amino acids at positions 16 and 20 form a ring

<400> 87
 Xaa Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Ile Ala Met Asp Glu
 1 5 10 15

Ile His Gln Lys Asp Phe Val Asn Trp Leu Leu Asn Thr Cys
 20 25 30

<210> 88
 <211> 31
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (1)
 <223> Xaa is 4-imidazoacetyl (CA)

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<220>
 <221> MISC_FEATURE
 <222> (16)..(20)
 <223> amino acids at positions 16 and 20 form a ring

OPA16301 Sequence listing

<400> 88
Xaa Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
1 5 10 15
Lys Arg Gln Lys Glu Phe Val Gln Trp Leu Leu Asn Thr Lys Cys
20 25 30

<210> 89
<211> 31
<212> PRT
<213> Artificial Sequence

<220>
<223> Trigonal agonist

<220>
<221> MISC_FEATURE
<222> (1)
<223> Xaa is 4-imidazoacetyl (CA)

<220>
<221> MISC_FEATURE
<222> (2)
<223> Xaa is aminoisobutyric acid (Aib)

<220>
<221> MISC_FEATURE
<222> (16)..(20)
<223> amino acids at positions 16 and 20 form a ring

<400> 89
Xaa Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
1 5 10 15
Lys Arg Gln Lys Glu Phe Val Gln Trp Leu Leu Asp Thr Lys Cys
20 25 30

<210> 90
<211> 31
<212> PRT
<213> Artificial Sequence

<220>
<223> Trigonal agonist

<220>
<221> MISC_FEATURE
<222> (1)
<223> Xaa is 4-imidazoacetyl (CA)

<220>
<221> MISC_FEATURE
<222> (2)
<223> Xaa is aminoisobutyric acid (Aib)

<220>

OPA16301 Sequence listing

<221> MISC_FEATURE
 <222> (16)..(20)
 <223> amino acids at positions 16 and 20 form a ring

<400> 90
 Xaa Xaa Glu Gly Thr Phe Thr Ser Asp Tyr Ser Ile Ala Met Asp Glu
 1 5 10 15
 Ile His Gln Lys Asp Phe Val Asn Trp Leu Leu Ala Gln Lys Cys
 20 25 30

<210> 91
 <211> 31
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (1)
 <223> Xaa is 4-imidazoacetyl (CA)

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<220>
 <221> MISC_FEATURE
 <222> (16)..(20)
 <223> amino acids at positions 16 and 20 form a ring

<400> 91
 Xaa Xaa Glu Gly Thr Phe Thr Ser Asp Tyr Ser Ile Ala Met Asp Glu
 1 5 10 15
 Ile His Gln Lys Asp Phe Val Asp Trp Leu Leu Ala Glu Lys Cys
 20 25 30

<210> 92
 <211> 31
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (1)
 <223> Xaa is 4-imidazoacetyl (CA)

<220>
 <221> MISC_FEATURE
 <222> (2)

OPA16301 Sequence listing

<223> Xaa is aminoisobutyric acid (Aib)

<220>
 <221> MISC_FEATURE
 <222> (16)..(20)
 <223> amino acids at positions 16 and 20 form a ring

<400> 92
 Xaa Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Ile Ala Met Asp Glu
 1 5 10 15
 Ile His Gln Lys Asp Phe Val Asn Trp Leu Leu Ala Gln Lys Cys
 20 25 30

<210> 93
 <211> 31
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (1)
 <223> Xaa is 4-imidazoacetyl (CA)

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<220>
 <221> MISC_FEATURE
 <222> (16)..(20)
 <223> amino acids at positions 16 and 20 form a ring

<400> 93
 Xaa Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
 1 5 10 15
 Lys Arg Gln Lys Glu Phe Val Asn Trp Leu Leu Ala Gln Lys Cys
 20 25 30

<210> 94
 <211> 31
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (1)
 <223> Xaa is 4-imidazoacetyl (CA)

OPA16301 Sequence listing

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<220>
 <221> MISC_FEATURE
 <222> (16)..(20)
 <223> amino acids at positions 16 and 20 form a ring

<400> 94
 Xaa Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Ile Ala Met Asp Glu
 1 5 10 15
 Ile His Gln Lys Asp Phe Val Asn Trp Leu Leu Asn Thr Lys Cys
 20 25 30

<210> 95
 <211> 39
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<220>
 <221> MISC_FEATURE
 <222> (16)..(20)
 <223> amino acids at positions 16 and 20 form a ring

<400> 95
 Tyr Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
 1 5 10 15
 Lys Arg Ala Lys Glu Phe Val Gln Trp Leu Leu Cys His His Pro Ser
 20 25 30
 Ser Gly Gln Pro Pro Pro Ser
 35

<210> 96
 <211> 39
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

OPA16301 Sequence listing

<220>
 <221> MISC_FEATURE
 <222> (16)..(20)
 <223> amino acids at positions 16 and 20 form a ring

<400> 96
 Tyr Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
 1 5 10 15
 Lys Arg Ala Lys Glu Phe Val Gln Trp Leu Leu Asp His Cys Pro Ser
 20 25 30
 Ser Gly Gln Pro Pro Pro Ser
 35

<210> 97
 <211> 39
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<220>
 <221> MISC_FEATURE
 <222> (16)..(20)
 <223> amino acids at positions 16 and 20 form a ring

<400> 97
 Tyr Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
 1 5 10 15
 Lys Arg Ala Lys Glu Phe Val Gln Trp Leu Leu Asp Cys His Pro Ser
 20 25 30
 Ser Gly Gln Pro Pro Pro Ser
 35

<210> 98
 <211> 40
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<220>
 <221> MISC_FEATURE
 <222> (16)..(20)

OPA16301 Sequence listing

<223> amino acids at positions 16 and 20 form a ring

<400> 98

Tyr Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Ala Leu Asp Glu
1 5 10 15

Lys Ala Ala Lys Glu Phe Val Asn Trp Leu Leu Asp His His Pro Ser
20 25 30

Ser Gly Gln Pro Pro Pro Ser Cys
35 40

<210> 99

<211> 40

<212> PRT

<213> Artificial Sequence

<220>

<223> Trigonal agonist

<220>

<221> MISC_FEATURE

<222> (2)

<223> Xaa is aminoisobutyric acid (Aib)

<220>

<221> MISC_FEATURE

<222> (16)..(20)

<223> amino acids at positions 16 and 20 form a ring

<400> 99

Tyr Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Ala Leu Asp Glu
1 5 10 15

Lys Ala Ala Lys Asp Phe Val Asn Trp Leu Leu Asp His His Pro Ser
20 25 30

Ser Gly Gln Pro Pro Pro Ser Cys
35 40

<210> 100

<211> 40

<212> PRT

<213> Artificial Sequence

<220>

<223> Trigonal agonist

<220>

<221> MISC_FEATURE

<222> (2)

<223> Xaa is aminoisobutyric acid (Aib)

<220>

<221> MISC_FEATURE

<222> (16)..(20)

<223> amino acids at positions 16 and 20 form a ring

<400> 100

OPA16301 Sequence listing

Tyr Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Ala Leu Asp Glu
 1 5 10 15
 Lys Ala Ala Lys Glu Phe Val Gln Trp Leu Leu Asp Gln His Pro Ser
 20 25 30
 Ser Gly Gln Pro Pro Pro Ser Cys
 35 40

<210> 101
 <211> 40
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<220>
 <221> MISC_FEATURE
 <222> (16)..(20)
 <223> amino acids at positions 16 and 20 form a ring

<400> 101
 Tyr Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Ala Leu Asp Glu
 1 5 10 15
 Lys Ala Ala Lys Glu Phe Val Asn Trp Leu Leu Asp Gln His Pro Ser
 20 25 30
 Ser Gly Gln Pro Pro Pro Ser Cys
 35 40

<210> 102
 <211> 40
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Trigonal agonist

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is aminoisobutyric acid (Aib)

<220>
 <221> MISC_FEATURE
 <222> (16)..(20)
 <223> amino acids at positions 16 and 20 form a ring

<400> 102
 Tyr Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Ala Leu Asp Glu
 1 5 10 15
 Lys Ala Ala Lys Asp Phe Val Asn Trp Leu Leu Asp Gln His Pro Ser
 Page 45

Ser Gly Gln Pro Pro Pro Ser Cys
35 40

<210> 103
<211> 30
<212> PRT
<213> Artificial Sequence

<220>
<223> General Formula 1

<220>
<221> MISC_FEATURE
<222> (1)
<223> Xaa is His (H), 4-imidazoacetyl (CA), or Tyr (Y)

<220>
<221> MISC_FEATURE
<222> (2)
<223> Xaa is Gly (G), alpha-methyl-glutamic acid, or Aib (aminoisobutyric acid)

<220>
<221> MISC_FEATURE
<222> (3)
<223> Xaa is Glu (E) or Gln (Q)

<220>
<221> MISC_FEATURE
<222> (7)
<223> Xaa is Thr (T) or Ile (I)

<220>
<221> MISC_FEATURE
<222> (10)
<223> Xaa is Leu (L), Tyr (Y), Lys (K), Cys (C), or Val (V)

<220>
<221> MISC_FEATURE
<222> (12)
<223> Xaa is Lys (K), Ser (S), or Ile (I)

<220>
<221> MISC_FEATURE
<222> (13)
<223> Xaa is Gln (Q), Tyr (Y), Ala (A), or Cys (C)

<220>
<221> MISC_FEATURE
<222> (14)
<223> Xaa is Leu (L), Met (M), or Tyr (Y)

<220>
<221> MISC_FEATURE
<222> (15)
<223> Xaa is Cys (C), Asp (D), Glu (E), or Leu (L)

OPA16301 Sequence listing

<220>
 <221> MISC_FEATURE
 <222> (16)
 <223> Xaa is Gly (G), Glu (E), or Ser (S)

<220>
 <221> MISC_FEATURE
 <222> (17)
 <223> Xaa is Gln (Q), Arg (R), Ile (I), Glu (E), Cys (C), or Lys (K)

<220>
 <221> MISC_FEATURE
 <222> (18)
 <223> Xaa is Ala (A), Gln (Q), Arg (R), or His (H)

<220>
 <221> MISC_FEATURE
 <222> (19)
 <223> Xaa is Ala (A), Gln (Q), Cys (C), or Val (V)

<220>
 <221> MISC_FEATURE
 <222> (20)
 <223> Xaa is Lys (K), Gln (Q), or Arg (R)

<220>
 <221> MISC_FEATURE
 <222> (21)
 <223> Xaa is Glu (E), Gln (Q), Leu (L), Cys (C), or Asp (D)

<220>
 <221> MISC_FEATURE
 <222> (23)
 <223> Xaa is Ile (I) or Val (V)

<220>
 <221> MISC_FEATURE
 <222> (24)
 <223> Xaa is Ala (A), Gln (Q), Cys (C), Asn (N), Asp (D), or Glu (E)

<220>
 <221> MISC_FEATURE
 <222> (27)
 <223> Xaa is Val (V), Leu (L), Lys (K), or Met (M)

<220>
 <221> MISC_FEATURE
 <222> (28)
 <223> Xaa is Cys (C), Lys (K), Ala (A), Asn (N), or Asp (D)

<220>
 <221> MISC_FEATURE
 <222> (29)
 <223> Xaa is Cys (C), Gly (G), Gln (Q), Thr (T), Glu (E), or His (H)

OPA16301 Sequence listing

<220>
 <221> MISC_FEATURE
 <222> (30)
 <223> Xaa is Cys (C), Gly (G), Lys (K), or His (H), or is absent; and
 Xaa can be further linked to R1, wherein R1 is Cys (C),
 GKKNDWKHNIT, m-SSGAPPPS-n, or m-SSGQPPPS-n, or is absent, and
 wherein m is -Cys-, -Pro-, or -Gly-Pro-, and n is -Cys-, -Gly-,
 -Ser-, or -His-Gly-, or is absent

<400> 103
 Xaa Xaa Xaa Gly Thr Phe Xaa Ser Asp Xaa Ser Xaa Xaa Xaa Xaa Xaa
 1 5 10 15
 Xaa Xaa Xaa Xaa Xaa Phe Xaa Xaa Trp Leu Xaa Xaa Xaa Xaa
 20 25 30

<210> 104
 <211> 40
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> General Formula 2

<220>
 <221> MISC_FEATURE
 <222> (1)
 <223> Xaa is His (H), 4-imidazoacetyl (CA), or Tyr (Y)

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is Gly (G), alpha-methyl-glutamic acid, or Aib
 (aminoisobutyric acid)

<220>
 <221> MISC_FEATURE
 <222> (10)
 <223> Xaa is Tyr (Y) or Cys (C)

<220>
 <221> MISC_FEATURE
 <222> (13)
 <223> Xaa is Gln (Q), Tyr (Y), Ala (A), or Cys (C)

<220>
 <221> MISC_FEATURE
 <222> (14)
 <223> Xaa is Leu (L), Met (M), or Tyr (Y)

<220>
 <221> MISC_FEATURE
 <222> (15)
 <223> Xaa is Asp (D), Glu (E), or Leu (L)

<220>
 <221> MISC_FEATURE
 <222> (16)
 <223> Xaa is Gly (G), Glu (E), or Ser (S)

OPA16301 Sequence listing

<220>
 <221> MISC_FEATURE
 <222> (17)
 <223> Xaa is Gln (Q), Arg (R), Ile (I), Glu (E), Cys (C), or Lys (K)

<220>
 <221> MISC_FEATURE
 <222> (18)
 <223> Xaa is Ala (A), Gln (Q), Arg (R), or His (H)

<220>
 <221> MISC_FEATURE
 <222> (19)
 <223> Xaa is Ala (A), Gln (Q), Cys (C), or Val (V)

<220>
 <221> MISC_FEATURE
 <222> (20)
 <223> Xaa is Lys (K), Gln (Q), or Arg (R)

<220>
 <221> MISC_FEATURE
 <222> (21)
 <223> Xaa is Glu (E), Gln (Q), Leu (L), Cys (C), or Asp (D)

<220>
 <221> MISC_FEATURE
 <222> (23)
 <223> Xaa is Ile (I) or Val (V)

<220>
 <221> MISC_FEATURE
 <222> (24)
 <223> Xaa is Ala (A), Gln (Q), Cys (C), Asn (N), or Glu (E)

<220>
 <221> MISC_FEATURE
 <222> (28)
 <223> Xaa is Cys (C), Lys (K), Asn (N), or Asp (D)

<220>
 <221> MISC_FEATURE
 <222> (29)
 <223> Xaa is Cys (C), Gly (G), Gln (Q), or His (H)

<220>
 <221> MISC_FEATURE
 <222> (30)
 <223> Xaa is Cys (C), Gly (G), Lys (K), or His (H)

<220>
 <221> MISC_FEATURE
 <222> (31)
 <223> Xaa is Pro (P) or Cys (C)

OPA16301 Sequence listing

<220>
 <221> MISC_FEATURE
 <222> (40)
 <223> Xaa is Cys (C), or is absent

<400> 104
 Xaa Xaa Gln Gly Thr Phe Thr Ser Asp Xaa Ser Lys Xaa Xaa Xaa Xaa
 1 5 10 15
 Xaa Xaa Xaa Xaa Xaa Phe Xaa Xaa Trp Leu Leu Xaa Xaa Xaa Xaa Ser
 20 25 30
 Ser Gly Gln Pro Pro Pro Ser Xaa
 35 40

<210> 105
 <211> 40
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> General Formula 3

<220>
 <221> MISC_FEATURE
 <222> (1)
 <223> Xaa is His (H) or Tyr (Y)

<220>
 <221> MISC_FEATURE
 <222> (2)
 <223> Xaa is alpha-methyl-glutamic acid, or Aib (aminoisobutyric acid)

<220>
 <221> MISC_FEATURE
 <222> (13)
 <223> Xaa is Tyr (Y), Ala (A), or Cys (C)

<220>
 <221> MISC_FEATURE
 <222> (17)
 <223> Xaa is Arg (R), Cys (C), or Lys (K)

<220>
 <221> MISC_FEATURE
 <222> (18)
 <223> Xaa is Ala (A) or Arg (R)

<220>
 <221> MISC_FEATURE
 <222> (19)
 <223> Xaa is Ala (A) or Cys (C)

<220>
 <221> MISC_FEATURE
 <222> (21)
 <223> Xaa is Glu (E) or Asp (D)

OPA16301 Sequence listing

<220>
 <221> MISC_FEATURE
 <222> (24)
 <223> Xaa is Gln (Q) or Asn (N)

<220>
 <221> MISC_FEATURE
 <222> (28)
 <223> Xaa is Cys (C) or Asp (D)

<220>
 <221> MISC_FEATURE
 <222> (29)
 <223> Xaa is Cys (C), Gln (Q), or His (H)

<220>
 <221> MISC_FEATURE
 <222> (30)
 <223> Xaa is Cys (C) or His (H)

<220>
 <221> MISC_FEATURE
 <222> (31)
 <223> Xaa is Pro (P) or Cys (C)

<220>
 <221> MISC_FEATURE
 <222> (40)
 <223> Xaa is Cys (C), or is absent

<400> 105
 Xaa Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Xaa Leu Asp Glu
 1 5 10 15
 Xaa Xaa Xaa Lys Xaa Phe Val Xaa Trp Leu Leu Xaa Xaa Xaa Xaa Ser
 20 25 30
 Ser Gly Gln Pro Pro Pro Ser Xaa
 35 40

<210> 106
 <211> 11
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> R1

<400> 106
 Gly Lys Lys Asn Asp Trp Lys His Asn Ile Thr
 1 5 10

<210> 107
 <211> 8
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> R1

OPA16301 Sequence listing

<400> 107
Ser Ser Gly Ala Pro Pro Pro Ser
1 5

<210> 108
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> R1

<400> 108
Ser Ser Gly Gln Pro Pro Pro Ser
1 5

<210> 109
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> R1

<400> 109
Cys Ser Ser Gly Gln Pro Pro Pro Ser
1 5

<210> 110
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> R1

<400> 110
Gly Pro Ser Ser Gly Ala Pro Pro Pro Ser
1 5 10

<210> 111
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> R1

<400> 111
Gly Pro Ser Ser Gly Ala Pro Pro Pro Ser Cys
1 5 10

<210> 112
<211> 9
<212> PRT
<213> Artificial Sequence

OPA16301 Sequence listing

<220>

<223> R1

<400> 112

Pro Ser Ser Gly Ala Pro Pro Pro Ser
1 5

<210> 113

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> R1

<400> 113

Pro Ser Ser Gly Ala Pro Pro Pro Ser Gly
1 5 10

<210> 114

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> R1

<400> 114

Pro Ser Ser Gly Ala Pro Pro Pro Ser His Gly
1 5 10

<210> 115

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> R1

<400> 115

Pro Ser Ser Gly Ala Pro Pro Pro Ser Ser
1 5 10

<210> 116

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<223> R1

<400> 116

Pro Ser Ser Gly Gln Pro Pro Pro Ser
1 5

<210> 117

<211> 10

<212> PRT

OPA16301 Sequence listing

<213> Artificial Sequence

<220>

<223> R1

<400> 117

Pro Ser Ser Gly Gln Pro Pro Pro Ser Cys
1 5 10

<210> 118

<211> 29

<212> PRT

<213> Homo sapiens

<400> 118

His Ser Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Ser
1 5 10 15

Arg Arg Ala Gln Asp Phe Val Gln Trp Leu Met Asn Thr
20 25