

Fig. 1A




Fig. 1B




Fig. 2A





Fig. 2B



3/7

Home

PROTRACE Terminal - Device Interface

Device Address

1

Field	Value
Unique ID	Device 1
Custom ID	The Blue One
Total Insertions	123458
Insertions After Last Pin Replacement	32980
Insertions After Last Cleaning	1245

Pins Replaced Cleaning Performed

Field	Value
Service Tag 01	54804 Probes Cleaned
Service Tag 02	90478 Probes Replaced
Service Tag 03	105124 Probes Cleaned
Service Tag 04	120112 Probes Cleaned

New Custom ID

Write Custom ID

Fig. 3A

PROTRACE Socket Insertion Count

Back of Machine

A1:1 563	B1:5 563	C1:9 563	D1:13 563
A2:2 563	B2:6 563	C2:10 563	D2:14 563
A3:3 563	B3:7 563	C3:11 563	D3:15 563
A4:4 563	B4:8 563	C4:12 563	D4:16 563

Front of Machine

Select a socket to see details

Socket ID	AS-099654B33
Max Insertions	200.000
Insertion Count	563
Insertions hot	563
Insertions cold	0
Insertions ambient	0
Stuck device count	1
Insertions after cleaning	67
Socket Temperature	95.4

Fig. 3B

4/7

Fig. 4A




Fig. 4B




Fig. 5A




Fig. 5B




Fig. 5C




Fig. 6A




Fig. 6B




Fig. 7

