
WHAT IS CLAIMED IS:

1. A compound of Formula (Ic), and pharmaceutically acceptable salts thereof



Formula (Ic);

wherein

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

X^1 is CH; X^2 is N; and X^3 is CR^1; or

X^1 is CR^1; X^2 is N; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is N;

R^1 is R^3, OR^3, SR^3, $S(O)R^3$, SO_2R^3, $C(O)R^3$, $C(O)OR^3$, $OC(O)R^3$, NHR^3, $N(R^3)_2$, $C(O)NH_2$, $C(O)NHR^3$, $C(O)N(R^3)_2$, $NHC(O)R^3$, $NR^3C(O)R^3$, $NHC(O)OR^3$, $NR^3C(O)OR^3$, SO_2NH_2, SO_2NHR^3, $SO_2N(R^3)_2$, $NHSO_2R^3$, $NR^3SO_2R^3$, $NHSO_2NHR^3$, $NHSO_2N(R^3)_2$, $NR^3SO_2NHR^3$, $NR^3SO_2N(R^3)_2$, $C(O)NHSO_2R^3$, $NHSO_2NHR^3$, F, Cl, Br, I, CN, NH_2, NO_2, N_3, OH, C(O)H, CF_3, C(O)OH, or $C(O)NH_2$;

R^2 is alkyl, alkenyl, alkynyl, phenyl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^2 alkyl, alkenyl, and alkynyl is substituted with one, two, three or four independently selected R^4, OR^4, SR^4, $S(O)R^4$, SO_2R^4, $C(O)R^4$, $CO(O)R^4$, $OC(O)R^4$, $OC(O)OR^4$, $NHC(O)R^4$, $NR^4C(O)R^4$, $NHS(O)_2R^4$, $NR^4S(O)_2R^4$, $NHC(O)OR^4$, $NR^4C(O)OR^4$, $NHC(O)NH_2$, $NHC(O)NHR^4$, $NHC(O)N(R^4)_2$, $NR^4C(O)NHR^4$, $NR^4C(O)N(R^4)_2$, $C(O)NH_2$, $C(O)NHR^4$, $C(O)N(R^4)_2$, C(O)NHOH, $C(O)NHOR^4$, $C(O)NHSO_2R^4$, $C(O)NR^4SO_2R^4$, SO_2NH_2, SO_2NHR^4, $SO_2N(R^4)_2$, C(O)H, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^2 phenyl is substituted at the para position with one independently selected R^5, OR^5, SR^5, $S(O)R^5$, SO_2R^5, $C(O)R^5$, $CO(O)R^5$, $OC(O)R^5$, $OC(O)OR^5$, NH_2, NHR^5, $N(R^5)_2$, $NHC(O)R^5$, $NR^5C(O)R^5$, $NHS(O)_2R^5$, $NR^5S(O)_2R^5$, $NHC(O)OR^5$, $NR^5C(O)OR^5$, $NHC(O)NH_2$, $NHC(O)NHR^5$, $NHC(O)N(R^5)_2$, $NR^5C(O)NHR^5$, $NR^5C(O)N(R^5)_2$, $C(O)NH_2$, $C(O)NHR^5$, $C(O)N(R^5)_2$, $CHNOR^5$, C(O)NHOH, $C(O)NHOR^5$,

$C(O)NHSO_2R^5$, $C(O)NR^5SO_2R^5$, SO_2NH_2, SO_2NHR^5, $SO_2N(R^5)_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, Br or I; wherein each R^2 phenyl is optionally additionally substituted with one F; wherein each R^2 heterocyclyl, cycloalkyl, and cycloalkenyl is substituted with one, two, three or four independently selected R^5, OR^5, SR^5, $S(O)R^5$, SO_2R^5, $C(O)R^5$, $CO(O)R^5$, $OC(O)R^5$, $OC(O)OR^5$, NH_2, NHR^5, $N(R^5)_2$, $NHC(O)R^5$, $NR^5C(O)R^5$, $NHS(O)_2R^5$, $NR^5S(O)_2R^5$, $NHC(O)OR^5$, $NR^5C(O)OR^5$, $NHC(O)NH_2$, $NHC(O)NHR^5$, $NHC(O)N(R^5)_2$, $NR^5C(O)NHR^5$, $NR^5C(O)N(R^5)_2$, $C(O)NH_2$, $C(O)NHR^5$, $C(O)N(R^5)_2$, C(O)NHOH, $C(O)NHOR^5$, $C(O)NHSO_2R^5$, $C(O)NR^5SO_2R^5$, SO_2NH_2, SO_2NHR^5, $SO_2N(R^5)_2$, C(O)H, C(O)OH, OH, CN, N_3, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^3, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, or heterocyclyl; wherein each R^3 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^6, OR^6, SR^6, $S(O)R^6$, SO_2R^6, $C(O)R^6$, $CO(O)R^6$, $OC(O)R^6$, $OC(O)OR^6$, NH_2, NHR^6, $N(R^6)_2$, $NHC(O)R^6$, $NR^6C(O)R^6$, $NHS(O)_2R^6$, $NR^6S(O)_2R^6$, $NHC(O)OR^6$, $NR^6C(O)OR^6$, $NHC(O)NH_2$, $NHC(O)NHR^6$, $NHC(O)N(R^6)_2$, $NR^6C(O)NHR^6$, $NR^6C(O)N(R^6)_2$, $C(O)NH_2$, $C(O)NHR^6$, $C(O)N(R^6)_2$, C(O)NHOH, $C(O)NHOR^6$, $C(O)NHSO_2R^6$, $C(O)NR^6SO_2R^6$, SO_2NH_2, SO_2NHR^6, $SO_2N(R^6)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^4, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, cycloalkyl, or heterocyclyl; wherein each R^4 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^7, OR^7, SR^7, $S(O)R^7$, SO_2R^7, $C(O)R^7$, $OC(O)R^7$, $OC(O)OR^7$, NH_2, NHR^7, $NHC(O)R^7$, $NR^7C(O)R^7$, $NHS(O)_2R^7$, $NR^7S(O)_2R^7$, $NHC(O)OR^7$, $NR^7C(O)OR^7$, $NHC(O)NH_2$, $NHC(O)NHR^7$, $NHC(O)N(R^7)_2$, $NR^7C(O)NHR^7$, $NR^7C(O)N(R^7)_2$, $C(O)NH_2$, $C(O)NHR^7$, $C(O)N(R^7)_2$, C(O)NHOH, $C(O)NHOR^7$, $C(O)NHSO_2R^7$, $C(O)NR^7SO_2R^7$, SO_2NH_2, SO_2NHR^7, $SO_2N(R^7)_2$, C(O)H, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^4 aryl and heterocycyl is optionally substituted with one, two, three or four independently selected R^8, OR^8, SR^8, $S(O)R^8$, SO_2R^8, $C(O)R^8$, $CO(O)R^8$, $OC(O)R^8$, $OC(O)OR^8$, NH_2, NHR^8, $NHC(O)R^8$, $NR^8C(O)R^8$, $NHS(O)_2R^8$, $NR^8S(O)_2R^8$, $NHC(O)OR^8$, $NR^8C(O)OR^8$, $NHC(O)NH_2$, $NHC(O)NHR^8$, $NHC(O)N(R^8)_2$, $NR^8C(O)NHR^8$, $NR^8C(O)N(R^8)_2$, $C(O)NH_2$, $C(O)NHR^8$, $C(O)N(R^8)_2$, C(O)NHOH, $C(O)NHOR^8$, $C(O)NHSO_2R^8$, $C(O)NR^8SO_2R^8$, SO_2NH_2, SO_2NHR^8, $SO_2N(R^8)_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^5, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^5 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^9, OR^9, SR^9, $S(O)R^9$, SO_2R^9, $C(O)R^9$, $CO(O)R^9$, $OC(O)R^9$, $OC(O)OR^9$, NH_2, NHR^9, $N(R^9)_2$, $NHC(O)R^9$,

R^{15}, at each occurrence, is independently selected alkyl; wherein the R^{15} alkyl is optionally substituted with one, two, three or four alkoxy;

R^{16}, at each occurrence, is independently selected alkyl, wherein the R^{16} alkyl is optionally substituted with one, two, three or four alkoxy;

with the proviso that when X^1, X^2, and X^3 are CH and R^2 is phenyl; R^5 is not methyl;


with the proviso that when X^1, X^2, and X^3 are CH, and R^2 is phenyl substituted with OR^5; R^5 is not methyl;

with the proviso that when R^2 is substituted alkyl; R^2 is C_4-C_6-alkyl;

with the proviso that when R^{13} is piperidinyl, it is substituted piperidinyl; and

with the proviso that when R^{13} is pyrrolinyl, at least one of X^1, X^2, and X^3 is N.

2. A compound having Formula (Vc), or pharmaceutically acceptable salts thereof



(Vc);

wherein

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

X^1 is CH; X^2 is N; and X^3 is CR^1; or

X^1 is CR^1; X^2 is N; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is N;

R^1 is R^3, OR^3, SR^3, $S(O)R^3$, SO_2R^3, $C(O)R^3$, $C(O)OR^3$, $OC(O)R^3$, NHR^3, $N(R^3)_2$, $C(O)NH_2$, $C(O)NHR^3$, $C(O)N(R^3)_2$, $NHC(O)R^3$, $NR^3C(O)R^3$, $NHC(O)OR^3$, $NR^3C(O)OR^3$, SO_2NH_2, SO_2NHR^3, $SO_2N(R^3)_2$, $NHSO_2R^3$, $NR^3SO_2R^3$, $NHSO_2NHR^3$, $NHSO_2N(R^3)_2$,

$NR^9C(O)R^9$, $NHS(O)_2R^9$, $NR^9S(O)_2R^9$, $NHC(O)OR^9$, $NR^9C(O)OR^9$, $NHC(O)NH_2$, $NHC(O)NHR^9$, $NHC(O)N(R^9)_2$, $NR^9C(O)NHR^9$, $NR^9C(O)N(R^9)_2$, $C(O)NH_2$, $C(O)NHR^9$, $C(O)N(R^9)_2$, C(O)NHOH, $C(O)NHOR^9$, $C(O)NHSO_2R^9$, $C(O)NR^9SO_2R^9$, SO_2NH_2, SO_2NHR^9, $SO_2N(R^9)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^6, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^6 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{10}, OR^{10}, SR^{10}, $S(O)R^{10}$, SO_2R^{10}, NHR^{10}, $N(R^{10})_2$, $C(O)R^{10}$, $C(O)NH_2$, $C(O)NHR^{10}$, $C(O)N(R^{10})_2$, $NHC(O)R^{10}$, $NR^{10}C(O)R^{10}$, $NHSO_2R^{10}$, $NHC(O)OR^{10}$, SO_2NH_2, SO_2NHR^{10}, $SO_2N(R^{10})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{10}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^7, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^7 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{11}, OR^{11}, SR^{11}, $S(O)R^{11}$, SO_2R^{11}, NHR^{11}, $N(R^{11})_2$, $C(O)R^{11}$, $C(O)NH_2$, $C(O)NHR^{11}$, $C(O)N(R^{11})_2$, $NHC(O)R^{11}$, $NR^{11}C(O)R^{11}$, $NHSO_2R^{11}$, $NHC(O)OR^{11}$, SO_2NH_2, SO_2NHR^{11}, $SO_2N(R^{11})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{11}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^8, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^8 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{12}, OR^{12}, SR^{12}, $S(O)R^{12}$, SO_2R^{12}, NHR^{12}, $N(R^{12})_2$, $C(O)R^{12}$, $C(O)NH_2$, $C(O)NHR^{12}$, $C(O)N(R^{12})_2$, $NHC(O)R^{12}$, $NR^{12}C(O)R^{12}$, $NHSO_2R^{12}$, $NHC(O)OR^{12}$, SO_2NH_2, SO_2NHR^{12}, $SO_2N(R^{12})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{12}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^9, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^9 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected alkoxy, OH, cycloalkyl, aryl, or heterocyclyl;

R^{10}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

R^{11}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

R^{12}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{12} alkyl, alkenyl, and alkynyl is optionally substituted with one or more alkoxy;

wherein the cyclic moieties represented by R^3, R^5, R^6, R^7, R^8, R^9, R^{10}, R^{11}, and R^{12} are optionally substituted with one, two, three, four, five, or six independently selected R^{13}, OR^{13}, SR^{13}, $S(O)R^{13}$, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, $OC(O)R^{13}$, $OC(O)OR^{13}$, NH_2, NHR^{13}, $N(R^{13})_2$,

$NHC(O)R^{13}$, $NR^{13}C(O)R^{13}$, $NHS(O)_2R^{13}$, $NR^{13}S(O)_2R^{13}$, $NHC(O)OR^{13}$, $NR^{13}C(O)OR^{13}$, $NHC(O)NH_2$, $NHC(O)NHR^{13}$, $NHC(O)N(R^{13})_2$, $NR^{13}C(O)NHR^{13}$, $NR^{13}C(O)N(R^{13})_2$, $C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, C(O)NHOH, $C(O)NHOR^{13}$, $C(O)NHSO_2R^{13}$, $C(O)NR^{13}SO_2R^{13}$, SO_2NH_2, SO_2NHR^{13}, $SO_2N(R^{13})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, SCF_3, F, Cl, Br or I;

R^{13}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, or cycloalkenyl; wherein each R^{13} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{14}, OR^{14}, SR^{14}, $S(O)R^{14}$, SO_2R^{14}, $C(O)R^{14}$, $OC(O)R^{14}$, $OC(O)OR^{14}$, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NR^{14}C(O)R^{14}$, $NHS(O)_2R^{14}$, $NR^{14}S(O)_2R^{14}$, $NHC(O)OR^{14}$, $NR^{14}C(O)OR^{14}$, $NHC(O)NH_2$, $NHC(O)NHR^{14}$, $NHC(O)N(R^{14})_2$, $NR^{14}C(O)NHR^{14}$, $NR^{14}C(O)N(R^{14})_2$, $C(O)NH_2$, $C(O)NHR^{14}$, $C(O)N(R^{14})_2$, C(O)NHOH, $C(O)NHOR^{14}$, $C(O)NHSO_2R^{14}$, $C(O)NR^{14}SO_2R^{14}$, SO_2NH_2, SO_2NHR^{14}, $SO_2N(R^{14})_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{15}, OR^{15}, SR^{15}, $S(O)R^{15}$, SO_2R^{15}, $C(O)R^{15}$, $CO(O)R^{15}$, $OC(O)R^{15}$, $OC(O)OR^{15}$, NH_2, NHR^{15}, $N(R^{15})_2$, $NHC(O)R^{15}$, $NR^{15}C(O)R^{15}$, $NHS(O)_2R^{15}$, $NR^{15}S(O)_2R^{15}$, $NHC(O)OR^{15}$, $NR^{15}C(O)OR^{15}$, $NHC(O)NH_2$, $NHC(O)NHR^{15}$, $NHC(O)N(R^{15})_2$, $NR^{15}C(O)NHR^{15}$, $NR^{15}C(O)N(R^{15})_2$, $C(O)NH_2$, $C(O)NHR^{15}$, $C(O)N(R^{15})_2$, C(O)NHOH, $C(O)NHOR^{15}$, $C(O)NHSO_2R^{15}$, $C(O)NR^{15}SO_2R^{15}$, SO_2NH_2, SO_2NHR^{15}, $SO_2N(R^{15})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^{14}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{14} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected heterocyclyl, alkoxy, NH_2, SO_2NH_2, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{14} aryl, heterocyclyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{16}, OR^{16}, OH, F, Cl, Br, or I; wherein the R^{16} alkyl is optionally substituted with one, two, three or four alkoxy;

$NR^3SO_2NHR^3$, $NR^3SO_2N(R^3)_2$, $C(O)NHSO_2R^3$, $NHSO_2NHR^3$, F, Cl, Br, I, CN, NH_2, NO_2, N_3, OH, C(O)H, CF_3, C(O)OH, or $C(O)NH_2$;

R^3, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, or heterocyclyl; wherein each R^3 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^6, OR^6, SR^6, $S(O)R^6$, SO_2R^6, $C(O)R^6$, $CO(O)R^6$, $OC(O)R^6$, $OC(O)OR^6$, NH_2, NHR^6, $N(R^6)_2$, $NHC(O)R^6$, $NR^6C(O)R^6$, $NHS(O)_2R^6$, $NR^6S(O)_2R^6$, $NHC(O)OR^6$, $NR^6C(O)OR^6$, $NHC(O)NH_2$, $NHC(O)NHR^6$, $NHC(O)N(R^6)_2$, $NR^6C(O)NHR^6$, $NR^6C(O)N(R^6)_2$, $C(O)NH_2$, $C(O)NHR^6$, $C(O)N(R^6)_2$, C(O)NHOH, $C(O)NHOR^6$, $C(O)NHSO_2R^6$, $C(O)NR^6SO_2R^6$, SO_2NH_2, SO_2NHR^6, $SO_2N(R^6)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^5, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^5 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^9, OR^9, SR^9, $S(O)R^9$, SO_2R^9, $C(O)R^9$, $CO(O)R^9$, $OC(O)R^9$, $OC(O)OR^9$, NH_2, NHR^9, $N(R^9)_2$, $NHC(O)R^9$, $NR^9C(O)R^9$, $NHS(O)_2R^9$, $NR^9S(O)_2R^9$, $NHC(O)OR^9$, $NR^9C(O)OR^9$, $NHC(O)NH_2$, $NHC(O)NHR^9$, $NHC(O)N(R^9)_2$, $NR^9C(O)NHR^9$, $NR^9C(O)N(R^9)_2$, $C(O)NH_2$, $C(O)NHR^9$, $C(O)N(R^9)_2$, C(O)NHOH, $C(O)NHOR^9$, $C(O)NHSO_2R^9$, $C(O)NR^9SO_2R^9$, SO_2NH_2, SO_2NHR^9, $SO_2N(R^9)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^6, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^6 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{10}, OR^{10}, SR^{10}, $S(O)R^{10}$, SO_2R^{10}, NHR^{10}, $N(R^{10})_2$, $C(O)R^{10}$, $C(O)NH_2$, $C(O)NHR^{10}$, $C(O)N(R^{10})_2$, $NHC(O)R^{10}$, $NR^{10}C(O)R^{10}$, $NHSO_2R^{10}$, $NHC(O)OR^{10}$, SO_2NH_2, SO_2NHR^{10}, $SO_2N(R^{10})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{10}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^9, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^9 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected alkoxy, OH, cycloalkyl, aryl, or heterocyclyl;

R^{10}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

wherein the cyclic moieties represented by R^3, R^5, R^6, R^9, and R^{10} are optionally substituted with one, two, three, four, five, or six independently selected R^{13}, OR^{13}, SR^{13}, $S(O)R^{13}$, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, $OC(O)R^{13}$, $OC(O)OR^{13}$, NH_2, NHR^{13}, $N(R^{13})_2$, $NHC(O)R^{13}$, $NR^{13}C(O)R^{13}$, $NHS(O)_2R^{13}$, $NR^{13}S(O)_2R^{13}$, $NHC(O)OR^{13}$, $NR^{13}C(O)OR^{13}$, $NHC(O)NH_2$, $NHC(O)NHR^{13}$, $NHC(O)N(R^{13})_2$, $NR^{13}C(O)NHR^{13}$, $NR^{13}C(O)N(R^{13})_2$, $C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, C(O)NHOH, $C(O)NHOR^{13}$, $C(O)NHSO_2R^{13}$,

$C(O)NR^{13}SO_2R^{13}$, SO_2NH_2, SO_2NHR^{13}, $SO_2N(R^{13})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, SCF_3, F, Cl, Br or I;

R^{13}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, or cycloalkenyl; wherein each R^{13} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{14}, OR^{14}, SR^{14}, $S(O)R^{14}$, SO_2R^{14}, $C(O)R^{14}$, $OC(O)R^{14}$, $OC(O)OR^{14}$, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NR^{14}C(O)R^{14}$, $NHS(O)_2R^{14}$, $NR^{14}S(O)_2R^{14}$, $NHC(O)OR^{14}$, $NR^{14}C(O)OR^{14}$, $NHC(O)NH_2$, $NHC(O)NHR^{14}$, $NHC(O)N(R^{14})_2$, $NR^{14}C(O)NHR^{14}$, $NR^{14}C(O)N(R^{14})_2$, $C(O)NH_2$, $C(O)NHR^{14}$, $C(O)N(R^{14})_2$, C(O)NHOH, $C(O)NHOR^{14}$, $C(O)NHSO_2R^{14}$, $C(O)NR^{14}SO_2R^{14}$, SO_2NH_2, SO_2NHR^{14}, $SO_2N(R^{14})_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{15}, OR^{15}, SR^{15}, $S(O)R^{15}$, SO_2R^{15}, $C(O)R^{15}$, $CO(O)R^{15}$, $OC(O)R^{15}$, $OC(O)OR^{15}$, NH_2, NHR^{15}, $N(R^{15})_2$, $NHC(O)R^{15}$, $NR^{15}C(O)R^{15}$, $NHS(O)_2R^{15}$, $NR^{15}S(O)_2R^{15}$, $NHC(O)OR^{15}$, $NR^{15}C(O)OR^{15}$, $NHC(O)NH_2$, $NHC(O)NHR^{15}$, $NHC(O)N(R^{15})_2$, $NR^{15}C(O)NHR^{15}$, $NR^{15}C(O)N(R^{15})_2$, $C(O)NH_2$, $C(O)NHR^{15}$, $C(O)N(R^{15})_2$, C(O)NHOH, $C(O)NHOR^{15}$, $C(O)NHSO_2R^{15}$, $C(O)NR^{15}SO_2R^{15}$, SO_2NH_2, SO_2NHR^{15}, $SO_2N(R^{15})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^{14}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{14} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected heterocyclyl, alkoxy, NH_2, SO_2NH_2, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{14} aryl, heterocyclyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{16}, OR^{16}, OH, F, Cl, Br, or I;


R^{15}, at each occurrence, is independently selected alkyl, wherein the R^{15} alkyl is optionally substituted with one, two, three or four alkoxy; and

R^{16}, at each occurrence, is independently selected alkyl, wherein the R^{16} alkyl is optionally substituted with one, two, three or four alkoxy;

with the proviso that when R^{13} is piperidinyl, it is substituted piperidinyl; and

with the proviso that when R^{13} is pyrrolinyl, at least one of X^1, X^2, and X^3 is N.

3. A compound having Formula (VIIc), or pharmaceutically acceptable salts thereof



(VIIc);

wherein

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

X^1 is CH; X^2 is N; and X^3 is CR^1; or

X^1 is CR^1; X^2 is N; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is N;

 indicates a single or double bond;

R^1 is R^3, OR^3, SR^3, $S(O)R^3$, SO_2R^3, $C(O)R^3$, $C(O)OR^3$, $OC(O)R^3$, NHR^3, $N(R^3)_2$, $C(O)NH_2$, $C(O)NHR^3$, $C(O)N(R^3)_2$, $NHC(O)R^3$, $NR^3C(O)R^3$, $NHC(O)OR^3$, $NR^3C(O)OR^3$, SO_2NH_2, SO_2NHR^3, $SO_2N(R^3)_2$, $NHSO_2R^3$, $NR^3SO_2R^3$, $NHSO_2NHR^3$, $NHSO_2N(R^3)_2$, $NR^3SO_2NHR^3$, $NR^3SO_2N(R^3)_2$, $C(O)NHSO_2R^3$, $NHSO_2NHR^3$, F, Cl, Br, I, CN, NH_2, NO_2, N_3, OH, C(O)H, CF_3, C(O)OH, or $C(O)NH_2$;

R^3, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, or heterocyclyl; wherein each R^3 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^6, OR^6, SR^6, $S(O)R^6$, SO_2R^6, $C(O)R^6$, $CO(O)R^6$, $OC(O)R^6$, $OC(O)OR^6$, NH_2, NHR^6, $N(R^6)_2$, $NHC(O)R^6$, $NR^6C(O)R^6$, $NHS(O)_2R^6$, $NR^6S(O)_2R^6$, $NHC(O)OR^6$, $NR^6C(O)OR^6$, $NHC(O)NH_2$, $NHC(O)NHR^6$, $NHC(O)N(R^6)_2$, $NR^6C(O)NHR^6$, $NR^6C(O)N(R^6)_2$, $C(O)NH_2$, $C(O)NHR^6$, $C(O)N(R^6)_2$, C(O)NHOH,

$C(O)NHOR^6$, $C(O)NHSO_2R^6$, $C(O)NR^6SO_2R^6$, SO_2NH_2, SO_2NHR^6, $SO_2N(R^6)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^6, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^6 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{10}, OR^{10}, SR^{10}, $S(O)R^{10}$, SO_2R^{10}, NHR^{10}, $N(R^{10})_2$, $C(O)R^{10}$, $C(O)NH_2$, $C(O)NHR^{10}$, $C(O)N(R^{10})_2$, $NHC(O)R^{10}$, $NR^{10}C(O)R^{10}$, $NHSO_2R^{10}$, $NHC(O)OR^{10}$, SO_2NH_2, SO_2NHR^{10}, $SO_2N(R^{10})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{10}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^{10}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

wherein the cyclic moieties represented by R^3, R^6, and R^{10} are optionally substituted with one, two, three, four, five, or six independently selected R^{13}, OR^{13}, SR^{13}, $S(O)R^{13}$, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, $OC(O)R^{13}$, $OC(O)OR^{13}$, NH_2, NHR^{13}, $N(R^{13})_2$, $NHC(O)R^{13}$, $NR^{13}C(O)R^{13}$, $NHS(O)_2R^{13}$, $NR^{13}S(O)_2R^{13}$, $NHC(O)OR^{13}$, $NR^{13}C(O)OR^{13}$, $NHC(O)NH_2$, $NHC(O)NHR^{13}$, $NHC(O)N(R^{13})_2$, $NR^{13}C(O)NHR^{13}$, $NR^{13}C(O)N(R^{13})_2$, $C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, C(O)NHOH, $C(O)NHOR^{13}$, $C(O)NHSO_2R^{13}$, $C(O)NR^{13}SO_2R^{13}$, SO_2NH_2, SO_2NHR^{13}, $SO_2N(R^{13})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, SCF_3, F, Cl, Br or I;

R^{13}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, or cycloalkenyl; wherein each R^{13} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{14}, OR^{14}, SR^{14}, $S(O)R^{14}$, SO_2R^{14}, $C(O)R^{14}$, $OC(O)R^{14}$, $OC(O)OR^{14}$, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NR^{14}C(O)R^{14}$, $NHS(O)_2R^{14}$, $NR^{14}S(O)_2R^{14}$, $NHC(O)OR^{14}$, $NR^{14}C(O)OR^{14}$, $NHC(O)NH_2$, $NHC(O)NHR^{14}$, $NHC(O)N(R^{14})_2$, $NR^{14}C(O)NHR^{14}$, $NR^{14}C(O)N(R^{14})_2$, $C(O)NH_2$, $C(O)NHR^{14}$, $C(O)N(R^{14})_2$, C(O)NHOH, $C(O)NHOR^{14}$, $C(O)NHSO_2R^{14}$, $C(O)NR^{14}SO_2R^{14}$, SO_2NH_2, SO_2NHR^{14}, $SO_2N(R^{14})_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{15}, OR^{15}, SR^{15}, $S(O)R^{15}$, SO_2R^{15}, $C(O)R^{15}$, $CO(O)R^{15}$, $OC(O)R^{15}$, $OC(O)OR^{15}$, NH_2, NHR^{15}, $N(R^{15})_2$, $NHC(O)R^{15}$,

$NR^{15}C(O)R^{15}$, $NHS(O)_2R^{15}$, $NR^{15}S(O)_2R^{15}$, $NHC(O)OR^{15}$, $NR^{15}C(O)OR^{15}$, $NHC(O)NH_2$, $NHC(O)NHR^{15}$, $NHC(O)N(R^{15})_2$, $NR^{15}C(O)NHR^{15}$, $NR^{15}C(O)N(R^{15})_2$, $C(O)NH_2$, $C(O)NHR^{15}$, $C(O)N(R^{15})_2$, C(O)NHOH, $C(O)NHOR^{15}$, $C(O)NHSO_2R^{15}$, $C(O)NR^{15}SO_2R^{15}$, SO_2NH_2, SO_2NHR^{15}, $SO_2N(R^{15})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^{14}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{14} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected heterocyclyl, alkoxy, NH_2, SO_2NH_2, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{14} aryl, heterocyclyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{16}, OR^{16}, OH, F, Cl, Br, or I;


R^{15}, at each occurrence, is independently selected alkyl, wherein the R^{15} alkyl is optionally substituted with one, two, three or four alkoxy; and

R^{16}, at each occurrence, is independently selected alkyl, wherein the R^{16} alkyl is optionally substituted with one, two, three or four alkoxy;

with the proviso that when R^{13} is piperidinyl, it is substituted piperidinyl; and

with the proviso that when R^{13} is pyrrolinyl, at least one of X^1, X^2, and X^3 is N.

4. A compound having Formula (VIIIc), or pharmaceutically acceptable salts thereof



(VIIIc);

wherein

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

X^1 is CH; X^2 is N; and X^3 is CR^1; or

X^1 is CR^1; X^2 is N; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is N;

R^1 is R^3, OR^3, SR^3, $S(O)R^3$, SO_2R^3, $C(O)R^3$, $C(O)OR^3$, $OC(O)R^3$, NHR^3, $N(R^3)_2$, $C(O)NH_2$, $C(O)NHR^3$, $C(O)N(R^3)_2$, $NHC(O)R^3$, $NR^3C(O)R^3$, $NHC(O)OR^3$, $NR^3C(O)OR^3$, SO_2NH_2, SO_2NHR^3, $SO_2N(R^3)_2$, $NHSO_2R^3$, $NR^3SO_2R^3$, $NHSO_2NHR^3$, $NHSO_2N(R^3)_2$, $NR^3SO_2NHR^3$, $NR^3SO_2N(R^3)_2$, $C(O)NHSO_2R^3$, $NHSO_2NHR^3$, F, Cl, Br, I, CN, NH_2, NO_2, N_3, OH, C(O)H, CF_3, C(O)OH, or $C(O)NH_2$;

R^3, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, or heterocyclyl; wherein each R^3 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^6, OR^6, SR^6, $S(O)R^6$, SO_2R^6, $C(O)R^6$, $CO(O)R^6$, $OC(O)R^6$, $OC(O)OR^6$, NH_2, NHR^6, $N(R^6)_2$, $NHC(O)R^6$, $NR^6C(O)R^6$, $NHS(O)_2R^6$, $NR^6S(O)_2R^6$, $NHC(O)OR^6$, $NR^6C(O)OR^6$, $NHC(O)NH_2$, $NHC(O)NHR^6$, $NHC(O)N(R^6)_2$, $NR^6C(O)NHR^6$, $NR^6C(O)N(R^6)_2$, $C(O)NH_2$, $C(O)NHR^6$, $C(O)N(R^6)_2$, C(O)NHOH, $C(O)NHOR^6$, $C(O)NHSO_2R^6$, $C(O)NR^6SO_2R^6$, SO_2NH_2, SO_2NHR^6, $SO_2N(R^6)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^6, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^6 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{10}, OR^{10}, SR^{10}, $S(O)R^{10}$, SO_2R^{10}, NHR^{10}, $N(R^{10})_2$, $C(O)R^{10}$, $C(O)NH_2$, $C(O)NHR^{10}$, $C(O)N(R^{10})_2$, $NHC(O)R^{10}$, $NR^{10}C(O)R^{10}$, $NHSO_2R^{10}$, $NHC(O)OR^{10}$, SO_2NH_2, SO_2NHR^{10}, $SO_2N(R^{10})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{10}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^8, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^8 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{12}, OR^{12}, SR^{12}, $S(O)R^{12}$, SO_2R^{12}, NHR^{12}, $N(R^{12})_2$, $C(O)R^{12}$, $C(O)NH_2$, $C(O)NHR^{12}$, $C(O)N(R^{12})_2$, $NHC(O)R^{12}$, $NR^{12}C(O)R^{12}$, $NHSO_2R^{12}$, $NHC(O)OR^{12}$, SO_2NH_2, SO_2NHR^{12}, $SO_2N(R^{12})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{12}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^{10}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

R^{12}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{12} alkyl, alkenyl, and alkynyl is optionally substituted with one or more alkoxy;

wherein the cyclic moieties represented by R^3, R^6, R^8, R^{10}, and R^{12} are optionally substituted with one, two, three, four, five, or six independently selected R^{13}, OR^{13}, SR^{13}, $S(O)R^{13}$, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, $OC(O)R^{13}$, $OC(O)OR^{13}$, NH_2, NHR^{13}, $N(R^{13})_2$, $NHC(O)R^{13}$, $NR^{13}C(O)R^{13}$, $NHS(O)_2R^{13}$, $NR^{13}S(O)_2R^{13}$, $NHC(O)OR^{13}$, $NR^{13}C(O)OR^{13}$, $NHC(O)NH_2$, $NHC(O)NHR^{13}$, $NHC(O)N(R^{13})_2$, $NR^{13}C(O)NHR^{13}$, $NR^{13}C(O)N(R^{13})_2$,

$C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, C(O)NHOH, $C(O)NHOR^{13}$, $C(O)NHSO_2R^{13}$, $C(O)NR^{13}SO_2R^{13}$, SO_2NH_2, SO_2NHR^{13}, $SO_2N(R^{13})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, SCF_3, F, Cl, Br or I;

R^{13}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, or cycloalkenyl; wherein each R^{13} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{14}, OR^{14}, SR^{14}, $S(O)R^{14}$, SO_2R^{14}, $C(O)R^{14}$, $OC(O)R^{14}$, $OC(O)OR^{14}$, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NR^{14}C(O)R^{14}$, $NHS(O)_2R^{14}$, $NR^{14}S(O)_2R^{14}$, $NHC(O)OR^{14}$, $NR^{14}C(O)OR^{14}$, $NHC(O)NH_2$, $NHC(O)NHR^{14}$, $NHC(O)N(R^{14})_2$, $NR^{14}C(O)NHR^{14}$, $NR^{14}C(O)N(R^{14})_2$, $C(O)NH_2$, $C(O)NHR^{14}$, $C(O)N(R^{14})_2$, C(O)NHOH, $C(O)NHOR^{14}$, $C(O)NHSO_2R^{14}$, $C(O)NR^{14}SO_2R^{14}$, SO_2NH_2, SO_2NHR^{14}, $SO_2N(R^{14})_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{15}, OR^{15}, SR^{15}, $S(O)R^{15}$, SO_2R^{15}, $C(O)R^{15}$, $CO(O)R^{15}$, $OC(O)R^{15}$, $OC(O)OR^{15}$, NH_2, NHR^{15}, $N(R^{15})_2$, $NHC(O)R^{15}$, $NR^{15}C(O)R^{15}$, $NHS(O)_2R^{15}$, $NR^{15}S(O)_2R^{15}$, $NHC(O)OR^{15}$, $NR^{15}C(O)OR^{15}$, $NHC(O)NH_2$, $NHC(O)NHR^{15}$, $NHC(O)N(R^{15})_2$, $NR^{15}C(O)NHR^{15}$, $NR^{15}C(O)N(R^{15})_2$, $C(O)NH_2$, $C(O)NHR^{15}$, $C(O)N(R^{15})_2$, C(O)NHOH, $C(O)NHOR^{15}$, $C(O)NHSO_2R^{15}$, $C(O)NR^{15}SO_2R^{15}$, SO_2NH_2, SO_2NHR^{15}, $SO_2N(R^{15})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^{14}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{14} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected heterocyclyl, alkoxy, NH_2, SO_2NH_2, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{14} aryl, heterocyclyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{16}, OR^{16}, OH, F, Cl, Br, or I; wherein the R^{16} alkyl is optionally substituted with one, two, three or four alkoxy;

R^{15}, at each occurrence, is independently selected alkyl; wherein the R^{15} alkyl is optionally substituted with one, two, three or four alkoxy;

R^{16}, at each occurrence, is independently selected alkyl, wherein the R^{16} alkyl is optionally substituted with one, two, three or four alkoxy;

with the proviso that when R^{13} is piperidinyl, it is substituted piperidinyl; and

with the proviso that when R^{13} is pyrrolinyl, at least one of X^1, X^2, and X^3 is N.

5. The compound of claim 1, claim 2, claim 3, or claim 4, or pharmaceutically acceptable salts thereof; wherein

X^1, X^2, and X^3 are CH, or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1.

6. The compound of claim 1, claim 2, claim 3, or claim 4, or pharmaceutically acceptable salts thereof; wherein

X^1 and X^3 are CH; and X^2 is N; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

X^1 is CH; X^2 is N; and X^3 is CR^1; or

X^1 is CR^1; X^2 is N; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is N.

7. The compound of claim 1, claim 2, claim 3, or claim 4, or pharmaceutically acceptable salts thereof; wherein

X^1 and X^3 are CH; and X^2 is N.

8. The compound of claim 1, or pharmaceutically acceptable salts thereof; wherein

R^2 is phenyl which is substituted at the para position with R^5; and

R^5 is phthalazin-1(2H)-onyl, isoquinolinyl, isoquinolin-1(2H)-onyl, 5,6,7,8-tetrahydrophthalazin-1(2H)-onyl, 5-fluorophthalazin-1(2H)-onyl, (Z)-3H-benzo[d][1,2]diazepin-4(5H)-onyl, 5-(trifluoromethyl)phthalazin-1(2H)-onyl, pyrrolo[1,2-d][1,2,4]triazin-1(2H)-one, or isoindolin-1-onyl.

9. The compound of claim 1, selected from the group consisting of:

N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(aminomethyl)benzyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(furo[3,2-c]pyridin-4-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(pyridin-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(benzylcarbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,4-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(thieno[3,2-c]pyridin-4-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,3-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[4-(pyridazin-3-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,3-dihydro-1,4-benzodioxin-5-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[1-(3-methylbutyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-fluorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[4-(pyrimidin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-fluorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[3-(2-oxopyrrolidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-5-methyl-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(4-cyanophenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-fluorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,5-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,2-dimethylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(2-oxopyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(trifluoromethoxy)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-fluoro-5-(trifluoromethyl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[4-(pyrazin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-chlorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,4,5-trimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyrimidin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-nitro-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(4-fluorophenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-thienylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyrimidin-2-yl)piperazin-1-yl]carbonyl}phenyl)-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-ethyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-benzyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyrazin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-methoxyphenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-dimethylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(3-methoxyphenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(4-acetylphenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,3-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-thienylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyridin-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(2-thienyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3-methylbutyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

4-chloro-N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-phenylpiperazin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(6-aminohexyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

4-chloro-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2-thienyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1,3-benzodioxol-5-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyridin-3-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(benzylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyridazin-3-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyrimidin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(3-fluorophenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-butoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,4-dihydroxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-propoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-furylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-cyanophenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-hydroxy-2-methylphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutyl)carbamoyl]phenyl}-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methyl-1H-indazol-5-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-ethoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyrazin-2-yl)piperazin-1-yl]carbonyl}phenyl)-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,5-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-benzyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

methyl 5-({4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzoyl}amino)-1H-indazole-3-carboxylate;

N-(4-{[2-(2-oxopyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyridin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(5-chloropyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1H-indol-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(trifluoromethyl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,5-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyridin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,3-dihydro-1,4-benzodioxin-6-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-fluorobenzoyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(5-methoxy-1H-indol-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-aminobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2-chlorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-propoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-isobutoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyridin-4-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[5-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,4,5-trimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-methylpiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({2-[4-(dimethylamino)phenyl]ethyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(trifluoromethoxy)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-3-hydroxy-1-phenylpropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-cyanophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-fluoro-4-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,3-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2-fluorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(isobutylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1,3-benzodioxol-5-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-isopropoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-isopropoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

4-chloro-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-fluorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(2-oxopyrrolidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,4-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N^2-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

N-{4-[(2-phenoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-hydroxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3-fluorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({1-[(3S)-tetrahydrofuran-3-yl]-1H-pyrazol-4-yl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,4-dioxa-8-azaspiro[4.5]dec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-phenylethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(methylthio)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-ethoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-fluorophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(pyridin-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[(trifluoromethyl)thio]benzyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,4-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(2-fluorophenyl)pyrrolidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(1H-imidazol-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3-chlorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-hydroxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(hydroxymethyl)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,3-benzodioxol-5-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-isopropyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-hydroxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-ethyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,5-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[methyl(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(trifluoromethyl)piperidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(thiomorpholin-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5,6-dihydroimidazo[1,5-a]pyrazin-7(8H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-furoyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-benzylpiperidin-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(5-acetamido-2-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,5-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({2-[3-(trifluoromethyl)phenyl]ethyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methylbutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1H-imidazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-1-(3-cyanophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[benzyl(2-hydroxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-cyanophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-chlorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyanomethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclohexylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-hydroxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[butyl(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(dimethylamino)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(3,4-dihydroisoquinolin-2(1H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,3-dihydro-2H-isoindol-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,3-dihydro-1H-indol-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(phenylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-fluorophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(diethylamino)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-hydroxy-2-phenylethyl)(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-aminophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl (1-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzoyl}piperidin-4-yl)carbamate;

N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[3-chloro-5-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(cyclohexylmethyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3-chlorobenzyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(diethylcarbamoyl)piperidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-hydroxyethyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-hydroxy-6-methylphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-hydroxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-cyclohexylpiperazin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5,6-dihydro[1,2,4]triazolo[4,3-a]pyrazin-7(8H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[methyl(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(5-fluoropyridin-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopropylmethyl)(propyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-methoxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,3,4,9-tetrahydro-2H-beta-carbolin-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(tert-butylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[4-(trifluoromethyl)phenyl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-difluoropyrrolidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methylpiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3S)-1-benzylpyrrolidin-3-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-hydroxypiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[bis(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-fluorophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclopentylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-carbamoylpiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclopropylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(methylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[methyl(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pentan-2-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pentan-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclobutylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1,3-dioxolan-2-ylmethyl)(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(4-fluorophenyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-hydroxy-2-methylpropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-phenyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({2-[4-(trifluoromethyl)phenyl]ethyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxyethyl)(propyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(sec-butylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(trifluoromethyl)piperidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[bis(2-ethoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[butyl(ethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxyethyl)(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(morpholin-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[isobutyl(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[2-(2-hydroxyethoxy)ethyl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylpiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-carbamoylphenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-2-(trifluoromethyl)pyrrolidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methylpyrrolidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[ethyl(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,6-dimethylmorpholin-4-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-hydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,5-dimethylpyrrolidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(prop-2-yn-1-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[isopropyl(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[isopropyl(propyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-cyanoethyl)(cyclopropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[ethyl(isopropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-fluoropyrrolidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzoyl}-N-isopropyl-beta-alanine;

N-{4-[methyl(propyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5,6-dimethoxy-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(4-chlorophenoxy)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(trifluoromethoxy)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-phenyl-1,3-thiazol-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

methyl 2-{[4-(propylcarbamoyl)phenyl]carbamoyl}isoindoline-5-carboxylate;

2-{[4-(propylcarbamoyl)phenyl]carbamoyl}isoindoline-5-carboxylic acid;

5-amino-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(aminomethyl)-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(2-hydroxy-2-methylpropanoyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-acetamido-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(N,N-dimethylglycyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-5-(1H-pyrazol-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-5-(1H-pyrazol-4-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(methoxyacetyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(methylsulfonyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-bromo-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,5-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-chlorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4,4,4-trifluorobutanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-ethoxypropanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-phenylbutanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-methylpentanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(benzyloxy)acetyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-phenylpropanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-phenoxypropanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[N-(2-furoyl)glycyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-thienyl)butanoyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-oxo-4-phenylbutanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(N-benzoylglycyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-phenoxybutanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propionylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pentanoylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(hexanoylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(heptanoylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pent-4-enoylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(ethoxyacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2-methoxyethoxy)acetyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopropylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(4-methylpiperazin-1-yl)propanoyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

methyl 2-({4-[(cyclopentylacetyl)amino]phenyl}carbamoyl)isoindoline-5-carboxylate;

2-({4-[(cyclopentylacetyl)amino]phenyl}carbamoyl)isoindoline-5-carboxylic acid;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(hydroxymethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-cyclopentylethyl)amino]phenyl}-5-(hydroxymethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl 4-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}-3,6-dihydropyridine-1(2H)-carboxylate;

N-[4-(1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-methylbutyl)-1H-pyrazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-methyl-1H-pyrazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1E)-5-phenylpent-1-en-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-propyl-1H-pyrazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzyl-1H-pyrazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-hydroxyethyl)-1H-pyrazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[6-(1-propyl-1H-pyrazol-4-yl)pyridin-3-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[1-(3-methylbutyl)-1H-pyrazol-4-yl]pyridin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5-phenylpentyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[2-fluoro-4-(1-propyl-1H-pyrazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{2-fluoro-4-[1-(3-methylbutyl)-1H-pyrazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-butyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(isopropylsulfonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(1'-isobutyryl-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(1'-benzoyl-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-benzoylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(isopropylsulfonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(phenylsulfonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[3-(benzoylamino)pyrrolidin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[3-(butyrylamino)pyrrolidin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl 4-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}piperazine-1-carboxylate;

N-[4-(4-propionylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(cyclopropylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(2-butyryl-2,3-dihydro-1H-isoindol-5-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(2-isobutyryl-2,3-dihydro-1H-isoindol-5-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(2-benzoyl-2,3-dihydro-1H-isoindol-5-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[2-(3-methylbutyl)-2,3-dihydro-1H-isoindol-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(hexyloxy)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoylpiperidin-4-yl)butyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridin-3-ylcarbonyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[6-(4-chlorophenoxy)hexyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(piperidin-4-yl)butyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N,N'-hexane-1,6-diylbis(1,3-dihydro-2H-isoindole-2-carboxamide);

N-(4-phenylbutyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

ethyl 6-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]hexanoate;

N-hexyl-1,3-dihydro-2H-isoindole-2-carboxamide;

N-octyl-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(1-methyl-1H-pyrazol-4-yl)amino]-6-oxohexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[6-(methylamino)-6-oxohexyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-oxo-6-[(3-phenylpropyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(3-methylbutyl)amino]-6-oxohexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(5-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}pyridin-2-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[(3-phenylpropyl)carbamoyl]pyridin-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[(3-methylbutyl)carbamoyl]pyridin-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[(3-phenylpropyl)carbamoyl]-1,3-thiazol-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[(3-methylbutyl)carbamoyl]-1,3-thiazol-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(isoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4,5,6,7,8-hexahydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(8-fluoro-4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-5-(pyrrolidin-1-ylmethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(morpholin-4-ylmethyl)-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(4-methylpiperazin-1-yl)methyl]-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-chloro-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-4,5-dihydro-3H-2,3-benzodiazepin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-5-(pyrrolidin-1-ylmethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-oxo-8-(trifluoromethyl)-3,4-dihydrophthalazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(dimethylamino)methyl]-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(diethylamino)methyl]-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(4-methylpiperazin-1-yl)methyl]-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(dimethylamino)methyl]-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(diethylamino)methyl]-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-oxo-8-(trifluoromethyl)-3,4-dihydrophthalazin-1-yl]phenyl}-5-(pyrrolidin-1-ylmethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(1-methylpiperidin-4-yl)oxy]-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-{[(3R)-3-fluoropyrrolidin-1-yl]methyl}-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-{[(3S)-3-fluoropyrrolidin-1-yl]methyl}-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(azetidin-1-ylmethyl)-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxo-1,2-dihydropyrrolo[1,2-d][1,2,4]triazin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxo-1,2-dihydropyrrolo[1,2-d][1,2,4]triazin-4-yl)phenyl]-5-(pyrrolidin-1-ylmethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl 4-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}piperidine-1-carboxylate;

N-[4-(5-propyl-1,2,4-oxadiazol-3-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(piperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[(tetrahydrofuran-3-ylmethyl)carbamoyl]pyridin-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-butyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[5-(3-methylbutyl)-1,2,4-oxadiazol-3-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5-benzyl-1,2,4-oxadiazol-3-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3R)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(5-chloropyridin-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-hydroxy-4-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,4-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-oxopyrrolidin-1-yl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S,2S)-2-hydroxy-2,3-dihydro-1H-inden-1-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-hydroxycyclopropyl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl 4-{6-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]-1H-benzimidazol-2-yl}piperazine-1-carboxylate;

N-[2-(piperazin-1-yl)-1H-benzimidazol-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-5-vinyl-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-benzoylpiperazin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[5-(tetrahydrofuran-3-yl)-1,2,4-oxadiazol-3-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3-methylbutyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-d]pyrimidine-6-carboxamide;

N-(4-{[(3-phenylpropyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-d]pyrimidine-6-carboxamide;

N-{4-[1-(4-methylbenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(tetrahydrofuran-3-ylmethyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-({[(2S)-tetrahydrofuran-2-ylmethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-({[(2R)-tetrahydrofuran-2-ylmethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(1S)-2-hydroxy-1-phenylethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(2-methoxyethyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-2-(2-hydroxyethyl)piperidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(propylamino)carbonyl]phenyl}-5-pyridin-3-yl-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(propylamino)carbonyl]phenyl}-5-pyridin-4-yl-1,3-dihydro-2H-isoindole-2-carboxamide;

N^5-(2-methoxyethyl)-N^2-{4-[(propylamino)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

N-(4-cyanophenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(trifluoromethyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(1S)-2-hydroxy-1-pyridin-2-ylethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3-methylbutyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(tetrahydrofuran-3-ylmethyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-pyridin-2-ylpiperazin-1-yl)carbonyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-({[(1S)-2-hydroxy-1-pyridin-2-ylethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(1,2-dihydroxyethyl)-N-{4-[(propylamino)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoylpiperidin-4-yl)butyl]-5-cyano-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(1'-butyryl-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(1'-isobutyryl-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(tetrahydrofuran-3-ylcarbonyl)-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide; and

N-[2-(4-acetylpiperazin-1-yl)-1H-benzimidazol-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(5-oxo-L-prolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(5-oxo-D-prolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-propionyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-ethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(methoxyacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(ethoxyacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(cyclopropylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(cyclopentylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-methylbenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-methylbenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-methoxybenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-methoxybenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(4-methoxybenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-fluorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-fluorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(4-fluorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(4-chlorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[3-(dimethylamino)benzoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[4-(dimethylamino)benzoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-furoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-thienylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1H-pyrrol-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2,5-dimethyl-1H-pyrrol-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1,3-thiazol-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1H-pyrazol-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(3,5-dimethyl-1,2-oxazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridin-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridin-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isonicotinoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridazin-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyrazin-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyrimidin-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[3-(piperidin-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(morpholin-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(4-methylpiperazin-1-yl)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(1'-benzoyl-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[6-(benzoylamino)hexyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[(benzoylamino)methyl]benzyl}carbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(5-oxo-L-prolyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(5-oxo-D-prolyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(1-acetylpiperidin-4-yl)carbonyl]piperazin-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(2-acetamidobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[4-(methylsulfonyl)benzoyl]piperazin-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-butyrylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-isobutyrylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(2-methylbutanoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3,3,3-trifluoropropanoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(methoxyacetyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(tetrahydrofuran-2-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(tetrahydrofuran-3-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(cyclopentylacetyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(cyclohexylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(2-methoxybenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3-methoxybenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(4-methoxybenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3-fluorobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(2-chlorobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(4-chlorobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3-cyanobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(4-cyanobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[3-(dimethylamino)benzoyl]piperazin-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[4-(dimethylamino)benzoyl]piperazin-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3,4-dimethoxybenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3,5-dimethoxybenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(3,4-dimethoxyphenyl)acetyl]piperazin-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(2-furoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3-furoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(1H-pyrrol-2-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(1H-pyrazol-5-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(pyridin-2-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(pyridin-3-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-isonicotinoylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(pyridazin-3-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(pyrazin-2-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(pyrimidin-4-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(N,N-dimethyl-beta-alanyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-acetylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(2-fluorobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(4-fluorobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(phenylacetyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(1,3-thiazol-4-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(morpholin-4-ylacetyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-phenylbutyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-butyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-isobutyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-benzoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-oxo-2,3-dihydro-1H-isoindol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)cyclohex-3-en-1-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)cyclohex-3-en-1-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)cyclohex-3-en-1-yl]-5-(pyrrolidin-1-ylmethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1-(3-methylbutyl)-1H-pyrazol-4-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1-(2-phenylethyl)-1H-pyrazol-4-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N^5-[2-(dimethylamino)ethyl]-N^2-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

5-(morpholin-4-ylcarbonyl)-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{benzyl[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(isobutoxycarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-bromo-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

methyl 4-{[(5-cyano-1,3-dihydro-2H-isoindol-2-yl)carbonyl]amino}benzoate;

N-(4-{(E)-[(benzyloxy)imino]methyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydro-2H-pyran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(1S)-2-hydroxy-1-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(3-aminopyrrolidin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(3-methylbutyl)carbamoyl]pyridin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(3-phenylpropyl)carbamoyl]pyridin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(tetrahydrofuran-3-ylmethyl)carbamoyl]pyridin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N^2-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

N-[4-({benzyl[3-(morpholin-4-yl)propyl]amino}methyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(1H-pyrazol-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N^2-{4-[(cyclopentylacetyl)amino]phenyl}-N^5-(2-methoxyethyl)-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

N^2-{4-[(cyclopentylacetyl)amino]phenyl}-N^5-(2-hydroxyethyl)-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

5-(aminomethyl)-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-(methylthio)butan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S,3S)-1-hydroxy-3-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S,3R)-1,3-dihydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxyhexan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxypentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S,2S)-2-hydroxycyclopentyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S,2R)-2-hydroxycyclopentyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-cyclohexyl-3-hydroxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({(2R)-1-hydroxy-3-[(4-methylbenzyl)thio]propan-2-yl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-(4-tert-butylphenyl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-methoxy-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[6-(benzoylamino)hexyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(pyridin-4-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}pyridazin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(cyclopentylmethyl)carbamoyl]pyridazin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[1'-(tetrahydrofuran-3-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{1'-[(2-methoxyethoxy)acetyl]-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-(4-phenylbutyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-[1-(3-methylbutyl)-1H-pyrazol-4-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[(3-methylbutyl)carbamoyl]pyrazin-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-acetamidohexyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{(1E)-3-[benzyl(methyl)amino]prop-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-phenoxypiperidin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(3-phenoxyazetidin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[benzyl(methyl)amino]methyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(3R)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-hydroxypiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-hydroxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-hydroxy-2-methylpropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2R)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(5,6-dihydroimidazo[1,5-a]pyrazin-7(8H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-benzyl-1H-1,2,3-triazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-methylbutyl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylmethyl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[2-(2-oxopyrrolidin-1-yl)ethyl]-1H-1,2,3-triazol-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1-benzylpiperidin-4-yl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-phenylpropyl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[4-(morpholin-4-yl)benzyl]-1H-1,2,3-triazol-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyl-1H-1,2,3-triazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(cyclopentylmethyl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-methoxypropyl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]pyridin-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-{4-[(tetrahydrofuran-3-ylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-(4-{[(2-methoxyethoxy)acetyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(1'-isobutyryl-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(1'-benzoyl-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1'-(tetrahydrofuran-3-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{1'-[(2-methoxyethoxy)acetyl]-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(6-{[4-(methylsulfonyl)benzoyl]amino}hexyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(ethoxyacetyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(cyclopentylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(2-hydroxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(3-hydroxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(4-hydroxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(2-methoxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(3-methoxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(4-methoxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(2-fluorobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(3-fluorobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(4-fluorobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(2-chlorobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(3-chlorobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(4-chlorobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(3-cyanobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(4-cyanobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[3-(dimethylamino)benzoyl]amino}hexyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[4-(dimethylamino)benzoyl]amino}hexyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[3-(trifluoromethyl)benzoyl]amino}hexyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[4-(trifluoromethyl)benzoyl]amino}hexyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[3-(trifluoromethoxy)benzoyl]amino}hexyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(2,3-dimethoxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(2,4-dimethoxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(2,5-dimethoxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(phenylacetyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[(3-fluorophenyl)acetyl]amino}hexyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-{4-[(tetrahydrofuran-2-ylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(ethoxyacetyl)amino]phenyl}-5-(hydroxymethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-{4-[(tetrahydro-2H-pyran-4-ylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-{4-[(morpholin-4-ylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(morpholin-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(2-oxopyrrolidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[6-(benzoylamino)hexyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

4-fluoro-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

4-cyano-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

4-chloro-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-chloro-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(pyridin-2-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridin-2-ylcarbonyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(tetrahydrofuran-2-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1'-(tetrahydro-2H-pyran-4-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1'-(1,4-dioxan-2-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{1'-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1'-(2-hydroxy-2-methylpropanoyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1,4-dioxan-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1'-(tetrahydrofuran-2-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(tetrahydro-2H-pyran-4-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(1,4-dioxan-2-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{1'-[(1-methylpyrrolidin-3-yl)carbonyl]-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{1'-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-methylpyrrolidin-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyrrolidin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1-methylpiperidin-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(7-oxo-7-{[(3R)-tetrahydrofuran-3-ylmethyl]amino}heptyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{7-oxo-7-[(tetrahydro-2H-pyran-4-ylmethyl)amino]heptyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoylpiperidin-4-yl)butyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-isopropoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[methyl(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(azetidin-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,6-diazaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,7-diazaspiro[4.4]non-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(morpholin-4-yl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopropylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[methyl(propyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(isobutylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(cyclopentylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-methoxyethyl)(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-thienylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[methyl(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-isopropoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[benzyl(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-aminobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(6-methoxypyridin-3-yl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-isobutoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[bis(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(trifluoromethyl)piperidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(pyrazin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-cyclohexylpiperazin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[2-(3,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[5-(morpholin-4-ylmethyl)-1,2,4-oxadiazol-3-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{5-[(4-methylpiperazin-1-yl)methyl]-1,2,4-oxadiazol-3-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5-{[(3-methylbutyl)amino]methyl}-1,2,4-oxadiazol-3-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{5-[(4-hydroxypiperidin-1-yl)methyl]-1,2,4-oxadiazol-3-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-chlorobenzoyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1'-(2-hydroxy-2-methylpropanoyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1,4-dioxan-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(tetrahydrofuran-2-ylcarbonyl)-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(tetrahydro-2H-pyran-4-ylcarbonyl)-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(1,4-dioxan-2-ylcarbonyl)-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{1'-[(1-methylpyrrolidin-3-yl)carbonyl]-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{1'-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(2-hydroxy-2-methylpropanoyl)-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(2-aminoethyl)-1H-imidazol-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({4-[2-(2-hydroxyethoxy)ethyl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-hydroxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(pyridin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(pyridin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(pyrimidin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[2-(pyridin-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1,1-dioxidotetrahydrothiophen-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2,2-dimethyl-1,3-dioxolan-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-2-methoxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(4S)-2,2-dimethyl-1,3-dioxolan-4-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(4R)-2,2-dimethyl-1,3-dioxolan-4-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[3-(hydroxymethyl)oxetan-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2-{benzyl[3-(morpholin-4-yl)propyl]amino}-2-oxoethyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(3-{benzyl[3-(morpholin-4-yl)propyl]amino}-3-oxopropyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2R)-butan-2-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

4-cyano-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-methyl-1,3-dihydro-2H-isoindole-2-carboxamide;

4-chloro-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]pyridazin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-chloro-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(6-bromo-2-oxoquinolin-1(2H)-yl)butyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[6-(3-acetylphenyl)-2-oxoquinolin-1(2H)-yl]butyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1'-(morpholin-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1'-(morpholin-4-ylacetyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(morpholin-4-ylacetyl)-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3-methyloxetan-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3-methyloxetan-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(2-{(4-fluorobenzyl)[4-(pyridin-3-yl)benzyl]amino}-1,3-thiazol-5-yl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2-benzyl-1,3-thiazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(7-{benzyl[3-(morpholin-4-yl)propyl]amino}-7-oxoheptyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutyl)sulfamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(1,3-thiazol-5-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1R)-3-hydroxy-1-phenylpropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[2-hydroxy-1-(4-methylphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(1,3-dihydroxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2R)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2R)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(4-hydroxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2S)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(3-furylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxa-4,8-diazaspiro[5.5]undec-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[4.5]dec-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[4.5]dec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[3.4]oct-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,7-diazaspiro[3.5]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,6-diazaspiro[3.5]non-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,5-diazaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5-oxa-2-azaspiro[3.4]oct-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(6-oxa-2-azaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(hexahydro-5H-furo[2,3-c]pyrrol-5-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(tetrahydro-1H-furo[3,4-c]pyrrol-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(hexahydrofuro[3,4-c]pyridin-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-{benzyl[3-(morpholin-4-yl)propyl]amino}-4-oxobutyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-phenylbutyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2-{benzyl[3-(morpholin-4-yl)propyl]amino}ethyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-acetyl-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1,1-dioxidotetrahydrothiophen-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-cyano-N-{4-[(3-methylbutyl)sulfamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutyl)sulfamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(1-hydroxyethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(butyrylamino)phenyl]-5-cyano-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyrrolidin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3S)-pyrrolidin-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1-methylpyrrolidin-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3-methoxybenzyl)sulfonyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-methylpiperidin-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,6-diazaspiro[3.4]oct-6-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,7-diazaspiro[3.5]non-7-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,7-diazaspiro[4.4]non-1-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,8-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,7-diazaspiro[4.5]dec-7-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,8-diazaspiro[5.5]undec-2-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[5.5]undec-8-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[4.6]undec-8-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(1-oxa-8-azaspiro[4.5]dec-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(1-oxa-8-azaspiro[4.5]dec-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(1-oxa-4,8-diazaspiro[5.5]undec-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[4.5]dec-1-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[4.5]dec-8-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[3.4]oct-2-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,7-diazaspiro[3.5]non-7-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,6-diazaspiro[3.5]non-1-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,5-diazaspiro[3.5]non-2-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(5-oxa-2-azaspiro[3.4]oct-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(6-oxa-2-azaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(2-oxa-7-azaspiro[3.5]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(hexahydro-5H-furo[2,3-c]pyrrol-5-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(tetrahydro-1H-furo[3,4-c]pyrrol-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(hexahydrofuro[3,4-c]pyridin-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[6-(3-acetylphenyl)-4-(3-hydroxypropyl)-2-oxoquinolin-1(2H)-yl]butyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1,4-dioxan-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(morpholin-4-ylacetyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-(acetamidomethyl)-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[2-(2-chlorobenzyl)-1,3-thiazol-4-yl]-2-thienyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-fluorophenyl)butyl]-5-(hydroxymethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(3R)-1-isobutyrylpyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[(3R)-1-benzoylpyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[1-(tetrahydrofuran-3-ylcarbonyl)pyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[1-(methylsulfonyl)pyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-isobutyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylmethyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylmethyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-isobutylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylmethyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylmethyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(2-hydroxypropan-2-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl {4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzyl}carbamate;

N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(methoxymethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5-{[(tetrahydrofuran-2-ylmethyl)amino]methyl}-1,2,4-oxadiazol-3-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{5-[(4-methoxypiperidin-1-yl)methyl]-1,2,4-oxadiazol-3-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5-{[4-(2-methoxyethyl)piperazin-1-yl]methyl}-1,2,4-oxadiazol-3-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[1-(morpholin-4-yl)cyclopentyl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-pentanoylpiperidin-4-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-acetylpiperidin-4-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-butyrylpiperidin-4-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylbutanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3,3,3-trifluoropropanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(methoxyacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopropylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopropylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclobutylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclohexylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{6-[(1-acetylpiperidin-4-yl)oxy]pyridin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(1-isobutyrylpiperidin-4-yl)oxy]pyridin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(3-methylbutanoyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(4,4,4-trifluorobutanoyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(methoxyacetyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(cyclopropylcarbonyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(cyclopropylacetyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(cyclobutylcarbonyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(cyclopentylcarbonyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(cyclopentylacetyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(cyclohexylcarbonyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl (2-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}ethyl)carbamate;

N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1S)-1-(4-fluorophenyl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-(4-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[3-(hydroxymethyl)oxetan-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1S)-1-(1,3-benzodioxol-5-yl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylmethyl)sulfamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylmethyl)sulfamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-cyano-N-{4-[(tetrahydrofuran-3-ylmethyl)sulfamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-(4-fluorophenyl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-(4-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-(1,3-benzodioxol-5-yl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1,4-dioxan-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(morpholin-4-ylacetyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3,3,3-trifluoropropanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(4,4,4-trifluorobutanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-3-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclobutylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3-phenylpropanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(phenylacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(4-methoxyphenyl)acetyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(methoxyacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopropylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclohexylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-benzoylpyrrolidin-3-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3-ethoxypropanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(2-methylcyclopropyl)carbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(1-methylcyclopropyl)carbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclobutylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3-methylbutanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylpropanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-acetylpyrrolidin-3-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(4,4,4-trifluorobutanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-3-ylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(ethoxyacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1-methylpiperidin-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-cyano-N-{4-[1-(2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl [(1-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}azetidin-3-yl)methyl]carbamate;

N-(4-{4-[(tetrahydrofuran-3-ylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydro-2H-pyran-4-ylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(morpholin-4-ylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(2-methoxyethoxy)acetyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclohexylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-4-ylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylbutanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3-methylbutanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(2,3-dimethylbutanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(cyclohexylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(cyclohexylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-4-ylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(morpholin-4-ylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-3-ylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-4-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(morpholin-4-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclohexylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylbutanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2,2-dimethylpropanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3,3-dimethylbutanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tricyclo[3.3.1.1~3,7~]dec-1-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(4-methoxycyclohexyl)carbonyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[4-(acetylamino)phenyl]sulfonyl}amino)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(propylsulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(4-propylphenyl)sulfonyl]amino}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(butylsulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[({[(1S,4R)-7,7-dimethyl-2-oxobicyclo[2.2.1]hept-1-yl]methyl}sulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(ethylsulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(benzylsulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(4-fluorophenyl)sulfonyl]amino}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(thiophen-2-ylsulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,7-diazaspiro[4.4]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,7-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,6-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,7-diazaspiro[4.5]dec-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,9-diazaspiro[5.5]undec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,8-diazaspiro[5.5]undec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,8-diazaspiro[5.5]undec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,8-diazaspiro[4.6]undec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-oxa-8-azaspiro[4.5]dec-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-oxa-8-azaspiro[4.5]dec-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-oxa-9-azaspiro[5.5]undec-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-oxa-4,8-diazaspiro[5.5]undec-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,8-diazaspiro[4.5]dec-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,8-diazaspiro[4.5]dec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,7-diazaspiro[3.5]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,6-diazaspiro[3.5]non-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,5-diazaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(5-oxa-2-azaspiro[3.4]oct-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(6-oxa-2-azaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(hexahydro-5H-furo[2,3-c]pyrrol-5-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(tetrahydro-1H-furo[3,4-c]pyrrol-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(hexahydrofuro[3,4-c]pyridin-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(N,N-dimethylglycyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(4-methylpiperazin-1-yl)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydrofuran-2-ylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydrofuran-3-ylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(cyclohexylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(4,4-difluorocyclohexyl)carbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(2-hydroxy-2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydrofuran-2-ylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(piperidin-1-ylsulfonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-fluoro-N-(4-{[1-(1,3-thiazol-2-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4,4-difluorocyclohexyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3,5-dimethyl-1H-pyrazol-1-yl)propan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-methyl-2-(morpholin-4-yl)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(2-methyl-1,3-thiazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-methyl-1-(morpholin-4-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

Nalpha-(4-{[(5-fluoro-1,3-dihydro-2H-isoindol-2-yl)carbonyl]amino}benzoyl)-D-phenylalaninamide;

N-(4-{[2-(acetylamino)phenyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-({4-[2-(2-hydroxyethoxy)ethyl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(furan-2-yl)-2-(pyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[bis(2-methoxyethyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-amino-1-oxohexan-2-yl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-3,3-dimethyl-1-(methylamino)-1-oxobutan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

Nalpha-(4-{[(5-fluoro-1,3-dihydro-2H-isoindol-2-yl)carbonyl]amino}benzoyl)-L-phenylalaninamide;

N-(4-{[(2R)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-cyclohexylpiperazin-1-yl)carbonyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[3-(methylcarbamoyl)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-amino-2-oxo-1-phenylethyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-tert-butoxypropyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,6-dimethylmorpholin-4-yl)ethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-2-amino-2-oxo-1-phenylethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,5-dimethyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-methyl-2-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(3S)-1-methyl-2-oxoazepan-3-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[4-(morpholin-4-yl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(5-methyl-1H-pyrazol-1-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(4-chloro-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(3,5-dimethyl-1H-pyrazol-1-yl)propan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-methyl-2-(morpholin-4-yl)butyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-({4-[2-(2-hydroxyethoxy)ethyl]piperazin-1-yl}carbonyl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-carbamoylbenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[bis(2-methoxyethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-amino-1-oxohexan-2-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(3,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[4-(pyrazin-2-yl)piperazin-1-yl]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

Nalpha-{4-[(5,7-dihydro-6H-pyrrolo[3,4-b]pyridin-6-ylcarbonyl)amino]benzoyl}-L-phenylalaninamide;

N-(4-{[(2R)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-cyclohexylpiperazin-1-yl)carbonyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-tert-butoxypropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(2,6-dimethylmorpholin-4-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-methyl-2-(morpholin-4-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(3S)-1-methyl-2-oxoazepan-3-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[4-(morpholin-4-yl)benzyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-(4,5,6,7-tetrahydro-1H-indazol-5-ylcarbamoyl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

5-fluoro-N-{4-[(3-methoxy-2,2-dimethylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-dimethylbutyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[1-(furan-2-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(3-methyl-1,2-oxazol-5-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-cyanobutan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2R)-butan-2-ylcarbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[methyl(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(ethylamino)-1-oxopropan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(1-methyl-1H-pyrazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-methoxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3S)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(1-methoxybutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-ethoxypropyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[benzyl(methyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2S)-butan-2-ylcarbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(5-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(3-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(pyridin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-1-cyclopropylethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[1-(1-methylcyclopropyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(thiophen-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-cyclopropylethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(4-methoxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(5-methyl-1,3-oxazol-2-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(tetrahydro-2H-pyran-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2S)-1-methoxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-dimethyl-2-oxobutyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(1-methyl-1H-pyrrol-2-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(propan-2-yloxy)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-amino-1-oxobutan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(tetrahydro-2H-pyran-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(1H-pyrrol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclopentylcarbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2S)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2R)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2S)-2-methylbutyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(tetrahydro-2H-pyran-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[methyl(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-methoxyethyl)(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-cyanoethyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(5-methyl-1,2-oxazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methoxy-2,2-dimethylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3,3-dimethylbutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(furan-2-yl)propan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(3-methyl-1,2-oxazol-5-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2R)-1-cyanobutan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[methyl(3-methylbutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1-methyl-1H-pyrazol-3-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-methoxybutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(1,3-thiazol-2-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(1-methyl-1H-pyrazol-4-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3S)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-methoxybutan-2-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-aminobenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-ethoxypropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(6-methoxypyridin-3-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2S)-butan-2-ylcarbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-cyanocyclopropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(5-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(4-methyl-1,3-thiazol-2-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-hydroxypropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-methylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1R)-1-cyclopropylethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(1-methylcyclopropyl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(thiophen-2-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1S)-1-cyclopropylethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-methoxybutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(tetrahydro-2H-pyran-3-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2S)-1-methoxypropan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3,3-dimethyl-2-oxobutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1-methyl-1H-pyrrol-2-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(propan-2-yloxy)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-(tetrahydro-2H-pyran-3-ylcarbamoyl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(1H-pyrrol-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-aminobenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2R)-3-methylbutan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[methyl(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-methoxyethyl)(methyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-cyanoethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-methoxy-2-methylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(cyclopropylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[methyl(propyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(pyridin-4-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

methyl 1-{4-[(1,3-dihydro-2H-pyrrolo[3,4-c]pyridin-2-ylcarbonyl)amino]phenyl}azetidine-3-carboxylate;

N-(4-{3-[(3-methylbutyl)carbamoyl]azetidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{3-[(tetrahydrofuran-2-ylmethyl)carbamoyl]azetidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{3-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]azetidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[3-(benzylcarbamoyl)azetidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[3-(cyclopentylcarbamoyl)azetidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{3-[(cyclopentylmethyl)carbamoyl]azetidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{3-[(2-methoxyethyl)carbamoyl]azetidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(3-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopentylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-2-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(pyrrolidin-1-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(pyrazin-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-methoxy-2,2-dimethylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4,4-difluorocyclohexyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-cyanobutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(ethylamino)-1-oxopropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-methyl-2-(morpholin-4-yl)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-1-cyclopropylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-cyclopropylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}pyridazin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3S)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(tetrahydro-2H-pyran-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(5-methyl-1,3-oxazol-2-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({2-[(dimethylamino)methyl]benzyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-2-amino-2-oxo-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,3-oxazol-2-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(tetrahydro-2H-pyran-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,6-dimethylmorpholin-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(1-methylcyclopropyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(furan-2-yl)-2-(pyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-cyano-N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[1-(2-hydroxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[1-(morpholin-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-fluorobenzyl)(3-methylbutanoyl)amino]butyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(9-chloro-5-oxo-2,3,3a,4,4a,5-hexahydro-6H-furo[2',3':2,3]cyclobuta[1,2-c]quinolin-6-yl)butyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[7-chloro-1-(2-hydroxyethyl)-3-oxo-1,3-dihydrocyclobuta[c]quinolin-4(2H)-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-2-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-2-ylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(6-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}pyridazin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(cyclopropylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-acetylpiperidin-3-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-butanoylpiperidin-3-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3-methylbutanoyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(methoxyacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylbutanoyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3,3,3-trifluoropropanoyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopropylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclobutylcarbonyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclobutylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylcarbonyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-4-ylcarbonyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-2-ylcarbonyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-4-ylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-3-ylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(3,5-dimethyl-1H-pyrazol-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3S)-1-methyl-2-oxoazepan-3-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(1,3-thiazol-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(furan-2-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(1-methyl-1H-pyrazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3,5-dimethyl-1H-pyrazol-1-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,2-difluoroethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(tetrahydro-2H-pyran-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(5-methyl-1,2-oxazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-methyl-1H-pyrazol-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,5-dimethyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

Nalpha-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzoyl}-L-phenylalaninamide;

N-(4-{[2-(2-methyl-1,3-thiazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-3,3-dimethyl-1-(methylamino)-1-oxobutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(thiophen-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(5-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2S)-butan-2-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-dimethyl-2-oxobutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-methyl-1H-pyrazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(acetylamino)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-methoxybutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(tetrahydro-2H-pyran-4-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pyrimidin-4-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1H-pyrrol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-2-methylbutyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-amino-1-oxohexan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-amino-2-oxo-1-phenylethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-tert-butoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(methylcarbamoyl)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-methyl-1-(morpholin-4-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(5-oxo-L-prolyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[2-methyl-2-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-ethoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylacetyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylacetyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclohexylcarbonyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(4,4-difluorocyclohexyl)carbonyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(propan-2-yloxy)acetyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopropylacetyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(4,4,4-trifluorobutanoyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-ethoxypropanoyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1-acetylpiperidin-4-yl)carbonyl]amino}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(ethoxyacetyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydrofuran-2-ylcarbonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylcarbonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopentylcarbonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{7-oxo-7-[(3-phenylpropyl)amino]heptyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(bicyclo[2.2.1]hept-2-ylacetyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1,3-thiazol-5-ylcarbonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(4-oxo-4,5,6,7-tetrahydro-1-benzofuran-3-yl)carbonyl]amino}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{2-[(3-methylbutanoyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(4-methylpentanoyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(ethoxyacetyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2-{[(2-methoxyethoxy)acetyl]amino}ethyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(tetrahydrofuran-2-ylcarbonyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(cyclopentylcarbonyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(cyclopentylacetyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[2-(benzoylamino)ethyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(tetrahydro-2H-pyran-4-ylcarbonyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(tetrahydro-2H-pyran-4-ylacetyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(tetrahydrofuran-3-ylacetyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(5-oxo-L-prolyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-propanoylazetidin-3-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2,2-dimethylbutanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-ethylbutanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pent-4-ynoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(furan-2-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(furan-3-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(thiophen-3-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(1H-pyrrol-2-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pyrimidin-4-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(5-methylpyrazin-2-yl)carbonyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(N,N-dimethylglycyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(N,N-dimethyl-beta-alanyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pyrrolidin-1-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[3-(pyrrolidin-1-yl)propanoyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[3-(piperidin-1-yl)propanoyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(4-methylpiperazin-1-yl)acetyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[3-(4-methylpiperazin-1-yl)propanoyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-cyclopropylethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-cyclopentylethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylbutyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-3-ylmethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3,3-dimethylbutyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclohexylmethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3-methylbutyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylmethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylmethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylpropyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(butylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopropylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(phenylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(4-fluorophenyl)sulfonyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(ethylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(propan-2-ylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(benzylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(propylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(thiophen-2-ylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(2S)-2-methylbutanoyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(4,4-difluorocyclohexyl)carbonyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(5-oxo-D-prolyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2,2-dimethylpropanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylpentanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-ethylbutanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(1H-pyrrol-2-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(1,2-oxazol-5-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pyridin-3-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pyridazin-3-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pyrazin-2-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pyrimidin-4-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(5-methylpyrazin-2-yl)carbonyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[3-(piperidin-1-yl)propanoyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(morpholin-4-ylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[3-(4-methylpiperazin-1-yl)propanoyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

benzyl trans-3-[(1,3-dihydro-2H-pyrrolo[3,4-c]pyridin-2-ylcarbonyl)amino]cyclobutanecarboxylate;

N-[4-(4-{[(4-methylpiperazin-1-yl)acetyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydro-2H-pyran-4-ylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[4-(benzoylamino)cyclohex-1-en-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(2S)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(2R)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(1-methylpiperidin-4-yl)carbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)carbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(3R)-tetrahydrofuran-3-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(3S)-tetrahydrofuran-3-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(2S)-2-methylbutanoyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{3-[(3-methylbutanoyl)amino]oxetan-3-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

tert-butyl 4-({4-[(1,3-dihydro-2H-pyrrolo[3,4-c]pyridin-2-ylcarbonyl)amino]phenyl}sulfonyl)piperidine-1-carboxylate;

N-{4-[4-(propylcarbamoyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(2-methoxyethyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(cyclopentylmethyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(1,4-dioxan-2-ylmethyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[4-(cyclopentylcarbamoyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[4-(tetrahydro-2H-pyran-4-ylcarbamoyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[4-(morpholin-4-ylcarbonyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[4-(cyclopropylcarbamoyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[4-(butan-2-ylcarbamoyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{(4R)-4-[(2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{(4S)-4-[(2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-benzoylazetidin-3-yl)butyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoylazetidin-3-yl)butyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[trans-3-(benzylcarbamoyl)cyclobutyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{trans-3-[(2-phenylethyl)carbamoyl]cyclobutyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{trans-3-[(3-phenylpropyl)carbamoyl]cyclobutyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methyl-1,3-oxazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(furan-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2E)-3-(furan-2-yl)prop-2-enoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1,3-oxazol-5-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(3,3,3-trifluoropropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,5-dimethyl-1H-pyrazol-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(4-methoxycyclohexyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2,3-dimethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2,2-difluorocyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1H-pyrazol-5-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tert-butoxyacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[3-(1H-1,2,4-triazol-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(3-ethoxypropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(3-hydroxy-3-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[3-(1H-pyrrol-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methylcyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methylpropoxy)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1-methylprolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-hydroxycyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopropylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopentylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-{[1-(methoxymethyl)cyclopropyl]carbonyl}-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(methylsulfonyl)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methyl-1H-pyrazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-acetyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopropylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-ethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(5-oxo-L-prolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2E)-4-methylpent-2-enoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-methoxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopent-1-en-1-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(thiophen-3-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclohexylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-propanoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2,2-dimethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methyl-1H-pyrrol-2-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(methoxyacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2,2-dimethylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(4-methylhexanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2,2-dimethylcyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,3-dimethyl-1H-pyrazol-5-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclobutylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(piperidin-1-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[2-(pyrrolidin-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,3-dimethyl-1H-pyrazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(cis-4-{[(2-methoxyethoxy)acetyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(trans-4-{[(2-methoxyethoxy)acetyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(cis-4-{[(2S)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(trans-4-{[(2S)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(cis-4-{[(2R)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(trans-4-{[(2R)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(6-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}pyridazin-3-yl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3R)-1-(3-methylbutanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3R)-1-(cyclobutylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({(3R)-1-[(2R)-tetrahydrofuran-2-ylcarbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({(3R)-1-[(2S)-tetrahydrofuran-2-ylcarbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3R)-1-(cyclopropylacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3S)-1-(3-methylbutanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3S)-1-(cyclobutylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({(3S)-1-[(2R)-tetrahydrofuran-2-ylcarbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({(3S)-1-[(2S)-tetrahydrofuran-2-ylcarbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3S)-1-(cyclopropylacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(6-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}pyridazin-3-yl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{6-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]pyridazin-3-yl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{6-[(cyclopentylmethyl)carbamoyl]pyridazin-3-yl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{6-[(tetrahydrofuran-3-ylmethyl)carbamoyl]pyridazin-3-yl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{6-[(bicyclo[2.2.1]hept-2-ylmethyl)carbamoyl]pyridazin-3-yl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{trans-4-[(2-methylpropanoyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{cis-4-[(2-methylpropanoyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{cis-4-[(cyclohexylcarbonyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{trans-4-[(cyclohexylcarbonyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{trans-4-[(cyclopropylacetyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{cis-4-[(cyclopropylacetyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-{[(2R)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-{[(2S)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(cyclopentylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(cyclopropylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(2-hydroxy-2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(tetrahydro-2H-pyran-4-ylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(cyclohexylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide; and pharmaceutically acceptable salts thereof.

10. The compound of claim 1, selected from the group consisting of:

N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-fluoro-N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-benzoylpiperidin-4-yl)butyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide; and pharmaceutically acceptable salts thereof.

11. The compound of claim 1, selected from the group consisting of:

N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-isobutyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-benzoylpiperidin-4-yl)butyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide; and pharmaceutically acceptable salts thereof.

12. The compound of claim 2, selected from the group consisting of:

N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(aminomethyl)benzyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(pyridin-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(benzylcarbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,4-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,3-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,3-dihydro-1,4-benzodioxin-5-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[1-(3-methylbutyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-fluorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-fluorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[3-(2-oxopyrrolidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-5-methyl-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-fluorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,5-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,2-dimethylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(2-oxopyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(trifluoromethoxy)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-fluoro-5-(trifluoromethyl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-chlorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,4,5-trimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-nitro-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-thienylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-ethyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-benzyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-dimethylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,3-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-thienylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyridin-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(2-thienyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3-methylbutyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(6-aminohexyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

4-chloro-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2-thienyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1,3-benzodioxol-5-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(benzylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyrimidin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-butoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,4-dihydroxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-propoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-furylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-hydroxy-2-methylphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutyl)carbamoyl]phenyl}-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methyl-1H-indazol-5-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-ethoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,5-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-benzyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

methyl 5-({4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzoyl}amino)-1H-indazole-3-carboxylate;

N-(4-{[2-(2-oxopyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyridin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1H-indol-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(trifluoromethyl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,5-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyridin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,3-dihydro-1,4-benzodioxin-6-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(5-methoxy-1H-indol-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-aminobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2-chlorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-propoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-isobutoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,4,5-trimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-methylpiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({2-[4-(dimethylamino)phenyl]ethyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(trifluoromethoxy)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-3-hydroxy-1-phenylpropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-cyanophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-fluoro-4-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,3-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2-fluorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(isobutylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1,3-benzodioxol-5-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-isopropoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-isopropoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

4-chloro-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-fluorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(2-oxopyrrolidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,4-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N^2-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

N-{4-[(2-phenoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-hydroxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3-fluorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({1-[(3S)-tetrahydrofuran-3-yl]-1H-pyrazol-4-yl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-phenylethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(methylthio)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-ethoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-fluorophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(pyridin-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[(trifluoromethyl)thio]benzyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,4-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(1H-imidazol-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3-chlorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-hydroxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(hydroxymethyl)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,3-benzodioxol-5-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-isopropyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-hydroxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-ethyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,5-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-benzylpiperidin-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(5-acetamido-2-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,5-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({2-[3-(trifluoromethyl)phenyl]ethyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methylbutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1H-imidazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-1-(3-cyanophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-cyanophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-chlorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyanomethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclohexylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-hydroxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(dimethylamino)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(phenylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-fluorophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(diethylamino)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-aminophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3-chlorobenzyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-hydroxy-6-methylphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-hydroxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(5-fluoropyridin-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-methoxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(tert-butylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3S)-1-benzylpyrrolidin-3-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-fluorophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclopentylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclopropylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(methylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pentan-2-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pentan-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclobutylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(4-fluorophenyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-hydroxy-2-methylpropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-phenyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({2-[4-(trifluoromethyl)phenyl]ethyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(sec-butylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-hydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(prop-2-yn-1-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5,6-dimethoxy-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(4-chlorophenoxy)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(trifluoromethoxy)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-phenyl-1,3-thiazol-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

methyl 2-{[4-(propylcarbamoyl)phenyl]carbamoyl}isoindoline-5-carboxylate;

2-{[4-(propylcarbamoyl)phenyl]carbamoyl}isoindoline-5-carboxylic acid;

5-amino-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(aminomethyl)-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(2-hydroxy-2-methylpropanoyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-acetamido-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(N,N-dimethylglycyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-5-(1H-pyrazol-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-5-(1H-pyrazol-4-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(methoxyacetyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(methylsulfonyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-bromo-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,5-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-chlorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-fluoro-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3R)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(5-chloropyridin-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-hydroxy-4-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,4-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-oxopyrrolidin-1-yl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S,2S)-2-hydroxy-2,3-dihydro-1H-inden-1-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-hydroxycyclopropyl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-5-vinyl-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3-methylbutyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-d]pyrimidine-6-carboxamide;

N-(4-{[(3-phenylpropyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-d]pyrimidine-6-carboxamide;

5-fluoro-N-[4-({[(2S)-tetrahydrofuran-2-ylmethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-({[(2R)-tetrahydrofuran-2-ylmethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(1S)-2-hydroxy-1-phenylethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(propylamino)carbonyl]phenyl}-5-pyridin-3-yl-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(propylamino)carbonyl]phenyl}-5-pyridin-4-yl-1,3-dihydro-2H-isoindole-2-carboxamide;

N^5-(2-methoxyethyl)-N^2-{4-[(propylamino)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

N-[4-({[(1S)-2-hydroxy-1-pyridin-2-ylethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3-methylbutyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(tetrahydrofuran-3-ylmethyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-({[(1S)-2-hydroxy-1-pyridin-2-ylethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(1,2-dihydroxyethyl)-N-{4-[(propylamino)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[6-(benzoylamino)hexyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[(benzoylamino)methyl]benzyl}carbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N^5-[2-(dimethylamino)ethyl]-N^2-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

5-(morpholin-4-ylcarbonyl)-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(isobutoxycarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydro-2H-pyran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(1S)-2-hydroxy-1-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-(methylthio)butan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S,3S)-1-hydroxy-3-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S,3R)-1,3-dihydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxyhexan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxypentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S,2S)-2-hydroxycyclopentyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S,2R)-2-hydroxycyclopentyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-cyclohexyl-3-hydroxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({(2R)-1-hydroxy-3-[(4-methylbenzyl)thio]propan-2-yl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-(4-tert-butylphenyl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

5-(hydroxymethyl)-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

5-fluoro-N-(4-{[(3R)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-hydroxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-hydroxy-2-methylpropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2R)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(2-oxopyrrolidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1-methylpyrrolidin-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyrrolidin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1-methylpiperidin-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-isopropoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(morpholin-4-yl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopropylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(isobutylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(cyclopentylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-thienylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-isopropoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-aminobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(6-methoxypyridin-3-yl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-isobutoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[2-(3,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-hydroxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(pyridin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(pyridin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(pyrimidin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[2-(pyridin-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1,1-dioxidotetrahydrothiophen-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2,2-dimethyl-1,3-dioxolan-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-2-methoxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(4S)-2,2-dimethyl-1,3-dioxolan-4-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(4R)-2,2-dimethyl-1,3-dioxolan-4-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[3-(hydroxymethyl)oxetan-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2R)-butan-2-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3-methyloxetan-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3-methyloxetan-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-cyano-N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(1,3-thiazol-5-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1R)-3-hydroxy-1-phenylpropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[2-hydroxy-1-(4-methylphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(1,3-dihydroxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2R)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2R)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(4-hydroxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2S)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(3-furylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1R)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2S)-1-hydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(2,3-dihydroxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[2-hydroxy-1-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(1-hydroxy-4-methylpentan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1-methylpyrrolidin-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1-methylpiperidin-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-oxa-8-azaspiro[4.5]dec-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxa-8-azaspiro[4.5]dec-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-oxa-9-azaspiro[5.5]undec-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1,1-dioxidotetrahydrothiophen-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(pyrrolidin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3S)-pyrrolidin-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1-methylpyrrolidin-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1-methylpiperidin-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-fluoro-N-{4-[(1-oxa-8-azaspiro[4.5]dec-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(1-oxa-8-azaspiro[4.5]dec-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(3R)-1-isobutyrylpyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[(3R)-1-benzoylpyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[1-(tetrahydrofuran-3-ylcarbonyl)pyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[1-(methylsulfonyl)pyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[1-(morpholin-4-yl)cyclopentyl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1S)-1-(4-fluorophenyl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-(4-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[3-(hydroxymethyl)oxetan-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1S)-1-(1,3-benzodioxol-5-yl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1S)-1-(4-fluorophenyl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-(4-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-(1,3-benzodioxol-5-yl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-oxa-8-azaspiro[4.5]dec-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-oxa-8-azaspiro[4.5]dec-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-oxa-9-azaspiro[5.5]undec-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-fluoro-N-(4-{[1-(1,3-thiazol-2-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4,4-difluorocyclohexyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3,5-dimethyl-1H-pyrazol-1-yl)propan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-methyl-2-(morpholin-4-yl)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(2-methyl-1,3-thiazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-methyl-1-(morpholin-4-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

Nalpha-(4-{[(5-fluoro-1,3-dihydro-2H-isoindol-2-yl)carbonyl]amino}benzoyl)-D-phenylalaninamide;

N-(4-{[2-(acetylamino)phenyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(furan-2-yl)-2-(pyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-amino-1-oxohexan-2-yl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-3,3-dimethyl-1-(methylamino)-1-oxobutan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

Nalpha-(4-{[(5-fluoro-1,3-dihydro-2H-isoindol-2-yl)carbonyl]amino}benzoyl)-L-phenylalaninamide;

N-(4-{[(2R)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[3-(methylcarbamoyl)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-amino-2-oxo-1-phenylethyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-tert-butoxypropyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,6-dimethylmorpholin-4-yl)ethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-2-amino-2-oxo-1-phenylethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,5-dimethyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-methyl-2-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(3S)-1-methyl-2-oxoazepan-3-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[4-(morpholin-4-yl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(5-methyl-1H-pyrazol-1-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(4-chloro-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(3,5-dimethyl-1H-pyrazol-1-yl)propan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-methyl-2-(morpholin-4-yl)butyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-carbamoylbenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-amino-1-oxohexan-2-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(3,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

Nalpha-{4-[(5,7-dihydro-6H-pyrrolo[3,4-b]pyridin-6-ylcarbonyl)amino]benzoyl}-L-phenylalaninamide;

N-(4-{[(2R)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-tert-butoxypropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(2,6-dimethylmorpholin-4-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-methyl-2-(morpholin-4-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(3S)-1-methyl-2-oxoazepan-3-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[4-(morpholin-4-yl)benzyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-(4,5,6,7-tetrahydro-1H-indazol-5-ylcarbamoyl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

5-fluoro-N-{4-[(3-methoxy-2,2-dimethylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-dimethylbutyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[1-(furan-2-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(3-methyl-1,2-oxazol-5-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-cyanobutan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2R)-butan-2-ylcarbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(ethylamino)-1-oxopropan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(1-methyl-1H-pyrazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-methoxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3S)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(1-methoxybutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-ethoxypropyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2S)-butan-2-ylcarbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(5-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(3-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(pyridin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-1-cyclopropylethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[1-(1-methylcyclopropyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(thiophen-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-cyclopropylethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(4-methoxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(5-methyl-1,3-oxazol-2-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(tetrahydro-2H-pyran-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2S)-1-methoxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-dimethyl-2-oxobutyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(1-methyl-1H-pyrrol-2-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(propan-2-yloxy)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-amino-1-oxobutan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(tetrahydro-2H-pyran-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(1H-pyrrol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclopentylcarbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2S)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2R)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2S)-2-methylbutyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(tetrahydro-2H-pyran-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-cyanoethyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(5-methyl-1,2-oxazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methoxy-2,2-dimethylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3,3-dimethylbutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(furan-2-yl)propan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(3-methyl-1,2-oxazol-5-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2R)-1-cyanobutan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1-methyl-1H-pyrazol-3-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-methoxybutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(1,3-thiazol-2-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(1-methyl-1H-pyrazol-4-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3S)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-methoxybutan-2-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-aminobenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-ethoxypropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(6-methoxypyridin-3-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2S)-butan-2-ylcarbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-cyanocyclopropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(5-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(4-methyl-1,3-thiazol-2-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-hydroxypropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-methylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1R)-1-cyclopropylethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(1-methylcyclopropyl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(thiophen-2-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1S)-1-cyclopropylethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-methoxybutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(tetrahydro-2H-pyran-3-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2S)-1-methoxypropan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3,3-dimethyl-2-oxobutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1-methyl-1H-pyrrol-2-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(propan-2-yloxy)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-(tetrahydro-2H-pyran-3-ylcarbamoyl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(1H-pyrrol-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-aminobenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2R)-3-methylbutan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-cyanoethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-methoxy-2-methylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(cyclopropylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(pyridin-4-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-methoxy-2,2-dimethylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4,4-difluorocyclohexyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-cyanobutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(ethylamino)-1-oxopropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-1-cyclopropylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-cyclopropylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3S)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(tetrahydro-2H-pyran-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(5-methyl-1,3-oxazol-2-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({2-[(dimethylamino)methyl]benzyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-2-amino-2-oxo-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,3-oxazol-2-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(tetrahydro-2H-pyran-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,6-dimethylmorpholin-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(1-methylcyclopropyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(furan-2-yl)-2-(pyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(3,5-dimethyl-1H-pyrazol-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3S)-1-methyl-2-oxoazepan-3-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(1,3-thiazol-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(furan-2-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(1-methyl-1H-pyrazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3,5-dimethyl-1H-pyrazol-1-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,2-difluoroethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(tetrahydro-2H-pyran-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(5-methyl-1,2-oxazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-methyl-1H-pyrazol-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,5-dimethyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

Nalpha-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzoyl}-L-phenylalaninamide;

N-(4-{[2-(2-methyl-1,3-thiazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-3,3-dimethyl-1-(methylamino)-1-oxobutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(thiophen-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(5-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2S)-butan-2-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-dimethyl-2-oxobutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-methyl-1H-pyrazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(acetylamino)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-methoxybutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(tetrahydro-2H-pyran-4-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pyrimidin-4-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1H-pyrrol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-2-methylbutyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-amino-1-oxohexan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-amino-2-oxo-1-phenylethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-tert-butoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(methylcarbamoyl)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-methyl-1-(morpholin-4-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-methyl-2-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-ethoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide; and pharmaceutically acceptable salts thereof.

13. The compound of claim 3, selected from the group consisting of:

tert-butyl 4-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}-3,6-dihydropyridine-1(2H)-carboxylate;

N-[4-(1-butyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl 4-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}piperidine-1-carboxylate;

N-[4-(1-butyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(4-methylbenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(5-oxo-L-prolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(5-oxo-D-prolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-propionyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-ethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(ethoxyacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(cyclopropylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(cyclopentylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-methylbenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-methylbenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-methoxybenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-methoxybenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(4-methoxybenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-fluorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-fluorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(4-fluorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(4-chlorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[3-(dimethylamino)benzoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[4-(dimethylamino)benzoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-thienylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1H-pyrrol-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2,5-dimethyl-1H-pyrrol-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1,3-thiazol-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1H-pyrazol-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(3,5-dimethyl-1,2-oxazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridin-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridin-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isonicotinoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridazin-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyrazin-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyrimidin-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[3-(piperidin-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(morpholin-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(4-methylpiperazin-1-yl)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-butyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-isobutyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-benzoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-isobutyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1,4-dioxan-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1,4-dioxan-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(morpholin-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1,4-dioxan-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(morpholin-4-ylacetyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1,4-dioxan-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(morpholin-4-ylacetyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1-methylpiperidin-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-cyano-N-{4-[1-(2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(N,N-dimethylglycyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(4-methylpiperazin-1-yl)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(3-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopentylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-2-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(pyrrolidin-1-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(pyrazin-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-cyano-N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[1-(2-hydroxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[1-(morpholin-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2-methyl-1,3-oxazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(furan-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2E)-3-(furan-2-yl)prop-2-enoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1,3-oxazol-5-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(3,3,3-trifluoropropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,5-dimethyl-1H-pyrazol-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(4-methoxycyclohexyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2,3-dimethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2,2-difluorocyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1H-pyrazol-5-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tert-butoxyacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[3-(1H-1,2,4-triazol-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(3-ethoxypropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(3-hydroxy-3-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[3-(1H-pyrrol-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methylcyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methylpropoxy)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1-methylprolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-hydroxycyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopropylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopentylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-{[1-(methoxymethyl)cyclopropyl]carbonyl}-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(methylsulfonyl)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methyl-1H-pyrazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-acetyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopropylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-ethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(5-oxo-L-prolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2E)-4-methylpent-2-enoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-methoxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopent-1-en-1-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(thiophen-3-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclohexylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-propanoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2,2-dimethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methyl-1H-pyrrol-2-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(methoxyacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2,2-dimethylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(4-methylhexanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2,2-dimethylcyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,3-dimethyl-1H-pyrazol-5-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclobutylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(piperidin-1-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[2-(pyrrolidin-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,3-dimethyl-1H-pyrazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide; and pharmaceutically acceptable salts thereof.

14. The compound of claim 4, selected from the group consisting of:

N-[4-(1-benzoylpiperidin-4-yl)butyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridin-3-ylcarbonyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoylpiperidin-4-yl)butyl]-5-cyano-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridin-2-ylcarbonyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoylpiperidin-4-yl)butyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-chlorobenzoyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylacetyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylacetyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclohexylcarbonyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(4,4-difluorocyclohexyl)carbonyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(propan-2-yloxy)acetyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopropylacetyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(4,4,4-trifluorobutanoyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide; and pharmaceutically acceptable salts thereof.

15. A composition for treating hypertension, chronic and congestive heart failure, cardiac hypertrophy, restenosis, chronic renal failure, cerebral vasospasm after subarachnoid bleeding, pulmonary hypertension, atherosclerosis, asthma, male erectile dysfunctions, female sexual dysfunction, over-active bladder syndrome, spinal-cord injury, traumatic brain injury, stroke, inflammatory and demyelinating diseases, Alzheimer's disease, pain, multiple sclerosis, amyotrophic lateral sclerosis, Huntington's disease, Parkinson's disease, inflammatory pain, rheumatoid arthritis, osteoarthritis, irritable bowel syndrome, Crohn's disease, psoriasis, ulcerative colitis, lupus, inflammatory bowel disease, cancer, tumor metastasis, viral infections, bacterial infections, insulin resistance, diabetes, ocular hypertension, preterm labor, atherosclerosis, spinal muscular atrophy, encephalomyelitis, osteoporosis, HIV-1, encephalitis, ischemic CNS disorders, vascular or AD type dementia, glaucoma, retinopathy, benign prostatic hypertrophy, psychiatric disorders, in particular depression, schizophrenia, obsessive compulsive disorder and bipolar disorder, epilepsy and seizure disorders, for decreasing ischemia-reperfusion injury, myocardial infarct size and myocardial fibrosis, for the prevention of graft failure, and cystic fibrosis, said composition comprising an excipient and a therapeutically effective amount of a compound of claim 1, or pharmaceutically acceptable salts thereof.

16. A composition for treating inflammatory and tissue repair disorders; including rheumatoid arthritis, inflammatory bowel disease, asthma and COPD (chronic obstructive pulmonary disease), osteoarthritis, osteoporosis and fibrotic diseases; dermatosis, including psoriasis, atopic dermatitis and ultra-violet induced skin damage; autoimmune diseases including systemic lupus erythematosis, multiple sclerosis, psoriatic arthritis, ankylosing spondylitis, tissue and organ rejection, Alzheimer's disease, stroke, athersclerosis, restenosis, diabetes, glomerulonephritis, cancer, including breast cancer, prostate cancer, lung cancer, colon cancer, cervix cancer, ovarian cancer, skin cancer, CNS cancer, bladder cancer, pancreatic cancer, leukemia, lymphoma or Hodgkin's disease, cachexia, inflammation associated with infection and viral infections, including Acquired Immune Deficiency

Syndrome (AIDS), adult respiratory distress syndrome, and ataxia telengiectasia, said composition comprising an excipient and a therapeutically effective amount of a compound of claim 1, or pharmaceutically acceptable salts thereof.


17. Use of a therapeutically effective amount of a compound of claim 1, or pharmaceutically acceptable salts thereof, in the manufacture of a medicament for treating hypertension, chronic and congestive heart failure, cardiac hypertrophy, restenosis, chronic renal failure, cerebral vasospasm after subarachnoid bleeding, pulmonary hypertension, atherosclerosis, asthma, male erectile dysfunctions, female sexual dysfunction, over-active bladder syndrome, spinal-cord injury, traumatic brain injury, stroke, inflammatory and demyelinating diseases, Alzheimer's disease, pain, multiple sclerosis, amyotrophic lateral sclerosis, Huntington's disease, Parkinson's disease, inflammatory pain, rheumatoid arthritis, osteoarthritis, irritable bowel syndrome, Crohn's disease, psoriasis, ulcerative colitis, lupus, inflammatory bowel disease, cancer, tumor metastasis, viral infections, bacterial infections, insulin resistance, diabetes, ocular hypertension, preterm labor, atherosclerosis, spinal muscular atrophy, encephalomyelitis, osteoporosis, HIV-1, encephalitis, ischemic CNS disorders, vascular or AD type dementia, glaucoma, retinopathy, benign prostatic hypertrophy, psychiatric disorders including depression, schizophrenia, obsessive compulsive disorder and bipolar disorder, epilepsy and seizure disorders, for decreasing ischemia-reperfusion injury, myocardial infarct size and myocardial fibrosis, for the prevention of graft failure, and cystic fibrosis, in a patient.

18. Use of a therapeutically effective amount of a compound of claim 1, or pharmaceutically acceptable salts thereof, in the manufacture of a medicament for treating inflammatory and tissue repair disorders including rheumatoid arthritis, inflammatory bowel disease, asthma and COPD (chronic obstructive pulmonary disease), osteoarthritis, osteoporosis and fibrotic diseases; dermatosis, including psoriasis, atopic dermatitis and ultra-violet induced skin damage; autoimmune diseases including systemic lupus erythematosis, multiple sclerosis, psoriatic arthritis, ankylosing spondylitis, tissue and organ rejection, Alzheimer's disease, stroke, athersclerosis, restenosis, diabetes, glomerulonephritis, cancer, including breast cancer, prostate cancer, lung cancer, colon cancer, cervix cancer, ovarian cancer, skin cancer, CNS cancer, bladder cancer, pancreatic cancer, leukemia, lymphoma or Hodgkin's disease, cachexia, inflammation associated with infection and viral infections, including Acquired Immune Deficiency Syndrome (AIDS), adult respiratory distress syndrome, and ataxia telengiectasia in a patient.

19. Use of a therapeutically effective amount of one additional therapeutic agent or more than one additional therapeutic agent, in the manufacture of a medicament for treating hypertension, chronic and congestive heart failure, cardiac hypertrophy, restenosis, chronic renal failure, cerebral vasospasm after subarachnoid bleeding, pulmonary hypertension, atherosclerosis, asthma, male erectile dysfunctions, female sexual dysfunction, over-active bladder syndrome, spinal-cord injury, traumatic brain injury, stroke, inflammatory and demyelinating diseases, Alzheimer's disease, pain, multiple sclerosis, amyotrophic lateral sclerosis, Huntington's disease, Parkinson's disease, inflammatory pain, rheumatoid arthritis, osteoarthritis, irritable bowel syndrome, Crohn's disease, psoriasis, ulcerative colitis, lupus, inflammatory bowel disease, cancer, tumor metastasis, viral infections, bacterial infections, insulin resistance, diabetes, ocular hypertension, preterm labor, atherosclerosis, spinal muscular atrophy, encephalomyelitis, osteoporosis, HIV-1, encephalitis, ischemic CNS disorders, vascular or AD type dementia, glaucoma, retinopathy, benign prostatic hypertrophy, psychiatric disorders, including depression, schizophrenia, obsessive compulsive disorder and bipolar disorder, epilepsy and seizure disorders, for decreasing ischemia-reperfusion injury, myocardial infarct size and myocardial fibrosis, for the prevention of graft failure, and cystic fibrosis in a patient.

20. Use of a therapeutically effective amount of the compound of claim 1, or pharmaceutically acceptable salts thereof; and a therapeutically effective amount of one additional therapeutic agent or more than one additional therapeutic agent, in the manufacture of a medicament for treating inflammatory and tissue repair disorders including rheumatoid arthritis, inflammatory bowel disease, asthma and COPD (chronic obstructive pulmonary disease), osteoarthritis, osteoporosis and fibrotic diseases; dermatosis, including psoriasis, atopic dermatitis and ultra-violet induced skin damage; autoimmune diseases including systemic lupus erythematosis, multiple sclerosis, psoriatic arthritis, ankylosing spondylitis, tissue and organ rejection, Alzheimer's disease, stroke, athersclerosis, restenosis, diabetes, glomerulonephritis, cancer, including breast cancer, prostate cancer, lung cancer, colon cancer, cervix cancer, ovarian cancer, skin cancer, CNS cancer, bladder cancer, pancreatic cancer, leukemia, lymphoma or Hodgkin's disease, cachexia, inflammation associated with infection and certain viral infections, including Acquired Immune Deficiency Syndrome (AIDS), adult respiratory distress syndrome, and ataxia telengiectasia or spleen cancer in a patient.

21. A compound of claim 1 having Formula (IIc), or pharmaceutically acceptable salts thereof



(IIc);

wherein

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

X^1 is CH; X^2 is N; and X^3 is CR^1; or

X^1 is CR^1; X^2 is N; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is N;

R^1 is R^3, OR^3, SR^3, $S(O)R^3$, SO_2R^3, $C(O)R^3$, $C(O)OR^3$, $OC(O)R^3$, NHR^3, $N(R^3)_2$, $C(O)NH_2$, $C(O)NHR^3$, $C(O)N(R^3)_2$, $NHC(O)R^3$, $NR^3C(O)R^3$, $NHC(O)OR^3$, $NR^3C(O)OR^3$, SO_2NH_2, SO_2NHR^3, $SO_2N(R^3)_2$, $NHSO_2R^3$, $NR^3SO_2R^3$, $NHSO_2NHR^3$, $NHSO_2N(R^3)_2$, $NR^3SO_2NHR^3$, $NR^3SO_2N(R^3)_2$, $C(O)NHSO_2R^3$, $NHSO_2NHR^3$, F, Cl, Br, I, CN, NO_2, N_3, OH, C(O)H, CF_3, C(O)OH, or $C(O)NH_2$;

R^2 is phenyl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^2 phenyl is substituted at the para position with one independently selected R^5, OR^5, SR^5, $S(O)R^5$, SO_2R^5, $C(O)R^5$, $CO(O)R^5$, $OC(O)R^5$, $OC(O)OR^5$, NH_2, NHR^5, $N(R^5)_2$, $NHC(O)R^5$, $NR^5C(O)R^5$, $NHS(O)_2R^5$, $NR^5S(O)_2R^5$, $NHC(O)OR^5$, $NR^5C(O)OR^5$, $NHC(O)NH_2$, $NHC(O)NHR^5$, $NHC(O)N(R^5)_2$, $NR^5C(O)NHR^5$, $NR^5C(O)N(R^5)_2$, $C(O)NH_2$, $C(O)NHR^5$, $C(O)N(R^5)_2$, $CHNOR^5$, C(O)NHOH, $C(O)NHOR^5$, $C(O)NHSO_2R^5$, $C(O)NR^5SO_2R^5$, SO_2NH_2, SO_2NHR^5, $SO_2N(R^5)_2$, C(O)H, C(O)OH, OH, CN, N_3, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, Br or I; wherein each R^2 phenyl is optionally additionally substituted with one F; wherein each R^2 heterocyclyl, cycloalkyl, and cycloalkenyl is substituted with one, two, three or four independently selected R^5, OR^5, SR^5, $S(O)R^5$, SO_2R^5, $C(O)R^5$, $CO(O)R^5$, $OC(O)R^5$, $OC(O)OR^5$, NH_2, NHR^5, $N(R^5)_2$, $NHC(O)R^5$, $NR^5C(O)R^5$, $NHS(O)_2R^5$, $NR^5S(O)_2R^5$, $NHC(O)OR^5$, $NR^5C(O)OR^5$, $NHC(O)NH_2$, $NHC(O)NHR^5$, $NHC(O)N(R^5)_2$, $NR^5C(O)NHR^5$, $NR^5C(O)N(R^5)_2$, $C(O)NH_2$, $C(O)NHR^5$, $C(O)N(R^5)_2$, C(O)NHOH, $C(O)NHOR^5$, $C(O)NHSO_2R^5$, $C(O)NR^5SO_2R^5$, SO_2NH_2, SO_2NHR^5, $SO_2N(R^5)_2$, C(O)H, C(O)OH, OH, CN, N_3, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^3, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, or heterocyclyl; wherein each R^3 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^6, OR^6, SR^6, $S(O)R^6$, SO_2R^6, $C(O)R^6$, $CO(O)R^6$, $OC(O)R^6$, $OC(O)OR^6$, NH_2, NHR^6, $N(R^6)_2$, $NHC(O)R^6$, $NR^6C(O)R^6$, $NHS(O)_2R^6$, $NR^6S(O)_2R^6$, $NHC(O)OR^6$, $NR^6C(O)OR^6$, $NHC(O)NH_2$, $NHC(O)NHR^6$, $NHC(O)N(R^6)_2$, $NR^6C(O)NHR^6$, $NR^6C(O)N(R^6)_2$, $C(O)NH_2$, $C(O)NHR^6$, $C(O)N(R^6)_2$, C(O)NHOH, $C(O)NHOR^6$, $C(O)NHSO_2R^6$, $C(O)NR^6SO_2R^6$, SO_2NH_2, SO_2NHR^6, $SO_2N(R^6)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^5, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^5 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^9, OR^9, SR^9, $S(O)R^9$, SO_2R^9, $C(O)R^9$, $CO(O)R^9$, $OC(O)R^9$, $OC(O)OR^9$, NH_2, NHR^9, $N(R^9)_2$, $NHC(O)R^9$, $NR^9C(O)R^9$, $NHS(O)_2R^9$, $NR^9S(O)_2R^9$, $NHC(O)OR^9$, $NR^9C(O)OR^9$, $NHC(O)NH_2$, $NHC(O)NHR^9$, $NHC(O)N(R^9)_2$, $NR^9C(O)NHR^9$, $NR^9C(O)N(R^9)_2$, $C(O)NH_2$, $C(O)NHR^9$, $C(O)N(R^9)_2$, C(O)NHOH, $C(O)NHOR^9$, $C(O)NHSO_2R^9$, $C(O)NR^9SO_2R^9$, SO_2NH_2, SO_2NHR^9, $SO_2N(R^9)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^6, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^6 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{10}, OR^{10}, SR^{10}, $S(O)R^{10}$, SO_2R^{10}, NHR^{10}, $N(R^{10})_2$, $C(O)R^{10}$, $C(O)NH_2$, $C(O)NHR^{10}$, $C(O)N(R^{10})_2$, $NHC(O)R^{10}$, $NR^{10}C(O)R^{10}$, $NHSO_2R^{10}$, $NHC(O)OR^{10}$, SO_2NH_2, SO_2NHR^{10}, $SO_2N(R^{10})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{10}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^9, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^9 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected alkoxy, OH, cycloalkyl, aryl, or heterocyclyl;

R^{10}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

wherein the cyclic moieties represented by R^3, R^5, R^6, R^9, and R^{10} are optionally substituted with one, two, three, four, five, or six independently selected R^{13}, OR^{13}, SR^{13}, $S(O)R^{13}$, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, $OC(O)R^{13}$, $OC(O)OR^{13}$, NH_2, NHR^{13}, $N(R^{13})_2$, $NHC(O)R^{13}$, $NR^{13}C(O)R^{13}$, $NHS(O)_2R^{13}$, $NR^{13}S(O)_2R^{13}$, $NHC(O)OR^{13}$, $NR^{13}C(O)OR^{13}$, $NHC(O)NH_2$, $NHC(O)NHR^{13}$, $NHC(O)N(R^{13})_2$, $NR^{13}C(O)NHR^{13}$, $NR^{13}C(O)N(R^{13})_2$, $C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, C(O)NHOH, $C(O)NHOR^{13}$, $C(O)NHSO_2R^{13}$, $C(O)NR^{13}SO_2R^{13}$, SO_2NH_2, SO_2NHR^{13}, $SO_2N(R^{13})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, SCF_3, F, Cl, Br or I;

R^{13}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, or cycloalkenyl; wherein each R^{13} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{14}, OR^{14}, SR^{14}, $S(O)R^{14}$, SO_2R^{14}, $C(O)R^{14}$, $OC(O)R^{14}$, $OC(O)OR^{14}$, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NR^{14}C(O)R^{14}$, $NHS(O)_2R^{14}$, $NR^{14}S(O)_2R^{14}$, $NHC(O)OR^{14}$, $NR^{14}C(O)OR^{14}$, $NHC(O)NH_2$, $NHC(O)NHR^{14}$, $NHC(O)N(R^{14})_2$, $NR^{14}C(O)NHR^{14}$, $NR^{14}C(O)N(R^{14})_2$, $C(O)NH_2$, $C(O)NHR^{14}$, $C(O)N(R^{14})_2$, C(O)NHOH, $C(O)NHOR^{14}$, $C(O)NHSO_2R^{14}$, $C(O)NR^{14}SO_2R^{14}$, SO_2NH_2, SO_2NHR^{14}, $SO_2N(R^{14})_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{15}, OR^{15}, SR^{15}, $S(O)R^{15}$, SO_2R^{15}, $C(O)R^{15}$, $CO(O)R^{15}$, $OC(O)R^{15}$, $OC(O)OR^{15}$, NH_2, NHR^{15}, $N(R^{15})_2$, $NHC(O)R^{15}$, $NR^{15}C(O)R^{15}$, $NHS(O)_2R^{15}$, $NR^{15}S(O)_2R^{15}$, $NHC(O)OR^{15}$, $NR^{15}C(O)OR^{15}$, $NHC(O)NH_2$, $NHC(O)NHR^{15}$, $NHC(O)N(R^{15})_2$, $NR^{15}C(O)NHR^{15}$, $NR^{15}C(O)N(R^{15})_2$, $C(O)NH_2$, $C(O)NHR^{15}$, $C(O)N(R^{15})_2$, C(O)NHOH, $C(O)NHOR^{15}$, $C(O)NHSO_2R^{15}$, $C(O)NR^{15}SO_2R^{15}$, SO_2NH_2,

SO_2NHR^{15}, $SO_2N(R^{15})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^{14}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{14} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected heterocyclyl, alkoxy, NH_2, SO_2NH_2, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{14} aryl, heterocyclyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{16}, OR^{16}, OH, F, Cl, Br, or I;

R^{15}, at each occurrence, is independently selected alkyl; wherein the R^{15} alkyl is optionally substituted with one, two, three or four alkoxy; and

R^{16}, at each occurrence, is independently selected alkyl, wherein the R^{16} alkyl is optionally substituted with one, two, three or four alkoxy;


with the proviso that when X^1, X^2, and X^3 are CH and R^2 is phenyl; R^5 is not methyl;

with the proviso that when X^1, X^2, and X^3 are CH, and R^2 is phenyl substituted with OR^5; R^5 is not methyl;

with the proviso that when R^{13} is piperidinyl, it is substituted piperidinyl; and

with the proviso that when R^{13} is pyrrolinyl, at least one of X^1, X^2, and X^3 is N.

22. A compound of claim 1 having Formula (IIIc), or pharmaceutically acceptable salts thereof



(IIIc);

wherein

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

X^1 is CH; X^2 is N; and X^3 is CR^1; or

X^1 is CR^1; X^2 is N; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is N;

R^1 is R^3, OR^3, SR^3, $S(O)R^3$, SO_2R^3, $C(O)R^3$, $C(O)OR^3$, $OC(O)R^3$, NHR^3, $N(R^3)_2$, $C(O)NH_2$, $C(O)NHR^3$, $C(O)N(R^3)_2$, $NHC(O)R^3$, $NR^3C(O)R^3$, $NHC(O)OR^3$, $NR^3C(O)OR^3$, SO_2NH_2, SO_2NHR^3, $SO_2N(R^3)_2$, $NHSO_2R^3$, $NR^3SO_2R^3$, $NHSO_2NHR^3$, $NHSO_2N(R^3)_2$, $NR^3SO_2NHR^3$, $NR^3SO_2N(R^3)_2$, $C(O)NHSO_2R^3$, $NHSO_2NHR^3$, F, Cl, Br, I, CN, NH_2, NO_2, N_3, OH, C(O)H, CF_3, C(O)OH, or $C(O)NH_2$;

R^x is R^5, OR^5, SR^5, $S(O)R^5$, SO_2R^5, $C(O)R^5$, $CO(O)R^5$, $OC(O)R^5$, $OC(O)OR^5$, NH_2, NHR^5, $N(R^5)_2$, $NHC(O)R^5$, $NR^5C(O)R^5$, $NHS(O)_2R^5$, $NR^5S(O)_2R^5$, $NHC(O)OR^5$, $NR^5C(O)OR^5$, $NHC(O)NH_2$, $NHC(O)NHR^5$, $NHC(O)N(R^5)_2$, $NR^5C(O)NHR^5$, $NR^5C(O)N(R^5)_2$, $C(O)NH_2$, $C(O)NHR^5$, $C(O)N(R^5)_2$, $CHNOR^5$, C(O)NHOH, $C(O)NHOR^5$, $C(O)NHSO_2R^5$, $C(O)NR^5SO_2R^5$, SO_2NH_2, SO_2NHR^5, $SO_2N(R^5)_2$, C(O)H, C(O)OH, OH, CN, N_3, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, Br or I;

R^3, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, or heterocyclyl; wherein each R^3 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^6, OR^6, SR^6, $S(O)R^6$, SO_2R^6, $C(O)R^6$, $CO(O)R^6$, $OC(O)R^6$, $OC(O)OR^6$, NH_2, NHR^6, $N(R^6)_2$, $NHC(O)R^6$, $NR^6C(O)R^6$, $NHS(O)_2R^6$, $NR^6S(O)_2R^6$, $NHC(O)OR^6$, $NR^6C(O)OR^6$, $NHC(O)NH_2$, $NHC(O)NHR^6$, $NHC(O)N(R^6)_2$, $NR^6C(O)NHR^6$, $NR^6C(O)N(R^6)_2$, $C(O)NH_2$, $C(O)NHR^6$, $C(O)N(R^6)_2$, C(O)NHOH, $C(O)NHOR^6$, $C(O)NHSO_2R^6$, $C(O)NR^6SO_2R^6$, SO_2NH_2, SO_2NHR^6, $SO_2N(R^6)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^5, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^5 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^9, OR^9, SR^9, $S(O)R^9$, SO_2R^9, $C(O)R^9$, $CO(O)R^9$, $OC(O)R^9$, $OC(O)OR^9$, NH_2, NHR^9, $N(R^9)_2$, $NHC(O)R^9$, $NR^9C(O)R^9$, $NHS(O)_2R^9$, $NR^9S(O)_2R^9$, $NHC(O)OR^9$, $NR^9C(O)OR^9$, $NHC(O)NH_2$, $NHC(O)NHR^9$, $NHC(O)N(R^9)_2$, $NR^9C(O)NHR^9$, $NR^9C(O)N(R^9)_2$, $C(O)NH_2$, $C(O)NHR^9$, $C(O)N(R^9)_2$, C(O)NHOH, $C(O)NHOR^9$, $C(O)NHSO_2R^9$, $C(O)NR^9SO_2R^9$, SO_2NH_2, SO_2NHR^9, $SO_2N(R^9)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^6, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^6 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{10}, OR^{10}, SR^{10}, $S(O)R^{10}$, SO_2R^{10}, NHR^{10}, $N(R^{10})_2$, $C(O)R^{10}$, $C(O)NH_2$, $C(O)NHR^{10}$, $C(O)N(R^{10})_2$, $NHC(O)R^{10}$, $NR^{10}C(O)R^{10}$, $NHSO_2R^{10}$, $NHC(O)OR^{10}$, SO_2NH_2, SO_2NHR^{10}, $SO_2N(R^{10})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{10}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^9, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^9 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected alkoxy, OH, cycloalkyl, aryl, or heterocyclyl;

R^{10}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

wherein the cyclic moieties represented by R^3, R^5, R^6, R^9, and R^{10} are optionally substituted with one, two, three, four, five, or six independently selected R^{13}, OR^{13}, SR^{13}, $S(O)R^{13}$, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, $OC(O)R^{13}$, $OC(O)OR^{13}$, NH_2, NHR^{13}, $N(R^{13})_2$, $NHC(O)R^{13}$, $NR^{13}C(O)R^{13}$, $NHS(O)_2R^{13}$, $NR^{13}S(O)_2R^{13}$, $NHC(O)OR^{13}$, $NR^{13}C(O)OR^{13}$, $NHC(O)NH_2$, $NHC(O)NHR^{13}$, $NHC(O)N(R^{13})_2$, $NR^{13}C(O)NHR^{13}$, $NR^{13}C(O)N(R^{13})_2$, $C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, C(O)NHOH, $C(O)NHOR^{13}$, $C(O)NHSO_2R^{13}$, $C(O)NR^{13}SO_2R^{13}$, SO_2NH_2, SO_2NHR^{13}, $SO_2N(R^{13})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, SCF_3, F, Cl, Br or I;

R^{13}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, or cycloalkenyl; wherein each R^{13} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{14}, OR^{14}, SR^{14}, $S(O)R^{14}$, SO_2R^{14}, $C(O)R^{14}$, $OC(O)R^{14}$, $OC(O)OR^{14}$, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NR^{14}C(O)R^{14}$, $NHS(O)_2R^{14}$, $NR^{14}S(O)_2R^{14}$, $NHC(O)OR^{14}$, $NR^{14}C(O)OR^{14}$, $NHC(O)NH_2$, $NHC(O)NHR^{14}$, $NHC(O)N(R^{14})_2$, $NR^{14}C(O)NHR^{14}$, $NR^{14}C(O)N(R^{14})_2$, $C(O)NH_2$, $C(O)NHR^{14}$, $C(O)N(R^{14})_2$, C(O)NHOH, $C(O)NHOR^{14}$, $C(O)NHSO_2R^{14}$, $C(O)NR^{14}SO_2R^{14}$, SO_2NH_2, SO_2NHR^{14}, $SO_2N(R^{14})_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{15}, OR^{15}, SR^{15}, $S(O)R^{15}$, SO_2R^{15}, $C(O)R^{15}$, $CO(O)R^{15}$, $OC(O)R^{15}$, $OC(O)OR^{15}$, NH_2, NHR^{15}, $N(R^{15})_2$, $NHC(O)R^{15}$, $NR^{15}C(O)R^{15}$, $NHS(O)_2R^{15}$, $NR^{15}S(O)_2R^{15}$, $NHC(O)OR^{15}$, $NR^{15}C(O)OR^{15}$, $NHC(O)NH_2$, $NHC(O)NHR^{15}$, $NHC(O)N(R^{15})_2$, $NR^{15}C(O)NHR^{15}$, $NR^{15}C(O)N(R^{15})_2$, $C(O)NH_2$, $C(O)NHR^{15}$, $C(O)N(R^{15})_2$, C(O)NHOH, $C(O)NHOR^{15}$, $C(O)NHSO_2R^{15}$, $C(O)NR^{15}SO_2R^{15}$, SO_2NH_2, SO_2NHR^{15}, $SO_2N(R^{15})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^{14}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{14} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected heterocyclyl, alkoxy, NH_2, SO_2NH_2, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{14} aryl, heterocyclyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{16}, OR^{16}, OH, F, Cl, Br, or I;

R^{15}, at each occurrence, is independently selected alkyl, wherein the R^{15} alkyl is optionally substituted with one, two, three or four alkoxy; and

R^{16}, at each occurrence, is independently selected alkyl, wherein the R^{16} alkyl is optionally substituted with one, two, three or four alkoxy;

with the proviso that when X^1, X^2, and X^3 are CH; R^x is not methyl;


with the proviso that when X^1, X^2, and X^3 are CH; R^x is not methoxy;

with the proviso that when R^{13} is piperidinyl, it is substituted piperidinyl; and

with the proviso that when R^{13} is pyrrolinyl, at least one of X^1, X^2, and X^3 is N.

WHAT IS CLAIMED IS:

1. A compound of Formula (Ic), and pharmaceutically acceptable salts thereof



Formula (Ic);

wherein

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

X^1 is CH; X^2 is N; and X^3 is CR^1; or

X^1 is CR^1; X^2 is N; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is N;

R^1 is R^3, OR^3, SR^3, $S(O)R^3$, SO_2R^3, $C(O)R^3$, $C(O)OR^3$, $OC(O)R^3$, NHR^3, $N(R^3)_2$, $C(O)NH_2$, $C(O)NHR^3$, $C(O)N(R^3)_2$, $NHC(O)R^3$, $NR^3C(O)R^3$, $NHC(O)OR^3$, $NR^3C(O)OR^3$, SO_2NH_2, SO_2NHR^3, $SO_2N(R^3)_2$, $NHSO_2R^3$, $NR^3SO_2R^3$, $NHSO_2NHR^3$, $NHSO_2N(R^3)_2$, $NR^3SO_2NHR^3$, $NR^3SO_2N(R^3)_2$, $C(O)NHSO_2R^3$, $NHSO_2NHR^3$, F, Cl, Br, I, CN, NH_2, NO_2, N_3, OH, C(O)H, CF_3, C(O)OH, or $C(O)NH_2$;

R^2 is alkyl, alkenyl, alkynyl, phenyl, thiophenyl, pyrazolyl, thiazolyl, pyridinyl, pyridazinyl, pyrazinyl, benzo[d]imidazolyl, isoindolinyl, cycloalkyl, or cycloalkenyl; wherein each R^2 alkyl, alkenyl, and alkynyl is substituted with one, two, three or four independently selected R^4, OR^4, SR^4, $S(O)R^4$, SO_2R^4, $C(O)R^4$, $CO(O)R^4$, $OC(O)R^4$, $OC(O)OR^4$, $NHC(O)R^4$, $NR^4C(O)R^4$, $NHS(O)_2R^4$, $NR^4S(O)_2R^4$, $NHC(O)OR^4$, $NR^4C(O)OR^4$, $NHC(O)NH_2$, $NHC(O)NHR^4$, $NHC(O)N(R^4)_2$, $NR^4C(O)NHR^4$, $NR^4C(O)N(R^4)_2$, $C(O)NH_2$, $C(O)NHR^4$, $C(O)N(R^4)_2$, C(O)NHOH, $C(O)NHOR^4$, $C(O)NHSO_2R^4$, $C(O)NR^4SO_2R^4$, SO_2NH_2, SO_2NHR^4, $SO_2N(R^4)_2$, C(O)H, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^2 phenyl is substituted at the para position with one independently selected R^5, OR^5, SR^5, $S(O)R^5$, SO_2R^5, $C(O)R^5$, $CO(O)R^5$, $OC(O)R^5$, $OC(O)OR^5$, NH_2, NHR^5, $N(R^5)_2$, $NHC(O)R^5$, $NR^5C(O)R^5$, $NHS(O)_2R^5$, $NR^5S(O)_2R^5$, $NHC(O)OR^5$, $NR^5C(O)OR^5$, $NHC(O)NH_2$,

$NHC(O)NHR^5$, $NHC(O)N(R^5)_2$, $NR^5C(O)NHR^5$, $NR^5C(O)N(R^5)_2$, $C(O)NH_2$, $C(O)NHR^5$, $C(O)N(R^5)_2$, $CHNOR^5$, $C(O)NHOH$, $C(O)NHOR^5$, $C(O)NHSO_2R^5$, $C(O)NR^5SO_2R^5$, SO_2NH_2, SO_2NHR^5, $SO_2N(R^5)_2$, C(O)H, C(O)OH, OH, CN, N_3, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, Br or I; wherein each R^2 phenyl is optionally additionally substituted with one F; wherein each R^2 thiophenyl, pyrazolyl, thiazolyl, pyridinyl, pyridazinyl, pyrazinyl, benzo[d]imidazolyl, isoindolinyl, cycloalkyl, and cycloalkenyl is substituted with one, two, three or four independently selected R^5, OR^5, SR^5, $S(O)R^5$, SO_2R^5, $C(O)R^5$, $CO(O)R^5$, $OC(O)R^5$, $OC(O)OR^5$, NH_2, NHR^5, $N(R^5)_2$, $NHC(O)R^5$, $NR^5C(O)R^5$, $NHS(O)_2R^5$, $NR^5S(O)_2R^5$, $NHC(O)OR^5$, $NR^5C(O)OR^5$, $NHC(O)NH_2$, $NHC(O)NHR^5$, $NHC(O)N(R^5)_2$, $NR^5C(O)NHR^5$, $NR^5C(O)N(R^5)_2$, $C(O)NH_2$, $C(O)NHR^5$, $C(O)N(R^5)_2$, $C(O)NHOH$, $C(O)NHOR^5$, $C(O)NHSO_2R^5$, $C(O)NR^5SO_2R^5$, SO_2NH_2, SO_2NHR^5, $SO_2N(R^5)_2$, C(O)H, C(O)OH, OH, CN, N_3, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^3, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, or heterocyclyl; wherein each R^3 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^6, OR^6, SR^6, $S(O)R^6$, SO_2R^6, $C(O)R^6$, $CO(O)R^6$, $OC(O)R^6$, $OC(O)OR^6$, NH_2, NHR^6, $N(R^6)_2$, $NHC(O)R^6$, $NR^6C(O)R^6$, $NHS(O)_2R^6$, $NR^6S(O)_2R^6$, $NHC(O)OR^6$, $NR^6C(O)OR^6$, $NHC(O)NH_2$, $NHC(O)NHR^6$, $NHC(O)N(R^6)_2$, $NR^6C(O)NHR^6$, $NR^6C(O)N(R^6)_2$, $C(O)NH_2$, $C(O)NHR^6$, $C(O)N(R^6)_2$, $C(O)NHOH$, $C(O)NHOR^6$, $C(O)NHSO_2R^6$, $C(O)NR^6SO_2R^6$, SO_2NH_2, SO_2NHR^6, $SO_2N(R^6)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^4, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, cycloalkyl, or heterocyclyl; wherein each R^4 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^7, OR^7, SR^7, $S(O)R^7$, SO_2R^7, $C(O)R^7$, $OC(O)R^7$, $OC(O)OR^7$, NH_2, NHR^7, $NHC(O)R^7$, $NR^7C(O)R^7$, $NHS(O)_2R^7$, $NR^7S(O)_2R^7$, $NHC(O)OR^7$, $NR^7C(O)OR^7$, $NHC(O)NH_2$, $NHC(O)NHR^7$, $NHC(O)N(R^7)_2$, $NR^7C(O)NHR^7$, $NR^7C(O)N(R^7)_2$, $C(O)NH_2$, $C(O)NHR^7$, $C(O)N(R^7)_2$, $C(O)NHOH$, $C(O)NHOR^7$, $C(O)NHSO_2R^7$, $C(O)NR^7SO_2R^7$, SO_2NH_2, SO_2NHR^7, $SO_2N(R^7)_2$, C(O)H, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^4 aryl and heterocycyl is optionally substituted with one, two, three or four independently selected R^8, OR^8, SR^8, $S(O)R^8$, SO_2R^8, $C(O)R^8$, $CO(O)R^8$, $OC(O)R^8$, $OC(O)OR^8$, NH_2, NHR^8, $NHC(O)R^8$, $NR^8C(O)R^8$, $NHS(O)_2R^8$, $NR^8S(O)_2R^8$, $NHC(O)OR^8$, $NR^8C(O)OR^8$, $NHC(O)NH_2$, $NHC(O)NHR^8$, $NHC(O)N(R^8)_2$, $NR^8C(O)NHR^8$, $NR^8C(O)N(R^8)_2$, $C(O)NH_2$, $C(O)NHR^8$, $C(O)N(R^8)_2$, $C(O)NHOH$, $C(O)NHOR^8$, $C(O)NHSO_2R^8$, $C(O)NR^8SO_2R^8$, SO_2NH_2, SO_2NHR^8, $SO_2N(R^8)_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^5, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^5 alkyl, alkenyl, and alkynyl is

optionally substituted with one, two, three or four independently selected R^9, OR^9, SR^9, $S(O)R^9$, SO_2R^9, $C(O)R^9$, $CO(O)R^9$, $OC(O)R^9$, $OC(O)OR^9$, NH_2, NHR^9, $N(R^9)_2$, $NHC(O)R^9$, $NR^9C(O)R^9$, $NHS(O)_2R^9$, $NR^9S(O)_2R^9$, $NHC(O)OR^9$, $NR^9C(O)OR^9$, $NHC(O)NH_2$, $NHC(O)NHR^9$, $NHC(O)N(R^9)_2$, $NR^9C(O)NHR^9$, $NR^9C(O)N(R^9)_2$, $C(O)NH_2$, $C(O)NHR^9$, $C(O)N(R^9)_2$, $C(O)NHOH$, $C(O)NHOR^9$, $C(O)NHSO_2R^9$, $C(O)NR^9SO_2R^9$, SO_2NH_2, SO_2NHR^9, $SO_2N(R^9)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^6, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^6 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{10}, OR^{10}, SR^{10}, $S(O)R^{10}$, SO_2R^{10}, NHR^{10}, $N(R^{10})_2$, $C(O)R^{10}$, $C(O)NH_2$, $C(O)NHR^{10}$, $C(O)N(R^{10})_2$, $NHC(O)R^{10}$, $NR^{10}C(O)R^{10}$, $NHSO_2R^{10}$, $NHC(O)OR^{10}$, SO_2NH_2, SO_2NHR^{10}, $SO_2N(R^{10})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{10}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^7, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^7 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{11}, OR^{11}, SR^{11}, $S(O)R^{11}$, SO_2R^{11}, NHR^{11}, $N(R^{11})_2$, $C(O)R^{11}$, $C(O)NH_2$, $C(O)NHR^{11}$, $C(O)N(R^{11})_2$, $NHC(O)R^{11}$, $NR^{11}C(O)R^{11}$, $NHSO_2R^{11}$, $NHC(O)OR^{11}$, SO_2NH_2, SO_2NHR^{11}, $SO_2N(R^{11})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{11}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^8, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^8 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{12}, OR^{12}, SR^{12}, $S(O)R^{12}$, SO_2R^{12}, NHR^{12}, $N(R^{12})_2$, $C(O)R^{12}$, $C(O)NH_2$, $C(O)NHR^{12}$, $C(O)N(R^{12})_2$, $NHC(O)R^{12}$, $NR^{12}C(O)R^{12}$, $NHSO_2R^{12}$, $NHC(O)OR^{12}$, SO_2NH_2, SO_2NHR^{12}, $SO_2N(R^{12})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{12}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^9, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^9 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected alkoxy, OH, cycloalkyl, aryl, or heterocyclyl;

R^{10}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

R^{11}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

R^{12}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{12} alkyl, alkenyl, and alkynyl is optionally substituted with one or more alkoxy;

wherein the cyclic moieties represented by R^3, R^5, R^6, R^7, R^8, R^9, R^{10}, R^{11}, and R^{12} are optionally substituted with one, two, three, four, five, or six independently selected R^{13}, OR^{13}, SR^{13}, $S(O)R^{13}$, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, $OC(O)R^{13}$, $OC(O)OR^{13}$, NH_2, NHR^{13}, $N(R^{13})_2$, $NHC(O)R^{13}$, $NR^{13}C(O)R^{13}$, $NHS(O)_2R^{13}$, $NR^{13}S(O)_2R^{13}$, $NHC(O)OR^{13}$, $NR^{13}C(O)OR^{13}$, $NHC(O)NH_2$, $NHC(O)NHR^{13}$, $NHC(O)N(R^{13})_2$, $NR^{13}C(O)NHR^{13}$, $NR^{13}C(O)N(R^{13})_2$, $C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, C(O)NHOH, $C(O)NHOR^{13}$, $C(O)NHSO_2R^{13}$, $C(O)NR^{13}SO_2R^{13}$, SO_2NH_2, SO_2NHR^{13}, $SO_2N(R^{13})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, SCF_3, F, Cl, Br or I;

R^{13}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, or cycloalkenyl; wherein each R^{13} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{14}, OR^{14}, SR^{14}, $S(O)R^{14}$, SO_2R^{14}, $C(O)R^{14}$, $OC(O)R^{14}$, $OC(O)OR^{14}$, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NR^{14}C(O)R^{14}$, $NHS(O)_2R^{14}$, $NR^{14}S(O)_2R^{14}$, $NHC(O)OR^{14}$, $NR^{14}C(O)OR^{14}$, $NHC(O)NH_2$, $NHC(O)NHR^{14}$, $NHC(O)N(R^{14})_2$, $NR^{14}C(O)NHR^{14}$, $NR^{14}C(O)N(R^{14})_2$, $C(O)NH_2$, $C(O)NHR^{14}$, $C(O)N(R^{14})_2$, C(O)NHOH, $C(O)NHOR^{14}$, $C(O)NHSO_2R^{14}$, $C(O)NR^{14}SO_2R^{14}$, SO_2NH_2, SO_2NHR^{14}, $SO_2N(R^{14})_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{15}, OR^{15}, SR^{15}, $S(O)R^{15}$, SO_2R^{15}, $C(O)R^{15}$, $CO(O)R^{15}$, $OC(O)R^{15}$, $OC(O)OR^{15}$, NH_2, NHR^{15}, $N(R^{15})_2$, $NHC(O)R^{15}$, $NR^{15}C(O)R^{15}$, $NHS(O)_2R^{15}$, $NR^{15}S(O)_2R^{15}$, $NHC(O)OR^{15}$, $NR^{15}C(O)OR^{15}$, $NHC(O)NH_2$, $NHC(O)NHR^{15}$, $NHC(O)N(R^{15})_2$, $NR^{15}C(O)NHR^{15}$, $NR^{15}C(O)N(R^{15})_2$, $C(O)NH_2$, $C(O)NHR^{15}$, $C(O)N(R^{15})_2$, C(O)NHOH, $C(O)NHOR^{15}$, $C(O)NHSO_2R^{15}$, $C(O)NR^{15}SO_2R^{15}$, SO_2NH_2, SO_2NHR^{15}, $SO_2N(R^{15})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^{14}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{14} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected heterocyclyl, alkoxy, NH_2, SO_2NH_2, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{14} aryl, heterocyclyl, cycloalkyl, and cycloalkenyl is optionally substituted

with one, two, three or four independently selected R^{16}, OR^{16}, OH, F, Cl, Br, or I; wherein the R^{16} alkyl is optionally substituted with one, two, three or four alkoxy;

R^{15}, at each occurrence, is independently selected alkyl; wherein the R^{15} alkyl is optionally substituted with one, two, three or four alkoxy;

R^{16}, at each occurrence, is independently selected alkyl, wherein the R^{16} alkyl is optionally substituted with one, two, three or four alkoxy;

with the proviso that when X^1, X^2, and X^3 are CH and R^2 is phenyl; R^5 is not methyl;


with the proviso that when X^1, X^2, and X^3 are CH, and R^2 is phenyl substituted with OR^5; R^5 is not methyl;

with the proviso that when R^2 is alkyl; R^2 is C_4-C_6-alkyl;

with the proviso that when R^{13} is piperidinyl, it is substituted piperidinyl; and

with the proviso that when R^{13} is pyrrolinyl, at least one of X^1, X^2, and X^3 is N.

2. A compound of claim 1 having Formula (Vc), or pharmaceutically acceptable salts thereof



(Vc);

wherein

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

X^1 is CH; X^2 is N; and X^3 is CR^1; or

X^1 is CR^1; X^2 is N; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is N;

R^1 is R^3, OR^3, SR^3, $S(O)R^3$, SO_2R^3, $C(O)R^3$, $C(O)OR^3$, $OC(O)R^3$, NHR^3, $N(R^3)_2$, $C(O)NH_2$, $C(O)NHR^3$, $C(O)N(R^3)_2$, $NHC(O)R^3$, $NR^3C(O)R^3$, $NHC(O)OR^3$, $NR^3C(O)OR^3$, SO_2NH_2, SO_2NHR^3, $SO_2N(R^3)_2$, $NHSO_2R^3$, $NR^3SO_2R^3$, $NHSO_2NHR^3$, $NHSO_2N(R^3)_2$, $NR^3SO_2NHR^3$, $NR^3SO_2N(R^3)_2$, $C(O)NHSO_2R^3$, $NHSO_2NHR^3$, F, Cl, Br, I, CN, NH_2, NO_2, N_3, OH, C(O)H, CF_3, C(O)OH, or $C(O)NH_2$;

R^3, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, or heterocyclyl; wherein each R^3 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^6, OR^6, SR^6, $S(O)R^6$, SO_2R^6, $C(O)R^6$, $CO(O)R^6$, $OC(O)R^6$, $OC(O)OR^6$, NH_2, NHR^6, $N(R^6)_2$, $NHC(O)R^6$, $NR^6C(O)R^6$, $NHS(O)_2R^6$, $NR^6S(O)_2R^6$, $NHC(O)OR^6$, $NR^6C(O)OR^6$, $NHC(O)NH_2$, $NHC(O)NHR^6$, $NHC(O)N(R^6)_2$, $NR^6C(O)NHR^6$, $NR^6C(O)N(R^6)_2$, $C(O)NH_2$, $C(O)NHR^6$, $C(O)N(R^6)_2$, C(O)NHOH, $C(O)NHOR^6$, $C(O)NHSO_2R^6$, $C(O)NR^6SO_2R^6$, SO_2NH_2, SO_2NHR^6, $SO_2N(R^6)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^5, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^5 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^9, OR^9, SR^9, $S(O)R^9$, SO_2R^9, $C(O)R^9$, $CO(O)R^9$, $OC(O)R^9$, $OC(O)OR^9$, NH_2, NHR^9, $N(R^9)_2$, $NHC(O)R^9$, $NR^9C(O)R^9$, $NHS(O)_2R^9$, $NR^9S(O)_2R^9$, $NHC(O)OR^9$, $NR^9C(O)OR^9$, $NHC(O)NH_2$, $NHC(O)NHR^9$, $NHC(O)N(R^9)_2$, $NR^9C(O)NHR^9$, $NR^9C(O)N(R^9)_2$, $C(O)NH_2$, $C(O)NHR^9$, $C(O)N(R^9)_2$, C(O)NHOH, $C(O)NHOR^9$, $C(O)NHSO_2R^9$, $C(O)NR^9SO_2R^9$, SO_2NH_2, SO_2NHR^9, $SO_2N(R^9)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^6, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^6 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{10}, OR^{10}, SR^{10}, $S(O)R^{10}$, SO_2R^{10}, NHR^{10}, $N(R^{10})_2$, $C(O)R^{10}$, $C(O)NH_2$, $C(O)NHR^{10}$, $C(O)N(R^{10})_2$, $NHC(O)R^{10}$, $NR^{10}C(O)R^{10}$, $NHSO_2R^{10}$, $NHC(O)OR^{10}$, SO_2NH_2, SO_2NHR^{10}, $SO_2N(R^{10})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{10}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^9, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^9 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected alkoxy, OH, cycloalkyl, aryl, or heterocyclyl;

R^{10}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

wherein the cyclic moieties represented by R^3, R^5, R^6, R^9, and R^{10} are optionally substituted with one, two, three, four, five, or six independently selected R^{13}, OR^{13}, SR^{13}, $S(O)R^{13}$, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, $OC(O)R^{13}$, $OC(O)OR^{13}$, NH_2, NHR^{13}, $N(R^{13})_2$, $NHC(O)R^{13}$, $NR^{13}C(O)R^{13}$, $NHS(O)_2R^{13}$, $NR^{13}S(O)_2R^{13}$, $NHC(O)OR^{13}$, $NR^{13}C(O)OR^{13}$, $NHC(O)NH_2$, $NHC(O)NHR^{13}$, $NHC(O)N(R^{13})_2$, $NR^{13}C(O)NHR^{13}$, $NR^{13}C(O)N(R^{13})_2$, $C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, C(O)NHOH, $C(O)NHOR^{13}$, $C(O)NHSO_2R^{13}$, $C(O)NR^{13}SO_2R^{13}$, SO_2NH_2, SO_2NHR^{13}, $SO_2N(R^{13})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, SCF_3, F, Cl, Br or I;

R^{13}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, or cycloalkenyl; wherein each R^{13} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{14}, OR^{14}, SR^{14}, $S(O)R^{14}$, SO_2R^{14}, $C(O)R^{14}$, $OC(O)R^{14}$, $OC(O)OR^{14}$, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NR^{14}C(O)R^{14}$, $NHS(O)_2R^{14}$, $NR^{14}S(O)_2R^{14}$, $NHC(O)OR^{14}$, $NR^{14}C(O)OR^{14}$, $NHC(O)NH_2$, $NHC(O)NHR^{14}$, $NHC(O)N(R^{14})_2$, $NR^{14}C(O)NHR^{14}$, $NR^{14}C(O)N(R^{14})_2$, $C(O)NH_2$, $C(O)NHR^{14}$, $C(O)N(R^{14})_2$, C(O)NHOH, $C(O)NHOR^{14}$, $C(O)NHSO_2R^{14}$, $C(O)NR^{14}SO_2R^{14}$, SO_2NH_2, SO_2NHR^{14}, $SO_2N(R^{14})_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{15}, OR^{15}, SR^{15}, $S(O)R^{15}$, SO_2R^{15}, $C(O)R^{15}$, $CO(O)R^{15}$, $OC(O)R^{15}$, $OC(O)OR^{15}$, NH_2, NHR^{15}, $N(R^{15})_2$, $NHC(O)R^{15}$, $NR^{15}C(O)R^{15}$, $NHS(O)_2R^{15}$, $NR^{15}S(O)_2R^{15}$, $NHC(O)OR^{15}$, $NR^{15}C(O)OR^{15}$, $NHC(O)NH_2$, $NHC(O)NHR^{15}$, $NHC(O)N(R^{15})_2$, $NR^{15}C(O)NHR^{15}$, $NR^{15}C(O)N(R^{15})_2$, $C(O)NH_2$, $C(O)NHR^{15}$, $C(O)N(R^{15})_2$, C(O)NHOH, $C(O)NHOR^{15}$, $C(O)NHSO_2R^{15}$, $C(O)NR^{15}SO_2R^{15}$, SO_2NH_2, SO_2NHR^{15}, $SO_2N(R^{15})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^{14}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{14} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected heterocyclyl, alkoxy,

NH_2, SO_2NH_2, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{14} aryl, heterocyclyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{16}, OR^{16}, OH, F, Cl, Br, or I;


R^{15}, at each occurrence, is independently selected alkyl, wherein the R^{15} alkyl is optionally substituted with one, two, three or four alkoxy; and

R^{16}, at each occurrence, is independently selected alkyl, wherein the R^{16} alkyl is optionally substituted with one, two, three or four alkoxy;

with the proviso that when R^{13} is piperidinyl, it is substituted piperidinyl; and

with the proviso that when R^{13} is pyrrolinyl, at least one of X^1, X^2, and X^3 is N.

3. A compound of claim 1 having Formula (VIIc), or pharmaceutically acceptable salts thereof



(VIIc);

wherein

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

X^1 is CH; X^2 is N; and X^3 is CR^1; or

X^1 is CR^1; X^2 is N; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is N;

 indicates a single or double bond;

R^1 is R^3, OR^3, SR^3, $S(O)R^3$, SO_2R^3, $C(O)R^3$, $C(O)OR^3$, $OC(O)R^3$, NHR^3, $N(R^3)_2$, $C(O)NH_2$, $C(O)NHR^3$, $C(O)N(R^3)_2$, $NHC(O)R^3$, $NR^3C(O)R^3$, $NHC(O)OR^3$, $NR^3C(O)OR^3$,

SO_2NH_2, SO_2NHR^3, $SO_2N(R^3)_2$, $NHSO_2R^3$, $NR^3SO_2R^3$, $NHSO_2NHR^3$, $NHSO_2N(R^3)_2$, $NR^3SO_2NHR^3$, $NR^3SO_2N(R^3)_2$, $C(O)NHSO_2R^3$, $NHSO_2NHR^3$, F, Cl, Br, I, CN, NH_2, NO_2, N_3, OH, C(O)H, CF_3, C(O)OH, or $C(O)NH_2$;

R^3, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, or heterocyclyl; wherein each R^3 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^6, OR^6, SR^6, $S(O)R^6$, SO_2R^6, $C(O)R^6$, $CO(O)R^6$, $OC(O)R^6$, $OC(O)OR^6$, NH_2, NHR^6, $N(R^6)_2$, $NHC(O)R^6$, $NR^6C(O)R^6$, $NHS(O)_2R^6$, $NR^6S(O)_2R^6$, $NHC(O)OR^6$, $NR^6C(O)OR^6$, $NHC(O)NH_2$, $NHC(O)NHR^6$, $NHC(O)N(R^6)_2$, $NR^6C(O)NHR^6$, $NR^6C(O)N(R^6)_2$, $C(O)NH_2$, $C(O)NHR^6$, $C(O)N(R^6)_2$, C(O)NHOH, $C(O)NHOR^6$, $C(O)NHSO_2R^6$, $C(O)NR^6SO_2R^6$, SO_2NH_2, SO_2NHR^6, $SO_2N(R^6)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^6, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^6 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{10}, OR^{10}, SR^{10}, $S(O)R^{10}$, SO_2R^{10}, NHR^{10}, $N(R^{10})_2$, $C(O)R^{10}$, $C(O)NH_2$, $C(O)NHR^{10}$, $C(O)N(R^{10})_2$, $NHC(O)R^{10}$, $NR^{10}C(O)R^{10}$, $NHSO_2R^{10}$, $NHC(O)OR^{10}$, SO_2NH_2, SO_2NHR^{10}, $SO_2N(R^{10})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{10}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^{10}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

wherein the cyclic moieties represented by R^3, R^6, and R^{10} are optionally substituted with one, two, three, four, five, or six independently selected R^{13}, OR^{13}, SR^{13}, $S(O)R^{13}$, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, $OC(O)R^{13}$, $OC(O)OR^{13}$, NH_2, NHR^{13}, $N(R^{13})_2$, $NHC(O)R^{13}$, $NR^{13}C(O)R^{13}$, $NHS(O)_2R^{13}$, $NR^{13}S(O)_2R^{13}$, $NHC(O)OR^{13}$, $NR^{13}C(O)OR^{13}$, $NHC(O)NH_2$, $NHC(O)NHR^{13}$, $NHC(O)N(R^{13})_2$, $NR^{13}C(O)NHR^{13}$, $NR^{13}C(O)N(R^{13})_2$, $C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, C(O)NHOH, $C(O)NHOR^{13}$, $C(O)NHSO_2R^{13}$, $C(O)NR^{13}SO_2R^{13}$, SO_2NH_2, SO_2NHR^{13}, $SO_2N(R^{13})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, SCF_3, F, Cl, Br or I;

R^{13}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, or cycloalkenyl; wherein each R^{13} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{14}, OR^{14}, SR^{14}, $S(O)R^{14}$, SO_2R^{14}, $C(O)R^{14}$, $OC(O)R^{14}$,

$OC(O)OR^{14}$, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NR^{14}C(O)R^{14}$, $NHS(O)_2R^{14}$, $NR^{14}S(O)_2R^{14}$, $NHC(O)OR^{14}$, $NR^{14}C(O)OR^{14}$, $NHC(O)NH_2$, $NHC(O)NHR^{14}$, $NHC(O)N(R^{14})_2$, $NR^{14}C(O)NHR^{14}$, $NR^{14}C(O)N(R^{14})_2$, $C(O)NH_2$, $C(O)NHR^{14}$, $C(O)N(R^{14})_2$, C(O)NHOH, $C(O)NHOR^{14}$, $C(O)NHSO_2R^{14}$, $C(O)NR^{14}SO_2R^{14}$, SO_2NH_2, SO_2NHR^{14}, $SO_2N(R^{14})_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{15}, OR^{15}, SR^{15}, $S(O)R^{15}$, SO_2R^{15}, $C(O)R^{15}$, $CO(O)R^{15}$, $OC(O)R^{15}$, $OC(O)OR^{15}$, NH_2, NHR^{15}, $N(R^{15})_2$, $NHC(O)R^{15}$, $NR^{15}C(O)R^{15}$, $NHS(O)_2R^{15}$, $NR^{15}S(O)_2R^{15}$, $NHC(O)OR^{15}$, $NR^{15}C(O)OR^{15}$, $NHC(O)NH_2$, $NHC(O)NHR^{15}$, $NHC(O)N(R^{15})_2$, $NR^{15}C(O)NHR^{15}$, $NR^{15}C(O)N(R^{15})_2$, $C(O)NH_2$, $C(O)NHR^{15}$, $C(O)N(R^{15})_2$, C(O)NHOH, $C(O)NHOR^{15}$, $C(O)NHSO_2R^{15}$, $C(O)NR^{15}SO_2R^{15}$, SO_2NH_2, SO_2NHR^{15}, $SO_2N(R^{15})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^{14}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{14} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected heterocyclyl, alkoxy, NH_2, SO_2NH_2, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{14} aryl, heterocyclyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{16}, OR^{16}, OH, F, Cl, Br, or I;


R^{15}, at each occurrence, is independently selected alkyl, wherein the R^{15} alkyl is optionally substituted with one, two, three or four alkoxy; and

R^{16}, at each occurrence, is independently selected alkyl, wherein the R^{16} alkyl is optionally substituted with one, two, three or four alkoxy;

with the proviso that when R^{13} is piperidinyl, it is substituted piperidinyl; and

with the proviso that when R^{13} is pyrrolinyl, at least one of X^1, X^2, and X^3 is N.

4. A compound of claim 1 having Formula (VIIIc), or pharmaceutically acceptable salts thereof



(VIIIc);

wherein

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

X^1 is CH; X^2 is N; and X^3 is CR^1; or

X^1 is CR^1; X^2 is N; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is N;

R^1 is R^3, OR^3, SR^3, $S(O)R^3$, SO_2R^3, $C(O)R^3$, $C(O)OR^3$, $OC(O)R^3$, NHR^3, $N(R^3)_2$, $C(O)NH_2$, $C(O)NHR^3$, $C(O)N(R^3)_2$, $NHC(O)R^3$, $NR^3C(O)R^3$, $NHC(O)OR^3$, $NR^3C(O)OR^3$, SO_2NH_2, SO_2NHR^3, $SO_2N(R^3)_2$, $NHSO_2R^3$, $NR^3SO_2R^3$, $NHSO_2NHR^3$, $NHSO_2N(R^3)_2$, $NR^3SO_2NHR^3$, $NR^3SO_2N(R^3)_2$, $C(O)NHSO_2R^3$, $NHSO_2NHR^3$, F, Cl, Br, I, CN, NH_2, NO_2, N_3, OH, C(O)H, CF_3, C(O)OH, or $C(O)NH_2$;

R^3, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, or heterocyclyl; wherein each R^3 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^6, OR^6, SR^6, $S(O)R^6$, SO_2R^6, $C(O)R^6$, $CO(O)R^6$, $OC(O)R^6$, $OC(O)OR^6$, NH_2, NHR^6, $N(R^6)_2$, $NHC(O)R^6$, $NR^6C(O)R^6$, $NHS(O)_2R^6$, $NR^6S(O)_2R^6$, $NHC(O)OR^6$, $NR^6C(O)OR^6$, $NHC(O)NH_2$, $NHC(O)NHR^6$, $NHC(O)N(R^6)_2$, $NR^6C(O)NHR^6$, $NR^6C(O)N(R^6)_2$, $C(O)NH_2$, $C(O)NHR^6$, $C(O)N(R^6)_2$, C(O)NHOH, $C(O)NHOR^6$, $C(O)NHSO_2R^6$, $C(O)NR^6SO_2R^6$, SO_2NH_2, SO_2NHR^6, $SO_2N(R^6)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^6, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^6 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{10}, OR^{10}, SR^{10},

$S(O)R^{10}$, SO_2R^{10}, NHR^{10}, $N(R^{10})_2$, $C(O)R^{10}$, $C(O)NH_2$, $C(O)NHR^{10}$, $C(O)N(R^{10})_2$, $NHC(O)R^{10}$, $NR^{10}C(O)R^{10}$, $NHSO_2R^{10}$, $NHC(O)OR^{10}$, SO_2NH_2, SO_2NHR^{10}, $SO_2N(R^{10})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{10}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^8, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^8 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{12}, OR^{12}, SR^{12}, $S(O)R^{12}$, SO_2R^{12}, NHR^{12}, $N(R^{12})_2$, $C(O)R^{12}$, $C(O)NH_2$, $C(O)NHR^{12}$, $C(O)N(R^{12})_2$, $NHC(O)R^{12}$, $NR^{12}C(O)R^{12}$, $NHSO_2R^{12}$, $NHC(O)OR^{12}$, SO_2NH_2, SO_2NHR^{12}, $SO_2N(R^{12})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{12}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^{10}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

R^{12}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{12} alkyl, alkenyl, and alkynyl is optionally substituted with one or more alkoxy;

wherein the cyclic moieties represented by R^3, R^6, R^8, R^{10}, and R^{12} are optionally substituted with one, two, three, four, five, or six independently selected R^{13}, OR^{13}, SR^{13}, $S(O)R^{13}$, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, $OC(O)R^{13}$, $OC(O)OR^{13}$, NH_2, NHR^{13}, $N(R^{13})_2$, $NHC(O)R^{13}$, $NR^{13}C(O)R^{13}$, $NHS(O)_2R^{13}$, $NR^{13}S(O)_2R^{13}$, $NHC(O)OR^{13}$, $NR^{13}C(O)OR^{13}$, $NHC(O)NH_2$, $NHC(O)NHR^{13}$, $NHC(O)N(R^{13})_2$, $NR^{13}C(O)NHR^{13}$, $NR^{13}C(O)N(R^{13})_2$, $C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, C(O)NHOH, $C(O)NHOR^{13}$, $C(O)NHSO_2R^{13}$, $C(O)NR^{13}SO_2R^{13}$, SO_2NH_2, SO_2NHR^{13}, $SO_2N(R^{13})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, SCF_3, F, Cl, Br or I;

R^{13}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, or cycloalkenyl; wherein each R^{13} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{14}, OR^{14}, SR^{14}, $S(O)R^{14}$, SO_2R^{14}, $C(O)R^{14}$, $OC(O)R^{14}$, $OC(O)OR^{14}$, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NR^{14}C(O)R^{14}$, $NHS(O)_2R^{14}$, $NR^{14}S(O)_2R^{14}$, $NHC(O)OR^{14}$, $NR^{14}C(O)OR^{14}$, $NHC(O)NH_2$, $NHC(O)NHR^{14}$, $NHC(O)N(R^{14})_2$, $NR^{14}C(O)NHR^{14}$, $NR^{14}C(O)N(R^{14})_2$, $C(O)NH_2$, $C(O)NHR^{14}$, $C(O)N(R^{14})_2$, C(O)NHOH, $C(O)NHOR^{14}$, $C(O)NHSO_2R^{14}$, $C(O)NR^{14}SO_2R^{14}$, SO_2NH_2, SO_2NHR^{14}, $SO_2N(R^{14})_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{13} aryl,

tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{15}, OR^{15}, SR^{15}, $S(O)R^{15}$, SO_2R^{15}, $C(O)R^{15}$, $CO(O)R^{15}$, $OC(O)R^{15}$, $OC(O)OR^{15}$, NH_2, NHR^{15}, $N(R^{15})_2$, $NHC(O)R^{15}$, $NR^{15}C(O)R^{15}$, $NHS(O)_2R^{15}$, $NR^{15}S(O)_2R^{15}$, $NHC(O)OR^{15}$, $NR^{15}C(O)OR^{15}$, $NHC(O)NH_2$, $NHC(O)NHR^{15}$, $NHC(O)N(R^{15})_2$, $NR^{15}C(O)NHR^{15}$, $NR^{15}C(O)N(R^{15})_2$, $C(O)NH_2$, $C(O)NHR^{15}$, $C(O)N(R^{15})_2$, C(O)NHOH, $C(O)NHOR^{15}$, $C(O)NHSO_2R^{15}$, $C(O)NR^{15}SO_2R^{15}$, SO_2NH_2, SO_2NHR^{15}, $SO_2N(R^{15})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^{14}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{14} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected heterocyclyl, alkoxy, NH_2, SO_2NH_2, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{14} aryl, heterocyclyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{16}, OR^{16}, OH, F, Cl, Br, or I; wherein the R^{16} alkyl is optionally substituted with one, two, three or four alkoxy;

R^{15}, at each occurrence, is independently selected alkyl; wherein the R^{15} alkyl is optionally substituted with one, two, three or four alkoxy;

R^{16}, at each occurrence, is independently selected alkyl, wherein the R^{16} alkyl is optionally substituted with one, two, three or four alkoxy;

with the proviso that when R^{13} is piperidinyl, it is substituted piperidinyl; and

with the proviso that when R^{13} is pyrrolinyl, at least one of X^1, X^2, and X^3 is N.

5. The compound of claim 1, claim 2, claim 3, or claim 4, or pharmaceutically acceptable salts thereof; wherein

X^1, X^2, and X^3 are CH, or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1.

6. The compound of claim 1, claim 2, claim 3, or claim 4, or pharmaceutically acceptable salts thereof; wherein

X^1 and X^3 are CH; and X^2 is N; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

X^1 is CH; X^2 is N; and X^3 is CR^1; or

X^1 is CR^1; X^2 is N; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is N.

7. The compound of claim 1, claim 2, claim 3, or claim 4, or pharmaceutically acceptable salts thereof; wherein

X^1 and X^3 are CH; and X^2 is N.

8. The compound of claim 1, or pharmaceutically acceptable salts thereof; wherein

R^2 is phenyl which is substituted at the para position with R^5; and

R^5 is phthalazin-1(2H)-onyl, isoquinolinyl, isoquinolin-1(2H)-onyl, 5,6,7,8-tetrahydrophthalazin-1(2H)-onyl, 5-fluorophthalazin-1(2H)-onyl, (Z)-3H-benzo[d][1,2]diazepin-4(5H)-onyl, 5-(trifluoromethyl)phthalazin-1(2H)-onyl, pyrrolo[1,2-d][1,2,4]triazin-1(2H)-one, or isoindolin-1-onyl.

9. The compound of claim 1, selected from the group consisting of:

N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(aminomethyl)benzyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(furo[3,2-c]pyridin-4-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(pyridin-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(benzylcarbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,4-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(thieno[3,2-c]pyridin-4-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,3-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[4-(pyridazin-3-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,3-dihydro-1,4-benzodioxin-5-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[1-(3-methylbutyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-fluorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[4-(pyrimidin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-fluorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[3-(2-oxopyrrolidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-5-methyl-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(4-cyanophenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-fluorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,5-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,2-dimethylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(2-oxopyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(trifluoromethoxy)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-fluoro-5-(trifluoromethyl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[4-(pyrazin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-chlorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,4,5-trimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyrimidin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-nitro-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(4-fluorophenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-thienylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyrimidin-2-yl)piperazin-1-yl]carbonyl}phenyl)-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-ethyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-benzyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyrazin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-methoxyphenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-dimethylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(3-methoxyphenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(4-acetylphenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,3-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-thienylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyridin-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(2-thienyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3-methylbutyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

4-chloro-N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-phenylpiperazin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(6-aminohexyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

4-chloro-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2-thienyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1,3-benzodioxol-5-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyridin-3-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(benzylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyridazin-3-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyrimidin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(3-fluorophenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-butoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,4-dihydroxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-propoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-furylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-cyanophenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-hydroxy-2-methylphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutyl)carbamoyl]phenyl}-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methyl-1H-indazol-5-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-ethoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyrazin-2-yl)piperazin-1-yl]carbonyl}phenyl)-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,5-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-benzyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

methyl 5-({4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzoyl}amino)-1H-indazole-3-carboxylate;

N-(4-{[2-(2-oxopyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyridin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(5-chloropyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1H-indol-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(trifluoromethyl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,5-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyridin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,3-dihydro-1,4-benzodioxin-6-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-fluorobenzoyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(5-methoxy-1H-indol-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-aminobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2-chlorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-propoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-isobutoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyridin-4-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[5-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,4,5-trimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-methylpiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({2-[4-(dimethylamino)phenyl]ethyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(trifluoromethoxy)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-3-hydroxy-1-phenylpropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-cyanophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-fluoro-4-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,3-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2-fluorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(isobutylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1,3-benzodioxol-5-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-isopropoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-isopropoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

4-chloro-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-fluorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(2-oxopyrrolidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,4-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N^2-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

N-{4-[(2-phenoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-hydroxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3-fluorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({1-[(3S)-tetrahydrofuran-3-yl]-1H-pyrazol-4-yl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,4-dioxa-8-azaspiro[4.5]dec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-phenylethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(methylthio)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-ethoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-fluorophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(pyridin-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[(trifluoromethyl)thio]benzyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,4-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(2-fluorophenyl)pyrrolidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(1H-imidazol-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3-chlorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-hydroxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(hydroxymethyl)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,3-benzodioxol-5-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-isopropyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-hydroxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-ethyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,5-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[methyl(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(trifluoromethyl)piperidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(thiomorpholin-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5,6-dihydroimidazo[1,5-a]pyrazin-7(8H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-furoyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-benzylpiperidin-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(5-acetamido-2-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,5-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({2-[3-(trifluoromethyl)phenyl]ethyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methylbutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1H-imidazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-1-(3-cyanophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[benzyl(2-hydroxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-cyanophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-chlorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyanomethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclohexylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-hydroxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[butyl(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(dimethylamino)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(3,4-dihydroisoquinolin-2(1H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,3-dihydro-2H-isoindol-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,3-dihydro-1H-indol-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(phenylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-fluorophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(diethylamino)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-hydroxy-2-phenylethyl)(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-aminophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl (1-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzoyl}piperidin-4-yl)carbamate;

N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[3-chloro-5-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(cyclohexylmethyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3-chlorobenzyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(diethylcarbamoyl)piperidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-hydroxyethyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-hydroxy-6-methylphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-hydroxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-cyclohexylpiperazin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5,6-dihydro[1,2,4]triazolo[4,3-a]pyrazin-7(8H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[methyl(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(5-fluoropyridin-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopropylmethyl)(propyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-methoxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,3,4,9-tetrahydro-2H-beta-carbolin-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(tert-butylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[4-(trifluoromethyl)phenyl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-difluoropyrrolidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methylpiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3S)-1-benzylpyrrolidin-3-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-hydroxypiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[bis(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-fluorophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclopentylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-carbamoylpiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclopropylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(methylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[methyl(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pentan-2-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pentan-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclobutylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1,3-dioxolan-2-ylmethyl)(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(4-fluorophenyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-hydroxy-2-methylpropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-phenyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({2-[4-(trifluoromethyl)phenyl]ethyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxyethyl)(propyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(sec-butylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(trifluoromethyl)piperidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[bis(2-ethoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[butyl(ethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxyethyl)(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(morpholin-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[isobutyl(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[2-(2-hydroxyethoxy)ethyl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylpiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-carbamoylphenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-2-(trifluoromethyl)pyrrolidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methylpyrrolidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[ethyl(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,6-dimethylmorpholin-4-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-hydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,5-dimethylpyrrolidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(prop-2-yn-1-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[isopropyl(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[isopropyl(propyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-cyanoethyl)(cyclopropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[ethyl(isopropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-fluoropyrrolidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzoyl}-N-isopropyl-beta-alanine;

N-{4-[methyl(propyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5,6-dimethoxy-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(4-chlorophenoxy)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(trifluoromethoxy)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-phenyl-1,3-thiazol-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

methyl 2-{[4-(propylcarbamoyl)phenyl]carbamoyl}isoindoline-5-carboxylate;

2-{[4-(propylcarbamoyl)phenyl]carbamoyl}isoindoline-5-carboxylic acid;

5-amino-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(aminomethyl)-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(2-hydroxy-2-methylpropanoyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-acetamido-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(N,N-dimethylglycyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-5-(1H-pyrazol-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-5-(1H-pyrazol-4-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(methoxyacetyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(methylsulfonyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-bromo-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,5-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-chlorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4,4,4-trifluorobutanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-ethoxypropanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-phenylbutanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-methylpentanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(benzyloxy)acetyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-phenylpropanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-phenoxypropanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[N-(2-furoyl)glycyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-thienyl)butanoyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-oxo-4-phenylbutanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(N-benzoylglycyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-phenoxybutanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propionylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pentanoylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(hexanoylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(heptanoylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pent-4-enoylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(ethoxyacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2-methoxyethoxy)acetyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopropylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(4-methylpiperazin-1-yl)propanoyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

methyl 2-({4-[(cyclopentylacetyl)amino]phenyl}carbamoyl)isoindoline-5-carboxylate;

2-({4-[(cyclopentylacetyl)amino]phenyl}carbamoyl)isoindoline-5-carboxylic acid;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(hydroxymethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-cyclopentylethyl)amino]phenyl}-5-(hydroxymethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl 4-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}-3,6-dihydropyridine-1(2H)-carboxylate;

N-[4-(1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-methylbutyl)-1H-pyrazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-methyl-1H-pyrazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1E)-5-phenylpent-1-en-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-propyl-1H-pyrazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzyl-1H-pyrazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-hydroxyethyl)-1H-pyrazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[6-(1-propyl-1H-pyrazol-4-yl)pyridin-3-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[1-(3-methylbutyl)-1H-pyrazol-4-yl]pyridin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5-phenylpentyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[2-fluoro-4-(1-propyl-1H-pyrazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{2-fluoro-4-[1-(3-methylbutyl)-1H-pyrazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-butyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(isopropylsulfonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(1'-isobutyryl-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(1'-benzoyl-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-benzoylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(isopropylsulfonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(phenylsulfonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[3-(benzoylamino)pyrrolidin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[3-(butyrylamino)pyrrolidin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl 4-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}piperazine-1-carboxylate;

N-[4-(4-propionylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(cyclopropylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(2-butyryl-2,3-dihydro-1H-isoindol-5-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(2-isobutyryl-2,3-dihydro-1H-isoindol-5-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(2-benzoyl-2,3-dihydro-1H-isoindol-5-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[2-(3-methylbutyl)-2,3-dihydro-1H-isoindol-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(hexyloxy)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoylpiperidin-4-yl)butyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridin-3-ylcarbonyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[6-(4-chlorophenoxy)hexyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(piperidin-4-yl)butyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N,N'-hexane-1,6-diylbis(1,3-dihydro-2H-isoindole-2-carboxamide);

N-(4-phenylbutyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

ethyl 6-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]hexanoate;

N-hexyl-1,3-dihydro-2H-isoindole-2-carboxamide;

N-octyl-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(1-methyl-1H-pyrazol-4-yl)amino]-6-oxohexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[6-(methylamino)-6-oxohexyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-oxo-6-[(3-phenylpropyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(3-methylbutyl)amino]-6-oxohexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(5-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}pyridin-2-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[(3-phenylpropyl)carbamoyl]pyridin-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[(3-methylbutyl)carbamoyl]pyridin-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[(3-phenylpropyl)carbamoyl]-1,3-thiazol-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[(3-methylbutyl)carbamoyl]-1,3-thiazol-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(isoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4,5,6,7,8-hexahydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(8-fluoro-4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-5-(pyrrolidin-1-ylmethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(morpholin-4-ylmethyl)-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(4-methylpiperazin-1-yl)methyl]-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-chloro-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-4,5-dihydro-3H-2,3-benzodiazepin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-5-(pyrrolidin-1-ylmethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-oxo-8-(trifluoromethyl)-3,4-dihydrophthalazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(dimethylamino)methyl]-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(diethylamino)methyl]-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(4-methylpiperazin-1-yl)methyl]-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(dimethylamino)methyl]-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(diethylamino)methyl]-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-oxo-8-(trifluoromethyl)-3,4-dihydrophthalazin-1-yl]phenyl}-5-(pyrrolidin-1-ylmethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(1-methylpiperidin-4-yl)oxy]-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-{[(3R)-3-fluoropyrrolidin-1-yl]methyl}-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-{[(3S)-3-fluoropyrrolidin-1-yl]methyl}-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(azetidin-1-ylmethyl)-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxo-1,2-dihydropyrrolo[1,2-d][1,2,4]triazin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxo-1,2-dihydropyrrolo[1,2-d][1,2,4]triazin-4-yl)phenyl]-5-(pyrrolidin-1-ylmethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl 4-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}piperidine-1-carboxylate;

N-[4-(5-propyl-1,2,4-oxadiazol-3-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(piperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[(tetrahydrofuran-3-ylmethyl)carbamoyl]pyridin-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-butyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[5-(3-methylbutyl)-1,2,4-oxadiazol-3-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5-benzyl-1,2,4-oxadiazol-3-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3R)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(5-chloropyridin-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-hydroxy-4-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,4-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-oxopyrrolidin-1-yl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S,2S)-2-hydroxy-2,3-dihydro-1H-inden-1-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-hydroxycyclopropyl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl 4-{6-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]-1H-benzimidazol-2-yl}piperazine-1-carboxylate;

N-[2-(piperazin-1-yl)-1H-benzimidazol-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-5-vinyl-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-benzoylpiperazin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[5-(tetrahydrofuran-3-yl)-1,2,4-oxadiazol-3-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3-methylbutyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-d]pyrimidine-6-carboxamide;

N-(4-{[(3-phenylpropyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-d]pyrimidine-6-carboxamide;

N-{4-[1-(4-methylbenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(tetrahydrofuran-3-ylmethyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-({[(2S)-tetrahydrofuran-2-ylmethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-({[(2R)-tetrahydrofuran-2-ylmethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(1S)-2-hydroxy-1-phenylethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(2-methoxyethyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-2-(2-hydroxyethyl)piperidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(propylamino)carbonyl]phenyl}-5-pyridin-3-yl-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(propylamino)carbonyl]phenyl}-5-pyridin-4-yl-1,3-dihydro-2H-isoindole-2-carboxamide;

N^5-(2-methoxyethyl)-N^2-{4-[(propylamino)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

N-(4-cyanophenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(trifluoromethyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(1S)-2-hydroxy-1-pyridin-2-ylethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3-methylbutyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(tetrahydrofuran-3-ylmethyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-pyridin-2-ylpiperazin-1-yl)carbonyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-({[(1S)-2-hydroxy-1-pyridin-2-ylethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(1,2-dihydroxyethyl)-N-{4-[(propylamino)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoylpiperidin-4-yl)butyl]-5-cyano-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(1'-butyryl-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(1'-isobutyryl-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(tetrahydrofuran-3-ylcarbonyl)-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide; and

N-[2-(4-acetylpiperazin-1-yl)-1H-benzimidazol-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(5-oxo-L-prolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(5-oxo-D-prolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-propionyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-ethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(methoxyacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(ethoxyacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(cyclopropylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(cyclopentylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-methylbenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-methylbenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-methoxybenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-methoxybenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(4-methoxybenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-fluorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-fluorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(4-fluorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(4-chlorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[3-(dimethylamino)benzoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[4-(dimethylamino)benzoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-furoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-thienylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1H-pyrrol-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2,5-dimethyl-1H-pyrrol-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1,3-thiazol-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1H-pyrazol-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(3,5-dimethyl-1,2-oxazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridin-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridin-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isonicotinoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridazin-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyrazin-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyrimidin-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[3-(piperidin-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(morpholin-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(4-methylpiperazin-1-yl)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(1'-benzoyl-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[6-(benzoylamino)hexyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[(benzoylamino)methyl]benzyl}carbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(5-oxo-L-prolyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(5-oxo-D-prolyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(1-acetylpiperidin-4-yl)carbonyl]piperazin-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(2-acetamidobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[4-(methylsulfonyl)benzoyl]piperazin-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-butyrylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-isobutyrylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(2-methylbutanoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3,3,3-trifluoropropanoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(methoxyacetyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(tetrahydrofuran-2-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(tetrahydrofuran-3-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(cyclopentylacetyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(cyclohexylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(2-methoxybenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3-methoxybenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(4-methoxybenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3-fluorobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(2-chlorobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(4-chlorobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3-cyanobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(4-cyanobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[3-(dimethylamino)benzoyl]piperazin-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[4-(dimethylamino)benzoyl]piperazin-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3,4-dimethoxybenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3,5-dimethoxybenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(3,4-dimethoxyphenyl)acetyl]piperazin-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(2-furoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3-furoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(1H-pyrrol-2-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(1H-pyrazol-5-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(pyridin-2-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(pyridin-3-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-isonicotinoylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(pyridazin-3-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(pyrazin-2-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(pyrimidin-4-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(N,N-dimethyl-beta-alanyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-acetylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(2-fluorobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(4-fluorobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(phenylacetyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(1,3-thiazol-4-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(morpholin-4-ylacetyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-phenylbutyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-butyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-isobutyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-benzoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-oxo-2,3-dihydro-1H-isoindol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)cyclohex-3-en-1-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)cyclohex-3-en-1-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)cyclohex-3-en-1-yl]-5-(pyrrolidin-1-ylmethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1-(3-methylbutyl)-1H-pyrazol-4-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1-(2-phenylethyl)-1H-pyrazol-4-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N^5-[2-(dimethylamino)ethyl]-N^2-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

5-(morpholin-4-ylcarbonyl)-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{benzyl[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(isobutoxycarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-bromo-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

methyl 4-{[(5-cyano-1,3-dihydro-2H-isoindol-2-yl)carbonyl]amino}benzoate;

N-(4-{(E)-[(benzyloxy)imino]methyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydro-2H-pyran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(1S)-2-hydroxy-1-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(3-aminopyrrolidin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(3-methylbutyl)carbamoyl]pyridin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(3-phenylpropyl)carbamoyl]pyridin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(tetrahydrofuran-3-ylmethyl)carbamoyl]pyridin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N^2-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

N-[4-({benzyl[3-(morpholin-4-yl)propyl]amino}methyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(1H-pyrazol-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N^2-{4-[(cyclopentylacetyl)amino]phenyl}-N^5-(2-methoxyethyl)-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

N^2-{4-[(cyclopentylacetyl)amino]phenyl}-N^5-(2-hydroxyethyl)-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

5-(aminomethyl)-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-(methylthio)butan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S,3S)-1-hydroxy-3-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S,3R)-1,3-dihydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxyhexan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxypentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S,2S)-2-hydroxycyclopentyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S,2R)-2-hydroxycyclopentyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-cyclohexyl-3-hydroxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({(2R)-1-hydroxy-3-[(4-methylbenzyl)thio]propan-2-yl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-(4-tert-butylphenyl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-methoxy-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[6-(benzoylamino)hexyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(pyridin-4-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}pyridazin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(cyclopentylmethyl)carbamoyl]pyridazin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[1'-(tetrahydrofuran-3-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{1'-[(2-methoxyethoxy)acetyl]-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-(4-phenylbutyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-[1-(3-methylbutyl)-1H-pyrazol-4-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[(3-methylbutyl)carbamoyl]pyrazin-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-acetamidohexyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{(1E)-3-[benzyl(methyl)amino]prop-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-phenoxypiperidin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(3-phenoxyazetidin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[benzyl(methyl)amino]methyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(3R)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-hydroxypiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-hydroxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-hydroxy-2-methylpropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2R)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(5,6-dihydroimidazo[1,5-a]pyrazin-7(8H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-benzyl-1H-1,2,3-triazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-methylbutyl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylmethyl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[2-(2-oxopyrrolidin-1-yl)ethyl]-1H-1,2,3-triazol-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1-benzylpiperidin-4-yl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-phenylpropyl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[4-(morpholin-4-yl)benzyl]-1H-1,2,3-triazol-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyl-1H-1,2,3-triazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(cyclopentylmethyl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-methoxypropyl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]pyridin-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-{4-[(tetrahydrofuran-3-ylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-(4-{[(2-methoxyethoxy)acetyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(1'-isobutyryl-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(1'-benzoyl-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1'-(tetrahydrofuran-3-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{1'-[(2-methoxyethoxy)acetyl]-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(6-{[4-(methylsulfonyl)benzoyl]amino}hexyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(ethoxyacetyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(cyclopentylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(2-hydroxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(3-hydroxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(4-hydroxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(2-methoxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(3-methoxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(4-methoxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(2-fluorobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(3-fluorobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(4-fluorobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(2-chlorobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(3-chlorobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(4-chlorobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(3-cyanobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(4-cyanobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[3-(dimethylamino)benzoyl]amino}hexyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[4-(dimethylamino)benzoyl]amino}hexyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[3-(trifluoromethyl)benzoyl]amino}hexyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[4-(trifluoromethyl)benzoyl]amino}hexyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[3-(trifluoromethoxy)benzoyl]amino}hexyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(2,3-dimethoxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(2,4-dimethoxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(2,5-dimethoxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(phenylacetyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[(3-fluorophenyl)acetyl]amino}hexyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-{4-[(tetrahydrofuran-2-ylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(ethoxyacetyl)amino]phenyl}-5-(hydroxymethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-{4-[(tetrahydro-2H-pyran-4-ylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-{4-[(morpholin-4-ylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(morpholin-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(2-oxopyrrolidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[6-(benzoylamino)hexyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

4-fluoro-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

4-cyano-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

4-chloro-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-chloro-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(pyridin-2-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridin-2-ylcarbonyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(tetrahydrofuran-2-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1'-(tetrahydro-2H-pyran-4-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1'-(1,4-dioxan-2-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{1'-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1'-(2-hydroxy-2-methylpropanoyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1,4-dioxan-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1'-(tetrahydrofuran-2-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(tetrahydro-2H-pyran-4-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(1,4-dioxan-2-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{1'-[(1-methylpyrrolidin-3-yl)carbonyl]-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{1'-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-methylpyrrolidin-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyrrolidin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1-methylpiperidin-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(7-oxo-7-{[(3R)-tetrahydrofuran-3-ylmethyl]amino}heptyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{7-oxo-7-[(tetrahydro-2H-pyran-4-ylmethyl)amino]heptyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoylpiperidin-4-yl)butyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-isopropoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[methyl(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(azetidin-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,6-diazaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,7-diazaspiro[4.4]non-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(morpholin-4-yl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopropylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[methyl(propyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(isobutylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(cyclopentylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-methoxyethyl)(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-thienylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[methyl(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-isopropoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[benzyl(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-aminobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(6-methoxypyridin-3-yl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-isobutoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[bis(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(trifluoromethyl)piperidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(pyrazin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-cyclohexylpiperazin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[2-(3,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[5-(morpholin-4-ylmethyl)-1,2,4-oxadiazol-3-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{5-[(4-methylpiperazin-1-yl)methyl]-1,2,4-oxadiazol-3-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5-{[(3-methylbutyl)amino]methyl}-1,2,4-oxadiazol-3-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{5-[(4-hydroxypiperidin-1-yl)methyl]-1,2,4-oxadiazol-3-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-chlorobenzoyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1'-(2-hydroxy-2-methylpropanoyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1,4-dioxan-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(tetrahydrofuran-2-ylcarbonyl)-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(tetrahydro-2H-pyran-4-ylcarbonyl)-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(1,4-dioxan-2-ylcarbonyl)-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{1'-[(1-methylpyrrolidin-3-yl)carbonyl]-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{1'-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(2-hydroxy-2-methylpropanoyl)-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(2-aminoethyl)-1H-imidazol-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({4-[2-(2-hydroxyethoxy)ethyl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-hydroxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(pyridin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(pyridin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(pyrimidin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[2-(pyridin-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1,1-dioxidotetrahydrothiophen-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2,2-dimethyl-1,3-dioxolan-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-2-methoxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(4S)-2,2-dimethyl-1,3-dioxolan-4-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(4R)-2,2-dimethyl-1,3-dioxolan-4-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[3-(hydroxymethyl)oxetan-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2-{benzyl[3-(morpholin-4-yl)propyl]amino}-2-oxoethyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(3-{benzyl[3-(morpholin-4-yl)propyl]amino}-3-oxopropyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2R)-butan-2-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

4-cyano-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-methyl-1,3-dihydro-2H-isoindole-2-carboxamide;

4-chloro-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]pyridazin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-chloro-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(6-bromo-2-oxoquinolin-1(2H)-yl)butyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[6-(3-acetylphenyl)-2-oxoquinolin-1(2H)-yl]butyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(morpholin-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1'-(morpholin-4-ylacetyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(morpholin-4-ylacetyl)-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3-methyloxetan-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3-methyloxetan-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(2-{(4-fluorobenzyl)[4-(pyridin-3-yl)benzyl]amino}-1,3-thiazol-5-yl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2-benzyl-1,3-thiazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(7-{benzyl[3-(morpholin-4-yl)propyl]amino}-7-oxoheptyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutyl)sulfamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(1,3-thiazol-5-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1R)-3-hydroxy-1-phenylpropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[2-hydroxy-1-(4-methylphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(1,3-dihydroxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2R)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2R)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(4-hydroxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2S)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(3-furylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[4-(2-furoyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[4-(tetrahydrofuran-2-ylcarbonyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[4-(ethylsulfonyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1R)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2S)-1-hydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(2,3-dihydroxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[2-hydroxy-1-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(1-hydroxy-4-methylpentan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1-methylpyrrolidin-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1-methylpiperidin-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(5-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}pyridin-2-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[3.3]hept-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[3.4]oct-6-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,7-diazaspiro[3.5]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,7-diazaspiro[4.4]non-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,7-diazaspiro[4.4]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,7-diazaspiro[4.4]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,8-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,7-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,7-diazaspiro[4.5]dec-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(3,9-diazaspiro[5.5]undec-3-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,9-diazaspiro[5.5]undec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,8-diazaspiro[5.5]undec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[5.5]undec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[4.6]undec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-oxa-8-azaspiro[4.5]dec-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxa-8-azaspiro[4.5]dec-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-oxa-9-azaspiro[5.5]undec-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxa-4,8-diazaspiro[5.5]undec-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[4.5]dec-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[4.5]dec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[3.4]oct-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,7-diazaspiro[3.5]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,6-diazaspiro[3.5]non-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,5-diazaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5-oxa-2-azaspiro[3.4]oct-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(6-oxa-2-azaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(hexahydro-5H-furo[2,3-c]pyrrol-5-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(tetrahydro-1H-furo[3,4-c]pyrrol-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(hexahydrofuro[3,4-c]pyridin-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-{benzyl[3-(morpholin-4-yl)propyl]amino}-4-oxobutyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-phenylbutyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2-{benzyl[3-(morpholin-4-yl)propyl]amino}ethyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-acetyl-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1,1-dioxidotetrahydrothiophen-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-cyano-N-{4-[(3-methylbutyl)sulfamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutyl)sulfamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(1-hydroxyethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(butyrylamino)phenyl]-5-cyano-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyrrolidin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3S)-pyrrolidin-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1-methylpyrrolidin-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3-methoxybenzyl)sulfonyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-methylpiperidin-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,6-diazaspiro[3.4]oct-6-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,7-diazaspiro[3.5]non-7-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,7-diazaspiro[4.4]non-1-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,8-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,7-diazaspiro[4.5]dec-7-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,8-diazaspiro[5.5]undec-2-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[5.5]undec-8-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[4.6]undec-8-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(1-oxa-8-azaspiro[4.5]dec-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(1-oxa-8-azaspiro[4.5]dec-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(1-oxa-4,8-diazaspiro[5.5]undec-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[4.5]dec-1-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[4.5]dec-8-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[3.4]oct-2-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,7-diazaspiro[3.5]non-7-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,6-diazaspiro[3.5]non-1-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,5-diazaspiro[3.5]non-2-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(5-oxa-2-azaspiro[3.4]oct-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(6-oxa-2-azaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(2-oxa-7-azaspiro[3.5]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(hexahydro-5H-furo[2,3-c]pyrrol-5-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(tetrahydro-1H-furo[3,4-c]pyrrol-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(hexahydrofuro[3,4-c]pyridin-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[6-(3-acetylphenyl)-4-(3-hydroxypropyl)-2-oxoquinolin-1(2H)-yl]butyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1,4-dioxan-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(morpholin-4-ylacetyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-(acetamidomethyl)-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[2-(2-chlorobenzyl)-1,3-thiazol-4-yl]-2-thienyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-fluorophenyl)butyl]-5-(hydroxymethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(3R)-1-isobutyrylpyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[(3R)-1-benzoylpyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[1-(tetrahydrofuran-3-ylcarbonyl)pyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[1-(methylsulfonyl)pyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-isobutyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylmethyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylmethyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-isobutylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylmethyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylmethyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(2-hydroxypropan-2-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl {4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzyl}carbamate;

N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(methoxymethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5-{[(tetrahydrofuran-2-ylmethyl)amino]methyl}-1,2,4-oxadiazol-3-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{5-[(4-methoxypiperidin-1-yl)methyl]-1,2,4-oxadiazol-3-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5-{[4-(2-methoxyethyl)piperazin-1-yl]methyl}-1,2,4-oxadiazol-3-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[1-(morpholin-4-yl)cyclopentyl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-pentanoylpiperidin-4-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-acetylpiperidin-4-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-butyrylpiperidin-4-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylbutanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3,3,3-trifluoropropanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(methoxyacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopropylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopropylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclobutylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclohexylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{6-[(1-acetylpiperidin-4-yl)oxy]pyridin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(1-isobutyrylpiperidin-4-yl)oxy]pyridin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(3-methylbutanoyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(4,4,4-trifluorobutanoyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(methoxyacetyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(cyclopropylcarbonyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(cyclopropylacetyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(cyclobutylcarbonyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(cyclopentylcarbonyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(cyclopentylacetyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(cyclohexylcarbonyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl (2-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}ethyl)carbamate;

N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1S)-1-(4-fluorophenyl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-(4-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[3-(hydroxymethyl)oxetan-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1S)-1-(1,3-benzodioxol-5-yl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylmethyl)sulfamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylmethyl)sulfamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-cyano-N-{4-[(tetrahydrofuran-3-ylmethyl)sulfamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-(4-fluorophenyl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-(4-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-(1,3-benzodioxol-5-yl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1,4-dioxan-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(morpholin-4-ylacetyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3,3,3-trifluoropropanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(4,4,4-trifluorobutanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-3-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclobutylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3-phenylpropanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(phenylacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(4-methoxyphenyl)acetyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(methoxyacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopropylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclohexylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-benzoylpyrrolidin-3-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3-ethoxypropanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(2-methylcyclopropyl)carbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(1-methylcyclopropyl)carbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclobutylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3-methylbutanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylpropanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-acetylpyrrolidin-3-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(4,4,4-trifluorobutanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-3-ylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(ethoxyacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1-methylpiperidin-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-cyano-N-{4-[1-(2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl [(1-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}azetidin-3-yl)methyl]carbamate;

N-(4-{4-[(tetrahydrofuran-3-ylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydro-2H-pyran-4-ylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(morpholin-4-ylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(2-methoxyethoxy)acetyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclohexylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-4-ylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylbutanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3-methylbutanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(2,3-dimethylbutanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(cyclohexylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(cyclohexylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-4-ylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(morpholin-4-ylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-3-ylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-4-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(morpholin-4-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclohexylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylbutanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2,2-dimethylpropanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3,3-dimethylbutanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tricyclo[3.3.1.1~3,7~]dec-1-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(4-methoxycyclohexyl)carbonyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[4-(acetylamino)phenyl]sulfonyl}amino)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(propylsulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(4-propylphenyl)sulfonyl]amino}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(butylsulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[({[(1S,4R)-7,7-dimethyl-2-oxobicyclo[2.2.1]hept-1-yl]methyl}sulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(ethylsulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(benzylsulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(4-fluorophenyl)sulfonyl]amino}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(thiophen-2-ylsulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,7-diazaspiro[4.4]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,7-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,6-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,7-diazaspiro[4.5]dec-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,9-diazaspiro[5.5]undec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,8-diazaspiro[5.5]undec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,8-diazaspiro[5.5]undec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,8-diazaspiro[4.6]undec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-oxa-8-azaspiro[4.5]dec-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-oxa-8-azaspiro[4.5]dec-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-oxa-9-azaspiro[5.5]undec-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-oxa-4,8-diazaspiro[5.5]undec-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,8-diazaspiro[4.5]dec-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,8-diazaspiro[4.5]dec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,7-diazaspiro[3.5]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,6-diazaspiro[3.5]non-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,5-diazaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(5-oxa-2-azaspiro[3.4]oct-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(6-oxa-2-azaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(hexahydro-5H-furo[2,3-c]pyrrol-5-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(tetrahydro-1H-furo[3,4-c]pyrrol-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(hexahydrofuro[3,4-c]pyridin-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(N,N-dimethylglycyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(4-methylpiperazin-1-yl)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydrofuran-2-ylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydrofuran-3-ylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(cyclohexylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(4,4-difluorocyclohexyl)carbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(2-hydroxy-2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydrofuran-2-ylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(piperidin-1-ylsulfonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-fluoro-N-(4-{[1-(1,3-thiazol-2-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4,4-difluorocyclohexyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3,5-dimethyl-1H-pyrazol-1-yl)propan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-methyl-2-(morpholin-4-yl)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(2-methyl-1,3-thiazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-methyl-1-(morpholin-4-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

Nalpha-(4-{[(5-fluoro-1,3-dihydro-2H-isoindol-2-yl)carbonyl]amino}benzoyl)-D-phenylalaninamide;

N-(4-{[2-(acetylamino)phenyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-({4-[2-(2-hydroxyethoxy)ethyl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(furan-2-yl)-2-(pyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[bis(2-methoxyethyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-amino-1-oxohexan-2-yl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-3,3-dimethyl-1-(methylamino)-1-oxobutan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

Nalpha-(4-{[(5-fluoro-1,3-dihydro-2H-isoindol-2-yl)carbonyl]amino}benzoyl)-L-phenylalaninamide;

N-(4-{[(2R)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-cyclohexylpiperazin-1-yl)carbonyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[3-(methylcarbamoyl)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-amino-2-oxo-1-phenylethyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-tert-butoxypropyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,6-dimethylmorpholin-4-yl)ethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-2-amino-2-oxo-1-phenylethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,5-dimethyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-methyl-2-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(3S)-1-methyl-2-oxoazepan-3-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[4-(morpholin-4-yl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(5-methyl-1H-pyrazol-1-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(4-chloro-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(3,5-dimethyl-1H-pyrazol-1-yl)propan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-methyl-2-(morpholin-4-yl)butyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-({4-[2-(2-hydroxyethoxy)ethyl]piperazin-1-yl}carbonyl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-carbamoylbenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[bis(2-methoxyethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-amino-1-oxohexan-2-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(3,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[4-(pyrazin-2-yl)piperazin-1-yl]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

Nalpha-{4-[(5,7-dihydro-6H-pyrrolo[3,4-b]pyridin-6-ylcarbonyl)amino]benzoyl}-L-phenylalaninamide;

N-(4-{[(2R)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-cyclohexylpiperazin-1-yl)carbonyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-tert-butoxypropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(2,6-dimethylmorpholin-4-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-methyl-2-(morpholin-4-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(3S)-1-methyl-2-oxoazepan-3-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[4-(morpholin-4-yl)benzyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-(4,5,6,7-tetrahydro-1H-indazol-5-ylcarbamoyl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

5-fluoro-N-{4-[(3-methoxy-2,2-dimethylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-dimethylbutyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[1-(furan-2-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(3-methyl-1,2-oxazol-5-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-cyanobutan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2R)-butan-2-ylcarbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[methyl(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(ethylamino)-1-oxopropan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(1-methyl-1H-pyrazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-methoxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3S)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(1-methoxybutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-ethoxypropyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[benzyl(methyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2S)-butan-2-ylcarbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(5-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(3-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(pyridin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-1-cyclopropylethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[1-(1-methylcyclopropyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(thiophen-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-cyclopropylethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(4-methoxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(5-methyl-1,3-oxazol-2-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(tetrahydro-2H-pyran-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2S)-1-methoxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-dimethyl-2-oxobutyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(1-methyl-1H-pyrrol-2-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(propan-2-yloxy)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-amino-1-oxobutan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(tetrahydro-2H-pyran-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(1H-pyrrol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclopentylcarbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2S)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2R)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2S)-2-methylbutyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(tetrahydro-2H-pyran-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[methyl(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-methoxyethyl)(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-cyanoethyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(5-methyl-1,2-oxazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methoxy-2,2-dimethylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3,3-dimethylbutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(furan-2-yl)propan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(3-methyl-1,2-oxazol-5-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2R)-1-cyanobutan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[methyl(3-methylbutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1-methyl-1H-pyrazol-3-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-methoxybutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(1,3-thiazol-2-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(1-methyl-1H-pyrazol-4-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3S)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-methoxybutan-2-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-aminobenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-ethoxypropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(6-methoxypyridin-3-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2S)-butan-2-ylcarbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-cyanocyclopropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(5-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(4-methyl-1,3-thiazol-2-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-hydroxypropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-methylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1R)-1-cyclopropylethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(1-methylcyclopropyl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(thiophen-2-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1S)-1-cyclopropylethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-methoxybutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(tetrahydro-2H-pyran-3-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2S)-1-methoxypropan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3,3-dimethyl-2-oxobutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1-methyl-1H-pyrrol-2-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(propan-2-yloxy)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-(tetrahydro-2H-pyran-3-ylcarbamoyl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(1H-pyrrol-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-aminobenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2R)-3-methylbutan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[methyl(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-methoxyethyl)(methyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-cyanoethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-methoxy-2-methylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(cyclopropylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[methyl(propyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(pyridin-4-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

methyl 1-{4-[(1,3-dihydro-2H-pyrrolo[3,4-c]pyridin-2-ylcarbonyl)amino]phenyl}azetidine-3-carboxylate;

N-(4-{3-[(3-methylbutyl)carbamoyl]azetidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{3-[(tetrahydrofuran-2-ylmethyl)carbamoyl]azetidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{3-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]azetidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[3-(benzylcarbamoyl)azetidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[3-(cyclopentylcarbamoyl)azetidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{3-[(cyclopentylmethyl)carbamoyl]azetidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{3-[(2-methoxyethyl)carbamoyl]azetidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(3-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopentylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-2-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(pyrrolidin-1-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(pyrazin-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-methoxy-2,2-dimethylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4,4-difluorocyclohexyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-cyanobutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(ethylamino)-1-oxopropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-methyl-2-(morpholin-4-yl)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-1-cyclopropylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-cyclopropylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}pyridazin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3S)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(tetrahydro-2H-pyran-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(5-methyl-1,3-oxazol-2-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({2-[(dimethylamino)methyl]benzyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-2-amino-2-oxo-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,3-oxazol-2-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(tetrahydro-2H-pyran-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,6-dimethylmorpholin-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(1-methylcyclopropyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(furan-2-yl)-2-(pyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-cyano-N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[1-(2-hydroxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[1-(morpholin-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-fluorobenzyl)(3-methylbutanoyl)amino]butyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(9-chloro-5-oxo-2,3,3a,4,4a,5-hexahydro-6H-furo[2',3':2,3]cyclobuta[1,2-c]quinolin-6-yl)butyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[7-chloro-1-(2-hydroxyethyl)-3-oxo-1,3-dihydrocyclobuta[c]quinolin-4(2H)-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-2-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-2-ylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(6-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}pyridazin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(cyclopropylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-acetylpiperidin-3-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-butanoylpiperidin-3-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3-methylbutanoyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(methoxyacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylbutanoyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3,3,3-trifluoropropanoyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopropylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclobutylcarbonyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclobutylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylcarbonyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-4-ylcarbonyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-2-ylcarbonyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-4-ylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-3-ylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(3,5-dimethyl-1H-pyrazol-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3S)-1-methyl-2-oxoazepan-3-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(1,3-thiazol-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(furan-2-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(1-methyl-1H-pyrazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3,5-dimethyl-1H-pyrazol-1-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,2-difluoroethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(tetrahydro-2H-pyran-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(5-methyl-1,2-oxazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-methyl-1H-pyrazol-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,5-dimethyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

Nalpha-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzoyl}-L-phenylalaninamide;

N-(4-{[2-(2-methyl-1,3-thiazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-3,3-dimethyl-1-(methylamino)-1-oxobutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(thiophen-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(5-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2S)-butan-2-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-dimethyl-2-oxobutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-methyl-1H-pyrazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(acetylamino)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-methoxybutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(tetrahydro-2H-pyran-4-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pyrimidin-4-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1H-pyrrol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-2-methylbutyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-amino-1-oxohexan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-amino-2-oxo-1-phenylethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-tert-butoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(methylcarbamoyl)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-methyl-1-(morpholin-4-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(5-oxo-L-prolyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[2-methyl-2-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-ethoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylacetyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylacetyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclohexylcarbonyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(4,4-difluorocyclohexyl)carbonyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(propan-2-yloxy)acetyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopropylacetyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(4,4,4-trifluorobutanoyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-ethoxypropanoyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1-acetylpiperidin-4-yl)carbonyl]amino}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(ethoxyacetyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydrofuran-2-ylcarbonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylcarbonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopentylcarbonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{7-oxo-7-[(3-phenylpropyl)amino]heptyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(bicyclo[2.2.1]hept-2-ylacetyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1,3-thiazol-5-ylcarbonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(4-oxo-4,5,6,7-tetrahydro-1-benzofuran-3-yl)carbonyl]amino}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{2-[(3-methylbutanoyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(4-methylpentanoyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(ethoxyacetyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2-{[(2-methoxyethoxy)acetyl]amino}ethyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(tetrahydrofuran-2-ylcarbonyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(cyclopentylcarbonyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(cyclopentylacetyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[2-(benzoylamino)ethyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(tetrahydro-2H-pyran-4-ylcarbonyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(tetrahydro-2H-pyran-4-ylacetyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(tetrahydrofuran-3-ylacetyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(5-oxo-L-prolyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-propanoylazetidin-3-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2,2-dimethylbutanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-ethylbutanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pent-4-ynoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(furan-2-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(furan-3-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(thiophen-3-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(1H-pyrrol-2-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pyrimidin-4-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(5-methylpyrazin-2-yl)carbonyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(N,N-dimethylglycyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(N,N-dimethyl-beta-alanyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pyrrolidin-1-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[3-(pyrrolidin-1-yl)propanoyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[3-(piperidin-1-yl)propanoyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(4-methylpiperazin-1-yl)acetyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[3-(4-methylpiperazin-1-yl)propanoyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-cyclopropylethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-cyclopentylethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylbutyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-3-ylmethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3,3-dimethylbutyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclohexylmethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3-methylbutyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylmethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylmethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylpropyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(butylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopropylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(phenylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(4-fluorophenyl)sulfonyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(ethylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(propan-2-ylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(benzylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(propylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(thiophen-2-ylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(2S)-2-methylbutanoyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(4,4-difluorocyclohexyl)carbonyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(5-oxo-D-prolyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2,2-dimethylpropanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylpentanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-ethylbutanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(1H-pyrrol-2-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(1,2-oxazol-5-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pyridin-3-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pyridazin-3-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pyrazin-2-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pyrimidin-4-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(5-methylpyrazin-2-yl)carbonyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[3-(piperidin-1-yl)propanoyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(morpholin-4-ylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[3-(4-methylpiperazin-1-yl)propanoyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

benzyl trans-3-[(1,3-dihydro-2H-pyrrolo[3,4-c]pyridin-2-ylcarbonyl)amino]cyclobutanecarboxylate;

N-[4-(4-{[(4-methylpiperazin-1-yl)acetyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydro-2H-pyran-4-ylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[4-(benzoylamino)cyclohex-1-en-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(2S)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(2R)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(1-methylpiperidin-4-yl)carbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)carbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(3R)-tetrahydrofuran-3-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(3S)-tetrahydrofuran-3-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(2S)-2-methylbutanoyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{3-[(3-methylbutanoyl)amino]oxetan-3-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

tert-butyl 4-({4-[(1,3-dihydro-2H-pyrrolo[3,4-c]pyridin-2-ylcarbonyl)amino]phenyl}sulfonyl)piperidine-1-carboxylate;

N-{4-[4-(propylcarbamoyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(2-methoxyethyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(cyclopentylmethyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(1,4-dioxan-2-ylmethyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[4-(cyclopentylcarbamoyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[4-(tetrahydro-2H-pyran-4-ylcarbamoyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[4-(morpholin-4-ylcarbonyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[4-(cyclopropylcarbamoyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[4-(butan-2-ylcarbamoyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{(4R)-4-[(2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{(4S)-4-[(2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-benzoylazetidin-3-yl)butyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoylazetidin-3-yl)butyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[trans-3-(benzylcarbamoyl)cyclobutyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{trans-3-[(2-phenylethyl)carbamoyl]cyclobutyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{trans-3-[(3-phenylpropyl)carbamoyl]cyclobutyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methyl-1,3-oxazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(furan-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2E)-3-(furan-2-yl)prop-2-enoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1,3-oxazol-5-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(3,3,3-trifluoropropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,5-dimethyl-1H-pyrazol-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(4-methoxycyclohexyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2,3-dimethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2,2-difluorocyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1H-pyrazol-5-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tert-butoxyacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[3-(1H-1,2,4-triazol-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(3-ethoxypropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(3-hydroxy-3-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[3-(1H-pyrrol-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methylcyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methylpropoxy)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1-methylprolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-hydroxycyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopropylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopentylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-{[1-(methoxymethyl)cyclopropyl]carbonyl}-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(methylsulfonyl)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methyl-1H-pyrazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-acetyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopropylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-ethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(5-oxo-L-prolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2E)-4-methylpent-2-enoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-methoxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopent-1-en-1-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(thiophen-3-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclohexylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-propanoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2,2-dimethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methyl-1H-pyrrol-2-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(methoxyacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2,2-dimethylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(4-methylhexanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2,2-dimethylcyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,3-dimethyl-1H-pyrazol-5-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclobutylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(piperidin-1-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[2-(pyrrolidin-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,3-dimethyl-1H-pyrazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(cis-4-{[(2-methoxyethoxy)acetyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(trans-4-{[(2-methoxyethoxy)acetyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(cis-4-{[(2S)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(trans-4-{[(2S)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(cis-4-{[(2R)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(trans-4-{[(2R)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(6-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}pyridazin-3-yl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3R)-1-(3-methylbutanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3R)-1-(cyclobutylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({(3R)-1-[(2R)-tetrahydrofuran-2-ylcarbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({(3R)-1-[(2S)-tetrahydrofuran-2-ylcarbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3R)-1-(cyclopropylacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3S)-1-(3-methylbutanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3S)-1-(cyclobutylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({(3S)-1-[(2R)-tetrahydrofuran-2-ylcarbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({(3S)-1-[(2S)-tetrahydrofuran-2-ylcarbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3S)-1-(cyclopropylacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(6-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}pyridazin-3-yl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{6-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]pyridazin-3-yl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{6-[(cyclopentylmethyl)carbamoyl]pyridazin-3-yl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{6-[(tetrahydrofuran-3-ylmethyl)carbamoyl]pyridazin-3-yl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{6-[(bicyclo[2.2.1]hept-2-ylmethyl)carbamoyl]pyridazin-3-yl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{trans-4-[(2-methylpropanoyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{cis-4-[(2-methylpropanoyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{cis-4-[(cyclohexylcarbonyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{trans-4-[(cyclohexylcarbonyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{trans-4-[(cyclopropylacetyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{cis-4-[(cyclopropylacetyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-{[(2R)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-{[(2S)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(cyclopentylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(cyclopropylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(2-hydroxy-2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(tetrahydro-2H-pyran-4-ylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(cyclohexylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide; and pharmaceutically acceptable salts thereof.

10. The compound of claim 1, selected from the group consisting of:

N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-fluoro-N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-benzoylpiperidin-4-yl)butyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide; and pharmaceutically acceptable salts thereof.

11. The compound of claim 1, selected from the group consisting of:

N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-isobutyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-benzoylpiperidin-4-yl)butyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide; and pharmaceutically acceptable salts thereof.

12. The compound of claim 2, selected from the group consisting of:

N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(aminomethyl)benzyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(pyridin-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(benzylcarbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,4-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,3-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,3-dihydro-1,4-benzodioxin-5-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[1-(3-methylbutyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-fluorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-fluorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[3-(2-oxopyrrolidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-5-methyl-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-fluorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,5-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,2-dimethylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(2-oxopyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(trifluoromethoxy)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-fluoro-5-(trifluoromethyl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-chlorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,4,5-trimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-nitro-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-thienylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-ethyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-benzyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-dimethylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,3-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-thienylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyridin-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(2-thienyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3-methylbutyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(6-aminohexyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

4-chloro-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2-thienyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1,3-benzodioxol-5-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(benzylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyrimidin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-butoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,4-dihydroxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-propoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-furylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-hydroxy-2-methylphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutyl)carbamoyl]phenyl}-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methyl-1H-indazol-5-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-ethoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,5-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-benzyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

methyl 5-({4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzoyl}amino)-1H-indazole-3-carboxylate;

N-(4-{[2-(2-oxopyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyridin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1H-indol-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(trifluoromethyl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,5-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyridin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,3-dihydro-1,4-benzodioxin-6-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(5-methoxy-1H-indol-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-aminobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2-chlorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-propoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-isobutoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,4,5-trimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-methylpiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({2-[4-(dimethylamino)phenyl]ethyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(trifluoromethoxy)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-3-hydroxy-1-phenylpropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-cyanophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-fluoro-4-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,3-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2-fluorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(isobutylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1,3-benzodioxol-5-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-isopropoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-isopropoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

4-chloro-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-fluorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(2-oxopyrrolidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,4-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N^2-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

N-{4-[(2-phenoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-hydroxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3-fluorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({1-[(3S)-tetrahydrofuran-3-yl]-1H-pyrazol-4-yl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-phenylethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(methylthio)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-ethoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-fluorophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(pyridin-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[(trifluoromethyl)thio]benzyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,4-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(1H-imidazol-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3-chlorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-hydroxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(hydroxymethyl)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,3-benzodioxol-5-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-isopropyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-hydroxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-ethyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,5-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-benzylpiperidin-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(5-acetamido-2-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,5-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({2-[3-(trifluoromethyl)phenyl]ethyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methylbutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1H-imidazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-1-(3-cyanophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-cyanophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-chlorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyanomethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclohexylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-hydroxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(dimethylamino)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(phenylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-fluorophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(diethylamino)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-aminophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3-chlorobenzyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-hydroxy-6-methylphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-hydroxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(5-fluoropyridin-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-methoxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(tert-butylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3S)-1-benzylpyrrolidin-3-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-fluorophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclopentylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclopropylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(methylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pentan-2-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pentan-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclobutylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(4-fluorophenyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-hydroxy-2-methylpropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-phenyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({2-[4-(trifluoromethyl)phenyl]ethyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(sec-butylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-hydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(prop-2-yn-1-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5,6-dimethoxy-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(4-chlorophenoxy)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(trifluoromethoxy)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-phenyl-1,3-thiazol-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

methyl 2-{[4-(propylcarbamoyl)phenyl]carbamoyl}isoindoline-5-carboxylate;

2-{[4-(propylcarbamoyl)phenyl]carbamoyl}isoindoline-5-carboxylic acid;

5-amino-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(aminomethyl)-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(2-hydroxy-2-methylpropanoyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-acetamido-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(N,N-dimethylglycyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-5-(1H-pyrazol-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-5-(1H-pyrazol-4-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(methoxyacetyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(methylsulfonyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-bromo-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,5-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-chlorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-fluoro-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3R)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(5-chloropyridin-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-hydroxy-4-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,4-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-oxopyrrolidin-1-yl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S,2S)-2-hydroxy-2,3-dihydro-1H-inden-1-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-hydroxycyclopropyl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-5-vinyl-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3-methylbutyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-d]pyrimidine-6-carboxamide;

N-(4-{[(3-phenylpropyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-d]pyrimidine-6-carboxamide;

5-fluoro-N-[4-({[(2S)-tetrahydrofuran-2-ylmethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-({[(2R)-tetrahydrofuran-2-ylmethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(1S)-2-hydroxy-1-phenylethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(propylamino)carbonyl]phenyl}-5-pyridin-3-yl-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(propylamino)carbonyl]phenyl}-5-pyridin-4-yl-1,3-dihydro-2H-isoindole-2-carboxamide;

N^5-(2-methoxyethyl)-N^2-{4-[(propylamino)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

N-[4-({[(1S)-2-hydroxy-1-pyridin-2-ylethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3-methylbutyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(tetrahydrofuran-3-ylmethyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-({[(1S)-2-hydroxy-1-pyridin-2-ylethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(1,2-dihydroxyethyl)-N-{4-[(propylamino)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[6-(benzoylamino)hexyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[(benzoylamino)methyl]benzyl}carbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N^5-[2-(dimethylamino)ethyl]-N^2-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

5-(morpholin-4-ylcarbonyl)-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(isobutoxycarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydro-2H-pyran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(1S)-2-hydroxy-1-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-(methylthio)butan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S,3S)-1-hydroxy-3-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S,3R)-1,3-dihydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxyhexan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxypentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S,2S)-2-hydroxycyclopentyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S,2R)-2-hydroxycyclopentyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-cyclohexyl-3-hydroxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({(2R)-1-hydroxy-3-[(4-methylbenzyl)thio]propan-2-yl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-(4-tert-butylphenyl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

5-(hydroxymethyl)-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

5-fluoro-N-(4-{[(3R)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-hydroxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-hydroxy-2-methylpropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2R)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(2-oxopyrrolidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1-methylpyrrolidin-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyrrolidin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1-methylpiperidin-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-isopropoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(morpholin-4-yl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopropylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(isobutylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(cyclopentylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-thienylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-isopropoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-aminobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(6-methoxypyridin-3-yl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-isobutoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[2-(3,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-hydroxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(pyridin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(pyridin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(pyrimidin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[2-(pyridin-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1,1-dioxidotetrahydrothiophen-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2,2-dimethyl-1,3-dioxolan-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-2-methoxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(4S)-2,2-dimethyl-1,3-dioxolan-4-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(4R)-2,2-dimethyl-1,3-dioxolan-4-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[3-(hydroxymethyl)oxetan-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2R)-butan-2-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3-methyloxetan-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3-methyloxetan-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-cyano-N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(1,3-thiazol-5-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1R)-3-hydroxy-1-phenylpropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[2-hydroxy-1-(4-methylphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(1,3-dihydroxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2R)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2R)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(4-hydroxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2S)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(3-furylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1R)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2S)-1-hydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(2,3-dihydroxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[2-hydroxy-1-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(1-hydroxy-4-methylpentan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1-methylpyrrolidin-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1-methylpiperidin-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-oxa-8-azaspiro[4.5]dec-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxa-8-azaspiro[4.5]dec-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-oxa-9-azaspiro[5.5]undec-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1,1-dioxidotetrahydrothiophen-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(pyrrolidin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3S)-pyrrolidin-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1-methylpyrrolidin-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1-methylpiperidin-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-fluoro-N-{4-[(1-oxa-8-azaspiro[4.5]dec-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(1-oxa-8-azaspiro[4.5]dec-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(3R)-1-isobutyrylpyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[(3R)-1-benzoylpyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[1-(tetrahydrofuran-3-ylcarbonyl)pyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[1-(methylsulfonyl)pyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[1-(morpholin-4-yl)cyclopentyl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1S)-1-(4-fluorophenyl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-(4-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[3-(hydroxymethyl)oxetan-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1S)-1-(1,3-benzodioxol-5-yl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1S)-1-(4-fluorophenyl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-(4-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-(1,3-benzodioxol-5-yl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-oxa-8-azaspiro[4.5]dec-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-oxa-8-azaspiro[4.5]dec-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-oxa-9-azaspiro[5.5]undec-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-fluoro-N-(4-{[1-(1,3-thiazol-2-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4,4-difluorocyclohexyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3,5-dimethyl-1H-pyrazol-1-yl)propan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-methyl-2-(morpholin-4-yl)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(2-methyl-1,3-thiazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-methyl-1-(morpholin-4-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

Nalpha-(4-{[(5-fluoro-1,3-dihydro-2H-isoindol-2-yl)carbonyl]amino}benzoyl)-D-phenylalaninamide;

N-(4-{[2-(acetylamino)phenyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(furan-2-yl)-2-(pyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-amino-1-oxohexan-2-yl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-3,3-dimethyl-1-(methylamino)-1-oxobutan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

Nalpha-(4-{[(5-fluoro-1,3-dihydro-2H-isoindol-2-yl)carbonyl]amino}benzoyl)-L-phenylalaninamide;

N-(4-{[(2R)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[3-(methylcarbamoyl)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-amino-2-oxo-1-phenylethyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-tert-butoxypropyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,6-dimethylmorpholin-4-yl)ethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-2-amino-2-oxo-1-phenylethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,5-dimethyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-methyl-2-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(3S)-1-methyl-2-oxoazepan-3-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[4-(morpholin-4-yl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(5-methyl-1H-pyrazol-1-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(4-chloro-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(3,5-dimethyl-1H-pyrazol-1-yl)propan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-methyl-2-(morpholin-4-yl)butyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-carbamoylbenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-amino-1-oxohexan-2-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(3,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

Nalpha-{4-[(5,7-dihydro-6H-pyrrolo[3,4-b]pyridin-6-ylcarbonyl)amino]benzoyl}-L-phenylalaninamide;

N-(4-{[(2R)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-tert-butoxypropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(2,6-dimethylmorpholin-4-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-methyl-2-(morpholin-4-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(3S)-1-methyl-2-oxoazepan-3-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[4-(morpholin-4-yl)benzyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-(4,5,6,7-tetrahydro-1H-indazol-5-ylcarbamoyl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

5-fluoro-N-{4-[(3-methoxy-2,2-dimethylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-dimethylbutyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[1-(furan-2-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(3-methyl-1,2-oxazol-5-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-cyanobutan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2R)-butan-2-ylcarbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(ethylamino)-1-oxopropan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(1-methyl-1H-pyrazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-methoxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3S)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(1-methoxybutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-ethoxypropyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2S)-butan-2-ylcarbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(5-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(3-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(pyridin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-1-cyclopropylethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[1-(1-methylcyclopropyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(thiophen-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-cyclopropylethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(4-methoxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(5-methyl-1,3-oxazol-2-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(tetrahydro-2H-pyran-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2S)-1-methoxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-dimethyl-2-oxobutyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(1-methyl-1H-pyrrol-2-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(propan-2-yloxy)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-amino-1-oxobutan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(tetrahydro-2H-pyran-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(1H-pyrrol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclopentylcarbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2S)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2R)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2S)-2-methylbutyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(tetrahydro-2H-pyran-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-cyanoethyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(5-methyl-1,2-oxazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methoxy-2,2-dimethylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3,3-dimethylbutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(furan-2-yl)propan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(3-methyl-1,2-oxazol-5-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2R)-1-cyanobutan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1-methyl-1H-pyrazol-3-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-methoxybutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(1,3-thiazol-2-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(1-methyl-1H-pyrazol-4-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3S)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-methoxybutan-2-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-aminobenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-ethoxypropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(6-methoxypyridin-3-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2S)-butan-2-ylcarbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-cyanocyclopropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(5-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(4-methyl-1,3-thiazol-2-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-hydroxypropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-methylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1R)-1-cyclopropylethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(1-methylcyclopropyl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(thiophen-2-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1S)-1-cyclopropylethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-methoxybutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(tetrahydro-2H-pyran-3-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2S)-1-methoxypropan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3,3-dimethyl-2-oxobutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1-methyl-1H-pyrrol-2-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(propan-2-yloxy)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-(tetrahydro-2H-pyran-3-ylcarbamoyl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(1H-pyrrol-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-aminobenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2R)-3-methylbutan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-cyanoethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-methoxy-2-methylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(cyclopropylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(pyridin-4-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-methoxy-2,2-dimethylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4,4-difluorocyclohexyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-cyanobutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(ethylamino)-1-oxopropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-1-cyclopropylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-cyclopropylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3S)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(tetrahydro-2H-pyran-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(5-methyl-1,3-oxazol-2-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({2-[(dimethylamino)methyl]benzyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-2-amino-2-oxo-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,3-oxazol-2-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(tetrahydro-2H-pyran-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,6-dimethylmorpholin-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(1-methylcyclopropyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(furan-2-yl)-2-(pyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(3,5-dimethyl-1H-pyrazol-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3S)-1-methyl-2-oxoazepan-3-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(1,3-thiazol-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(furan-2-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(1-methyl-1H-pyrazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3,5-dimethyl-1H-pyrazol-1-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,2-difluoroethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(tetrahydro-2H-pyran-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(5-methyl-1,2-oxazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-methyl-1H-pyrazol-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,5-dimethyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

Nalpha-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzoyl}-L-phenylalaninamide;

N-(4-{[2-(2-methyl-1,3-thiazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-3,3-dimethyl-1-(methylamino)-1-oxobutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(thiophen-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(5-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2S)-butan-2-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-dimethyl-2-oxobutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-methyl-1H-pyrazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(acetylamino)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-methoxybutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(tetrahydro-2H-pyran-4-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pyrimidin-4-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1H-pyrrol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-2-methylbutyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-amino-1-oxohexan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-amino-2-oxo-1-phenylethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-tert-butoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(methylcarbamoyl)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-methyl-1-(morpholin-4-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-methyl-2-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-ethoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide; and pharmaceutically acceptable salts thereof.

13. The compound of claim 3, selected from the group consisting of:

tert-butyl 4-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}-3,6-dihydropyridine-1(2H)-carboxylate;

N-[4-(1-butyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl 4-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}piperidine-1-carboxylate;

N-[4-(1-butyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(4-methylbenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(5-oxo-L-prolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(5-oxo-D-prolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-propionyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-ethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(ethoxyacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(cyclopropylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(cyclopentylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-methylbenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-methylbenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-methoxybenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-methoxybenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(4-methoxybenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-fluorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-fluorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(4-fluorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(4-chlorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[3-(dimethylamino)benzoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[4-(dimethylamino)benzoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-thienylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1H-pyrrol-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2,5-dimethyl-1H-pyrrol-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1,3-thiazol-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1H-pyrazol-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(3,5-dimethyl-1,2-oxazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridin-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridin-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isonicotinoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridazin-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyrazin-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyrimidin-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[3-(piperidin-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(morpholin-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(4-methylpiperazin-1-yl)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-butyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-isobutyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-benzoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-isobutyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1,4-dioxan-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1,4-dioxan-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(morpholin-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1,4-dioxan-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(morpholin-4-ylacetyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1,4-dioxan-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(morpholin-4-ylacetyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1-methylpiperidin-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-cyano-N-{4-[1-(2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(N,N-dimethylglycyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(4-methylpiperazin-1-yl)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(3-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopentylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-2-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(pyrrolidin-1-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(pyrazin-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-cyano-N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[1-(2-hydroxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[1-(morpholin-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2-methyl-1,3-oxazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(furan-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2E)-3-(furan-2-yl)prop-2-enoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1,3-oxazol-5-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(3,3,3-trifluoropropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,5-dimethyl-1H-pyrazol-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(4-methoxycyclohexyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2,3-dimethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2,2-difluorocyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1H-pyrazol-5-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tert-butoxyacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[3-(1H-1,2,4-triazol-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(3-ethoxypropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(3-hydroxy-3-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[3-(1H-pyrrol-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methylcyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methylpropoxy)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1-methylprolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-hydroxycyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopropylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopentylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-{[1-(methoxymethyl)cyclopropyl]carbonyl}-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(methylsulfonyl)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methyl-1H-pyrazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-acetyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopropylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-ethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(5-oxo-L-prolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2E)-4-methylpent-2-enoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-methoxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopent-1-en-1-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(thiophen-3-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclohexylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-propanoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2,2-dimethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methyl-1H-pyrrol-2-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(methoxyacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2,2-dimethylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(4-methylhexanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2,2-dimethylcyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,3-dimethyl-1H-pyrazol-5-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclobutylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(piperidin-1-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[2-(pyrrolidin-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,3-dimethyl-1H-pyrazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide; and pharmaceutically acceptable salts thereof.

14. The compound of claim 4, selected from the group consisting of:

N-[4-(1-benzoylpiperidin-4-yl)butyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridin-3-ylcarbonyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoylpiperidin-4-yl)butyl]-5-cyano-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridin-2-ylcarbonyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoylpiperidin-4-yl)butyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-chlorobenzoyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylacetyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylacetyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclohexylcarbonyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(4,4-difluorocyclohexyl)carbonyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(propan-2-yloxy)acetyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopropylacetyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(4,4,4-trifluorobutanoyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide; and pharmaceutically acceptable salts thereof.

15. A composition for treating hypertension, chronic and congestive heart failure, cardiac hypertrophy, restenosis, chronic renal failure, cerebral vasospasm after subarachnoid bleeding, pulmonary hypertension, atherosclerosis, asthma, male erectile dysfunctions, female sexual dysfunction, over-active bladder syndrome, spinal-cord injury, traumatic brain injury, stroke, inflammatory and demyelinating diseases, Alzheimer's disease, pain, multiple sclerosis, amyotrophic lateral sclerosis, Huntington's disease, Parkinson's disease, inflammatory pain, rheumatoid arthritis, osteoarthritis, irritable bowel syndrome, Crohn's disease, psoriasis, ulcerative colitis, lupus, inflammatory bowel disease, cancer, tumor metastasis, viral infections, bacterial infections, insulin resistance, diabetes, ocular hypertension, preterm labor, atherosclerosis, spinal muscular atrophy, encephalomyelitis, osteoporosis, HIV-1, encephalitis, ischemic CNS disorders, vascular or AD type dementia, glaucoma, retinopathy, benign prostatic hypertrophy, psychiatric disorders, in particular depression, schizophrenia, obsessive compulsive disorder and bipolar disorder, epilepsy and seizure disorders, for decreasing ischemia-reperfusion injury, myocardial infarct size and myocardial fibrosis, for the prevention of graft failure, and cystic fibrosis, said composition comprising an excipient and a therapeutically effective amount of a compound of claim 1, or pharmaceutically acceptable salts thereof.

16. A composition for treating inflammatory and tissue repair disorders; including rheumatoid arthritis, inflammatory bowel disease, asthma and COPD (chronic obstructive pulmonary disease), osteoarthritis, osteoporosis and fibrotic diseases; dermatosis, including psoriasis, atopic dermatitis and ultra-violet induced skin damage; autoimmune diseases including systemic lupus erythematosis, multiple sclerosis, psoriatic arthritis, ankylosing spondylitis, tissue and organ rejection, Alzheimer's disease, stroke, athersclerosis, restenosis, diabetes, glomerulonephritis, cancer, including breast cancer, prostate cancer, lung cancer, colon cancer, cervix cancer, ovarian cancer, skin cancer, CNS cancer, bladder cancer, pancreatic cancer, leukemia, lymphoma or Hodgkin's disease, cachexia, inflammation associated with infection and viral infections, including Acquired Immune Deficiency Syndrome (AIDS), adult respiratory distress syndrome, and ataxia telengiectasia, said composition comprising an excipient and a therapeutically effective amount of a compound of claim 1, or pharmaceutically acceptable salts thereof.


17. A compound of claim 1, or pharmaceutically acceptable salts thereof, for use in a method of treating hypertension, chronic and congestive heart failure, cardiac hypertrophy, restenosis, chronic renal failure, cerebral vasospasm after subarachnoid bleeding, pulmonary hypertension, atherosclerosis, asthma, male erectile dysfunctions, female sexual dysfunction, over-active bladder syndrome, spinal-cord injury, traumatic brain injury, stroke, inflammatory and demyelinating diseases, Alzheimer's disease, pain, multiple sclerosis, amyotrophic lateral sclerosis, Huntington's disease, Parkinson's disease, inflammatory pain, rheumatoid arthritis, osteoarthritis, irritable bowel syndrome, Crohn's disease, psoriasis, ulcerative colitis, lupus, inflammatory bowel disease, cancer, tumor metastasis, viral infections, bacterial infections, insulin resistance, diabetes, ocular hypertension, preterm labor, atherosclerosis, spinal muscular atrophy, encephalomyelitis, osteoporosis, HIV-1, encephalitis, ischemic CNS disorders, vascular or AD type dementia, glaucoma, retinopathy, benign prostatic hypertrophy, psychiatric disorders including depression, schizophrenia, obsessive compulsive disorder and bipolar disorder, epilepsy and seizure disorders, for decreasing ischemia-reperfusion injury, myocardial infarct size and myocardial fibrosis, for the prevention of graft failure, and cystic fibrosis, in a patient, said method comprising administering to the patient a therapeutically effective amount of a compound of claim 1, or pharmaceutically acceptable salts thereof.

18. A compound of claim 1, or pharmaceutically acceptable salts thereof, for use in a method of treating inflammatory and tissue repair disorders including rheumatoid arthritis, inflammatory bowel disease, asthma and COPD (chronic obstructive pulmonary disease), osteoarthritis, osteoporosis and fibrotic diseases; dermatosis, including psoriasis, atopic dermatitis and ultra-violet induced skin damage; autoimmune diseases including systemic lupus erythematosis, multiple sclerosis, psoriatic arthritis, ankylosing spondylitis, tissue and organ rejection, Alzheimer's disease, stroke, athersclerosis, restenosis, diabetes, glomerulonephritis, cancer, including breast cancer, prostate cancer, lung cancer, colon cancer, cervix cancer, ovarian cancer, skin cancer, CNS cancer, bladder cancer, pancreatic cancer, leukemia, lymphoma or Hodgkin's disease, cachexia, inflammation associated with infection and viral infections, including Acquired Immune Deficiency Syndrome (AIDS), adult respiratory distress syndrome, and ataxia telengiectasia in a patient, said method comprising administering to the patient a therapeutically effective amount of a compound of claim 1, or pharmaceutically acceptable salts thereof.

19. A compound of claim 1, or pharmaceutically acceptable salts thereof, for use in a method of treating hypertension, chronic and congestive heart failure, cardiac hypertrophy, restenosis, chronic renal failure, cerebral vasospasm after subarachnoid bleeding, pulmonary hypertension, atherosclerosis, asthma, male erectile dysfunctions, female sexual dysfunction, over-active bladder syndrome, spinal-cord injury, traumatic brain injury, stroke, inflammatory and demyelinating diseases, Alzheimer's disease, pain, multiple sclerosis, amyotrophic lateral sclerosis, Huntington's disease, Parkinson's disease, inflammatory pain, rheumatoid arthritis, osteoarthritis, irritable bowel syndrome, Crohn's disease, psoriasis, ulcerative colitis, lupus, inflammatory bowel disease, cancer, tumor metastasis, viral infections, bacterial infections, insulin resistance, diabetes, ocular hypertension, preterm labor, atherosclerosis, spinal muscular atrophy, encephalomyelitis, osteoporosis, HIV-1, encephalitis, ischemic CNS disorders, vascular or AD type dementia, glaucoma, retinopathy, benign prostatic hypertrophy, psychiatric disorders, including depression, schizophrenia, obsessive compulsive disorder and bipolar disorder, epilepsy and seizure disorders, for decreasing ischemia-reperfusion injury, myocardial infarct size and myocardial fibrosis, for the prevention of graft failure, and cystic fibrosis in a patient, said method comprising administering to the patient therapeutically effective amount of the compound of claim 1, or pharmaceutically acceptable salts thereof; and a therapeutically effective amount of one additional therapeutic agent or more than one additional therapeutic agent.

20. A compound of claim 1, or pharmaceutically acceptable salts thereof, for use in a method of treating inflammatory and tissue repair disorders including rheumatoid arthritis, inflammatory bowel disease, asthma and COPD (chronic obstructive pulmonary disease), osteoarthritis, osteoporosis and fibrotic diseases; dermatosis, including psoriasis, atopic dermatitis and ultra-violet induced skin damage; autoimmune diseases including systemic lupus erythematosis, multiple sclerosis, psoriatic arthritis, ankylosing spondylitis, tissue and organ rejection, Alzheimer's disease, stroke, athersclerosis, restenosis, diabetes, glomerulonephritis, cancer, including breast cancer, prostate cancer, lung cancer, colon cancer, cervix cancer, ovarian cancer, skin cancer, CNS cancer, bladder cancer, pancreatic cancer, leukemia, lymphoma or Hodgkin's disease, cachexia, inflammation associated with infection and certain viral infections, including Acquired Immune Deficiency Syndrome (AIDS), adult respiratory distress syndrome, and ataxia telengiectasia or spleen cancer in a patient, said method comprising administering to the patient therapeutically effective amount of the compound of claim 1, or pharmaceutically acceptable salts thereof; and a therapeutically effective amount of one additional therapeutic agent or more than one additional therapeutic agent.

21. A compound of claim 1 having Formula (IIc), or pharmaceutically acceptable salts thereof



(IIc);

wherein

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

X^1 is CH; X^2 is N; and X^3 is CR^1; or

X^1 is CR^1; X^2 is N; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is N;

R^1 is R^3, OR^3, SR^3, $S(O)R^3$, SO_2R^3, $C(O)R^3$, $C(O)OR^3$, $OC(O)R^3$, NHR^3, $N(R^3)_2$, $C(O)NH_2$, $C(O)NHR^3$, $C(O)N(R^3)_2$, $NHC(O)R^3$, $NR^3C(O)R^3$, $NHC(O)OR^3$, $NR^3C(O)OR^3$, SO_2NH_2, SO_2NHR^3, $SO_2N(R^3)_2$, $NHSO_2R^3$, $NR^3SO_2R^3$, $NHSO_2NHR^3$, $NHSO_2N(R^3)_2$, $NR^3SO_2NHR^3$, $NR^3SO_2N(R^3)_2$, $C(O)NHSO_2R^3$, $NHSO_2NHR^3$, F, Cl, Br, I, CN, NO_2, N_3, OH, C(O)H, CF_3, C(O)OH, or $C(O)NH_2$;

R^2 is phenyl, thiophenyl, pyrazolyl, thiazolyl, pyridinyl, pyridazinyl, pyrazinyl, benzo[d]imidazolyl, isoindolinyl, cycloalkyl, or cycloalkenyl; wherein each R^2 phenyl is substituted at the para position with one independently selected R^5, OR^5, SR^5, $S(O)R^5$, SO_2R^5, $C(O)R^5$, $CO(O)R^5$, $OC(O)R^5$, $OC(O)OR^5$, NH_2, NHR^5, $N(R^5)_2$, $NHC(O)R^5$, $NR^5C(O)R^5$, $NHS(O)_2R^5$, $NR^5S(O)_2R^5$, $NHC(O)OR^5$, $NR^5C(O)OR^5$, $NHC(O)NH_2$, $NHC(O)NHR^5$, $NHC(O)N(R^5)_2$, $NR^5C(O)NHR^5$, $NR^5C(O)N(R^5)_2$, $C(O)NH_2$, $C(O)NHR^5$, $C(O)N(R^5)_2$, $CHNOR^5$, $C(O)NHOH$, $C(O)NHOR^5$, $C(O)NHSO_2R^5$, $C(O)NR^5SO_2R^5$, SO_2NH_2, SO_2NHR^5, $SO_2N(R^5)_2$, C(O)H, C(O)OH, OH, CN, N_3, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, Br or I; wherein each R^2 phenyl is

optionally additionally substituted with one F; wherein each R^2 thiophenyl, pyrazolyl, thiazolyl, pyridinyl, pyridazinyl, pyrazinyl, benzo[d]imidazolyl, isoindolinyl, cycloalkyl, and cycloalkenyl is substituted with one, two, three or four independently selected R^5, OR^5, SR^5, $S(O)R^5$, SO_2R^5, $C(O)R^5$, $CO(O)R^5$, $OC(O)R^5$, $OC(O)OR^5$, NH_2, NHR^5, $N(R^5)_2$, $NHC(O)R^5$, $NR^5C(O)R^5$, $NHS(O)_2R^5$, $NR^5S(O)_2R^5$, $NHC(O)OR^5$, $NR^5C(O)OR^5$, $NHC(O)NH_2$, $NHC(O)NHR^5$, $NHC(O)N(R^5)_2$, $NR^5C(O)NHR^5$, $NR^5C(O)N(R^5)_2$, $C(O)NH_2$, $C(O)NHR^5$, $C(O)N(R^5)_2$, C(O)NHOH, $C(O)NHOR^5$, $C(O)NHSO_2R^5$, $C(O)NR^5SO_2R^5$, SO_2NH_2, SO_2NHR^5, $SO_2N(R^5)_2$, C(O)H, C(O)OH, OH, CN, N_3, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^3, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, or heterocyclyl; wherein each R^3 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^6, OR^6, SR^6, $S(O)R^6$, SO_2R^6, $C(O)R^6$, $CO(O)R^6$, $OC(O)R^6$, $OC(O)OR^6$, NH_2, NHR^6, $N(R^6)_2$, $NHC(O)R^6$, $NR^6C(O)R^6$, $NHS(O)_2R^6$, $NR^6S(O)_2R^6$, $NHC(O)OR^6$, $NR^6C(O)OR^6$, $NHC(O)NH_2$, $NHC(O)NHR^6$, $NHC(O)N(R^6)_2$, $NR^6C(O)NHR^6$, $NR^6C(O)N(R^6)_2$, $C(O)NH_2$, $C(O)NHR^6$, $C(O)N(R^6)_2$, C(O)NHOH, $C(O)NHOR^6$, $C(O)NHSO_2R^6$, $C(O)NR^6SO_2R^6$, SO_2NH_2, SO_2NHR^6, $SO_2N(R^6)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^5, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^5 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^9, OR^9, SR^9, $S(O)R^9$, SO_2R^9, $C(O)R^9$, $CO(O)R^9$, $OC(O)R^9$, $OC(O)OR^9$, NH_2, NHR^9, $N(R^9)_2$, $NHC(O)R^9$, $NR^9C(O)R^9$, $NHS(O)_2R^9$, $NR^9S(O)_2R^9$, $NHC(O)OR^9$, $NR^9C(O)OR^9$, $NHC(O)NH_2$, $NHC(O)NHR^9$, $NHC(O)N(R^9)_2$, $NR^9C(O)NHR^9$, $NR^9C(O)N(R^9)_2$, $C(O)NH_2$, $C(O)NHR^9$, $C(O)N(R^9)_2$, C(O)NHOH, $C(O)NHOR^9$, $C(O)NHSO_2R^9$, $C(O)NR^9SO_2R^9$, SO_2NH_2, SO_2NHR^9, $SO_2N(R^9)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^6, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^6 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{10}, OR^{10}, SR^{10}, $S(O)R^{10}$, SO_2R^{10}, NHR^{10}, $N(R^{10})_2$, $C(O)R^{10}$, $C(O)NH_2$, $C(O)NHR^{10}$, $C(O)N(R^{10})_2$, $NHC(O)R^{10}$, $NR^{10}C(O)R^{10}$, $NHSO_2R^{10}$, $NHC(O)OR^{10}$, SO_2NH_2, SO_2NHR^{10}, $SO_2N(R^{10})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{10}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^9, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^9 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected alkoxy, OH, cycloalkyl, aryl, or heterocyclyl;

R^{10}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

wherein the cyclic moieties represented by R^3, R^5, R^6, R^9, and R^{10} are optionally substituted with one, two, three, four, five, or six independently selected R^{13}, OR^{13}, SR^{13}, $S(O)R^{13}$, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, $OC(O)R^{13}$, $OC(O)OR^{13}$, NH_2, NHR^{13}, $N(R^{13})_2$, $NHC(O)R^{13}$, $NR^{13}C(O)R^{13}$, $NHS(O)_2R^{13}$, $NR^{13}S(O)_2R^{13}$, $NHC(O)OR^{13}$, $NR^{13}C(O)OR^{13}$, $NHC(O)NH_2$, $NHC(O)NHR^{13}$, $NHC(O)N(R^{13})_2$, $NR^{13}C(O)NHR^{13}$, $NR^{13}C(O)N(R^{13})_2$, $C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, C(O)NHOH, $C(O)NHOR^{13}$, $C(O)NHSO_2R^{13}$, $C(O)NR^{13}SO_2R^{13}$, SO_2NH_2, SO_2NHR^{13}, $SO_2N(R^{13})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, SCF_3, F, Cl, Br or I;

R^{13}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, or cycloalkenyl; wherein each R^{13} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{14}, OR^{14}, SR^{14}, $S(O)R^{14}$, SO_2R^{14}, $C(O)R^{14}$, $OC(O)R^{14}$, $OC(O)OR^{14}$, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NR^{14}C(O)R^{14}$, $NHS(O)_2R^{14}$, $NR^{14}S(O)_2R^{14}$, $NHC(O)OR^{14}$, $NR^{14}C(O)OR^{14}$, $NHC(O)NH_2$, $NHC(O)NHR^{14}$, $NHC(O)N(R^{14})_2$, $NR^{14}C(O)NHR^{14}$, $NR^{14}C(O)N(R^{14})_2$, $C(O)NH_2$, $C(O)NHR^{14}$, $C(O)N(R^{14})_2$, C(O)NHOH, $C(O)NHOR^{14}$, $C(O)NHSO_2R^{14}$, $C(O)NR^{14}SO_2R^{14}$, SO_2NH_2, SO_2NHR^{14}, $SO_2N(R^{14})_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{15}, OR^{15}, SR^{15}, $S(O)R^{15}$, SO_2R^{15}, $C(O)R^{15}$, $CO(O)R^{15}$, $OC(O)R^{15}$, $OC(O)OR^{15}$, NH_2, NHR^{15}, $N(R^{15})_2$, $NHC(O)R^{15}$, $NR^{15}C(O)R^{15}$, $NHS(O)_2R^{15}$, $NR^{15}S(O)_2R^{15}$, $NHC(O)OR^{15}$, $NR^{15}C(O)OR^{15}$, $NHC(O)NH_2$, $NHC(O)NHR^{15}$, $NHC(O)N(R^{15})_2$, $NR^{15}C(O)NHR^{15}$, $NR^{15}C(O)N(R^{15})_2$, $C(O)NH_2$, $C(O)NHR^{15}$, $C(O)N(R^{15})_2$, C(O)NHOH, $C(O)NHOR^{15}$, $C(O)NHSO_2R^{15}$, $C(O)NR^{15}SO_2R^{15}$, SO_2NH_2, SO_2NHR^{15}, $SO_2N(R^{15})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^{14}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{14} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected heterocyclyl, alkoxy, NH_2, SO_2NH_2, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{14} aryl, heterocyclyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{16}, OR^{16}, OH, F, Cl, Br, or I;

R^{15}, at each occurrence, is independently selected alkyl; wherein the R^{15} alkyl is optionally substituted with one, two, three or four alkoxy; and

R^{16}, at each occurrence, is independently selected alkyl, wherein the R^{16} alkyl is optionally substituted with one, two, three or four alkoxy;


with the proviso that when X^1, X^2, and X^3 are CH and R^2 is phenyl; R^5 is not methyl;

with the proviso that when X^1, X^2, and X^3 are CH, and R^2 is phenyl substituted with OR^5; R^5 is not methyl;

with the proviso that when R^{13} is piperidinyl, it is substituted piperidinyl; and

with the proviso that when R^{13} is pyrrolinyl, at least one of X^1, X^2, and X^3 is N.

22. A compound of claim 1 having Formula (IIIc), or pharmaceutically acceptable salts thereof



(IIIc);

wherein

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

X^1 is CH; X^2 is N; and X^3 is CR^1; or

X^1 is CR^1; X^2 is N; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is N;

R^1 is R^3, OR^3, SR^3, $S(O)R^3$, SO_2R^3, $C(O)R^3$, $C(O)OR^3$, $OC(O)R^3$, NHR^3, $N(R^3)_2$, $C(O)NH_2$, $C(O)NHR^3$, $C(O)N(R^3)_2$, $NHC(O)R^3$, $NR^3C(O)R^3$, $NHC(O)OR^3$, $NR^3C(O)OR^3$, SO_2NH_2, SO_2NHR^3, $SO_2N(R^3)_2$, $NHSO_2R^3$, $NR^3SO_2R^3$, $NHSO_2NHR^3$, $NHSO_2N(R^3)_2$, $NR^3SO_2NHR^3$, $NR^3SO_2N(R^3)_2$, $C(O)NHSO_2R^3$, $NHSO_2NHR^3$, F, Cl, Br, I, CN, NH_2, NO_2, N_3, OH, C(O)H, CF_3, C(O)OH, or $C(O)NH_2$;

R^x is R^5, OR^5, SR^5, $S(O)R^5$, SO_2R^5, $C(O)R^5$, $CO(O)R^5$, $OC(O)R^5$, $OC(O)OR^5$, NH_2, NHR^5, $N(R^5)_2$, $NHC(O)R^5$, $NR^5C(O)R^5$, $NHS(O)_2R^5$, $NR^5S(O)_2R^5$, $NHC(O)OR^5$, $NR^5C(O)OR^5$, $NHC(O)NH_2$, $NHC(O)NHR^5$, $NHC(O)N(R^5)_2$, $NR^5C(O)NHR^5$, $NR^5C(O)N(R^5)_2$, $C(O)NH_2$, $C(O)NHR^5$, $C(O)N(R^5)_2$, $CHNOR^5$, C(O)NHOH, $C(O)NHOR^5$, $C(O)NHSO_2R^5$, $C(O)NR^5SO_2R^5$, SO_2NH_2, SO_2NHR^5, $SO_2N(R^5)_2$, C(O)H, C(O)OH, OH, CN, N_3, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, Br or I;

R^3, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, or heterocyclyl; wherein each R^3 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^6, OR^6, SR^6, $S(O)R^6$, SO_2R^6, $C(O)R^6$, $CO(O)R^6$, $OC(O)R^6$, $OC(O)OR^6$, NH_2, NHR^6, $N(R^6)_2$, $NHC(O)R^6$, $NR^6C(O)R^6$, $NHS(O)_2R^6$, $NR^6S(O)_2R^6$, $NHC(O)OR^6$, $NR^6C(O)OR^6$, $NHC(O)NH_2$, $NHC(O)NHR^6$, $NHC(O)N(R^6)_2$, $NR^6C(O)NHR^6$, $NR^6C(O)N(R^6)_2$, $C(O)NH_2$, $C(O)NHR^6$, $C(O)N(R^6)_2$, C(O)NHOH, $C(O)NHOR^6$, $C(O)NHSO_2R^6$, $C(O)NR^6SO_2R^6$, SO_2NH_2, SO_2NHR^6, $SO_2N(R^6)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^5, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^5 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^9, OR^9, SR^9, $S(O)R^9$, SO_2R^9, $C(O)R^9$, $CO(O)R^9$, $OC(O)R^9$, $OC(O)OR^9$, NH_2, NHR^9, $N(R^9)_2$, $NHC(O)R^9$, $NR^9C(O)R^9$, $NHS(O)_2R^9$, $NR^9S(O)_2R^9$, $NHC(O)OR^9$, $NR^9C(O)OR^9$, $NHC(O)NH_2$, $NHC(O)NHR^9$, $NHC(O)N(R^9)_2$, $NR^9C(O)NHR^9$, $NR^9C(O)N(R^9)_2$, $C(O)NH_2$, $C(O)NHR^9$, $C(O)N(R^9)_2$, C(O)NHOH, $C(O)NHOR^9$, $C(O)NHSO_2R^9$, $C(O)NR^9SO_2R^9$, SO_2NH_2, SO_2NHR^9, $SO_2N(R^9)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^6, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^6 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{10}, OR^{10}, SR^{10}, $S(O)R^{10}$, SO_2R^{10}, NHR^{10}, $N(R^{10})_2$, $C(O)R^{10}$, $C(O)NH_2$, $C(O)NHR^{10}$, $C(O)N(R^{10})_2$, $NHC(O)R^{10}$,

$NR^{10}C(O)R^{10}$, $NHSO_2R^{10}$, $NHC(O)OR^{10}$, SO_2NH_2, SO_2NHR^{10}, $SO_2N(R^{10})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{10}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^9, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^9 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected alkoxy, OH, cycloalkyl, aryl, or heterocyclyl;

R^{10}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

wherein the cyclic moieties represented by R^3, R^5, R^6, R^9, and R^{10} are optionally substituted with one, two, three, four, five, or six independently selected R^{13}, OR^{13}, SR^{13}, $S(O)R^{13}$, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, $OC(O)R^{13}$, $OC(O)OR^{13}$, NH_2, NHR^{13}, $N(R^{13})_2$, $NHC(O)R^{13}$, $NR^{13}C(O)R^{13}$, $NHS(O)_2R^{13}$, $NR^{13}S(O)_2R^{13}$, $NHC(O)OR^{13}$, $NR^{13}C(O)OR^{13}$, $NHC(O)NH_2$, $NHC(O)NHR^{13}$, $NHC(O)N(R^{13})_2$, $NR^{13}C(O)NHR^{13}$, $NR^{13}C(O)N(R^{13})_2$, $C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, C(O)NHOH, $C(O)NHOR^{13}$, $C(O)NHSO_2R^{13}$, $C(O)NR^{13}SO_2R^{13}$, SO_2NH_2, SO_2NHR^{13}, $SO_2N(R^{13})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, SCF_3, F, Cl, Br or I;

R^{13}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, or cycloalkenyl; wherein each R^{13} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{14}, OR^{14}, SR^{14}, $S(O)R^{14}$, SO_2R^{14}, $C(O)R^{14}$, $OC(O)R^{14}$, $OC(O)OR^{14}$, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NR^{14}C(O)R^{14}$, $NHS(O)_2R^{14}$, $NR^{14}S(O)_2R^{14}$, $NHC(O)OR^{14}$, $NR^{14}C(O)OR^{14}$, $NHC(O)NH_2$, $NHC(O)NHR^{14}$, $NHC(O)N(R^{14})_2$, $NR^{14}C(O)NHR^{14}$, $NR^{14}C(O)N(R^{14})_2$, $C(O)NH_2$, $C(O)NHR^{14}$, $C(O)N(R^{14})_2$, C(O)NHOH, $C(O)NHOR^{14}$, $C(O)NHSO_2R^{14}$, $C(O)NR^{14}SO_2R^{14}$, SO_2NH_2, SO_2NHR^{14}, $SO_2N(R^{14})_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{15}, OR^{15}, SR^{15}, $S(O)R^{15}$, SO_2R^{15}, $C(O)R^{15}$, $CO(O)R^{15}$, $OC(O)R^{15}$, $OC(O)OR^{15}$, NH_2, NHR^{15}, $N(R^{15})_2$,

$NHC(O)R^{15}$, $NR^{15}C(O)R^{15}$, $NHS(O)_2R^{15}$, $NR^{15}S(O)_2R^{15}$, $NHC(O)OR^{15}$, $NR^{15}C(O)OR^{15}$, $NHC(O)NH_2$, $NHC(O)NHR^{15}$, $NHC(O)N(R^{15})_2$, $NR^{15}C(O)NHR^{15}$, $NR^{15}C(O)N(R^{15})_2$, $C(O)NH_2$, $C(O)NHR^{15}$, $C(O)N(R^{15})_2$, C(O)NHOH, $C(O)NHOR^{15}$, $C(O)NHSO_2R^{15}$, $C(O)NR^{15}SO_2R^{15}$, SO_2NH_2, SO_2NHR^{15}, $SO_2N(R^{15})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^{14}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{14} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected heterocyclyl, alkoxy, NH_2, SO_2NH_2, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{14} aryl, heterocyclyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{16}, OR^{16}, OH, F, Cl, Br, or I;

R^{15}, at each occurrence, is independently selected alkyl, wherein the R^{15} alkyl is optionally substituted with one, two, three or four alkoxy; and

R^{16}, at each occurrence, is independently selected alkyl, wherein the R^{16} alkyl is optionally substituted with one, two, three or four alkoxy;

with the proviso that when X^1, X^2, and X^3 are CH; R^x is not methyl;

with the proviso that when X^1, X^2, and X^3 are CH; R^x is not methoxy;

with the proviso that when R^{13} is piperidinyl, it is substituted piperidinyl; and

with the proviso that when R^{13} is pyrrolinyl, at least one of X^1, X^2, and X^3 is N.