

In another aspect, there is provided a pharmaceutical composition comprising a compound described herein, or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable carrier.

5 | In ~~yet another aspect~~ an embodiment, there is provided the use of a compound described herein, or a pharmaceutically acceptable salt thereof, in the manufacture of a medicament for the prevention or treatment of diseases or disorders associated with an activated immune system.

10 | In another aspect, there is provided a compound as described herein, or a pharmaceutically acceptable salt thereof, or a pharmaceutical composition as described herein, for use as a medicament.

15 | In another ~~aspect~~ embodiment, there is provided the use of a compound described herein, or a pharmaceutically acceptable salt thereof, in the manufacture of a medicament for the prevention or treatment of diseases or disorders selected from the group consisting of rejection of transplanted organs such as kidney, liver, heart, lung, pancreas, cornea, and skin; graft-versus-host diseases brought about by stem cell transplantation; autoimmune syndromes including rheumatoid arthritis, multiple sclerosis, inflammatory bowel diseases
20 | such as Crohn's disease and ulcerative colitis, psoriasis, psoriatic arthritis, thyroiditis such as Hashimoto's thyroiditis, and uveo-retinitis; atopic diseases such as rhinitis, conjunctivitis, and atopic dermatitis; asthma; type I diabetes; post-infectious autoimmune diseases including rheumatic fever and post-infectious glomerulonephritis; and solid cancers and tumor metastasis.

25

30 | In yet another ~~aspect~~ embodiment, there is provided the use of a compound described herein, or a pharmaceutically acceptable salt thereof, in the manufacture of a medicament for the prevention or treatment of diseases or disorders selected from the group consisting of rejection of transplanted organs selected from kidney, liver, heart and lung; graft-versus-host diseases brought about by stem cell transplantation; autoimmune syndromes selected from rheumatoid arthritis, multiple sclerosis, psoriasis, psoriatic arthritis, Crohn's disease, and Hashimoto's thyroiditis; and atopic dermatitis.

Detailed Description of the Invention

35

- (S)-N-(3-(2-ethyl-4-(5-(2-isopropylpyridin-4-yl)-1,2,4-oxadiazol-3-yl)-6-methylphenoxy)-2-hydroxypropyl)-2-hydroxyacetamide;
- (S)-N-(3-(2-ethyl-4-(5-(2-butylpyridin-4-yl)-1,2,4-oxadiazol-3-yl)-6-methylphenoxy)-2-hydroxypropyl)-2-hydroxyacetamide;
- 5 (S)-N-(3-(2-ethyl-4-(5-(2-isobutylpyridin-4-yl)-1,2,4-oxadiazol-3-yl)-6-methylphenoxy)-2-hydroxypropyl)-2-hydroxyacetamide;
- (S)-N-(3-(2-ethyl-4-(5-(2-isopentylpyridin-4-yl)-1,2,4-oxadiazol-3-yl)-6-methylphenoxy)-2-hydroxypropyl)-2-hydroxyacetamide;
- (S)-N-(3-(2-ethyl-4-(5-(2-(pentan-3-yl)-pyridin-4-yl)-1,2,4-oxadiazol-3-yl)-6-methylphenoxy)-2-hydroxypropyl)-2-hydroxyacetamide; and
- 10 (S)-N-(3-(2-ethyl-4-(5-(2-cyclopentylpyridin-4-yl)-1,2,4-oxadiazol-3-yl)-6-methylphenoxy)-2-hydroxypropyl)-2-hydroxyacetamide;
- or a salt of such compounds.
- 15 7. A compound according to claim 1 which is (S)-N-(3-(2-ethyl-4-(5-(2-cyclopentylpyridin-4-yl)-1,2,4-oxadiazol-3-yl)-6-methylphenoxy)-2-hydroxypropyl)-2-hydroxyacetamide or a salt thereof.
8. A compound according to claim 1 which is (S)-N-(3-(2-ethyl-4-(5-(2-ethylpyridin-4-yl)-1,2,4-oxadiazol-3-yl)-6-methylphenoxy)-2-hydroxypropyl)-2-hydroxyacetamide or a salt thereof.
- 20 9. A pharmaceutical composition comprising a compound according to any one of claims 1 to 8, or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable carrier.
10. A compound according to any one of claims 1 to 8, or a pharmaceutically acceptable salt thereof, or a pharmaceutical composition according to claim 9, for use as a medicament.
- 25 11. ~~Use of a compound according to any one of claims 1 to 8, or a pharmaceutically acceptable salt thereof, in the manufacture of a medicament for the prevention or treatment of diseases or disorders associated with an activated immune system.~~
- 30 12. ~~Use of a compound according to any one of claims 1 to 8, or a pharmaceutically acceptable salt thereof, in the manufacture of a medicament for the prevention or treatment of diseases or disorders selected from the group consisting of rejection of transplanted organs such as kidney, liver, heart, lung, pancreas, cornea, and skin; graft-versus-host diseases brought about by stem cell transplantation; autoimmune syndromes including rheumatoid arthritis, multiple sclerosis, inflammatory bowel diseases such as Crohn's disease and ulcerative colitis, psoriasis,~~
- 35

psoriatic arthritis, thyroiditis such as Hashimoto's thyroiditis, and uveo-retinitis; atopic diseases such as rhinitis, conjunctivitis, and atopic dermatitis; asthma; type I diabetes; post-infectious autoimmune diseases including rheumatic fever and post-infectious glomerulonephritis; and solid cancers and tumor metastasis.

5

13. Use of a compound according to any one of claims 1 to 8, or a pharmaceutically acceptable salt thereof, in the manufacture of a medicament for the prevention or treatment of diseases or disorders selected from the group consisting of rejection of transplanted organs selected from kidney, liver, heart and lung; graft-versus-host diseases brought about by stem cell transplantation; autoimmune syndromes selected from rheumatoid arthritis, multiple sclerosis, psoriasis, psoriatic arthritis, Crohn's disease, and Hashimoto's thyroiditis; and atopic dermatitis.

10