

[Fig. 1]
Fig. 1A





Fig. 1B



[Fig. 2]

Fig. 2A






Fig. 2B



[Fig. 2] cont.




Fig. 2C



Sample number


Rapamycin (nM)	Z-factor
0.625	-14.41
1.25	-3.06
2.5	0.21
5	0.70
10	0.74

[Fig. 3]



[Fig. 4]

Fig. 4A



[Fig. 4] cont.

Fig. 4B





Fig. 4C



[Fig. 4] cont.

Fig. 4D






Fig. 4E



[Fig. 5]

Fig. 5A



(502)

[Fig. 5] cont.

Fig. 5B





Fig. 5C



[Fig. 5] cont.

Fig. 5D





Fig. 5E



[Fig. 6]

Fig.6A





Fig.6B



[Fig. 6] cont.

Fig.6C






Fig.6D




[Fig. 7]

Fig.7A




[Fig. 7] cont.

Fig.7B




[Fig. 7] cont.

Fig.7C




[Fig. 7] cont.

Fig.7D




[Fig. 7] cont.

Fig.7E




[Fig. 8]

Fig.8A



[Fig. 8] cont.

Fig.8B



[Fig. 8] cont.

Fig.8C






Fig.8D




[Fig. 9]

Fig.9A




[Fig. 9] cont.

Fig.9B




[Fig. 9] cont.

Fig.9C




[Fig. 9] cont.

Fig.9D



[Fig. 9] cont.

Fig.9E



[Fig 10]

Fig. 10A





Fig. 10B



[Fig. 11]

Fig.11A







Fig.11B




[Fig. 12]




[Fig. 13]




[Fig. 14]




[Fig. 15]





[Fig. 15] cont.



[Fig. 16]



[Fig. 17]



[Fig. 18]

Fig. 18B

IMR90





Fig. 18A

HEK293



[Fig. 19]

