




FIG. 1A




FIG. 1B




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15

Left and Right In Sync




FIG. 16

Left and Right Not in Sync




FIG. 17

Left and Right Not in Sync





FIG. 18

Rotating Clockwise in Sync





FIG. 19

Rotating Clockwise Not in Sync




FIG. 20

Rotating Anti-Clockwise In Sync





FIG. 21

Rotating Anti-Clockwise Not Sync



Rotating Clockwise In Sync





FIG. 22



Rotating Clockwise Not in Sync




FIG. 23





FIG. 24

Rotating Anti-Clockwise In Sync





FIG. 25

Rotating Anti-Clockwise Not Sync




FIG. 26

-114 AT&T

8:38 PM

40%

Cancel

XYZ




FIG. 27




FIG. 28

-114 AT&T

8:38 PM

40%

Cancel

Distance, mm/s




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36





FIG. 37




FIG. 38





FIG. 39




FIG. 40




FIG. 41




FIG. 42




FIG. 43




FIG. 44




FIG. 45




FIG. 46A




FIG. 46B

40/50
vasodilation windows




FIG. 47

4800




FIG. 48




FIG. 49




FIG. 50




FIG. 51




FIG. 52







FIG. 53






FIG. 57




FIG. 58

FIG. 59




FIG. 61




FIG. 60





FIG. 62






FIG. 63




FIG. 64




FIG. 65