


Claims

1. A compound of formula I,




I

wherein

5 L is absent or $-(C\equiv C)-$,

A is



B is aryl or heteroaryl,

C is heteroaryl,

10 Y is N, C(OH) or CH,

R¹ is each independently selected from the group consisting of

- i) amino,
- ii) C₁₋₆-alkyl,
- iii) C₁₋₆-alkoxy,
- 15 iv) cyano,
- v) halogen,
- vi) halogen-C₁₋₆-alkyl,
- vii) halogen-C₁₋₆-alkoxy, and
- viii) hydroxy;

20 R² is each independently selected from the group consisting of

- i) $-(CH_2)_k-N(R^4, R^5)$,
- ii) $-(C=O)-N(R^4, R^5)$,
- iii) halogen,
- iv) halogen-C₁₋₆-alkyl,
- 25 v) $-NH-(C=O)-C_{1-6}$ -alkyl, and
- vi) C₁₋₆-alkyl, optionally substituted by OH;


- R³ is each independently selected from the group consisting of
- i) amino,
 - ii) C₁₋₆-alkyl,
 - iii) C₁₋₆-alkoxy,
 - 5 iv) cyano,
 - v) halogen,
 - vi) halogen-C₁₋₆-alkyl,
 - vii) halogen-C₁₋₆-alkoxy, and
 - viii) hydroxy;
- 10 R⁴ is each independently selected from the group consisting of
- i) H, and
 - ii) C₁₋₆-alkyl;
- R⁵ is each independently selected from the group consisting of
- i) H,
 - 15 ii) C₁₋₆-alkyl, and
 - iii) -(C=O)-C₁₋₆-alkyl;
- or R⁴ and R⁵ form together with the N they are attached to a heterocyclyl, which heterocyclyl is optionally be substituted by one to three R⁶.
- R⁶ is each independently selected from the group consisting of
- 20 ix) -OH,
 - x) halogen,
 - xi) C₃₋₈-cycloalkyl,
 - xii) halogen-C₁₋₆-alkyl,
 - xiii) C₁₋₆-alkoxy-C₁₋₆-alkyl,
 - 25 xiv) cyano-C₁₋₆-alkyl,
 - xv) C₁₋₆-alkyl, and
 - xvi) -(C=O)-C₁₋₆-alkyl;
- R⁷ is each independently selected from the group consisting of
- vi) H,
 - 30 vii) halogen,
 - viii) halogen-C₁₋₆-alkoxy,
 - ix) C₁₋₆-alkoxy, and
 - x) C₁₋₆-alkyl;
- R⁸ is each independently selected from the group consisting of
- 35 v) H,
 - vi) halogen,
 - vii) C₁₋₆-alkoxy, and
 - viii) C₁₋₆-alkyl;
- R⁹ is each independently selected from the group consisting of
- 40 vi) H,

- vii) halogen,
 - viii) halogen-C₁₋₆-alkoxy,
 - ix) C₁₋₆-alkoxy, and
 - x) C₁₋₆-alkyl;
- 5 k is 0, 1 or 2,
 n is 0, 1, 2, 3 or 4;
 m is 0, 1 or 2;
 p is 0 or 1;

or a pharmaceutically acceptable salt thereof.

- 10 2. The compound of formula I, or a pharmaceutically acceptable salt thereof, according to claim 1, wherein

L is absent or $-(C\equiv C)-$,
 A is



- 15 B is aryl or heteroaryl,
 C is heteroaryl,
 Y is N or CH,
 R² is each independently selected from the group consisting of
- iv) $-(CH_2)_k-N(R^4, R^5)$,
 - 20 v) halogen-C₁₋₆-alkyl, and
 - vi) C₁₋₆-alkyl, optionally substituted by OH;

R⁴ and R⁵ form together with the N they are attached to a heterocyclyl, which heterocyclyl is optionally be substituted by one to three R⁶.

R⁶ is each independently selected from the group consisting of

- 25 vi) $-OH$,
 vii) halogen,
 viii) C₃₋₈-cycloalkyl,
 ix) halogen-C₁₋₆-alkyl,
 x) C₁₋₆-alkoxy-C₁₋₆-alkyl,
 30 xi) cyano-C₁₋₆-alkyl, and
 xii) C₁₋₆-alkyl;
- R⁷ is H or halogen;
 R⁸ is H;
 R⁹ is halogen;

- k is 0 or 1;
 n is 0;
 m is 1;
 p is 0.

- 5 3. The compound of formula I, or a pharmaceutically acceptable salt thereof, according to any one of claims 1-2, wherein A is



, in particular

wherein

Y is N or CH, and

- 10 R^a, R^b, R^c or R^d is each independently selected from the group consisting of

- i) H,
 ii) amino,
 iii) C₁₋₆-alkyl,
 iv) C₁₋₆-alkoxy,
 15 v) cyano,
 vi) halogen,
 vii) halogen-C₁₋₆-alkyl,
 viii) halogen-C₁₋₆-alkoxy, and
 ix) hydroxyl;

- 20 more particularly, wherein A is 6,7-Dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl or 6,7-Dihydro-5H-pyrrolizin-1-yl.

4. The compound of formula I, or a pharmaceutically acceptable salt thereof, according to any one of claims 1-3, wherein B is aryl, in particular phenyl.
5. The compound of formula I, or a pharmaceutically acceptable salt thereof, according to any one of claims 1-4, wherein B is heteroaryl, in particular pyridinyl.
- 25 6. The compound of formula I, or a pharmaceutically acceptable salt thereof, according to any one of claims 1-5, wherein C is heteroaryl, in particular thiazolyl.
7. The compound of formula I, or a pharmaceutically acceptable salt thereof, according to any one of claims 1-6, wherein n is 0.

8. The compound of formula I, or a pharmaceutically acceptable salt thereof, according to any one of claims 1-7, wherein m is 1.
9. The compound of formula I, or a pharmaceutically acceptable salt thereof, according to any one of claims 1-8, wherein p is 0.
- 5 10. The compound of formula I, or a pharmaceutically acceptable salt thereof, according to any one of claims 1-8, wherein R² is -(CH₂)_k-N(R⁴,R⁵), k is 0 or 1 and R⁴ and R⁵ form together with the N they are attached to a heterocyclyl, which heterocyclyl is optionally substituted by R⁶.
- 10 11. The compound of formula I, or a pharmaceutically acceptable salt thereof, according to any one of claims 1-8, wherein R² is -(CH₂)_k-N(R⁴,R⁵), k is 0 or 1 and R⁴ and R⁵ form together with the N they are attached to piperazinyl, piperidinyl or morpholino, which piperazinyl, piperidinyl or morpholino are optionally substituted by R⁶.
12. The compound of formula I, or a pharmaceutically acceptable salt thereof, according to any one of claims 1-9, that is selected from the group consisting of
 - 15 (2*RS*)-2-(6,7-Dihydro-5H-pyrrolizin-1-yl)-2-[4-fluoro-6-[2-[4-[(4-hydroxy-1-piperidyl)methyl]phenyl]ethynyl]-1-oxo-isoindolin-2-yl]-N-thiazol-2-yl-acetamide,
 - (2*RS*)-2-(6,7-Dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl)-2-[4-fluoro-6-[2-[4-[(4-methylpiperazin-1-yl)methyl]phenyl]ethynyl]-1-oxo-isoindolin-2-yl]-N-thiazol-2-yl-acetamide,
 - 20 (2*RS*)-2-(6,7-Dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl)-2-[4-fluoro-6-[2-[4-[(4-hydroxy-1-piperidyl)methyl]phenyl]ethynyl]-1-oxo-isoindolin-2-yl]-N-thiazol-2-yl-acetamide,
 - (2*RS*)-2-(6,7-Dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl)-2-[4-fluoro-1-oxo-6-(4-piperazin-1-yl)phenyl]isoindolin-2-yl]-N-thiazol-2-yl-acetamide,
 - (2*RS*)-2-(6,7-Dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl)-2-[4-fluoro-6-[4-(4-hydroxy-1-piperidyl)phenyl]-1-oxo-isoindolin-2-yl]-N-thiazol-2-yl-acetamide,
 - 25 (2*RS*)-2-(6,7-Dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl)-2-[4-fluoro-6-[2-[4-(hydroxymethyl)phenyl]ethynyl]-1-oxo-isoindolin-2-yl]-N-thiazol-2-yl-acetamide,
 - (2*RS*)-2-(6,7-Dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl)-2-[4-fluoro-1-oxo-6-[2-[4-(1-piperidylmethyl)phenyl]ethynyl]isoindolin-2-yl]-N-thiazol-2-yl-acetamide,
 - 30 (2*RS*)-2-(6,7-Dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl)-2-[6-[4-(4-ethylpiperazin-1-yl)phenyl]-4-fluoro-1-oxo-isoindolin-2-yl]-N-thiazol-2-yl-acetamide,
 - (2*RS*)-2-(6,7-Dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl)-2-[6-[6-(4-ethylpiperazin-1-yl)-3-pyridyl]-4-fluoro-1-oxo-isoindolin-2-yl]-N-thiazol-2-yl-acetamide,
 - (2*RS*)-2-[4-Chloro-6-[2-[4-[(4-hydroxy-1-piperidyl)methyl]phenyl]ethynyl]-1-oxo-isoindolin-2-yl]-2-(6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl)-N-thiazol-2-yl-acetamide,
 - 35

- (2*RS*)-2-[4-Chloro-6-[4-(4-ethylpiperazin-1-yl)phenyl]-1-oxo-isoindolin-2-yl]-2-(6,7-dihydro-5H-pyrrolo[1,2-*c*]imidazol-1-yl)-N-thiazol-2-yl-acetamide,
(2*RS*)-2-[4-Chloro-6-[4-(4-hydroxy-1-piperidyl)phenyl]-1-oxo-isoindolin-2-yl]-2-(6,7-dihydro-5H-pyrrolo[1,2-*c*]imidazol-1-yl)-N-thiazol-2-yl-acetamide,
5 (2*RS*)-2-[4-Chloro-6-[6-(4-hydroxy-1-piperidyl)-3-pyridyl]-1-oxo-isoindolin-2-yl]-2-(6,7-dihydro-5H-pyrrolo[1,2-*c*]imidazol-1-yl)-N-thiazol-2-yl-acetamide, and
(2*RS*)-2-[7-chloro-4-fluoro-6-[2-[4-[(4-hydroxy-1-piperidyl)methyl]phenyl]ethynyl]-1-oxo-isoindolin-2-yl]-2-(6,7-dihydro-5H-pyrrolo[1,2-*c*]imidazol-1-yl)-N-thiazol-2-yl-acetamide.
13. The compound of formula I, or a pharmaceutically acceptable salt thereof, according to any
10 one of claims 1-9, that is selected from the group consisting of
- 2-[4-chloro-1-oxo-6-[2-[4-(1-piperidylmethyl)phenyl]ethynyl]isoindolin-2-yl]-2-(6,7-dihydro-5H-pyrrolo[1,2-*c*]imidazol-1-yl)-N-thiazol-2-yl-acetamide;
- 2-(6,7-dihydro-5H-pyrrolo[1,2-*c*]imidazol-1-yl)-2-[6-[4-(1-ethyl-4-piperidyl)phenyl]-4-fluoro-1-oxo-isoindolin-2-yl]-N-thiazol-2-yl-acetamide;
- 15 2-[4-fluoro-6-[2-[4-[(4-hydroxy-1-piperidyl)methyl]phenyl]ethynyl]-1-oxo-isoindolin-2-yl]-2-[rac-(6*R*)-6-fluoro-6,7-dihydro-5H-pyrrolo[1,2-*c*]imidazol-1-yl]-N-thiazol-2-yl-acetamide;
- 2-[6-[3-chloro-4-(4-ethylpiperazin-1-yl)phenyl]-4-fluoro-1-oxo-isoindolin-2-yl]-2-(6,7-dihydro-5H-pyrrolo[1,2-*c*]imidazol-1-yl)-N-thiazol-2-yl-acetamide;
- 20 2-[6-[3-chloro-4-[rac-(3*R*)-3-methylpiperazin-1-yl]phenyl]-4-fluoro-1-oxo-isoindolin-2-yl]-2-(6,7-dihydro-5H-pyrrolo[1,2-*c*]imidazol-1-yl)-N-thiazol-2-yl-acetamide;
- 2-[6-[3-chloro-4-[rac-(3*R*)-4-ethyl-3-methyl-piperazin-1-yl]phenyl]-4-fluoro-1-oxo-isoindolin-2-yl]-2-(6,7-dihydro-5H-pyrrolo[1,2-*c*]imidazol-1-yl)-N-thiazol-2-yl-acetamide;
- 2-[4-chloro-6-[4-[(1-ethyl-4-piperidyl)oxy]phenyl]-1-oxo-isoindolin-2-yl]-2-(6,7-dihydro-5H-pyrrolo[1,2-*c*]imidazol-1-yl)-N-thiazol-2-yl-acetamide;
- 25 2-[6-(3-chloro-4-morpholino-phenyl)-4-fluoro-1-oxo-isoindolin-2-yl]-2-(6,7-dihydro-5H-pyrrolo[1,2-*c*]imidazol-1-yl)-N-thiazol-2-yl-acetamide;
- 2-[6-[3-chloro-4-(4-ethylpiperazin-1-yl)phenyl]-4-fluoro-1-oxo-isoindolin-2-yl]-2-[rac-(6*R*)-6-fluoro-6,7-dihydro-5H-pyrrolo[1,2-*c*]imidazol-1-yl]-N-thiazol-2-yl-acetamide;
- 30 2-[6-(3-chloro-4-morpholino-phenyl)-4-fluoro-1-oxo-isoindolin-2-yl]-2-[rac-(6*R*)-6-fluoro-6,7-dihydro-5H-pyrrolo[1,2-*c*]imidazol-1-yl]-N-thiazol-2-yl-acetamide;

2-[6-[3-chloro-4-[rac-(3R)-4-ethyl-3-methyl-piperazin-1-yl]phenyl]-4-fluoro-1-oxo-isoindolin-2-yl]-2-[rac-(6R)-6-fluoro-6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl]-N-thiazol-2-yl-acetamide;

2-[6-[4-(1-ethyl-4-piperidyl)-3-fluoro-phenyl]-4-fluoro-1-oxo-isoindolin-2-yl]-2-[rac-(6R)-6-fluoro-6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl]-N-thiazol-2-yl-acetamide;

2-[6-[4-(1-cyclopropyl-4-piperidyl)phenyl]-4-fluoro-1-oxo-isoindolin-2-yl]-2-(6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl)-N-thiazol-2-yl-acetamide;

2-[4-chloro-6-[4-(1-cyclopropyl-4-piperidyl)phenyl]-1-oxo-isoindolin-2-yl]-2-(6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl)-N-thiazol-2-yl-acetamide;

2-[4-chloro-6-[4-(1-ethyl-4-piperidyl)phenyl]-1-oxo-isoindolin-2-yl]-2-(6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl)-N-thiazol-2-yl-acetamide;

2-[6-[3-chloro-4-(1-ethyl-4-piperidyl)phenyl]-4-fluoro-1-oxo-isoindolin-2-yl]-2-(6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl)-N-thiazol-2-yl-acetamide;

2-[6-[4-(1-ethyl-4-piperidyl)phenyl]-4-fluoro-1-oxo-isoindolin-2-yl]-2-[rac-(6R)-6-fluoro-6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl]-N-thiazol-2-yl-acetamide;

2-(6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl)-2-[4-fluoro-1-oxo-6-[4-[rac-(3R,4R)-1-ethyl-3-fluoro-4-piperidyl]phenyl]isoindolin-2-yl]-N-thiazol-2-yl-acetamide;

2-(6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl)-2-[6-[4-(1-ethyl-4-piperidyl)-3-fluoro-phenyl]-4-fluoro-1-oxo-isoindolin-2-yl]-N-thiazol-2-yl-acetamide;

2-[6-[4-[1-(2,2-difluoroethyl)-4-piperidyl]phenyl]-4-fluoro-1-oxo-isoindolin-2-yl]-2-(6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl)-N-thiazol-2-yl-acetamide;

2-(6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl)-2-[4-fluoro-6-[4-[1-(2-methoxyethyl)-4-piperidyl]phenyl]-1-oxo-isoindolin-2-yl]-N-thiazol-2-yl-acetamide;

2-(6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl)-2-[4-fluoro-6-[4-[1-(2-fluoroethyl)-4-piperidyl]phenyl]-1-oxo-isoindolin-2-yl]-N-thiazol-2-yl-acetamide;

2-(6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl)-2-[6-[3-ethyl-4-(1-ethyl-4-piperidyl)phenyl]-4-fluoro-1-oxo-isoindolin-2-yl]-N-thiazol-2-yl-acetamide;

2-[6-[4-(4-cyclopropylpiperazin-1-yl)-3-fluoro-phenyl]-4-fluoro-1-oxo-isoindolin-2-yl]-2-[rac-(6R)-6-fluoro-6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl]-N-thiazol-2-yl-acetamide;

2-[6-[3-chloro-4-(4-cyclopropylpiperazin-1-yl)phenyl]-4-fluoro-1-oxo-isoindolin-2-yl]-2-[rac-(6R)-6-fluoro-6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl]-N-thiazol-2-yl-acetamide;

2-[4-chloro-6-[4-(4-cyclopropylpiperazin-1-yl)-3-fluoro-phenyl]-1-oxo-isoindolin-2-yl]-2-(6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl)-N-thiazol-2-yl-acetamide;

5 2-[6-[3-chloro-4-[4-(2,2-difluoroethyl)piperazin-1-yl]phenyl]-4-fluoro-1-oxo-isoindolin-2-yl]-2-(6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl)-N-thiazol-2-yl-acetamide;

2-[6-[4-(4-cyclopropylpiperazin-1-yl)-3-fluoro-phenyl]-4-fluoro-1-oxo-isoindolin-2-yl]-2-(6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl)-N-thiazol-2-yl-acetamide;

10 2-[6-[2-(2-chlorophenyl)ethynyl]-4-fluoro-1-oxo-isoindolin-2-yl]-2-(6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl)-N-thiazol-2-yl-acetamide;

2-[6-[2-[4-[(4,4-difluoro-1-piperidyl)methyl]phenyl]ethynyl]-4-fluoro-1-oxo-isoindolin-2-yl]-2-(6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl)-N-thiazol-2-yl-acetamide;

2-(6,7-dihydro-5H-pyrrolizin-1-yl)-2-[4-fluoro-6-(3-fluoro-4-morpholino-phenyl)-1-oxo-isoindolin-2-yl]-N-thiazol-2-yl-acetamide;

15 2-[6-[3-chloro-4-(4-cyclopropylpiperazin-1-yl)phenyl]-4-fluoro-1-oxo-isoindolin-2-yl]-2-(6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl)-N-thiazol-2-yl-acetamide;

2-(6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl)-2-[4-fluoro-1-oxo-6-[2-[4-(trifluoromethyl)phenyl]ethynyl]isoindolin-2-yl]-N-thiazol-2-yl-acetamide;

20 2-(6,7-dihydro-5H-pyrrolizin-1-yl)-2-[6-[4-(1-ethyl-4-piperidyl)phenyl]-4-fluoro-1-oxo-isoindolin-2-yl]-N-thiazol-2-yl-acetamide;

2-[6-[3-chloro-4-[4-(2-fluoroethyl)piperazin-1-yl]phenyl]-4-fluoro-1-oxo-isoindolin-2-yl]-2-(6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl)-N-thiazol-2-yl-acetamide;

2-[6-[3-ethyl-4-(1-ethyl-4-piperidyl)phenyl]-4-fluoro-1-oxo-isoindolin-2-yl]-2-[rac-(6R)-6-fluoro-6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl]-N-thiazol-2-yl-acetamide;

25 2-[7-chloro-4-fluoro-6-(4-morpholinophenyl)-1-oxo-isoindolin-2-yl]-2-(6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl)-N-thiazol-2-yl-acetamide;

2-[4-chloro-6-[3-ethyl-4-(1-ethyl-4-piperidyl)phenyl]-1-oxo-isoindolin-2-yl]-2-[rac-(6R)-6-fluoro-6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl]-N-thiazol-2-yl-acetamide;

30 2-[4-chloro-6-[4-(1-ethyl-4-piperidyl)phenyl]-1-oxo-isoindolin-2-yl]-2-[rac-(6R)-6-fluoro-6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl]-N-thiazol-2-yl-acetamide;

2-[4-chloro-6-[4-(1-cyclopropyl-4-piperidyl)phenyl]-1-oxo-isoindolin-2-yl]-2-[rac-(6R)-6-fluoro-6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl]-N-thiazol-2-yl-acetamide;

2-[4-chloro-6-[4-[1-(2-fluoroethyl)-4-piperidyl]phenyl]-1-oxo-isoindolin-2-yl]-2-[rac-(6R)-6-fluoro-6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl]-N-thiazol-2-yl-acetamide;

5 2-[4-chloro-6-[4-[1-(2-cyanoethyl)-4-piperidyl]phenyl]-1-oxo-isoindolin-2-yl]-2-[rac-(6R)-6-fluoro-6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl]-N-thiazol-2-yl-acetamide;

2-[4-chloro-6-[3-ethyl-4-[1-(2-fluoroethyl)-4-piperidyl]phenyl]-1-oxo-isoindolin-2-yl]-2-[rac-(6R)-6-fluoro-6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl]-N-thiazol-2-yl-acetamide;

10 2-[4-chloro-6-[4-[1-(2-fluoroethyl)-4-piperidyl]phenyl]-1-oxo-isoindolin-2-yl]-2-(6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl)-N-thiazol-2-yl-acetamide;

2-[4-chloro-6-[4-[1-(2,2-difluoroethyl)-4-piperidyl]phenyl]-1-oxo-isoindolin-2-yl]-2-[rac-(6R)-6-fluoro-6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl]-N-thiazol-2-yl-acetamide;

2-[4,7-dichloro-6-[4-(1-ethyl-4-piperidyl)phenyl]-1-oxo-isoindolin-2-yl]-2-(6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl)-N-thiazol-2-yl-acetamide;

15 2-[4,7-dichloro-6-[4-(1-ethyl-4-piperidyl)phenyl]-1-oxo-isoindolin-2-yl]-2-[rac-(6R)-6-fluoro-6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl]-N-thiazol-2-yl-acetamide;

2-[4,7-dichloro-6-[4-[1-(2-fluoroethyl)-4-piperidyl]phenyl]-1-oxo-isoindolin-2-yl]-2-(6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl)-N-thiazol-2-yl-acetamide;

20 2-[4,7-dichloro-6-[4-[1-(2-fluoroethyl)-4-piperidyl]phenyl]-1-oxo-isoindolin-2-yl]-2-[rac-(6R)-6-fluoro-6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl]-N-thiazol-2-yl-acetamide;

2-[4,7-dichloro-6-(4-morpholinophenyl)-1-oxo-isoindolin-2-yl]-2-[rac-(6R)-6-fluoro-6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl]-N-thiazol-2-yl-acetamide;

2-[4-chloro-1-oxo-6-[4-[rac-(3R,4R)-1-ethyl-3-fluoro-4-piperidyl]phenyl]isoindolin-2-yl]-2-[rac-(6R)-6-fluoro-6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl]-N-thiazol-2-yl-acetamide;

25 2-[4-fluoro-6-[2-[4-[4-(hydroxymethyl)-1-piperidyl]methyl]phenyl]ethynyl]-1-oxo-isoindolin-2-yl]-2-[rac-(6R)-6-fluoro-6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl]-N-thiazol-2-yl-acetamide;

2-[4-chloro-6-[4-(1-ethyl-3,3-difluoro-4-piperidyl)phenyl]-1-oxo-isoindolin-2-yl]-2-[rac-(6R)-6-fluoro-6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl]-N-thiazol-2-yl-acetamide;

2-[4-chloro-6-[4-[1-(2-hydroxyethyl)-4-piperidyl]phenyl]-1-oxo-isindolin-2-yl]-2-[rac-(6R)-6-fluoro-6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl]-N-thiazol-2-yl-acetamide.

14. The compound of formula I, or a pharmaceutically acceptable salt thereof, according to any one of claims 1-9, that is selected from the group consisting of
- 5 2-[4-chloro-6-[3-ethyl-4-[1-(2-fluoroethyl)-4-piperidyl]phenyl]-1-oxo-isindolin-2-yl]-2-[rac-(6R)-6-fluoro-6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl]-N-thiazol-2-yl-acetamide;
- 2-[4-chloro-1-oxo-6-[4-[rac-(3R,4R)-1-ethyl-3-fluoro-4-piperidyl]phenyl]isindolin-2-yl]-2-[rac-(6R)-6-fluoro-6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl]-N-thiazol-2-yl-acetamide.
- 10 15. The compound of formula I, or a pharmaceutically acceptable salt thereof, according to any one of claims 1-11, for use as therapeutically active substance.
16. The compound of formula I, or a pharmaceutically acceptable salt thereof, according to any one of claims 1-11, for the use in the therapeutic and/or prophylactic treatment of cancer, in particular non-small-cell lung cancer.
- 15 17. The compound of formula I, or a pharmaceutically acceptable salt thereof, according to any one of claims 1-11, for the use in the manufacture of a medicament for the therapeutic and/or prophylactic treatment of cancer, in particular non-small-cell lung cancer.
18. A pharmaceutical composition comprising the compound of formula I, or a pharmaceutically acceptable salt thereof, according to any one of claims 1-11 and a pharmaceutically acceptable auxiliary substance.
- 20