


What is claimed is

1. A compound or salt thereof according to Formula (I)



(I)


- 5 A is 2-hydroxy-phenyl which is substituted with 0, 1, 2, or 3 substituents independently selected from C₁-C₄alkyl, wherein 2 C₁-C₄alkyl groups can combine with the atoms to which they are bound to form a 5-6 membered ring and is substituted with 0 or 1 substituents selected from oxo, oxime and hydroxy, haloC₁-C₄alkyl, dihaloC₁-C₄alkyl, trihaloC₁-C₄alkyl, C₁-C₄alkoxy, C₁-C₄alkoxy- C₃-C₇cycloalkyl, haloC₁-C₄alkoxy, dihaloC₁-C₄alkoxy, trihaloC₁-C₄alkoxy, hydroxy, cyano, 10 halogen, amino, mono- and di-C₁-C₄alkylamino, heteroaryl, C₁-C₄alkyl substituted with hydroxy, C₁-C₄alkoxy substituted with aryl, amino, -C(O)NH C₁-C₄alkyl – heteroaryl, -NHC(O)- C₁-C₄alkyl- heteroaryl, C₁-C₄alkyl C(O)NH- heteroaryl, C₁-C₄alkyl NHC(O)- heteroaryl, 3-7 membered cycloalkyl, 5-7 membered cycloalkenyl or 5, 6 or 9 membered heterocycle containing 1 or 2 heteroatoms, independently, selected from S, O and N, wherein heteroaryl has 5, 6 or 9 ring atoms, 15 1, 2 or 3 ring heteroatoms selected from N, O and S and substituted with 0, 1, or 2 substituents independently selected from oxo, hydroxy, nitro, halogen, C₁-C₄alkyl, C₁-C₄alkenyl, C₁-C₄alkoxy, C₃-C₇cycloalkyl, C₁-C₄alkyl-OH, trihaloC₁-C₄alkyl, mono- and di-C₁-C₄alkylamino, -C(O)NH₂, -NH₂, -NO₂, hydroxyC₁-C₄alkylamino, hydroxyC₁-C₄alkyl, 4-7member heterocycleC₁-C₄alkyl, aminoC₁-C₄alkyl and mono- and di-C₁-C₄alkylaminoC₁-C₄alkyl; or
- 20 A is 2-naphthyl optionally substituted at the 3 position with hydroxy and additionally substituted with 0, 1, or 2 substituents selected from hydroxy, cyano, halogen, C₁-C₄alkyl, C₂-C₄alkenyl, C₁-C₅alkoxy, wherein the alkoxy is unsubstituted or substituted with hydroxy, C₁-C₄alkoxy, amino, N(H)C(O)C₁-C₄alkyl, N(H)C(O)₂ C₁-C₄alkyl, alkylene 4 to 7 member heterocycle, 4 to 7 member heterocycle and mono-and di-C₁-C₄alkylamino; or
- 25 A is 6 member heteroaryl having 1-3 ring nitrogen atoms, which 6 member heteroaryl is substituted by phenyl or a heteroaryl having 5 or 6 ring atoms, 1 or 2 ring heteroatoms independently selected from N, O and S and substituted with 0, 1, or 2 substituents independently selected from C₁-C₄alkyl, mono- and di-C₁-C₄alkylamino, hydroxyC₁-C₄alkylamino, hydroxyC₁-C₄alkyl, aminoC₁-C₄alkyl and mono- and di-C₁-C₄alkylaminoC₁-C₄alkyl; or
- 30 A is bicyclic heteroaryl having 9 to 10 ring atoms and 1, 2, or 3 ring heteroatoms independently selected from N, O or S, which bicyclic heteroaryl is substituted with 0, 1, or 2 substituents independently selected from cyano, halogen, hydroxy, C₁-C₄alkyl, C₂-C₄alkenyl, C₂-

C₄alkynyl, C₁-C₄alkoxy and C₁-C₄alkoxy substituted with hydroxy, C₁-C₄alkoxy, amino and mono- and di-C₁-C₄alkylamino; or

A is tricyclic heteroaryl having 12 or 13 ring atoms and 1, 2, or 3 ring heteroatoms independently selected from N, O or S, which tricyclic heteroaryl is substituted with 0, 1, or 2

5 substituents independently selected from cyano, halogen, hydroxy, C₁-C₄alkyl, C₂-C₄alkenyl, C₂-C₄alkynyl, C₁-C₄alkoxy, C₁-C₄alkoxy substituted with hydroxy, C₁-C₄alkoxy, amino, mono- and di-C₁-C₄alkylamino and heteroaryl, wherein said heteroaryl has 5, 6 or 9 ring atoms, 1, 2 or 3 ring heteroatoms selected from N, O and S and substituted with 0, 1, or 2 substituents independently selected from oxo, hydroxy, nitro, halogen, C₁-C₄alkyl, C₁-C₄alkenyl, C₁-C₄alkoxy, C₃-C₇cycloalkyl,
10 C₁-C₄alkyl-OH, trihaloC₁-C₄alkyl, mono- and di-C₁-C₄alkylamino, -C(O)NH₂, -NH₂, -NO₂, hydroxyC₁-C₄alkylamino, hydroxyC₁-C₄alkyl, 4-7member heterocycleC₁-C₄alkyl, aminoC₁-C₄alkyl and mono- and di-C₁-C₄alkylaminoC₁-C₄alkyl;

B is a group of the formula:



15

Wherein

m, n and p are independently selected from 0 or 1;

R, R₁, R₂, R₃, and R₄ are independently selected from the group consisting of hydrogen, C₁-C₄alkyl, which alkyl is optionally substituted with hydroxy, amino or mono- and di-C₁-C₄alkylamino;

20 R_5 and R_6 are independently selected from hydrogen and fluorine; or

R and R₃, taken in combination form a fused 5 or 6 member heterocyclic ring having 0 or 1 additional ring heteroatoms selected from N, O or S:

R₁ and R₃, taken in combination form a C₁-C₃alkylene group;

R₁ and R₅, taken in combination form a C₁-C₃alkylene group;

25 R₃ and R₄, taken in combination with the carbon atom to which they attach, form a spirocyclicC₂-C₆cycloalkyl;

X is CR_AR_B , O, NR_7 or a bond;


~~R₇ is hydrogen, or C₁-C₄alkyl;~~

R_A and R_B are independently selected from hydrogen and C_1 - C_4 alkyl, or R_A and R_B , taken in combination, form a divalent C_2 - C_5 alkylene group;

Z is CR_8 or N ; when Z is N , X is a bond;

R_8 is hydrogen or taken in combination with R_6 form a double bond; or

5 B is a group of the formula:



wherein

p and q are independently selected from the group consisting of 0, 1, and 2;

R_9 and R_{13} are independently selected from hydrogen and C_1 - C_4 alkyl;

10 R_{10} and R_{14} are independently selected from hydrogen, amino, mono- and di- C_1 - C_4 akylamino and C_1 - C_4 alkyl, which alkyl is optionally substituted with hydroxy, amino or mono- and di- C_1 - C_4 akylamino;

R_{11} is hydrogen, C_1 - C_4 alkyl, amino or mono- and di- C_1 - C_4 akylamino;

R_{12} is hydrogen or C_1 - C_4 alkyl; or

15 R_9 and R_{11} , taken in combination form a saturated azacycle having 4 to 7 ring atoms which is optionally substituted with 1-3 C_1 - C_4 alkyl groups; or

R_{11} and R_{12} , taken in combination form a saturated azacycle having 4 to 7 ring atoms which is optionally substituted with 1-3 C_1 - C_4 alkyl groups.

20 2. A compound of claim 1, or a salt thereof, wherein

A is 6 member heteroaryl having 1-3 ring nitrogen atoms, which 6 member heteroaryl is substituted by phenyl or a heteroaryl having 5 or 6 ring atoms, 1 or 2 ring heteroatoms independently selected from N, O and S and substituted with 0, 1, or 2 substituents independently selected from C_1 - C_4 alkyl, mono- and di- C_1 - C_4 alkylamino, hydroxy C_1 - C_4 alkylamino, hydroxy C_1 -
25 C_4 alkyl, amino C_1 - C_4 alkyl and mono- and di- C_1 - C_4 alkylamino C_1 - C_4 alkyl; or


A is bicyclic heteroaryl having 9 to 10 ring atoms and 1, 2, or 3 ring heteroatoms independently selected from N, O or S, which heteroaryl is substituted with 0, 1, or 2 substituents independently selected from cyano, halogen, hydroxy, C_1 - C_4 alkyl, C_2 - C_4 alkenyl, C_2 - C_4 alkynyl, C_1 -

C₄alkoxy and C₁-C₄alkoxy substituted with hydroxy, C₁-C₄alkoxy, amino and mono- and di-C₁-C₄alkylamino.

3. A compound of claim 1, or a salt thereof, wherein A is 2-hydroxy-phenyl which is substituted with 0, 1, 2, or 3 substituents independently selected from C₁-C₄alkyl, haloC₁-C₄alkyl C₁-C₄alkoxy, hydroxy, cyano, halogen, amino, mono- and di-C₁-C₄alkylamino, heteroaryl and C₁-C₄alkyl substituted with hydroxy or amino, which heteroaryl has 5 or 6 ring atoms, 1 or 2 ring heteroatoms selected from N, O and S and substituted with 0, 1, or 2 substituents independently selected from C₁-C₄alkyl, mono- and di-C₁-C₄alkylamino, hydroxyC₁-C₄alkylamino, hydroxyC₁-C₄alkyl, 4-7member heterocycleC₁-C₄alkyl, aminoC₁-C₄alkyl and mono- and di-C₁-C₄alkylaminoC₁-C₄alkyl.

4. A compound of claim 1, or a salt thereof, wherein A is 2-naphthyl optionally substituted at the 3 position with hydroxy and additionally substituted with 0, 1, or 2 substituents selected from hydroxy, cyano, halogen, C₁-C₄alkyl, C₂-C₄alkenyl, C₁-C₄alkoxy, wherein the alkoxy is unsubstituted or substituted with hydroxy, C₁-C₄alkoxy, amino, N(H)C(O)C₁-C₄alkyl, N(H)C(O)₂ C₁-C₄alkyl, 4 to 7 member heterocycle and mono- and di-C₁-C₄alkylamino; or

5. A compound according to claim 1, or a salt thereof, wherein B is a group of the formula:




Wherein

m, n and p are independently selected from 0 or 1;

R, R₁, R₂, R₃, and R₄ are independently selected from the group consisting of hydrogen, C₁-C₄alkyl, which alkyl is optionally substituted with hydroxy, amino or mono- and di-C₁-C₄alkylamino; R₅ and R₆ are hydrogen; or

R and R₃, taken in combination form a fused 5 or 6 member heterocyclic ring having 0 or 1 additional ring heteroatoms selected from N, O or S;


R₁ and R₃, taken in combination form a C₁-C₃alkylene group;



(II)

Wherein R₁₅ is hydrogen, hydroxyl, C₁-C₄alkoxy, which alkoxy is optionally substituted with hydroxy, methoxy, amino, mono- and di-methylamino or morpholine.


- 5 8. A compound according to claim 1, or a salt thereof, which compound is represented by Formula (III):



(III)

Wherein R₁₆ is a 5 member heteroaryl having one ring nitrogen atom and 0 or 1 additional ring heteroatom selected from N, O or S, wherein the heteroaryl is optionally substituted with C₁-C₄alkyl.

9. The compound of claim 1, wherein B is selected from the group consisting of




Wherein X is O or N(Me); and


R₁₇ is hydrogen or methyl.

10. A compound, or salt thereof, according to claim 1, wherein X is -O-.


5 11. A compound, or salt thereof, according to claim 1, wherein B is:



12. The compound, or salt thereof, according to claim 8, wherein R₁₆ is:



10 13. A compound, or salt thereof, according to claim 1, wherein the compound is of formula (IV):



wherein



15 X is -O- or ;

R' is a 5-membered heteroaryl optionally substituted with 0, 1, or 2 groups selected from oxo, hydroxy, nitro, halogen, C₁-C₄alkyl, C₁-C₄alkenyl, C₁-C₄alkoxy, C₃-C₇cycloalkyl, C₁-C₄alkyl-OH, trihaloC₁-C₄alkyl, mono- and di-C₁-C₄alkylamino, -C(O)NH₂, -NH₂, -NO₂, hydroxyC₁-C₄alkylamino, hydroxyC₁-C₄alkyl, 4-7member heterocycleC₁-C₄alkyl, aminoC₁-C₄alkyl and mono- and di-C₁-
20 C₄alkylaminoC₁-C₄alkyl.

14. A compound or salt thereof selected from the group consisting of
6-(naphthalen-2-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine;

6-(benzo[b]thio-phen-2-yl)-N-methyl-N-(2,2,6,6-tetra-methylpiperidin-4-yl)pyridazin-3-amine;
 2-(6-(2,2,6,6-tetramethylpiperidin-4-ylamino)-pyridazin-3-yl)phenol;
 2-(6-(methyl-(2,2,6,6-tetra-methylpiperidin-4-yl)amino)pyridazin-3-yl)benzo[b]-thiophene-3-
 carbonitrile;

- 5 6-(quinolin-3-yl)-N-(2,2,6,6-tetramethyl-piperidin-4-yl)pyridazin-3-amine;
 3-(benzo[b]-thiophen-2-yl)-6-(2,2,6,6-tetra-methylpiperidin-4-yloxy)pyridazine;
 2-(6-(methyl-(2,2,6,6-tetra-methylpiperidin-4-yl)amino)-pyridazin-3-yl)phenol;
 6-(6-(methyl-(2,2,6,6-tetra-methylpiperidin-4-yl)amino)-pyridazin-3-yl)naphthalen-2-ol;
 6-(benzo[b]-thiophen-2-yl)-N-(2,2,6,6-tetra-methylpiperidin-4-yl)pyridazin-3-amine;
 10 7-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)isoquinoline;
 6-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)isoquinoline;
 N-methyl-6-(quinolin-7-yl)-N-(2,2,6,6-tetramethyl-piperidin-4-yl)pyridazin-3-amine;
 N-methyl-6-(quinolin-6-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine;
 6-(isoquinolin-7-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine;
 15 6-(isoquinolin-6-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine;
 6-(imidazo[1,2-a]pyridin-6-yl-pyridazin-3-yl)-methyl-(2,2,6,6-tetramethyl-piperidin-4-yl)-
 amine;
 methyl-[6-(6-phenyl-pyridin-3-yl)-pyridazin-3-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 methyl-[6-(6-pyrrol-1-yl-pyridin-3-yl)-pyridazin-3-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-
 20 amine;
 methyl-[6-(6-pyrazol-1-yl-pyridin-3-yl)-pyridazin-3-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-
 amine;
 methyl-(6-quinoxalin-2-yl-pyridazin-3-yl)-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 methyl-(6-quinolin-3-yl-pyridazin-3-yl)-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 25 N-methyl-6-(phthalazin-6-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine;
 6-(benzo[c][1,2,5]oxa-diazol-5-yl)-N-(2,2,6,6-tetramethyl-piperidin-4-yl)pyridazin-3-amine;
 6-(benzo[d]thiazol-5-yl)-N-(2,2,6,6-tetramethyl-piperidin-4-yl)pyridazin-3-amine;
 6-(2-methylbenzo-[d]oxazol-6-yl)-N-(2,2,6,6-tetramethyl-piperidin-4-yl)pyridazin-3-amine;
 3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol;
 30 5-chloro-2-(6-(methyl(1,2,2,6,6-pentamethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol;
 3-(6-(2,2,6,6-tetramethylpiperidin-4-ylamino)pyridazin-3-yl)naphthalen-2-ol;
 5-chloro-2-(6-(1,2,2,6,6-pentamethylpiperidin-4-ylamino)pyridazin-3-yl)phenol;
 4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitrile;
 3-[6-(2,2,6,6-tetramethyl-piperidin-4-yloxy)-pyridazin-3-yl]-naphthalen-2-ol;
 35 2-[6-[methyl-(2,2,6,6-tetramethyl-piperidin-4-yl)-amino]-pyridazin-3-yl]-4-trifluoromethyl-
 phenol;

2-fluoro-6-{6-[methyl-(2,2,6,6-tetramethyl-piperidin-4-yl)-amino]-pyridazin-3-yl}-phenol;
3,5-dimethoxy-2-{6-[methyl-(2,2,6,6-tetramethyl-piperidin-4-yl)-amino]-pyridazin-3-yl}-
phenol;

4,5-dimethoxy-2-{6-[methyl-(2,2,6,6-tetramethyl-piperidin-4-yl)-amino]-pyridazin-3-yl}-
5 phenol;

5-methoxy-2-{6-[methyl-(2,2,6,6-tetramethyl-piperidin-4-yl)-amino]-pyridazin-3-yl}-phenol;

4,5-difluoro-2-{6-[methyl-(2,2,6,6-tetramethyl-piperidin-4-yl)-amino]-pyridazin-3-yl}-phenol;

5-fluoro-2-{6-[methyl-(2,2,6,6-tetramethyl-piperidin-4-yl)-amino]-pyridazin-3-yl}-phenol;

3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitrile;

10 1-allyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol;

6-(benzo[b]thiophen-2-yl)-N-(1,2,2,6,6-pentamethylpiperidin-4-yl)pyridazin-3-amine;

N-allyl-3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-
yl)benzamide;

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-1-
15 yl)phenol;

5-(5-methyl-oxazol-2-yl)-2-{6-[methyl-(2,2,6,6-tetramethyl-piperidin-4-yl)-amino]-pyridazin-3-
yl}-phenol;

5-(4-hydroxymethyl)-1H-pyrazole-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-
yl)amino)pyridazin-3-yl)phenol;

5-(1H-imidazole-1-yl)-2-(6-(methyl(2,2,6,6-tetramethyl-piperidin-4-yl)amino)pyridazin-3-
20 yl)phenol;

5-(4-amino-1H-pyrazole-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-
3-yl)phenol;

5-(4-amino-1H-pyrazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-
25 3-yl)phenol;

5-(3-amino-pyrazol-1-yl)-2-{6-[methyl-(2,2,6,6-tetramethyl-piperidin-4-yl)-amino]-pyridazin-3-
yl}-phenol;

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-(2-morpholino-
ethyl)-1H-pyrazol-4-yl)phenol;

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-
4-yl)phenol;

5-(5-amino-1H-pyrazol-1-yl)-2-(6-(methyl-(2,2,6,6-tetramethyl-piperidin-4-yl)amino)
pyridazin-3-yl)phenol;

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-1-
35 yl)phenol;

2-{6-[(2-hydroxy-ethyl)-(2,2,6,6-tetramethyl-piperidin-4-yl)-amino]-pyridazin-3-yl}-5-pyrazol-1-yl-phenol;

2-(6-(piperidin-4-yloxy)pyridazin-3-yl)-5-(1*H*-pyrazol-1-yl)phenol;

2-(6-(((2*S*,4*R*,6*R*)-2,6-dimethylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1*H*-pyrazol-1-yl)phenol;

2-(6-((-2,6-dimethylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1*H*-pyrazol-1-yl)phenol;

2-(6-((-2,6-dimethylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1*H*-pyrazol-1-yl)phenol;

5-(1*H*-pyrazol-1-yl)-2-(6-(pyrrolidin-3-yloxy)pyridazin-3-yl)phenol;

2-(6-((-2-methylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1*H*-pyrazol-1-yl)phenol;

(*S*)-5-(1*H*-Pyrazol-1-yl)-2-(6-(pyrrolidin-3-ylmethoxy)pyridazin-3-yl)phenol;

(*R*)-5-(1*H*-pyrazol-1-yl)-2-(6-(pyrrolidin-3-ylmethoxy)pyridazin-3-yl)phenol;

2-(6-((3-fluoropiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1*H*-pyrazol-1-yl)phenol;

2-[6-(1,2,2,6,6-pentamethyl-piperidin-4-yloxy)-pyridazin-3-yl]-5-pyrazol-1-yl-phenol;

5-pyrazol-1-yl-2-[6-(2,2,6,6-tetramethyl-piperidin-4-yloxy)-pyridazin-3-yl]-phenol;

5-(1*H*-Pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenol. ;

2-(6-piperazin-1-yl-pyridazin-3-yl)-5-pyrazol-1-yl-phenol;

3-[6-(azetidin-3-ylamino)-pyridazin-3-yl]-naphthalen-2-yl;

2-[6-(azetidin-3-ylamino)-pyridazin-3-yl]-5-pyrazol-1-yl-phenol;

2-[6-(3,5-dimethyl-piperazin-1-yl)-pyridazin-3-yl]-5-pyrazol-1-yl-phenol;

2-[6-(7-methyl-2,7-diaza-spiro[4.4]non-2-yl)-pyridazin-3-yl]-5-pyrazol-1-yl-phenol;

2-(6-[1,4]diazepan-1-yl-pyridazin-3-yl)-5-pyrazol-1-yl-phenol;

2-{6-[4-(2-hydroxy-ethyl)-piperazin-1-yl]-pyridazin-3-yl}-5-pyrazol-1-yl-phenol;

2-[6-(3,6-diaza-bicyclo[3.2.1]oct-3-yl)-pyridazin-3-yl]-5-pyrazol-1-yl-phenol;

2-[6-(2,7-diaza-spiro[3.5]non-7-yl)-pyridazin-3-yl]-5-pyrazol-1-yl-phenol;

2-[6-(3-hydroxy-methyl-piperazin-1-yl)-pyridazin-3-yl]-5-pyrazol-1-yl-phenol;

2-[6-(1,7-diaza-spiro[4.4]non-7-yl)-pyridazin-3-yl]-5-pyrazol-1-yl-phenol;

2-[6-(4-amino-4-methyl-piperidin-1-yl)-pyridazin-3-yl]-5-pyrazol-1-yl-phenol;

2-[6-(3-dimethyl-amino-piperidin-1-yl)-pyridazin-3-yl]-5-pyrazol-1-yl-phenol;

2-[6-(1,2,2,6,6-pentamethyl-piperidin-4-ylamino)-pyridazin-3-yl]-5-pyrazol-1-yl-phenol;

2-[6-(3,3-dimethyl-piperazin-1-yl)-pyridazin-3-yl]-5-pyrazol-1-yl-phenol;

2-(6-(7-(2-hydroxy-ethyl)-2,7-diazaspiro[4.4]-nonan-2-yl)pyridazin-3-yl)-5-(1*H*-pyrazol-1-yl)phenol;

2-(6-(((3*aR*,6*aS*)-hexahydropyrrolo[3,4-*c*]pyrrol-2(1*H*)-yl)pyridazin-3-yl)-5-(1*H*-pyrazol-1-yl)phenol;

3-(6-(piperazin-1-yl)pyridazin-3-yl)naphthalene-2,7-diol;

5-pyrazol-1-yl-2-[6-(1,2,3,6-tetrahydro-pyridin-4-yl)-pyridazin-3-yl]-phenol;

2-[6-piperidin-4-yl-pyridazin-3-yl]-5-pyrazol-1-yl-phenol;

3-(6-(1,2,3,6-tetra-hydropyridin-4-yl)pyridazin-3-yl)naphthalen-2-ol;
 3-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol;
 3-(6-(2,2,6,6-tetramethyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol;
 3-(6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol;
 5 3-(6-(piperidin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol;
 3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)naphthalene-2,7-diol;
 3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol;
 3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol;
 [3-(7-hydroxy-6-{6-[methyl-(2,2,6,6-tetramethyl-piperidin-4-yl)-amino]-pyridazin-3-yl}-
 10 naphthalen-2-yloxy)-propyl]-carbamic acid tert-butyl ester;
 7-(3-amino-propoxy)-3-{6-[methyl-(2,2,6,6-tetramethyl-piperidin-4-yl)-amino]-pyridazin-3-yl}-
 naphthalen-2-ol;
 N-[3-(7-hydroxy-6-{6-[methyl-(2,2,6,6-tetramethyl-piperidin-4-yl)-amino]-pyridazin-3-yl}-
 naphthalen-2-yloxy)-propyl]-acetamide;
 15 7-(3-hydroxypropoxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-
 yl)naphthalen-2-ol;
 7-(3-methoxypropoxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-
 yl)naphthalen-2-ol;
 7-(2-morpholinoethoxy)-3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-
 20 yl)naphthalen-2-ol;
 3-(6-(piperidin-4-ylmethyl)pyridazin-3-yl)naphthalen-2-ol;
 5-(1H-pyrazol-1-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)methyl)pyridazin-3-yl)phenol;
 3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-
 methyloxazol-2-yl)phenol;
 25 2-(6-((6S)-6-((S)-1-hydroxyethyl)-2,2-dimethylpiperidin-4-yloxy)pyridazin-3-yl)-5-(1H-
 pyrazol-1-yl)phenol;
 7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2-
 naphthonitrile;
 3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(piperidin-1-
 30 ylmethyl)naphthalen-2-ol;
 3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(pyrrolidin-1-
 ylmethyl)naphthalen-2-ol;
 1-bromo-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-
 2,7-diol;
 35 1-chloro-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-
 2,7-diol;

7-methoxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol;

7-methoxy-3-(6-(methyl(1,2,2,6,6-pentamethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol;

5 7-(3,6-dihydro-2H-pyran-4-yl)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol;

3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(tetrahydro-2H-pyran-4-yl)naphthalen-2-ol;

7-(difluoromethyl)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol;

7-((4-hydroxy-2-methylbutan-2-yl)oxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol;

7-(3-hydroxy-3-methylbutoxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol;

15 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)benzene-1,3-diol;

3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol;

5-(1H-pyrazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-3-(trifluoromethoxy)phenol;

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)-3-(trifluoromethoxy)phenol;

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)-3-(trifluoromethoxy)phenol;

25 4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(trifluoromethoxy)phenyl)-1-methylpyridin-2(1H)-one;

3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol;

3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5,6,7,8-tetrahydroimidazo[1,2-a]pyridin-3-yl)phenol;

3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(pyridin-3-yl)phenol;

5-(1-cyclopentyl-1H-pyrazol-4-yl)-3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol;

35 3',5'-dimethoxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-[1,1'-biphenyl]-3-ol;

3-(benzyloxy)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol;

3-ethoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol;

5 3-(cyclopropylmethoxy)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol;

2-methyl-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-1H-benzo[d]imidazol-6-ol;

5-chloro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol;

10 5-(1H-pyrazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol;

3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitrile;

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol;

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-4-yl)phenol;

15 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(4,5,6,7-tetrahydropyrazolo[1,5-a]pyridin-3-yl)phenol;

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(4,5,6,7-tetrahydropyrazolo[1,5-a]pyrazin-3-yl)phenol;

4-(1H-indol-2-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol;

20 4-(cyclopent-1-en-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol;

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-3-yl)phenol;

25 4-(4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2-ol;

4-(4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one;

4-(4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2-ol;

30 5-(1H-indazol-7-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol;

4-chloro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol;

4-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol;

35 5-fluoro-4-(1H-imidazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol;

5-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-4-yl)phenol;

5-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-5-yl)phenol;

5 6-hydroxy-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihydro-1H-inden-1-one;

6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-1,4-dihydroindeno[1,2-c]pyrazol-7-ol;

10 6-hydroxy-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihydro-1H-inden-1-one oxime hydrochloride salt;

5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihydro-1H-indene-1,6-diol;

2-amino-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-8H-indeno[1,2-d]thiazol-5-ol hydrochloride salt;

15 9-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5,6-dihydroimidazo[5,1-a]isoquinolin-8-ol hydrochloride salt;

4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-N-((1-methyl-1H-pyrazol-4-yl)methyl)benzamide;

20 4-(4-(hydroxymethyl)-1H-pyrazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol;

5-(1H-pyrazol-4-yl)-2-(6-(2,2,6,6-tetramethylpiperidin-4-yl)methyl)pyridazin-3-yl)phenol;

6-(3-(benzyloxy)isoquinolin-6-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine;

25 6-(1-(benzyloxy)isoquinolin-7-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine;

3-fluoro-5-(2-methoxypyridin-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol hydrochloride salt;

4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2(1H)-one hydrochloride salt;

30 4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one hydrochloride salt;

5-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one hydrochloride salt;

35 3-fluoro-5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenol hydrochloride salt;

5-chloro-3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol hydrochloride salt;

3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol hydrochloride salt;

5 3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol hydrochloride salt;

5-(5-methoxypyridin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol;

10 5-(3-hydroxy-4-(6-methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2-ol;

4-(3-hydroxy-4-(6-methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2-ol;

5-(6-methoxypyridin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol;

15 5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-3-(trifluoromethyl)pyridin-2-ol;

5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one;

20 4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one;

5-(2-methoxypyridin-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol;

4-(3-hydroxy-4-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)pyridin-2-ol;

25 5-(6-(dimethylamino)pyridin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol;

4-(3-hydroxy-4-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one;

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(pyrimidin-5-yl)phenol;

30 5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-3-ol;

1-cyclopropyl-4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2(1H)-one;

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1,2,3,6-tetrahydropyridin-4-yl)phenol;

35 5-(cyclopent-1-en-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol;

5-(3,6-dihydro-2H-pyran-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol;

5-(imidazo[1,5-a]pyridin-7-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol;

5 5-(imidazo[1,2-a]pyridin-7-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol;

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(2-methylpyridin-4-yl)phenol;

10 5-(1H-imidazol-2-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol;

5-(1H-imidazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol;

5-(imidazo[1,2-a]pyrazin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol;

15 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5,6,7,8-tetrahydroimidazo[1,2-a]pyrazin-3-yl)phenol;

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(4-methyl-1H-imidazol-2-yl)phenol;

20 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-imidazol-4-yl)phenol;

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-imidazol-5-yl)phenol;

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(4-nitro-1H-imidazol-2-yl)phenol;

25 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(2-methyl-1H-imidazol-4-yl)phenol;

5-(1,2-dimethyl-1H-imidazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol;

30 1-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1H-pyrazole-4-carboxamide;

2-(6-((3aR,5aS)-5-(2-hydroxyethyl)hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol;

2-(6-((3aR,6aS)-hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol;

35 2-(6-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol;

4-(3-hydroxy-4-(6-(5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one;

4-(3-hydroxy-4-(6-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrol-5(1H)-yl)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one;

5 2-(6-(2,7-diazaspiro[4.5]decan-2-yl)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol; and

4-(4-(6-(2,7-diazaspiro[4.5]decan-2-yl)pyridazin-3-yl)-3-hydroxyphenyl)-1-methylpyridin-2(1H)-one.

10 15. A pharmaceutical composition comprising a therapeutically effective amount of a compound according to claim 1, or a pharmaceutically acceptable salt thereof and one or more pharmaceutically acceptable carriers.

15 16. A combination comprising a therapeutically effective amount of a compound according to claim 1, or a pharmaceutically acceptable salt thereof and one or more therapeutically active co-agents.


17. A method to treat, prevent or ameliorate an SMN-deficiency-related condition, comprising administering to a subject in need thereof an effective amount of a compound or salt thereof of claim 1.

20

18. The method of claim 17, wherein said SMN-deficiency-related condition is Spinal Muscular Atrophy.


Claims


1. A compound or salt thereof according to Formula (I)



A is 2-hydroxy-phenyl which is substituted with 1, 2, or 3 substituents independently selected from haloC₁-C₄alkyl, dihaloC₁-C₄alkyl, trihaloC₁-C₄alkyl, C₁-C₄alkoxy, C₁-C₄alkoxy-C₃-C₇cycloalkyl, haloC₁-C₄alkoxy, dihaloC₁-C₄alkoxy, trihaloC₁-C₄alkoxy, hydroxy, cyano, halogen, amino, mono- and di-C₁-C₄alkylamino, heteroaryl, C₁-C₄alkyl substituted with hydroxy, C₁-C₄alkoxy substituted with aryl, amino, --C(O)NH C₁-C₄alkyl-heteroaryl, --NHC(O)--C₁-C₄alkyl-heteroaryl, C₁-C₄alkyl C(O)NH-- heteroaryl, C₁-C₄alkyl NHC(O)-heteroaryl, 3-7 membered cycloalkyl, 5-7 membered cycloalkenyl or 5, 6 or 9 membered heterocycle containing 1 or 2 heteroatoms, independently, selected from S, O and N, wherein heteroaryl has 5, 6 or 9 ring atoms, 1, 2 or 3 ring heteroatoms selected from N, O and S and substituted with 0, 1, or 2 substituents independently selected from oxo, hydroxy, nitro, halogen, C₁-C₄alkyl, C₁-C₄alkenyl, C₁-C₄alkoxy, C₃-C₇cycloalkyl, C₁-C₄alkyl-OH, trihaloC₁-C₄alkyl, mono- and di-C₁-C₄alkylamino, --C(O)NH₂, --NH₂, --NO₂, hydroxyC₁-C₄alkylamino, hydroxyC₁-C₄alkyl, 4-7 member heterocycleC₁-C₄alkyl, aminoC₁-C₄alkyl and mono-, di-C₁-C₄alkylaminoC₁-C₄alkyl; and C₁-C₄alkyl, wherein 2 C₁-C₄alkyl groups can combine with the atoms to which they are bound to form a 5-6 membered ring and is substituted with 0 or 1 substituents selected from oxo, oxime and hydroxy;


B is selected from the group consisting of






Wherein X is O or N(Me); and R₁₇ is hydrogen or methyl.

2. A compound according to claim 1, or a salt thereof, which compound is represented by Formula (III):




Wherein R₁₆ is a 5 member heteroaryl having one ring nitrogen atom and 0 or 1 additional ring heteroatom selected from N, O or S, wherein the heteroaryl is optionally substituted with C₁-C₄alkyl.


3. A compound, or salt thereof, according to claim 1, wherein X is --O--.
4. A compound, or salt thereof, according to claim 1, wherein B is:



5. The compound, or salt thereof, according to claim 2, wherein R₁₆ is:



6. A compound, or salt thereof, according to claim 1, wherein the compound is of formula (IV):



wherein X is --O-- or

R' is a 5-membered heteroaryl optionally substituted with 0, 1, or 2 groups selected from hydroxy, nitro, halogen, C₁-C₄alkyl, C₁-C₄alkenyl, C₁-C₄alkoxy, C₃-C₇cycloalkyl, C₁-C₄alkyl-OH, trihaloC₁-C₄alkyl, mono- and di-C₁-C₄alkylamino, --C(O)NH₂, --NH₂, --NO₂, hydroxyC₁-C₄alkylamino, hydroxyC₁-C₄alkyl, 4-7 member heterocycleC₁-C₄alkyl, aminoC₁-C₄alkyl and mono- and di-C₁-C₄alkylaminoC₁-C₄alkyl.

7. A compound, or salt thereof, selected from the group consisting of 2-(6-(2,2,6,6-tetramethylpiperidin-4-ylamino)-pyridazin-3-yl)phenol; 2-(6-(methyl(2,2,6,6-tetra-methylpiperidin-4-yl)amino)-pyridazin-3-yl)ph- enol; 5-chloro-2-(6-(methyl(1,2,2,6,6-pentamethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol; 5-chloro-2-(6-(1,2,2,6,6-pentamethylpiperidin-4-ylamino)pyridazin-3-yl)ph- enol; 4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitrile; 2-(6-[methyl(2,2,6,6-tetramethyl-piperidin-4-yl)-amino]-pyridazin-3-yl)- 4-trifluoromethyl-phenol; 2-fluoro-6-{6-[methyl(2,2,6,6-tetramethyl-piperidin-4-yl)-amino]-pyridazin-3-yl}-phenol; 3,5-dimethoxy-2-(6-[methyl(2,2,6,6-tetramethyl-piperidin-4-yl)-amino]-pyridazin-3-yl)-phenol; 4,5-dimethoxy-2-(6-[methyl(2,2,6,6-tetramethyl-piperidin-4-yl)-amino]-pyridazin-3-yl)-phenol; 5-methoxy-2-(6-[methyl(2,2,6,6-tetramethyl-piperidin-4-yl)-amino]-pyridazin-3-yl)-phenol; 4,5-difluoro-2-(6-[methyl(2,2,6,6-tetramethyl-piperidin-4-yl)-amino]-pyridazin-3-yl)-phenol; 5-fluoro-2-(6-[methyl(2,2,6,6-tetramethyl-piperidin-4-yl)-amino]-pyridazin-3-yl)-phenol; 3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitrile; N-allyl-3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzamide; 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-H-pyrazol-1-yl)phenol; 5-(5-methyl-oxazol-2-yl)-2-(6-[methyl(2,2,6,6-tetramethyl-piperidin-4-yl)-amino]-pyridazin-3-yl)-phenol; 5-(4-hydroxymethyl)-1H-pyrazole-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpip- eridin-4-yl)amino)pyridazin-3-yl)phenol; 5-(1H-imidazole-1-yl)-2-(6-(methyl(2,2,6,6-tetramethyl-piperidin-4-yl)ami- no)pyridazin-3-yl)phenol; 5-(4-amino-1H-pyrazole-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol; 5-(4-amino-1H-pyrazol-1-yl)-2-

(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol; 5-(3-amino-pyrazol-1-yl)-2-(6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)-amino]-pyridazin-3-yl)-phenol; 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-(2-morpholino-ethyl)-1H-pyrazol-4-yl)phenol; 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol; 5-(5-amino-1H-pyrazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol; 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1-H-pyrazol-1-yl)phenol; 2-(6-[(2-hydroxy-ethyl)-(2,2,6,6-tetramethylpiperidin-4-yl)-amino]-pyridazin-3-yl)-5-pyrazol-1-yl-phenol; 2-(6-(piperidin-4-yloxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol; 2-(6-(((2S,4R,6R)-2,6-dimethylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol; 2-(6-((-2,6-dimethylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol; 2-(6-((-2,6-dimethylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol; 5-(1H-pyrazol-1-yl)-2-(6-(pyrrolidin-3-yloxy)pyridazin-3-yl)phenol; 2-(6-((-2-methylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol; (S)-5-(1H-Pyrazol-1-yl)-2-(6-(pyrrolidin-3-ylmethoxy)pyridazin-3-yl)phenol; (R)-5-(1H-pyrazol-1-yl)-2-(6-(pyrrolidin-3-ylmethoxy)pyridazin-3-yl)phenol; 2-(6-((3-fluoropiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol; 2-[6-(1,2,2,6,6-pentamethylpiperidin-4-yloxy)-pyridazin-3-yl]-5-pyrazol-1-yl-phenol; 5-pyrazol-1-yl-2-[6-(2,2,6,6-tetramethylpiperidin-4-yloxy)-pyridazin-3-yl]-phenol; 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol; 2-(6-piperazin-1-yl-pyridazin-3-yl)-5-pyrazol-1-yl-phenol; 2-[6-(azetidin-3-ylamino)-pyridazin-3-yl]-5-pyrazol-1-yl-phenol; 2-[6-(3,5-dimethylpiperazin-1-yl)-pyridazin-3-yl]-5-pyrazol-1-yl-phenol; 2-[6-(7-methyl-2,7-diazaspiro[4.4]non-2-yl)-pyridazin-3-yl]-5-pyrazol-1-yl-phenol; 2-(6-[1,4]diazepan-1-yl-pyridazin-3-yl)-5-pyrazol-1-yl-phenol; 2-(6-[4-(2-hydroxy-ethyl)-piperazin-1-yl]-pyridazin-3-yl)-5-pyrazol-1-yl-phenol; 2-[6-(3,6-diaza-bicyclo[3.2.1]oct-3-yl)-pyridazin-3-yl]-5-pyrazol-1-yl-phenol; 2-[6-(2,7-diaza-spiro[3.5]non-7-yl)-pyridazin-3-yl]-5-pyrazol-1-yl-phenol; 2-[6-(3-hydroxy-methyl-piperazin-1-yl)-pyridazin-3-yl]-5-pyrazol-1-yl-phenol; 2-[6-(1,7-diaza-spiro[4.4]non-7-yl)-pyridazin-3-yl]-5-pyrazol-1-yl-phenol; 2-[6-(4-amino-4-methylpiperidin-1-yl)-pyridazin-3-yl]-5-pyrazol-1-yl-phenol; 2-[6-(3-dimethyl-amino-piperidin-1-yl)-pyridazin-3-yl]-5-pyrazol-1-yl-phenol; 2-[6-(1,2,2,6,6-pentamethylpiperidin-4-ylamino)-pyridazin-3-yl]-5-pyrazol-1-yl-phenol; 2-[6-(3,3-dimethyl-piperazin-1-yl)-pyridazin-3-yl]-5-pyrazol-1-yl-phenol; 2-(6-(7-(2-hydroxyethyl)-2,7-diazaspiro[4.4]nonan-2-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol; 2-(6-(((3aR,6aS)-hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol; 5-pyrazol-1-yl-2-[6-(1,2,3,6-tetrahydro-pyridin-4-yl)-pyridazin-3-yl]-phenol; 2-(6-piperidin-4-yl-pyridazin-3-yl)-5-pyrazol-1-yl-phenol; 5-(1H-pyrazol-1-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)methyl)pyridazin-3-yl)phenol; 3-methoxy-2-(6-(methyl(2,2,6-trimethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol; 2-(6-(((6S)-6-((S)-1-hydroxyethyl)-2,2-dimethylpiperidin-4-yloxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol; 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)benzene-1,3-diol; 3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol; 5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-3-(trifluoromethoxy)phenol; 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)-3-(trifluoromethoxy)phenol; 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-H-pyrazol-4-yl)-3-(trifluoromethoxy)phenol; 4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(trifluoromethoxy)phenyl)-1-methylpyridin-2(1H)-one; 3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol; 3-


methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5,6,7,8-tetrahydroimidazo[1,2-a]pyridin-3-yl)phenol; 3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(pyridin-3-yl)phenol; 5-(1-cyclopentyl-1H-pyrazol-4-yl)-3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol; 3',5-dimethoxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-[1,1'-biphenyl]-3-ol; 3-(benzyloxy)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol; 3-ethoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol; 3-(cyclopropylmethoxy)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol; 2-methyl-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-1H-benzo[d]imidazol-6-ol; 5-chloro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol; 5-(1H-pyrazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol; 3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-benzonitrile; 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol; 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-4-yl)phenol; 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(4,5,6,7-tetrahydropyrazolo[1,5-a]pyridin-3-yl)phenol; 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(4,5,6,7-tetrahydropyrazolo[1,5-a]pyrazin-3-yl)phenol; 4-(1H-indol-2-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol; 4-(cyclopent-1-en-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol; 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-3-yl)phenol; 4-(4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2-ol; 4-(4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one; 4-(4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)pyridin-2-ol; 5-(1H-indazol-7-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol; 4-chloro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol; 4-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol; 5-fluoro-4-(1H-imidazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol; 5-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-4-yl)phenol; 5-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-5-yl)phenol; 9-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5,6-dihydroimidazo[5,1-a]isoquinolin-8-ol hydrochloride salt; 4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-N-((1-methyl-1H-pyrazol-4-yl)methyl)benzamide; 4-(4-(hydroxymethyl)-1H-pyrazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol; 5-(1H-pyrazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)methyl)pyridazin-3-yl)phenol; 3-fluoro-5-(2-methoxypyridin-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol hydrochloride salt; 4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2(1H)-one hydrochloride salt; 4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one hydrochloride salt; 5-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one hydrochloride salt; 3-fluoro-5-(1H-pyrazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenol hydrochloride salt; 5-chloro-3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol hydrochloride salt; 3-fluoro-2-

(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol hydrochloride salt; 3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol hydrochloride salt; 5-(5-methoxypyridin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)-amino)pyridazin-3-yl)phenol; 5-(3-hydroxy-4-(6-methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2-ol; 4-(3-hydroxy-4-(6-methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2-ol; 5-(6-methoxypyridin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)-amino)pyridazin-3-yl)phenol; 5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-3-(trifluoromethyl)pyridin-2-ol; 5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one; 4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one; 5-(2-methoxypyridin-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol; 4-(3-hydroxy-4-(6-(2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)-phenyl)pyridin-2-ol; 5-(6-(dimethylamino)pyridin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol; 4-(3-hydroxy-4-(6-(2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)-phenyl)-1-methylpyridin-2(1H)-one; 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(p-ymidin-5-yl)phenol; 5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-3-ol; 1-cyclopropyl-4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)-amino)pyridazin-3-yl)phenyl)pyridin-2(1H)-one; 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-,2,3,6-tetrahydropyridin-4-yl)phenol; 5-(cyclopent-1-en-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol; 5-(3,6-dihydro-2H-pyran-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol; 5-(imidazo[1,5-a]pyridin-7-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol; 5-(imidazo[1,2-a]pyridin-7-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol; 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(2--methylpyridin-4-yl)phenol; 5-(1H-imidazol-2-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol; 5-(1H-imidazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol; 5-(imidazo[1,2-a]pyrazin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol; 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-,6,7,8-tetrahydroimidazo[1,2-a]pyrazin-3-yl)phenol; 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(4--methyl-1H-imidazol-2-yl)phenol; 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1--methyl-1H-imidazol-5-yl)phenol; 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(4--nitro-1H-imidazol-2-yl)phenol; 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(2--methyl-1H-imidazol-4-yl)phenol; 5-(1,2-dimethyl-1H-imidazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol; 1-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1H-pyrazole-4-carboxamide; 2-(6-((3aR,6aS)-5-(2-hydroxyethyl)hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol; 2-(6-((3aR,6aS)-hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol; 2-(6-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol; 4-(3-hydroxy-4-(6-(5-methyl hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one; 4-(3-hydroxy-4-(6-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrol-5(1H)-

yl)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one; 2-(6-(2,7-diazaspiro[4.5]decan-2-yl)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol; and 4-(4-(6-(2,7-diazaspiro[4.5]decan-2-yl)pyridazin-3-yl)-3-hydroxyphenyl)-1-methylpyridin-2(1H)-one.


8. A pharmaceutical composition comprising a therapeutically effective amount of a compound according to claim 1, or a pharmaceutically acceptable salt thereof and one or more pharmaceutically acceptable carriers.

9. The compound, or salt thereof, 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-H-pyrazol-4-yl)phenol which is represented by the structure:



10. A pharmaceutical composition comprising a therapeutically effective amount of a compound according to claim 9, or a pharmaceutically acceptable salt thereof and one or more pharmaceutically acceptable carriers.

11. The compound, or salt thereof,



12. A pharmaceutical composition comprising a therapeutically effective amount of a compound according to claim 11, or a pharmaceutically acceptable salt thereof and one or more pharmaceutically acceptable carriers.

13. A combination comprising a therapeutically effective amount of a compound according to claim 11 or a pharmaceutically acceptable salt thereof and one or more therapeutically active co-agents.

14. A compound or salt thereof of claim 11 for use in the treatment of an SMN-deficiency-related condition.
15. Use of a compound of claim 14 in the manufacture of a medicament for the treatment of Spinal Muscular Atrophy.