PCT WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7 : A61K 9/14, 9/72

A1

(11) International Publication Number: WO 00/44352

(43) International Publication Date: 3 August 2000 (03.08.00)

(21) International Application Number: PCT/US00/00496

(22) International Filing Date: 27 January 2000 (27.01.00)

(30) Priority Data:
09/239,486 28 January 1999 (28.01.99) US

(71) Applicant: SCHERING CORPORATION [US/US]; 2000 Galloping Hill Road, Kenilworth, NJ 07033–0530 (US).

(72) Inventors: YANG, Tsong–Toh; 9 Old Farm Road, Warren, NJ 07059 (US). YU, Stephen, K., C.; 17 Shoshoni Way, Somerville, NJ 08876 (US). ECKHART, Charles, G.; 9 Village Park Court, Scotch Plains, NJ 07076 (US). MITCHELL, Michael, B.; 20 Old Coach Road, Basking Ridge, NJ 07920 (US).

(74) Agents: FRANKS, Robert, A. et al.; Schering–Plough Corporation, Patent Dept., K–6–1 1990, 2000 Galloping Hill Road, Kenilworth, NJ 07033–0530 (US).

(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, HR, HU, ID, IL, IN, IS, JP, KG, KR, KZ, LC, LK, LR, LT, LU, LV, MA, MD, MG, MK, MN, MX, NO, NZ, PL, PT, RO, RU, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UZ, VN, YU, ZA, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published
With international search report.
Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: METHOD OF PREPARING PARTICLES FOR AGGLOMERATION

(57) Abstract

Methods of preparing particulates for agglomeration, having a specified particle size distribution and desired convertible amorphous content, are described. The method involves a plurality of micronizing steps at least two of which are separated by a curing step. In the curing step, a stimulus such as humidity may be used to crystallize at least some, and in many instances preferably all, of the convertible amorphous content.