
WHAT IS CLAIMED IS:

1. A compound of formula (I)



(I)

or a stereoisomer, or a pharmaceutically acceptable salt thereof,

wherein,

at each occurrence, R^1 is selected independently from 3-15 membered heterocyclylC_{1-8}alkyl, 5-14 membered heteroarylC_{1-8}alkyl and $–[CHR]_l-NR^6R^7$; wherein 3-15 membered heterocyclylC_{1-8}alkyl and 5-14 membered heteroarylC_{1-8}alkyl are optionally substituted with one or more substituents selected from halogen, oxo, hydroxyl, hydroxyC_{1-8}alkyl, C_{1-8}alkyl, $–NHC(O)CH_3$, $–NHC(O)CH_2CH_3$ and $–NHC(O)CH=CH_2$.;

Z is CH or N;

X is CH or N;

R is selected from hydrogen and C_{1-8}alkyl;

at each occurrence, R^2 is selected independently from halogen, $–NHC(O)CH_3$ and $–NHC(O)CH=CH_2$;

ring A is 5-14 membered heteroaryl;

at each occurrence, R^3 is C_{1-8}alkyl;

R^4 is selected from hydrogen and C_{1-8}alkyl;

R^5 is selected from C_{1-8}alkyl and C_{3-12}cycloalkyl; or

R^4 and R^5 joined together with the carbon atom to which they are attached, form a 3-15 membered heterocyclyl, C_{3-12}cycloalkyl and 3-15 membered spirocyclyl wherein 3-15 membered heterocyclyl, C_{3-12}cycloalkyl and 3-15 membered spirocyclyl are optionally substituted with one or more substituents selected from halogen and C_{1-8}alkyl;

'Y' is absent or CR^8R^9;

R^6 is selected from hydrogen and C_{1-8}alkyl;

R^7 is selected from C_{1-8}alkyl, haloC_{1-8}alkyl, hydroxyC_{1-8}alkyl, C_{1-8}alkoxyC_{1-8}alkyl, $–CH_2CH_2NHC(O)CH=CH_2$, C_{3-12}cycloalkyl, C_{3-12}cycloalkylC_{1-8}alkyl and 3-15 membered

heterocyclylalkyl; wherein C_{3-12}cycloalkyl and C_{3-12}cycloalkylC_{1-8}alkyl is optionally substituted with C_{1-8}alkyl and haloC_{1-8}alkyl;

R^8 is hydrogen;

R^9 is hydrogen;

R^{10} is selected from hydrogen and C_{1-8}alkyl;

R^{11} is selected independently from C_{1-8}alkyl, haloC_{1-8}alkyl, C_{6-14}aryl, C_{6-14}arylC_{1-8}alkyl, 3-15 membered heterocyclylC_{1-8}alkyl, C_{3-12}cycloalkyl and C_{3-8}cycloalkylC_{1-8}alkyl; wherein C_{6-14}aryl, C_{6-14}arylC_{1-8}alkyl are optionally substituted with one or more substituents selected from halogen;


'l' is an integer ranging from 0 to 2, both inclusive;

'm' is an integer ranging from 0 to 4, both inclusive;

'n' is an integer ranging from 1 to 3, both inclusive; and

'r' is an integer ranging from 0 to 4, both inclusive.


2. The compound of claim 1, having represented by formula (IA):



(IA)

or a stereoisomer, or a pharmaceutically acceptable salt thereof.


3. The compound of claim 1, having represented by formula (IB):



(IB)


or a stereoisomer, or a pharmaceutically acceptable salt thereof.


4. The compound of claim 1, having represented by formula (IC):




(IC)

or a stereoisomer, or a pharmaceutically acceptable salt thereof.

5. The compound according to any one of claims 1 to 4, wherein R^1 is ,






and 'n' is 1.


6. The compound according to any one of claims 1 to 5, wherein R^2 is chloro, fluoro, –$NHC(O)CH_3$ or –$NHC(O)CH{=}CH_2$ and 'm' is 0 or 1.

7. The compound according to any one of claims 1 to 6, wherein R^4 is hydrogen or CH_3.


8. The compound according to any one of claims 1 to 7, wherein R^5 is CH_3 or cyclobutyl.

9. The compound according to any one of claims 1 to 8, wherein R^4 and R^5 are CH_3.




10. The compound according to any one of claims 1 to 9, wherein R^4 and R^5 joined together with the carbon atom to which they are attached, form a 


or .

11. The compound according to any one of claims 1 to 10, wherein R^{10} is hydrogen or methyl.

12. The compound according to any one of claims 1 to 11, wherein R^{11} is methyl, ethyl, difluoromethyl, difluoroethyl, trifluoroethyl, trifluoropropyl cyclopropyl, cyclopropylmethyl, cyclopropylethyl or cyclobutylmethyl, 

or .


13. The compound according to any one of claims 1 to 12, wherein ring A is ,  or .

14.

15. .




16. The compound according to claim 1, wherein

'Z' is CH or N;

R^1 is ;

'X' is CH or N;

R^2 is chloro, fluoro, –NHC(O)CH_3 or –NHC(O)CH=CH_2;


ring A is ,  or ;


R^3 is methyl;

Y is absent or CH_2;




R^4 is hydrogen or CH_3;

R^5 is CH_3 or cyclobutyl; or

R^4 and R^5 joined together with the carbon atom to which they are attached, form a 

 or .

R^{10} is hydrogen or methyl;

R^{11} is methyl, ethyl, difluoromethyl, difluoroethyl, trifluoroethyl, trifluoropropyl cyclopropyl, cyclopropylmethyl, cyclopropylethyl or cyclobutylmethyl, ,  or ;


'l' is 1;

'n' is 1;

'm' is 0 or 1; and


'r' is 1.

17. The compound according to claim 2, wherein

R^1 is ;

'X' is CH or N;

R^2 is chloro, fluoro, –NHC(O)CH_3 or –NHC(O)CH=CH_2;


ring A is ;


R^3 is methyl;

Y is absent or CH_2;




R^4 is hydrogen or CH_3;

R^5 is CH_3 or cyclobutyl; or

R^4 and R^5 joined together with the carbon atom to which they are attached, form a 



R^{10} is hydrogen or methyl;

R^{11} is methyl, ethyl, difluoromethyl, difluoroethyl, trifluoroethyl, trifluoropropyl cyclopropyl, cyclopropylmethyl, cyclopropylethyl or cyclobutylmethyl, ,  or ;


'l' is 1;


'n' is 1;

'm' is 0 or 1; and




'r' is 1.

18. The compound according to claim 3, wherein

R^1 is 



R^2 is chloro, fluoro, –NHC(O)CH_3 or –NHC(O)CH=CH_2;


ring A is ,  or ;


R^3 is methyl;

Y is absent or CH_2;




R^4 is hydrogen or CH_3;

R^5 is CH_3 or cyclobutyl; or

R^4 and R^5 joined together with the carbon atom to which they are attached, form a 



R^{10} is hydrogen or methyl;

R^{11} is methyl, ethyl, difluoromethyl, difluoroethyl, trifluoroethyl, trifluoropropyl cyclopropyl, cyclopropylmethyl, cyclopropylethyl or cyclobutylmethyl, ,  or ;


'l' is 1;


'n' is 1;

'm' is 0 or 1; and

'r' is 1.

19. The compound according to claim 4, wherein

R^1 is 




R^2 is chloro, fluoro, –NHC(O)CH_3 or –NHC(O)CH=CH_2;


R^3 is methyl;

Y is absent or CH_2;




R^4 is hydrogen or CH_3;

R^5 is CH_3 or cyclobutyl; or

R^4 and R^5 joined together with the carbon atom to which they are attached, form a 



R^{10} is hydrogen or methyl;

R^{11} is methyl, ethyl, difluoromethyl, difluoroethyl, trifluoroethyl, trifluoropropyl cyclopropyl, cyclopropylmethyl, cyclopropylethyl or cyclobutylmethyl, ,  or ;

'l' is 1;

'n' is 1;

'm' is 0 or 1; and

'r' is 1.

20. A compound selected from:

1-(Cyclopropylmethyl)-N-(3-(2-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)propan-2-yl)phenyl)-2-oxo-5-(piperidin-1-ylmethyl)-1,2-dihydropyridine-3-carboxamide;

N-(3-(2-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)propan-2-yl)phenyl)-2-oxo-5-(piperidin-1-ylmethyl)-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

1-Cyclopropyl-N-(3-(2-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)propan-2-yl)phenyl)-2-oxo-5-(piperidin-1-ylmethyl)-1,2-dihydropyridine-3-carboxamide;

1-(2,2-Difluoroethyl)-N-(3-(2-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)propan-2-yl)phenyl)-2-oxo-5-(piperidin-1-ylmethyl)-1,2-dihydropyridine-3-carboxamide;

(S)-1-(2,2-Difluoroethyl)-N-(3-(2-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)propan-2-yl)phenyl)-5-((3-methylpiperidin-1-yl)methyl)-2-oxo-1,2-dihydropyridine-3-carboxamide;

1-Cyclopropyl-N-(3-(3-((4-methyl-4H-1,2,4-triazol-3-yl)methyl)oxetan-3-yl)phenyl)-2-oxo-5-(piperidin-1-ylmethyl)-1,2-dihydropyridine-3-carboxamide;

N-(3-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-2-oxo-5-(piperidin-1-ylmethyl)-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

(S)-1-(Cyclobutylmethyl)-N-(3-(2-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)propan-2-yl)phenyl)-5-((3-methylpiperidin-1-yl)methyl)-2-oxo-1,2-dihydropyridine-3-carboxamide;

(S)-N-(3-(2-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)propan-2-yl)phenyl)-5-((3-methylpiperidin-1-yl)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

1-(Cyclopropylmethyl)-N-(3-(3-((4-methyl-4H-1,2,4-triazol-3-yl)methyl)oxetan-3-yl)phenyl)-2-oxo-5-(piperidin-1-ylmethyl)-1,2-dihydropyridine-3-carboxamide;

N-(3-(3-((4-methyl-4H-1,2,4-triazol-3-yl)methyl)oxetan-3-yl)phenyl)-2-oxo-5-(piperidin-1-ylmethyl)-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(3-(2-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)propan-2-yl)phenyl)-2-oxo-5-(pyrrolidin-1-ylmethyl)-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(3-(2-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)propan-2-yl)phenyl)-5-(morpholinomethyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

5-((4,4-Difluoropiperidin-1-yl)methyl)-N-(3-(2-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)propan-2-yl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

1-(Difluoromethyl)-N-(3-(2-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)propan-2-yl)phenyl)-2-oxo-5-(piperidin-1-ylmethyl)-1, 2-dihydropyridine-3-carboxamide;

5-((3-Acetamidopiperidin-1-yl)methyl)-N-(3-(2-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)propan-2-yl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide (Isomer-1);

5-((3-Acetamidopiperidin-1-yl)methyl)-N-(3-(2-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)propan-2-yl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide (Isomer-2);

1-(2-Cyclopropylethyl)-N-(3-(2-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)propan-2-yl)phenyl)-2-oxo-5-(piperidin-1-ylmethyl)-1,2-dihydropyridine-3-carboxamide;

(R)-5-((3-Fluoropyrrolidin-1-yl)methyl)-N-(3-(2-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)propan-2-yl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

(S)-5-((3-Hydroxypyrrolidin-1-yl)methyl)-N-(3-(2-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)propan-2-yl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

(R)-5-((3-Hydroxypyrrolidin-1-yl)methyl)-N-(3-(2-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)propan-2-yl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

(S)-5-((3-Fluoropyrrolidin-1-yl)methyl)-N-(3-(2-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)propan-2-yl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

1-(2-Cyclopropylethyl)-N-(3-(3-((4-methyl-4H-1,2,4-triazol-3-yl)methyl)oxetan-3-yl)phenyl)-2-oxo-5-(piperidin-1-ylmethyl)-1,2-dihydropyridine-3-carbox amide;

(S)-N-(3-(2-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)propan-2-yl)phenyl)-5-((3-methylpiperidin-1-yl)methyl)-2-oxo-1-(3,3,3-trifluoropropyl)-1,2-dihydropyridine-3-carboxamide;

(S)-1-(Cyclopropylmethyl)-N-(3-(3-((4-methyl-4H-1,2,4-triazol-3-yl)methyl)oxetan-3-yl)phenyl)-5-((3-methylpiperidin-1-yl)methyl)-2-oxo-1,2-dihydropyridine-3-carboxamide;

(S)-1-(Cyclopropylmethyl)-N-(3-(2-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)propan-2-yl)phenyl)-5-((3-methylpiperidin-1-yl)methyl)-2-oxo-1,2-dihydropyridine-3-carboxamide;

(R)-N-(3-(2-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)propan-2-yl)phenyl)-5-((3-methylpiperidin-1-yl)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

(S)-N-(3-(2-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)propan-2-yl)phenyl)-5-((2-methylmorpholino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

(S)-1-(2-Cyclopropylethyl)-5-((3-fluoropyrrolidin-1-yl)methyl)-N-(3-(2-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)propan-2-yl)phenyl)-2-oxo-1,2-dihydropyridine-3-carboxamide;

5-((4-Fluoropiperidin-1-yl)methyl)-N-(3-(2-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)propan-2-yl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

(R)-N-(3-(2-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)propan-2-yl)phenyl)-5-((2-methylmorpholino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

(S)-1-(2-Cyclopropylethyl)-N-(3-(2-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)propan-2-yl)phenyl)-5-((3-methylpiperidin-1-yl)methyl)-2-oxo-1,2-dihydropyridine-3-carboxamide;

(S)-5-((3-Fluoropyrrolidin-1-yl)methyl)-N-(3-(2-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)propan-2-yl)phenyl)-2-oxo-1-(3,3,3-trifluoropropyl)-1,2-dihydropyridine-3-carboxamide;

5-((Isobutylamino)methyl)-N-(3-(2-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)propan-2-yl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

5-((Isobutyl(methyl)amino)methyl)-N-(3-(2-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)propan-2-yl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(3-(2-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)propan-2-yl)phenyl)-5-(((oxetan-3-ylmethyl)amino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(2-fluoro-5-(2-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)propan-2-yl)phenyl)-5-((isobutylamino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

(S)-N-(2-fluoro-5-(2-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)propan-2-yl)phenyl)-5-((3-methylpiperidin-1-yl)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide**;**

5-((3-Isopropylpiperidin-1-yl)methyl)-N-(3-(2-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)propan-2-yl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide (Isomer-1);

5-((3-Isopropylpiperidin-1-yl)methyl)-N-(3-(2-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)propan-2-yl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide (Isomer-2);

(S)-5-((3-(hydroxymethyl)piperidin-1-yl)methyl)-N-(3-(2-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)propan-2-yl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

5-(((2-Hydroxyethyl)amino)methyl)-N-(3-(2-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)propan-2-yl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

5-(((2-Hydroxy-2-methylpropyl)amino)methyl)-N-(3-(2-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)propan-2-yl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

5-(((2,2-Difluoroethyl)amino)methyl)-N-(3-(2-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)propan-2-yl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

(S)-N-(4-fluoro-3-(2-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)propan-2-yl)phenyl)-5-((3-methylpiperidin-1-yl)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

5-((4,4-Dimethyl-1,4-azasilinan-1-yl)methyl)-N-(3-(2-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)propan-2-yl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

5-((Isobutylamino)methyl)-N-(3-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(3-((1s,3R)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-(((S)-3-piperidin-1-yl)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(2-fluoro-5-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-((isobutylamino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(2-fluoro-5-((1s,3R)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-(((S)-3-methylpiperidin-1-yl)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

5-(((2-Hydroxy-2-methylpropyl)amino)methyl)-N-(3-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(2-chloro-5-((1s,3R)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-(((S)-3-methylpiperidin-1-yl)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(2-chloro-5-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-((isobutylamino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(3-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-(((1-methylcyclopropyl)amino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(3-((1s,3S)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-(((R)-3-methylpiperidin-1-yl)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(3-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-(((1-methylcyclobutyl)amino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

5-(((2-Ethylbutyl)amino)methyl)-N-(3-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(3-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-(((3-methylbutan-2-yl)amino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide (Isomer-1);

N-(3-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-(((3-methylbutan-2-yl)amino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide (Isomer-2);

N-(3-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-(((2-methylbutyl)amino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide (Isomer-1);

N-(3-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-(((2-methylbutyl)amino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide (Isomer-2);

N-(3-(cyclobutyl(4-methyl-4H-1,2,4-triazol-3-yl)methyl)phenyl)-5-((isobutylamino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide (Isomer-1);

N-(3-(cyclobutyl(4-methyl-4H-1,2,4-triazol-3-yl)methyl)phenyl)-5-((isobutylamino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide (Isomer-2);

N-(5-(cyclobutyl(4-methyl-4H-1,2,4-triazol-3-yl)methyl)-2-fluorophenyl)-5-((isobutylamino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide (Isomer-1);

N-(5-(cyclobutyl(4-methyl-4H-1,2,4-triazol-3-yl)methyl)-2-fluorophenyl)-5-((isobutylamino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide (Isomer-2);

N-(3-(cyclobutyl(4-methyl-4H-1,2,4-triazol-3-yl)methyl)phenyl)-5-(((cyclopropylmethyl)amino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide (Isomer-1);

N-(3-(cyclobutyl(4-methyl-4H-1,2,4-triazol-3-yl)methyl)phenyl)-5-(((cyclopropylmethyl)amino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide (Isomer-2);

N-(2-fluoro-5-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-((neopentylamino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

5-(((2-Ethoxyethyl)amino)methyl)-N-(2-fluoro-5-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(2-fluoro-5-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-(((2-hydroxy-2-methylpropyl)amino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(2-fluoro-5-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-(((1-methylcyclobutyl)amino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(2-fluoro-5-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-2-oxo-5-((tert-pentylamino)methyl)-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

1-(Cyclopropylmethyl)-5-((isobutylamino)methyl)-N-(3-(3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl) phenyl)-2-oxo-1,2-dihydropyridine-3-carboxamide;

N-(3-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-((neopentylamino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

5-(((Cyclopropylmethyl)amino)methyl)-N-(2-fluoro-5-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

1-(Cyclopropylmethyl)-N-(2-fluoro-5-(3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-((isobutylamino)methyl)-2-oxo-1,2-dihydropyridine-3-carboxamide;

5-((Ethylamino)methyl)-N-(2-fluoro-5-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

5-(((2-Fluoro-2-methylpropyl)amino)methyl)-N-(3-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(3-fluoro-5-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-((isobutylamino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(2-chloro-5-(3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-1-(cyclopropylmethyl)-5-((isobutylamino)methyl)-2-oxo-1,2-dihydropyridine-3-carboxamide;

1-(Cyclopropylmethyl)-5-(((cyclopropylmethyl)amino)methyl)-N-(3-(3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-2-oxo-1,2-dihydropyridine-3-carboxamide;

1-(Cyclopropylmethyl)-5-(((cyclopropylmethyl)amino)methyl)-N-(2-fluoro-5-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-2-oxo-1,2-dihydropyridine-3-carboxamide;

N-(2-chloro-5-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-((neopentylamino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(2-chloro-5-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-(((cyclopropylmethyl)amino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

1-(Cyclopropylmethyl)-N-(3-(3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-((neopentylamino)methyl)-2-oxo-1,2-dihydropyridine-3-carboxamide;

5-(((S)-3-Acrylamidopyrrolidin-1-yl)methyl)-N-(3-((1s,3R)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

5-((Isobutylamino)methyl)-N-(3-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-2-oxo-1-(3,3,3-trifluoropropyl)-1,2-dihydropyridine-3-carboxamide;

1-(2-Cyclopropylethyl)-5-((isobutylamino)methyl)-N-(3-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-2-oxo-1,2-dihydropyridine-3-carboxamide;

N-(3-((1s,3R)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-2-oxo-5-(((S)-3-propionamidopyrrolidin-1-yl)methyl)-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(2-fluoro-5-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-((isobutylamino)methyl)-2-oxo-1-(3,3,3-trifluoropropyl)-1,2-dihydropyridine-3-carboxamide;

N-(2-fluoro-5-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-((neopentylamino)methyl)-2-oxo-1-(3,3,3-trifluoropropyl)-1,2-dihydropyridine-3-carboxamide;

5-(((2-Fluoro-2-methylpropyl)amino)methyl)-N-(2-fluoro-5-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(2-fluoro-5-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-1-(4-fluorophenyl)-5-((isobutylamino)methyl)-2-oxo-1,2-dihydropyridine-3-carboxamide;

5-((Isobutylamino)methyl)-N-(4-(3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)pyridin-2-yl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(3-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-((isobutylamino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

((S)-N-(3-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-((3-methylpiperidin-1-yl)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

5-((Isobutylamino)methyl)-N-(3-(5-(4-methyl-4H-1,2,4-triazol-3-yl)spiro[2.3]hexan-5-yl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

(S)-N-(3-(5-(4-methyl-4H-1,2,4-triazol-3-yl)spiro[2.3]hexan-5-yl)phenyl)-5-((3-methylpiperidin-1-yl)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

(S)-N-(3-(3,3-difluoro-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-((3-methylpiperidin-1-yl)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(3-(3,3-difluoro-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-((isobutylamino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

5-((Isobutylamino)methyl)-N-(3-(2-(4-methyl-4H-1,2,4-triazol-3-yl)spiro[3.3]heptan-2-yl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

(S)-N-(3-(2-(4-methyl-4H-1,2,4-triazol-3-yl)spiro[3.3]heptan-2-yl)phenyl)-5-((3-methylpiperidin-1-yl)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

5-(((2-Ethylbutyl)amino)methyl)-N-(3-(5-(4-methyl-4H-1,2,4-triazol-3-yl)Spiro[2.3]hexan-5-yl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(3-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-(((2-ethylbutyl)amino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(3-(3,3-difluoro-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-(((2-ethylbutyl)amino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(3-(5-(4-methyl-4H-1,2,4-triazol-3-yl)spiro[2.3]hexan-5-yl)phenyl)-5-(((2-methylbutyl)amino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide (Isomer-1);

N-(3-(5-(4-methyl-4H-1,2,4-triazol-3-yl)spiro[2.3]hexan-5-yl)phenyl)-5-(((2-methylbutyl)amino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide (Isomer-2);

5-(((Cyclopropylmethyl)amino)methyl)-N-(3-(2-(4-methyl-4H-1,2,4-triazol-3-yl)spiro[3.3]heptan-2-yl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

5-(((Cyclopropylmethyl)amino)methyl)-N-(2-fluoro-5-(5-(4-methyl-4H-1,2,4-triazol-3-yl)spiro[2.3]hexan-5-yl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

5-(((Cyclopropylmethyl)amino)methyl)-N-(5-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)-2-fluorophenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

5-(((Cyclopropylmethyl)amino)methyl)-N-(3-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(5-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)-2-fluorophenyl)-5-((isobutylamino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(2-fluoro-5-(5-(4-methyl-4H-1,2,4-triazol-3-yl)spiro[2.3]hexan-5-yl)phenyl)-5-((isobutylamino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(3-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-((neopentylamino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(2-chloro-5-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-((isobutylamino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(2-chloro-5-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-((neopentylamino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(5-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)-2-fluorophenyl)-5-((neopentylamino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(3-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-((isobutylamino)methyl)-2-oxo-1-(3,3,3-trifluoropropyl)-1,2-dihydropyridine-3-carboxamide;

1-(Cyclopropylmethyl)-N-(3-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-((isobutylamino)methyl)-2-oxo-1,2-dihydropyridine-3-carboxamide;

N-(5-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)-2-fluorophenyl)-5-((isobutylamino)methyl)-2-oxo-1-(3,3,3-trifluoropropyl)-1,2-dihydropyridine-3-carboxamide;

N-(5-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)-2-fluorophenyl)-5-((neopentylamino)methyl)-2-oxo-1-(3,3,3-trifluoropropyl)-1,2-dihydropyridine-3-carboxamide;

1-(2,2-Difluoroethyl)-N-(3-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-((isobutylamino)methyl)-2-oxo-1,2-dihydropyridine-3-carboxamide;

N-(3-(3,3-Dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-((4-methyl-3-oxopiperazin-1-yl)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydro pyridine-3-carboxamide;

1-(2-Cyclopropylethyl)-N-(3-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-((isobutylamino)methyl)-2-oxo-1,2-dihydropyridine-3-carboxamide;

N-(2-fluoro-5-(5-(4-methyl-4H-1,2,4-triazol-3-yl)spiro[2.3]hexan-5-yl)phenyl)-5-((neopentylamino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(3-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-((1-methyl-4,6-dihydropyrrolo[3,4-c]pyrazol-5(1H)-yl)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(3-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)-5-fluorophenyl)-5-((isobutylamino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(3-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-((3-fluoro-3-methylazetidin-1-yl)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(3-(3,3-Dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-((isobutylamino)methyl)-2-oxo-1-(prop-2-yn-1-yl)-1,2-dihydropyridine-3-carboxamide;

N-(3-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)-5-fluorophenyl)-5-((isobutylamino)methyl)-2-oxo-1-(3,3,3-trifluoropropyl)-1,2-dihydropyridine-3-carboxamide;

1-(2,2-Difluoroethyl)-N-(5-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)-2-fluorophenyl)-5-((isobutylamino)methyl)-2-oxo-1,2-dihydropyridine-3-carboxamide;

1-(2,2-Difluoroethyl)-N-(5-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)-2-fluorophenyl)-5-((neopentylamino)methyl)-2-oxo-1,2-dihydropyridine-3-carboxamide;

N-(3-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-(((1-methylcyclobutyl)amino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

1-(Cyclopropylmethyl)-N-(5-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)-2-fluorophenyl)-5-((isobutylamino)methyl)-2-oxo-1,2-dihydropyridine-3-carboxamide;

N-(3-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-(((2-fluoro-2-methylpropyl)amino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(5-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)-2-fluorophenyl)-5-(((2-fluoro-2-methylpropyl)amino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

1-(2-Cyclopropylethyl)-N-(5-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)-2-fluorophenyl)-5-((isobutylamino)methyl)-2-oxo-1,2-dihydropyridine-3-carboxamide;

1-(2-Cyclopropylethyl)-N-(5-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)-2-fluorophenyl)-5-(((2-fluoro-2-methylpropyl)amino)methyl)-2-oxo-1,2-dihydropyridine-3-carboxamide;

N-(3-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-((isopentylamino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(3-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-((isobutyl(methyl)amino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(2-fluoro-5-(2-(4-methyl-4H-1,2,4-triazol-3-yl)spiro[3.3]heptan-2-yl)phenyl)-5-((isobutylamino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(3-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-((((1-(fluoromethyl)cyclopropyl)methyl)amino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(3-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-1-(4-fluorophenyl)-5-(isobutylamino)methyl)-2-oxo-1,2-dihydropyridine-3-carboxamide;

(S)-N-(5-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)-2-fluorophenyl)-5-((3-methylpiperidin-1-yl)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

5-(((Cyclopropylmethyl)amino)methyl)-N-(5-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)-2-fluorophenyl)-2-oxo-1-(3,3,3-trifluoropropyl)-1,2-dihydropyridine-3-carboxamide;

N-(3-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-((isobutylamino)methyl)-N-methyl-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(3-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-((isopentylamino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(5-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)-2-fluorophenyl)-5-((((1-(fluoromethyl)cyclopropyl)methyl)amino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

5-(((Cyclopropylmethyl)amino)methyl)-N-(2-fluoro-5-(2-(4-methyl-4H-1,2,4-triazol-3-yl)spiro[3.3]heptan-2-yl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

5-(((Cyclopropylmethyl)amino)methyl)-1-(2,2-difluoroethyl)-N-(5-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)-2-fluorophenyl)-2-oxo-1,2-dihydropyridine-3-carboxamide;

N-(3-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-((isobutylamino)methyl)-1-(oxetan-3-ylmethyl)-2-oxo-1,2-dihydropyridine-3-carboxamide;

5-(1-(isobutylamino)ethyl)-N-(3-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide (Isomer-1);

5-(1-(isobutylamino)ethyl)-N-(3-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide (Isomer-2);

(±)N-(3-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-(1-(isobutylamino)ethyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

(±)N-(5-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)-2-fluorophenyl)-5-(1-(isobutylamino)ethyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

5-((Isobutylamino)methyl)-N-(3-((1s,3s)-3-methyl-1-(5-methyl-1H-imidazol-4-yl)cyclobutyl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(3-(3,3-dimethyl-1-(5-methyl-1H-imidazol-4-yl)cyclobutyl)phenyl)-5-((isobutylamino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

5-((Isobutylamino)methyl)-N-(3-(3-methyl-1-(5-methyl-1H-1,2,3-triazol-4-yl)cyclobutyl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide hydrochloride;

5-((Isobutylamino)methyl)-N-(3-((1s,3s)-3-methyl-1-(5-methyl-1H-1,2,3-triazol-4-yl)cyclobutyl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

5-((Isobutylamino)methyl)-N-(3-((1r,3r)-3-methyl-1-(5-methyl-1H-1,2,3-triazol-4-yl)cyclobutyl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(3-acetamido-5-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-((isobutylamino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide hydrochloride;

N-(3-acrylamido-5-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-((isobutylamino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide 2,2,2-trifluoroacetate;

N-(3-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-6-((isobutylamino)methyl)-3-oxo-4-(2,2,2-trifluoroethyl)-3,4-dihydropyrazine-2-carboxamide;

N-(5-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)-2-fluorophenyl)-1-ethyl-5-((isobutylamino)methyl)-2-oxo-1,2-dihydropyridine-3-carboxamide;

1-Ethyl-N-(2-fluoro-5-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-((((1-(fluoromethyl)cyclopropyl)methyl)amino)methyl)-2-oxo-1,2-dihydropyridine-3-carboxamide;

5-(((Cyclopropylmethyl)amino)methyl)-1-ethyl-N-(2-fluoro-5-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-2-oxo-1,2-dihydropyridine-3-carboxamide;

5-(((3-Fluoro-3-methylbutyl)amino)methyl)-N-(2-fluoro-5-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(5-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)-2-fluorophenyl)-1-(4-fluorophenyl)-5-((isobutylamino)methyl)-2-oxo-1,2-dihydropyridine-3-carboxamide;

N-(5-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)-2-fluorophenyl)-1-(4-fluorobenzyl)-5-((isobutylamino)methyl)-2-oxo-1,2-dihydropyridine-3-carboxamide;

5-((Isobutylamino)methyl)-1-methyl-N-(3-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-2-oxo-1,2-dihydropyridine-3-carboxamide;

5-(((Cyclopropylmethyl)amino)methyl)-1-(2,2-difluoroethyl)-N-(2-fluoro-5-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-2-oxo-1,2-dihydropyridine-3-carboxamide;

5-(((3-Fluoro-2,2-dimethylpropyl)amino)methyl)-N-(2-fluoro-5-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

1-(2,2-Difluoroethyl)-N-(2-fluoro-5-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-((((1-(fluoromethyl)cyclopropyl)methyl)amino)methyl)-2-oxo-1,2-dihydropyridine-3-carboxamide;

N-(5-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)-2-fluorophenyl)-5-(((3-fluoro-2,2-dimethylpropyl)amino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(2-fluoro-5-(2-(4-methyl-4H-1,2,4-triazol-3-yl)spiro[3.3]heptan-2-yl)phenyl)-5-((((1-(fluoromethyl)cyclopropyl)methyl)amino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(2-fluoro-5-(2-(4-methyl-4H-1,2,4-triazol-3-yl)spiro[3.3]heptan-2-yl)phenyl)-5-((isopentylamino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

5-((((1-(Fluoromethyl)cyclopropyl)methyl)amino)methyl)-N-(3-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(2-fluoro-5-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-((((1-(fluoromethyl)cyclopropyl)methyl)amino)methyl)-2-oxo-1-(3,3,3-trifluoropropyl)-1,2-dihydropyridine-3-carboxamide;

5-(((Cyclopropylmethyl)amino)methyl)-N-(5-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)-2-fluorophenyl)-1-(4-fluorophenyl)-2-oxo-1,2-dihydropyridine-3-carboxamide;

N-(5-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)-2-fluorophenyl)-5-((((1-(fluoromethyl)cyclopropyl)methyl)amino)methyl)-1-(4-fluorophenyl)-2-oxo-1,2-dihydropyridine-3-carboxamide;

1-Cyclopropyl-N-(2-fluoro-5-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-((isobutylamino)methyl)-2-oxo-1,2-dihydropyridine-3-carboxamide;

N-(5-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)-2-fluorophenyl)-6-((isobutylamino)methyl)-3-oxo-4-(2,2,2-trifluoroethyl)-3,4-dihydropyrazine-2-carboxamide;

N-(5-(6,6-dimethyl-2-(4-methyl-4H-1,2,4-triazol-3-yl)spiro[3.3]heptan-2-yl)-2-fluorophenyl)-5-((isobutylamino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

5-(((Cyclopropylmethyl)amino)methyl)-N-(5-(6,6-dimethyl-2-(4-methyl-4H-1,2,4-triazol-3-yl)spiro[3.3]heptan-2-yl)-2-fluorophenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(5-(6,6-dimethyl-2-(4-methyl-4H-1,2,4-triazol-3-yl)spiro[3.3]heptan-2-yl)-2-fluorophenyl)-5-((((1-(fluoromethyl)cyclopropyl)methyl)amino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(5-(6,6-dimethyl-2-(4-methyl-4H-1,2,4-triazol-3-yl)spiro[3.3]heptan-2-yl)-2-fluorophenyl)-5-(((3-fluoro-3-methylbutyl)amino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(5-(6,6-dimethyl-2-(4-methyl-4H-1,2,4-triazol-3-yl)spiro[3.3]heptan-2-yl)-2-fluorophenyl)-5-((isopentylamino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(5-(6,6-dimethyl-2-(4-methyl-4H-1,2,4-triazol-3-yl)spiro[3.3]heptan-2-yl)-2-fluorophenyl)-5-(((3-fluoro-2,2-dimethylpropyl)amino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(2-fluoro-5-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-((((1-(fluoromethyl)cyclopropyl)methyl)amino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

5-((Isobutylamino)methyl)-N-(3-(6-methyl-2-(4-methyl-4H-1,2,4-triazol-3-yl)spiro[3.3]heptan-2-yl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(2-fluoro-5-(6-methyl-2-(4-methyl-4H-1,2,4-triazol-3-yl)spiro[3.3]heptan-2-yl)phenyl)-5-((isobutylamino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

5-(((Cyclopropylmethyl)amino)methyl)-N-(2-fluoro-5-(6-methyl-2-(4-methyl-4H-1,2,4-triazol-3-yl)spiro[3.3]heptan-2-yl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(5-(3,3-diethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)-2-fluorophenyl)-5-((isobutylamino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(5-(3,3-dimethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)-2-fluorophenyl)-5-(((3-fluoro-3-methylbutyl)amino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(5-(3,3-diethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)-2-fluorophenyl)-5-((((1-(fluoromethyl)cyclopropyl)methyl)amino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(2-fluoro-5-(6-methyl-2-(4-methyl-4H-1,2,4-triazol-3-yl)spiro[3.3]heptan-2-yl)phenyl)-5-((((1-(fluoromethyl)cyclopropyl)methyl)amino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

5-(((3-Fluoro-3-methylbutyl)amino)methyl)-N-(2-fluoro-5-(6-methyl-2-(4-methyl-4H-1,2,4-triazol-3-yl)spiro[3.3]heptan-2-yl)phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

5-(((Cyclopropylmethyl)amino)methyl)-N-(5-(3,3-diethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)-2-fluorophenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(5-(3,3-diethyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)-2-fluorophenyl)-5-((isopentylamino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(2-fluoro-5-(6-methyl-2-(4-methyl-4H-1,2,4-triazol-3-yl)spiro[3.3]heptan-2-yl)phenyl)-5-((isopentylamino)methyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

5-(((Cyclopropylmethyl)amino)methyl)-N-(2-fluoro-5-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-1-(4-fluorophenyl)-2-oxo-1,2-dihydropyridine-3-carboxamide;

N-(2-fluoro-5-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-((((1-(fluoro-methyl)cyclopropyl)methyl)amino)methyl)-1-(4-fluorophenyl)-2-oxo-1,2-dihydropyridine-3-carboxamide;

1-Cyclopropyl-N-(2-fluoro-5-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-5-((((1-(fluoromethyl)cyclopropyl)methyl)amino)methyl)-2-oxo-1,2-dihydropyridine-3-carboxamide;

5-(((3-Fluoro-2,2-dimethylpropyl)amino)methyl)-N-(2-fluoro-5-(6-methyl-2-(4-methyl-4H-1,2,4-triazol-3-yl)spiro[3.3]heptan-2-yl)-phenyl)-2-oxo-1-(2,2,2-trifluoroethyl)-1,2-dihydropyridine-3-carboxamide;

N-(2-fluoro-5-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-6-((isobutylamino)methyl)-3-oxo-4-(2,2,2-trifluoroethyl)-3,4-dihydropyrazine-2-carboxamide; or

6-((Isobutylamino)methyl)-N-(3-((1s,3s)-3-methyl-1-(4-methyl-4H-1,2,4-triazol-3-yl)cyclobutyl)phenyl)-3-oxo-4-(2,2,2-trifluoroethyl)-3,4-dihydropyrazine-2-carboxamide; and pharmaceutically acceptable salt thereof.

21. A pharmaceutical composition comprising a compound according to any one of claims 1 to 20 and a pharmaceutically acceptable excipient, wherein the pharmaceutically acceptable excipient is a carrier or diluent.

22. Use of compound according to any one of claims 1 to 20 in the manufacture of a medicament for the treatment of a CBL-b mediated disease, disorder, or condition in a subject.

23. Use of compound according to claim 22, wherein the disease, disorder, or condition is cancer.