

group, a C₁-C₆ alkoxy group, a C₁-C₆ alkoxy carbonyl group, -SO₂R¹², -C(O)N(R¹³)₂, and an oxo group, and W³ and W⁴ may be joined together to form a ring; a C₁-C₆ alkylene group, wherein the C₁-C₆ alkylene group is optionally substituted with W⁵ and W⁶, wherein W⁵ and W⁶ are each
5 independently selected from the group consisting of H, a cyano group, a hydroxyC₁-C₆ alkyl group, a C₁-C₆ alkyl group, a C₁-C₆ alkoxy carbonyl group, a carboxy group, and -C(O)N(R¹³)₂, and W⁵ and W⁶ may be joined together to form a ring; a phenylene group, wherein the phenylene group is optionally substituted with one or more substituents
10 selected from the group consisting of a halogen atom, a C₁-C₆ alkyl group, a hydroxyC₁-C₆ alkyl group, a C₁-C₆ acyl group, a carboxy group, a hydroxy group, a haloC₁-C₆ alkyl group, a cyano group, a C₃-C₁₀ cycloalkyl group, a 3- to 10-membered heterocycloalkyl group, -NR¹⁰R¹¹, -C(O)R⁹, -C(O)NR¹⁰R¹¹, a C₁-C₆ alkoxy carbonyl group, -SO₂R¹², and
15 a C₁-C₆ alkoxy group; or a ~~heteroallylene-heteroarylene~~ group, wherein the ~~heteroallylene-heteroarylene~~ group is optionally substituted with one or more substituents selected from the group consisting of a halogen atom, a C₁-C₆ alkyl group, a hydroxyC₁-C₆ alkyl group, a C₁-C₆ acyl group, a carboxy group, a hydroxy group, a haloC₁-C₆ alkyl group,
20 a cyano group, a C₃-C₁₀ cycloalkyl group, a 3- to 10-membered heterocycloalkyl group, -NR¹⁰R¹¹, -C(O)R⁹, -C(O)NR¹⁰R¹¹, a C₁-C₆ alkoxy carbonyl group, -SO₂R¹², and a C₁-C₆ alkoxy group;

R⁶ represents a bond or a C₃-C₆ cycloalkylene group;

R⁷ represents H or a hydroxy group;

25 each R⁸ independently represents H or a C₁-C₆ alkyl group;

R⁹ represents H, a hydroxy group, a C₁-C₆ alkyl group, a C₁-C₆ alkoxy group, or a C₃-C₆ cycloalkoxy group;

R¹⁰ represents H or a C₁-C₆ alkyl group;

R¹¹ represents H or a C₁-C₆ alkyl group;

heterocycloalkylene group is optionally substituted with W^3 and W^4 , wherein W^3 and W^4 are each independently selected from the group consisting of H, a halogen atom, a hydroxy group, a C_1 - C_6 alkyl group, a C_3 - C_{10} cycloalkyl group, a C_1 - C_6 acyl group, a hydroxy C_1 - C_6 alkyl group, a C_1 - C_6 alkoxy group, a C_1 - C_6 alkoxycarbonyl group, $-SO_2R^{12}$, $-C(O)N(R^{13})_2$, and an oxo group, and W^3 and W^4 may be joined together to form a ring; a C_1 - C_6 alkylene group, wherein the C_1 - C_6 alkylene group is optionally substituted with W^5 and W^6 , wherein W^5 and W^6 are each independently selected from the group consisting of H, a cyano group, a hydroxy C_1 - C_6 alkyl group, a C_1 - C_6 alkyl group, a C_1 - C_6 alkoxycarbonyl group, a carboxy group, and $-C(O)N(R^{13})_2$, and W^5 and W^6 may be joined together to form a ring; a phenylene group, wherein the phenylene group is optionally substituted with one or more substituents selected from the group consisting of a halogen atom, a C_1 - C_6 alkyl group, a hydroxy C_1 - C_6 alkyl group, a C_1 - C_6 acyl group, a carboxy group, a hydroxy group, a halo C_1 - C_6 alkyl group, a cyano group, a C_3 - C_{10} cycloalkyl group, a 3- to 10-membered heterocycloalkyl group, $-NR^{10}R^{11}$, $-C(O)R^9$, $-C(O)NR^{10}R^{11}$, a C_1 - C_6 alkoxycarbonyl group, $-SO_2R^{12}$, and a C_1 - C_6 alkoxy group; or a ~~heteroallylene~~-heteroarylene group, wherein the ~~heteroallylene~~-heteroarylene group is optionally substituted with one or more substituents selected from the group consisting of a halogen atom, a C_1 - C_6 alkyl group, a hydroxy C_1 - C_6 alkyl group, a C_1 - C_6 acyl group, a carboxy group, a hydroxy group, a halo C_1 - C_6 alkyl group, a cyano group, a C_3 - C_{10} cycloalkyl group, a 3- to 10-membered heterocycloalkyl group, $-NR^{10}R^{11}$, $-C(O)R^9$, $-C(O)NR^{10}R^{11}$, a C_1 - C_6 alkoxycarbonyl group, $-SO_2R^{12}$, and a C_1 - C_6 alkoxy group;

R^6 represents a bond or a C_3 - C_6 cycloalkylene group;

R^7 represents H or a hydroxy group;


each R^8 independently represents H or a C_1 - C_6 alkyl group;

CLAIMS

[Claim 1]

A compound represented by General Formula (1):

5 [Formula 1]



wherein

X represents N or CH;

Q¹ represents N or CH;

10 Q² represents N or CR³;

L represents -SO₂-, -SO₂C(R⁸)₂-, or -SO₂NR⁸-;

R¹ represents H; a C₁-C₆ alkyl group, wherein the alkyl group is optionally substituted with one or more substituents selected from the group consisting of a halogen atom, a hydroxy group, a C₁-C₆ alkyl group, a C₁-C₆ alkoxy group, a haloC₁-C₆ alkyl group, a cyano group, a carboxy group, a C₃-C₁₀ cycloalkyl group, a 3- to 10-membered heterocycloalkyl group, a C₃-C₁₀ cycloalkyloxy group, a 3- to 10-membered heterocycloalkyloxy group, -C(O)R⁹, and -C(O)NR¹⁰R¹¹; a C₃-C₆ cycloalkyl group, wherein the cycloalkyl group is optionally substituted with one or more substituents selected from the group consisting of a haloC₁-C₆ alkyl group, a C₁-C₆ alkoxy group, a hydroxy group, and a cyano group; or a C₂-C₆ alkenyl group, wherein the alkenyl group is optionally substituted with one or more substituents selected from the group consisting of a halogen atom, a C₁-C₆ alkoxy group, a cyano group, a carboxy group, a C₃-C₁₀ cycloalkyl group, a 3- to 10-membered heterocycloalkyl group, a C₃-C₁₀ cycloalkyloxy group, a

3- to 10-membered heterocycloalkyloxy group, $-C(O)R^9$, and $-C(O)NR^{10}R^{11}$;

R^2 represents a C_1-C_6 alkyl group;

R^3 represents H; a C_1-C_6 alkyl group, wherein the alkyl group is optionally substituted with one or more substituents selected from the group consisting of a halogen atom, a hydroxy group, a C_1-C_6 alkoxy group, a halo C_1-C_6 alkyl group, a cyano group, a C_3-C_{10} cycloalkyl group, a 3- to 10-membered heterocycloalkyl group, a C_3-C_{10} cycloalkyloxy group, a 3- to 10-membered heterocycloalkyloxy group, $-C(O)R^9$, and $-C(O)NR^{10}R^{11}$; a hydroxy group; a C_1-C_6 alkoxy group; a halo C_1-C_6 alkyl group; a cyano group; a C_3-C_{10} cycloalkyl group; a 3- to 10-membered heterocycloalkyl group; a C_3-C_{10} cycloalkyloxy group; a 3- to 10-membered heterocycloalkyloxy group; $-C(O)R^9$; $-C(O)NR^{10}R^{11}$; or a halogen atom;

R^4 represents H, a halogen atom, a C_1-C_6 alkoxy group, a deuterated C_1-C_6 alkoxy group, a C_1-C_6 alkyl group, a halo C_1-C_6 alkyl group, a halo C_1-C_6 alkoxy group, a hydroxy C_1-C_6 alkyl group, a hydroxy group, a cyano group, $-C(O)R^9$, $-C(O)NR^{10}R^{11}$, or $NR^{10}R^{11}$;

when Q^2 is CR^3 , R^3 and R^4 may be joined together to form a ring;

G represents $-R^5-R^6-R^7$; a hydroxy C_1-C_6 alkyl group, wherein the hydroxy C_1-C_6 alkyl group is optionally substituted with W^1 and W^2 , wherein W^1 and W^2 are each independently selected from the group consisting of hydrogen, a C_1-C_6 alkyl group, a deuterated C_1-C_6 alkyl group, a halo C_1-C_6 alkyl group, and a hydroxy C_1-C_6 alkyl group, wherein W^1 and W^2 may be joined together to form a ring, and the ring formed by W^1 and W^2 is optionally substituted with one or more halogen atoms; a C_3-C_6 cycloalkyl group, wherein the C_3-C_6 cycloalkyl group is optionally substituted with W^3 and W^4 , wherein W^3 and W^4 are each independently selected from the group consisting of hydrogen, a

halogen atom, a hydroxy group, a C₁-C₆ alkyl group, a C₁-C₆ acyl group, a hydroxyC₁-C₆ alkyl group, a C₁-C₆ alkoxy group, a C₁-C₆ alkoxy carbonyl group, -SO₂R¹², and an oxo group, and W³ and W⁴ may be joined together to form a ring; a C₅-C₈ bicycloalkyl group, wherein the C₅-C₈

5 bicycloalkyl group is optionally substituted with W³ and W⁴, wherein W³ and W⁴ are each independently selected from the group consisting of hydrogen, a halogen atom, a hydroxy group, a C₁-C₆ alkyl group, a C₁-C₆ acyl group, a hydroxyC₁-C₆ alkyl group, a C₁-C₆ alkoxy group, a C₁-C₆ alkoxy carbonyl group, -SO₂R¹², and an oxo group, and W³ and W⁴ may
10 be joined together to form a ring; a 3- to 10-membered heterocycloalkyl group, wherein the 3- to 10-membered heterocycloalkyl group is optionally substituted with W³ and W⁴, wherein W³ and W⁴ are each independently selected from the group consisting of hydrogen, a halogen atom, a hydroxy group, a C₁-C₆ alkyl
15 group, a C₁-C₆ acyl group, a hydroxyC₁-C₆ alkyl group, a C₁-C₆ alkoxy group, a C₁-C₆ alkoxy carbonyl group, -SO₂R¹², -C(O)N(R¹³)₂, and an oxo group, and W³ and W⁴ may be joined together to form a ring; a C₁-C₆ alkyl group, wherein the C₁-C₆ alkyl group is optionally substituted with W⁵ and W⁶, wherein W⁵ and W⁶ are each independently selected from
20 the group consisting of H, a cyano group, a hydroxyC₁-C₆ alkyl group, a C₁-C₆ alkyl group, a C₁-C₆ alkoxy carbonyl group, a carboxy group, and -C(O)N(R¹³)₂, and W⁵ and W⁶ may be joined together to form a ring; a phenyl group, wherein the phenyl group is optionally substituted with one or more substituents selected from the group consisting of a
25 halogen atom, a C₁-C₆ alkyl group, a hydroxyC₁-C₆ alkyl group, a C₁-C₆ acyl group, a carboxy group, a hydroxy group, a haloC₁-C₆ alkyl group, a cyano group, a C₃-C₁₀ cycloalkyl group, a 3- to 10-membered heterocycloalkyl group, -NR¹⁰R¹¹, -C(O)R⁹, -C(O)NR¹⁰R¹¹, a C₁-C₆ alkoxy carbonyl group, -SO₂R¹², and a C₁-C₆ alkoxy group; or a

heteroaryl group, wherein the heteroaryl group is optionally substituted with one or more substituents selected from the group consisting of a halogen atom, a C₁-C₆ alkyl group, a hydroxyC₁-C₆ alkyl group, a C₁-C₆ acyl group, a carboxy group, a hydroxy group, a haloC₁-C₆ alkyl group, a cyano group, a C₃-C₁₀ cycloalkyl group, a 3- to 10-membered heterocycloalkyl group, -NR¹⁰R¹¹, -C(O)R⁹, -C(O)NR¹⁰R¹¹, a C₁-C₆ alkoxy carbonyl group, -SO₂R¹², and a C₁-C₆ alkoxy group;

R⁵ represents a hydroxyC₁-C₆ alkylene group, wherein the hydroxyC₁-C₆ alkylene group is optionally substituted with W¹ and W², wherein W¹ and W² are each independently selected from the group consisting of H, a C₁-C₆ alkyl group, a deuterated C₁-C₆ alkyl group, a haloC₁-C₆ alkyl group, and a hydroxyC₁-C₆ alkyl group, and W¹ and W² may be joined together to form a ring, and the ring formed by W¹ and W² is optionally substituted with one or more halogen atoms; a C₃-C₆ cycloalkylene group, wherein the C₃-C₆ cycloalkylene group is optionally substituted with W³ and W⁴, wherein W³ and W⁴ are each independently selected from the group consisting of H, a halogen atom, a hydroxy group, a C₁-C₆ alkyl group, a C₁-C₆ acyl group, a hydroxyC₁-C₆ alkyl group, a C₁-C₆ alkoxy group, a C₁-C₆ alkoxy carbonyl group, -SO₂R¹², and an oxo group, and W³ and W⁴ may be joined together to form a ring; a C₅-C₈ bicycloalkylene group, wherein the C₅-C₈ bicycloalkylene group is optionally substituted with W³ and W⁴, wherein W³ and W⁴ are each independently selected from the group consisting of H, a halogen atom, a hydroxy group, a C₁-C₆ alkyl group, a C₁-C₆ acyl group, a hydroxyC₁-C₆ alkyl group, a C₁-C₆ alkoxy group, a C₁-C₆ alkoxy carbonyl group, -SO₂R¹², and an oxo group, and W³ and W⁴ may be joined together to form a ring; a 3- to 10-membered heterocycloalkylene group, wherein the 3- to 10-membered heterocycloalkylene group is optionally substituted with W³ and W⁴,

wherein W^3 and W^4 are each independently selected from the group consisting of H, a halogen atom, a hydroxy group, a C_1 - C_6 alkyl group, a C_3 - C_{10} cycloalkyl group, a C_1 - C_6 acyl group, a hydroxy C_1 - C_6 alkyl group, a C_1 - C_6 alkoxy group, a C_1 - C_6 alkoxycarbonyl group, $-SO_2R^{12}$, $-C(O)N(R^{13})_2$, and an oxo group, and W^3 and W^4 may be joined together to form a ring; a C_1 - C_6 alkylene group, wherein the C_1 - C_6 alkylene group is optionally substituted with W^5 and W^6 , wherein W^5 and W^6 are each independently selected from the group consisting of H, a cyano group, a hydroxy C_1 - C_6 alkyl group, a C_1 - C_6 alkyl group, a C_1 - C_6 alkoxycarbonyl group, a carboxy group, and $-C(O)N(R^{13})_2$, and W^5 and W^6 may be joined together to form a ring; a phenylene group, wherein the phenylene group is optionally substituted with one or more substituents selected from the group consisting of a halogen atom, a C_1 - C_6 alkyl group, a hydroxy C_1 - C_6 alkyl group, a C_1 - C_6 acyl group, a carboxy group, a hydroxy group, a halo C_1 - C_6 alkyl group, a cyano group, a C_3 - C_{10} cycloalkyl group, a 3- to 10-membered heterocycloalkyl group, $-NR^{10}R^{11}$, $-C(O)R^9$, $-C(O)NR^{10}R^{11}$, a C_1 - C_6 alkoxycarbonyl group, $-SO_2R^{12}$, and a C_1 - C_6 alkoxy group; or a ~~heteroallylene~~-heteroarylene group, wherein the ~~heteroallylene~~-heteroarylene group is optionally substituted with one or more substituents selected from the group consisting of a halogen atom, a C_1 - C_6 alkyl group, a hydroxy C_1 - C_6 alkyl group, a C_1 - C_6 acyl group, a carboxy group, a hydroxy group, a halo C_1 - C_6 alkyl group, a cyano group, a C_3 - C_{10} cycloalkyl group, a 3- to 10-membered heterocycloalkyl group, $-NR^{10}R^{11}$, $-C(O)R^9$, $-C(O)NR^{10}R^{11}$, a C_1 - C_6 alkoxycarbonyl group, $-SO_2R^{12}$, and a C_1 - C_6 alkoxy group;

R^6 represents a bond or a C_3 - C_6 cycloalkylene group;

R^7 represents H or a hydroxy group;

each R^8 independently represents H or a C_1 - C_6 alkyl group;

R⁹ represents H, a hydroxy group, a C₁-C₆ alkyl group, a C₁-C₆ alkoxy group, or a C₃-C₆ cycloalkoxy group;

R¹⁰ represents H or a C₁-C₆ alkyl group;

R¹¹ represents H or a C₁-C₆ alkyl group;

5 R¹² represents H or a C₁-C₆ alkyl group; and

each R¹³ independently represents H, a C₁-C₆ alkyl group, or a hydroxyC₁-C₆ alkyl group,

a pharmacologically acceptable salt of the compound, a hydrate of the compound or a hydrate of the salt.

10

[Claim 2]

The compound, the pharmacologically acceptable salt of the compound, the hydrate of the compound or the hydrate of the salt according to claim 1, wherein in General Formula (1), Q¹ is CH, Q² is CR³, and R³ is H.

15

[Claim 3]

The compound, the pharmacologically acceptable salt of the compound, the hydrate of the compound or the hydrate of the salt according to claim 1, wherein in General Formula (1), X is N.

20

[Claim 4]

The compound, the pharmacologically acceptable salt of the compound, the hydrate of the compound or the hydrate of the salt according to any one of claims 1 to 3, wherein in General Formula (1), R² is a methyl group.

25

[Claim 5]

The compound, the pharmacologically acceptable salt of the compound, the hydrate of the compound or the hydrate of the salt according to any one of claims 1 to 4, wherein in General Formula (1),

X represents N;

Q¹ represents CH;

Q² represents CR³;

L represents -SO₂-;

R¹ represents a C₁-C₆ alkyl group, wherein the alkyl group is optionally substituted with one or more substituents selected from the group consisting of a halogen atom, a hydroxy group, a C₁-C₆ alkoxy group, a haloC₁-C₆ alkyl group, a cyano group, a 3- to 10-membered heterocycloalkyloxy group, -C(O)R⁹, and -C(O)NR¹⁰R¹¹;

R² represents a methyl group;

R³ represents H;

R⁴ represents a C₁-C₆ alkoxy group, a C₁-C₆ alkyl group, or a haloC₁-C₆ alkyl group; and

G represents a hydroxyC₁-C₆ alkyl group, wherein the hydroxyC₁-C₆ alkyl group is optionally substituted with W¹ and W², wherein W¹ and W² are each independently H or a C₁-C₆ alkyl group, and W¹ and W² may be joined together to form a ring, and the ring formed by W¹ and W² is optionally substituted with one or more halogen atoms.

[Claim 6]

The compound, the pharmacologically acceptable salt of the compound, the hydrate of the compound or the hydrate of the salt according to claim 5, wherein in General Formula (1), R⁴ is a C₁-C₆ alkoxy group.

[Claim 7]

The compound, the pharmacologically acceptable salt of the compound, the hydrate of the compound or the hydrate of the salt
5 according to any one of claims 1 to 4, wherein in General Formula (1),

X represents N;

Q¹ represents CH;

Q² represents CR³;

10 L represents -SO₂-, -SO₂NR⁸-, or -SO₂C(R⁸)₂-;

R¹ represents a C₁-C₆ alkyl group, wherein the alkyl group is optionally substituted with one or more hydroxy groups or C₁-C₆ alkoxy groups;

R² represents a methyl group;

15 R³ represents H ~~or a halogen atom~~;

R⁴ represents a C₁-C₆ alkoxy group, a C₁-C₆ alkyl group, a haloC₁-C₆ alkyl group, or a haloC₁-C₆ alkoxy group; and

G represents a hydroxyC₁-C₆ alkyl group, wherein the hydroxyC₁-C₆ alkyl group is optionally substituted with W¹ and W², wherein W¹ and W²
20 are each independently H or a C₁-C₆ alkyl group, and W¹ and W² may be joined together to form a ring, and the ring formed by W¹ and W² is optionally substituted with one or more halogen atoms; a C₃-C₆ cycloalkyl group, wherein the C₃-C₆ cycloalkyl group is optionally substituted with W³ and W⁴, wherein W³ and W⁴ are each independently
25 selected from the group consisting of H, a hydroxy group, a C₁-C₆ alkyl group, a C₁-C₆ acyl group, a hydroxyC₁-C₆ alkyl group, a C₁-C₆ alkoxycarbonyl group, and -SO₂R¹², and W³ and W⁴ may be joined together to form a ring; a 3- to 10-membered heterocycloalkyl group, wherein the 3- to 10-membered heterocycloalkyl group is optionally

substituted with W^3 and W^4 , wherein W^3 and W^4 are each independently selected from the group consisting of H, a hydroxy group, a C_1 - C_6 alkyl group, a C_1 - C_6 acyl group, a hydroxy C_1 - C_6 alkyl group, a C_1 - C_6 alkoxy carbonyl group, $-SO_2R^{12}$, and $-C(O)N(R^{13})_2$, and W^3 and W^4 may be
5 joined together to form a ring; a C_1 - C_6 alkyl group, wherein the C_1 - C_6 alkyl group is optionally substituted with W^5 and W^6 , wherein W^5 and W^6 are each independently selected from the group consisting of H, a cyano group, a hydroxy C_1 - C_6 alkyl group, a C_1 - C_6 alkyl group, a C_1 - C_6 alkoxy carbonyl group, a carboxy group, and $-C(O)N(R^{13})_2$, and W^5 and W^6
10 may be joined together to form a ring; or a heteroaryl group, wherein the heteroaryl group is optionally substituted with one or more substituents selected from the group consisting of a halogen atom, a C_1 - C_6 alkyl group, a hydroxy C_1 - C_6 alkyl group, a C_1 - C_6 acyl group, a carboxy group, a hydroxy group, a halo C_1 - C_6 alkyl group, a cyano
15 group, a C_3 - C_{10} cycloalkyl group, a 3- to 10-membered heterocycloalkyl group, $-NR^{10}R^{11}$, $-C(O)R^9$, $-C(O)NR^{10}R^{11}$, a C_1 - C_6 alkoxy carbonyl group, $-SO_2R^{12}$, and a C_1 - C_6 alkoxy group.

[Claim 8]

20 The compound, the pharmacologically acceptable salt of the compound, the hydrate of the compound or the hydrate of the salt
according to claim 1, wherein in General Formula (1),

X represents CH;

Q^1 represents N or CH;

25 Q^2 represents N or CR^3 ;

L represents $-SO_2-$, $-SO_2NR^8-$, or $-SO_2C(R^8)_2-$;

R^1 represents H; a C_1 - C_6 alkyl group, wherein the alkyl group is optionally substituted with one or more substituents selected from the group consisting of a halogen atom, a hydroxy group, a C_1 - C_6

alkoxy group, and a 3- to 10-membered heterocycloalkyloxy group; a C₃-C₆ cycloalkyl group, wherein the cycloalkyl group is optionally substituted with one or more substituents selected from the group consisting of a C₁-C₆ alkoxy group and a hydroxy group; or a C₂-C₆ alkenyl group;

R² represents a C₁-C₆ alkyl group;

R³ represents H or a halogen atom;

R⁴ represents a halogen atom, a C₁-C₆ alkoxy group, a C₁-C₆ alkyl group, a haloC₁-C₆ alkyl group, a haloC₁-C₆ alkoxy group, a cyano group, or NR¹⁰R¹¹;

G represents a hydroxyC₁-C₆ alkyl group, wherein the hydroxyC₁-C₆ alkyl group is optionally substituted with W¹ and W², wherein W¹ and W² are each independently H or a C₁-C₆ alkyl group, and W¹ and W² may be joined together to form a ring, and the ring formed by W¹ and W² is optionally substituted with one or more halogen atoms; a C₃-C₆ cycloalkyl group, wherein the C₃-C₆ cycloalkyl group is optionally substituted with W³ and W⁴, wherein W³ and W⁴ are each independently hydrogen, a hydroxy group, or a C₁-C₆ alkoxy group, and W³ and W⁴ may be joined together to form a ring; a 3- to 10-membered heterocycloalkyl group; a phenyl group, wherein the phenyl group is optionally substituted with one or more substituents selected from the group consisting of a halogen atom, a C₁-C₆ alkyl group, a hydroxyC₁-C₆ alkyl group, a C₁-C₆ acyl group, a carboxy group, a hydroxy group, a haloC₁-C₆ alkyl group, a cyano group, a C₃-C₁₀ cycloalkyl group, a 3- to 10-membered heterocycloalkyl group, -NR¹⁰R¹¹, -C(O)R⁹, -C(O)NR¹⁰R¹¹, a C₁-C₆ alkoxycarbonyl group, -SO₂R¹², and a C₁-C₆ alkoxy group; or a heteroaryl group, wherein the heteroaryl group is optionally substituted with one or more substituents selected from the group consisting of a halogen atom, a C₁-C₆ alkyl

group, a hydroxyC₁-C₆ alkyl group, a C₁-C₆ acyl group, a carboxy group, a hydroxy group, a haloC₁-C₆ alkyl group, a cyano group, a C₃-C₁₀ cycloalkyl group, a 3- to 10-membered heterocycloalkyl group, -NR¹⁰R¹¹, -C(O)R⁹, -C(O)NR¹⁰R¹¹, a C₁-C₆ alkoxy carbonyl group, -SO₂R¹², and
5 a C₁-C₆ alkoxy group;

R⁸ represents H or a C₁-C₆ alkyl group;

R¹⁰ represents H or a C₁-C₆ alkyl group; and

R¹¹ represents H or a C₁-C₆ alkyl group.

10 [Claim 9]


The compound, the pharmacologically acceptable salt of the compound, the hydrate of the compound or the hydrate of the salt according to claim 8, wherein in General Formula (1), Q¹ is CH, and Q² is N.

15

[Claim 10]

The compound, the pharmacologically acceptable salt of the compound, the hydrate of the compound or the hydrate of the salt according to claim 1, wherein the compound represented by General
20 Formula (1) is any one of compounds listed in Tables 1 to 11.

[Table 1]























[Table 2]

[Table 3]

[Table 4]

[Table 5]

[Table 6]










[Table 7]

[Table 8]

[Table 9]

[Table 10]

[Table 11]

[Claim 11]

5 ~~_____ A pharmacologically acceptable salt of the compound according to any one of claims 1 to 10 or a hydrate of the compound according to any one of claims 1 to 10 or a pharmacologically acceptable salt thereof.~~

10 [Claim ~~12~~ 11]

A medicament comprising the compound, the pharmacologically acceptable salt of the compound, the hydrate of the compound or the hydrate of the salt according to any one of claims 1 to ~~11~~ 10 as an active ingredient.

[Claim-~~13~~ 12]

An antiviral agent against a virus belonging to the family *Picornaviridae*, comprising the compound, the pharmacologically acceptable salt of the compound, the hydrate of the compound or the
5 hydrate of the salt according to any one of claims 1 to ~~11~~ 10 as an active ingredient.

~~[Claim 14]~~

~~— A method for treating or preventing a viral infection caused by~~
10 ~~an enterovirus, a rhinovirus, or a coxsackievirus, comprising~~
~~administering the compound according to any one of claims 1 to 12.~~

[Claim-~~15~~ 13]

Use of the compound, the pharmacologically acceptable salt of
15 the compound, the hydrate of the compound or the hydrate of the salt
according to any one of claims 1 to ~~11~~ 10, for manufacturing a medicament for treating or preventing a viral infection caused by an enterovirus, a rhinovirus, or a coxsackievirus.

20 [Claim-~~16~~ 14]

A pharmaceutical composition comprising the compound, the
pharmacologically acceptable salt of the compound, the hydrate of the
compound or the hydrate of the salt according to any one of claims 1
to ~~11~~ 10 and a pharmaceutically acceptable carrier, for use in the
25 treatment or prevention of a viral infection caused by an enterovirus, a rhinovirus, or a coxsackievirus.

~~{Claim 17}~~

~~— A method for treating or preventing exacerbation of asthma or
COPD, comprising administering the compound according to any one of
claims 1 to 11.~~

5

~~[Claim 18]~~ 15]

Use of the compound, the pharmacologically acceptable salt of
the compound, the hydrate of the compound or the hydrate of the salt
according to any one of claims 1 to ~~11~~ 10 for manufacturing a

10 medicament for treating or preventing exacerbation of asthma or COPD.

~~[Claim 19]~~ 16]

A pharmaceutical composition comprising the compound, the
pharmacologically acceptable salt of the compound, the hydrate of the
15 compound or the hydrate of the salt according to any one of claims 1
to ~~11~~ 10 and a pharmaceutically acceptable carrier, for use in the
treatment or prevention of exacerbation of asthma or COPD.