WE CLAIM:

1. A compound of Formula (I) or Formula (II), or pharmaceutically acceptable salt thereof:



Formula (I)



Formula (II)

wherein:

m is 1 and R^{20} is selected from H, halo, C_1-C_6alkyl, C_1-C_6haloalkyl, C_1-C_6haloalkoxy, deuterium, deuterated C_1-C_6alkyl, -CN, $-(CR^9_2)_nOR^4$, $-C(O)R^4$, $-(CR^9_2)_nC(=O)OR^4$, R^{10}, $-(CR^9_2)_nR^{10}$, $-((CR^9_2)_nO)_tR^4$, $-(CR^9_2)_nO(CR^9_2)_nR^7$, $-(CR^9_2)_nC(=O)R^4$, $-C(=O)N(R^4)_2$, $-OR^4$ and $-(CR^9_2)_nCN$;

or m is 4 and R^{20} is deuterium;

R^1 is selected from C_1-C_6alkyl and halo;

each R^{11} is independently selected from H, halo, and C_1-C_6alkyl;

L_1 is a bond, –NH- or -C(=O)NH-;

L_2 is $-(CR^9_2)_n-$, $-CHR^6-$, $-(CR^9_2)_nO-$, -NH-, $-(CR^9_2)_nC(=O)-$, $-C(=O)O(CR^9_2)_n-$, $-(CR^9_2)_nOC(=O)NR^4-$, $-(CR^9_2)_nNR^4C(=O)(CR^9_2)_n-$, $-(CR^9_2)_nNR^4C(=O)-$ or $-(CR^9_2)_nNR^4C(=O)O-$;

R^2 is R^3 or L_2R^3;

R^3 is selected from an unsubstituted C_3-C_8cycloalkyl, a cyclobutanone, a cyclopentanone and a substituted C_3-C_8cycloalkyl,

wherein the substituted C_3-C_8cycloalkyl of R^2 is substituted with 1-4 substituents independently selected from C_1-C_6alkyl, halo, C_1-C_6haloalkyl, $-OR^4$, -CN, $-C(=O)OR^4$, $-C(=O)R^4$, $-C(=O)R^7$, $-C(=O)OR^5$, $-(CR^9_2)_nOR^4$, $-O(CR^9_2)_nOR^4$, $-C(=O)O(CR^9_2)_nOR^4$, $-N(R^4)_2$, $=N-OR^4$, $=N-O-(CR^9_2)_nR^5$, $-C(=O)NR^4_2$, $-NR^4C(=O)OR^4$, $-NR^4C(=O)(CR^9_2)_nOR^4$, $-NR^4(CR^9_2)_nOR^4$, $-NR^4S(=O)_2R^4$, $-N(C(=O)OR^4)_2$, $=CH_2$, $=CH(CR^9_2)_nOR^4$, R^8, $-(CR^9_2)_nR^8$, deuterated C_1-C_6alkoxy, $-S(=O)_2R^4$, $-S(=O)_2R^7$, $-S(=O)_2R^8$, $-S(=O)_2N(R^4)_2$, $-S(=O)_2NHC(=O)OR^4$, $-S(=O)_2(CR^9_2)_nC(=O)OR^4$, $-S(=O)_2(CR^9_2)_nOR^4$, a spiro attached dioxolane, a spiro attached dioxolane which is substituted with C_1-C_6alkyl, a spiro attached

dioxane, a spiro attached tetrahyrofuranly, a spiro attached oxetane, a spiro attached cyclobutanone, a spiro attached cyclobutanol, a C_1 alkyl bridge, an unsubstituted 5-6 membered heterocycloalkyl with 1-2 heteroatoms independently selected from N, O and S, a 5-6 membered heterocycloalkyl with 1-2 heteroatoms independently selected from N, O and S substituted with 1-3 substituents independently selected from C_1-C_6alkyl, halo, C_1-C_6haloalkyl, C_1-C_6haloalkoxy, $-OR^4$ and R^8;

each R^4 is independently selected from H and C_1-C_6alkyl;

R^5 is an unsubstituted C_3-C_8cycloalkyl , an unsubstituted 5-6 membered heterocycloalkyl with 1-2 heteroatoms independently selected from N or O or a C_3-C_8cycloalkyl substituted with 1-3 substituents independently selected from C_1-C_6alkyl;

each R^6 is independently selected from $-NHC(O)OR^4$, $-OR^4$ and $-(CR^9_2)_nOR^4$;

each R^7 is independently selected from C_1-C_6haloalkyl;

R^8 is selected from an unsubstituted phenyl, unsubstituted 5-6 membered heteroaryl with 1-3 heteroatoms independently selected from N, O or S, an unsubstituted 5 membered heteroaryl with 1-4 heteroatoms selected from N, an unsubstituted 4-6 membered heterocycloalkyl with 1-2 heteroatoms independently selected from N, O or S, an unsubstituted C_3-C_8cycloalkyl, a substituted 5-6 membered heteroaryl with 1-3 heteroatoms independently selected from N, O or S, a substituted phenyl, a substituted 5 membered heteroaryl with 1-4 heteroatoms selected from N, a substituted 4-6 membered heterocycloalkyl with 1-2 heteroatoms independently selected from N, O or S, a substituted C_3-C_8cycloalkyl, a oxazolidin-2-one, pyrrolidinone and a pyrrolidin-2-one,

wherein the substituted phenyl, the substituted 5-6 membered heteroaryl with 1-3 heteroatoms independently selected from N, O or S, the substituted 5 membered heteroaryl with 1-4 heteroatoms selected from N, substituted C_3-C_8cycloalkyl and substituted 4-6 membered heterocycloalkyl of R^8 are substituted with 1-3 substituents independently selected from C_1-C_6alkyl, $-(C(R^9)_2)_nOR^4$, $-(C(R^9)_2)_nR^5$, $-(C(R^9)_2)_nC(O)OR^4$, $-C(O)OR^4$ and $-S(O)_2R^4$;

each R^9 is independently selected from H and C_1-C_6alkyl;

R^{10} is selected from an unsubstituted phenyl, unsubstituted 5-6 membered heteroaryl with 1-2 heteroatoms independently selected from N, O or S, an unsubstituted 5 membered heteroaryl with 1-4 heteroatoms selected

from N, an unsubstituted 4-6 membered heterocycloalkyl with 1-2 heteroatoms independently selected from N, O or S, an unsubstituted C_3-C_8cycloalkyl, a substituted 5-6 membered heteroaryl with 1-2 heteroatoms independently selected from N, O or S, a substituted phenyl, a substituted 5 membered heteroaryl with 1-4 heteroatoms selected from N, a substituted 4-6 membered heterocycloalkyl with 1-2 heteroatoms independently selected from N, O or S, a substituted C_3-C_8cycloalkyl, a oxazolidin-2-one, pyrrolidinone and a pyrrolidin-2-one,

wherein the substituted phenyl, the substituted 5-6 membered heteroaryl with 1-2 heteroatoms independently selected from N, O or S, the substituted 5 membered heteroaryl with 1-4 heteroatoms selected from N, substituted C_3-C_8cycloalkyl and substituted 4-6 membered heterocycloalkyl of R^8 are substituted with 1-3 substituents independently selected from C_1-C_6alkyl, $-(C(R^9)_2)_nOR^4$, $-(C(R^9)_2)_nR^5$, $-(C(R^9)_2)_nC(O)OR^4$ and $-S(O)_2R^4$;

t is 1, 2 or 3, and

each n is independently selected from 1, 2, 3 and 4.

2. The compound of claim 1, wherein the compound is a compound of Formula (Ia), Formula (IIa), Formula (Ib) or Formula (IIb):



Formula (Ia)



Formula (IIa)



Formula (Ib)



Formula (IIb)

wherein:

m is 1 and R^{20} is selected from H, halo, C_1-C_6alkyl, C_1-C_6haloalkyl, C_1-C_6haloalkoxy, deuterium, deuterated C_1-C_6alkyl, -CN, $-(CR^9_2)_nOR^4$, -

$C(O)R^4$, $-(CR^9_2)_nC(=O)OR^4$, R^{10}, $-(CR^9_2)_nR^{10}$, $-((CR^9_2)_nO)_tR^4$, $-(CR^9_2)_nO(CR^9_2)_nR^7$, $-(CR^9_2)_nC(=O)R^4$, $-C(=O)N(R^4)_2$, $-OR^4$ and $-(CR^9_2)_nCN$;

or m is 4 and R^{20} is deuterium;

R^1 is selected from C_1-C_6alkyl and halo;

each R^{11} is independently selected from H, halo, and C_1-C_6alkyl;

L_2 is $-(CR^9_2)_n-$, $-CHR^6-$, $-(CR^9_2)_nO-$, $-NH-$, $-(CR^9_2)_nC(=O)-$, $-C(=O)O(CR^9_2)_n-$, $-(CR^9_2)_nOC(=O)NR^4-$, $-(CR^9_2)_nNR^4C(=O)(CR^9_2)_n-$, $-(CR^9_2)_nNR^4C(=O)-$ or $-(CR^9_2)_nNR^4C(=O)O-$;

R^2 is R^3 or L_2R^3;

R^3 is selected from an unsubstituted C_3-C_8cycloalkyl, a cyclobutanone, a cyclopentanone and a substituted C_3-C_8cycloalkyl,

wherein the substituted C_3-C_8cycloalkyl of R^2 is substituted with 1-4 substituents independently selected from C_1-C_6alkyl, halo, C_1-C_6haloalkyl, $-OR^4$, -CN, $-C(=O)OR^4$, $-C(=O)R^4$, $-C(=O)R^7$, $-C(=O)OR^5$, $-(CR^9_2)_nOR^4$, $-O(CR^9_2)_nOR^4$, $-C(=O)O(CR^9_2)_nOR^4$, $-N(R^4)_2$, $=N-OR^4$, $=N-O(CR^9_2)_nR^5$, $-C(=O)NR^4_2$, $-NR^4C(=O)OR^4$, $-NR^4C(=O)(CR^9_2)_nOR^4$, $-NR^4(CR^9_2)_nOR^4$, $-NR^4S(=O)_2R^4$, $-N(C(=O)OR^4)_2$, $=CH_2$, $=CH(CR^9_2)_nOR^4$, R^8, $-(CR^9_2)_nR^8$, deuterated C_1-C_6alkoxy, $-S(=O)_2R^4$, $-S(=O)_2R^7$, $-S(=O)_2R^8$, $-S(=O)_2N(R^4)_2$, $-S(=O)_2NHC(=O)OR^4$, $-S(=O)_2(CR^9_2)_nC(=O)OR^4$, $-S(=O)_2(CR^9_2)_nOR^4$, a spiro attached dioxolane, a spiro attached dioxolane which is substituted with C_1-C_6alkyl, a spiro attached dioxane, a spiro attached tetrahyrofuranly, a spiro attached oxetane, a spiro attached cyclobutanone, a spiro attached cyclobutanol, a C_1 alkyl bridge, an unsubstituted 5-6 membered heterocycloalkyl with 1-2 heteroatoms independently selected from N, O and S, a 5-6 membered heterocycloalkyl with 1-2 heteroatoms independently selected from N, O and S substituted with 1-3 substituents independently selected from C_1-C_6alkyl, halo, C_1-C_6haloalkyl, C_1-C_6haloalkoxy, $-OR^4$ and R^8;

each R^4 is independently selected from H and C_1-C_6alkyl;

R^5 is an unsubstituted C_3-C_8cycloalkyl , an unsubstituted 5-6 membered heterocycloalkyl with 1-2 heteroatoms independently selected from N or O or a C_3-C_8cycloalkyl substituted with 1-3 substituents independently selected from C_1-C_6alkyl;

each R^6 is independently selected from $-NHC(O)OR^4$, $-OR^4$ and $-(CR^9_2)_nOR^4$;

each R^7 is independently selected from C_1-C_6haloalkyl;

R^8 is selected from an unsubstituted phenyl, unsubstituted 5-6 membered heteroaryl with 1-3 heteroatoms independently selected from N, O or S, an unsubstituted 5 membered heteroaryl with 1-4 heteroatoms selected from N, an unsubstituted 4-6 membered heterocycloalkyl with 1-2 heteroatoms independently selected from N, O or S, an unsubstituted C_3-C_8cycloalkyl, a substituted 5-6 membered heteroaryl with 1-3 heteroatoms independently selected from N, O or S, a substituted phenyl, a substituted 5 membered heteroaryl with 1-4 heteroatoms selected from N, a substituted 4-6 membered heterocycloalkyl with 1-2 heteroatoms independently selected from N, O or S, a substituted C_3-C_8cycloalkyl, a oxazolidin-2-one, pyrrolidinone and a pyrrolidin-2-one,

wherein the substituted phenyl, the substituted 5-6 membered heteroaryl with 1-3 heteroatoms independently selected from N, O or S, the substituted 5 membered heteroaryl with 1-4 heteroatoms selected from N, substituted C_3-C_8cycloalkyl and substituted 4-6 membered heterocycloalkyl of R^8 are substituted with 1-3 substituents independently selected from C_1-C_6alkyl, $-(C(R^9)_2)_nOR^4$, $-(C(R^9)_2)_nR^5$, $-(C(R^9)_2)_nC(O)OR^4$, $-C(O)OR^4$ and $-S(O)_2R^4$;

each R^9 is independently selected from H and C_1-C_6alkyl;

R^{10} is selected from an unsubstituted phenyl, unsubstituted 5-6 membered heteroaryl with 1-2 heteroatoms independently selected from N, O or S, an unsubstituted 5 membered heteroaryl with 1-4 heteroatoms selected from N, an unsubstituted 4-6 membered heterocycloalkyl with 1-2 heteroatoms independently selected from N, O or S, an unsubstituted C_3-C_8cycloalkyl, a substituted 5-6 membered heteroaryl with 1-2 heteroatoms independently selected from N, O or S, a substituted phenyl, a substituted 5 membered heteroaryl with 1-4 heteroatoms selected from N, a substituted 4-6 membered heterocycloalkyl with 1-2 heteroatoms independently selected from N, O or S, a substituted C_3-C_8cycloalkyl, a oxazolidin-2-one, pyrrolidinone and a pyrrolidin-2-one,

wherein the substituted phenyl, the substituted 5-6 membered heteroaryl with 1-2 heteroatoms independently selected from N, O or S, the substituted 5 membered heteroaryl with 1-4 heteroatoms selected from N, substituted C_3-C_8cycloalkyl and substituted 4-6 membered heterocycloalkyl of R^8 are substituted with 1-3 substituents independently selected from C_1-C_6alkyl, $-(C(R^9)_2)_nOR^4$, $-(C(R^9)_2)_nR^5$, $-(C(R^9)_2)_nC(O)OR^4$ and $-S(O)_2R^4$;

t is 1, 2 or 3, and

each n is independently selected from 1, 2, 3 and 4.

3. The compound of claim 1 or claim 2, wherein R^1 is selected from $-CH_3$ and F.

4. The compound of any one of claims 1 to 3, wherein R^1 is $-CH_3$.

5. The compound of any one of claims 1 to 4, wherein each R^{11} is independently selected from H, F and $-CH_3$.

6. The compound of any one of claims 1 to 5, wherein each R^{11} is H.

7. The compound of any one of claims 1 to 6, wherein R^3 is selected from an unsubstituted C_3-C_8cycloalkyl, a cyclobutanone, a cyclopentanone and a substituted C_3-C_8cycloalkyl,

wherein the substituted C_3-C_8cycloalkyl of R^3 is substituted with 1-4 substituents independently selected from C_1-C_6alkyl, halo, C_1-C_6haloalkyl, $-OR^4$, $-(CR^9_2)_nOR^4$, $-O(CR^9_2)_nOR^4$, $-N(R^4)_2$, $=N-OR^4$, $=N-O-(CR^9_2)_nR^5$, $-NR^4C(=O)OR^4$, $-NR^4C(=O)(CR^9_2)_nOR^4$, $-NR^4(CR^9_2)_nOR^4$, $-NR^4S(=O)_2R^4$, $-N(C(=O)OR^4)_2$, $=CH_2$, $=CH(CR^9_2)_nOR^4$, R^8, deuterated C_1-C_6alkoxy, a spiro attached dioxolane, a spiro attached dioxolane which is substituted with C_1-C_6alkyl, a spiro attached dioxane, a spiro attached tetrahyrofuranly, a spiro attached cyclobutanone, a spiro attached cyclobutanol, an unsubstituted 5-6 membered heterocycloalkyl with 1-2 heteroatoms independently selected from N and O and a 5-6 membered heterocycloalkyl with 1-2 heteroatoms independently selected from N and O substituted with 1-3 substituents independently selected from C_1-C_6alkyl.

8. The compound of any one of claims 1 to 7, wherein each R^4 is independently selected from H, methyl, ethyl, propyl, butyl, i-propyl and t-butyl.

9. The compound of any one of claims 1 to 8, wherein R^5 is independently selected from cyclopropyl or morpholinyl.

10. The compound of any one of claims 1 to 9, wherein each R^7 is independently selected from CH_2F, $-CHF_2$, $-CH_2CHF_2$, $-CH_2CF_3$ and $-CF_3$.

11. The compound of any one of claims 1 to 10, wherein each R^9 is independently selected from H, methyl and ethyl.

12. The compound of any one of claims 1 to 11, wherein R^8 is selected from an an unsubstituted C_3-C_8cycloalkyl and an unsubstituted 5 membered heteroaryl with 1-4 heteroatoms selected from N.

13. The compound of any one of claims 1 to 12, wherein

R^3 is selected from cyclopropyl, cyclobutyl, cyclopentyl and cyclohexyl, , each of which is unsubstituted or each of which is substituted with 1-4 substituents independently selected from -F, $-CH_3$, $-CH_2CH_3$, $-CF_3$, -OH, $-OCH_3$, $-CH_2OCH_3$, $-NH_2$, $-N(CH_3)_2$, $-OCH_2CH_2OCH_3$, =N-OCH_3, =N-OCH_2CH_3, =N-$OCH(CH_3)_2$, =N-OH, =N-O-CH_2R^5, =N-O-$CH_2CH_2R^5$, -$NHC(=O)OC(CH_3)_3$, -$NHC(=O)OCH_3$, -$NHC(=O)CH_2OCH_3$, -$NHCH_2CH_2OCH_3$, -$NHCH_2CH_2OH$, -$NHS(=O)_2CH_3$, -$N(C(=O)OCH_3)_2$, $=CH_2$, $=CHCH_2CH_2OH$, $-OCD_3$, cyclopropyl, triazolyl, pyrazolyl, a spiro attached dioxolane, a spiro attached dioxolane which is substituted with a $-CH_3$, a spiro attached dioxane, a spiro attached tetrahyrofuranly, a spiro attached cyclobutanone, a spiro attached cyclobutanol, piperidinyl and piperazinyl substituted with a $-CH_3$,

or R^3 is a cyclobutanone or a cyclopentanone.

14. The compound of any one of claims 1 to 13, wherein:

R^3 is cyclopropyl substituted with 1 or 2 F,

or

R^3 is cyclobutyl substituted with 2 F.

15. The compound of any one of claims 1 to 14, wherein m is 1 and R^{20} is selected from H, halo, C_1-C_6alkyl, C_1-C_6haloalkyl, C_1-C_6haloalkoxy, deuterated C_1-C_6alkyl, -CN, $-(CR^9_2)_nOR^4$, $-(CR^9_2)_nC(=O)OR^4$, R^{10}, $-(CR^9_2)_nR^{10}$, $-((CR^9_2)_nO)_tR^4$, $-(CR^9_2)_nO(CR^9_2)_nR^7$, $-(CR^9_2)_nC(=O)R^4$, and $-C(=O)N(R^4)_2$.

16. The compound of any one of claims 1 to 15, wherein m is 1 and R^{20} is selected from H, -F, $-CH_3$, $-CF_3$, $-CD_3$, -CN, $-OCHF_2$, $-C(CH_3)OH$, $-CH_2CH_2C(=O)OC(CH_3)_3$, $-CH_2OCH_2CH_2OH$, $-CH_2OCH_2CF_3$, $-C(=O)NH_2$, $-CH_2CH_2C(CH_3)_2OH$, $-CH_2OCH_2CH_2OCH_3$, $-CH_2OCH_2CH_2F$, $-CH_2CH_2C(=O)CH_3$, $-CH_2OH$ and $-CH_2OCH_3$.

17. The compound of any one of claims 1 to 16, wherein m is 1 and R^{20} is $-CH_3$.

18. The compound of any one of claims 1 to 16, wherein m is 1 and R^{20} is H.

19. The compound of any one of claims 1 to 18, wherein:

R^{10} is selected from morpholinyl, piperidinyl, piperidin-1-yl, piperidin-2-yl, piperidin-3-yl, piperidin-4-yl, piperazinyl, piperazin-1-yl, pyrazolyl, pyrazol-1-yl, pyrazol-3-yl, pyrazol-4-yl, triazolyl, 1H-1,2,3-triazol-4-yl, 4H-1,2,4-triazol-3-yl, 1H-1,2,4-triazol-5-yl, thiazolyl, thiazol-4-yl, thiazol-5-yl, imidazolyl, imidazol-1-yl, imidazol-2-yl, each of which is unsubstituted or each of which is substituted with 1-3 substituents independently selected

from C_1-C_6alkyl, $-(CR^9_2)_nOR^4$, $-(C(R^9)_2)_nC(O)OR^4$, $-(C(R^9)_2)_nR^5$ and $-S(=O)_2R^4$,

or R^{10} is selected from a oxazolidin-2-one and a pyrrolidin-2-one.

20. The compound of any one of claims 1 to 19, wherein:

R^{10} is selected from morpholinyl, piperidinyl, piperidin-1-yl, piperidin-2-yl, piperidin-3-yl, piperidin-4-yl, piperazinyl, piperazin-1-yl, pyrazolyl, pyrazol-1-yl, pyrazol-3-yl, pyrazol-4-yl, triazolyl, 1H-1,2,3-triazol-4-yl, 4H-1,2,4-triazol-3-yl, 1H-1,2,4-triazol-5-yl, thiazolyl, thiazol-4-yl, thiazol-5-yl, imidazolyl, imidazol-1-yl, imidazol-2-yl, each of which is unsubstituted or each of which is substituted with 1-3 substituents independently selected from $-CH_3$, $-CH_2CH_2OH$, $-CH_2C(O)OH$, $-CH_2CH_2OH$, $-CH_2C(CH_3)_2OH$, $-S(O)_2CH_3$ and $-CH_2CH_2$-R_5.

21. The compound of any one of claims 1 to 14, wherein m is 4 and R^{20} is deuterium.

22. The compound of claim 1 selected from:

N-{5-[3-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-5-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;

N-{2-methyl-5-[5-(3-oxocyclopentyl)-1,2,4-oxadiazol-3-yl]phenyl}imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3-hydroxy-3-methylcyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;

N-(5-{5-[3-(hydroxyimino)cyclobutyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(4,4-difluorocyclohexyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3-hydroxy-3-methylcyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;

N-(5-{5-[3-(methoxyimino)cyclobutyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-[5-(5-{5,8-dioxaspiro[3.4]octan-2-yl}-1,2,4-oxadiazol-3-yl)-2-methylphenyl]imidazo[1,2-a]pyridine-3-carboxamide;

N-(2-methyl-5-{5-[(6R)-6-methyl-5,8-dioxaspiro[3.4]octan-2-yl]-1,2,4-oxadiazol-3-yl}phenyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-[5-(5-{5,9-dioxaspiro[3.5]nonan-2-yl}-1,2,4-oxadiazol-3-yl)-2-methylphenyl]imidazo[1,2-a]pyridine-3-carboxamide;

N-{2-methyl-5-[5-(3-oxocyclobutyl)-1,2,4-oxadiazol-3-yl]phenyl}imidazo[1,2-a]pyridine-3-carboxamide;

N-(2-methyl-5-{5-[(6S)-6-methyl-5,8-dioxaspiro[3.4]octan-2-yl]-1,2,4-oxadiazol-3-yl}phenyl)imidazo[1,2-a]pyridine-3-carboxamide;
N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;
N-(5-{5-[3-(ethoxyimino)cyclobutyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;
N-[5-(5-{3-[(cyclopropylmethoxy)imino]cyclobutyl}-1,2,4-oxadiazol-3-yl)-2-methylphenyl]imidazo[1,2-a]pyridine-3-carboxamide;
N-[2-methyl-5-(5-{3-[(propan-2-yloxy)imino]cyclobutyl}-1,2,4-oxadiazol-3-yl)phenyl]imidazo[1,2-a]pyridine-3-carboxamide;
N-{5-[5-(3-aminocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;
N-(5-{5-[3-(2-methoxyethoxy)cyclobutyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;
N-{5-[5-(3-methoxycyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;
N-(5-{5-[1-(methoxymethyl)cyclopropyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;
tert-butyl N-{1-[3-(3-{imidazo[1,2-a]pyridine-3-amido}-4-methylphenyl)-1,2,4-oxadiazol-5-yl]cyclopropyl}carbamate;
N-{5-[5-(1-methanesulfonamidocyclopropyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;
methyl N-{1-[3-(3-{imidazo[1,2-a]pyridine-3-amido}-4-methylphenyl)-1,2,4-oxadiazol-5-yl]cyclopropyl}-N-(methoxycarbonyl)carbamate;
methyl N-{1-[3-(3-{imidazo[1,2-a]pyridine-3-amido}-4-methylphenyl)-1,2,4-oxadiazol-5-yl]cyclopropyl}carbamate;
N-(5-{5-[3-hydroxy-3-(trifluoromethyl)cyclobutyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;
1-methylcyclopropyl N-{[3-(3-{imidazo[1,2-a]pyridine-3-amido}-4-methylphenyl)-1,2,4-oxadiazol-5-yl]methyl}carbamate;
methyl N-{1-[3-(3-{imidazo[1,2-a]pyridine-3-amido}-4-methylphenyl)-1,2,4-oxadiazol-5-yl]cyclobutyl}carbamate;
N-{5-[5-(1-methanesulfonamidocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;
N-(5-{5-[1-(dimethylamino)cyclopropyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{2-methyl-5-[5-(3-methylidenecyclobutyl)-1,2,4-oxadiazol-3-yl]phenyl}imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3-cyclopropyl-3-hydroxycyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;

N-(5-{5-[3-(3-hydroxypropylidene)cyclobutyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-[2-methyl-5-(5-{5-oxaspiro[3.4]octan-2-yl}-1,2,4-oxadiazol-3-yl)phenyl]imidazo[1,2-a]pyridine-3-carboxamide;

N-[5-(5-{[(3,3-difluorocyclobutyl)amino]methyl}-1,2,4-oxadiazol-3-yl)-2-methylphenyl]imidazo[1,2-a]pyridine-3-carboxamide;

N-(2-methyl-5-{5-[(2,2,3,3-tetrafluorocyclobutoxy)methyl]-1,2,4-oxadiazol-3-yl}phenyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3-fluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-(hydroxymethyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-[(2-hydroxyethoxy)methyl]imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-(methoxymethyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-(1H-pyrazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-[1-(2-hydroxyethyl)-1H-pyrazol-4-yl]imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-(1-methyl-1H-pyrazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-(1-methyl-1H-pyrazol-3-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-[1-(2-hydroxy-2-methylpropyl)-1H-pyrazol-4-yl]imidazo[1,2-a]pyridine-3-carboxamide;

N-(2-methyl-5-{5-[3-(1H-pyrazol-1-yl)cyclobutyl]-1,2,4-oxadiazol-3-yl}phenyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-(1,3-thiazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-fluorophenyl}-6-(1-methyl-1H-pyrazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-fluorophenyl}-6-[1-(2-hydroxy-2-methylpropyl)-1H-pyrazol-4-yl]imidazo[1,2-a]pyridine-3-carboxamide;
N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-7-(1-methanesulfonylpiperidin-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;
N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-{1-[2-(morpholin-4-yl)ethyl]-1H-pyrazol-4-yl}imidazo[1,2-a]pyridine-3-carboxamide;
N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-fluorophenyl}-6-{1-[2-(morpholin-4-yl)ethyl]-1H-pyrazol-4-yl}imidazo[1,2-a]pyridine-3-carboxamide;
N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-[(2,2,2-trifluoroethoxy)methyl]imidazo[1,2-a]pyridine-3-carboxamide;
N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-(3-oxobutyl)imidazo[1,2-a]pyridine-3-carboxamide;
N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-(3-hydroxy-3-methylbutyl)imidazo[1,2-a]pyridine-3-carboxamide;
N-(5-{5-[2-(1-hydroxycyclopropyl)ethyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;
N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-[2-(morpholin-4-yl)ethyl]imidazo[1,2-a]pyridine-3-carboxamide;
N-[5-(5-cyclobutyl-1,2,4-oxadiazol-3-yl)-2-methylphenyl]imidazo[1,2-a]pyridine-3-carboxamide;
N-{5-[5-(3,3-dimethylcyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;
N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-7-(morpholin-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;
6-cyano-N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;
N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-fluorophenyl}-6-(5-methyl-4H-1,2,4-triazol-3-yl)imidazo[1,2-a]pyridine-3-carboxamide;
3-N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3,6-dicarboxamide;
N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-[2-(4-methylpiperazin-1-yl)ethyl]imidazo[1,2-a]pyridine-3-carboxamide;
N-{5-[5-(2,2-difluorocyclopropyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;
N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-7-(1H-1,2,3-triazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-7-[1-(2-hydroxyethyl)-1H-1,2,3-triazol-4-yl]imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2,4-dimethylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-7-(2-oxo-1,3-oxazolidin-3-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-7-methylimidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-methylimidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-fluoroimidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-7-fluoroimidazo[1,2-a]pyridine-3-carboxamide;

7-cyano-N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;

N-[5-(5-cyclopentyl-1,2,4-oxadiazol-3-yl)-2-methylphenyl]imidazo[1,2-a]pyridine-3-carboxamide;

N-[2-methyl-5-(5-{6-oxospiro[3.3]heptan-2-yl}-1,2,4-oxadiazol-3-yl)phenyl]imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-7-(2-oxopyrrolidin-1-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-[(2,2-difluoroethoxy)methyl]imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3-ethylcyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-(5-methyl-4H-1,2,4-triazol-3-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-7-methylimidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-(morpholin-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-(1H-imidazol-1-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-[(2-fluoroethoxy)methyl]imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-[3-(methoxymethyl)-1H-1,2,4-triazol-5-yl]imidazo[1,2-a]pyridine-3-carboxamide;
N-{5-[5-(2,2-difluorocyclopropyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-[(2,2,2-trifluoroethoxy)methyl]imidazo[1,2-a]pyridine-3-carboxamide;
N-[5-(5-cyclobutyl-1,2,4-oxadiazol-3-yl)-2-methylphenyl]-6-[(2,2,2-trifluoroethoxy)methyl]imidazo[1,2-a]pyridine-3-carboxamide;
N-(5-{5-[(1R)-2,2-difluorocyclopropyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;
N-(5-{5-[(1S)-2,2-difluorocyclopropyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;
N-(5-{5-[3-hydroxy-3-(trifluoromethyl)cyclobutyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)-7-methylimidazo[1,2-a]pyridine-3-carboxamide;
6-fluoro-N-(5-{5-[3-hydroxy-3-(trifluoromethyl)cyclobutyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;
N-(5-{5-[(1R,2S)-2-fluorocyclopropyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;
N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-5,6,7,8-tetradeuteroimidazo[1,2-a]pyridine-3-carboxamide;
N-{5-[(3,3-difluorocyclobutyl)carbamoyl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;
7-fluoro-N-(5-{5-[3-hydroxy-3-(trifluoromethyl)cyclobutyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;
N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-(4-methyl-1H-imidazol-1-yl)imidazo[1,2-a]pyridine-3-carboxamide;
N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-[(2R,6S)-2,6-dimethylmorpholin-4-yl]imidazo[1,2-a]pyridine-3-carboxamide;
N-(5-{5-[3-methoxy-3-(trifluoromethyl)cyclobutyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;
6-fluoro-N-(5-{5-[1-(methoxymethyl)cyclobutyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;
N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-[1-(2-methoxyethyl)-5-methyl-1H-1,2,4-triazol-3-yl]imidazo[1,2-a]pyridine-3-carboxamide;
N-[5-(5-{6-hydroxyspiro[3.3]heptan-2-yl}-1,2,4-oxadiazol-3-yl)-2-methylphenyl]imidazo[1,2-a]pyridine-3-carboxamide;
N-(5-{5-[(1S,2S)-2-fluorocyclopropyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;

7-methyl-N-(2-methyl-5-{5-[(2,2,3,3-tetrafluorocyclobutoxy)methyl]-1,2,4-oxadiazol-3-yl}phenyl)imidazo[1,2-a]pyridine-3-carboxamide;
6-methyl-N-(2-methyl-5-{5-[(2,2,3,3-tetrafluorocyclobutoxy)methyl]-1,2,4-oxadiazol-3-yl}phenyl)imidazo[1,2-a]pyridine-3-carboxamide;
N-[5-(5-cyclopropyl-1,2,4-oxadiazol-3-yl)-2-methylphenyl]imidazo[1,2-a]pyridine-3-carboxamide;
N-{5-[5-(cyclopropylmethyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;
N-(5-{5-[(1R,2S)-2-fluorocyclopropyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)-7-methylimidazo[1,2-a]pyridine-3-carboxamide;
N-(5-{5-[(1S,2R)-2-fluorocyclopropyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)-7-methylimidazo[1,2-a]pyridine-3-carboxamide;
N-(5-{5-[(1R)-2,2-difluorocyclopropyl]-1,2,4-oxadiazol-3-yl}-2,4-dimethylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;
N-(5-{5-[(1S)-2,2-difluorocyclopropyl]-1,2,4-oxadiazol-3-yl}-2,4-dimethylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;
N-(5-{5-[(1R,2S)-2-fluorocyclopropyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;
N-{5-[5-(3-fluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-7-methylimidazo[1,2-a]pyridine-3-carboxamide;
N-{5-[5-(3-fluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-methylimidazo[1,2-a]pyridine-3-carboxamide;
N-(5-{5-[(1S,2R)-2-fluorocyclopropyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;
methyl N-{3,3-difluoro-1-[3-(3-{imidazo[1,2-a]pyridine-3-amido}-4-methylphenyl)-1,2,4-oxadiazol-5-yl]cyclobutyl}carbamate;
methyl N-{3,3-difluoro-1-[3-(4-methyl-3-{7-methylimidazo[1,2-a]pyridine-3-amido}phenyl)-1,2,4-oxadiazol-5-yl]cyclobutyl}carbamate, and
N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-[(2-fluoroethoxy)methyl]imidazo[1,2-a]pyridine-3-carboxamide.

23. The compound of claim 1 selected from:
N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;
N-(5-{5-[(1R)-2,2-difluorocyclopropyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(5-{5-[(1S)-2,2-difluorocyclopropyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;
N-(5-{5-[(1S,2R)-2-fluorocyclopropyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide, and
N-(5-{5-[(1R,2S)-2-fluorocyclopropyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide.

24. A pharmaceutical composition comprising a therapeutically effective amount a compound of any one of claims 1 to 23 and a pharmaceutically acceptable carrier.

25. A medicament for treating a disease mediated by a kinase in a patient in need therof, wherein the medicaments comprises a therapeutically effective amount of a compound of any one of claims 1 to 23, the kinase is selected from c-kit, PDGFRα, and PDGFRβ, and the disease is a mast-cell associated disease, a respiratory disease, an inflammatory disorder, irritable bowel syndrome (IBS), inflammatory bowel disease (IBD), an autoimmune disorder, a metabolic disease, a fibrosis disease, a dermatological disease, pulmonary arterial hypertension (PAH) or primary pulmonary hypertension (PPH).

26. The medicament of claim 25, wherein the disease is asthma, allergic rhinitis, pulmonary arterial hypertension (PAH), pulmonary fibrosis, hepatic fibrosis, cardiac fibrosis, scleroderma, irritable bowel syndrome (IBS), inflammatory bowel disease (IBD), uticaria, dermatosis, type I diabetes or type II diabetes.

27. Use of a compound of any one of claims 1 to 23 in the manufacture of a medicament for treating a disease or disorder in a patient where modulation of a kinase is implicated, wherein the kinase is selected from c-kit, PDGFRα and PDGFRβ.

28. A method for treating a disease or disorder where modulation of a kinase is implicated, wherein the method comprises administering to a system or subject in need of such treatment an effective amount of a compound of any one of claims 1 to 23, wherein the kinase is selected from c-kit, PDGFRα and PDGFRβ.

29. The method of claim 28, wherein the disease is a mast-cell associated disease, a respiratory disease, an inflammatory disorder, irritable bowel syndrome (IBS), inflammatory bowel disease (IBD), an autoimmune disorder, a metabolic disease, a fibrosis disease, a dermatological disease, pulmonary arterial hypertension (PAH) or primary pulmonary hypertension (PPH).

30. The method of claim 29, wherein the disease is asthma, allergic rhinitis, pulmonary arterial hypertension (PAH), pulmonary fibrosis, hepatic fibrosis, cardiac fibrosis, scleroderma, irritable bowel syndrome (IBS), inflammatory bowel disease (IBD), uticaria, dermatosis, type I diabetes or type II diabetes.

31. A method for modulating kinase activity, comprising administering to a system or a subject in need thereof, a therapeutically effective amount of the compound of any one of claims 1 to 23 or pharmaceutically acceptable salts or pharmaceutical compositions thereof, wherein the kinase is c-kit, PDGFRα and PDGFRβ.

32. A compound any one of claims 1 to 23 for use in treating a disease mediated by c-kit, PDGFRα, PDGFRβ or combination thereof, wherein the disease is selected from a mast-cell associated disease, a respiratory disease, an inflammatory disorder, irritable bowel syndrome (IBS), inflammatory bowel disease (IBD), an autoimmune disorder, a metabolic disease, a fibrosis disease, a dermatological disease, pulmonary arterial hypertension (PAH) and primary pulmonary hypertension (PPH).

33. The compound of claim 32, wherein the disease is asthma, allergic rhinitis, pulmonary arterial hypertension (PAH), pulmonary fibrosis, hepatic fibrosis, cardiac fibrosis, scleroderma, irritable bowel syndrome (IBS), inflammatory bowel disease (IBD), uticaria, dermatosis, type I diabetes or type II diabetes.

THE CLAIMS DEFINING THE INVENTION ARE AS FOLLOWS:

1. A compound of Formula (I) or Formula (II), or pharmaceutically acceptable salt thereof:



Formula (I)



Formula (II)

wherein:

m is 1 and R^{20} is selected from H, halo, C_1-C_6alkyl, C_1-C_6haloalkyl, C_1-C_6haloalkoxy, deuterium, deuterated C_1-C_6alkyl, -CN, $-(CR^9_2)_nOR^4$, $-C(O)R^4$, $-(CR^9_2)_nC(=O)OR^4$, R^{10}, $-(CR^9_2)_nR^{10}$, $-((CR^9_2)_nO)_tR^4$, $-(CR^9_2)_nO(CR^9_2)_nR^7$, $-(CR^9_2)_nC(=O)R^4$, $-C(=O)N(R^4)_2$, $-OR^4$ and $-(CR^9_2)_nCN$;

or m is 4 and R^{20} is deuterium;

R^1 is selected from C_1-C_6alkyl and halo;

each R^{11} is independently selected from H, halo, and C_1-C_6alkyl;

L_1 is a bond, –NH- or -C(=O)NH-;

L_2 is $-(CR^9_2)_n-$, $-CHR^6-$, $-(CR^9_2)_nO-$, -NH-, $-(CR^9_2)_nC(=O)-$, $-C(=O)O(CR^9_2)_n-$, $-(CR^9_2)_nOC(=O)NR^4-$, $-(CR^9_2)_nNR^4C(=O)(CR^9_2)_n-$, $-(CR^9_2)_nNR^4C(=O)-$ or $-(CR^9_2)_nNR^4C(=O)O-$;

R^2 is R^3 or L_2R^3;

R^3 is selected from an unsubstituted C_3-C_8cycloalkyl, a cyclobutanone, a cyclopentanone and a substituted C_3-C_8cycloalkyl,

wherein the substituted C_3-C_8cycloalkyl of R^3 is substituted with 1-4 substituents independently selected from C_1-C_6alkyl, halo, C_1-C_6haloalkyl, $-OR^4$, -CN, $-C(=O)OR^4$, $-C(=O)R^4$, $-C(=O)R^7$, $-C(=O)OR^5$, $-(CR^9_2)_nOR^4$, $-O(CR^9_2)_nOR^4$, $-C(=O)O(CR^9_2)_nOR^4$, $-N(R^4)_2$, $=N-OR^4$, $=N-O-(CR^9_2)_nR^5$, $-C(=O)NR^4_2$, $-NR^4C(=O)OR^4$, $-NR^4C(=O)(CR^9_2)_nOR^4$, $-NR^4(CR^9_2)_nOR^4$, $-NR^4S(=O)_2R^4$, $-N(C(=O)OR^4)_2$, $=CH_2$, $=CH(CR^9_2)_nOR^4$, R^8, $-(CR^9_2)_nR^8$, deuterated C_1-C_6alkoxy, $-S(=O)_2R^4$, $-S(=O)_2R^7$, $-S(=O)_2R^8$, $-S(=O)_2N(R^4)_2$, $-S(=O)_2NHC(=O)OR^4$, $-S(=O)_2(CR^9_2)_nC(=O)OR^4$, $-S(=O)_2(CR^9_2)_nOR^4$, a spiro attached dioxolane, a spiro attached dioxolane which is substituted with C_1-C_6alkyl, a spiro attached dioxane, a spiro attached tetrahyrofuranly, a spiro attached oxetane, a spiro attached

cyclobutanone, a spiro attached cyclobutanol, a C_1 alkyl bridge, an unsubstituted 5-6 membered heterocycloalkyl with 1-2 heteroatoms independently selected from N, O and S, a 5-6 membered heterocycloalkyl with 1-2 heteroatoms independently selected from N, O and S substituted with 1-3 substituents independently selected from C_1-C_6alkyl, halo, C_1-C_6haloalkyl, C_1-C_6haloalkoxy, -OR^4 and R^8;

each R^4 is independently selected from H and C_1-C_6alkyl;

R^5 is an unsubstituted C_3-C_8cycloalkyl , an unsubstituted 5-6 membered heterocycloalkyl with 1-2 heteroatoms independently selected from N or O or a C_3-C_8cycloalkyl substituted with 1-3 substituents independently selected from C_1-C_6alkyl;

each R^6 is independently selected from -$NHC(O)OR^4$, -OR^4 and -$(CR^9_2)_nOR^4$;

each R^7 is independently selected from C_1-C_6haloalkyl;

R^8 is selected from an unsubstituted phenyl, unsubstituted 5-6 membered heteroaryl with 1-3 heteroatoms independently selected from N, O or S, an unsubstituted 5 membered heteroaryl with 1-4 heteroatoms selected from N, an unsubstituted 4-6 membered heterocycloalkyl with 1-2 heteroatoms independently selected from N, O or S, an unsubstituted C_3-C_8cycloalkyl, a substituted 5-6 membered heteroaryl with 1-3 heteroatoms independently selected from N, O or S, a substituted phenyl, a substituted 5 membered heteroaryl with 1-4 heteroatoms selected from N, a substituted 4-6 membered heterocycloalkyl with 1-2 heteroatoms independently selected from N, O or S, a substituted C_3-C_8cycloalkyl, a oxazolidin-2-one, pyrrolidinone and a pyrrolidin-2-one,

wherein the substituted phenyl, the substituted 5-6 membered heteroaryl with 1-3 heteroatoms independently selected from N, O or S, the substituted 5 membered heteroaryl with 1-4 heteroatoms selected from N, substituted C_3-C_8cycloalkyl and substituted 4-6 membered heterocycloalkyl of R^8 are substituted with 1-3 substituents independently selected from C_1-C_6alkyl, -$(C(R^9)_2)_nOR^4$, -$(C(R^9)_2)_nR^5$, -$(C(R^9)_2)_nC(O)OR^4$, -$C(O)OR^4$ and -$S(O)_2R^4$;

each R^9 is independently selected from H and C_1-C_6alkyl;

R^{10} is selected from an unsubstituted phenyl, unsubstituted 5-6 membered heteroaryl with 1-2 heteroatoms independently selected from N, O or S, an unsubstituted 5 membered heteroaryl with 1-4 heteroatoms selected from N, an unsubstituted 4-6 membered heterocycloalkyl with 1-2 heteroatoms independently selected from N, O or S, an unsubstituted C_3-C_8cycloalkyl, a substituted 5-6 membered heteroaryl with 1-2 heteroatoms independently

selected from N, O or S, a substituted phenyl, a substituted 5 membered heteroaryl with 1-4 heteroatoms selected from N, a substituted 4-6 membered heterocycloalkyl with 1-2 heteroatoms independently selected from N, O or S, a substituted C_3-C_8cycloalkyl, a oxazolidin-2-one, pyrrolidinone and a pyrrolidin-2-one,

wherein the substituted phenyl, the substituted 5-6 membered heteroaryl with 1-2 heteroatoms independently selected from N, O or S, the substituted 5 membered heteroaryl with 1-4 heteroatoms selected from N, substituted C_3-C_8cycloalkyl and substituted 4-6 membered heterocycloalkyl of R^{10} are substituted with 1-3 substituents independently selected from C_1-C_6alkyl, $-(C(R^9)_2)_nOR^4$, $-(C(R^9)_2)_nR^5$, $-(C(R^9)_2)_nC(O)OR^4$ and $-S(O)_2R^4$;

t is 1, 2 or 3, and

each n is independently selected from 1, 2, 3 and 4.

2. The compound of claim 1, wherein the compound is a compound of Formula (Ia), Formula (IIa), Formula (Ib) or Formula (IIb):



Formula (Ia)



Formula (IIa)



Formula (Ib)



Formula (IIb)

wherein:

m is 1 and R^{20} is selected from H, halo, C_1-C_6alkyl, C_1-C_6haloalkyl, C_1-C_6haloalkoxy, deuterium, deuterated C_1-C_6alkyl, -CN, $-(CR^9_2)_nOR^4$, $-C(O)R^4$, $-(CR^9_2)_nC(=O)OR^4$, R^{10}, $-(CR^9_2)_nR^{10}$, $-((CR^9_2)_nO)_tR^4$, $-(CR^9_2)_nO(CR^9_2)_nR^7$, $-(CR^9_2)_nC(=O)R^4$, $-C(=O)N(R^4)_2$, $-OR^4$ and $-(CR^9_2)_nCN$;

or m is 4 and R^{20} is deuterium;

R^1 is selected from C_1-C_6alkyl and halo;

each R^{11} is independently selected from H, halo, and C_1-C_6alkyl;

L_2 is $-(CR^9{}_2)_n-$, $-CHR^6-$, $-(CR^9{}_2)_nO-$, $-NH-$, $-(CR^9{}_2)_nC(=O)-$, $-C(=O)O(CR^9{}_2)_n-$, $-(CR^9{}_2)_nOC(=O)NR^4-$, $-(CR^9{}_2)_nNR^4C(=O)(CR^9{}_2)_n-$, $-(CR^9{}_2)_nNR^4C(=O)-$ or $-(CR^9{}_2)_nNR^4C(=O)O-$;

R^2 is R^3 or L_2R^3;

R^3 is selected from an unsubstituted C_3-C_8cycloalkyl, a cyclobutanone, a cyclopentanone and a substituted C_3-C_8cycloalkyl,

wherein the substituted C_3-C_8cycloalkyl of R^3 is substituted with 1-4 substituents independently selected from C_1-C_6alkyl, halo, C_1-C_6haloalkyl, $-OR^4$, -CN, $-C(=O)OR^4$, $-C(=O)R^4$, $-C(=O)R^7$, $-C(=O)OR^5$, $-(CR^9{}_2)_nOR^4$, $-O(CR^9{}_2)_nOR^4$, $-C(=O)O(CR^9{}_2)_nOR^4$, $-N(R^4)_2$, $=N-OR^4$, $=N-O-(CR^9{}_2)_nR^5$, $-C(=O)NR^4{}_2$, $-NR^4C(=O)OR^4$, $-NR^4C(=O)(CR^9{}_2)_nOR^4$, $-NR^4(CR^9{}_2)_nOR^4$, $-NR^4S(=O)_2R^4$, $-N(C(=O)OR^4)_2$, $=CH_2$, $=CH(CR^9{}_2)_nOR^4$, R^8, $-(CR^9{}_2)_nR^8$, deuterated C_1-C_6alkoxy, $-S(=O)_2R^4$, $-S(=O)_2R^7$, $-S(=O)_2R^8$, $-S(=O)_2N(R^4)_2$, $-S(=O)_2NHC(=O)OR^4$, $-S(=O)_2(CR^9{}_2)_nC(=O)OR^4$, $-S(=O)_2(CR^9{}_2)_nOR^4$, a spiro attached dioxolane, a spiro attached dioxolane which is substituted with C_1-C_6alkyl, a spiro attached dioxane, a spiro attached tetrahyrofuranly, a spiro attached oxetane, a spiro attached cyclobutanone, a spiro attached cyclobutanol, a C_1 alkyl bridge, an unsubstituted 5-6 membered heterocycloalkyl with 1-2 heteroatoms independently selected from N, O and S, a 5-6 membered heterocycloalkyl with 1-2 heteroatoms independently selected from N, O and S substituted with 1-3 substituents independently selected from C_1-C_6alkyl, halo, C_1-C_6haloalkyl, C_1-C_6haloalkoxy, $-OR^4$ and R^8;

each R^4 is independently selected from H and C_1-C_6alkyl;

R^5 is an unsubstituted C_3-C_8cycloalkyl , an unsubstituted 5-6 membered heterocycloalkyl with 1-2 heteroatoms independently selected from N or O or a C_3-C_8cycloalkyl substituted with 1-3 substituents independently selected from C_1-C_6alkyl;

each R^6 is independently selected from $-NHC(O)OR^4$, $-OR^4$ and $-(CR^9{}_2)_nOR^4$;

each R^7 is independently selected from C_1-C_6haloalkyl;

R^8 is selected from an unsubstituted phenyl, unsubstituted 5-6 membered heteroaryl with 1-3 heteroatoms independently selected from N, O or S, an unsubstituted 5 membered heteroaryl with 1-4 heteroatoms selected from N, an unsubstituted 4-6 membered heterocycloalkyl with 1-2 heteroatoms independently selected from N, O or S, an unsubstituted C_3-C_8cycloalkyl, a substituted 5-6 membered heteroaryl with 1-3 heteroatoms independently

selected from N, O or S, a substituted phenyl, a substituted 5 membered heteroaryl with 1-4 heteroatoms selected from N, a substituted 4-6 membered heterocycloalkyl with 1-2 heteroatoms independently selected from N, O or S, a substituted C_3-C_8cycloalkyl, a oxazolidin-2-one, pyrrolidinone and a pyrrolidin-2-one,

wherein the substituted phenyl, the substituted 5-6 membered heteroaryl with 1-3 heteroatoms independently selected from N, O or S, the substituted 5 membered heteroaryl with 1-4 heteroatoms selected from N, substituted C_3-C_8cycloalkyl and substituted 4-6 membered heterocycloalkyl of R^8 are substituted with 1-3 substituents independently selected from C_1-C_6alkyl, $-(C(R^9)_2)_nOR^4$, $-(C(R^9)_2)_nR^5$, $-(C(R^9)_2)_nC(O)OR^4$, $-C(O)OR^4$ and $-S(O)_2R^4$;

each R^9 is independently selected from H and C_1-C_6alkyl;

R^{10} is selected from an unsubstituted phenyl, unsubstituted 5-6 membered heteroaryl with 1-2 heteroatoms independently selected from N, O or S, an unsubstituted 5 membered heteroaryl with 1-4 heteroatoms selected from N, an unsubstituted 4-6 membered heterocycloalkyl with 1-2 heteroatoms independently selected from N, O or S, an unsubstituted C_3-C_8cycloalkyl, a substituted 5-6 membered heteroaryl with 1-2 heteroatoms independently selected from N, O or S, a substituted phenyl, a substituted 5 membered heteroaryl with 1-4 heteroatoms selected from N, a substituted 4-6 membered heterocycloalkyl with 1-2 heteroatoms independently selected from N, O or S, a substituted C_3-C_8cycloalkyl, a oxazolidin-2-one, pyrrolidinone and a pyrrolidin-2-one,

wherein the substituted phenyl, the substituted 5-6 membered heteroaryl with 1-2 heteroatoms independently selected from N, O or S, the substituted 5 membered heteroaryl with 1-4 heteroatoms selected from N, substituted C_3-C_8cycloalkyl and substituted 4-6 membered heterocycloalkyl of R^{10} are substituted with 1-3 substituents independently selected from C_1-C_6alkyl, $-(C(R^9)_2)_nOR^4$, $-(C(R^9)_2)_nR^5$, $-(C(R^9)_2)_nC(O)OR^4$ and $-S(O)_2R^4$;

t is 1, 2 or 3, and

each n is independently selected from 1, 2, 3 and 4.

3. The compound of claim 1 or claim 2, wherein R^1 is selected from $-CH_3$ and F.

4. The compound of any one of claims 1 to 3, wherein R^1 is $-CH_3$.

5. The compound of any one of claims 1 to 4, wherein each R^{11} is independently selected from H, F and $-CH_3$.

6. The compound of any one of claims 1 to 5, wherein each R^{11} is H.

7. The compound of any one of claims 1 to 6, wherein R^3 is selected from an unsubstituted C_3-C_8cycloalkyl, a cyclobutanone, a cyclopentanone and a substituted C_3-C_8cycloalkyl, wherein the substituted C_3-C_8cycloalkyl of R^3 is substituted with 1-4 substituents independently selected from C_1-C_6alkyl, halo, C_1-C_6haloalkyl, $-OR^4$, $-(CR^9_2)_nOR^4$, $-O(CR^9_2)_nOR^4$, $-N(R^4)_2$, $=N-OR^4$, $=N-O-(CR^9_2)_nR^5$, $-NR^4C(=O)OR^4$, $-NR^4C(=O)(CR^9_2)_nOR^4$, $-NR^4(CR^9_2)_nOR^4$, $-NR^4S(=O)_2R^4$, $-N(C(=O)OR^4)_2$, $=CH_2$, $=CH(CR^9_2)_nOR^4$, R^8, deuterated C_1-C_6alkoxy, a spiro attached dioxolane, a spiro attached dioxolane which is substituted with C_1-C_6alkyl, a spiro attached dioxane, a spiro attached tetrahyrofuranly, a spiro attached cyclobutanone, a spiro attached cyclobutanol, an unsubstituted 5-6 membered heterocycloalkyl with 1-2 heteroatoms independently selected from N and O and a 5-6 membered heterocycloalkyl with 1-2 heteroatoms independently selected from N and O substituted with 1-3 substituents independently selected from C_1-C_6alkyl.

8. The compound of any one of claims 1 to 7, wherein each R^4 is independently selected from H, methyl, ethyl, propyl, butyl, i-propyl and t-butyl.

9. The compound of any one of claims 1 to 8, wherein R^5 is independently selected from cyclopropyl or morpholinyl.

10. The compound of any one of claims 1 to 9, wherein each R^7 is independently selected from CH_2F, $-CHF_2$, $-CH_2CHF_2$, $-CH_2CF_3$ and $-CF_3$.

11. The compound of any one of claims 1 to 10, wherein each R^9 is independently selected from H, methyl and ethyl.

12. The compound of any one of claims 1 to 11, wherein R^8 is selected from an an unsubstituted C_3-C_8cycloalkyl and an unsubstituted 5 membered heteroaryl with 1-4 heteroatoms selected from N.

13. The compound of any one of claims 1 to 12, wherein

R^3 is selected from cyclopropyl, cyclobutyl, cyclopentyl and cyclohexyl, , each of which is unsubstituted or each of which is substituted with 1-4 substituents independently selected from -F, $-CH_3$, $-CH_2CH_3$, $-CF_3$, -OH, $-OCH_3$, $-CH_2OCH_3$, $-NH_2$, $-N(CH_3)_2$, $-OCH_2CH_2OCH_3$, $=N-OCH_3$, $=N-OCH_2CH_3$, $=N-OCH(CH_3)_2$, $=N-OH$, $=N-O-CH_2R^5$, $=N-O-CH_2CH_2R^5$, $-NHC(=O)OC(CH_3)_3$, $-NHC(=O)OCH_3$, $-NHC(=O)CH_2OCH_3$, $-NHCH_2CH_2OCH_3$, $-NHCH_2CH_2OH$, $-NHS(=O)_2CH_3$, $-N(C(=O)OCH_3)_2$, $=CH_2$, $=CHCH_2CH_2OH$, $-OCD_3$, cyclopropyl, triazolyl, pyrazolyl, a spiro attached dioxolane, a spiro attached dioxolane which is substituted with a $-CH_3$, a spiro attached dioxane, a spiro

attached tetrahyrofuranly, a spiro attached cyclobutanone, a spiro attached cyclobutanol, piperidinyl and piperazinyl substituted with a $-CH_3$,

or R^3 is a cyclobutanone or a cyclopentanone.

14. The compound of any one of claims 1 to 13, wherein:

R^3 is cyclopropyl substituted with 1 or 2 F,

or

R^3 is cyclobutyl substituted with 2 F.

15. The compound of any one of claims 1 to 14, wherein m is 1 and R^{20} is selected from H, halo, C_1-C_6alkyl, C_1-C_6haloalkyl, C_1-C_6haloalkoxy, deuterated C_1-C_6alkyl, -CN, $-(CR^9_2)_nOR^4$, $-(CR^9_2)_nC(=O)OR^4$, R^{10}, $-(CR^9_2)_nR^{10}$, $-((CR^9_2)_nO)_tR^4$, $-(CR^9_2)_nO(CR^9_2)_nR^7$, $-(CR^9_2)_nC(=O)R^4$, and $-C(=O)N(R^4)_2$.

16. The compound of any one of claims 1 to 15, wherein m is 1 and R^{20} is selected from H, -F, $-CH_3$, $-CF_3$, $-CD_3$, -CN, $-OCHF_2$, $-C(CH_3)OH$, $-CH_2CH_2C(=O)OC(CH_3)_3$, $-CH_2OCH_2CH_2OH$, $-CH_2OCH_2CF_3$, $-C(=O)NH_2$, $-CH_2CH_2C(CH_3)_2OH$, $-CH_2OCH_2CH_2OCH_3$, $-CH_2OCH_2CH_2F$, $-CH_2CH_2C(=O)CH_3$, $-CH_2OH$ and $-CH_2OCH_3$.

17. The compound of any one of claims 1 to 16, wherein m is 1 and R^{20} is $-CH_3$.

18. The compound of any one of claims 1 to 16, wherein m is 1 and R^{20} is H.

19. The compound of any one of claims 1 to 18, wherein:

R^{10} is selected from morpholinyl, piperidinyl, piperidin-1-yl, piperidin-2-yl, piperidin-3-yl, piperidin-4-yl, piperazinyl, piperazin-1-yl, pyrazolyl, pyrazol-1-yl, pyrazol-3-yl, pyrazol-4-yl, triazolyl, 1H-1,2,3-triazol-4-yl, 4H-1,2,4-triazol-3-yl, 1H-1,2,4-triazol-5-yl, thiazolyl, thiazol-4-yl, thiazol-5-yl, imidazolyl, imidazol-1-yl, imidazol-2-yl, each of which is unsubstituted or each of which is substituted with 1-3 substituents independently selected from C_1-C_6alkyl, $-(CR^9_2)_nOR^4$, $-(C(R^9)_2)_nC(O)OR^4$, $-(C(R^9)_2)_nR^5$ and $-S(=O)_2R^4$,

or R^{10} is selected from a oxazolidin-2-one and a pyrrolidin-2-one.

20. The compound of any one of claims 1 to 19, wherein:

R^{10} is selected from morpholinyl, piperidinyl, piperidin-1-yl, piperidin-2-yl, piperidin-3-yl, piperidin-4-yl, piperazinyl, piperazin-1-yl, pyrazolyl, pyrazol-1-yl, pyrazol-3-yl, pyrazol-4-yl, triazolyl, 1H-1,2,3-triazol-4-yl, 4H-1,2,4-triazol-3-yl, 1H-1,2,4-triazol-5-yl, thiazolyl, thiazol-4-yl, thiazol-5-yl, imidazolyl, imidazol-1-yl, imidazol-2-yl, each of which is unsubstituted or each of which is substituted with 1-3 substituents independently selected from $-CH_3$, $-CH_2CH_2OH$, $-CH_2C(O)OH$, $-CH_2CH_2OH$, $-CH_2C(CH_3)_2OH$, $-S(O)_2CH_3$ and $-CH_2CH_2$-R_5.

21. The compound of any one of claims 1 to 14, wherein m is 4 and R^{20} is deuterium.

22. The compound of claim 1 selected from the group consisting of:
N-{5-[3-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-5-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;
N-{2-methyl-5-[5-(3-oxocyclopentyl)-1,2,4-oxadiazol-3-yl]phenyl}imidazo[1,2-a]pyridine-3-carboxamide;
N-{5-[5-(3-hydroxy-3-methylcyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;
N-(5-{5-[3-(hydroxyimino)cyclobutyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;
N-{5-[5-(4,4-difluorocyclohexyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;
N-{5-[5-(3-hydroxy-3-methylcyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;
N-(5-{5-[3-(methoxyimino)cyclobutyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;
N-[5-(5-{5,8-dioxaspiro[3.4]octan-2-yl}-1,2,4-oxadiazol-3-yl)-2-methylphenyl]imidazo[1,2-a]pyridine-3-carboxamide;
N-(2-methyl-5-{5-[(6R)-6-methyl-5,8-dioxaspiro[3.4]octan-2-yl]-1,2,4-oxadiazol-3-yl}phenyl)imidazo[1,2-a]pyridine-3-carboxamide;
N-[5-(5-{5,9-dioxaspiro[3.5]nonan-2-yl}-1,2,4-oxadiazol-3-yl)-2-methylphenyl]imidazo[1,2-a]pyridine-3-carboxamide;
N-{2-methyl-5-[5-(3-oxocyclobutyl)-1,2,4-oxadiazol-3-yl]phenyl}imidazo[1,2-a]pyridine-3-carboxamide;
N-(2-methyl-5-{5-[(6S)-6-methyl-5,8-dioxaspiro[3.4]octan-2-yl]-1,2,4-oxadiazol-3-yl}phenyl)imidazo[1,2-a]pyridine-3-carboxamide;
N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;
N-(5-{5-[3-(ethoxyimino)cyclobutyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;
N-[5-(5-{3-[(cyclopropylmethoxy)imino]cyclobutyl}-1,2,4-oxadiazol-3-yl)-2-methylphenyl]imidazo[1,2-a]pyridine-3-carboxamide;
N-[2-methyl-5-(5-{3-[(propan-2-yloxy)imino]cyclobutyl}-1,2,4-oxadiazol-3-yl)phenyl]imidazo[1,2-a]pyridine-3-carboxamide;
N-{5-[5-(3-aminocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;

N-(5-{5-[3-(2-methoxyethoxy)cyclobutyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3-methoxycyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;

N-(5-{5-[1-(methoxymethyl)cyclopropyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;

tert-butyl N-{1-[3-(3-{imidazo[1,2-a]pyridine-3-amido}-4-methylphenyl)-1,2,4-oxadiazol-5-yl]cyclopropyl}carbamate;

N-{5-[5-(1-methanesulfonamidocyclopropyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;

methyl N-{1-[3-(3-{imidazo[1,2-a]pyridine-3-amido}-4-methylphenyl)-1,2,4-oxadiazol-5-yl]cyclopropyl}-N-(methoxycarbonyl)carbamate;

methyl N-{1-[3-(3-{imidazo[1,2-a]pyridine-3-amido}-4-methylphenyl)-1,2,4-oxadiazol-5-yl]cyclopropyl}carbamate;

N-(5-{5-[3-hydroxy-3-(trifluoromethyl)cyclobutyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;

1-methylcyclopropyl N-{[3-(3-{imidazo[1,2-a]pyridine-3-amido}-4-methylphenyl)-1,2,4-oxadiazol-5-yl]methyl}carbamate;

methyl N-{1-[3-(3-{imidazo[1,2-a]pyridine-3-amido}-4-methylphenyl)-1,2,4-oxadiazol-5-yl]cyclobutyl}carbamate;

N-{5-[5-(1-methanesulfonamidocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;

N-(5-{5-[1-(dimethylamino)cyclopropyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{2-methyl-5-[5-(3-methylidenecyclobutyl)-1,2,4-oxadiazol-3-yl]phenyl}imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3-cyclopropyl-3-hydroxycyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;

N-(5-{5-[3-(3-hydroxypropylidene)cyclobutyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-[2-methyl-5-(5-{5-oxaspiro[3.4]octan-2-yl}-1,2,4-oxadiazol-3-yl)phenyl]imidazo[1,2-a]pyridine-3-carboxamide;

N-[5-(5-{[(3,3-difluorocyclobutyl)amino]methyl}-1,2,4-oxadiazol-3-yl)-2-methylphenyl]imidazo[1,2-a]pyridine-3-carboxamide;

N-(2-methyl-5-{5-[(2,2,3,3-tetrafluorocyclobutoxy)methyl]-1,2,4-oxadiazol-3-yl}phenyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3-fluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-(hydroxymethyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-[(2-hydroxyethoxy)methyl]imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-(methoxymethyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-(1H-pyrazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-[1-(2-hydroxyethyl)-1H-pyrazol-4-yl]imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-(1-methyl-1H-pyrazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-(1-methyl-1H-pyrazol-3-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-[1-(2-hydroxy-2-methylpropyl)-1H-pyrazol-4-yl]imidazo[1,2-a]pyridine-3-carboxamide;

N-(2-methyl-5-{5-[3-(1H-pyrazol-1-yl)cyclobutyl]-1,2,4-oxadiazol-3-yl}phenyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-(1,3-thiazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-fluorophenyl}-6-(1-methyl-1H-pyrazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-fluorophenyl}-6-[1-(2-hydroxy-2-methylpropyl)-1H-pyrazol-4-yl]imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-7-(1-methanesulfonylpiperidin-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-{1-[2-(morpholin-4-yl)ethyl]-1H-pyrazol-4-yl}imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-fluorophenyl}-6-{1-[2-(morpholin-4-yl)ethyl]-1H-pyrazol-4-yl}imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-[(2,2,2-trifluoroethoxy)methyl]imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-(3-oxobutyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-(3-hydroxy-3-methylbutyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(5-{5-[2-(1-hydroxycyclopropyl)ethyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-[2-(morpholin-4-yl)ethyl]imidazo[1,2-a]pyridine-3-carboxamide;

N-[5-(5-cyclobutyl-1,2,4-oxadiazol-3-yl)-2-methylphenyl]imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-dimethylcyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-7-(morpholin-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

6-cyano-N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-fluorophenyl}-6-(5-methyl-4H-1,2,4-triazol-3-yl)imidazo[1,2-a]pyridine-3-carboxamide;

3-N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3,6-dicarboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-[2-(4-methylpiperazin-1-yl)ethyl]imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(2,2-difluorocyclopropyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-7-(1H-1,2,3-triazol-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-7-[1-(2-hydroxyethyl)-1H-1,2,3-triazol-4-yl]imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2,4-dimethylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-7-(2-oxo-1,3-oxazolidin-3-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-7-methylimidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-methylimidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-fluoroimidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-7-fluoroimidazo[1,2-a]pyridine-3-carboxamide;

7-cyano-N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;

N-[5-(5-cyclopentyl-1,2,4-oxadiazol-3-yl)-2-methylphenyl]imidazo[1,2-a]pyridine-3-carboxamide;

N-[2-methyl-5-(5-{6-oxospiro[3.3]heptan-2-yl}-1,2,4-oxadiazol-3-yl)phenyl]imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-7-(2-oxopyrrolidin-1-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-[(2,2-difluoroethoxy)methyl]imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3-ethylcyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-(5-methyl-4H-1,2,4-triazol-3-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-7-methylimidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-(morpholin-4-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-(1H-imidazol-1-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-[(2-fluoroethoxy)methyl]imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-[3-(methoxymethyl)-1H-1,2,4-triazol-5-yl]imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(2,2-difluorocyclopropyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-[(2,2,2-trifluoroethoxy)methyl]imidazo[1,2-a]pyridine-3-carboxamide;

N-[5-(5-cyclobutyl-1,2,4-oxadiazol-3-yl)-2-methylphenyl]-6-[(2,2,2-trifluoroethoxy)methyl]imidazo[1,2-a]pyridine-3-carboxamide;

N-(5-{5-[(1R)-2,2-difluorocyclopropyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(5-{5-[(1S)-2,2-difluorocyclopropyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(5-{5-[3-hydroxy-3-(trifluoromethyl)cyclobutyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)-7-methylimidazo[1,2-a]pyridine-3-carboxamide;

6-fluoro-N-(5-{5-[3-hydroxy-3-(trifluoromethyl)cyclobutyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(5-{5-[(1R,2S)-2-fluorocyclopropyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-5,6,7,8-tetradeuteroimidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[(3,3-difluorocyclobutyl)carbamoyl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;

7-fluoro-N-(5-{5-[3-hydroxy-3-(trifluoromethyl)cyclobutyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-(4-methyl-1H-imidazol-1-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-[(2R,6S)-2,6-dimethylmorpholin-4-yl]imidazo[1,2-a]pyridine-3-carboxamide;

N-(5-{5-[3-methoxy-3-(trifluoromethyl)cyclobutyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;

6-fluoro-N-(5-{5-[1-(methoxymethyl)cyclobutyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-[1-(2-methoxyethyl)-5-methyl-1H-1,2,4-triazol-3-yl]imidazo[1,2-a]pyridine-3-carboxamide;

N-[5-(5-{6-hydroxyspiro[3.3]heptan-2-yl}-1,2,4-oxadiazol-3-yl)-2-methylphenyl]imidazo[1,2-a]pyridine-3-carboxamide;

N-(5-{5-[(1S,2S)-2-fluorocyclopropyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;

7-methyl-N-(2-methyl-5-{5-[(2,2,3,3-tetrafluorocyclobutoxy)methyl]-1,2,4-oxadiazol-3-yl}phenyl)imidazo[1,2-a]pyridine-3-carboxamide;

6-methyl-N-(2-methyl-5-{5-[(2,2,3,3-tetrafluorocyclobutoxy)methyl]-1,2,4-oxadiazol-3-yl}phenyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-[5-(5-cyclopropyl-1,2,4-oxadiazol-3-yl)-2-methylphenyl]imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(cyclopropylmethyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;

N-(5-{5-[(1R,2S)-2-fluorocyclopropyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)-7-methylimidazo[1,2-a]pyridine-3-carboxamide;

N-(5-{5-[(1S,2R)-2-fluorocyclopropyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)-7-methylimidazo[1,2-a]pyridine-3-carboxamide;

N-(5-{5-[(1R)-2,2-difluorocyclopropyl]-1,2,4-oxadiazol-3-yl}-2,4-dimethylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(5-{5-[(1S)-2,2-difluorocyclopropyl]-1,2,4-oxadiazol-3-yl}-2,4-dimethylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(5-{5-[(1R,2S)-2-fluorocyclopropyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3-fluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-7-methylimidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3-fluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-methylimidazo[1,2-a]pyridine-3-carboxamide;

N-(5-{5-[(1S,2R)-2-fluorocyclopropyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;

methyl N-{3,3-difluoro-1-[3-(3-{imidazo[1,2-a]pyridine-3-amido}-4-methylphenyl)-1,2,4-oxadiazol-5-yl]cyclobutyl}carbamate;

methyl N-{3,3-difluoro-1-[3-(4-methyl-3-{7-methylimidazo[1,2-a]pyridine-3-amido}phenyl)-1,2,4-oxadiazol-5-yl]cyclobutyl}carbamate,

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-[(2-fluoroethoxy)methyl]imidazo[1,2-a]pyridine-3-carboxamide;

N-[5-(3-cyclopropyl-1,2,4-oxadiazol-5-yl)-2-methylphenyl]imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,3,4-oxadiazol-2-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3-hydroxy-3-methylcyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;

N-(5-{5-[(3Z)-3-(methoxyimino)cyclopentyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(5-{5-[(3Z)-3-(hydroxyimino)cyclopentyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(2-methyl-5-{5-[1-(trifluoromethyl)cyclopropyl]-1,2,4-oxadiazol-3-yl}phenyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3-hydroxy-3-methylcyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;

N-{2-methyl-5-[5-(3-oxocyclobutyl)-1,2,4-oxadiazol-3-yl]phenyl}imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3-hydroxycyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;

N-(2-methyl-5-{5-[3-(piperidin-1-yl)cyclobutyl]-1,2,4-oxadiazol-3-yl}phenyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(2-methyl-5-{5-[3-(morpholin-4-yl)cyclobutyl]-1,2,4-oxadiazol-3-yl}phenyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-(2-methyl-5-{5-[3-(4-methylpiperazin-1-yl)cyclobutyl]-1,2,4-oxadiazol-3-yl}phenyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{2-methyl-5-[5-(3-{[2-(morpholin-4-yl)ethoxy]imino}cyclobutyl)-1,2,4-oxadiazol-3-yl]phenyl}imidazo[1,2-a]pyridine-3-carboxamide;

tert-butyl N-{3-[3-(3-{imidazo[1,2-a]pyridine-3-amido}-4-methylphenyl)-1,2,4-oxadiazol-5-yl]cyclobutyl}carbamate;

N-{5-[5-(3-aminocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3-methanesulfonamidocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;

1-methylcyclopropyl N-{2-[3-(3-{imidazo[1,2-a]pyridine-3-amido}-4-methylphenyl)-1,2,4-oxadiazol-5-yl]ethyl}carbamate;

N-{5-[5-(1-aminocyclopropyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;

N-(5-{5-[1-(2-methoxyacetamido)cyclopropyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-[5-(5-{3-[(2-methoxyethyl)amino]cyclobutyl}-1,2,4-oxadiazol-3-yl)-2-methylphenyl]imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-fluorophenyl}imidazo[1,2-a]pyridine-3-carboxamide;

N-(5-{5-[3-methoxy-3-(trifluoromethyl)cyclobutyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)-N-methylimidazo[1,2-a]pyridine-3-carboxamide;

tert-butyl N-{1-[3-(3-{imidazo[1,2-a]pyridine-3-amido}-4-methylphenyl)-1,2,4-oxadiazol-5-yl]cyclobutyl}carbamate;

N-{5-[5-(1-aminocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;

N-{2-fluoro-5-[5-(3-methylidenecyclobutyl)-1,2,4-oxadiazol-3-yl]phenyl}imidazo[1,2-a]pyridine-3-carboxamide;

N-(5-{5-[1-(hydroxymethyl)cyclopropyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-[5-(5-{[(2,2-difluorocyclopropyl)formamido]methyl}-1,2,4-oxadiazol-3-yl)-2-methylphenyl]imidazo[1,2-a]pyridine-3-carboxamide;

1-methylcyclopropyl N-[(3-{4-methyl-3-[7-(trifluoromethyl)imidazo[1,2-a]pyridine-3-amido]phenyl}-1,2,4-oxadiazol-5-yl)methyl]carbamate;

methyl N-{3-[3-(3-{imidazo[1,2-a]pyridine-3-amido}-4-methylphenyl)-1,2,4-oxadiazol-5-yl]cyclobutyl}carbamate;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-[(4-methylpiperazin-1-yl)methyl]imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-{[4-(2-hydroxyethyl)piperazin-1-yl]methyl}imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-[(2-methoxyethoxy)methyl]imidazo[1,2-a]pyridine-3-carboxamide;

2-{4-[3-({5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}carbamoyl)imidazo[1,2-a]pyridin-6-yl]-1H-pyrazol-1-yl}acetic acid;

N-{5-[5-(1-hydroxycyclopropyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-7-(difluoromethoxy)imidazo[1,2-a]pyridine-3-carboxamide;

N-(2-methyl-5-{5-[3-(1H-1,2,4-triazol-1-yl)cyclobutyl]-1,2,4-oxadiazol-3-yl}phenyl)imidazo[1,2-a]pyridine-3-carboxamide;

6-fluoro-N-{5-[5-(3-hydroxycyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;

N-[5-(5-cyclobutyl-1,2,4-oxadiazol-3-yl)-2-fluorophenyl]imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-(2-hydroxy-2-methylpropyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-[(2-oxo-1,3-oxazolidin-3-yl)methyl]imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-7-(2-hydroxy-2-methylpropyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-dimethylcyclobutyl)-1,2,4-oxadiazol-3-yl]-2-fluorophenyl}imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-fluorophenyl}-6-(5-methyl-4H-1,2,4-triazol-3-yl)imidazo[1,2-a]pyridine-3-carboxamide;

6-fluoro-N-{5-[5-(3-hydroxy-3-methylcyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(2-hydroxycyclopropyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;

N-{3-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2,6-dimethylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;

7-cyano-N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-(1-hydroxyethyl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-(5-methyl-1H-imidazol-1-yl)imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-[(2-methoxyethoxy)methyl]imidazo[1,2-a]pyridine-3-carboxamide;

N-(5-{5-[(1S)-2,2-difluorocyclopropyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)-7-methylimidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(1-fluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;

N-{5-[5-(1-hydroxycyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;

tert-butyl 3-[3-({5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}carbamoyl)imidazo[1,2-a]pyridin-6-yl]propanoate;

N-{5-[5-(1-carbamoylcyclopropyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-6-fluoroimidazo[1,2-a]pyridine-3-carboxamide and

N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}-7-(piperidin-4-yl)imidazo[1,2-a]pyridine-3-carboxamide.

23. The compound of claim 1 selected from the group consisting of:
N-{5-[5-(3,3-difluorocyclobutyl)-1,2,4-oxadiazol-3-yl]-2-methylphenyl}imidazo[1,2-a]pyridine-3-carboxamide;
N-(5-{5-[(1R)-2,2-difluorocyclopropyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;
N-(5-{5-[(1S)-2,2-difluorocyclopropyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide;
N-(5-{5-[(1S,2R)-2-fluorocyclopropyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide, and
N-(5-{5-[(1R,2S)-2-fluorocyclopropyl]-1,2,4-oxadiazol-3-yl}-2-methylphenyl)imidazo[1,2-a]pyridine-3-carboxamide.

24. A pharmaceutical composition comprising a therapeutically effective amount a compound of any one of claims 1 to 23 and a pharmaceutically acceptable carrier.

25. Use of a compound of any one of claims 1 to 23 in the manufacture of a medicament for treating a disease or disorder in a patient where modulation of a kinase is implicated, wherein the kinase is selected from c-kit, PDGFRα and PDGFRβ, and wherein the disease is selected from the group consisting of a mast-cell associated disease, a respiratory disease, an inflammatory disorder, irritable bowel syndrome (IBS), inflammatory bowel disease (IBD), an autoimmune disorder, a metabolic disease, a fibrosis disease, a dermatological disease, pulmonary arterial hypertension (PAH) and primary pulmonary hypertension (PPH).

26. The use of claim 25, wherein the disease is selected from the group consisting of asthma, allergic rhinitis, pulmonary arterial hypertension (PAH), pulmonary fibrosis, hepatic fibrosis, cardiac fibrosis, scleroderma, irritable bowel syndrome (IBS), inflammatory bowel disease (IBD), uticaria, dermatosis, atopic dermatitis, allergic contact dermatitis, rheumatoid arthritis, multiple sclerosis, melanoma, a gastrointestinal stromal tumor, a mast cell tumor, mastocytosis, anaphylactic syndrome, type I diabetes or type II diabetes.