

Procedure and system for the pay-out of credit by means of automatic gaming machines

The invention relates to a procedure and a system for the pay-out of credit by means of automatic gaming machines.

Field of the invention:

The invention refers to a procedure as well as a system for the pay-out of credit. Such procedures and systems are advantageously applied in the area of automatic gaming, such as in casinos or in amusement arcades.

Background of the invention:

In the present state of technology many different procedures and systems are known for the execution of cashless gaming transactions in the case of automatic gaming machines. In particular automatic gaming machines are known which are operated with a specific credit paid by the player in advance. Thereby a specific credit is specified for the automatic gaming machine, which can be paid directly into the automatic machine in coins or notes, but also by inserting or introducing a ticket in the automatic gaming machine or also by introducing a chip card in the automatic gaming machine. Tickets or chip cards can, for example, be issued by an employee of the casino or by the automatic machine after paying a specific amount of credit. On both the chip card as well as on the ticket a specific amount of money for the automatic gaming machine is stored in readable form.

Alternatively the amount of money can also be stored in a central server which is connected to the individual automatic gaming machines, wherein the ticket only shows a code which refers to a memory space on the server where the respective amount of money is stored.

With the above-mentioned procedure of networking of automatic gaming machines there is also the possibility that the player receives a ticket or his chip card from the automatic machine wherein either directly on the ticket or on the chip card or on a central server the respective credit of the player is stored.

If the player wants to terminate the game although he still has credit available, he can effectuate the pay-out of his credit by the actuation of a pay-out unit. The pay-out occurs either through an immediate cash pay-out, by the issuing of a new ticket with a newly printed out credit amount, or by storage on the chip card.

On the other hand in order to be able to access the credit the player can insert the ticket or the stored chip card into the same automatic gaming machine or into any other automatic machine and start another game.

If networks are used the respective ticket only contains a code, for example a reference to a memory space in the server where the respective amount of money is stored. When the ticket is read by the automatic gaming machine, the automatic gaming machine transfers the code to the server and receives the respective amount of money from the server.

Such a procedure allows for a fast transfer of larger amounts of money without the player having to carry money himself, if applicable, also motivating the player to place higher stakes. Furthermore it can be thereby avoided that each individual player has to carry a large amount of change, unless rounded stakes or winnings or credit are paid or paid back. Furthermore, this advantageous procedure also means that the installation of coin output devices on each single automatic gaming machine can be avoided.

There is however the considerable disadvantage with conventional automatic gaming machines that the tickets read are kept in the automatic gaming machine itself. In order to avoid the automatic machine from overfilling the collected original tickets are removed from the automatic gaming machine from time to time.

The task is therefore to simplify the maintenance of the individual automatic machines, in particular to avoid a regular emptying of the container with the original tickets read of the automatic machines and at the same time undertake a recording of the achieved scores, which is difficult to manipulate.

The invention solves this task with a procedure of the above-mentioned type with the features of the patent claim 1.

Furthermore, the invention solves the task with a system of the above-mentioned type with the features of the claim 8.

Summary of the invention:

The invention foresees a procedure for the pay-out of credit by means of a system comprising a server and a number of automatic gaming machines connected to the server and operable by a player, wherein at least one automatic gaming machine features one game unit and one pay-out unit operable by a player for the pay-out of credit. It is thereby foreseen that

- the game unit allows the execution of a game with the presence of credit,
- with presence of credit and operation of the pay-out unit a dataset is transferred to the server comprising the amount of credit,
- the dataset upon its receipt to the server is stored and in the event of a successful storage a release dataset is returned to the automatic gaming machine,
- upon receipt of the release dataset at the respective automatic gaming machine a confirmation ticket is made available and dispensed to the player,
- wherein the dataset will be kept available for the print-out by the server.

With these advantageous features the maintenance of the automatic gaming machine is considerably simplified. In particular the time and cost consuming scanning of the tickets in the automatic machines can be eliminated completely.

A further advantage is that, for example, in the case of a mistake when reading the tickets into the automatic gaming machine a comparatively simple traceability and ascertainment of the amount to be paid for the player is possible.

For the avoidance of waste paper in the automatic machines it can further be foreseen that for the confirmation of a credit a preferentially reprintable confirmation ticket showing at least information about the credit before the execution of a game is read and subsequently at least information about the credit on the confirmation ticket is deleted or removed and a new imprint corresponding, if applicable, to the dataset and/or the release dataset is printed on the confirmation ticket.

For the advantageous storage of the tickets in printed and/or electronic form it can be foreseen that the dataset is printed on a printer connected to the server and/or that the dataset is included in an electronic permanent document stored in the server, which is kept available for print-out.

For the increase of security of the automatic gaming machines and the reduction of the possibilities of manipulation by the player it can be foreseen that the dataset in the period between the receipt of the dataset to the server and the transmission of the release dataset at the automatic gaming machine is printed out and/or is included at the end of the electronic document.

For the simplification of the machine readability of the printed out or stored receipts it can be foreseen that the dataset is at least partially printed out on the printer in the form of a barcode or included in the electronic document.

For the improvement of the allocation between individual players, winnings and credit as well as recording the gaming behaviour of individual players it can be foreseen that the release dataset or the confirmation ticket, in particular in the form of a barcode, is printed by the automatic gaming machine and/or that the release dataset or the confirmation ticket is stored on a storage medium, in particular a chip card, in data link with the automatic gaming machine and allocated to the automatic gaming machine.

Furthermore it can be foreseen that for the confirmation of a credit, preferentially a reprintable confirmation ticket is read prior to the start of game and after the end of the game the confirmation ticket is deleted or destroyed and a new imprint corresponding, if applicable, to either the dataset and/or the release dataset is printed on the confirmation ticket.

Hereby the number of the tickets in circulation can be reduced enormously. In particular no tickets are in circulation or available in the automatic gaming machines that no longer have validity. Hereby on the one hand the emptying of the automatic machines is rendered superfluous, on the other hand there are no tickets in circulation that have become invalid, which reduces substantially the danger of fraud.

In order to achieve a safe destruction of confirmation tickets it can be foreseen that for the confirmation of a credit a preferentially reprintable confirmation ticket is read prior to the start of the game and after the end of the game the confirmation ticket is destroyed and stored in the respective automatic gaming machine, and, if applicable, compressed and a new confirmation ticket is issued on which, if applicable, a new imprint corresponding to the dataset and/or release dataset is printed.

For the reduction of possibilities of manipulation it can be foreseen that

- the dataset received by the server and the release dataset generated following the receipt of the dataset are stored in the server in a manner relatable to another and/or
- further information, such as a respective identifying information of the automatic gaming machine transferring the dataset and/or the time and/or the date of pay-out of the credit, is added on the dataset.

In order to avoid multiple pay-outs it can be foreseen that after the storage of the dataset in the server or after the printing out of the dataset by the server or after issuing the confirmation ticket by the automatic gaming machine the credit is deleted and the automatic gaming machine is, if applicable, prepared for the execution of a new game.

Furthermore the invention relates to a system for the pay-out and confirmation of credit comprising a server and a number of automatic gaming machines connected to the server and operable by a player,

- wherein at least one automatic gaming machine features a game unit and a pay-out unit for the confirmation of a credit in the form of confirmation tickets; and
- wherein the game unit facilitates the execution of a game with the presence of credit; and
- wherein the automatic gaming machine features a machine-side sender unit for the release of a dataset containing the credit to the server in the event of actuation of the pay-out unit by the player during the simultaneous presence of a credit, and
- wherein the server features a server-side receiver unit for the receipt of the dataset as well as a database for the filing of the dataset, and
- wherein the server features an examination unit downstream of the server-side receiver unit, which examines the storage of the dataset, and
- wherein the server features a server-side sender unit which in the event of a successful examination of the storage of the dataset by the examination unit sends a release

dataset to the automatic gaming machine, and

- wherein the automatic gaming machine features a machine-side receiver unit for the receipt of the release dataset and an output unit, wherein with the receipt of the release dataset in the respective automatic gaming machine via the output unit a confirmation ticket is available and dispensable to the player, and
- wherein the server contains a print storage, which has the dataset available for printout.

Hereby it can be particularly foreseen that the automatic gaming machine features a reading device for the reading of tickets or of chip cards, wherein, if applicable, the reading device and the output unit are integrated in a common device, and wherein the common device is designed either for the deletion and the renewed writing or the removal of the imprint and the subsequent renewed imprinting of the confirmation ticket.

Furthermore it can be foreseen that the server is connected with a printer, wherein the server features a print control unit, which after receipt of the dataset initiates the print-out of the respective dataset by the printer.

This facilitates a simple archiving of the printed out pay-out confirmations.

Furthermore it can be foreseen that the pay-out unit features a ticket printer for the print-out of the release dataset or the confirmation ticket on a ticket carrier body, for example paper, or a chip card writing device for the storage of the release dataset or the confirmation ticket on a chip card and/or that the automatic gaming machine features a reading device for the reading of tickets or chip cards.

Hereby the reading or the issuing of tickets to the individual player is facilitated in an advantageous manner.

Advantageously the reading device and the output unit are integrated in a common device. This simplifies the operability.

This common device is designed in a preferred embodiment of the invention for the deletion and renewed rewriting of the confirmation ticket. Hereby the number of the tickets in circulation can be reduced enormously. In particular no tickets are in circulation or available in the automatic gaming machines that are no longer valid. Hereby on the one hand the emptying of the automatic machines is rendered superfluous, on the other hand there are no tickets in circulation that have become invalid, which reduces

substantially the danger of fraud.

In order to achieve a simple structure of an automatic gaming machine and to achieve a safe destruction of confirmation tickets it can be foreseen that the automatic gaming machine features both a reading device and an output unit, wherein the output unit features a ticket printer for the print-out of the confirmation ticket on a ticket carrier body, for example paper, and wherein the reading device features a reading unit for the reading of the dataset stored on the confirmation ticket and the reading device features a destruction unit, in particular in the manner of a document shredder for the destruction of the confirmation tickets and, if applicable, a collection container for the collection of the destroyed confirmation tickets.

For the improved traceability of winnings and credit transfers as well as the traceability of activities of individual players it can be foreseen that a database for the saving of the received datasets, wherein each dataset is allocated to a credit, if applicable, also to other information such as an identification number of the automatic gaming machine, the time of the winnings and the date of the winnings.

For the increase of safety against manipulation of the system it can be foreseen that an encoding unit is upstream of the server-side or machine-side sender unit, which encodes the release dataset or the received dataset in accordance with specified criteria and the established encoded value is made available to the server-side or machine-side sender unit, wherein the encoded value is contained in the dataset or in the release dataset.

Advantageously it is hereby foreseen that a decoding unit is downstream of the machine-side or server-side receiver unit for the decoding of the release dataset or the dataset. In addition for further increase of the safety of the system as well as the improved traceability of the gaming behaviour of individual players it can be foreseen that a further dataset is foreseen, in which the release datasets are stored, wherein an allocation between each dataset and the respective release dataset generated following the receipt of this dataset is stored, and/or that respectively a dataset and the release dataset generated following the receipt of this dataset are combined in one common dataset and stored in the database.

Figure description

Figure 1 shows a schematic embodiment of the system according to invention.

Figure 2 shows the front view of the automatic gaming machine.

Figure 3 shows a flow diagram with the sequential control of the pay-out.

Figure 4 shows a flow diagram for the central ticket printout.

Figure 5 shows a flow diagram for the print of the confirmation printout.

Figure 6 shows schematically the process of the print-out in detail.

Figure 7 shows schematically the structure of an automatic gaming machine.

Figure 8 shows schematically the structure of the server.

Figure 9 shows schematically the structure of a database stored in the memory.

Detailed description of the figures

In the following the invention will be presented based on a preferred embodiment without limitation to the general inventive idea.

A preferred embodiment illustrated in **figure 1** of a system according to invention contains a server 1 as well as a number of automatic gaming machines 2 connected thereto. The automatic gaming machines 2 are connected with the server 1 by means of a network 6 and the respective interfaces 27, 28. The network 6, the server 1 and the automatic gaming machines 2 are dimensioned in such a manner that the server 1 can even then process received datasets when all the automatic gaming machines 2 transfer datasets to the server simultaneously. Regarding network 6 there can be either a wired or wireless network.

In principle the communication between the server 1 and the one of the automatic gaming machines 2 respectively occurs always in the same manner. The server 1 is thereby designed in such a manner that it can interact with all of the automatic gaming machines 2 almost simultaneously and can record the pay-out of the individual automatic gaming machines 2 simultaneously.

A credit can be entered in different ways in the automatic gaming machines 2. Either the money can be inserted directly into the automatic gaming machine or chip cards or confirmation tickets can be introduced into a reader unit 25.

Figure 1 shows a server 1 which is connected via a data link 6 with various automatic gaming machines. Apart from these illustrated automatic gaming machines 2 a number of further automatic gaming machines, which are not illustrated, can be connected via the network 6. A typical automatic gaming machine is illustrated in **figure 2**.

The automatic gaming machine 2 depicted in **figure 2** forms a stationary unit in the shape of a stand-alone device and comprises an approximately head-high, broadly-speaking box-shaped house, of which the upper part serves for the inclusion of a display unit 30, that consists in the illustrated embodiment of two extensive visual display units 31 and 32 arranged on top of each other. As shown in figure 2 the two visual display units 31 and 32 are inclined at an obtuse angle to each other, wherein the upper visual display unit 31 extends substantially vertically, while the lower visual display unit 32 is arranged in a gradient manner inclined towards the player. Below the visual display units 31 and 32 the housing of the automatic gaming machine 2 features a control panel section protruding towards the player that extends across the entire width of the device housing and is designed substantially in a box-shaped manner. In the illustrated embodiment the mentioned control panel unit connects continuously inclined in approximately the same direction to the housing section, that includes the lower visual display unit 32.

The upper side of the control panel section houses the control panel 35 that contains various operating buttons 35 to be actuated by hand, for example in the form of press keys. Hereby mechanic switches or control panels of a touch screen or also other operational elements can be foreseen.

The games displayable on the visual display units 31 and/or 32 are controlled by an electric control device (preferentially arranged inside the housing) preferentially in the form of a computer, which in the present case is incorporated inside the housing in its lower section. The mentioned control device controls thereby on the one hand the display unit 30 and communicates on the other hand with the control keys of the control panel 35, wherein also further functional components such as a winnings distribution unit, a money insertion unit and a money examination device can be controlled by the control device.

The server 1 is preferentially placed in a separately secured room 200, which is separated from the room 201, where the automatic gaming machines are, and which is as a rule not accessible to the player. The server 1 is connected with a printer 5 and the server 1 further includes a memory for the storing of a database 15, 17 of datasets 41 and release datasets, which is explained in more detail below.

If a game is executed by a player or a user on one of the automatic gaming machines 2 the respective player has to pay a stake or a fee for the execution of the game. This fee can be paid in different ways and manners, either the money can be inserted directly into the automatic gaming machine 2 or cashless types of payment such as the reading of confirmation tickets 3 or of chip cards can be carried out. In each event the player is authorised with the payment of a certain fee or a certain stake to execute a game.

Automatic gaming machine 2 contains a game unit 20 in which the respective credit balance 102 of the player is stored. The credit 102 can vary according to the outcome of the game. If the player wins the game, then his credit 102 can be increased or free or bonus games can be granted. If the player loses the game or if the game is a fee-based game whose fee is raised irrespective of the outcome of the game, the credit balance 102 of the player diminishes.

In this context it is advantageous that the player can execute an almost unlimited number of games in succession without money transactions between the player and the automatic gaming machine needing to take place. It is therefore also possible to store particularly small amounts of money or non-round amounts of money in the automatic gaming machine and to pay out the remaining credit 102 - if still existing - to the player only after the conclusion of a number of games.

In the following a detailed procedure of the pay-out of the credit 102 to the player, as illustrated in the **figures 3 to 6**, set forth

The credit 102 is, as illustrated in **figure 7**, stored in a memory of the game unit 20. By activating a pay-out unit 21, (**figure 3**, step 60) of either a real or virtual (via the touch screen) key or control button or lever the player makes it understood that he wants to end playing the game at the respective automatic gaming machine 2 and that he wants to have his remaining credit 102, for example, on a paper strip with a corresponding imprint showing the credit 102.

To this purpose the following steps are carried out:

The automatic gaming machine 2 creates a dataset 41, wherein the dataset 41 contains the credit 102 of the player as well as, if applicable, further information, for example the time of pay-out, an identification 101 of the automatic gaming machine 2, the amount of the winnings 103 and/or the loss on this automatic gaming machine. (Figure 3, branch Y) This dataset 41 is transferred to a sender unit 23 situated in the automatic gaming machine 2 (figure 3, step 61), which transfers the dataset 41 via the network 6 to the server 1. The sender unit 23 dispenses the dataset 41 containing the credit 102 to the server 1.

In this advantageous embodiment of the invention it is foreseen that a dataset 41, transferred by the request for pay-out by the player to the server 1, is transferred in an encoded manner from the automatic gaming machine 2 to the server 1. In this event the automatic gaming machine 2 features a decoding unit (not illustrated in the figure), which is upstream of the machine-side sender unit 23.

The dataset 41 is received by a receiver unit 11 on the server-side of the server 1 (compare figure 8). The server 1 features an examination unit 13 downstream of the server-side receiver unit 11, which initially assesses the dataset 41 in terms of regularity, completeness and authenticity.

The server 1 features in this event a decoding unit (in the figures not illustrated in greater detail), which decodes the dataset transferred from the automatic gaming machine 2. The encoding unit and the decoding unit have mutually corresponding codes, so that a decoded data transfer of the datasets 41 by the automatic gaming machine 2 to the server 1 is possible. An encoding is as a matter of course only optional, the system can also be operated without encoding.

For the imminent print-out on the printer 5 the received dataset 41 is converted by the examination unit 13 into a printable form, in the present particular embodiment a barcode 107 is created (figure 4, step 71).

The examination unit 13 initiates the storage (figure 4, step 72) of the dataset 41 in the database 15 and subsequently checks if the storage of the dataset 41 in the database 15 was successful.

In a further step the dataset 41 available in printable form is transferred to the printer memory 16 in the server 1 and is kept available therein for print-out and a print-out is initiated (**figure 4**, step 80).

As already mentioned, a printer 5 is connected with the server 1, wherein the server 1 contains a print control unit 14 which after the receipt of the dataset 41 in the print memory 16 initiates the print-out of the respective dataset by the printer 5. If a print-out exclusively on paper is to occur (**figure 5**, branch "N"), then the dataset 41 available in printable form in the printer memory 16 is printed (**figure 5**, step 83).

Alternatively an "electronic print-out" (**figure 5**, branch "Y") can be foreseen so that the dataset 41 available in printable form is included in an electronic print-out (**figure 5**, step 81) and is subsequently stored and kept available for a later print-out (figure 5, step 82). The "electronic print-out" and the print-out via the printer 5 can also be performed simultaneously or consequently (**figure 5**, branch "B").

After examination of the storage of the dataset 41 and, if applicable, the exclusively simple electronic print-out the credit 102 of the player can be deleted on the automatic gaming machine 2 (**figure 4**, step 73). In some countries the deletion of the credit 102 of the player is still not permitted at this moment so that the deletion can only occur in a step 62 after the print-out of the confirmation ticket 3 (**figure 3**, step 62).

If the storage of the dataset 41 in the database 15, 17 and, if applicable, the exclusively electronic print-out is confirmed, then the examination unit 13 generates a release dataset 42 which is transferred to a server-side sender unit 12 in the server 1 (**figure 3**, step 90). From the server-side sender unit 12 the release dataset 42 reaches via the network 6 the respective automatic gaming machine 2.

The release dataset 42 contains a confirmation code 111 as well as, if applicable, further information, such as the amount of the credit 102, an identification 101 of the respective automatic gaming machine 2 as well as additional information 112, which as may be the case is to be printed out on the confirmation ticket 3.

Additionally it can be foreseen that between the examination unit 13 and the server-side sender unit 12 a further (in the figures not illustrated in greater detail) encoding unit is arranged, which encodes the release dataset 42 and makes available the encoded value of its output to the server-side sender unit 12. Although such a decoding is only optional it has in particular the advantage that access by non-authorised persons to the data transfer between server 1 and the automatic gaming machine 2 is prevented as far as possible. If the encoding unit is in the server then also the automatic gaming machines 2 have a corresponding decoding unit downstream of the machine-side receiver unit (24) which facilitates the decoding of the release dataset 42 released by the server 1. If applicable, the server 1 can use a different code for the communication with each individual automatic gaming machine 2.

With detection of the release dataset 42 an output unit 22 in the automatic gaming machine 2 initiates the output of the confirmation ticket 3. The release dataset 42 is converted into a printable electronic document (figure 6, step 90).

If applicable, a confirmation can be sent to the server 1 which confirms the receipt of the release dataset 43. In this event the server 1 registers the confirmation in the respective release dataset (figure 6, step 92).

The confirmation ticket 3 is in the present case generated by the output unit 22 (figure 6, step 93). The output unit 22 contains a ticket printer for the release of the data stored in the release dataset 42 to the ticket carrier body, for example paper, or a chip card writing device for the storage of the release dataset 42 on a chip card.

The confirmation ticket 3 contains a code as well as, if applicable, the other information stored in the release dataset 42. In particular the amount of the credit is printed on the confirmation ticket 3 in a manner readable for humans. Advantageously the confirmation ticket 3 and the original ticket printed by the printer 5 have suitable identification information so that, if applicable, a simple comparison of both tickets is possible, for example in the event of a fault when reading the tickets into the automatic gaming machine 2. These measures facilitate therefore, if applicable, a simple and quick clarification of the matter.

At the latest after a print-out of the confirmation ticket the credit 102 can be deleted by the respective automatic gaming machine as the player had received a confirmation ticket 3 for taking the credit 102, which allows him the pay-out of the credit or the use of the credit for other automatic gaming machines 2 (**figure 3**, step 62). The credit stored in the automatic gaming machine will be deleted.

As illustrated in **figure 9**, the database 15 contains the datasets 41 received by the server 1. In the particular embodiment of the invention illustrated in **figure 9** the respective dataset 41 as well as the release dataset allocated to the former 42 are stored as a common dataset in the database 15.

Alternatively an additional database 17 could be foreseen (as in figure 8 shown in dotted lines), wherein this additional database 17 contains the release dataset 42, wherein the datasets 41 received by the server 1 are stored in the database 15. Between the two databases 15, 17 an unambiguous allocation of one dataset 41 and one release dataset 42 respectively is created, for example via a common code or an allocation table, so that for each stored dataset 41 a stored release dataset 42 is reversibly clearly allocated.

The datasets 41 contain preferentially an identification 101 for the automatic gaming machine 2 via which the player initiates the respective pay-out of the credit 102, the credit 102, furthermore the time 104 and the date 105 of the actuation of the pay-out unit 21, if applicable, the winnings/loss 103 during the game on the automatic gaming machine 2 as well as, if applicable, the length of play on the respective automatic gaming machine 2. If need be, a clearly allocatable identification 106 of the player can be given, which is stored by the confirmation ticket 3 read in the automatic gaming machine 2 and which is printed again on the next confirmation ticket 3 after the pay-out so that any placed transactions are stored in a comprehensible manner.

The release datasets 42 contain, apart from the content of the dataset 41 additionally a release password or a release code 111, which facilitates a clear identification and addressing of the dataset 41 in the database 15 and thereby facilitates the access to the credit by a further automatic gaming machine 2.

In particular the confirmation ticket 3 serves as voucher or advertising media. The release dataset 42 may also contain further, possibly randomly selected, voucher information 112 which, if applicable, is also imprinted on the confirmation ticket 3.

The data to be printed on the confirmation ticket 3 are contained in the release dataset 42 or can be alternatively added by the automatic gaming machine 2. The release dataset 42 is transferred by server-side sender unit 12 to the automatic gaming machine 2, wherein the automatic gaming machine 2 features a machine-side receiver unit 24 for the receipt of the release dataset 42.

More generally the reading device 25 and the output unit 22 can be designed as a common unit which reads as well as prints the confirmation ticket 3.

Another not illustrated embodiment of the design uses reprintable confirmation tickets 3. Again a common unit is used which features the functionality of the reading device 25 and the output unit 22. In this regard reference is made to the US patent specification 5854477, whose content is hereby included in this application. This common unit can be developed in the form of the ticket processing unit as illustrated in the figure 1 or figure 10 of the quoted patent specification US 5854477. A confirmation ticket 3 inserted into the automatic gaming machine 2 for the purpose of the confirmation or the certification of the credit is deleted by the automatic gaming machine 2 and rewritten which leads to an additional economisation of the confirmation tickets 3 in circulation. A new confirmation ticket 3 is issued on the carrier of the respective confirmation ticket 3 which has already served for the confirmation of the credit necessary for the game. Each player has thus only one carrier which is deleted by each automatic gaming machine 2 after completion of the game and is newly imprinted.

Through the print-out of the datasets 41 on the printer 5 there is a recording of the player results which is difficult to manipulate, the confirmation tickets 3 can be overwritten or deleted without the recording of the game result getting lost.

Alternatively there is also the possibility to employ a not illustrated destruction unit downstream of the reading device 25 which destroys the imprinted confirmation ticket 3 after the end of the game. In a preferred embodiment of the invention the confirmation ticket 3 is shredded in a preferred embodiment of the invention in the manner of a document shredder into fine pieces of paper so that the imprint is no longer identifiable.

The individual pieces of paper are deposited in a collection container and are compressed therein. During or after the destruction of the confirmation ticket 3 a new confirmation ticket 3 is created by the output unit 22 onto which a new code is imprinted, which is determined by the respective dataset 41 or release dataset 42. In such an event the output unit 22 has a paper feed unit where unprinted paper is stored, in particular in a coiled manner. The paper feed unit forwards the unprinted paper, that is in particular available in form of a fanfold paper roll, to the output unit 22 which imprints the confirmation ticket 3 and imparts it to the user or dispenses it.

As an alternative to the fanfold paper roll the paper feed unit can be designed for holding available and forwarding pre-defined denominated paper sheets (similar to bank notes), wherein the paper sheets (tickets) are preferentially connected with each other by defined separators and are folded into a stack accordion-like.

The paper can be coated with a UV light sensitive chemical substance so that information on the paper can be deleted with irradiation by means of ultraviolet light.

Alternatively the paper can be coated with thermally sensitive substances. Such thermal printing paper has, for example, in an inactive state colourless dyes, so-called Leuco dyes, and a developer. The developer facilitates the activation of the dyes. The application of heat melts and combines these materials, i.e. their molecules bond in a chemical reaction. Leuco dyes which have connected with the developer produce, for example, black, blue and other colours. By a renewed separation of the coloured Leuco dyes and developers the colours are “deleted” again, i.e. the thereby displayed information gets lost.

Colouration and discolouration occur due to the difference of the effects of the temperature on the materials. The materials melt at a higher temperature T_1 (for example 160°C) and subsequent quenching. If the paper is heated again, but at a lower temperature T_2 , discolouration occurs. The usage of a thermo print head facilitates a selective application of temperature for areas in which colour is desired in order to produce, for example, text. The usage of a heating roll on the entire sheet of paper makes it possible to delete the text entirely. The process of imprinting and deleting can be carried out multiple times and can be repeated.

Alternatively there is the possibility, as illustrated in JP 2000154345 A (TOSHIBA), to use a deletable printing ink which after printing can be deleted by the effects of heat.

Patent claims:

1. Procedure for the pay-out of credit by the means of a system comprising a server (1) and a number of automatic gaming machines (2) connected to the server (1), wherein at least one automatic gaming machine (2) features one game unit (20) and one pay-out unit (21) operable by a player for the pay-out of credit in the form of a confirmation ticket (3) or a storage medium,

- wherein the game unit (20) allows the execution of a game with the presence of credit, and

- wherein with presence of credit and operation of the pay-out unit (21) a dataset (41) is transferred to the server (1), wherein the dataset (41) comprises the amount of credit,

- wherein the dataset (41) following receipt is stored in the server (1) and in the event of a successful storage a release dataset (42) is returned to the automatic gaming machine (2),

- wherein upon receipt the release dataset (42) at the respective automatic gaming machine (2) a confirmation ticket (3) is made available and is dispensed to the player, and wherein the dataset (41) will be kept available for the print-out by the server (1).

2. Procedure according to claim 1, characterised in that for the confirmation of a credit, a preferentially reprintable confirmation ticket (3) showing at least information about the credit before the execution of a game is read and subsequently at least information about the credit on the confirmation ticket (3) is deleted or removed and a new imprint corresponding to, if applicable, the dataset (41) and/or the release dataset (42) is imprinted on the confirmation ticket (3).

3. Procedure according to claim 1 or 2, characterised in that the dataset (41) is printed on a printer (5) connected to the server (1) and/or that the dataset (41) is included in an electronic document stored in the server (1), which is held available for print-out.

4. Procedure according to one of the claims 1 to 3, characterised in that the dataset (41) in the period between the receipt of the dataset (41) by the server (1) and the transmission of the release dataset (42) to the automatic gaming machine (2) is printed out and/or is included at the end of the electronic document.

5. Procedure according to one of the claims 1 to 4, characterised in that the dataset (41) is at least partially printed out on the printer (5) in the form of a barcode or included in the electronic document.

6. Procedure according to one of the claims 1 to 5, characterised in that the confirmation ticket (3), in particular in the form of a barcode, is printed by the automatic gaming machine (2) and/or the confirmation ticket is stored on a storage medium, in particular a chip card, in data connection with the automatic gaming machine (2) and allocated to the automatic gaming machine (2).

7. Procedure according to one of claim 1 to 6, characterised in that for the confirmation of a credit preferentially a reprintable confirmation ticket (3) is read prior to the start of the game and after the end of the game the confirmation ticket (3) is deleted and deposited in the respective automatic gaming machine (1) and, if applicable, compressed, and that a new confirmation ticket (3) is created onto which a new imprint corresponding to either the dataset (41) and/or the release dataset (42) respectively, is printed.

8. Procedure according to one of the claims 1 to 7, characterised in that

- the dataset (41) received by the server (1) and the release dataset (42) created following the receipt of the dataset (41) are stored in the server (1) in a manner relatable to another and/or
- further information, such as a respective identifying information (101) of the automatic gaming machine (2) transferring the dataset (41) and/or the time and/or the date of the credit is added on the dataset (41).

9. Procedure according to one of the claims 1 to 8, characterised in that after the storage of the dataset (41) in the server (1) or after the print-out of the dataset (41) by the server (1) or after the output of the confirmation ticket (3) by the automatic gaming machine (2) the credit is deleted and the automatic gaming machine (2) is, if applicable, prepared for the execution of a new game.

10. System for the pay-out of credit comprising a server (1) and a number of automatic gaming machines (2) connected to the server (1) and operable by a player,

- wherein at least one automatic gaming machine (2) features a game unit (20) and a pay-out unit (21) for the confirmation of a credit in the form of confirmation tickets (3); and
- wherein the game unit (20) facilitates the execution of a game with the presence of credit; and
- wherein the automatic gaming machine (2) features a machine-side sender unit (23) for the release of a dataset (41) containing the credit to the server (1) in the event of operation of the pay-out unit (21) by the player during the simultaneous presence of a credit, and
- wherein the server (1) features a server-side receiver unit (11) for the receipt of the dataset (41) as well as a database (15) for the filing of the dataset (41), and
- wherein the server (1) features an examination unit (13) downstream of the server-side receiver unit (11), which examines the storage of the dataset (41), and
- wherein the server (1) features a server-side sender unit (12) which in the event of a successful examination of the storage of the dataset (41) by the examination unit (13) sends a release dataset (42) to the automatic gaming machine (2), and
- wherein the automatic gaming machine (2) features a machine-side receiver unit (24) for the receipt of the release dataset (42) and an output unit (22), wherein with the receipt of the release dataset (42) in the respective automatic gaming machine (2) via the output unit (22) a confirmation ticket (3) is available and dispensable to the player, and
- wherein the server (1) contains a print storage (16), which has the dataset (41) available for printout.

11. System according to one of the claims 10, characterised in that the automatic gaming machine (2) features a reading device (25) for the reading of tickets or chip cards, wherein, if applicable, the reading device (25) and the output unit (22) are integrated in a common device, and wherein the common device is designed either for the deletion and the renewed rewriting or the removal of the imprint and the consequent renewed imprinting of the confirmation ticket (3).

12. System according to one of the claims 10 or 11, characterised in that a printer (5) is connected with the server (1), wherein the server (1) features a print control unit (14), which initiates the print-out of the respective dataset (41) by the printer (5) following receipt of the dataset (41).

13. System according to one of the claims 10 to 12, characterised in that the output unit (22) features a ticket printer for the print-out of the confirmation ticket (3) on a ticket carrier body, for example paper, or a chip card writing device for the storage of the confirmation ticket (3) onto a chip card.

14. System according to one of the claims 10 to 13, characterised in that the automatic gaming machine (2) features one reading device (25) and an output unit (22), wherein the output unit (22) features a ticket printer for the print-out of the confirmation ticket (3) onto a ticket carrier body, for example paper, and wherein the reading device (25) features a reading unit for the reading of dataset stored on a confirmation ticket (3) and the reading unit (25) features a destruction unit, in particular in the manner of a document shredder for the destruction of confirmation tickets (3) and, if applicable, a collection container for the collection of the destroyed confirmation tickets (3).

15. System according to one of the claims 10 to 14, characterised in that a database (15) for the storage of the received dataset (41) is foreseen, wherein each dataset (41) is allocated to a credit, if applicable, also to other information such as an identification number of the automatic gaming machine (2), the time of the winnings and the date of the winnings.

16. System according to one of the claims 10 to 15, characterised in that an encoding unit is upstream of the server-side or machine-side sender unit (12, 23), which encodes the release dataset (42) or the dataset (41) in accordance with specified criteria and the established encoded value is made available to the server-side or machine-side sender unit (12, 23), wherein the encoded value is contained in the dataset or in the release dataset and that a decoding unit for the decoding of the release dataset (42) or the dataset (41) is downstream of the machine-side or server-side receiver unit (24, 11).

17. System according to one of the claims 10 to 16, characterised in that an additional database (17) is foreseen in which the release dataset (42) is stored, wherein the allocation between each dataset (41) and the respective generated release dataset (42) following the receipt of the dataset (41) is stored, and/or

that each one dataset (41) and the release dataset created (42) following the receipt of the dataset (41) are combined in one common dataset and stored in a common database.

(1) Data carrier on which a programme for the execution of the procedure on the server (1) and/or on one of the automatic gaming machines (2) is stored in accordance with one of the claims 1 to 9.

19. Computer programme for the execution of the procedure on the server (1) and/or on one of the automatic gaming machines (2) in accordance with one of the claims 1 to 9.