

(51) International Patent Classification:
H04N 17/00 (2006.01)(21) International Application Number:
PCT/EP2008/064959(22) International Filing Date:
4 November 2008 (04.11.2008)

(25) Filing Language: English

(26) Publication Language: English

(71) Applicant (for all designated States except US): **TELEFONAKTIEBOLAGET L M ERICSSON (PUBL)** [SE/SE]; S-164 83 Stockholm (SE).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **GUSTAFSSON, J**örgen [SE/SE]; Stengatan 37, S-972 52 Luleå (SE). **LINDEGREN, David** [SE/SE]; Sundsnäs 219, S-96197 Gunnarsbyn (SE). **PETTERSSON, Martin** [SE/SE]; Stenvallavägen 10, S-186 34 Vallentuna (SE).(74) Agent: **EGRELIUS, Fredrik**; Ericsson AB, Patent Unit Service Layer & Multimedia, Torshamnsgatan 21-23, S-164 80 Stockholm (SE).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM,

AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MT, NL, NO, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:

— of inventorship (Rule 4.17(iv))

Published:

— with international search report (Art. 21(3))

(54) Title: METHOD AND SYSTEM FOR DETERMINING A QUALITY VALUE OF A VIDEO STREAM




Fig. 3

(57) **Abstract:** Hence a method is provided for determining a quality value of a video stream, comprising the steps of: identifying lost data packets of the video stream; identifying at least two intra coded frames of the video stream; determining intra coded frames having a maintained image quality, based on estimating if a lost data packet is associated with an intra coded frame; estimating a distance between each one of the lost data packets and a next respective, subsequent intra coded frame having a maintained image quality; and generating the quality value, based on the distances. A system and a computer readable medium are also described.