(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau

(43) International Publication Date
10 October 2002 (10.10.2002)

PCT

(10) International Publication Number
WO 02/078605 A2

(51) International Patent Classification[7]: A61K

(21) International Application Number: PCT/US02/10094

(22) International Filing Date: 28 March 2002 (28.03.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
09/822,767 29 March 2001 (29.03.2001) US
09/945,374 31 August 2001 (31.08.2001) US

(71) Applicant: BAXTER INTERNATIONAL INC. [US/US]; One Baxter Parkway, Deerfield, IL 60015 (US).

(72) Inventors: DOTY, Mark, J.; 610 Kenilworth, Grayslake, IL 60030 (US). REBBECK, Christine, L.; 525 Eagle Ridge Lane, Algonquin, IL 60102 (US). KIPP, James, E.; 609 Hermosa Avenue, Wauconda, IL 60084 (US). RAGHAVAN, Neervalur, V.; 2327 Castilian Circle, Northbrook, IL 60062 (US).

(74) Agents: BUONAIUTO, Mark, J. et al.; Baxter International Inc., One Baxter Parkway, Deerfield, IL 60015 (US).


(81) Designated States *(national)*: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZM, ZW.

(84) Designated States *(regional)*: European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR).

Published:
— *without international search report and to be republished upon receipt of that report*

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: PREMIXED AMIODARONE PARENTERAL SOLUTION AND METHOD FOR MAKING THE SAME



(57) Abstract: A premix parenteral solution for intravenous administration having amiodarone, as an active ingredient, solubilized in a solution of water for injection and about 0.4 - 12 mg/ml of a non-ionic surfactant to a concentration range of from 0.2 to 6 mg/ml is disclosed. The solution optionally may include an osmotic agent. No dilution of the solution is required before administering to a patient and the sterile packaged solution has an initial pH within the range of from about 2.9 to about 3.2, preferably about 3.1. Additionally, a method for producing an amiodarone solution suitable for intravenous administration is further disclosed.

WO 02/078605 A2