


(I)

wherein W, X, A and B are as defined herein, or forms and compositions thereof.

In particular, the present description relates to a use of a compound of Formula (I) or a form or composition thereof in a method for treating or ameliorating HD in a subject in need thereof comprising, administering an effective amount of the compound or a form or composition thereof, to the subject.

The present description further relates to the use of a compound of Formula (I) or a form thereof in combination with agents having additive or synergistic activity, thus providing a combination product for the treatment of HD.

In one aspect, the present disclosure refers to a use of a compound of Formula (Ia) in the manufacture of a medicament for treating or ameliorating Huntington's Disease in a subject in need thereof , wherein an effective amount of the compound of Formula (Ia) is to be administered to said subject:



(Ia)

or a form thereof, wherein

X is CH_2, O, NR_5, or a bond;

A is aryl, heteroaryl, heterocyclyl, or C_{9-10}cycloalkyl, wherein:

aryl is selected from phenyl substituted with hydroxyl and optionally with 1, 2, or 3 additional substituents each selected from R_1 and hydroxyl, and naphthyl, optionally substituted with 1, 2, 3, or 4 substituents each selected from R_1 and hydroxyl,

heteroaryl is selected from the group consisting of furanyl, thienyl, pyrrolyl, pyrazolyl, imidazolyl, isoxazolyl, isothiazolyl, oxazolyl, thiazolyl, triazolyl, oxadiazolyl, thiadiazolyl, tetrazolyl, pyranyl, thiopyranyl, pyrimidinyl, pyrazinyl, pyridazinyl, triazinyl, indolyl, indazolyl, indolizinyl, benzofuranyl, benzothienyl, benzimidazolyl, benzothiazolyl, benzooxazolyl, 9H-purinyl, quinoxalinyl, isoindolyl, quinolinyl,

isoquinolinyl, quinazolinyl, acridinyl, phthalazinyl, imidazo[1,2-a]pyridinyl, imidazo[1,5-a]pyridinyl, imidazo[5,1-a]isoquinolinyl, 1,4-dihydroindeno[1,2-c]-1H-pyrazolyl, 2,3-dihydro-1H-inden-1-one, 2,3-dihydro-1H-indenyl, 3,4-dihydroquinolin-2(1H)-one, 5,6-dihydroimidazo[5,1-a]isoquinolinyl, 8H-indeno[1,2-d]thiazolyl, benzo[c][1,2,5]oxadiazolyl, benzo[d]oxazol-2(3H)-one, quinolin-2(1H)-one, quinazolin-4(1H)-one, quinazoline-2,4(1H,3H)-dione, benzo-[d]oxazolyl, and pyrazolo[1,5-a]pyridinyl, optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R_1, heterocyclyl is selected from the group consisting of oxiranyl, oxetanyl, azetidinyl, dihydrofuranyl, tetrahydrofuranyl, dihydrothienyl, tetrahydrothienyl, pyrrolinyl, pyrrolidinyl, dihydropyrazolyl, pyrazolinyl, pyrazolidinyl, dihydroimidazolyl, imidazolinyl, imidazolidinyl, isoxazolinyl, isoxazolidinyl, isothiazolinyl, isothiazolidinyl, oxazolinyl, oxazolidinyl, thiazolinyl, thiazolidinyl, triazolinyl, triazolidinyl, oxadiazolinyl, oxadiazolidinyl, thiadiazolinyl, thiadiazolidinyl, tetrazolinyl, tetrazolidinyl, dihydro 2H-pyranyl, dihydro pyridinyl, tetrahydro pyridinyl, 1,2,3,6-tetrahydropyridinyl, hexahydro pyridinyl, dihydro pyrimidinyl, tetrahydro pyrimidinyl, 1,4,5,6-tetrahydropyrimidinyl, dihydro pyrazinyl, tetrahydro pyrazinyl, dihydro pyridazinyl, tetrahydro pyridazinyl, piperazinyl, piperidinyl, morpholinyl, thiomorpholinyl, dihydro triazinyl, tetrahydro triazinyl, hexahydro triazinyl, 1,4-diazepanyl, dihydro indolyl, indolinyl, tetrahydro indolyl, dihydro indazolyl, tetrahydro indazolyl, dihydro isoindolyl, dihydro benzofuranyl, tetrahydro benzofuranyl, dihydro benzothienyl, tetrahydro benzothienyl, dihydro benzimidazolyl, tetrahydro benzimidazolyl, dihydro benzooxazolyl, 2,3-dihydrobenzo[d]oxazolyl, tetrahydro benzooxazolyl, dihydro benzooxazinyl, 3,4-dihydro-2H-benzo[b][1,4]oxazinyl, tetrahydro benzooxazinyl, benzo[1,3]dioxolyl, benzo[1,4]dioxanyl, dihydro purinyl, tetrahydro purinyl, dihydro quinolinyl, tetrahydro quinolinyl, 1,2,3,4-tetrahydroquinolinyl, dihydro isoquinolinyl, 3,4-dihydroisoquinolin-(1H)-yl, tetrahydro isoquinolinyl, 1,2,3,4-tetrahydroisoquinolinyl, dihydro quinazolinyl, tetrahydro quinazolinyl, dihydro quinoxalinyl, tetrahydro quinoxalinyl, 1,2,3,4-tetrahydroquinoxalinyl, 1,3-dioxolanyl, 2,5-dihydro-1H-pyrrolyl, 4,5-dihydro-1H-imidazolyl, tetrahydro-2H-pyranyl, hexahydropyrrolo[3,4-b][1,4]oxazin-(2H)-yl, (4aR,7aS)-hexahydropyrrolo[3,4-b][1,4]oxazin-(4aH)-yl, 3,4-dihydro-2H-pyrido[3,2-

b][1,4]oxazinyl, (cis)-octahydrocyclopenta[c]pyrrolyl, hexahydropyrrolo[3,4-b]pyrrol-(1H)-yl, (3aR,6aR)-hexahydropyrrolo[3,4-b]pyrrol-(1H)-yl, (3aR,6aS)-hexahydropyrrolo[3,4-c]pyrrol-(1H)-yl, 5H-pyrrolo[3,4-b]pyridin-(7H)-yl, 5,7-dihydro-6H-pyrrolo[3,4-b]pyridinyl, tetrahydro-1H-pyrrolo[3,4-b]pyridin-(2H,7H,7aH)-yl, hexahydro-1H-pyrrolo[3,4-b]pyridin-(2H)-yl, (4aR,7aR)-hexahydro-1H-pyrrolo[3,4-b]pyridin-(2H)-yl, octahydro-6H-pyrrolo[3,4-b]pyridinyl, 2,3,4,9-tetrahydro-1H-carbazolyl, 1,2,3,4-tetrahydropyrazino[1,2-a]indolyl, 2,3-dihydro-1H-pyrrolo[1,2-a]indolyl, (3aR,6aR)-hexahydrocyclopenta[c]pyrrol-(1H)-yl, (3aR,4R,6aS)-hexahydrocyclopenta[c]pyrrol-(1H)-yl, (3aR,4S,6aS)-hexahydrocyclopenta[c]pyrrol-(1H)-yl, (3aR,5r,6aS)-hexahydrocyclopenta[c]pyrrol-(1H)-yl, 1,3-dihydro-2H-isoindolyl, octahydro-2H-isoindolyl, (3aS)-1,3,3a,4,5,6-hexahydro-2H-isoindolyl, (3aR,4R,7aS)-1H-isoindol-(3H,3aH,4H,5H,6H,7H,7aH)-yl, (3aR,7aS)-octahydro-2H-isoindolyl, (3aR,4R,7aS)-octahydro-2H-isoindolyl, (3aR,4S,7aS)-octahydro-2H-isoindolyl, 2,5-diazabicyclo[2.2.1]heptanyl, 2-azabicyclo[2.2.1]heptenyl, 3-azabicyclo[3.1.0]hexanyl, 3,6-diazabicyclo[3.1.0]hexanyl, (1R,5S)-3-azabicyclo[3.1.0]hexanyl, (1S,5R)-3-azabicyclo[3.2.0]heptanyl, 5-azaspiro[2.4]heptanyl, 2,6-diazaspiro[3.3]heptanyl, 2,5-diazaspiro[3.4]octanyl, 2,6-diazaspiro[3.4]octanyl, 2,7-diazaspiro[3.5]nonanyl, 2,7-diazaspiro[4.4]nonanyl, 2-azaspiro[4.5]decanyl, 2,8-diazaspiro[4.5]decanyl, 3,6-diazabicyclo[3.2.1]octyl, 1,4-dihydroindeno[1,2-c]pyrazolyl, dihydropyranyl, dihydropyridinyl, dihydroquinolinyl, 8H-indeno[1,2-d]thiazolyl, tetrahydroimidazo[1,2-a]pyridinyl, pyridin-2(1H)-one, (1R,5S)-8-azabicyclo[3.2.1]octyl, and 8 azabicyclo[3.2.1]oct-2-enyl, wherein heterocyclyl is optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R_2, and

C_{9-10}cycloalkyl is a saturated or partially unsaturated bicyclic ring system optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R_2;

B is monocyclic heterocyclyl,

wherein heterocyclyl is a saturated or partially unsaturated ring system having 1, 2, or 3 heteroatom ring members independently selected from N, O, or S, each optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R_4;

R_1 is halogen, cyano, C_{1-4}alkyl, halo-C_{1-4}alkyl, amino, C_{1-4}alkyl-amino, (C_{1-4}alkyl)$_2$-amino, amino-C_{1-4}alkyl, C_{1-4}alkyl-amino-C_{1-4}alkyl, (C_{1-4}alkyl)$_2$-amino-C_{1-4}alkyl, amino-

carbonyl, C_{1-4}alkyl-amino-carbonyl, (C_{1-4}alkyl)$_2$-amino-carbonyl, C_{1-4}alkyl-amino-carbonyl-C_{1-4}alkyl, (C_{1-4}alkyl)$_2$-amino-carbonyl-C_{1-4}alkyl, C_{1-4}alkyl-carbonyl-amino, C_{1-4}alkyl-carbonyl-amino-C_{1-4}alkyl, hydroxyl-C_{1-4}alkyl, C_{1-4}alkyl-carbonyl, C_{1-4}alkoxy, halo-C_{1-4}alkoxy, amino-C_{1-4}alkoxy, hydroxyl-C_{1-4}alkoxy, C_{1-4}alkyl-C_{1-4}alkoxy, C_{1-4}alkyl-amino-C_{1-4}alkoxy, (C_{1-4}alkyl)$_2$-amino-C_{1-4}alkoxy, C_{1-4}alkyl-carbonyl-amino-C_{1-4}alkoxy, C_{1-4}alkoxy-C_{1-4}alkoxy, C_{1-4}alkoxy-carbonyl, C_{1-4}alkoxy-carbonyl-amino, C_{1-4}alkoxy-carbonyl-amino-C_{1-4}alkoxy, C_{2-4}alkenyl, C_{2-4}alkenyl-amino-carbonyl, C_{3-7}cycloalkyl, C_{3-7}cycloalkyl-C_{1-4}alkoxy, C_{3-7}cycloalkenyl, heteroaryl, heteroaryl-C_{1-4}alkyl, heteroaryl-C_{1-4}alkyl-amino, heteroaryl-C_{1-4}alkyl-amino-carbonyl, heteroaryl-C_{1-4}alkyl-carbonyl-amino, heteroaryl-C_{1-4}alkyl-amino-carbonyl-C_{1-4}alkyl, heteroaryl-C_{1-4}alkyl-carbonyl-amino-C_{1-4}alkyl, heterocyclyl, heterocyclyl-C_{1-4}alkyl, heterocyclyl-C_{1-4}alkoxy, phenyl, or phenyl-C_{1-4}alkoxy, wherein:

heteroaryl is a monocyclic, bicyclic or polycyclic aromatic carbon atom ring structure radical having one or more heteroatoms selected from O, S, and N,

heterocyclyl is a saturated or partially unsaturated monocyclic or bicyclic ring system having 1, 2, or 3 heteroatom ring members selected from N, O, and S, and

each instance of phenyl, heteroaryl or heterocyclyl is optionally substituted with 1, or 2 substituents each selected from R_3;

R_2 is halogen, cyano, oxo, hydroxyl-imino, C_{1-4}alkyl, halo-C_{1-4}alkyl, amino, C_{1-4}alkyl-amino, (C_{1-4}alkyl)$_2$-amino, amino-C_{1-4}alkyl, C_{1-4}alkyl-amino-C_{1-4}alkyl, (C_{1-4}alkyl)$_2$-amino-C_{1-4}alkyl, amino-carbonyl, hydroxyl-C_{1-4}alkyl, C_{1-4}alkoxy, C_{1-4}alkoxy-carbonyl, C_{2-4}alkenyl, C_{3-7}cycloalkyl, or heterocyclyl-C_{1-4}alkyl, wherein:

heterocyclyl is a saturated or partially unsaturated monocyclic or bicyclic ring system having 1, 2, or 3 heteroatom ring members selected from N, O, and S, and

each instance of heterocyclyl is optionally substituted with 1, or 2 substituents each selected from R_3;

R_3 is halogen, hydroxyl, nitro, oxo, hydroxyl-imino, C_{1-4}alkyl, amino, C_{1-4}alkyl-amino, (C_{1-4}alkyl)$_2$-amino, amino-C_{1-4}alkyl, C_{1-4}alkyl-amino-C_{1-4}alkyl, (C_{1-4}alkyl)$_2$-amino-C_{1-4}alkyl, amino-carbonyl, C_{1-4}alkyl-amino-carbonyl, (C_{1-4}alkyl)$_2$-amino-carbonyl, C_{1-4}alkyl-amino-carbonyl-C_{1-4}alkyl, (C_{1-4}alkyl)$_2$-amino-carbonyl-C_{1-4}alkyl, C_{1-4}alkyl-carbonyl-amino, C_{1-4}alkyl-carbonyl-amino-C_{1-4}alkyl,


hydroxyl-C_{1-4}alkyl, C_{1-4}alkyl-carbonyl, C_{1-4}alkoxy, halo-C_{1-4}alkoxy, amino-C_{1-4}alkoxy, hydroxyl-C_{1-4}alkoxy, C_{1-4}alkyl-C_{1-4}alkoxy, C_{1-4}alkyl-amino-C_{1-4}alkoxy, (C_{1-4}alkyl)$_2$-amino-C_{1-4}alkoxy, C_{1-4}alkyl-carbonyl-amino-C_{1-4}alkoxy, C_{1-4}alkoxy-C_{1-4}alkoxy, C_{1-4}alkoxy-carbonyl, C_{1-4}alkoxy-carbonyl-amino, C_{1-4}alkoxy-carbonyl-amino-C_{1-4}alkoxy, C_{2-4}alkenyl, C_{2-4}alkenyl-amino-carbonyl, C_{3-7}cycloalkyl, C_{3-7}cycloalkyl-C_{1-4}alkoxy, C_{3-7}cycloalkenyl, heteroaryl, heteroaryl-C_{1-4}alkyl, heteroaryl-C_{1-4}alkyl-amino, heteroaryl-C_{1-4}alkyl-amino-carbonyl, heteroaryl-C_{1-4}alkyl-carbonyl-amino, heteroaryl-C_{1-4}alkyl-amino-carbonyl-C_{1-4}alkyl, heteroaryl-C_{1-4}alkyl-carbonyl-amino-C_{1-4}alkyl, heterocyclyl, heterocyclyl-C_{1-4}alkyl, phenyl, or phenyl-C_{1-4}alkoxy;

R_4 is independently selected from halogen, C_{1-4}alkyl, hydroxyl-C_{1-4}alkyl, amino, C_{1-4}alkyl-amino, (C_{1-4}alkyl)$_2$-amino or hydroxyl-C_{1-4}alkyl-amino; and

R_5 is hydrogen, C_{1-4}alkyl, or hydroxyl-C_{1-4}alkyl;

wherein a form of the compound is selected from the group consisting of a salt, hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

In another aspect, the present disclosure refers to a compound of Formula (Ia11):



(Ia11)

or a form thereof, wherein (when present),

X is selected from O, NR_{5a}, or a bond;

A is selected from phenyl, thiophenyl, indazolyl, pyridinyl, pyrimidinyl or phenoxy,

wherein phenyl and phenoxy are each optionally substituted with 1, 2 or 3 substituents each selected from R_{1a},

wherein thiophenyl, indazolyl, pyridinyl, pyrimidinyl are each optionally substituted with 1 or 2 substituents each selected from R_{1a},

R_{1a} is selected from halogen, hydroxyl, C_{1-4}alkyl, halo-C_{1-4}alkyl, amino, C_{1-4}alkoxy, or heteroaryl,

wherein heteroaryl is a monocyclic, bicyclic, or polycyclic carbon atom ring structure radical having one or more heteroatoms selected from o, S, and N, optionally substituted with 1 or 2 substituents each selected from R_{3a};

wherein when A is phenyl, R_{1a} is selected from the group consisting of fluoro, bromo, hydroxyl, C_{1-4}alkyl, halo-C_{1-4}alkyl, amino, C_{1-4}alkoxy, furanyl, thienyl, pyrrolyl, imidazolyl, isoxazolyl, isothiazolyl, oxazolyl, thiazolyl, triazolyl, oxadiazolyl, thiadiazolyl, tetrazolyl, pyranyl, thiopyranyl, pyridinyl, pyrimidinyl, pyrazinyl, pyridazinyl, triazinyl, indolyl, indazolyl, indolizinyl, benzofuranyl, benzothienyl, benzimidazolyl, benzothiazolyl, benzooxazolyl, 9H-purinyl, quinoxalinyl, isoindolyl, quinolinyl, isoquinolinyl, quinazolinyl, acridinyl, phthalazinyl, imidazo[1,2-a]pyridinyl, imidazo[1,5-a]pyridinyl, imidazo[5,1-a]isoquinolinyl, 1,4-dihydroindeno[1,2-c]-1H-pyrazolyl, 2,3-dihydro-1H-inden-1-one, 2,3-dihydro-1H-indenyl, 3,4-dihydroquinolin-2(1H)-one, 5,6-dihydroimidazo[5,1-a]isoquinolinyl, 8H-indeno[1,2-d]thiazolyl, benzo[c][1,2,5]oxadiazolyl, benzo[d]oxazol-2(3H)-one, quinolin-2(1H)-one, quinazolin-4(1H)-one, quinazoline-2,4(1H,3H)-dione, benzo-[d]oxazolyl, and pyrazolo[1,5-a]pyridinyl;

R_{3a} is selected from nitro or C_{1-4}alkyl; and,

R_{4a} is C_{1-4}alkyl;

R_{5a} is hydrogen, C_{1-4}alkyl, or hydroxyl-C_{1-4}alkyl;

wherein a form of the compound is selected from the group consisting of a salt, hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

In a further aspect, the present disclosure refers to a compound or a form thereof for use in treating or ameliorating Huntington's Disease in a subject in need thereof, wherein an

effective amount of the compound or form thereof is to be administered to the subject, wherein the compound is selected from the group consisting of:

6-(naphthalen-2-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(benzo[b]thiophen-2-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

2-(6-(2,2,6,6-tetramethylpiperidin-4-yl-amino)-pyridazin-3-yl)phenol

2-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzo[b]-thiophene-5-carbonitrile

6-(quinolin-3-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

3-(benzo[b]-thiophen-2-yl)-6-(2,2,6,6-tetramethylpiperidin-4-yl-oxy)pyridazine

2-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)amino)-pyridazin-3-yl)phenol

6-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)amino)-pyridazin-3-yl)naphthalen-2-ol

6-(benzo[b]-thiophen-2-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

7-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)isoquinoline

6-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)isoquinoline

N-methyl-6-(quinolin-7-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

N-methyl-6-(quinolin-6-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(isoquinolin-7-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(isoquinolin-6-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(imidazo[1,2-a]pyridin-6-yl-pyridazin-3-yl)-methyl-(2,2,6,6-tetramethylpiperidin-4-yl)-amine

methyl-(6-quinoxalin-2-yl-pyridazin-3-yl)-(2,2,6,6-tetramethylpiperidin-4-yl)-amine

methyl-(6-quinolin-3-yl-pyridazin-3-yl)-(2,2,6,6-tetramethylpiperidin-4-yl)-amine

N-methyl-6-(phthalazin-6-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(benzo[c][1,2,5]oxa-diazol-5-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(benzo[d]thiazol-5-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(2-methylbenzo-[d]oxazol-6-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol

5-chloro-2-(6-(methyl(1,2,2,6,6-pentamethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

3-(6-(2,2,6,6-tetramethylpiperidin-4-yl-amino)pyridazin-3-yl)naphthalen-2-ol

5-chloro-2-(6-(1,2,2,6,6-pentamethylpiperidin-4-ylamino)pyridazin-3-yl)phenol

4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitrile

3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)naphthalen-2-ol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(trifluoromethyl)phenol

2-fluoro-6-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)phenol

3,5-dimethoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4,5-dimethoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4,5-difluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitrile

1-allyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol

6-(benzo[b]thiophen-2-yl)-N-(1,2,2,6,6-pentamethylpiperidin-4-yl)pyridazin-3-amine

N-allyl-3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzamide

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

5-(5-methyl-oxazol-2-yl)-2-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)phenol

5-(4-hydroxymethyl)-1H-pyrazole-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(1H-imidazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(4-amino-1H-pyrazole-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

5-(3-amino-1H-pyrazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-(2-morpholino-ethyl)-1H-pyrazol-4-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol

5-(5-amino-1H-pyrazol-1-yl)-2-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-1-yl)phenol

2-((6-((2-hydroxy-ethyl)-(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)-5-pyrazol-1-yl)phenol

2-(6-(piperidin-4-yloxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(((2S,4R,6R)-2,6-dimethylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-((-2,6-dimethylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

5-(1H-pyrazol-1-yl)-2-(6-(pyrrolidin-3-yl-oxy)pyridazin-3-yl)phenol

2-(6-(((2S,4S)-2-methylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

(5-(1H-pyrazol-1-yl)-2-(6-(pyrrolidin-3-ylmethoxy)pyridazin-3-yl)phenol

2-(6-((3-fluoropiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(1,2,2,6,6-pentamethyl-piperidin-4-yl-oxy)-pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

5-1H-pyrazol-1-yl-2-(6-(2,2,6,6-tetramethylpiperidin-4-yl-oxy)-pyridazin-3-yl)phenol

5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenol

2-(6-piperazin-1-yl-pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

3-(6-(azetidin-3-ylamino)-pyridazin-3-yl)naphthalen-2-ol

2-(6-(azetidin-3-ylamino)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(3,5-dimethylpiperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(1,4-diazepan-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(4-(2-hydroxyethyl)piperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(3-(hydroxymethyl)piperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(4-amino-4-methylpiperidin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(3-(dimethylamino)piperidin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(1,2,2,6,6-pentamethylpiperidin-4-ylamino)-pyridazin-3-yl)-5-1H-pyrazol-1-yl-phenol

2-(6-(3,3-dimethylpiperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

3-(6-(piperazin-1-yl)pyridazin-3-yl)naphthalene-2,7-diol

5-(1H-pyrazol-1-yl)-2-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)phenol

2-(6-piperidin-4-yl-pyridazin-3-yl)-5-1H-pyrazol-1-yl-phenol

3-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalen-2-ol

3-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol

3-(6-(2,2,6,6-tetramethyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol

3-(6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol

3-(6-(piperidin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol

3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)naphthalene-2,7-diol

3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol

3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol

tert-butyl (3-((7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-yl)oxy)propyl)carbamate

7-(3-amino-propoxy)-3-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)naphthalen-2-ol

N-(3-((7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-yl)oxy)propyl)acetamide

7-(3-hydroxypropoxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol

7-(3-methoxypropoxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol

7-(2-morpholinoethoxy)-3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)naphthalen-2-ol

3-(6-(piperidin-4-ylmethyl)pyridazin-3-yl)naphthalen-2-ol

5-(1H-pyrazol-1-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)methyl)pyridazin-3-yl)phenol

3-methoxy-2-(6-(methyl(2,2,6-trimethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol

2-(6-((6S)-6-((S)-1-hydroxyethyl)-2,2-dimethylpiperidin-4-yloxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2-naphthonitrile

3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(piperidinylmethyl)naphthalen-2-ol

3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(pyrrolidinylmethyl)naphthalen-2-ol

1-bromo-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol

1-chloro-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol

7-methoxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2-ol

7-methoxy-3-(6-(methyl(1,2,2,6,6-pentamethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol

7-(3,6-dihydro-2H-pyran-4-yl)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol

3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(tetrahydro-2H-pyran-4-yl)naphthalene-2-ol

7-(difluoromethyl)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol

7-((4-hydroxy-2-methylbutan-2-yl)oxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol

7-(3-hydroxy-3-methylbutoxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)benzene-1,3-diol

3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-3-(trifluoromethoxy)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)-3-(trifluoromethoxy)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)-3-(trifluoromethoxy)phenol

4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(trifluoromethoxy)phenyl)-1-methylpyridin-2(1H)-one

3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol

3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5,6,7,8-tetrahydroimidazo[1,2-a]pyridin-3-yl)phenol

3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(pyridine-3-yl)phenol

5-(1-cyclopentyl-1H-pyrazol-4-yl)-3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

3’,5-dimethoxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-(1,1'-biphenyl)-3-ol

3-(benzyloxy)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol

3-ethoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol

3-(cyclopropylmethoxy)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol

5-chloro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(1H-pyrazol-1-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

3-hydroxy-4-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitrile

2-(6-((2,2-dimethylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-4-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(4,5,6,7-tetrahydropyrazolo[1,5-a]pyridin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(4,5,6,7-tetrahydropyrazolo[1,5-a]pyrazin-3-yl)phenol

4-(1H-indol-2-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4-(cyclopent-1-en-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-3-yl)phenol

4-(4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2-ol

4-(4-hydroxy-3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

4-(4-hydroxy-3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)pyridin-2-ol

5-(1H-indazol-7-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4-chloro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

4-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

5-fluoro-4-(1H-imidazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-4-yl)phenol

5-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-5-yl)phenol

6-hydroxy-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihydro-1H-inden-1-one

6-hydroxy-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihydro-1H-inden-1-one oxime

5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihydro-1H-indene-1,6-diol

4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-N-((1-methyl-1H-pyrazol-4-yl)methyl)benzamide

4-(4-(hydroxymethyl)-1H-pyrazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)methyl)pyridazin-3-yl)phenol

6-(3-(benzyloxy)isoquinolin-6-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(1-(benzyloxy)isoquinolin-7-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

3-fluoro-5-(2-methoxypyridin-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2(1H)-one

4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

5-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

3-fluoro-5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenol

5-chloro-3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol

5-(5-methoxypyridin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(3-hydroxy-4-(6-methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2-ol

4-(3-hydroxy-4-(6-methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2-ol

5-(6-methoxypyridin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-3-(trifluoromethyl)pyridin-2-ol

5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

5-(2-methoxypyridin-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4-(3-hydroxy-4-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)pyridin-2-ol

5-(6-(dimethylamino)pyridin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4-(3-hydroxy-4-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(pyrimidin-5-yl)phenol

5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-3-ol

1-cyclopropyl-4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2(1H)-one

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1,2,3,6-tetrahydropyridin-4-yl)phenol

5-(cyclopent-1-en-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(3,6-dihydro-2H-pyran-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(imidazo[1,5-a]pyridin-7-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(imidazo[1,2-a]pyridin-7-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(2-methylpyridin-4-yl)phenol

5-(1H-imidazol-2-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(1H-imidazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(imidazo[1,2-a]pyrazin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5,6,7,8-tetrahydroimidazo[1,2-a]pyrazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(4-methyl-1H-imidazol-2-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-imidazol-4-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-imidazol-5-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(4-nitro-1H-imidazol-2-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(2-methyl-1H-imidazol-4-yl)phenol

5-(1,2-dimethyl-1H-imidazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

1-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1H-pyrazole-4-carboxamide

5-(1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol

5-(1-methyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

5-(5-methyl-1H-pyrazol-4-yl)-2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol

5-(1H-imidazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

5-(5-methyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-5-(4-nitro-1H-pyrazol-1-yl)phenol

6-[2-methoxy-4-(4-nitro-1H-pyrazol-1-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

5-(4-amino-1H-pyrazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

2-[6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

5-(4-nitro-1H-pyrazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

5-(1H-pyrazol-4-yl)-2-[6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]phenol

2-[6-(1-ethyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

2-{6-[methyl(piperidin-4-yl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol

2-[6-(piperidin-4-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

6-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-[2,3-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

3-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

2-[6-(piperidin-4-yloxy)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

6-[2-methoxy-6-(1H-pyrazol-4-yl)pyridin-3-yl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol

3-[2-fluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

3-[4-(1-methyl-1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

3-fluoro-4-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol

2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-1-yl)phenol

N-methyl-6-(2-methyl-2H-indazol-5-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

2-methyl-5-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}-2H-indazole

3-(4-chloro-2-methoxyphenyl)-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

N-methyl-6-(2-methylpyrazolo[1,5-a]pyridin-3-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}imidazo[1,2-a]pyridine

3-[2-methoxy-4-(1H-pyrazol-1-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

3-[5-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

3-[5-(1-methyl-1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

3-[4-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

5-(3,5-dimethyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

6-[2-fluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

3-methoxy-4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

3-[2-methoxy-4-(4-nitro-1H-pyrazol-1-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}benzene-1,3-diol

6-[2-chloro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

2-(1H-pyrazol-4-yl)-4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}pyrimidin-5-amine

3-[2,6-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

3-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine and

6-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine;

wherein a form of the compound is selected from the group consisting of a salt, hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

In another aspect, the present disclosure refers to a use of a compound or a form thereof in the manufacture of a medicament for treating or ameliorating Huntington's Disease in a subject in need thereof, wherein an effective amount of the compound or form thereof is to be administered to the subject, wherein the compound is selected from the group consisting of:

6-(naphthalen-2-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(benzo[b]thiophen-2-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

2-(6-(2,2,6,6-tetramethylpiperidin-4-yl-amino)-pyridazin-3-yl)phenol

2-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzo[b]-thiophene-5-carbonitrile

6-(quinolin-3-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

3-(benzo[b]-thiophen-2-yl)-6-(2,2,6,6-tetramethylpiperidin-4-yl-oxy)pyridazine

2-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)amino)-pyridazin-3-yl)phenol

6-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)amino)-pyridazin-3-yl)naphthalen-2-ol

6-(benzo[b]-thiophen-2-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

7-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)isoquinoline

6-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)isoquinoline

N-methyl-6-(quinolin-7-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

N-methyl-6-(quinolin-6-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(isoquinolin-7-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(isoquinolin-6-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(imidazo[1,2-a]pyridin-6-yl-pyridazin-3-yl)-methyl-(2,2,6,6-tetramethylpiperidin-4-yl)-amine

methyl-(6-quinoxalin-2-yl-pyridazin-3-yl)-(2,2,6,6-tetramethylpiperidin-4-yl)-amine

methyl-(6-quinolin-3-yl-pyridazin-3-yl)-(2,2,6,6-tetramethylpiperidin-4-yl)-amine

N-methyl-6-(phthalazin-6-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(benzo[c][1,2,5]oxa-diazol-5-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(benzo[d]thiazol-5-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(2-methylbenzo-[d]oxazol-6-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol

5-chloro-2-(6-(methyl(1,2,2,6,6-pentamethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

3-(6-(2,2,6,6-tetramethylpiperidin-4-yl-amino)pyridazin-3-yl)naphthalen-2-ol

5-chloro-2-(6-(1,2,2,6,6-pentamethylpiperidin-4-ylamino)pyridazin-3-yl)phenol

4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitrile

3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)naphthalen-2-ol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(trifluoromethyl)phenol

2-fluoro-6-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)phenol

3,5-dimethoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4,5-dimethoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4,5-difluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitrile

1-allyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol

6-(benzo[b]thiophen-2-yl)-N-(1,2,2,6,6-pentamethylpiperidin-4-yl)pyridazin-3-amine

N-allyl-3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzamide

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

5-(5-methyl-oxazol-2-yl)-2-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)phenol

5-(4-hydroxymethyl)-1H-pyrazole-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(1H-imidazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(4-amino-1H-pyrazole-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

5-(3-amino-1H-pyrazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-(2-morpholino-ethyl)-1H-pyrazol-4-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol

5-(5-amino-1H-pyrazol-1-yl)-2-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-1-yl)phenol

2-((6-((2-hydroxy-ethyl)-(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)-5-pyrazol-1-yl)phenol

2-(6-(piperidin-4-yloxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(((2S,4R,6R)-2,6-dimethylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-((-2,6-dimethylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

5-(1H-pyrazol-1-yl)-2-(6-(pyrrolidin-3-yl-oxy)pyridazin-3-yl)phenol

2-(6-(((2S,4S)-2-methylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

(5-(1H-pyrazol-1-yl)-2-(6-(pyrrolidin-3-ylmethoxy)pyridazin-3-yl)phenol

2-(6-((3-fluoropiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(1,2,2,6,6-pentamethyl-piperidin-4-yl-oxy)-pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

5-1H-pyrazol-1-yl-2-(6-(2,2,6,6-tetramethylpiperidin-4-yl-oxy)-pyridazin-3-yl)phenol

5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenol

2-(6-piperazin-1-yl-pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

3-(6-(azetidin-3-ylamino)-pyridazin-3-yl)naphthalen-2-ol

2-(6-(azetidin-3-ylamino)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(3,5-dimethylpiperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(1,4-diazepan-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(4-(2-hydroxyethyl)piperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(3,6-diazabicyclo[3.2.1]octan-3-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(2,7-diazaspiro[3.5]nonan-7-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(3-(hydroxymethyl)piperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(1,7-diazaspiro[4.4]nonan-7-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(4-amino-4-methylpiperidin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(3-(dimethylamino)piperidin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(1,2,2,6,6-pentamethylpiperidin-4-ylamino)-pyridazin-3-yl)-5-1H-pyrazol-1-yl-phenol

2-(6-(3,3-dimethylpiperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

3-(6-(piperazin-1-yl)pyridazin-3-yl)naphthalene-2,7-diol

5-(1H-pyrazol-1-yl)-2-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)phenol

2-(6-piperidin-4-yl-pyridazin-3-yl)-5-1H-pyrazol-1-yl-phenol

3-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalen-2-ol

3-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol

3-(6-(2,2,6,6-tetramethyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol

3-(6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol

3-(6-(piperidin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol

3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)naphthalene-2,7-diol

3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol

3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol

tert-butyl (3-((7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-yl)oxy)propyl)carbamate

7-(3-amino-propoxy)-3-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)naphthalen-2-ol

N-(3-((7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-yl)oxy)propyl)acetamide

7-(3-hydroxypropoxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol

7-(3-methoxypropoxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol

7-(2-morpholinoethoxy)-3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)naphthalen-2-ol

3-(6-(piperidin-4-ylmethyl)pyridazin-3-yl)naphthalen-2-ol

5-(1H-pyrazol-1-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)methyl)pyridazin-3-yl)phenol

3-methoxy-2-(6-(methyl(2,2,6-trimethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol

2-(6-((6S)-6-((S)-1-hydroxyethyl)-2,2-dimethylpiperidin-4-yloxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2-naphthonitrile

3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(piperidinylmethyl)naphthalen-2-ol

3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(pyrrolidinylmethyl)naphthalen-2-ol

1-bromo-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol

1-chloro-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol

7-methoxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2-ol

7-methoxy-3-(6-(methyl(1,2,2,6,6-pentamethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol

7-(3,6-dihydro-2H-pyran-4-yl)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol

3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(tetrahydro-2H-pyran-4-yl)naphthalene-2-ol

7-(difluoromethyl)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol

7-((4-hydroxy-2-methylbutan-2-yl)oxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol

7-(3-hydroxy-3-methylbutoxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)benzene-1,3-diol

3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-3-(trifluoromethoxy)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)-3-(trifluoromethoxy)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)-3-(trifluoromethoxy)phenol

4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(trifluoromethoxy)phenyl)-1-methylpyridin-2(1H)-one

3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol

3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5,6,7,8-tetrahydroimidazo[1,2-a]pyridin-3-yl)phenol

3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(pyridine-3-yl)phenol

5-(1-cyclopentyl-1H-pyrazol-4-yl)-3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

3’,5-dimethoxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-(1,1'-biphenyl)-3-ol

3-(benzyloxy)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol

3-ethoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol

3-(cyclopropylmethoxy)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol

5-chloro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(1H-pyrazol-1-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

3-hydroxy-4-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitrile

2-(6-((2,2-dimethylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-4-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(4,5,6,7-tetrahydropyrazolo[1,5-a]pyridin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(4,5,6,7-tetrahydropyrazolo[1,5-a]pyrazin-3-yl)phenol

4-(1H-indol-2-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4-(cyclopent-1-en-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-3-yl)phenol

4-(4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2-ol

4-(4-hydroxy-3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

4-(4-hydroxy-3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)pyridin-2-ol

5-(1H-indazol-7-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4-chloro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

4-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

5-fluoro-4-(1H-imidazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-4-yl)phenol

5-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-5-yl)phenol

6-hydroxy-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihydro-1H-inden-1-one

6-hydroxy-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihydro-1H-inden-1-one oxime

5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihydro-1H-indene-1,6-diol

4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-N-((1-methyl-1H-pyrazol-4-yl)methyl)benzamide

4-(4-(hydroxymethyl)-1H-pyrazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)methyl)pyridazin-3-yl)phenol

6-(3-(benzyloxy)isoquinolin-6-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(1-(benzyloxy)isoquinolin-7-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

3-fluoro-5-(2-methoxypyridin-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2(1H)-one

4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

5-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

3-fluoro-5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenol

5-chloro-3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol

5-(5-methoxypyridin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(3-hydroxy-4-(6-methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2-ol

4-(3-hydroxy-4-(6-methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2-ol

5-(6-methoxypyridin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-3-(trifluoromethyl)pyridin-2-ol

5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

5-(2-methoxypyridin-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4-(3-hydroxy-4-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)pyridin-2-ol

5-(6-(dimethylamino)pyridin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4-(3-hydroxy-4-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(pyrimidin-5-yl)phenol

5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-3-ol

1-cyclopropyl-4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2(1H)-one

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1,2,3,6-tetrahydropyridin-4-yl)phenol

5-(cyclopent-1-en-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(3,6-dihydro-2H-pyran-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(imidazo[1,5-a]pyridin-7-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(imidazo[1,2-a]pyridin-7-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(2-methylpyridin-4-yl)phenol

5-(1H-imidazol-2-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(1H-imidazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(imidazo[1,2-a]pyrazin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5,6,7,8-tetrahydroimidazo[1,2-a]pyrazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(4-methyl-1H-imidazol-2-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-imidazol-4-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-imidazol-5-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(4-nitro-1H-imidazol-2-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(2-methyl-1H-imidazol-4-yl)phenol

5-(1,2-dimethyl-1H-imidazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

1-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1H-pyrazole-4-carboxamide

5-(1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol

5-(1-methyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

5-(5-methyl-1H-pyrazol-4-yl)-2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol

5-(1H-imidazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

5-(5-methyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-5-(4-nitro-1H-pyrazol-1-yl)phenol

6-[2-methoxy-4-(4-nitro-1H-pyrazol-1-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

5-(4-amino-1H-pyrazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

2-[6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

5-(4-nitro-1H-pyrazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

5-(1H-pyrazol-4-yl)-2-[6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]phenol

2-[6-(1-ethyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

2-{6-[methyl(piperidin-4-yl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol

2-[6-(piperidin-4-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

6-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-[2,3-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

3-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

2-[6-(piperidin-4-yloxy)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

6-[2-methoxy-6-(1H-pyrazol-4-yl)pyridin-3-yl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol

3-[2-fluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

3-[4-(1-methyl-1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

3-fluoro-4-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol

2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-1-yl)phenol

N-methyl-6-(2-methyl-2H-indazol-5-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

2-methyl-5-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}-2H-indazole

3-(4-chloro-2-methoxyphenyl)-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

N-methyl-6-(2-methylpyrazolo[1,5-a]pyridin-3-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}imidazo[1,2-a]pyridine

3-[2-methoxy-4-(1H-pyrazol-1-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

3-[5-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

3-[5-(1-methyl-1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

3-[4-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

5-(3,5-dimethyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

6-[2-fluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

3-methoxy-4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

3-[2-methoxy-4-(4-nitro-1H-pyrazol-1-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}benzene-1,3-diol

6-[2-chloro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

2-(1H-pyrazol-4-yl)-4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}pyrimidin-5-amine

3-[2,6-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

3-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine and

6-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine;

wherein a form of the compound is selected from the group consisting of a salt, hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

In a further aspect, the present disclosure refers to a compound selected from the group consisting of:

2-{6-[(1R,5S)-8-azabicyclo[3.2.1]oct-3-yl(methyl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol

2-[6-((1R,5S)-8-azabicyclo[3.2.1]oct-3-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

5-(1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol

5-(1-methyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

2-[6-((1R,5S)-8-azabicyclo[3.2.1]oct-3-yloxy)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

5-(5-methyl-1H-pyrazol-4-yl)-2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol

5-(1H-imidazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

5-(5-methyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-5-(4-nitro-1H-pyrazol-1-yl)phenol

6-[2-methoxy-4-(4-nitro-1H-pyrazol-1-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

5-(4-amino-1H-pyrazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

2-[6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

5-(4-nitro-1H-pyrazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

5-(1H-pyrazol-4-yl)-2-[6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]phenol

2-[6-(1-ethyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

2-{6-[methyl(piperidin-4-yl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol

2-[6-(piperidin-4-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

6-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

2-[6-(8-azabicyclo[3.2.1]oct-2-en-3-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

6-[2,3-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

3-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

2-[6-(piperidin-4-yloxy)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

2-{6-[(1R,5S)-8-azabicyclo[3.2.1]oct-3-ylamino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol

6-[2-methoxy-6-(1H-pyrazol-4-yl)pyridin-3-yl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

3-[4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol

3-[2-fluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

3-[4-(1-methyl-1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

2-[6-(2,7-diazaspiro[3.5]non-2-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

3-fluoro-4-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol

2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-1-yl)phenol

N-methyl-6-(2-methyl-2H-indazol-5-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

2-methyl-5-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}-2H-indazole

3-(4-chloro-2-methoxyphenyl)-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

N-methyl-6-(2-methylpyrazolo[1,5-a]pyridin-3-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}imidazo[1,2-a]pyridine

3-[2-methoxy-4-(1H-pyrazol-1-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

3-[5-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

3-[5-(1-methyl-1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

3-[4-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

5-(3,5-dimethyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

6-[2-fluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

3-methoxy-4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

3-[2-methoxy-4-(4-nitro-1H-pyrazol-1-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}benzene-1,3-diol

6-[2-chloro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

2-(1H-pyrazol-4-yl)-4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}pyrimidin-5-amine

3-[2,6-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

2-[6-(2,6-diazaspiro[3.4]oct-2-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

3-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-6-(1H-pyrazol-4-yl)pyridin-2-ol

6-(1H-pyrazol-4-yl)-3-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}pyridin-2-ol

N,2,2,6,6-pentamethyl-N-{5-[3-(1H-pyrazol-4-yl)phenoxy]-1,3,4-thiadiazol-2-yl}piperidin-4-amine

N,2,2,6,6-pentamethyl-N-{5-[4-(1H-pyrazol-4-yl)phenoxy]-1,3,4-thiadiazol-2-yl}piperidin-4-amine

3-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine and

6-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine;

wherein a form of the compound is selected from the group consisting of a salt, hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

In another aspect, the present disclosure refers to a compound salt or a form thereof for use in treating or ameliorating Huntington's Disease in a subject in need thereof, wherien the compound salt or form thereof is to be administered to the subject, wherein the compound salt is selected from the group consisting of:

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(trifluoromethyl)phenol hydrochloride

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-1-yl)phenol hydrochloride

3-(6-(piperazin-1-yl)pyridazin-3-yl)naphthalene-2,7-diol trifluoroacetate

3-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol trifluoroacetate

3-(6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol trifluoroacetate

3-(6-(piperidin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol trifluoroacetate

6-hydroxy-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihydro-1H-inden-1-one oxime hydrochloride

3-fluoro-5-(2-methoxypyridin-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol hydrochloride

4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2(1H)-one hydrochloride

4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one hydrochloride

5-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one hydrochloride

3-fluoro-5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenol hydrochloride

5-chloro-3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol hydrochloride

3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol hydrochloride

3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol hydrochloride

5-(1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol hydrochloride

2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-5-(4-nitro-1H-pyrazol-1-yl)phenol dihydrochloride

2-[6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol trihydrochloride

5-(1H-pyrazol-4-yl)-2-[6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]phenol trihydrochloride

2-[6-(1-ethyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol trihydrochloride

2-{6-[methyl(piperidin-4-yl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol tetrahydrochloride

2-[6-(piperidin-4-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol tetrahydrochloride

6-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine tetrahydrochloride

6-[2,3-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine hydrochloride

3-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine trihydrochloride

6-[2-methoxy-6-(1H-pyrazol-4-yl)pyridin-3-yl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine hydrochloride

2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol trihydrochloride

3-[2-fluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride

3-[5-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride

3-[4-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride

6-[2-chloro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine trihydrochloride

3-[2,6-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine trihydrochloride

3-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride and

6-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine hydrochloride;

wherein a form of the compound salt is selected from the group consisting of a hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

In a further aspect, the present disclosure refers to a use of a compound salt or a form thereof in the manufacture of a medicament for treating or ameliorating Huntington's Disease in a subject in need thereof, wherien the compound salt or form thereof is to be administered to the subject, wherein the compound salt is selected from the group consisting of:

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(trifluoromethyl)phenol hydrochloride

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-1-yl)phenol hydrochloride

3-(6-(piperazin-1-yl)pyridazin-3-yl)naphthalene-2,7-diol trifluoroacetate

3-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol trifluoroacetate

3-(6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol trifluoroacetate

3-(6-(piperidin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol trifluoroacetate

6-hydroxy-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihydro-1H-inden-1-one oxime hydrochloride

3-fluoro-5-(2-methoxypyridin-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol hydrochloride

4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2(1H)-one hydrochloride

4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one hydrochloride

5-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one hydrochloride

3-fluoro-5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenol hydrochloride

5-chloro-3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol hydrochloride

3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol hydrochloride

3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol hydrochloride

5-(1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol hydrochloride

2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-5-(4-nitro-1H-pyrazol-1-yl)phenol dihydrochloride

2-[6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol trihydrochloride

5-(1H-pyrazol-4-yl)-2-[6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]phenol trihydrochloride

2-[6-(1-ethyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol trihydrochloride

2-{6-[methyl(piperidin-4-yl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol tetrahydrochloride

2-[6-(piperidin-4-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol tetrahydrochloride

6-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine tetrahydrochloride

6-[2,3-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine hydrochloride

3-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine trihydrochloride

6-[2-methoxy-6-(1H-pyrazol-4-yl)pyridin-3-yl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine hydrochloride

2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol trihydrochloride

3-[2-fluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride

3-[5-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride

3-[4-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride

6-[2-chloro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine trihydrochloride

3-[2,6-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine trihydrochloride


3-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride and

6-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine hydrochloride;

wherein a form of the compound salt is selected from the group consisting of a hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

In another aspect, the present disclosure refers to a pharmaceutical composition comprising a compound or form thereof disclosed herein in admixture with one or more pharmaceutically acceptable excipient(s).

In a further aspect, the present disclosure refers to a compound of Formula (Ia11):



(Ia11),

or a form thereof, wherein (when present),

X is selected from O, NR_{5a}, or a bond;

A is selected from phenyl, thiophenyl, indazolyl, pyridinyl, pyrimidinyl or phenoxy,

wherein phenyl and phenoxy are each optionally substituted with 1, 2 or 3 substituents each selected from R_{1a},

wherein thiophenyl, indazolyl, pyridinyl, pyrimidinyl are each optionally substituted with 1 or 2 substituents each selected from R_{1a},

R1a is selected from halogen, hydroxyl, C_{1-4}alkyl, halo-C_{1-4}alkyl, amino, C_{1-4}alkoxy, or heteroaryl, wherein heteroaryl is a monocyclic, bicyclic, or polycyclic carbon atom ring structure radical having one or more heteroatoms selected from O, S, and N, optionally substituted with 1 or 2 substituents each selected from R_{3a};

wherein when A is phenyl, R_{1a} selected from the group consisting of halogen, C_{1-4}alkyl, halo-C_{1-4}alkyl, amino, C_{1-4}alkoxy, or heteroaryl;


R_{3a} is selected from nitro or C_{1-4}alkyl;

R4a is C_{1-4}alkyl;


R5a is hydrogen, C_{1-4}alkyl, or hydroxyl-C_{1-4}alkyl;

wherein a form of the compound is selected from the group consisting of a salt, hydrate, solvate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, and tautomer form thereof.

In another aspect, the present disclosure refers to a compound selected from a compound Formula (Ia15) and Formula (Ia18):



(Ia15),



(Ia18),

or a form thereof, wherein (when present),

X is selected from O, NR_{5a}, or a bond;

B is selected from 1H-pyrazolyl, piperidinyl, 1,2,3,6-tetrahydropyridinyl, (1R,5S)-8-azabicyclo[3.2.1]octyl, 8-azabicyclo[3.2.1]oct-2-enyl, 2,6-diazaspiro[3.4]octyl or 2,7-diazaspiro[3.5]nonyl, each optionally substituted with 1 or 2 substituents each selected from R_{4a};

R1a is selected from fluoro, bromo, hydroxyl, C_{1-4}alkyl, halo-C_{1-4}alkyl, amino, C_{1-4}alkoxy, or heteroaryl, wherein heteroaryl is selected from the group consisting of furanyl, thienyl, pyrrolyl, imidazolyl, isoxazolyl, isothiazolyl, oxazolyl, thiazolyl, triazolyl, oxadiazolyl, thiadiazolyl, tetrazolyl, pyranyl, thiopyranyl, pyridinyl, pyrimidinyl, pyrazinyl, pyridazinyl, triazinyl, indolyl, indazolyl, indolizinyl, benzofuranyl, benzothienyl, benzimidazolyl, benzothiazolyl, benzooxazolyl, 9H-purinyl, quinoxalinyl, isoindolyl, quinolinyl, isoquinolinyl, quinazolinyl, acridinyl, phthalazinyl, imidazo[1,2-a]pyridinyl, imidazo[1,5-a]pyridinyl, imidazo[5,1-a]isoquinolinyl, 1,4-dihydroindeno[1,2-c]-1H-pyrazolyl, 2,3-dihydro-1H-inden-1-one, 2,3-dihydro-1H-indenyl, 3,4-dihydroquinolin-

2(1H)-one, 5,6-dihydroimidazo[5,1-a]isoquinolinyl, 8H-indeno[1,2-d]thiazolyl, benzo[c][1,2,5]oxadiazolyl, benzo[d]oxazol-2(3H)-one, quinolin-2(1H)-one, quinazolin-4(1H)-one, quinazoline-2,4(1H,3H)-dione, benzo-[d]oxazolyl, and pyrazolo[1,5-a]pyridinyl, wherein heteroaryl is optionally substituted with 1 or 2 substituents each selected from R_{3a};

R_{3a} is selected from nitro or C_{1-4}alkyl; and,


R_{4a} is C_{1-4}alkyl;

R_{5a} is hydrogen, C_{1-4}alkyl, or hydroxyl-C_{1-4}alkyl;

wherein a form of the compound is selected from the group consisting of a salt, hydrate, solvate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, and tautomer form thereof.

DETAILED DESCRIPTION

The present description relates to a method or use of a compound for treating or ameliorating HD in a subject in need thereof comprising administering to the subject an effective amount of a compound of Formula (I):



(I)

or a form thereof, wherein

W is CH=CH or S;

X is CH_2, $CH(C_{1-4}alkyl)$, $C(C_{1-4}alkyl)_2$, CH=CH, O, NR_5, or a bond;

A is aryl, heteroaryl, heterocyclyl, or C_{9-10}cycloalkyl,

wherein aryl is selected from phenyl and naphthyl, each optionally substituted with 1, 2, 3, or 4 substituents each selected from R_1,

wherein heteroaryl is a monocyclic, bicyclic or polycyclic aromatic carbon atom ring structure radical in which one or more carbon atom ring members have been replaced, where allowed by structural stability, with one or more heteroatoms, such as an O, or S, or N atom, each optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R_1,

wherein heterocyclyl is a saturated or partially unsaturated monocyclic, bicyclic or tricyclic ring system having 1, 2, or 3 heteroatom ring members independently selected from N, O, or S, each optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R_2, and

wherein C_{9-10}cycloalkyl is a saturated or partially unsaturated bicyclic ring system optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R_2;

B is heterocyclyl,

wherein heterocyclyl is a saturated or partially unsaturated monocyclic, bicyclic or polycyclic ring system having 1, 2, or 3 heteroatom ring members independently selected from N, O, or S, each optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R_4;


R_1 is halogen, hydroxyl, cyano, C_{1-4}alkyl, halo-C_{1-4}alkyl, amino, C_{1-4}alkyl-amino, $(C_{1-4}alkyl)_2$-amino, amino-C_{1-4}alkyl, C_{1-4}alkyl-amino-C_{1-4}alkyl, $(C_{1-4}alkyl)_2$-amino-C_{1-4}alkyl, amino-carbonyl, C_{1-4}alkyl-amino-carbonyl, $(C_{1-4}alkyl)_2$-amino-carbonyl, C_{1-4}alkyl-amino-carbonyl-C_{1-4}alkyl, $(C_{1-4}alkyl)_2$-amino-carbonyl-C_{1-4}alkyl, C_{1-4}alkyl-carbonyl-amino, C_{1-4}alkyl-carbonyl-amino-C_{1-4}alkyl, hydroxyl-C_{1-4}alkyl, C_{1-4}alkyl-carbonyl, C_{1-4}alkoxy, halo-C_{1-4}alkoxy, amino-C_{1-4}alkoxy, hydroxyl-C_{1-4}alkoxy, C_{1-4}alkyl-C_{1-4}alkoxy, C_{1-4}alkyl-amino-C_{1-4}alkoxy, $(C_{1-4}alkyl)_2$-amino-C_{1-4}alkoxy, C_{1-4}alkyl-carbonyl-amino-C_{1-4}alkoxy, C_{1-4}alkoxy-C_{1-4}alkoxy, C_{1-4}alkoxy-carbonyl, C_{1-4}alkoxy-carbonyl-amino, C_{1-4}alkoxy-carbonyl-amino-C_{1-4}alkoxy, C_{2-4}alkenyl, C_{2-4}alkenyl-amino-carbonyl, C_{3-7}cycloalkyl, C_{3-7}cycloalkyl-C_{1-4}alkoxy, C_{3-7}cycloalkenyl, heteroaryl, heteroaryl-C_{1-4}alkyl, heteroaryl-C_{1-4}alkyl-amino, heteroaryl-C_{1-4}alkyl-amino-carbonyl, heteroaryl-C_{1-4}alkyl-carbonyl-amino, heteroaryl-C_{1-4}alkyl-amino-carbonyl-C_{1-4}alkyl, heteroaryl-C_{1-4}alkyl-carbonyl-amino-C_{1-4}alkyl, heterocyclyl, heterocyclyl-C_{1-4}alkyl, heterocyclyl-C_{1-4}alkoxy, phenyl, or phenyl-C_{1-4}alkoxy,

wherein heteroaryl is a monocyclic, bicyclic or polycyclic aromatic carbon atom ring structure radical in which one or more carbon atom ring members have been replaced, where allowed by structural stability, with one or more heteroatoms such as an O, S, or N atom,


wherein heterocyclyl is a saturated or partially unsaturated monocyclic or bicyclic ring system having 1, 2, or 3 heteroatom ring members selected from N, O, and S, and

wherein each instance of phenyl, heteroaryl or heterocyclyl is optionally substituted with 1, or 2 substituents each selected from R_3;

An embodiment of the present description further relates to a method or use of a compound for treating or ameliorating HD in a subject in need thereof comprising administering to the subject an effective amount of a compound of Formula (I) selected from a compound of Formula (Ia) and Formula (Ib):



(Ia)



(Ib)

or a form thereof, wherein

X is CH_2, $CH(C_{1\text{-}4}alkyl)$, $C(C_{1\text{-}4}alkyl)_2$, CH=CH, O, NR_5, or a bond;

A is aryl, heteroaryl, heterocyclyl, or $C_{9\text{-}10}$cycloalkyl,

wherein aryl is selected from phenyl and naphthyl, each optionally substituted with 1, 2, 3, or 4 substituents each selected from R_1,

wherein heteroaryl is a monocyclic, bicyclic or polycyclic aromatic carbon atom ring structure radical in which one or more carbon atom ring members have been replaced, where allowed by structural stability, with one or more heteroatoms, such as an O, or S, or N atom, each optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R_1,

wherein heterocyclyl is a saturated or partially unsaturated monocyclic, bicyclic or tricyclic ring system having 1, 2, or 3 heteroatom ring members independently selected from N, O, or S, each optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R_2, and

wherein $C_{9\text{-}10}$cycloalkyl is a saturated or partially unsaturated bicyclic ring system optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R_2;

B is heterocyclyl,

wherein heterocyclyl is a saturated or partially unsaturated monocyclic, bicyclic or polycyclic ring system having 1, 2, or 3 heteroatom ring members independently selected from N, O, or S, each optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R_4;

R_1 is halogen, hydroxyl, cyano, $C_{1\text{-}4}$alkyl, halo-$C_{1\text{-}4}$alkyl, amino, $C_{1\text{-}4}$alkyl-amino, $(C_{1\text{-}4}alkyl)_2$-amino, amino-$C_{1\text{-}4}$alkyl, $C_{1\text{-}4}$alkyl-amino-$C_{1\text{-}4}$alkyl, $(C_{1\text{-}4}alkyl)_2$-amino-$C_{1\text{-}4}$alkyl, amino-carbonyl, $C_{1\text{-}4}$alkyl-amino-carbonyl, $C_{1\text{-}4}$alkyl-amino-carbonyl-$C_{1\text{-}4}$alkyl, $C_{1\text{-}4}$alkyl-carbonyl-amino, $C_{1\text{-}4}$alkyl-carbonyl-amino-$C_{1\text{-}4}$alkyl, hydroxyl-$C_{1\text{-}4}$alkyl, $C_{1\text{-}4}$alkyl-carbonyl, $C_{1\text{-}4}$alkoxy, halo-$C_{1\text{-}4}$alkoxy, amino-$C_{1\text{-}4}$alkoxy, hydroxyl-$C_{1\text{-}4}$alkoxy, $C_{1\text{-}4}$alkyl-$C_{1\text{-}4}$alkoxy, $C_{1\text{-}4}$alkyl-amino-$C_{1\text{-}4}$alkoxy, $(C_{1\text{-}4}alkyl)_2$-amino-$C_{1\text{-}4}$alkoxy, $C_{1\text{-}4}$alkyl-carbonyl-amino-$C_{1\text{-}4}$alkoxy, $C_{1\text{-}4}$alkoxy-

C_{1-4}alkoxy, C_{1-4}alkoxy-carbonyl, C_{1-4}alkoxy-carbonyl-amino, C_{1-4}alkoxy-carbonyl-amino-C_{1-4}alkoxy, C_{2-4}alkenyl, C_{2-4}alkenyl-amino-carbonyl, C_{3-7}cycloalkyl, C_{3-7}cycloalkyl-C_{1-4}alkoxy, C_{3-7}cycloalkenyl, heteroaryl, heteroaryl-C_{1-4}alkyl, heteroaryl-C_{1-4}alkyl-amino, heteroaryl-C_{1-4}alkyl-amino-carbonyl, heteroaryl-C_{1-4}alkyl-carbonyl-amino, heteroaryl-C_{1-4}alkyl-amino-carbonyl-C_{1-4}alkyl, heteroaryl-C_{1-4}alkyl-carbonyl-amino-C_{1-4}alkyl, heterocyclyl, heterocyclyl-C_{1-4}alkyl, heterocyclyl-C_{1-4}alkoxy, phenyl, or phenyl-C_{1-4}alkoxy,


wherein heteroaryl is a monocyclic, bicyclic or polycyclic aromatic carbon atom ring structure radical in which one or more carbon atom ring members have been replaced, where allowed by structural stability, with one or more heteroatoms such as an O, S, or N atom,

wherein heterocyclyl is a saturated or partially unsaturated monocyclic or bicyclic ring system having 1, 2, or 3 heteroatom ring members selected from N, O, and S, and


wherein each instance of phenyl, heteroaryl or heterocyclyl is optionally substituted with 1, or 2 substituents each selected from R_3;

R_2 is halogen, hydroxyl, cyano, oxo, hydroxyl-imino, C_{1-4}alkyl, halo-C_{1-4}alkyl, amino, C_{1-4}alkyl-amino, $(C_{1-4}alkyl)_2$-amino, amino-C_{1-4}alkyl, amino-carbonyl, hydroxyl-C_{1-4}alkyl, C_{1-4}alkoxy, C_{1-4}alkoxy-carbonyl, C_{2-4}alkenyl, C_{3-7}cycloalkyl, or heterocyclyl-C_{1-4}alkyl;


R_3 is halogen, hydroxyl, nitro, oxo, hydroxyl-imino, C_{1-4}alkyl, amino, C_{1-4}alkyl-amino, $(C_{1-4}alkyl)_2$-amino, amino-C_{1-4}alkyl, C_{1-4}alkyl-amino-C_{1-4}alkyl, $(C_{1-4}alkyl)_2$-amino-C_{1-4}alkyl, amino-carbonyl, C_{1-4}alkyl-amino-carbonyl, C_{1-4}alkyl-amino-carbonyl-C_{1-4}alkyl, C_{1-4}alkyl-carbonyl-amino, C_{1-4}alkyl-carbonyl-amino-C_{1-4}alkyl, hydroxyl-C_{1-4}alkyl, C_{1-4}alkyl-carbonyl, C_{1-4}alkoxy, halo-C_{1-4}alkoxy, amino-C_{1-4}alkoxy, hydroxyl-C_{1-4}alkoxy, C_{1-4}alkyl-C_{1-4}alkoxy, C_{1-4}alkyl-amino-C_{1-4}alkoxy, $(C_{1-4}alkyl)_2$-amino-C_{1-4}alkoxy, C_{1-4}alkyl-carbonyl-amino-C_{1-4}alkoxy, C_{1-4}alkoxy-C_{1-4}alkoxy, C_{1-4}alkoxy-carbonyl, C_{1-4}alkoxy-carbonyl-amino, C_{1-4}alkoxy-carbonyl-amino-C_{1-4}alkoxy, C_{2-4}alkenyl, C_{2-4}alkenyl-amino-carbonyl, C_{3-7}cycloalkyl, C_{3-7}cycloalkyl-C_{1-4}alkoxy, C_{3-7}cycloalkenyl, heteroaryl, heteroaryl-C_{1-4}alkyl, heteroaryl-C_{1-4}alkyl-amino, heteroaryl-C_{1-4}alkyl-amino-carbonyl, heteroaryl-C_{1-4}alkyl-carbonyl-amino, heteroaryl-C_{1-4}alkyl-amino-carbonyl-C_{1-4}alkyl, heteroaryl-C_{1-4}alkyl-carbonyl-amino-C_{1-4}alkyl, heterocyclyl, heterocyclyl-C_{1-4}alkyl, phenyl, or phenyl-C_{1-4}alkoxy;



b25,



b26, and



b27;

R_{1a}, R_{1b} and R_{1c} are each, where allowed by available valences, one or more substituents each selected from halogen, hydroxyl, cyano, C_{1-4}alkyl, halo-C_{1-4}alkyl, amino, C_{1-4}alkyl-amino, $(C_{1-4}alkyl)_2$-amino, amino-C_{1-4}alkyl, C_{1-4}alkyl-amino-C_{1-4}alkyl, $(C_{1-4}alkyl)_2$-amino-C_{1-4}alkyl, amino-carbonyl, C_{1-4}alkyl-amino-carbonyl, $(C_{1-4}alkyl)_2$-amino-carbonyl, C_{1-4}alkyl-amino-carbonyl-C_{1-4}alkyl, $(C_{1-4}alkyl)_2$-amino-carbonyl-C_{1-4}alkyl, C_{1-4}alkyl-carbonyl-amino, C_{1-4}alkyl-carbonyl-amino-C_{1-4}alkyl, hydroxyl-C_{1-4}alkyl, C_{1-4}alkyl-carbonyl, C_{1-4}alkoxy, halo-C_{1-4}alkoxy, amino-C_{1-4}alkoxy, hydroxyl-C_{1-4}alkoxy, C_{1-4}alkyl-C_{1-4}alkoxy, C_{1-4}alkyl-amino-C_{1-4}alkoxy, $(C_{1-4}alkyl)_2$-amino-C_{1-4}alkoxy, C_{1-4}alkyl-carbonyl-amino-C_{1-4}alkoxy, C_{1-4}alkoxy-C_{1-4}alkoxy, C_{1-4}alkoxy-carbonyl, C_{1-4}alkoxy-carbonyl-amino, C_{1-4}alkoxy-carbonyl-amino-C_{1-4}alkoxy, C_{2-4}alkenyl, C_{2-4}alkenyl-amino-carbonyl, C_{3-7}cycloalkyl, C_{3-7}cycloalkyl-C_{1-4}alkoxy, C_{3-7}cycloalkenyl, heteroaryl, heteroaryl-C_{1-4}alkyl, heteroaryl-C_{1-4}alkyl-amino, heteroaryl-C_{1-4}alkyl-amino-carbonyl, heteroaryl-C_{1-4}alkyl-carbonyl-amino, heteroaryl-C_{1-4}alkyl-amino-carbonyl-C_{1-4}alkyl, heteroaryl-C_{1-4}alkyl-carbonyl-amino-C_{1-4}alkyl, heterocyclyl, heterocyclyl-C_{1-4}alkyl, heterocyclyl-C_{1-4}alkoxy, phenyl, or phenyl-C_{1-4}alkoxy,


wherein heteroaryl is a monocyclic, bicyclic or polycyclic aromatic carbon atom ring structure radical in which one or more carbon atom ring members have been replaced, where allowed by structural stability, with one or more heteroatoms such as an O, S, or N atom,

wherein heterocyclyl is a saturated or partially unsaturated monocyclic or bicyclic ring system having 1, 2, or 3 heteroatom ring members selected from N, O, and S, and


wherein each instance of phenyl, heteroaryl or heterocyclyl is optionally substituted with 1, or 2 substituents each selected from R_3;

R_{2a}, R_{2b} and R_{2c} are each, where allowed by available valences, one or more substituents each selected from halogen, hydroxyl, cyano, oxo, hydroxyl-imino, C_{1-4}alkyl, halo-C_{1-4}alkyl, amino, C_{1-4}alkyl-amino, $(C_{1-4}alkyl)_2$-amino, amino-C_{1-4}alkyl, C_{1-4}alkyl-amino-C_{1-4}alkyl,


Another aspect of the present description relates to a compound of Formula (I) selected from a compound of Formula (Ia11), Formula (Ia15), Formula (Ia18) or Formula (Ib1):




(Ia11),



(Ia15),



(Ia18),



(Ib1)

or a form thereof, wherein (when present),

X is selected from O, NR_5, or a bond;

A is selected from phenyl, thiophenyl, indazolyl, pyridinyl, pyrimidinyl or phenoxy,

wherein phenyl and phenoxy are each optionally substituted with 1, 2 or 3 substituents each selected from R_{1a},

wherein thiophenyl, indazolyl, pyridinyl, pyrimidinyl are each optionally substituted with 1 or 2 substituents each selected from R_{1a},

B is selected from 1H-pyrazolyl, piperidinyl, 1,2,3,6-tetrahydropyridinyl, (1*R*,5*S*)-8-azabicyclo[3.2.1]octyl, 8-azabicyclo[3.2.1]oct-2-enyl, 2,6-diazaspiro[3.4]octyl or 2,7-diazaspiro[3.5]nonyl, each optionally substituted with 1 or 2 substituents each selected from R_{4a};

R_{1a} is selected from halogen, hydroxyl, C_{1-4}alkyl, halo-C_{1-4}alkyl, amino, C_{1-4}alkoxy, or heteroaryl,

wherein heteroaryl is a monocyclic, bicyclic or polycyclic aromatic carbon atom ring structure radical in which one or more carbon atom ring members have been replaced, where allowed by structural stability, with one or more heteroatoms such as an O, S, or N atom, optionally substituted with 1 or 2 substituents each selected from R_{3a};


R_{3a} is selected from nitro or C_{1-4}alkyl; and,

R_{4a} is C_{1-4}alkyl;

R_{5a} is hydrogen, C_{1-4}alkyl, or hydroxyl-C_{1-4}alkyl;

What is claimed is:

1. Use of a compound of Formula (Ia) in the manufacture of a medicament for treating or ameliorating Huntington's Disease in a subject in need thereof , wherein an effective amount of the compound of Formula (Ia) is to be administered to said subject:



(Ia)

or a form thereof, wherein

X is CH_2, O, NR_5, or a bond;

A is aryl, heteroaryl, heterocyclyl, or C_{9-10}cycloalkyl, wherein:

aryl is selected from phenyl substituted with hydroxyl and optionally with 1, 2, or 3 additional substituents each selected from R_1 and hydroxyl, and naphthyl, optionally substituted with 1, 2, 3, or 4 substituents each selected from R_1 and hydroxyl,

heteroaryl is selected from the group consisting of furanyl, thienyl, pyrrolyl, pyrazolyl, imidazolyl, isoxazolyl, isothiazolyl, oxazolyl, thiazolyl, triazolyl, oxadiazolyl, thiadiazolyl, tetrazolyl, pyranyl, thiopyranyl, pyrimidinyl, pyrazinyl, pyridazinyl, triazinyl, indolyl, indazolyl, indolizinyl, benzofuranyl, benzothienyl, benzimidazolyl, benzothiazolyl, benzooxazolyl, 9H-purinyl, quinoxalinyl, isoindolyl, quinolinyl, isoquinolinyl, quinazolinyl, acridinyl, phthalazinyl, imidazo[1,2-a]pyridinyl, imidazo[1,5-a]pyridinyl, imidazo[5,1-a]isoquinolinyl, 1,4-dihydroindeno[1,2-c]-1H-pyrazolyl, 2,3-dihydro-1H-inden-1-one, 2,3-dihydro-1H-indenyl, 3,4-dihydroquinolin-2(1H)-one, 5,6-dihydroimidazo[5,1-a]isoquinolinyl, 8H-indeno[1,2-d]thiazolyl, benzo[c][1,2,5]oxadiazolyl, benzo[d]oxazol-2(3H)-one, quinolin-2(1H)-one, quinazolin-4(1H)-one, quinazoline-2,4(1H,3H)-dione, benzo-[d]oxazolyl, and pyrazolo[1,5-a]pyridinyl, optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R_1,

heterocyclyl is selected from the group consisting of oxiranyl, oxetanyl, azetidinyl, dihydrofuranyl, tetrahydrofuranyl, dihydrothienyl, tetrahydrothienyl, pyrrolinyl, pyrrolidinyl, dihydropyrazolyl, pyrazolinyl, pyrazolidinyl, dihydroimidazolyl, imidazolinyl, imidazolidinyl, isoxazolinyl, isoxazolidinyl, isothiazolinyl, isothiazolidinyl,

oxazolinyl, oxazolidinyl, thiazolinyl, thiazolidinyl, triazolinyl, triazolidinyl, oxadiazolinyl, oxadiazolidinyl, thiadiazolinyl, thiadiazolidinyl, tetrazolinyl, tetrazolidinyl, dihydro 2H-pyranyl, dihydro pyridinyl, tetrahydro pyridinyl, 1,2,3,6-tetrahydropyridinyl, hexahydro pyridinyl, dihydro pyrimidinyl, tetrahydro pyrimidinyl, 1,4,5,6-tetrahydropyrimidinyl, dihydro pyrazinyl, tetrahydro pyrazinyl, dihydro pyridazinyl, tetrahydro pyridazinyl, piperazinyl, piperidinyl, morpholinyl, thiomorpholinyl, dihydro triazinyl, tetrahydro triazinyl, hexahydro triazinyl, 1,4-diazepanyl, dihydro indolyl, indolinyl, tetrahydro indolyl, dihydro indazolyl, tetrahydro indazolyl, dihydro isoindolyl, dihydro benzofuranyl, tetrahydro benzofuranyl, dihydro benzothienyl, tetrahydro benzothienyl, dihydro benzimidazolyl, tetrahydro benzimidazolyl, dihydro benzooxazolyl, 2,3-dihydrobenzo[d]oxazolyl, tetrahydro benzooxazolyl, dihydro benzooxazinyl, 3,4-dihydro-2H-benzo[b][1,4]oxazinyl, tetrahydro benzooxazinyl, benzo[1,3]dioxolyl, benzo[1,4]dioxanyl, dihydro purinyl, tetrahydro purinyl, dihydro quinolinyl, tetrahydro quinolinyl, 1,2,3,4-tetrahydroquinolinyl, dihydro isoquinolinyl, 3,4-dihydroisoquinolin-(1H)-yl, tetrahydro isoquinolinyl, 1,2,3,4-tetrahydroisoquinolinyl, dihydro quinazolinyl, tetrahydro quinazolinyl, dihydro quinoxalinyl, tetrahydro quinoxalinyl, 1,2,3,4-tetrahydroquinoxalinyl, 1,3-dioxolanyl, 2,5-dihydro-1H-pyrrolyl, 4,5-dihydro-1H-imidazolyl, tetrahydro-2H-pyranyl, hexahydropyrrolo[3,4-b][1,4]oxazin-(2H)-yl, (4aR,7aS)-hexahydropyrrolo[3,4-b][1,4]oxazin-(4aH)-yl, 3,4-dihydro-2H-pyrido[3,2-b][1,4]oxazinyl, (cis)-octahydrocyclopenta[c]pyrrolyl, hexahydropyrrolo[3,4-b]pyrrol-(1H)-yl, (3aR,6aR)-hexahydropyrrolo[3,4-b]pyrrol-(1H)-yl, (3aR,6aS)-hexahydropyrrolo[3,4-c]pyrrol-(1H)-yl, 5H-pyrrolo[3,4-b]pyridin-(7H)-yl, 5,7-dihydro-6H-pyrrolo[3,4-b]pyridinyl, tetrahydro-1H-pyrrolo[3,4-b]pyridin-(2H,7H,7aH)-yl, hexahydro-1H-pyrrolo[3,4-b]pyridin-(2H)-yl, (4aR,7aR)-hexahydro-1H-pyrrolo[3,4-b]pyridin-(2H)-yl, octahydro-6H-pyrrolo[3,4-b]pyridinyl, 2,3,4,9-tetrahydro-1H-carbazolyl, 1,2,3,4-tetrahydropyrazino[1,2-a]indolyl, 2,3-dihydro-1H-pyrrolo[1,2-a]indolyl, (3aR,6aR)-hexahydrocyclopenta[c]pyrrol-(1H)-yl, (3aR,4R,6aS)-hexahydrocyclopenta[c]pyrrol-(1H)-yl, (3aR,4S,6aS)-hexahydrocyclopenta[c]pyrrol-(1H)-yl, (3aR,5r,6aS)-hexahydrocyclopenta[c]pyrrol-(1H)-yl, 1,3-dihydro-2H-isoindolyl, octahydro-2H-isoindolyl, (3aS)-1,3,3a,4,5,6-hexahydro-2H-isoindolyl, (3aR,4R,7aS)-1H-

isoindol-(3H,3aH,4H,5H,6H,7H,7aH)-yl, (3aR,7aS)-octahydro-2H-isoindolyl, (3aR,4R,7aS)-octahydro-2H-isoindolyl, (3aR,4S,7aS)-octahydro-2H-isoindolyl, 2,5-diazabicyclo[2.2.1]heptanyl, 2-azabicyclo[2.2.1]heptenyl, 3-azabicyclo[3.1.0]hexanyl, 3,6-diazabicyclo[3.1.0]hexanyl, (1R,5S)-3-azabicyclo[3.1.0]hexanyl, (1S,5R)-3-azabicyclo[3.2.0]heptanyl, 5-azaspiro[2.4]heptanyl, 2,6-diazaspiro[3.3]heptanyl, 2,5-diazaspiro[3.4]octanyl, 2,6-diazaspiro[3.4]octanyl, 2,7-diazaspiro[3.5]nonanyl, 2,7-diazaspiro[4.4]nonanyl, 2-azaspiro[4.5]decanyl, 2,8-diazaspiro[4.5]decanyl, 3,6-diazabicyclo[3.2.1]octyl, 1,4-dihydroindeno[1,2-c]pyrazolyl, dihydropyranyl, dihydropyridinyl, dihydroquinolinyl, 8H-indeno[1,2-d]thiazolyl, tetrahydroimidazo[1,2-a]pyridinyl, pyridin-2(1H)-one, (1R,5S)-8-azabicyclo[3.2.1]octyl, and 8 azabicyclo[3.2.1]oct-2-enyl, wherein heterocyclyl is optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R_2, and

C_{9-10}cycloalkyl is a saturated or partially unsaturated bicyclic ring system optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R_2;

B is monocyclic heterocyclyl,

wherein heterocyclyl is a saturated or partially unsaturated ring system having 1, 2, or 3 heteroatom ring members independently selected from N, O, or S, each optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R_4;

R_1 is halogen, cyano, C_{1-4}alkyl, halo-C_{1-4}alkyl, amino, C_{1-4}alkyl-amino, (C_{1-4}alkyl)$_2$-amino, amino-C_{1-4}alkyl, C_{1-4}alkyl-amino-C_{1-4}alkyl, (C_{1-4}alkyl)$_2$-amino-C_{1-4}alkyl, amino-carbonyl, C_{1-4}alkyl-amino-carbonyl, (C_{1-4}alkyl)$_2$-amino-carbonyl, C_{1-4}alkyl-amino-carbonyl-C_{1-4}alkyl, (C_{1-4}alkyl)$_2$-amino-carbonyl-C_{1-4}alkyl, C_{1-4}alkyl-carbonyl-amino, C_{1-4}alkyl-carbonyl-amino-C_{1-4}alkyl, hydroxyl-C_{1-4}alkyl, C_{1-4}alkyl-carbonyl, C_{1-4}alkoxy, halo-C_{1-4}alkoxy, amino-C_{1-4}alkoxy, hydroxyl-C_{1-4}alkoxy, C_{1-4}alkyl-C_{1-4}alkoxy, C_{1-4}alkyl-amino-C_{1-4}alkoxy, (C_{1-4}alkyl)$_2$-amino-C_{1-4}alkoxy, C_{1-4}alkyl-carbonyl-amino-C_{1-4}alkoxy, C_{1-4}alkoxy-C_{1-4}alkoxy, C_{1-4}alkoxy-carbonyl, C_{1-4}alkoxy-carbonyl-amino, C_{1-4}alkoxy-carbonyl-amino-C_{1-4}alkoxy, C_{2-4}alkenyl, C_{2-4}alkenyl-amino-carbonyl, C_{3-7}cycloalkyl, C_{3-7}cycloalkyl-C_{1-4}alkoxy, C_{3-7}cycloalkenyl, heteroaryl, heteroaryl-C_{1-4}alkyl, heteroaryl-C_{1-4}alkyl-amino, heteroaryl-C_{1-4}alkyl-amino-carbonyl, heteroaryl-C_{1-4}alkyl-carbonyl-amino, heteroaryl-C_{1-4}alkyl-amino-carbonyl-

C_{1-4}alkyl, heteroaryl-C_{1-4}alkyl-carbonyl-amino-C_{1-4}alkyl, heterocyclyl, heterocyclyl-C_{1-4}alkyl, heterocyclyl-C_{1-4}alkoxy, phenyl, or phenyl-C_{1-4}alkoxy, wherein:

heteroaryl is a monocyclic, bicyclic or polycyclic aromatic carbon atom ring structure radical having one or more heteroatoms selected from O, S, and N,

heterocyclyl is a saturated or partially unsaturated monocyclic or bicyclic ring system having 1, 2, or 3 heteroatom ring members selected from N, O, and S, and

each instance of phenyl, heteroaryl or heterocyclyl is optionally substituted with 1, or 2 substituents each selected from R_3;

R_2 is halogen, cyano, oxo, hydroxyl-imino, C_{1-4}alkyl, halo-C_{1-4}alkyl, amino, C_{1-4}alkyl-amino, $(C_{1-4}alkyl)_2$-amino, amino-C_{1-4}alkyl, C_{1-4}alkyl-amino-C_{1-4}alkyl, $(C_{1-4}alkyl)_2$-amino-C_{1-4}alkyl, amino-carbonyl, hydroxyl-C_{1-4}alkyl, C_{1-4}alkoxy, C_{1-4}alkoxy-carbonyl, C_{2-4}alkenyl, C_{3-7}cycloalkyl, or heterocyclyl-C_{1-4}alkyl, wherein:

heterocyclyl is a saturated or partially unsaturated monocyclic or bicyclic ring system having 1, 2, or 3 heteroatom ring members selected from N, O, and S, and

each instance of heterocyclyl is optionally substituted with 1, or 2 substituents each selected from R_3;

R_3 is halogen, hydroxyl, nitro, oxo, hydroxyl-imino, C_{1-4}alkyl, amino, C_{1-4}alkyl-amino, $(C_{1-4}alkyl)_2$-amino, amino-C_{1-4}alkyl, C_{1-4}alkyl-amino-C_{1-4}alkyl, $(C_{1-4}alkyl)_2$-amino-C_{1-4}alkyl, amino-carbonyl, C_{1-4}alkyl-amino-carbonyl, $(C_{1-4}alkyl)_2$-amino-carbonyl, C_{1-4}alkyl-amino-carbonyl-C_{1-4}alkyl, $(C_{1-4}alkyl)_2$-amino-carbonyl-C_{1-4}alkyl, C_{1-4}alkyl-carbonyl-amino, C_{1-4}alkyl-carbonyl-amino-C_{1-4}alkyl, hydroxyl-C_{1-4}alkyl, C_{1-4}alkyl-carbonyl, C_{1-4}alkoxy, halo-C_{1-4}alkoxy, amino-C_{1-4}alkoxy, hydroxyl-C_{1-4}alkoxy, C_{1-4}alkyl-C_{1-4}alkoxy, C_{1-4}alkyl-amino-C_{1-4}alkoxy, $(C_{1-4}alkyl)_2$-amino-C_{1-4}alkoxy, C_{1-4}alkyl-carbonyl-amino-C_{1-4}alkoxy, C_{1-4}alkoxy-C_{1-4}alkoxy, C_{1-4}alkoxy-carbonyl, C_{1-4}alkoxy-carbonyl-amino, C_{1-4}alkoxy-carbonyl-amino-C_{1-4}alkoxy, C_{2-4}alkenyl, C_{2-4}alkenyl-amino-carbonyl, C_{3-7}cycloalkyl, C_{3-7}cycloalkyl-C_{1-4}alkoxy, C_{3-7}cycloalkenyl, heteroaryl, heteroaryl-C_{1-4}alkyl, heteroaryl-C_{1-4}alkyl-amino, heteroaryl-C_{1-4}alkyl-amino-carbonyl, heteroaryl-C_{1-4}alkyl-carbonyl-amino, heteroaryl-C_{1-4}alkyl-amino-carbonyl-C_{1-4}alkyl, heteroaryl-C_{1-4}alkyl-carbonyl-amino-C_{1-4}alkyl, heterocyclyl, heterocyclyl-C_{1-4}alkyl, phenyl, or phenyl-C_{1-4}alkoxy;

R_4 is independently selected from halogen, C_{1-4}alkyl, hydroxyl-C_{1-4}alkyl, amino, C_{1-4}alkyl-amino, $(C_{1-4}alkyl)_2$-amino or hydroxyl-C_{1-4}alkyl-amino; and

R_5 is hydrogen, C_{1-4}alkyl, or hydroxyl-C_{1-4}alkyl;

wherein a form of the compound is selected from the group consisting of a salt, hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

2. The use of claim 1, wherein

R_1 is halogen, cyano, C_{1-4}alkyl, halo-C_{1-4}alkyl, amino, C_{1-4}alkyl-amino, $(C_{1-4}alkyl)_2$-amino, amino-C_{1-4}alkyl, C_{1-4}alkyl-amino-C_{1-4}alkyl, $(C_{1-4}alkyl)_2$-amino-C_{1-4}alkyl, amino-carbonyl, C_{1-4}alkyl-amino-carbonyl, C_{1-4}alkyl-amino-carbonyl-C_{1-4}alkyl, C_{1-4}alkyl-carbonyl-amino, C_{1-4}alkyl-carbonyl-amino-C_{1-4}alkyl, hydroxyl-C_{1-4}alkyl, C_{1-4}alkyl-carbonyl, C_{1-4}alkoxy, halo-C_{1-4}alkoxy, amino-C_{1-4}alkoxy, hydroxyl-C_{1-4}alkoxy, C_{1-4}alkyl-C_{1-4}alkoxy, C_{1-4}alkyl-amino-C_{1-4}alkoxy, $(C_{1-4}alkyl)_2$-amino-C_{1-4}alkoxy, C_{1-4}alkyl-carbonyl-amino-C_{1-4}alkoxy, C_{1-4}alkoxy-C_{1-4}alkoxy, C_{1-4}alkoxy-carbonyl, C_{1-4}alkoxy-carbonyl-amino, C_{1-4}alkoxy-carbonyl-amino-C_{1-4}alkoxy, C_{2-4}alkenyl, C_{2-4}alkenyl-amino-carbonyl, C_{3-7}cycloalkyl, C_{3-7}cycloalkyl-C_{1-4}alkoxy, C_{3-7}cycloalkenyl, heteroaryl, heteroaryl-C_{1-4}alkyl, heteroaryl-C_{1-4}alkyl-amino, heteroaryl-C_{1-4}alkyl-amino-carbonyl, heteroaryl-C_{1-4}alkyl-carbonyl-amino, heteroaryl-C_{1-4}alkyl-amino-carbonyl-C_{1-4}alkyl, heteroaryl-C_{1-4}alkyl-carbonyl-amino-C_{1-4}alkyl, heterocyclyl, heterocyclyl-C_{1-4}alkyl, heterocyclyl-C_{1-4}alkoxy, phenyl, or phenyl-C_{1-4}alkoxy, wherein:

heteroaryl is a monocyclic, bicyclic or polycyclic aromatic carbon atom ring structure radical having one or more heteroatoms selected from O, S, and N,

heterocyclyl is a saturated or partially unsaturated monocyclic or bicyclic ring system having 1, 2, or 3 heteroatom ring members selected from N, O, and S, and

each instance of phenyl, heteroaryl or heterocyclyl is optionally substituted with 1, or 2 substituents each selected from R_3;

R_2 is halogen, cyano, oxo, hydroxyl-imino, C_{1-4}alkyl, halo-C_{1-4}alkyl, amino, C_{1-4}alkyl-amino, $(C_{1-4}alkyl)_2$-amino, amino-C_{1-4}alkyl, amino-carbonyl, hydroxyl-C_{1-4}alkyl, C_{1-4}alkoxy, C_{1-4}alkoxy-carbonyl, C_{2-4}alkenyl, C_{3-7}cycloalkyl, or heterocyclyl-C_{1-4}alkyl;

R_3 is halogen, hydroxyl, nitro, oxo, hydroxyl-imino, C_{1-4}alkyl, amino, C_{1-4}alkyl-amino, (C_{1-4}alkyl)$_2$-amino, amino-C_{1-4}alkyl, C_{1-4}alkyl-amino-C_{1-4}alkyl, (C_{1-4}alkyl)$_2$-amino-C_{1-4}alkyl, amino-carbonyl, C_{1-4}alkyl-amino-carbonyl, C_{1-4}alkyl-amino-carbonyl-C_{1-4}alkyl, C_{1-4}alkyl-carbonyl-amino, C_{1-4}alkyl-carbonyl-amino-C_{1-4}alkyl, hydroxyl-C_{1-4}alkyl, C_{1-4}alkyl-carbonyl, C_{1-4}alkoxy, halo-C_{1-4}alkoxy, amino-C_{1-4}alkoxy, hydroxyl-C_{1-4}alkoxy, C_{1-4}alkyl-C_{1-4}alkoxy, C_{1-4}alkyl-amino-C_{1-4}alkoxy, (C_{1-4}alkyl)$_2$-amino-C_{1-4}alkoxy, C_{1-4}alkyl-carbonyl-amino-C_{1-4}alkoxy, C_{1-4}alkoxy-C_{1-4}alkoxy, C_{1-4}alkoxy-carbonyl, C_{1-4}alkoxy-carbonyl-amino, C_{1-4}alkoxy-carbonyl-amino-C_{1-4}alkoxy, C_{2-4}alkenyl, C_{2-4}alkenyl-amino-carbonyl, C_{3-7}cycloalkyl, C_{3-7}cycloalkyl-C_{1-4}alkoxy, C_{3-7}cycloalkenyl, heteroaryl, heteroaryl-C_{1-4}alkyl, heteroaryl-C_{1-4}alkyl-amino, heteroaryl-C_{1-4}alkyl-amino-carbonyl, heteroaryl-C_{1-4}alkyl-carbonyl-amino, heteroaryl-C_{1-4}alkyl-amino-carbonyl-C_{1-4}alkyl, heteroaryl-C_{1-4}alkyl-carbonyl-amino-C_{1-4}alkyl, heterocyclyl, heterocyclyl-C_{1-4}alkyl, phenyl, or phenyl-C_{1-4}alkoxy;

R_4 is independently selected from halogen, C_{1-4}alkyl, hydroxyl-C_{1-4}alkyl, amino, C_{1-4}alkyl-amino, (C_{1-4}alkyl)$_2$-amino or hydroxyl-C_{1-4}alkyl-amino; and

R_5 is hydrogen, C_{1-4}alkyl, or hydroxyl-C_{1-4}alkyl;


wherein a form of the compound is selected from the group consisting of a salt, hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

3. The use of claims 1 or 2, wherein:


X is O, NH, N(CH_3) or a bond;

A is aryl, heteroaryl or heterocyclyl,


wherein, aryl is selected from the group consisting of:



, a1




, a2, and




; a3

wherein, heteroaryl is selected from the group consisting of:




,

a4




,

a5




,

a6




,

a7




,

a8




,

a9




,

a10




,

a11




,

a12




,

a13




,

a14




,

a15




,

a16




,

a17




,

a18




,

a19




,

a20




,

a21




,

a22




,

a23




,

a24




,

a25




,

a26




,

a27




,




,

a28 a29




,




,


a30 a31



,




,



,


a32 a34 a35, and




;

a36; and


wherein, heterocyclyl is selected from the group consisting of:




,



,




,




,


a37 a38 a39 a40




,



,




,




,


a41 a42 a43 a44



,




,




;

a45 a46, and a47


B is monocyclic heterocyclyl selected from the group consisting of:



,




,




,


b1 b2 b3



,




,




,


b14 b15 b16




,



,




,




,

b17 b18 b19 b20



,



,

b21, and b23

R_{1a} and R_{1b} are each, where allowed by available valences, one or more substituents each selected from halogen, hydroxyl, cyano, C_{1-4}alkyl, halo-C_{1-4}alkyl, amino,

C_{1-4}alkyl-amino, (C_{1-4}alkyl)$_2$-amino, amino-C_{1-4}alkyl, C_{1-4}alkyl-amino-C_{1-4}alkyl, (C_{1-4}alkyl)$_2$-amino-C_{1-4}alkyl, amino-carbonyl, C_{1-4}alkyl-amino-carbonyl, (C_{1-4}alkyl)$_2$-amino-carbonyl, C_{1-4}alkyl-amino-carbonyl-C_{1-4}alkyl, (C_{1-4}alkyl)$_2$-amino-carbonyl-C_{1-4}alkyl, C_{1-4}alkyl-carbonyl-amino, C_{1-4}alkyl-carbonyl-amino-C_{1-4}alkyl, hydroxyl-C_{1-4}alkyl, C_{1-4}alkyl-carbonyl, C_{1-4}alkoxy, halo-C_{1-4}alkoxy, amino-C_{1-4}alkoxy, hydroxyl-C_{1-4}alkoxy, C_{1-4}alkyl-C_{1-4}alkoxy, C_{1-4}alkyl-amino-C_{1-4}alkoxy, (C_{1-4}alkyl)$_2$-amino-C_{1-4}alkoxy, C_{1-4}alkyl-carbonyl-amino-C_{1-4}alkoxy, C_{1-4}alkoxy-C_{1-4}alkoxy, C_{1-4}alkoxy-carbonyl, C_{1-4}alkoxy-carbonyl-amino, C_{1-4}alkoxy-carbonyl-amino-C_{1-4}alkoxy, C_{2-4}alkenyl, C_{2-4}alkenyl-amino-carbonyl, C_{3-7}cycloalkyl, C_{3-7}cycloalkyl-C_{1-4}alkoxy, C_{3-7}cycloalkenyl, heteroaryl, heteroaryl-C_{1-4}alkyl, heteroaryl-C_{1-4}alkyl-amino, heteroaryl-C_{1-4}alkyl-amino-carbonyl, heteroaryl-C_{1-4}alkyl-carbonyl-amino, heteroaryl-C_{1-4}alkyl-amino-carbonyl-C_{1-4}alkyl, heteroaryl-C_{1-4}alkyl-carbonyl-amino-C_{1-4}alkyl, heterocyclyl, heterocyclyl-C_{1-4}alkyl, heterocyclyl-C_{1-4}alkoxy, phenyl, or phenyl-C_{1-4}alkoxy, with the proviso that when A is heteroaryl, R_{1a} and R_{1b} are not hydroxyl, wherein:

heteroaryl is a monocyclic, bicyclic or polycyclic aromatic carbon atom ring structure radical having one or more heteroatoms independently selected from N, O, and S,

heterocyclyl is a saturated or partially unsaturated monocyclic or bicyclic ring system having 1, 2, or 3 heteroatom ring members selected from N, O, and S, and

each instance of phenyl, heteroaryl or heterocyclyl is optionally substituted with 1, or 2 substituents each selected from R_3;

R_{2a}, R_{2b} and R_{2c} are each, where allowed by available valences, one or more substituents each selected from halogen, cyano, oxo, hydroxyl-imino, C_{1-4}alkyl, halo-C_{1-4}alkyl, amino, C_{1-4}alkyl-amino, (C_{1-4}alkyl)$_2$-amino, amino-C_{1-4}alkyl, C_{1-4}alkyl-amino-C_{1-4}alkyl, (C_{1-4}alkyl)$_2$-amino-C_{1-4}alkyl, amino-carbonyl, hydroxyl-C_{1-4}alkyl, C_{1-4}alkoxy, C_{1-4}alkoxy-carbonyl, C_{2-4}alkenyl, C_{3-7}cycloalkyl, or heterocyclyl-C_{1-4}alkyl, wherein:

heterocyclyl is a saturated or partially unsaturated monocyclic or bicyclic ring system having 1, 2, or 3 heteroatom ring members selected from N, O, and S, and


each instance of heterocyclyl is optionally substituted with 1, or 2 substituents each selected from R_3;

R_3 is halogen, hydroxyl, nitro, oxo, hydroxyl-imino, C_{1-4}alkyl, amino, C_{1-4}alkyl-amino, (C_{1-4}alkyl)$_2$-amino, amino-C_{1-4}alkyl, C_{1-4}alkyl-amino-C_{1-4}alkyl, (C_{1-4}alkyl)$_2$-amino-C_{1-4}alkyl, amino-carbonyl, C_{1-4}alkyl-amino-carbonyl, (C_{1-4}alkyl)$_2$-amino-carbonyl, C_{1-4}alkyl-amino-carbonyl-C_{1-4}alkyl, (C_{1-4}alkyl)$_2$-amino-carbonyl-C_{1-4}alkyl, C_{1-4}alkyl-carbonyl-amino, C_{1-4}alkyl-carbonyl-amino-C_{1-4}alkyl, hydroxyl-C_{1-4}alkyl, C_{1-4}alkyl-carbonyl, C_{1-4}alkoxy, halo-C_{1-4}alkoxy, amino-C_{1-4}alkoxy, hydroxyl-C_{1-4}alkoxy, C_{1-4}alkyl-C_{1-4}alkoxy, C_{1-4}alkyl-amino-C_{1-4}alkoxy, (C_{1-4}alkyl)$_2$-amino-C_{1-4}alkoxy, C_{1-4}alkyl-carbonyl-amino-C_{1-4}alkoxy, C_{1-4}alkoxy-C_{1-4}alkoxy, C_{1-4}alkoxy-carbonyl, C_{1-4}alkoxy-carbonyl-amino, C_{1-4}alkoxy-carbonyl-amino-C_{1-4}alkoxy, C_{2-4}alkenyl, C_{2-4}alkenyl-amino-carbonyl, C_{3-7}cycloalkyl, C_{3-7}cycloalkyl-C_{1-4}alkoxy, C_{3-7}cycloalkenyl, heteroaryl, heteroaryl-C_{1-4}alkyl, heteroaryl-C_{1-4}alkyl-amino, heteroaryl-C_{1-4}alkyl-amino-carbonyl, heteroaryl-C_{1-4}alkyl-carbonyl-amino, heteroaryl-C_{1-4}alkyl-amino-carbonyl-C_{1-4}alkyl, heteroaryl-C_{1-4}alkyl-carbonyl-amino-C_{1-4}alkyl, heterocyclyl, heterocyclyl-C_{1-4}alkyl, phenyl, or phenyl-C_{1-4}alkoxy; and

R_{4a}, R_{4b}, R_{4c}, R_{4d}, R_{4e}, R_{4f} and R_{4g} are independently selected from halogen, C_{1-4}alkyl, hydroxyl-C_{1-4}alkyl, amino, C_{1-4}alkyl-amino, (C_{1-4}alkyl)$_2$-amino or hydroxyl-C_{1-4}alkyl-amino;

wherein a form of the compound is selected from the group consisting of a salt, hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

4. A compound of Formula (Ia11):



(Ia11)

or a form thereof, wherein (when present),

X is selected from O, NR_{5a}, or a bond;

A is selected from phenyl, thiophenyl, indazolyl, pyridinyl, pyrimidinyl or phenoxy,

wherein phenyl and phenoxy are each optionally substituted with 1, 2 or 3 substituents each selected from R_{1a},

wherein thiophenyl, indazolyl, pyridinyl, pyrimidinyl are each optionally substituted with 1 or 2 substituents each selected from R_{1a},

R_{1a} is selected from halogen, hydroxyl, C_{1-4}alkyl, halo-C_{1-4}alkyl, amino, C_{1-4}alkoxy, or heteroaryl,

wherein heteroaryl is a monocyclic, bicyclic, or polycyclic carbon atom ring structure radical having one or more heteroatoms selected from o, S, and N, optionally substituted with 1 or 2 substituents each selected from R_{3a};

wherein when A is phenyl, R_{1a} is selected from the group consisting of fluoro, bromo, hydroxyl, C_{1-4}alkyl, halo-C_{1-4}alkyl, amino, C_{1-4}alkoxy, furanyl, thienyl, pyrrolyl, imidazolyl, isoxazolyl, isothiazolyl, oxazolyl, thiazolyl, triazolyl, oxadiazolyl, thiadiazolyl, tetrazolyl, pyranyl, thiopyranyl, pyridinyl, pyrimidinyl, pyrazinyl, pyridazinyl, triazinyl, indolyl, indazolyl, indolizinyl, benzofuranyl, benzothienyl, benzimidazolyl, benzothiazolyl, benzooxazolyl, 9H-purinyl, quinoxalinyl, isoindolyl, quinolinyl, isoquinolinyl, quinazolinyl, acridinyl, phthalazinyl, imidazo[1,2-a]pyridinyl, imidazo[1,5-a]pyridinyl, imidazo[5,1-a]isoquinolinyl, 1,4-dihydroindeno[1,2-c]-1H-pyrazolyl, 2,3-dihydro-1H-inden-1-one, 2,3-dihydro-1H-indenyl, 3,4-dihydroquinolin-2(1H)-one, 5,6-dihydroimidazo[5,1-a]isoquinolinyl, 8H-indeno[1,2-d]thiazolyl, benzo[c][1,2,5]oxadiazolyl, benzo[d]oxazol-2(3H)-one, quinolin-2(1H)-one, quinazolin-4(1H)-one, quinazoline-2,4(1H,3H)-dione, benzo-[d]oxazolyl, and pyrazolo[1,5-a]pyridinyl;

R_{3a} is selected from nitro or C_{1-4}alkyl; and,

R_{4a} is C_{1-4}alkyl;

R_{5a} is hydrogen, C_{1-4}alkyl, or hydroxyl-C_{1-4}alkyl;

wherein a form of the compound is selected from the group consisting of a salt, hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

5. The compound of claim 4 wherein (when present):

R_{1a} is selected from fluoro, chloro, hydroxyl, methyl, difluoromethyl, amino, methoxy or 1H-pyrazolyl or 1H-imidazol-1-yl,

wherein 1H-pyrazolyl is optionally substituted with 1 or 2 substituents each selected from R_{3a};

R_{3a} is selected from nitro or methyl; and,

R_{4a} is methyl or ethyl;

R_{5a} is hydrogen or methyl;

wherein a form of the compound is selected from the group consisting of a salt, hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

6. A compound or a form thereof for use in treating or ameliorating Huntington's Disease in a subject in need thereof, wherein an effective amount of the compound or form thereof is to be administered to the subject, wherein the compound is selected from the group consisting of:

6-(naphthalen-2-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(benzo[b]thiophen-2-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

2-(6-(2,2,6,6-tetramethylpiperidin-4-yl-amino)-pyridazin-3-yl)phenol

2-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzo[b]-thiophene-5-carbonitrile

6-(quinolin-3-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

3-(benzo[b]-thiophen-2-yl)-6-(2,2,6,6-tetramethylpiperidin-4-yl-oxy)pyridazine

2-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)amino)-pyridazin-3-yl)phenol

6-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)amino)-pyridazin-3-yl)naphthalen-2-ol

6-(benzo[b]-thiophen-2-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

7-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)isoquinoline

6-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)isoquinoline

N-methyl-6-(quinolin-7-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

N-methyl-6-(quinolin-6-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(isoquinolin-7-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(isoquinolin-6-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(imidazo[1,2-a]pyridin-6-yl-pyridazin-3-yl)-methyl-(2,2,6,6-tetramethylpiperidin-4-yl)-amine

methyl-(6-quinoxalin-2-yl-pyridazin-3-yl)-(2,2,6,6-tetramethylpiperidin-4-yl)-amine

methyl-(6-quinolin-3-yl-pyridazin-3-yl)-(2,2,6,6-tetramethylpiperidin-4-yl)-amine

N-methyl-6-(phthalazin-6-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(benzo[c][1,2,5]oxa-diazol-5-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(benzo[d]thiazol-5-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(2-methylbenzo-[d]oxazol-6-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol

5-chloro-2-(6-(methyl(1,2,2,6,6-pentamethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

3-(6-(2,2,6,6-tetramethylpiperidin-4-yl-amino)pyridazin-3-yl)naphthalen-2-ol

5-chloro-2-(6-(1,2,2,6,6-pentamethylpiperidin-4-ylamino)pyridazin-3-yl)phenol

4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitrile

3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)naphthalen-2-ol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(trifluoromethyl)phenol

2-fluoro-6-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)phenol

3,5-dimethoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4,5-dimethoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4,5-difluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitrile

1-allyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol

6-(benzo[b]thiophen-2-yl)-N-(1,2,2,6,6-pentamethylpiperidin-4-yl)pyridazin-3-amine

N-allyl-3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzamide

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

5-(5-methyl-oxazol-2-yl)-2-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)phenol

5-(4-hydroxymethyl)-1H-pyrazole-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(1H-imidazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(4-amino-1H-pyrazole-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

5-(3-amino-1H-pyrazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-(2-morpholino-ethyl)-1H-pyrazol-4-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol

5-(5-amino-1H-pyrazol-1-yl)-2-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-1-yl)phenol

2-((6-((2-hydroxy-ethyl)-(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)-5-pyrazol-1-yl)phenol

2-(6-(piperidin-4-yloxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(((2S,4R,6R)-2,6-dimethylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-((-2,6-dimethylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

5-(1H-pyrazol-1-yl)-2-(6-(pyrrolidin-3-yl-oxy)pyridazin-3-yl)phenol

2-(6-(((2S,4S)-2-methylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

(5-(1H-pyrazol-1-yl)-2-(6-(pyrrolidin-3-ylmethoxy)pyridazin-3-yl)phenol

2-(6-((3-fluoropiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(1,2,2,6,6-pentamethyl-piperidin-4-yl-oxy)-pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

5-1H-pyrazol-1-yl-2-(6-(2,2,6,6-tetramethylpiperidin-4-yl-oxy)-pyridazin-3-yl)phenol

5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenol

2-(6-piperazin-1-yl-pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

3-(6-(azetidin-3-ylamino)-pyridazin-3-yl)naphthalen-2-ol

2-(6-(azetidin-3-ylamino)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(3,5-dimethylpiperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(1,4-diazepan-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(4-(2-hydroxyethyl)piperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(3-(hydroxymethyl)piperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(4-amino-4-methylpiperidin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(3-(dimethylamino)piperidin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(1,2,2,6,6-pentamethylpiperidin-4-ylamino)-pyridazin-3-yl)-5-1H-pyrazol-1-yl-phenol

2-(6-(3,3-dimethylpiperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

3-(6-(piperazin-1-yl)pyridazin-3-yl)naphthalene-2,7-diol

5-(1H-pyrazol-1-yl)-2-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)phenol

2-(6-piperidin-4-yl-pyridazin-3-yl)-5-1H-pyrazol-1-yl-phenol

3-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalen-2-ol

3-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol

3-(6-(2,2,6,6-tetramethyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol

3-(6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol

3-(6-(piperidin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol

3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)naphthalene-2,7-diol

3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol

3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol

tert-butyl (3-((7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-yl)oxy)propyl)carbamate

7-(3-amino-propoxy)-3-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)naphthalen-2-ol

N-(3-((7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-yl)oxy)propyl)acetamide

7-(3-hydroxypropoxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol

7-(3-methoxypropoxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol

7-(2-morpholinoethoxy)-3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)naphthalen-2-ol

3-(6-(piperidin-4-ylmethyl)pyridazin-3-yl)naphthalen-2-ol

5-(1H-pyrazol-1-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)methyl)pyridazin-3-yl)phenol

3-methoxy-2-(6-(methyl(2,2,6-trimethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol

2-(6-((6S)-6-((S)-1-hydroxyethyl)-2,2-dimethylpiperidin-4-yloxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2-naphthonitrile

3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(piperidinylmethyl)naphthalen-2-ol

3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(pyrrolidinylmethyl)naphthalen-2-ol

1-bromo-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol

1-chloro-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol

7-methoxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2-ol

7-methoxy-3-(6-(methyl(1,2,2,6,6-pentamethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol

7-(3,6-dihydro-2H-pyran-4-yl)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol

3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(tetrahydro-2H-pyran-4-yl)naphthalene-2-ol

7-(difluoromethyl)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol

7-((4-hydroxy-2-methylbutan-2-yl)oxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol

7-(3-hydroxy-3-methylbutoxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)benzene-1,3-diol

3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-3-(trifluoromethoxy)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)-3-(trifluoromethoxy)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)-3-(trifluoromethoxy)phenol

4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(trifluoromethoxy)phenyl)-1-methylpyridin-2(1H)-one

3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol

3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5,6,7,8-tetrahydroimidazo[1,2-a]pyridin-3-yl)phenol

3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(pyridine-3-yl)phenol

5-(1-cyclopentyl-1H-pyrazol-4-yl)-3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

3',5-dimethoxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-(1,1'-biphenyl)-3-ol

3-(benzyloxy)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol

3-ethoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol

3-(cyclopropylmethoxy)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol

5-chloro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(1H-pyrazol-1-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

3-hydroxy-4-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitrile

2-(6-((2,2-dimethylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-4-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(4,5,6,7-tetrahydropyrazolo[1,5-a]pyridin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(4,5,6,7-tetrahydropyrazolo[1,5-a]pyrazin-3-yl)phenol

4-(1H-indol-2-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4-(cyclopent-1-en-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-3-yl)phenol

4-(4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2-ol

4-(4-hydroxy-3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

4-(4-hydroxy-3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)pyridin-2-ol

5-(1H-indazol-7-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4-chloro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

4-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

5-fluoro-4-(1H-imidazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-4-yl)phenol

5-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-5-yl)phenol

6-hydroxy-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihydro-1H-inden-1-one

6-hydroxy-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihydro-1H-inden-1-one oxime

5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihydro-1H-indene-1,6-diol

4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-N-((1-methyl-1H-pyrazol-4-yl)methyl)benzamide

4-(4-(hydroxymethyl)-1H-pyrazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)methyl)pyridazin-3-yl)phenol

6-(3-(benzyloxy)isoquinolin-6-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(1-(benzyloxy)isoquinolin-7-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

3-fluoro-5-(2-methoxypyridin-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2(1H)-one

4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

5-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

3-fluoro-5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenol

5-chloro-3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol

5-(5-methoxypyridin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(3-hydroxy-4-(6-methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2-ol

4-(3-hydroxy-4-(6-methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2-ol

5-(6-methoxypyridin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-3-(trifluoromethyl)pyridin-2-ol

5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

5-(2-methoxypyridin-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4-(3-hydroxy-4-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)pyridin-2-ol

5-(6-(dimethylamino)pyridin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4-(3-hydroxy-4-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(pyrimidin-5-yl)phenol

5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-3-ol

1-cyclopropyl-4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2(1H)-one

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1,2,3,6-tetrahydropyridin-4-yl)phenol

5-(cyclopent-1-en-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(3,6-dihydro-2H-pyran-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(imidazo[1,5-a]pyridin-7-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(imidazo[1,2-a]pyridin-7-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(2-methylpyridin-4-yl)phenol

5-(1H-imidazol-2-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(1H-imidazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(imidazo[1,2-a]pyrazin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5,6,7,8-tetrahydroimidazo[1,2-a]pyrazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(4-methyl-1H-imidazol-2-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-imidazol-4-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-imidazol-5-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(4-nitro-1H-imidazol-2-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(2-methyl-1H-imidazol-4-yl)phenol

5-(1,2-dimethyl-1H-imidazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

1-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1H-pyrazole-4-carboxamide

5-(1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol

5-(1-methyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

5-(5-methyl-1H-pyrazol-4-yl)-2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol

5-(1H-imidazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

5-(5-methyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-5-(4-nitro-1H-pyrazol-1-yl)phenol

6-[2-methoxy-4-(4-nitro-1H-pyrazol-1-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

5-(4-amino-1H-pyrazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

2-[6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

5-(4-nitro-1H-pyrazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

5-(1H-pyrazol-4-yl)-2-[6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]phenol

2-[6-(1-ethyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

2-{6-[methyl(piperidin-4-yl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol

2-[6-(piperidin-4-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

6-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-[2,3-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

3-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

2-[6-(piperidin-4-yloxy)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

6-[2-methoxy-6-(1H-pyrazol-4-yl)pyridin-3-yl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol

3-[2-fluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

3-[4-(1-methyl-1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

3-fluoro-4-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol

2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-1-yl)phenol

N-methyl-6-(2-methyl-2H-indazol-5-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

2-methyl-5-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}-2H-indazole

3-(4-chloro-2-methoxyphenyl)-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

N-methyl-6-(2-methylpyrazolo[1,5-a]pyridin-3-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}imidazo[1,2-a]pyridine

3-[2-methoxy-4-(1H-pyrazol-1-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

3-[5-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

3-[5-(1-methyl-1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

3-[4-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

5-(3,5-dimethyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

6-[2-fluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

3-methoxy-4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

3-[2-methoxy-4-(4-nitro-1H-pyrazol-1-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}benzene-1,3-diol

6-[2-chloro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

2-(1H-pyrazol-4-yl)-4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}pyrimidin-5-amine

3-[2,6-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

3-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine and

6-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine;

wherein a form of the compound is selected from the group consisting of a salt, hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

7. Use of a compound or a form thereof in the manufacture of a medicament for treating or ameliorating Huntington's Disease in a subject in need thereof, wherein an effective amount of the compound or form thereof is to be administered to the subject, wherein the compound is selected from the group consisting of:

6-(naphthalen-2-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(benzo[b]thiophen-2-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

2-(6-(2,2,6,6-tetramethylpiperidin-4-yl-amino)-pyridazin-3-yl)phenol

2-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzo[b]-thiophene-5-carbonitrile

6-(quinolin-3-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

3-(benzo[b]-thiophen-2-yl)-6-(2,2,6,6-tetramethylpiperidin-4-yl-oxy)pyridazine

2-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)amino)-pyridazin-3-yl)phenol

6-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)amino)-pyridazin-3-yl)naphthalen-2-ol

6-(benzo[b]-thiophen-2-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

7-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)isoquinoline

6-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)isoquinoline

N-methyl-6-(quinolin-7-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

N-methyl-6-(quinolin-6-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(isoquinolin-7-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(isoquinolin-6-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(imidazo[1,2-a]pyridin-6-yl-pyridazin-3-yl)-methyl-(2,2,6,6-tetramethylpiperidin-4-yl)-amine

methyl-(6-quinoxalin-2-yl-pyridazin-3-yl)-(2,2,6,6-tetramethylpiperidin-4-yl)-amine

methyl-(6-quinolin-3-yl-pyridazin-3-yl)-(2,2,6,6-tetramethylpiperidin-4-yl)-amine

N-methyl-6-(phthalazin-6-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(benzo[c][1,2,5]oxa-diazol-5-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(benzo[d]thiazol-5-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(2-methylbenzo-[d]oxazol-6-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol

5-chloro-2-(6-(methyl(1,2,2,6,6-pentamethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

3-(6-(2,2,6,6-tetramethylpiperidin-4-yl-amino)pyridazin-3-yl)naphthalen-2-ol

5-chloro-2-(6-(1,2,2,6,6-pentamethylpiperidin-4-ylamino)pyridazin-3-yl)phenol

4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitrile

3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)naphthalen-2-ol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(trifluoromethyl)phenol

2-fluoro-6-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)phenol

3,5-dimethoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4,5-dimethoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4,5-difluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitrile

1-allyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol

6-(benzo[b]thiophen-2-yl)-N-(1,2,2,6,6-pentamethylpiperidin-4-yl)pyridazin-3-amine

N-allyl-3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzamide

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

5-(5-methyl-oxazol-2-yl)-2-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)phenol

5-(4-hydroxymethyl)-1H-pyrazole-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(1H-imidazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(4-amino-1H-pyrazole-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

5-(3-amino-1H-pyrazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-(2-morpholino-ethyl)-1H-pyrazol-4-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol

5-(5-amino-1H-pyrazol-1-yl)-2-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-1-yl)phenol

2-((6-((2-hydroxy-ethyl)-(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)-5-pyrazol-1-yl)phenol

2-(6-(piperidin-4-yloxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(((2S,4R,6R)-2,6-dimethylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-((-2,6-dimethylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

5-(1H-pyrazol-1-yl)-2-(6-(pyrrolidin-3-yl-oxy)pyridazin-3-yl)phenol

2-(6-(((2S,4S)-2-methylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

(5-(1H-pyrazol-1-yl)-2-(6-(pyrrolidin-3-ylmethoxy)pyridazin-3-yl)phenol

2-(6-((3-fluoropiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(1,2,2,6,6-pentamethyl-piperidin-4-yl-oxy)-pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

5-1H-pyrazol-1-yl-2-(6-(2,2,6,6-tetramethylpiperidin-4-yl-oxy)-pyridazin-3-yl)phenol

5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenol

2-(6-piperazin-1-yl-pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

3-(6-(azetidin-3-ylamino)-pyridazin-3-yl)naphthalen-2-ol

2-(6-(azetidin-3-ylamino)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(3,5-dimethylpiperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(1,4-diazepan-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(4-(2-hydroxyethyl)piperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(3,6-diazabicyclo[3.2.1]octan-3-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(2,7-diazaspiro[3.5]nonan-7-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(3-(hydroxymethyl)piperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(1,7-diazaspiro[4.4]nonan-7-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(4-amino-4-methylpiperidin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(3-(dimethylamino)piperidin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(1,2,2,6,6-pentamethylpiperidin-4-ylamino)-pyridazin-3-yl)-5-1H-pyrazol-1-yl-phenol

2-(6-(3,3-dimethylpiperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

3-(6-(piperazin-1-yl)pyridazin-3-yl)naphthalene-2,7-diol

5-(1H-pyrazol-1-yl)-2-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)phenol

2-(6-piperidin-4-yl-pyridazin-3-yl)-5-1H-pyrazol-1-yl-phenol

3-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalen-2-ol

3-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol

3-(6-(2,2,6,6-tetramethyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol

3-(6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol

3-(6-(piperidin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol

3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)naphthalene-2,7-diol

3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol

3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol

tert-butyl (3-((7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-yl)oxy)propyl)carbamate

7-(3-amino-propoxy)-3-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)naphthalen-2-ol

N-(3-((7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-yl)oxy)propyl)acetamide

7-(3-hydroxypropoxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol

7-(3-methoxypropoxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol

7-(2-morpholinoethoxy)-3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)naphthalen-2-ol

3-(6-(piperidin-4-ylmethyl)pyridazin-3-yl)naphthalen-2-ol

5-(1H-pyrazol-1-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)methyl)pyridazin-3-yl)phenol

3-methoxy-2-(6-(methyl(2,2,6-trimethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol

2-(6-((6S)-6-((S)-1-hydroxyethyl)-2,2-dimethylpiperidin-4-yloxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2-naphthonitrile

3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(piperidinylmethyl)naphthalen-2-ol

3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(pyrrolidinylmethyl)naphthalen-2-ol

1-bromo-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol

1-chloro-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol

7-methoxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2-ol

7-methoxy-3-(6-(methyl(1,2,2,6,6-pentamethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol

7-(3,6-dihydro-2H-pyran-4-yl)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol

3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(tetrahydro-2H-pyran-4-yl)naphthalene-2-ol

7-(difluoromethyl)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol

7-((4-hydroxy-2-methylbutan-2-yl)oxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol

7-(3-hydroxy-3-methylbutoxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)benzene-1,3-diol

3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-3-(trifluoromethoxy)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)-3-(trifluoromethoxy)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)-3-(trifluoromethoxy)phenol

4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(trifluoromethoxy)phenyl)-1-methylpyridin-2(1H)-one

3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol

3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5,6,7,8-tetrahydroimidazo[1,2-a]pyridin-3-yl)phenol

3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(pyridine-3-yl)phenol

5-(1-cyclopentyl-1H-pyrazol-4-yl)-3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

3',5-dimethoxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-(1,1'-biphenyl)-3-ol

3-(benzyloxy)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol

3-ethoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol

3-(cyclopropylmethoxy)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol

5-chloro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(1H-pyrazol-1-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

3-hydroxy-4-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitrile

2-(6-((2,2-dimethylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-4-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(4,5,6,7-tetrahydropyrazolo[1,5-a]pyridin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(4,5,6,7-tetrahydropyrazolo[1,5-a]pyrazin-3-yl)phenol

4-(1H-indol-2-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4-(cyclopent-1-en-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-3-yl)phenol

4-(4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2-ol

4-(4-hydroxy-3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

4-(4-hydroxy-3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)pyridin-2-ol

5-(1H-indazol-7-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4-chloro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

4-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

5-fluoro-4-(1H-imidazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-4-yl)phenol

5-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-5-yl)phenol

6-hydroxy-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihydro-1H-inden-1-one

6-hydroxy-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihydro-1H-inden-1-one oxime

5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihydro-1H-indene-1,6-diol

4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-N-((1-methyl-1H-pyrazol-4-yl)methyl)benzamide

4-(4-(hydroxymethyl)-1H-pyrazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)methyl)pyridazin-3-yl)phenol

6-(3-(benzyloxy)isoquinolin-6-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(1-(benzyloxy)isoquinolin-7-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

3-fluoro-5-(2-methoxypyridin-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2(1H)-one

4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

5-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

3-fluoro-5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenol

5-chloro-3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol

5-(5-methoxypyridin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(3-hydroxy-4-(6-methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2-ol

4-(3-hydroxy-4-(6-methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2-ol

5-(6-methoxypyridin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-3-(trifluoromethyl)pyridin-2-ol

5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

5-(2-methoxypyridin-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4-(3-hydroxy-4-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)pyridin-2-ol

5-(6-(dimethylamino)pyridin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4-(3-hydroxy-4-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(pyrimidin-5-yl)phenol

5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-3-ol

1-cyclopropyl-4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2(1H)-one

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1,2,3,6-tetrahydropyridin-4-yl)phenol

5-(cyclopent-1-en-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(3,6-dihydro-2H-pyran-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(imidazo[1,5-a]pyridin-7-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(imidazo[1,2-a]pyridin-7-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(2-methylpyridin-4-yl)phenol

5-(1H-imidazol-2-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(1H-imidazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(imidazo[1,2-a]pyrazin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5,6,7,8-tetrahydroimidazo[1,2-a]pyrazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(4-methyl-1H-imidazol-2-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-imidazol-4-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-imidazol-5-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(4-nitro-1H-imidazol-2-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(2-methyl-1H-imidazol-4-yl)phenol

5-(1,2-dimethyl-1H-imidazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

1-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1H-pyrazole-4-carboxamide

5-(1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol

5-(1-methyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

5-(5-methyl-1H-pyrazol-4-yl)-2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol

5-(1H-imidazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

5-(5-methyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-5-(4-nitro-1H-pyrazol-1-yl)phenol

6-[2-methoxy-4-(4-nitro-1H-pyrazol-1-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

5-(4-amino-1H-pyrazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

2-[6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

5-(4-nitro-1H-pyrazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

5-(1H-pyrazol-4-yl)-2-[6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]phenol

2-[6-(1-ethyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

2-{6-[methyl(piperidin-4-yl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol

2-[6-(piperidin-4-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

6-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-[2,3-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

3-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

2-[6-(piperidin-4-yloxy)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

6-[2-methoxy-6-(1H-pyrazol-4-yl)pyridin-3-yl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol

3-[2-fluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

3-[4-(1-methyl-1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

3-fluoro-4-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol

2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-1-yl)phenol

N-methyl-6-(2-methyl-2H-indazol-5-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

2-methyl-5-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}-2H-indazole

3-(4-chloro-2-methoxyphenyl)-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

N-methyl-6-(2-methylpyrazolo[1,5-a]pyridin-3-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}imidazo[1,2-a]pyridine

3-[2-methoxy-4-(1H-pyrazol-1-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

3-[5-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

3-[5-(1-methyl-1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

3-[4-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

5-(3,5-dimethyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

6-[2-fluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

3-methoxy-4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

3-[2-methoxy-4-(4-nitro-1H-pyrazol-1-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}benzene-1,3-diol

6-[2-chloro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

2-(1H-pyrazol-4-yl)-4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}pyrimidin-5-amine

3-[2,6-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

3-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine and

6-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine;

wherein a form of the compound is selected from the group consisting of a salt, hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

8. A compound selected from the group consisting of:

2-{6-[(1R,5S)-8-azabicyclo[3.2.1]oct-3-yl(methyl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol

2-[6-((1R,5S)-8-azabicyclo[3.2.1]oct-3-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

5-(1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol

5-(1-methyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

2-[6-((1R,5S)-8-azabicyclo[3.2.1]oct-3-yloxy)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

5-(5-methyl-1H-pyrazol-4-yl)-2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol

5-(1H-imidazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

5-(5-methyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-5-(4-nitro-1H-pyrazol-1-yl)phenol

6-[2-methoxy-4-(4-nitro-1H-pyrazol-1-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

5-(4-amino-1H-pyrazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

2-[6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

5-(4-nitro-1H-pyrazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

5-(1H-pyrazol-4-yl)-2-[6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]phenol

2-[6-(1-ethyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

2-{6-[methyl(piperidin-4-yl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol

2-[6-(piperidin-4-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

6-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

2-[6-(8-azabicyclo[3.2.1]oct-2-en-3-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

6-[2,3-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

3-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

2-[6-(piperidin-4-yloxy)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

2-{6-[(1R,5S)-8-azabicyclo[3.2.1]oct-3-ylamino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol

6-[2-methoxy-6-(1H-pyrazol-4-yl)pyridin-3-yl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

3-[4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol

3-[2-fluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

3-[4-(1-methyl-1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

2-[6-(2,7-diazaspiro[3.5]non-2-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

3-fluoro-4-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol

2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-1-yl)phenol

N-methyl-6-(2-methyl-2H-indazol-5-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

2-methyl-5-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}-2H-indazole

3-(4-chloro-2-methoxyphenyl)-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

N-methyl-6-(2-methylpyrazolo[1,5-a]pyridin-3-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}imidazo[1,2-a]pyridine

3-[2-methoxy-4-(1H-pyrazol-1-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

3-[5-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

3-[5-(1-methyl-1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

3-[4-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

5-(3,5-dimethyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

6-[2-fluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

3-methoxy-4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

3-[2-methoxy-4-(4-nitro-1H-pyrazol-1-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}benzene-1,3-diol

6-[2-chloro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

2-(1H-pyrazol-4-yl)-4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}pyrimidin-5-amine

3-[2,6-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

2-[6-(2,6-diazaspiro[3.4]oct-2-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

3-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-6-(1H-pyrazol-4-yl)pyridin-2-ol

6-(1H-pyrazol-4-yl)-3-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}pyridin-2-ol

N,2,2,6,6-pentamethyl-N-{5-[3-(1H-pyrazol-4-yl)phenoxy]-1,3,4-thiadiazol-2-yl}piperidin-4-amine

N,2,2,6,6-pentamethyl-N-{5-[4-(1H-pyrazol-4-yl)phenoxy]-1,3,4-thiadiazol-2-yl}piperidin-4-amine

3-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine and

6-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine;

wherein a form of the compound is selected from the group consisting of a salt, hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

9. A compound salt or a form thereof for use in treating or ameliorating Huntington's Disease in a subject in need thereof, wherien the compound salt or form thereof is to be administered to the subject, wherein the compound salt is selected from the group consisting of:

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(trifluoromethyl)phenol hydrochloride

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-1-yl)phenol hydrochloride

3-(6-(piperazin-1-yl)pyridazin-3-yl)naphthalene-2,7-diol trifluoroacetate

3-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol trifluoroacetate

3-(6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol trifluoroacetate

3-(6-(piperidin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol trifluoroacetate

6-hydroxy-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihydro-1H-inden-1-one oxime hydrochloride

3-fluoro-5-(2-methoxypyridin-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol hydrochloride

4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2(1H)-one hydrochloride

4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one hydrochloride

5-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one hydrochloride

3-fluoro-5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenol hydrochloride

5-chloro-3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol hydrochloride

3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol hydrochloride

3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol hydrochloride

5-(1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol hydrochloride

2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-5-(4-nitro-1H-pyrazol-1-yl)phenol dihydrochloride

2-[6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol trihydrochloride

5-(1H-pyrazol-4-yl)-2-[6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]phenol trihydrochloride

2-[6-(1-ethyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol trihydrochloride

2-{6-[methyl(piperidin-4-yl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol tetrahydrochloride

2-[6-(piperidin-4-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol tetrahydrochloride

6-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine tetrahydrochloride

6-[2,3-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine hydrochloride

3-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine trihydrochloride

6-[2-methoxy-6-(1H-pyrazol-4-yl)pyridin-3-yl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine hydrochloride

2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol trihydrochloride

3-[2-fluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride

3-[5-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride

3-[4-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride

6-[2-chloro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine trihydrochloride

3-[2,6-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine trihydrochloride

3-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride and

6-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine hydrochloride;

wherein a form of the compound salt is selected from the group consisting of a hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

10. Use of a compound salt or a form thereof in the manufacture of a medicament for treating or ameliorating Huntington's Disease in a subject in need thereof, wherien the compound salt or form thereof is to be administered to the subject, wherein the compound salt is selected from the group consisting of:

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(trifluoromethyl)phenol hydrochloride

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-1-yl)phenol hydrochloride

3-(6-(piperazin-1-yl)pyridazin-3-yl)naphthalene-2,7-diol trifluoroacetate

3-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol trifluoroacetate

3-(6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol trifluoroacetate

3-(6-(piperidin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol trifluoroacetate

6-hydroxy-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihydro-1H-inden-1-one oxime hydrochloride

3-fluoro-5-(2-methoxypyridin-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol hydrochloride

4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2(1H)-one hydrochloride

4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one hydrochloride

5-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one hydrochloride

3-fluoro-5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenol hydrochloride

5-chloro-3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol hydrochloride

3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol hydrochloride

3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol hydrochloride

5-(1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol hydrochloride

2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-5-(4-nitro-1H-pyrazol-1-yl)phenol dihydrochloride

2-[6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol trihydrochloride

5-(1H-pyrazol-4-yl)-2-[6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]phenol trihydrochloride

2-[6-(1-ethyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol trihydrochloride

2-{6-[methyl(piperidin-4-yl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol tetrahydrochloride

2-[6-(piperidin-4-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol tetrahydrochloride

6-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine tetrahydrochloride

6-[2,3-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine hydrochloride

3-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine trihydrochloride

6-[2-methoxy-6-(1H-pyrazol-4-yl)pyridin-3-yl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine hydrochloride

2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol trihydrochloride

3-[2-fluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride

3-[5-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride

3-[4-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride

6-[2-chloro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine trihydrochloride

3-[2,6-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine trihydrochloride

3-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride and

6-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine hydrochloride;

wherein a form of the compound salt is selected from the group consisting of a hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

11. The compound of claim 8, wherein the compound is a compound salt selected from the group consisting of:

2-{6-[(1R,5S)-8-azabicyclo[3.2.1]oct-3-yl(methyl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol hydrochloride

2-[6-((1R,5S)-8-azabicyclo[3.2.1]oct-3-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol hydrochloride

5-(1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol hydrochloride

2-[6-((1R,5S)-8-azabicyclo[3.2.1]oct-3-yloxy)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol hydrochloride

2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-5-(4-nitro-1H-pyrazol-1-yl)phenol dihydrochloride

2-[6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol trihydrochloride

5-(1H-pyrazol-4-yl)-2-[6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]phenol trihydrochloride

2-[6-(1-ethyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol trihydrochloride

2-{6-[methyl(piperidin-4-yl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol tetrahydrochloride

2-[6-(piperidin-4-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol tetrahydrochloride

6-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine tetrahydrochloride

2-[6-(8-azabicyclo[3.2.1]oct-2-en-3-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol hydrochloride

6-[2,3-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine hydrochloride

3-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine trihydrochloride

2-{6-[(1R,5S)-8-azabicyclo[3.2.1]oct-3-ylamino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol hydrochloride

6-[2-methoxy-6-(1H-pyrazol-4-yl)pyridin-3-yl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine hydrochloride

2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol trihydrochloride

3-[2-fluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride

2-[6-(2,7-diazaspiro[3.5]non-2-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol tetrahydrochloride

3-[5-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride

3-[4-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride

6-[2-chloro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine trihydrochloride

3-[2,6-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine trihydrochloride

3-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-6-(1H-pyrazol-4-yl)pyridin-2-ol hydrochloride

N,2,2,6,6-pentamethyl-N-{5-[3-(1H-pyrazol-4-yl)phenoxy]-1,3,4-thiadiazol-2-yl}piperidin-4-amine hydrochloride

N,2,2,6,6-pentamethyl-N-{5-[4-(1H-pyrazol-4-yl)phenoxy]-1,3,4-thiadiazol-2-yl}piperidin-4-amine hydrochloride

3-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride and

6-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine hydrochloride;

wherein a form of the compound salt is selected from the group consisting of a hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

12. The compound or use of any one of claims 1 to 3, 6, 7, 9 or 10 wherein the effective amount of the compound is in a range of from about 0.001 mg/kg/day to about 500 mg/kg/day.

13. A pharmaceutical composition comprising a compound or form thereof according to claims 6 or 9 in admixture with one or more pharmaceutically acceptable excipient(s).


14. The composition of claim 13, wherein the effective amount of the compound is in a range of from about 0.001 mg/kg/day to about 500 mg/kg/day.

15. The compound or use or composition of any of claims 1-3, 6, 7, 9, 10, 12, 13, or 14, wherein the compound is:

5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenol.

16. The compound of claim 4, wherein A is selected from thiophenyl, indazolyl, pyridinyl, pyrimidinyl and phenoxy.

17. A compound of Formula (Ia11):



(Ia11),

or a form thereof, wherein (when present),

X is selected from O, NR_{5a}, or a bond;

A is selected from phenyl, thiophenyl, indazolyl, pyridinyl, pyrimidinyl or phenoxy,

wherein phenyl and phenoxy are each optionally substituted with 1, 2 or 3 substituents each selected from R_{1a},

wherein thiophenyl, indazolyl, pyridinyl, pyrimidinyl are each optionally substituted with 1 or 2 substituents each selected from R_{1a},

R1a is selected from halogen, hydroxyl, C_{1-4}alkyl, halo-C_{1-4}alkyl, amino, C_{1-4}alkoxy, or heteroaryl, wherein heteroaryl is a monocyclic, bicyclic, or polycyclic carbon atom ring structure radical having one or more heteroatoms selected from O, S, and N, optionally substituted with 1 or 2 substituents each selected from R_{3a};

wherein when A is phenyl, R_{1a} selected from the group consisting of halogen, C_{1-4}alkyl, halo-C_{1-4}alkyl, amino, C_{1-4}alkoxy, or heteroaryl;

R_{3a} is selected from nitro or C_{1-4}alkyl;

R4a is C_{1-4}alkyl;

R5a is hydrogen, C_{1-4}alkyl, or hydroxyl-C_{1-4}alkyl;

wherein a form of the compound is selected from the group consisting of a salt, hydrate, solvate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, and tautomer form thereof.

18. The compound of claim 17, wherein A is selected from thiophenyl, indazolyl, pyridinyl, pyrimidinyl and phenoxy.

19. The compound of claim 17 wherein (when present):

R_{1a} is selected from fluoro, chloro, hydroxyl, methyl, difluoromethyl, amino, methoxy, 1H-pyrazolyl or 1H-imidazol-1-yl,

wherein 1H-pyrazolyl is optionally substituted with 1 or 2 substituents each selected from R_{3a};


R_{3a} is selected from nitro or methyl or amino; and,

R_{4a} is methyl or ethyl;


R_{5a} is hydrogen or methyl;

wherein a form of the compound is selected from the group consisting of a salt, hydrate, solvate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, and tautomer form thereof.

20. A compound selected from a compound Formula (Ia15) and Formula (Ia18):



(Ia15),



(Ia18),

or a form thereof, wherein (when present),

X is selected from O, NR_{5a}, or a bond;

B is selected from 1H-pyrazolyl, piperidinyl, 1,2,3,6-tetrahydropyridinyl, (1R,5S)-8-azabicyclo[3.2.1]octyl, 8-azabicyclo[3.2.1]oct-2-enyl, 2,6-diazaspiro[3.4]octyl or 2,7-diazaspiro[3.5]nonyl, each optionally substituted with 1 or 2 substituents each selected from R_{4a};

R1a is selected from fluoro, bromo, hydroxyl, C_{1-4}alkyl, halo-C_{1-4}alkyl, amino, C_{1-4}alkoxy, or heteroaryl, wherein heteroaryl is selected from the group consisting of furanyl, thienyl, pyrrolyl, imidazolyl, isoxazolyl, isothiazolyl, oxazolyl, thiazolyl, triazolyl, oxadiazolyl, thiadiazolyl, tetrazolyl, pyranyl, thiopyranyl, pyridinyl, pyrimidinyl, pyrazinyl, pyridazinyl, triazinyl, indolyl, indazolyl, indolizinyl, benzofuranyl, benzothienyl, benzimidazolyl, benzothiazolyl, benzooxazolyl, 9H-purinyl, quinoxalinyl, isoindolyl, quinolinyl, isoquinolinyl, quinazolinyl, acridinyl, phthalazinyl, imidazo[1,2-a]pyridinyl, imidazo[1,5-a]pyridinyl, imidazo[5,1-a]isoquinolinyl, 1,4-dihydroindeno[1,2-c]-1H-pyrazolyl, 2,3-dihydro-1H-inden-1-one, 2,3-dihydro-1H-indenyl, 3,4-dihydroquinolin-2(1H)-one, 5,6-dihydroimidazo[5,1-a]isoquinolinyl, 8H-indeno[1,2-d]thiazolyl, benzo[c][1,2,5]oxadiazolyl, benzo[d]oxazol-2(3H)-one, quinolin-2(1H)-one, quinazolin-4(1H)-one, quinazoline-2,4(1H,3H)-dione, benzo-[d]oxazolyl, and pyrazolo[1,5-a]pyridinyl, wherein heteroaryl is optionally substituted with 1 or 2 substituents each selected from R_{3a};

R_{3a} is selected from nitro or C_{1-4}alkyl; and,

R_{4a} is C_{1-4}alkyl;

R_{5a} is hydrogen, C_{1-4}alkyl, or hydroxyl-C_{1-4}alkyl;

wherein a form of the compound is selected from the group consisting of a salt, hydrate, solvate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, and tautomer form thereof.

21. The compound of claim 20 wherein (when present):

R_{1a} is selected from fluoro, hydroxyl, methyl, difluoromethyl, amino, methoxy, or 1H-imidazol-1-yl,

R_{3a} is selected from nitro or methyl;

R_{4a} is methyl or ethyl; and

R_{5a} is hydrogen or methyl;

wherein a form of the compound is selected from the group consisting of a salt, hydrate, solvate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, and tautomer form thereof.

22. The compound, or form thereof, of claim 8 selected from the group consisting of:

2-{6-[(1R,5S)-8-azabicyclo[3.2.1]oct-3-yl(methyl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol

2-[6-((1R,5S)-8-azabicyclo[3.2.1]oct-3-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

5-(1-methyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

2-[6-((1R,5S)-8-azabicyclo[3.2.1]oct-3-yloxy)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

5-(5-methyl-1H-pyrazol-4-yl)-2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol

5-(1H-imidazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

5-(5-methyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-5-(4-nitro-1H-pyrazol-1-yl)phenol

6-[2-methoxy-4-(4-nitro-1H-pyrazol-1-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

5-(4-amino-1H-pyrazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

2-[6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

5-(4-nitro-1H-pyrazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

5-(1H-pyrazol-4-yl)-2-[6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]phenol

2-[6-(1-ethyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

2-{6-[methyl(piperidin-4-yl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol

2-[6-(piperidin-4-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

6-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

2-[6-(8-azabicyclo[3.2.1]oct-2-en-3-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

6-[2,3-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

3-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

2-[6-(piperidin-4-yloxy)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

2-{6-[(1R,5S)-8-azabicyclo[3.2.1]oct-3-ylamino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol

6-[2-methoxy-6-(1H-pyrazol-4-yl)pyridin-3-yl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

3-[4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol

3-[2-fluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

3-[4-(1-methyl-1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

2-[6-(2,7-diazaspiro[3.5]non-2-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

3-fluoro-4-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol

2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-1-yl)phenol

N-methyl-6-(2-methyl-2H-indazol-5-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

2-methyl-5-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}-2H-indazole

3-(4-chloro-2-methoxyphenyl)-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

N-methyl-6-(2-methylpyrazolo[1,5-a]pyridin-3-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}imidazo[1,2-a]pyridine

3-[2-methoxy-4-(1H-pyrazol-1-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

3-[5-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

3-[5-(1-methyl-1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

3-[4-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

5-(3,5-dimethyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

6-[2-fluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

3-methoxy-4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

3-[2-methoxy-4-(4-nitro-1H-pyrazol-1-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}benzene-1,3-diol

6-[2-chloro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

2-(1H-pyrazol-4-yl)-4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}pyrimidin-5-amine

3-[2,6-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine

2-[6-(2,6-diazaspiro[3.4]oct-2-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

3-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-6-(1H-pyrazol-4-yl)pyridin-2-ol

6-(1H-pyrazol-4-yl)-3-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}pyridin-2-ol

N,2,2,6,6-pentamethyl-N-{5-[3-(1H-pyrazol-4-yl)phenoxy]-1,3,4-thiadiazol-2-yl}piperidin-4-amine

N,2,2,6,6-pentamethyl-N-{5-[4-(1H-pyrazol-4-yl)phenoxy]-1,3,4-thiadiazol-2-yl}piperidin-4-amine

3-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine and

6-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine;

wherein the form of the compound is selected from the group consisting of a salt, hydrate, solvate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, and tautomer form thereof.