

DRAWINGS

1/12


FIG. 1




Group 1




Group 2



Group 3




Group 4




Group 5


FIG. 2




Group 1




Group 2



Group 3




Group 4




Group 5

FIG. 3




RCME-P:RKCM=100:0

[Group 1]




RCME-P:RKCM=66:33

[Group 2]




RCME-P:RKCM=50:50

[Group 3]



RCME-P:RKCM=25:75


[Group 4]



RCME-P:RKCM=0:100


[Group 5]

FIG. 4




RCME-P:RKCM=100:0

[Group 1]




RCME-P:RKCM=66:33

[Group 2]




RCME-P:RKCM=50:50

[Group 3]



RCME-P:RKCM=25:75


[Group 4]



RCME-P:RKCM=0:100


[Group 5]

FIG. 5




RCME-P:RKCM=100:0

[Group 1]




RCME-P:RKCM=66:33

[Group 2]




RCME-P:RKCM=50:50

[Group 3]



RCME-P:RKCM=25:75


[Group 4]



RCME-P:RKCM=0:100


[Group 5]

FIG. 6




RCME-P:RKCM=100:0

[Group 1]




RCME-P:RKCM=66:33

[Group 2]




RCME-P:RKCM=50:50

[Group 3]



RCME-P:RKCM=25:75


[Group 4]




RCME-P:RKCM=0:100

[Group 5]


FIG. 7




RCME-P:RKCM=100:0
[Group 1]




RCME-P:RKCM=66:33
[Group 2]



RCME-P:RKCM=50:50
[Group 3]




RCME-P:RKCM=25:75
[Group 4]




RCME-P:RKCM=0:100
[Group 5]

FIG. 8




RCME-P:RKCM=100:0

[Group 1]




RCME-P:RKCM=66:33

[Group 2]




RCME-P:RKCM=50:50

[Group 3]



RCME-P:RKCM=25:75


[Group 4]




RCME-P:RKCM=0:100

[Group 5]

FIG. 9




DMEM-P Alone (5-day culture)




Mixed medium (4-day culture)
(Group 2)

FIG. 10



DMEM-P Alone (5-day culture)



Mixed medium (4-day culture)
(Group 2)

FIG. 11





FIG. 12


4500
4000
3500
3000
2500
2000
1500
1000
500
0
100
2600.005
2786.665
3380.006
4260.008
1006.662
Ct
P-N-N
P-H-N
M-N-N
M-H-N
P-N-H
% of negative control values