

101
102b
102
104b
106
106b
104
108a
108b
COMMUNICATIONS NETWORK
110
116
112
118
114
Derived data
User profile/group: XYZ
Symbol
Count
Description
1
Calls
1
Data transfers
3
Short-range
1
Contexts
1
WLAN

Figure 1



102,
104,
106
220
226
224
206
PROCESSOR
UI
MOBILE
APPLICATION
WIRELESS
TRANSCEI
VER(S)
MEMORY
222
COMMUNICATIONS NETWORK
114
110
112
256
250
254
258
CPU
SERVER
APPLICATION
UI
COM
IF
MEMORY
234
252

Figure 2




Figure 3




Figure 4




Figure 5




Figure 6



Data provisioning and distribution API (600)
Data distribution control (603)
Data
Data queries (601)
Triggers (602)
Data
Data provisioning (604)
Data
requests

Figure 7



814
OBTAIN AND CONFIGURE THE SERVER ARRANGEMENT
816
RECEIVE OBSERVATION DATA FROM A NUMBER OF MOBILE TERMINALS AND OPTIONAL SUPPLEMENTARY DATA
818
ESTABLISH DERIVED DATA ELEMENTS ON THE BASIS OF OBTAINED DATA
820
SERVE A QUERY/PUSH DATA
END

Figure 8