



(51) International Patent Classification:

C12N 9/18 (2006.01) C07K 1/18 (2006.01)
B01D 15/32 (2006.01) C07K 1/20 (2006.01)
B01D 15/36 (2006.01)

(21) International Application Number:

PCT/SE2012/050519

(22) International Filing Date:

15 May 2012 (15.05.2012)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

1150454-5 18 May 2011 (18.05.2011) SE

(71) Applicant (for all designated States except US):

SWEDISH ORPHAN BIOVITRUM AB (publ) [SE/SE];
S-112 76 Stockholm (SE).

(72) Inventors; and

(75) Inventors/Applicants (for US only): STRÖMQUIST,
Thomas [SE/SE]; Södermannagatan 57 H, S-111 66
Stockholm (SE). WOOD, Susanne [SE/SE]; Skogsstigen
11, S-131 42 Nacka (SE).

(74) Agents: ALBIHNS.ZACCO AB et al.; P.O. Box 5581,

Valhallavägen 117, S-114 85 Stockholm (SE).

(81) Designated States (unless otherwise indicated, for every

kind of national protection available): AE, AG, AL, AM,
AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ,
CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO,
DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN,
HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR,
KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME,
MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ,
OM, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SC, SD,
SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR,
TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every

kind of regional protection available): ARIPO (BW, GH,
GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ,
UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ,
TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK,
EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV,
MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM,
TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW,
ML, MR, NE, SN, TD, TG).

Published:

— with international search report (Art. 21(3))

(54) Title: LOW PH PROTEIN PURIFICATION PROCESS

(57) Abstract: The invention relates to a process for recovering and purifying bile salt-stimulated lipase (BSSL) in a solution which contains impurities, said process comprising the steps: (i) applying BSSL to a hydrophobic interaction chromatography (HIC) resin; (ii) removing impurities by washing said HIC resin with a wash composition having a pH in the range from 4 to 5; and (iii) recovering BSSL from said HIC resin.

