PCT WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7 : C12N 15/64, A61K 48/00, C12Q 1/68 — A1

(11) International Publication Number: **WO 00/42202**

(43) International Publication Date: 20 July 2000 (20.07.00)

(21) International Application Number: PCT/SE00/00073

(22) International Filing Date: 14 January 2000 (14.01.00)

(30) Priority Data:
9900134-9 15 January 1999 (15.01.99) SE

(71) Applicant *(for all designated States except US)*: A+ SCIENCE INVEST AB [SE/SE]; Box 3096, S–400 10 Göteborg (SE).

(72) Inventors; and

(75) Inventors/Applicants *(for US only)*: ERIKSSON, Peter [SE/SE]; Dr Saléns gata 10, S–413 22 Göteborg (SE). ORWAR, Owe [SE/SE]; Vasagatan 35, S–411 37 Göteborg (SE).

(74) Agent: AWAPATENT AB; Box 11394, S–404 28 Göteborg (SE).

(81) Designated States: AE, AL, AM, AT, AT (Utility model), AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, CZ (Utility model), DE, DE (Utility model), DK, DK (Utility model), DM, EE, EE (Utility model), ES, FI, FI (Utility model), GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KR (Utility model), KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SK (Utility model), SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published

With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: A METHOD FOR INTRODUCING SUBSTANCES INTO CELLS, AND USE OF SAID METHOD

(57) Abstract

A method for introducing a substance comprising a nucleic acid into a mammalian neural stem cell or progenitor cell, characterized in that said nucleic acid directly interacts with the cell membrane of said cell or a component within said cell membrane whereby the substance comprising said nucleic acid is taken up by the cell via the inherent transport mechanism of the cell, is disclosed. Also different applications of said method are disclosed.