CLAIMS

1. A wellhead apparatus for supporting downhole tubing, comprising:

a tubular body defining an axial throughbore therethrough, wherein the wellhead apparatus is configured to receive a tubing hanger for supporting downhole tubing from the wellhead; and

a tubing hanger alignment arrangement provided in the axial throughbore of the wellhead apparatus,

wherein the tubing hanger alignment arrangement is configured to engage a wellhead alignment arrangement of the tubing hanger so as to orient the tubing hanger relative to the wellhead on location of the tubing hanger in the wellhead apparatus, and

an alignment arrangement for orienting a first housing portion of the tubular body relative to a conductor housing,

wherein the alignment arrangement comprises a castellated profile formed or provided on the conductor housing; and

wherein the castellated profile includes a plurality of castellations circumferentially arranged and/or spaced around the conductor housing.

2. The apparatus of claim 1, wherein the wellhead apparatus takes the form of a subsea wellhead.

3. The apparatus of claim 1 , wherein the apparatus is configured for location on a conductor casing in the form of a suction can.

4. The apparatus of claim 1 or 2, wherein the tubing hanger alignment arrangement is integrally formed with the wellhead apparatus.

5. The apparatus of claim 4, wherein the tubing hanger alignment arrangement is integrally formed with the tubular body of the wellhead apparatus.

6. The apparatus of claim 1 or 2, wherein the tubing hanger alignment arrangement is disposed on a separate component configured for location in the axial throughbore of the tubular body.

7. The apparatus of any preceding claim, wherein the tubing hanger alignment arrangement comprises or takes the form of a profile.

8. The apparatus of claim 7, wherein the profile comprises or takes the form of a helical profile.

9. The apparatus of any preceding claim, configured to receive a casing hanger, the wellhead apparatus comprising a casing hanger support arrangement configured to support the casing hanger and associated downhole tubing, tools and/or equipment.

10. The apparatus of claim 9, wherein the casing hanger support arrangement of the wellhead apparatus comprises or take the form of a landing shoulder, nipple ~~and/~~or no- go.

11. The apparatus of any preceding claim, comprising a tubing hanger lock arrangement for locking the tubing hanger in place on location of the tubing hanger in the wellhead apparatus.

12. The apparatus of claim 11, wherein at least one of: the tubing hanger lock arrangement is configured to engage a wellhead locking arrangement of the tubing hanger; the tubing hanger lock arrangement comprises or takes the form of a lock recess or profile provided in the wellhead apparatus.

~~13. The apparatus of any preceding claim, comprising an alignment arrangement for orienting the first housing portion relative to the conductor housing.~~

~~14. The apparatus of claim 13, wherein at least one of: the alignment arrangement comprises a castellated profile formed or provided on the conductor housing; the alignment arrangement comprises a pin arrangement formed or provided on the first housing portion.~~

~~15~~13. A wellhead assembly comprising: the wellhead apparatus of any ~~one of claims 1 to 14~~preceding claim; and a tubing hanger.

~~16~~14. The assembly of claim ~~15~~13, wherein the tubing hanger comprises a wellhead alignment arrangement configured to engage the tubing hanger alignment arrangement of the wellhead apparatus.

~~17~~15. The assembly of claim ~~16~~14, wherein the wellhead alignment arrangement of the tubing hanger comprises or takes the form of a key.

~~18~~16. The assembly of claim 13, 14, or 15~~, 16 or 17~~, wherein the tubing hanger comprises a wellhead locking arrangement.

~~19~~17. The assembly of claim 13, 14, 15, or 16~~, 17 or 18~~, comprising a casing hanger arrangement.

~~20. The assembly of claim 19, when dependent on claim 16, wherein the casing hanger arrangement comprises a casing hanger, the casing hanger comprising a receiver configured to receive the wellhead alignment arrangement of the tubing hanger.~~

~~21~~18. Use of the wellhead apparatus of any one of claims 1 to ~~15~~ 12 or the wellhead assembly of any one of claims ~~16~~ 13 to ~~20~~ 17 to support downhole tubing, the apparatus or assembly orientating the tubing hanger relative to the wellhead apparatus.

~~22. A wellhead apparatus for supporting downhole tubing, comprising: a first housing portion; a conductor housing; an alignment arrangement for orienting the first housing portion relative to the conductor housing.~~

~~23. The apparatus of claim 22, wherein at least one of: the alignment arrangement comprises a castellated profile formed or provided on the conductor housing; the alignment arrangement comprises a pin arrangement formed or provided on the first housing portion.~~

~~24. A wellhead assembly comprising: the wellhead apparatus of claim 22 or 23; and a tubing hanger.~~

~~25. Use of the wellhead apparatus of claim 22 or 23 or the wellhead assembly of claim 24 to support downhole tubing.~~