


Claims

1. A compound having the structure of Formula (I):




wherein

X is CH or N;

Y is CH or N;

R¹ is selected from the group consisting of: C₁₋₆alkyl; C₁₋₆alkyl substituted with OH, or OCH₃; C₂₋₆alkenyl; C₁₋₆haloalkyl; C₁₋₆haloalkyl substituted with OH, or OCH₃; C₂₋₆haloalkenyl; N(CH₃)₂; C₃₋₆cycloalkyl; C₃₋₆cycloalkyl substituted with C₁₋₆alkyl; and phenyl;



R^a is selected from the group consisting of: C₁₋₆alkyl, C₁₋₆haloalkyl, and C₃₋₆cycloalkyl;


R^b is C₁₋₆alkyl or C₁₋₆alkyl substituted with a member selected from the group consisting of: OH, halo, CN, OC₁₋₆alkyl, OC₁₋₆haloalkyl and OC₃₋₆cycloalkyl;

R³ is selected from the group consisting of: H, halo, CH₃ and OCH₃;

R⁴ is selected from the group consisting of:

(a) C₁₋₆alkyl; C₁₋₆alkyl substituted with one or two OCH₃; C₃₋₆cycloalkyl; C₃₋₆cycloalkyl

substituted with CH₃, or OCH₃; CH₂-C₃₋₆cycloalkyl; and ;





R^d is selected from the group consisting of: H; halo; C₁₋₆alkyl; C₁₋₆alkyl substituted with a member selected from the group consisting of: OH, OCH₃, SCH₃, and OCF₃; C₁₋₆haloalkyl; C₁₋₆haloalkyl substituted with a member selected from the group consisting of: OH, and OCH₃; CN; and OC₁₋₆alkyl;

R^g is selected from the group consisting of: H; C₁₋₆alkyl; C₁₋₆alkyl substituted with a member selected from the group consisting of: OH, OCH₃, SCH₃, and OCF₃; C₁₋₆haloalkyl; and C₁₋₆haloalkyl substituted with a member selected from the group consisting of: OH, and OCH₃; and


n is 1, or 2;

or a pharmaceutically acceptable salt, isotope, N-oxide, solvate, or stereoisomer thereof.

2. The compound according to claim 1, wherein X is CH; or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof.
3. The compound according to claim 1, wherein X is N; or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof.
4. The compound according to any of claims 1-3, wherein Y is N; or a pharmaceutically


acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof.

5. The compound according to any of claims 1-3, wherein Y is CH; or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof.
6. The compound according to any of claims 1-5, wherein R¹ is C₁₋₄alkyl; C₁₋₄alkyl substituted with OH, or OCH₃; C₂₋₄alkenyl; C₁₋₄haloalkyl; C₁₋₄haloalkyl substituted with OH, or OCH₃; C₂₋₄haloalkenyl; N(CH₃)₂; cyclopropyl; cyclopropyl substituted with C₁₋₄alkyl; or phenyl; or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof.
7. The compound according to any of claims 1-5, wherein R¹ is CH₃, CH₂CH₃,




or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof.

8. The compound according to any of claims 1-5, wherein R¹ is



; or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof.

9. The compound according to any of claims 1-8, wherein R² is



wherein


R^b is C₁₋₄alkyl substituted with OH, halo, CN, OC₁₋₄alkyl, OC₁₋₄haloalkyl or OC₃₋₆cycloalkyl;


and

R^a is C₁₋₄alkyl, C₁₋₄haloalkyl, or C₃₋₆cycloalkyl;

or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide

thereof.



10. The compound according to any of claims 1-8, wherein R^2 is ; or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof.


11. The compound according to any of claims 1-10, wherein R^3 is H; or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof.

12. The compound according to any of claims 1-10, wherein R^3 is F; or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof.


13. The compound according to any of claims 1-10, wherein R^3 is CH_3 ; or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof.

14. The compound according to any of claims 1-10, wherein R^3 is OCH_3 ; or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof.

15. The compound according to any of claims 1-14, wherein R^4 is



or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof.



16. The compound according to any of claims 1-14, wherein R^4 is

each R^c is independently selected from the group consisting of: H, halo, C₁₋₄alkyl, C₁₋₄haloalkyl, NO₂, O-CH₂CH₂OH, and OC₁₋₄alkyl;

R^d is selected from the group consisting of: H, halo, C₁₋₄alkyl, CN, and OC₁₋₆alkyl; and


n is 1, or 2;

or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof.

Chemical structures of various substituted benzene rings, including fluorinated, chlorinated, deuterated, and methoxy-substituted derivatives, as well as a nitro-substituted benzene ring.

18. The compound according to any of claims 1-14, wherein R⁴ is  or  F; or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof.

19. The compound according to any of claims 1-14, wherein R⁴ is



wherein

each R^c is independently selected from the group consisting of: H, halo, C_{1-4} alkyl,


C_{1-4} haloalkyl, OC_{1-4} alkyl, and OH;

R^d is selected from the group consisting of: halo, C_{1-4} alkyl, and OC_{1-4} alkyl; and

n is 1, or 2;


or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof.

20. The compound according to any of claims 1-14, wherein R^4 is




or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof.


21. The compound according to any of claims 1-14, wherein R^4 is



; or a

pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof.

22. The compound according to any of claims 1-14, wherein R⁴ is , , or



wherein


R^c is H or halo;

R^d is C₁₋₄alkyl; and

R^g is H;


or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof.

23. The compound according to any of claims 1-14, wherein R⁴ is:



or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof.

24. The compound according to claim 1, having the structure of Formula (IA):




wherein

Y is CH or N;

R¹ is selected from the group consisting of: C₁₋₆alkyl; C₁₋₆alkyl substituted with OH, or OCH₃;

C₂₋₆alkenyl; C₁₋₆haloalkyl; C₁₋₆haloalkyl substituted with OH, or OCH₃; C₂₋₆haloalkenyl;

$N(CH_3)_2$; C_{3-6} cycloalkyl; C_{3-6} cycloalkyl substituted with C_{1-6} alkyl; and phenyl;






R^3 is selected from the group consisting of: H, halo, CH_3 and OCH_3 ;

R^4 is selected from the group consisting of:

(a) C_{1-6} alkyl; C_{1-6} alkyl substituted with one or two OCH_3 ; C_{3-6} cycloalkyl; C_{3-6} cycloalkyl

substituted with CH_3 , or OCH_3 ; CH_2-C_{3-6} cycloalkyl; and  ;



wherein

each R^c is independently selected from the group consisting of: H; halo; C_{1-6} alkyl; C_{1-6} alkyl substituted with a member selected from the group consisting of: OH, OCH_3 , SCH_3 , and OCF_3 ; C_{1-6} haloalkyl; C_{1-6} haloalkyl substituted with a member selected from the group consisting of: OH, and OCH_3 ; NO_2 ; OH; $O-CH_2CH_2OH$; and OC_{1-6} alkyl;


R^d is selected from the group consisting of: H; halo; C_{1-6} alkyl; C_{1-6} alkyl substituted with a member selected from the group consisting of: OH, OCH_3 , SCH_3 , and OCF_3 ; C_{1-6} haloalkyl; C_{1-6} haloalkyl substituted with a member selected from the group consisting of: OH, and OCH_3 ; CN; and OC_{1-6} alkyl;

R^8 is selected from the group consisting of: H; C_{1-6} alkyl; C_{1-6} alkyl substituted with a member selected from the group consisting of: OH, OCH_3 , SCH_3 , and OCF_3 ; C_{1-6} haloalkyl; and C_{1-6} haloalkyl substituted with a member selected from the group consisting of: OH, and OCH_3 ; and

n is 1, or 2;

or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof.


25. The compound according to claim 1, having the structure of Formula (IB):



wherein


Y is CH or N;

R^1 is selected from the group consisting of: C_{1-6} alkyl, C_{1-6} haloalkyl and C_{2-6} alkenyl;



R^3 is selected from the group consisting of: H, halo and OCH_3 ;

R^4 is selected from the group consisting of:



wherein

R^c is selected from the group consisting of: H; halo; C_{1-6} alkyl; C_{1-6} alkyl substituted with a member selected from the group consisting of: OH, OCH_3 , SCH_3 , and OCF_3 ;

C₁₋₆haloalkyl; C₁₋₆haloalkyl substituted with a member selected from the group consisting of: OH, and OCH₃; and NO₂;

R^d is selected from the group consisting of: H; halo; C₁₋₆alkyl; C₁₋₆alkyl substituted with a member selected from the group consisting of: OH, OCH₃, SCH₃, and OCF₃;

C₁₋₆haloalkyl; C₁₋₆haloalkyl substituted with a member selected from the group consisting of: OH, and OCH₃; CN; and OC₁₋₆alkyl;

R^g is selected from the group consisting of: H; C₁₋₆alkyl; C₁₋₆alkyl substituted with a member selected from the group consisting of: OH, OCH₃, SCH₃, and OCF₃; C₁₋₆haloalkyl; and C₁₋₆haloalkyl substituted with a member selected from the group consisting of: OH, and OCH₃; and

n is 1;

or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof.

26. A compound selected from the group consisting of:

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-2-(3-fluorophenyl)-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-2-(3-fluorophenyl)-4-isopropylisoquinolin-1(2H)-one;

2-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-4-isopropylisoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-2-(3-fluorophenyl)-4-phenylisoquinolin-1(2H)-one;

2-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;

2-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-4-(3,3,3-trifluoroprop-1-en-2-yl)isoquinolin-1(2H)-one;

2-(2,6-Dichlorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-4-(1-methylcyclopropyl)isoquinolin-1(2H)-one;

2-(2,6-Dichlorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;

2-(2-Chloro-6-fluorophenyl)-4-cyclopropyl-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)isoquinolin-1(2H)-one;

2-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)isoquinolin-1(2H)-one;

2-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-4-(prop-1-en-2-yl)-2-(2-(trifluoromethyl)phenyl)isoquinolin-1(2H)-one;

2-(6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-1-oxo-4-(prop-1-en-2-yl)isoquinolin-2(1H)-yl)benzonitrile;

2-(2-Chlorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-4-(prop-1-en-2-yl)-2-(o-tolyl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-2-(2-fluoro-4-nitrophenyl)-4-iodoisoquinolin-1(2H)-one;

2-(2-Chlorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-4-isopropylphthalazin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-2-(3-fluorophenyl)-4-isopropylphthalazin-1(2H)-one;

2-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-4-isopropylphthalazin-1(2H)-one;

4-Ethyl-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-2-(3-fluorophenyl)phthalazin-1(2H)-one;

4-Ethyl-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-2-(o-tolyl)phthalazin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(o-tolyl)isoquinolin-1(2H)-one;

2-(2-Chloro-4-methylpyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;

2-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-

triazol-1-yl)-4-(1-methylcyclopropyl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-2-(3-fluorophenyl)-
 4-(2-hydroxypropan-2-yl)isoquinolin-1(2H)-one;
 4-(Dimethylamino)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-
 2-(o-tolyl)isoquinolin-1(2H)-one;
 2-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-
 triazol-1-yl)-7-fluoro-4-(prop-1-en-2-yl)phthalazin-1(2H)-one;
 2-(2-Chloro-6-fluorophenyl)-7-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-
 triazol-1-yl)-6-fluoro-4-(prop-1-en-2-yl)phthalazin-1(2H)-one;
 2-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-
 triazol-1-yl)-7-methoxy-4-(prop-1-en-2-yl)phthalazin-1(2H)-one;
 2-(2-Chloro-6-fluorophenyl)-7-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-
 triazol-1-yl)-6-methoxy-4-(prop-1-en-2-yl)phthalazin-1(2H)-one;
 2-(5-Chloro-3-methyl-1H-pyrazol-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-
 1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;
 2-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-3-fluoro-8-(prop-1-
 en-2-yl)-6-(o-tolyl)-1,6-naphthyridin-5(6H)-one;
 2-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-3-fluoro-8-methyl-
 6-(o-tolyl)pyrido[2,3-d]pyridazin-5(6H)-one;
 2-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-3-fluoro-8-
 isopropyl-6-(o-tolyl)pyrido[2,3-d]pyridazin-5(6H)-one;
 6-(2-Chloro-6-fluorophenyl)-2-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-
 triazol-1-yl)-3-fluoro-8-(prop-1-en-2-yl)-1,6-naphthyridin-5(6H)-one;
 6-(2-Chloro-6-fluorophenyl)-2-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-
 triazol-1-yl)-3-fluoro-8-isopropyl-1,6-naphthyridin-5(6H)-one;
 (S)-2-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-3-fluoro-6-(o-
 tolyl)-8-(1,1,1-trifluoropropan-2-yl)-1,6-naphthyridin-5(6H)-one;
 (R)-2-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-3-fluoro-6-(o-
 tolyl)-8-(1,1,1-trifluoropropan-2-yl)-1,6-naphthyridin-5(6H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-
 isopropyl-2-(4-methylthiazol-5-yl)isoquinolin-1(2H)-one;

2-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-3-fluoro-8-isopropyl-6-(o-tolyl)-1,6-naphthyridin-5(6H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(2-fluoro-5-methylphenyl)-4-isopropylisoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(2-fluoro-5-methylphenyl)-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;

2-(2-Chloro-5-methylphenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(2-fluoro-5-methoxyphenyl)-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;

2-(2-Chlorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-(prop-1-en-2-yl)-2-(o-tolyl)isoquinolin-1(2H)-one;

2-(2-Chloro-5-methoxyphenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;

racemic-4-(sec-Butyl)-2-(2-chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoroisoquinolin-1(2H)-one;

2-(3-Chloro-6-methoxypyridin-2-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(2-methoxy-4-methylpyridin-3-yl)isoquinolin-1(2H)-one;

2-(2-Chloro-6-fluoro-3-methoxyphenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;

2-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(o-tolyl)phthalazin-1(2H)-one;

2-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylphthalazin-1(2H)-one;

Racemic 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-

(o-tolyl)-4-(1,1,1-trifluoropropan-2-yl)phthalazin-1(2H)-one;
 (S*)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(o-tolyl)-4-(1,1,1-trifluoropropan-2-yl)phthalazin-1(2H)-one;
 (R*)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(o-tolyl)-4-(1,1,1-trifluoropropan-2-yl)phthalazin-1(2H)-one;
 2-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-(1-methylcyclopropyl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(2-methoxy-4-methylpyridin-3-yl)-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;
 2-(5-Chloro-3-methyl-1H-pyrazol-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;
 2-(3-Chloro-2-methoxy-5-methylpyridin-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;
 2-(3-Chloro-2-methoxy-5-methylpyridin-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(2-fluoro-5-methoxyphenyl)-4-isopropylisoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(4-fluoro-2-methylphenyl)-4-isopropylisoquinolin-1(2H)-one;
 2-(2-Chloro-3-(2-hydroxyethoxy)phenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(2-fluorophenyl)-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(5-fluoro-2-methylphenyl)-4-isopropylisoquinolin-1(2H)-one;
 2-(2,5-Difluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(2-fluoro-6-methylphenyl)-4-isopropylisoquinolin-1(2H)-one;
 2-(2-Chloro-3-methoxyphenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(2-methoxy-3,5-dimethylpyridin-4-yl)-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;
 2-(2,5-Difluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(2-fluoro-6-methylphenyl)-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(3-fluoro-2-methylphenyl)-4-isopropylisoquinolin-1(2H)-one;
 2-(2,5-Dimethylphenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(4-fluoro-2-methylphenyl)-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(2-fluorophenyl)-4-isopropylisoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(2-methoxy-3,5-dimethylpyridin-4-yl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-methyl-4-(prop-1-en-2-yl)-2-(o-tolyl)isoquinolin-1(2H)-one;
 2-(2-Chloro-6-fluoro-3-methoxyphenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(o-tolyl)-4-(3,3,3-trifluoroprop-1-en-2-yl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(5-fluoro-2-methylphenyl)-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(2-methoxyphenyl)-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;
 2-(2-Chloro-5-methylpyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(5-fluoro-2-methoxypyridin-4-yl)-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(3-

fluoro-2-methylphenyl)-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;
 2-(2,5-Dimethylphenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;
 Racemic-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(o-tolyl)-4-(1,1,1-trifluoropropan-2-yl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-2-(2-ethylphenyl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(2-methoxypyridin-3-yl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(5-fluoro-2-methoxypyridin-4-yl)-4-isopropylisoquinolin-1(2H)-one;
 2-(2-Chloro-5-methylpyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(2-(methyl-d3)phenyl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(4-methylpyrimidin-5-yl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(2-methoxyphenyl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(3-fluoro-6-methoxypyridin-2-yl)-4-isopropylisoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(3-methylpyrazin-2-yl)isoquinolin-1(2H)-one;
 2-(2-Chloro-5-methylpyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;
 2-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-3-fluoro-6-(2-fluoro-5-methylphenyl)-8-isopropyl-1,6-naphthyridin-5(6H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro 4-isopropyl-2-(4-methylpyridazin-3-yl)isoquinolin-1(2H)-one;
 (S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(o-tolyl)-4-(1,1,1-trifluoropropan-2-yl)isoquinolin-1(2H)-one;

(R)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(o-tolyl)-4-(1,1,1-trifluoropropan-2-yl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(2-(trifluoromethyl)phenyl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(5-methylpyrimidin-4-yl)isoquinolin-1(2H)-one;

2-(2-(Difluoromethyl)phenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;

2-(3-Chloro-2-methoxypyridin-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;

2-Cyclohexyl-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;

2-(3-Chloro-6-methylpyridin-2-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;

2-Cyclopentyl-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;

2-(3-Chloro-4-methoxypyridin-2-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-((1R,2S)-2-methylcyclohexyl)isoquinolin-1(2H)-one;

2-(1,3-Dimethoxypropan-2-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(2-methoxy-5-methylpyridin-4-yl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-((1S,2R)-2-methylcyclohexyl)isoquinolin-1(2H)-one;

2-(Cyclopropylmethyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(1-methoxybutan-2-yl)isoquinolin-1(2H)-one;

2-(2-Chlorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-

7-fluoro-4-isopropylisoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(3-methylpyridin-2-yl)isoquinolin-1(2H)-one;

Racemic 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-((cis)-3-methoxycyclopentyl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-((1R*,2R*)-2-methylcyclohexyl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-((1S*,2S*)-2-methylcyclohexyl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(pentan-3-yl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-((1R*,2R*)-2-methylcyclopentyl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-((1S*,2S*)-2-methylcyclopentyl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-((1R*,2S*)-2-methylcyclopentyl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-((1S*,2R*)-2-methylcyclopentyl)isoquinolin-1(2H)-one;

Racemic 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-((cis)-3-methoxycyclohexyl)isoquinolin-1(2H)-one;

2-(Bicyclo[2.2.1]heptan-1-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(2-methoxy-3-methylpyridin-4-yl)isoquinolin-1(2H)-one;

2-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-3-fluoro-8-isopropyl-6-(2-methoxyphenyl)-1,6-naphthyridin-5(6H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(3-methylisothiazol-4-yl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(5-methylisothiazol-4-yl)isoquinolin-1(2H)-one;

2-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-3-fluoro-8-isopropyl-6-(2-(trifluoromethyl)phenyl)-1,6-naphthyridin-5(6H)-one;

2-(3,6-Dimethylpyridin-2-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;

2-(2,5-Dimethylpyridin-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(4-methylpyridin-3-yl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(3-methylpyridin-4-yl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(2-methylpyridin-3-yl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(2-hydroxy-5-methylpyridin-4-yl)-4-isopropylisoquinolin-1(2H)-one;

6-(2-(Difluoromethyl)phenyl)-2-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-3-fluoro-8-isopropyl-1,6-naphthyridin-5(6H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(2-hydroxy-3-methylpyridin-4-yl)-4-isopropylisoquinolin-1(2H)-one; and

2-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-3-fluoro-8-isopropyl-6-(o-D₃-tolyl)-1,6-naphthyridin-5(6H)-one;

or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof.

27. A compound selected from the group consisting of:

2-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(o-tolyl)isoquinolin-1(2H)-one;

2-(2-Chloro-4-methylpyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;

2-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-

triazol-1-yl)-4-(1-methylcyclopropyl)isoquinolin-1(2H)-one;
 2-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-
 triazol-1-yl)-7-fluoro-4-(prop-1-en-2-yl)thalazine-1(2H)-one;
 2-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-3-fluoro-8-
 isopropyl-6-(o-tolyl)-1,6-naphthyridin-5(6H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-
 isopropyl-2-(o-tolyl)thalazine-1(2H)-one;
 2-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-
 triazol-1-yl)-7-fluoro-4-isopropylphthalazin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-
 isopropyl-2-(2-(methyl-d3)phenyl)isoquinolin-1(2H)-one;
 ®-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(o-
 tolyl)-4-(1,1,1-trifluoropropan-2-yl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-
 isopropyl-2-(2-(trifluoromethyl)phenyl)isoquinolin-1(2H)-one; and
 2-(2-(Difluoromethyl)phenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-
 triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;
 or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof.

28. A pharmaceutical composition comprising: (A) a compound according to any of claims 1-27,
 or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide
 thereof; and (B) at least one pharmaceutically acceptable excipient.

29. A pharmaceutical composition comprising an effective amount of a compound selected from
 the group consisting of:

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-2-(3-fluorophenyl)-
 4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-2-(3-fluorophenyl)-
 4-isopropylisoquinolin-1(2H)-one;
 2-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-
 triazol-1-yl)-4-isopropylisoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-2-(3-fluorophenyl)-4-phenylisoquinolin-1(2H)-one;

2-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;

2-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-4-(3,3,3-trifluoroprop-1-en-2-yl)isoquinolin-1(2H)-one;

2-(2,6-Dichlorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-4-(1-methylcyclopropyl)isoquinolin-1(2H)-one;

2-(2,6-Dichlorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;

2-(2-Chloro-6-fluorophenyl)-4-cyclopropyl-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)isoquinolin-1(2H)-one;

2-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)isoquinolin-1(2H)-one;

2-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-4-(prop-1-en-2-yl)-2-(2-(trifluoromethyl)phenyl)isoquinolin-1(2H)-one;

2-(6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-1-oxo-4-(prop-1-en-2-yl)isoquinolin-2(1H)-yl)benzonitrile;

2-(2-Chlorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-4-(prop-1-en-2-yl)-2-(o-tolyl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-2-(2-fluoro-4-nitrophenyl)-4-iodoisoquinolin-1(2H)-one;

2-(2-Chlorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-4-isopropylphthalazin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-2-(3-fluorophenyl)-4-isopropylphthalazin-1(2H)-one;

2-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-

triazol-1-yl)-4-isopropylphthalazin-1(2H)-one;
 4-Ethyl-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-2-(3-fluorophenyl)phthalazin-1(2H)-one;
 4-Ethyl-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-2-(o-tolyl)phthalazin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(o-tolyl)isoquinolin-1(2H)-one;
 2-(2-Chloro-4-methylpyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;
 2-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-4-(1-methylcyclopropyl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-2-(3-fluorophenyl)-4-(2-hydroxypropan-2-yl)isoquinolin-1(2H)-one;
 4-(Dimethylamino)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-2-(o-tolyl)isoquinolin-1(2H)-one;
 2-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-(prop-1-en-2-yl)phthalazin-1(2H)-one;
 2-(2-Chloro-6-fluorophenyl)-7-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-6-fluoro-4-(prop-1-en-2-yl)phthalazin-1(2H)-one;
 2-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-methoxy-4-(prop-1-en-2-yl)phthalazin-1(2H)-one;
 2-(2-Chloro-6-fluorophenyl)-7-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-6-methoxy-4-(prop-1-en-2-yl)phthalazin-1(2H)-one;
 2-(5-Chloro-3-methyl-1H-pyrazol-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;
 2-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-3-fluoro-8-(prop-1-en-2-yl)-6-(o-tolyl)-1,6-naphthyridin-5(6H)-one;
 2-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-3-fluoro-8-methyl-6-(o-tolyl)pyrido[2,3-d]pyridazin-5(6H)-one;
 2-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-3-fluoro-8-isopropyl-6-(o-tolyl)pyrido[2,3-d]pyridazin-5(6H)-one;

6-(2-Chloro-6-fluorophenyl)-2-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-3-fluoro-8-(prop-1-en-2-yl)-1,6-naphthyridin-5(6H)-one;

6-(2-Chloro-6-fluorophenyl)-2-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-3-fluoro-8-isopropyl-1,6-naphthyridin-5(6H)-one;

(S)-2-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-3-fluoro-6-(o-tolyl)-8-(1,1,1-trifluoropropan-2-yl)-1,6-naphthyridin-5(6H)-one;

(R)-2-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-3-fluoro-6-(o-tolyl)-8-(1,1,1-trifluoropropan-2-yl)-1,6-naphthyridin-5(6H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(4-methylthiazol-5-yl)isoquinolin-1(2H)-one;

2-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-3-fluoro-8-isopropyl-6-(o-tolyl)-1,6-naphthyridin-5(6H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(2-fluoro-5-methylphenyl)-4-isopropylisoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(2-fluoro-5-methylphenyl)-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;

2-(2-Chloro-5-methylphenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(2-fluoro-5-methoxyphenyl)-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;

2-(2-Chlorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-(prop-1-en-2-yl)-2-(o-tolyl)isoquinolin-1(2H)-one;

2-(2-Chloro-5-methoxyphenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;

racemic-4-(sec-Butyl)-2-(2-chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoroisoquinolin-1(2H)-one;

2-(3-Chloro-6-methoxypyridin-2-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-

isopropyl-2-(2-methoxy-4-methylpyridin-3-yl)isoquinolin-1(2H)-one;
 2-(2-Chloro-6-fluoro-3-methoxyphenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;
 2-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(o-tolyl)phthalazin-1(2H)-one;
 2-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylphthalazin-1(2H)-one;
 Racemic 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(o-tolyl)-4-(1,1,1-trifluoropropan-2-yl)phthalazin-1(2H)-one;
 (S*)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(o-tolyl)-4-(1,1,1-trifluoropropan-2-yl)phthalazin-1(2H)-one;
 (R*)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(o-tolyl)-4-(1,1,1-trifluoropropan-2-yl)phthalazin-1(2H)-one;
 2-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-(1-methylcyclopropyl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(2-methoxy-4-methylpyridin-3-yl)-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;
 2-(5-Chloro-3-methyl-1H-pyrazol-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;
 2-(3-Chloro-2-methoxy-5-methylpyridin-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;
 2-(3-Chloro-2-methoxy-5-methylpyridin-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(2-fluoro-5-methoxyphenyl)-4-isopropylisoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(4-fluoro-2-methylphenyl)-4-isopropylisoquinolin-1(2H)-one;
 2-(2-Chloro-3-(2-hydroxyethoxy)phenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(2-fluorophenyl)-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(5-fluoro-2-methylphenyl)-4-isopropylisoquinolin-1(2H)-one;

2-(2,5-Difluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(2-fluoro-6-methylphenyl)-4-isopropylisoquinolin-1(2H)-one;

2-(2-Chloro-3-methoxyphenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(2-methoxy-3,5-dimethylpyridin-4-yl)-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;

2-(2,5-Difluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(2-fluoro-6-methylphenyl)-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(3-fluoro-2-methylphenyl)-4-isopropylisoquinolin-1(2H)-one;

2-(2,5-Dimethylphenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(4-fluoro-2-methylphenyl)-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(2-fluorophenyl)-4-isopropylisoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(2-methoxy-3,5-dimethylpyridin-4-yl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-methyl-4-(prop-1-en-2-yl)-2-(o-tolyl)isoquinolin-1(2H)-one;

2-(2-Chloro-6-fluoro-3-methoxyphenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(o-tolyl)-

4-(3,3,3-trifluoroprop-1-en-2-yl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(5-fluoro-2-methylphenyl)-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(2-methoxyphenyl)-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;
 2-(2-Chloro-5-methylpyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(5-fluoro-2-methoxypyridin-4-yl)-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(3-fluoro-2-methylphenyl)-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;
 2-(2,5-Dimethylphenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;
 Racemic-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(o-tolyl)-4-(1,1,1-trifluoropropan-2-yl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-2-(2-ethylphenyl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(2-methoxypyridin-3-yl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(5-fluoro-2-methoxypyridin-4-yl)-4-isopropylisoquinolin-1(2H)-one;
 2-(2-Chloro-5-methylpyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(2-(methyl-d3)phenyl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(4-methylpyrimidin-5-yl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(2-methoxyphenyl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(3-fluoro-6-methoxypyridin-2-yl)-4-isopropylisoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(3-methylpyrazin-2-yl)isoquinolin-1(2H)-one;
 2-(2-Chloro-5-methylpyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;
 2-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-3-fluoro-6-(2-fluoro-5-methylphenyl)-8-isopropyl-1,6-naphthyridin-5(6H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro 4-isopropyl-2-(4-methylpyridazin-3-yl)isoquinolin-1(2H)-one;
 (S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(o-tolyl)-4-(1,1,1-trifluoropropan-2-yl)isoquinolin-1(2H)-one;
 (R)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(o-tolyl)-4-(1,1,1-trifluoropropan-2-yl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(2-(trifluoromethyl)phenyl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(5-methylpyrimidin-4-yl)isoquinolin-1(2H)-one;
 2-(2-(Difluoromethyl)phenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;
 2-(3-Chloro-2-methoxypyridin-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;
 2-Cyclohexyl-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;
 2-(3-Chloro-6-methylpyridin-2-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;
 2-Cyclopentyl-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;
 2-(3-Chloro-4-methoxypyridin-2-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-((1R,2S)-2-methylcyclohexyl)isoquinolin-1(2H)-one;
 2-(1,3-Dimethoxypropan-2-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-

triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-
 isopropyl-2-(2-methoxy-5-methylpyridin-4-yl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-
 isopropyl-2-((1S,2R)-2-methylcyclohexyl)isoquinolin-1(2H)-one;
 2-(Cyclopropylmethyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-
 yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-
 isopropyl-2-(1-methoxybutan-2-yl)isoquinolin-1(2H)-one;
 2-(2-Chlorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-
 7-fluoro-4-isopropylisoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-
 isopropyl-2-(3-methylpyridin-2-yl)isoquinolin-1(2H)-one;
 Racemic 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-
 isopropyl-2-((cis)-3-methoxycyclopentyl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-
 isopropyl-2-((1R*,2R*)-2-methylcyclohexyl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-
 isopropyl-2-((1S*,2S*)-2-methylcyclohexyl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-
 isopropyl-2-(pentan-3-yl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-
 isopropyl-2-((1R*,2R*)-2-methylcyclopentyl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-
 isopropyl-2-((1S*,2S*)-2-methylcyclopentyl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-
 isopropyl-2-((1R*,2S*)-2-methylcyclopentyl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-
 isopropyl-2-((1S*,2R*)-2-methylcyclopentyl)isoquinolin-1(2H)-one;
 Racemic 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-
 isopropyl-2-((cis)-3-methoxycyclohexyl)isoquinolin-1(2H)-one;

2-(Bicyclo[2.2.1]heptan-1-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(2-methoxy-3-methylpyridin-4-yl)isoquinolin-1(2H)-one;

2-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-3-fluoro-8-isopropyl-6-(2-methoxyphenyl)-1,6-naphthyridin-5(6H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(3-methylisothiazol-4-yl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(5-methylisothiazol-4-yl)isoquinolin-1(2H)-one;

2-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-3-fluoro-8-isopropyl-6-(2-(trifluoromethyl)phenyl)-1,6-naphthyridin-5(6H)-one;

2-(3,6-Dimethylpyridin-2-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;

2-(2,5-Dimethylpyridin-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(4-methylpyridin-3-yl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(3-methylpyridin-4-yl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(2-methylpyridin-3-yl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(2-hydroxy-5-methylpyridin-4-yl)-4-isopropylisoquinolin-1(2H)-one;

6-(2-(Difluoromethyl)phenyl)-2-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-3-fluoro-8-isopropyl-1,6-naphthyridin-5(6H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(2-hydroxy-3-methylpyridin-4-yl)-4-isopropylisoquinolin-1(2H)-one; and

2-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-3-fluoro-8-isopropyl-6-(o-D₃-tolyl)-1,6-naphthyridin-5(6H)-one;

or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide

thereof; and at least one pharmaceutically acceptable excipient.

30. Use of a an effective amount of at least one compound according to any of claims 1-27, or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof in the manufacture of a medicament for treating a subject suffering from or diagnosed with a disease, disorder, or medical condition comprising inhibiting or altering dihydroorotate oxygenase enzyme activity in the subject, and wherein the disorder, disease or medical condition is selected from the group consisting of: inflammatory disorders, cancer, and autoimmune disorders.
31. The use according to claim 30, wherein the cancer is selected from the group consisting of: lymphomas, leukemias, carcinomas, and sarcomas.
32. The use according to claim 31, wherein the leukemia is selected from the group consisting of: acute lymphoblastic leukemia, acute myeloid leukemia, (acute) T-cell leukemia, acute lymphoblastic leukemia, acute lymphocytic leukemia, acute monocytic leukemia, acute promyelocytic leukemia, bisphenotypic B myelomonocytic leukemia, chronic lymphocytic leukemia, chronic myelogenous leukemia, chronic myeloid leukemia, chronic myelomonocytic leukemia, large granular lymphocytic leukemia, plasma cell leukemia, and also myelodysplastic syndrome, which can develop into an acute myeloid leukemia.
33. The use according to claim 32, wherein the leukemia is acute myeloid leukemia.
34. The use according to any one of claims 30-33, wherein the at least one compound is:
- 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-2-(3-fluorophenyl)-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;
- 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-2-(3-fluorophenyl)-4-isopropylisoquinolin-1(2H)-one;
- 2-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-

triazol-1-yl)-4-isopropylisoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-2-(3-fluorophenyl)-
 4-phenylisoquinolin-1(2H)-one;
 2-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-
 triazol-1-yl)-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;
 2-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-
 triazol-1-yl)-4-(3,3,3-trifluoroprop-1-en-2-yl)isoquinolin-1(2H)-one;
 2-(2,6-Dichlorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-
 yl)-4-(1-methylcyclopropyl)isoquinolin-1(2H)-one;
 2-(2,6-Dichlorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-
 yl)-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;
 2-(2-Chloro-6-fluorophenyl)-4-cyclopropyl-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-
 dihydro-1H-1,2,4-triazol-1-yl)isoquinolin-1(2H)-one;
 2-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-
 triazol-1-yl)isoquinolin-1(2H)-one;
 2-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-
 triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-4-(prop-1-en-2-yl)-
 2-(2-(trifluoromethyl)phenyl)isoquinolin-1(2H)-one;
 2-(6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-1-oxo-4-(prop-1-
 en-2-yl)isoquinolin-2(1H)-yl)benzonitrile;
 2-(2-Chlorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-
 4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-4-(prop-1-en-2-yl)-
 2-(o-tolyl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-2-(2-fluoro-4-
 nitrophenyl)-4-iodoisoquinolin-1(2H)-one;
 2-(2-Chlorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-
 4-isopropylphthalazin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-2-(3-fluorophenyl)-
 4-isopropylphthalazin-1(2H)-one;

2-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-4-isopropylphthalazin-1(2H)-one;

4-Ethyl-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-2-(3-fluorophenyl)phthalazin-1(2H)-one;

4-Ethyl-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-2-(o-tolyl)phthalazin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(o-tolyl)isoquinolin-1(2H)-one;

2-(2-Chloro-4-methylpyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;

2-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-4-(1-methylcyclopropyl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-2-(3-fluorophenyl)-4-(2-hydroxypropan-2-yl)isoquinolin-1(2H)-one;

4-(Dimethylamino)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-2-(o-tolyl)isoquinolin-1(2H)-one;

2-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-(prop-1-en-2-yl)phthalazin-1(2H)-one;

2-(2-Chloro-6-fluorophenyl)-7-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-6-fluoro-4-(prop-1-en-2-yl)phthalazin-1(2H)-one;

2-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-methoxy-4-(prop-1-en-2-yl)phthalazin-1(2H)-one;

2-(2-Chloro-6-fluorophenyl)-7-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-6-methoxy-4-(prop-1-en-2-yl)phthalazin-1(2H)-one;

2-(5-Chloro-3-methyl-1H-pyrazol-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;

2-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-3-fluoro-8-(prop-1-en-2-yl)-6-(o-tolyl)-1,6-naphthyridin-5(6H)-one;

2-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-3-fluoro-8-methyl-6-(o-tolyl)pyrido[2,3-d]pyridazin-5(6H)-one;

2-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-3-fluoro-8-

isopropyl-6-(o-tolyl)pyrido[2,3-d]pyridazin-5(6H)-one;
 6-(2-Chloro-6-fluorophenyl)-2-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-3-fluoro-8-(prop-1-en-2-yl)-1,6-naphthyridin-5(6H)-one;
 6-(2-Chloro-6-fluorophenyl)-2-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-3-fluoro-8-isopropyl-1,6-naphthyridin-5(6H)-one;
 (S)-2-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-3-fluoro-6-(o-tolyl)-8-(1,1,1-trifluoropropan-2-yl)-1,6-naphthyridin-5(6H)-one;
 (R)-2-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-3-fluoro-6-(o-tolyl)-8-(1,1,1-trifluoropropan-2-yl)-1,6-naphthyridin-5(6H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(4-methylthiazol-5-yl)isoquinolin-1(2H)-one;
 2-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-3-fluoro-8-isopropyl-6-(o-tolyl)-1,6-naphthyridin-5(6H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(2-fluoro-5-methylphenyl)-4-isopropylisoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(2-fluoro-5-methylphenyl)-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;
 2-(2-Chloro-5-methylphenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(2-fluoro-5-methoxyphenyl)-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;
 2-(2-Chlorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-(prop-1-en-2-yl)-2-(o-tolyl)isoquinolin-1(2H)-one;
 2-(2-Chloro-5-methoxyphenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;
 racemic-4-(sec-Butyl)-2-(2-chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoroisoquinolin-1(2H)-one;
 2-(3-Chloro-6-methoxypyridin-2-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(2-methoxy-4-methylpyridin-3-yl)isoquinolin-1(2H)-one;

2-(2-Chloro-6-fluoro-3-methoxyphenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;

2-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(o-tolyl)phthalazin-1(2H)-one;

2-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylphthalazin-1(2H)-one;

Racemic 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(o-tolyl)-4-(1,1,1-trifluoropropan-2-yl)phthalazin-1(2H)-one;

(S*)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(o-tolyl)-4-(1,1,1-trifluoropropan-2-yl)phthalazin-1(2H)-one;

(R*)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(o-tolyl)-4-(1,1,1-trifluoropropan-2-yl)phthalazin-1(2H)-one;

2-(2-Chloro-6-fluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-(1-methylcyclopropyl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(2-methoxy-4-methylpyridin-3-yl)-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;

2-(5-Chloro-3-methyl-1H-pyrazol-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;

2-(3-Chloro-2-methoxy-5-methylpyridin-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;

2-(3-Chloro-2-methoxy-5-methylpyridin-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(2-fluoro-5-methoxyphenyl)-4-isopropylisoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(4-fluoro-2-methylphenyl)-4-isopropylisoquinolin-1(2H)-one;

2-(2-Chloro-3-(2-hydroxyethoxy)phenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-

1H-1,2,4-triazol-1-yl)-7-fluoro-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(2-fluorophenyl)-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(5-fluoro-2-methylphenyl)-4-isopropylisoquinolin-1(2H)-one;
 2-(2,5-Difluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(2-fluoro-6-methylphenyl)-4-isopropylisoquinolin-1(2H)-one;
 2-(2-Chloro-3-methoxyphenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(2-methoxy-3,5-dimethylpyridin-4-yl)-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;
 2-(2,5-Difluorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(2-fluoro-6-methylphenyl)-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(3-fluoro-2-methylphenyl)-4-isopropylisoquinolin-1(2H)-one;
 2-(2,5-Dimethylphenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(4-fluoro-2-methylphenyl)-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(2-fluorophenyl)-4-isopropylisoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(2-methoxy-3,5-dimethylpyridin-4-yl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-methyl-4-(prop-1-en-2-yl)-2-(o-tolyl)isoquinolin-1(2H)-one;
 2-(2-Chloro-6-fluoro-3-methoxyphenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(o-tolyl)-4-(3,3,3-trifluoroprop-1-en-2-yl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(5-fluoro-2-methylphenyl)-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(2-methoxyphenyl)-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;

2-(2-Chloro-5-methylpyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(5-fluoro-2-methoxypyridin-4-yl)-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(3-fluoro-2-methylphenyl)-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;

2-(2,5-Dimethylphenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-(prop-1-en-2-yl)isoquinolin-1(2H)-one;

Racemic-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(o-tolyl)-4-(1,1,1-trifluoropropan-2-yl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-2-(2-ethylphenyl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(2-methoxypyridin-3-yl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(5-fluoro-2-methoxypyridin-4-yl)-4-isopropylisoquinolin-1(2H)-one;

2-(2-Chloro-5-methylpyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(2-(methyl-d3)phenyl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(4-methylpyrimidin-5-yl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(2-methoxyphenyl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(3-

fluoro-6-methoxypyridin-2-yl)-4-isopropylisoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-
 isopropyl-2-(3-methylpyrazin-2-yl)isoquinolin-1(2H)-one;
 2-(2-Chloro-5-methylpyridin-3-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-
 1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;
 2-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-3-fluoro-6-(2-
 fluoro-5-methylphenyl)-8-isopropyl-1,6-naphthyridin-5(6H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro 4-
 isopropyl-2-(4-methylpyridazin-3-yl)isoquinolin-1(2H)-one;
 (S)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(o-
 tolyl)-4-(1,1,1-trifluoropropan-2-yl)isoquinolin-1(2H)-one;
 (R)-6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(o-
 tolyl)-4-(1,1,1-trifluoropropan-2-yl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-
 isopropyl-2-(2-(trifluoromethyl)phenyl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-
 isopropyl-2-(5-methylpyrimidin-4-yl)isoquinolin-1(2H)-one;
 2-(2-(Difluoromethyl)phenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H- 1,2,4-
 triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;
 2-(3-Chloro-2-methoxypyridin-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-
 1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;
 2-Cyclohexyl-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-
 fluoro-4-isopropylisoquinolin-1(2H)-one;
 2-(3-Chloro-6-methylpyridin-2-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-
 1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;
 2-Cyclopentyl-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-
 fluoro-4-isopropylisoquinolin-1(2H)-one;
 2-(3-Chloro-4-methoxypyridin-2-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-
 1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-
 isopropyl-2-((1R,2S)-2-methylcyclohexyl)isoquinolin-1(2H)-one;

2-(1,3-Dimethoxypropan-2-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(2-methoxy-5-methylpyridin-4-yl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-((1S,2R)-2-methylcyclohexyl)isoquinolin-1(2H)-one;

2-(Cyclopropylmethyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(1-methoxybutan-2-yl)isoquinolin-1(2H)-one;

2-(2-Chlorophenyl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(3-methylpyridin-2-yl)isoquinolin-1(2H)-one;

Racemic 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-((cis)-3-methoxycyclopentyl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-((1R*,2R*)-2-methylcyclohexyl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-((1S*,2S*)-2-methylcyclohexyl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(pentan-3-yl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-((1R*,2R*)-2-methylcyclopentyl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-((1S*,2S*)-2-methylcyclopentyl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-((1R*,2S*)-2-methylcyclopentyl)isoquinolin-1(2H)-one;

6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-((1S*,2R*)-2-methylcyclopentyl)isoquinolin-1(2H)-one;

Racemic 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-

isopropyl-2-((cis)-3-methoxycyclohexyl)isoquinolin-1(2H)-one;
 2-(Bicyclo[2.2.1]heptan-1-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(2-methoxy-3-methylpyridin-4-yl)isoquinolin-1(2H)-one;
 2-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-3-fluoro-8-isopropyl-6-(2-methoxyphenyl)-1,6-naphthyridin-5(6H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(3-methylisothiazol-4-yl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(5-methylisothiazol-4-yl)isoquinolin-1(2H)-one;
 2-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-3-fluoro-8-isopropyl-6-(2-(trifluoromethyl)phenyl)-1,6-naphthyridin-5(6H)-one;
 2-(3,6-Dimethylpyridin-2-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;
 2-(2,5-Dimethylpyridin-4-yl)-6-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropylisoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(4-methylpyridin-3-yl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(3-methylpyridin-4-yl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-4-isopropyl-2-(2-methylpyridin-3-yl)isoquinolin-1(2H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(2-hydroxy-5-methylpyridin-4-yl)-4-isopropylisoquinolin-1(2H)-one;
 6-(2-(Difluoromethyl)phenyl)-2-(4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-3-fluoro-8-isopropyl-1,6-naphthyridin-5(6H)-one;
 6-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-7-fluoro-2-(2-hydroxy-3-methylpyridin-4-yl)-4-isopropylisoquinolin-1(2H)-one; and
 2-(4-Ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-3-fluoro-8-isopropyl-6-(o-D₃-tolyl)-1,6-naphthyridin-5(6H)-one; or a pharmaceutically acceptable

salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof.

35. An effective amount of at least one compound according to any of claims 1-27, or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof for use in treating a subject suffering from or diagnosed with a disease, disorder, or medical condition comprising inhibiting or altering dihydroorotate oxygenase enzyme activity in the subject.