


CLAIMS:









1. A compound of formula I:



wherein

n is selected from 0, 1, 2 and 3;

R₁ is selected from:



R₂ is selected from chloro, methyl, hydrogen, fluoro and methoxy;

R_{3a} is selected from cyano-methyl, 2-hydroxy-ethyl, 1-hydroxypropan-2-yl, 3-hydroxy-2-(hydroxy-methyl)propanoyl, 2-methoxy-ethyl, 2-fluoropropanoyl, (3-methyloxetan-3-yl)-methyl, methyl-sulfonyl, amino-carbonyl-methyl, cyclopropyl-sulfonyl, isopropyl-sulfonyl, dimethylcarbamoyl, 3-hydroxy-2-(hydroxy-methyl)propyl, 2-hydroxy-propyl, 2-hydroxyacetyl, 2-acetoxyacetyl, 2-methoxyacetyl, (2,2,2-trifluoroethyl)carbamoyl, 2-aminoacetyl, oxetan-3-ylmethyl, (S)-2-hydroxypropanoyl, 2-

- 157 -

hydroxypropanoyl, acetyl, 2-amino-2-oxoethyl, carbamoyl, (oxetan-2-yl)-methanoyl, 2-(sulfooxy)acetyl, 2-fluoroethanoyl, 3-hydroxypropanoyl, and N,N-dimethylsulfonamidyl; each R_4 is independently selected from hydrogen, halo, methyl and hydroxy-methyl; and optionally two R_4 groups together with the carbon atoms to which they are attached form $-(CH_2)_{2-3}-$;

R_5 is selected from hydrogen and methyl;

R_6 is selected from hydrogen, methoxy and halo;

R_7 is selected from hydrogen, fluoro, CF_3 , CH_2OH , cyclopropyl and methyl; and

R_8 is cyano;


or the pharmaceutically acceptable salts thereof.

2. The compound of formula I, according to claim 1,

wherein

n is selected from 0 or 1;

R_1 is selected from:



R_2 is selected from chloro, methyl, hydrogen, fluoro and methoxy;

R_{3a} is selected from cyano-methyl, 3-hydroxy-2-(hydroxy-methyl)propanoyl, 2-methoxy-ethyl, 2-fluoropropanoyl, (3-methyloxetan-3-yl)-methyl, methyl-sulfonyl, amino-carbonyl-methyl, cyclopropyl-sulfonyl, isopropyl-sulfonyl, dimethylcarbamoyl, 2-hydroxyacetyl, 2-acetoxyacetyl, 2-methoxyacetyl, (2,2,2-trifluoroethyl)carbamoyl, 2-aminoacetyl, oxetan-3-ylmethyl, (S)-2-hydroxypropanoyl, 2-hydroxypropanoyl, acetyl, 2-amino-2-oxoethyl, carbamoyl, (oxetan-2-yl)-methanoyl, 2-(sulfooxy)acetyl, 2-fluoroethanoyl, 3-hydroxypropanoyl, and N,N-dimethylsulfonamidyl;

each R_4 is independently selected from halo, methyl and hydroxy-methyl;

R_5 is selected from hydrogen and methyl;

R_6 is selected from hydrogen and halo; and

R_7 is selected from hydrogen, fluoro, CF_3 , CH_2OH , cyclopropyl and methyl;

or the pharmaceutically acceptable salts thereof.


- 158 -

3. The compound of formula I, according to claim 1,

wherein

n is selected from 0 or 1;

R₁ is selected from:



R₂ is selected from chloro, methyl, hydrogen, fluoro and methoxy;

R_{3a} is selected from 3-hydroxy-2-(hydroxy-methyl)propanoyl, 2-fluoropropanoyl, methyl-sulfonyl, cyclopropyl-sulfonyl, isopropyl-sulfonyl, dimethylcarbamoyl, 2-hydroxyacetyl, 2-acetoxyacetyl, 2-methoxyacetyl, (2,2,2-trifluoroethyl)carbamoyl, 2-aminoacetyl, (S)-2-hydroxypropanoyl, 2-hydroxypropanoyl, acetyl, carbamoyl, 2-(sulfooxy)acetyl, 2-fluoroethanoyl, 3-hydroxypropanoyl, and N,N-dimethylsulfonamidyl; each R₄ is independently selected from halo, methyl and hydroxy-methyl;

R₅ is selected from hydrogen and methyl;

R₆ is selected from hydrogen and halo; and


R₇ is selected from hydrogen, fluoro, CF₃, CH₂OH, cyclopropyl and methyl; or the pharmaceutically acceptable salts thereof.

4. The compound of formula I, according to claim 1,

wherein

n is selected from 0 or 1;

R₁ is selected from:




R₂ is selected from chloro and methoxy;

R_{3a} is selected from 3-hydroxy-2-(hydroxy-methyl)propanoyl, 2-fluoropropanoyl, dimethylcarbamoyl, 2-hydroxyacetyl, 2-acetoxyacetyl, 2-methoxyacetyl, (2,2,2-

- 159 -

trifluoroethyl)carbamoyl, 2-aminoacetyl, (S)-2-hydroxypropanoyl, 2-hydroxypropanoyl, acetyl, carbamoyl, 2-(sulfooxy)acetyl, 2-fluoroethanoyl and 3-hydroxypropanoyl; each R_4 is independently selected from halo, methyl and hydroxy-methyl; R_5 is selected from hydrogen and methyl; R_6 is hydrogen; and R_7 is hydrogen; or the pharmaceutically acceptable salts thereof.






5. The compound of claim 1 of formula Ie:




Ie

wherein

R_1 is selected from:



- 160 -



R_2 is selected from chloro, methyl, fluoro and methoxy;

R_{3a} is selected from cyano-methyl, 2-hydroxy-ethyl, 1-hydroxypropan-2-yl, 3-hydroxy-2-(hydroxy-methyl)propanoyl, 2-methoxy-ethyl, 2-fluoropropanoyl, (3-methyloxetan-3-yl)-methyl, methyl-sulfonyl, amino-carbonyl-methyl, cyclopropyl-sulfonyl, isopropyl-sulfonyl, dimethylcarbamoyl, 3-hydroxy-2-(hydroxy-methyl)propyl, 2-hydroxy-propyl, 2-hydroxyacetyl, 2-acetoxyacetyl, 2-methoxyacetyl, (2,2,2-trifluoroethyl)carbamoyl, 2-aminoacetyl, oxetan-3-ylmethyl, (S)-2-hydroxypropanoyl, 2-hydroxypropanoyl, acetyl, 2-amino-2-oxoethyl, carbamoyl, (oxetan-2-yl)-methanoyl, 2-(sulfooxy)acetyl, 2-fluoroethanoyl, 3-hydroxypropanoyl, and N,N-dimethylsulfonamidyl;

R_{4a} is selected from hydrogen and methyl;

R_{4b} is selected from hydrogen and fluorine;

R_5 is selected from hydrogen and methyl;


R_6 is selected from hydrogen and fluoro;

R_7 is selected from hydrogen, fluoro, CF_3 , CH_2OH , cyclopropyl and methyl; and

R_8 is cyano;

or the pharmaceutically acceptable salts thereof.


6. The compound of claim 1 of formula 1e:



1e

whererin

R₁ is selected from:



R₂ is selected from chloro, methyl, fluoro and methoxy;

R_{3a} is selected from cyano-methyl, 3-hydroxy-2-(hydroxy-methyl)propanoyl, 2-methoxy-ethyl, 2-fluoropropanoyl, (3-methyloxetan-3-yl)-methyl, methyl-sulfonyl, amino-carbonyl-methyl, cyclopropyl-sulfonyl, isopropyl-sulfonyl, dimethylcarbamoyl, 2-hydroxyacetyl, 2-acetoxyacetyl, 2-methoxyacetyl, (2,2,2-trifluoroethyl)carbamoyl, 2-aminoacetyl, oxetan-3-ylmethyl, (S)-2-hydroxypropanoyl, 2-hydroxypropanoyl, acetyl, 2-amino-2-oxoethyl, carbamoyl, (oxetan-2-yl)-methanoyl, 2-(sulfooxy)acetyl, 2-fluoroethanoyl, 3-hydroxypropanoyl, and N,N-dimethylsulfonamidyl;

R_{4a} is hydrogen;

R_{4b} is fluorine;


R₅ is methyl;

R₆ is hydrogen and fluoro; and

R₇ is selected from hydrogen, CF₃, CH₂OH, and methyl;

or the pharmaceutically acceptable salts thereof.

7. The compound of claim 1 of formula Ie:




Ie

wherein

- 162 -

R₁ is selected from:



R₂ is selected from chloro, methyl, fluoro and methoxy;

R_{3a} is selected from cyano-methyl, methyl-sulfonyl, 2-hydroxyacetyl, 2-acetoxyacetyl, 2-methoxyacetyl, (S)-2-hydroxypropanoyl, acetyl, carbamoyl, (oxetan-2-yl)-methanoyl, 2-(sulfooxy)acetyl, 2-fluoroethanoyl and 3-hydroxypropanoyl;

R_{4a} is hydrogen;

R_{4b} is fluorine;

R₅ is methyl;

R₆ is selected from hydrogen and fluoro; and

R₇ is selected from hydrogen, CF₃, CH₂OH, and methyl;

or the pharmaceutically acceptable salts thereof.

8. The compound of claim 1 selected from:

1-((3S,4S)-4-(8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)-3-fluoropiperidin-1-yl)-2-hydroxyethanone;

1-((3R,4R)-4-(8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)-3-fluoropiperidin-1-yl)-2-hydroxyethanone;

8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-7-fluoro-1-(1-(2-methoxyethyl)piperidin-4-yl)-2-methyl-1H-imidazo[4,5-c]quinoline;

2-(4-(8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)piperidin-1-yl)ethanol;

8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-7-fluoro-2-methyl-1-(1-((3-methyloxetan-3-yl)methyl)piperidin-4-yl)-1H-imidazo[4,5-c]quinoline;

8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-7-fluoro-2-methyl-1-(1-(methylsulfonyl)piperidin-4-yl)-1H-imidazo[4,5-c]quinoline;

1-(4-(8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)piperidin-1-yl)-2-hydroxypropan-1-one;

1-(4-(8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)piperidin-1-yl)propan-2-ol;

8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-1-(1-(cyclopropylsulfonyl)piperidin-4-yl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinoline;

8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-7-fluoro-1-(1-(isopropylsulfonyl)piperidin-4-yl)-2-methyl-1H-imidazo[4,5-c]quinoline;

4-(8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)-N,N-dimethylpiperidine-1-sulfonamide;

4-(8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)-N,N-dimethylpiperidine-1-carboxamide;

1-(4-(8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)piperidin-1-yl)ethanone;

2-(4-(8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)piperidin-1-yl)acetamide;

1-(4-(8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)piperidin-1-yl)-2-hydroxyethanone;

2-(4-(8-(2-chloro-4-((4-methylpyrimidin-2-yl)oxy)phenyl)-7-fluoro-1H-imidazo[4,5-c]quinolin-1-yl)-4-methylpiperidin-1-yl)ethanol

2-(4-(8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)piperidin-1-yl)propan-1-ol;

2-(4-(8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-7-fluoro-1H-imidazo[4,5-c]quinolin-1-yl)-4-methylpiperidin-1-yl)ethanol;

2-(4-(7-fluoro-8-(2-methoxy-4-((4-methylpyrimidin-2-yl)oxy)phenyl)-1H-imidazo[4,5-c]quinolin-1-yl)-4-methylpiperidin-1-yl)ethanol;

2-(4-(7-fluoro-8-(2-methoxy-4-(pyrimidin-2-yloxy)phenyl)-1H-imidazo[4,5-c]quinolin-1-yl)-4-methylpiperidin-1-yl)ethanol;

1-(4-(7-fluoro-8-(2-methoxy-4-((4-methylpyrimidin-2-yl)oxy)phenyl)-1H-imidazo[4,5-c]quinolin-1-yl)-4-methylpiperidin-1-yl)-2-hydroxypropan-1-one;

1-(4-(8-(2-chloro-4-((4-methylpyrimidin-2-yl)oxy)phenyl)-7-fluoro-1H-imidazo[4,5-c]quinolin-1-yl)-4-methylpiperidin-1-yl)-2-hydroxypropan-1-one;

1-(4-(8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)piperidin-1-yl)-3-hydroxy-2-(hydroxymethyl)propan-1-one

2-((4-(8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)piperidin-1-yl)methyl)propane-1,3-diol;

1-(4-(7-fluoro-8-(2-methoxy-4-((4-methylpyrimidin-2-yl)oxy)phenyl)-1H-imidazo[4,5-c]quinolin-1-yl)-4-methylpiperidin-1-yl)-2-hydroxyethanone;

8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-7-fluoro-2-methyl-1-(1-(oxetan-3-ylmethyl)piperidin-4-yl)-1H-imidazo[4,5-c]quinoline;

1-(4-(8-(2-chloro-4-((4-methylpyrimidin-2-yl)oxy)phenyl)-7-fluoro-1H-imidazo[4,5-c]quinolin-1-yl)-4-methylpiperidin-1-yl)-2-hydroxyethanone;

1-(4-(8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-7-fluoro-1H-imidazo[4,5-c]quinolin-1-yl)-4-methylpiperidin-1-yl)-2-hydroxypropan-1-one;

1-(4-(8-(2-chloro-4-((4-methylpyrimidin-2-yl)oxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)piperidin-1-yl)-2-hydroxyethanone;

1-(4-(8-(2-chloro-4-((4-methylpyrimidin-2-yl)oxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)piperidin-1-yl)-2-hydroxypropan-1-one;

4-(8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)piperidine-1-carboxamide;

4-(8-(2-chloro-4-((4-methylpyrimidin-2-yl)oxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)piperidine-1-carboxamide;

8-(2-chloro-4-((4-methylpyrimidin-2-yl)oxy)phenyl)-7-fluoro-2-methyl-1-(1-(methylsulfonyl)piperidin-4-yl)-1H-imidazo[4,5-c]quinoline;

1-(4-(8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-7-fluoro-1H-imidazo[4,5-c]quinolin-1-yl)-4-methylpiperidin-1-yl)-2-hydroxyethanone;

(S)-1-(4-(8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)piperidin-1-yl)-2-hydroxypropan-1-one;

(S)-1-(4-(8-(2-chloro-4-((4-methylpyrimidin-2-yl)oxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)piperidin-1-yl)-2-hydroxypropan-1-one

2-(4-(8-(2-chloro-4-((4-methylpyrimidin-2-yl)oxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)piperidin-1-yl)ethanol;

4-(7-fluoro-8-(2-methoxy-4-((4-methylpyrimidin-2-yl)oxy)phenyl)-1H-imidazo[4,5-c]quinolin-1-yl)-4-methylpiperidine-1-carboxamide;

4-(7-fluoro-8-(2-methoxy-4-(pyrimidin-2-yloxy)phenyl)-1H-imidazo[4,5-c]quinolin-1-yl)-4-methylpiperidine-1-carboxamide

2-amino-1-(4-(8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)piperidin-1-yl)ethanone;

2-amino-1-(4-(8-(2-chloro-4-((4-methylpyrimidin-2-yl)oxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)piperidin-1-yl)ethanone;

1-(4-(8-(2-chloro-4-((4-methylpyrimidin-2-yl)oxy)phenyl)-7-fluoro-1H-imidazo[4,5-c]quinolin-1-yl)-4-(hydroxymethyl)piperidin-1-yl)-2-hydroxyethanone

1-(4-(8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)piperidin-1-yl)-2-methoxyethanone;

(R)-1-(4-(8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)piperidin-1-yl)-2-fluoropropan-1-one;

(S)-1-(4-(8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)piperidin-1-yl)-2-fluoropropan-1-one;

1-(4-(8-(2-chloro-4-((6-(hydroxymethyl)pyridin-2-yl)oxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)piperidin-1-yl)-2-hydroxyethanone;

4-(8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)-N-(2,2,2-trifluoroethyl)piperidine-1-carboxamide;

1-(4-(8-(2-chloro-4-((4-fluoropyrimidin-2-yl)oxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)piperidin-1-yl)-2-hydroxyethanone;

1-(4-(8-(2-chloro-4-((6-fluoropyridin-2-yl)oxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)piperidin-1-yl)-2-hydroxyethanone;

1-(4-(8-(2-chloro-4-((5-fluoro-4-methylpyrimidin-2-yl)oxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)piperidin-1-yl)-2-hydroxyethanone;

2-((3S,4S)-4-(8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)-3-fluoropiperidin-1-yl)-2-oxoethyl acetate;

8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-7-fluoro-1-((3S,4S)-3-fluoro-1-(methylsulfonyl)piperidin-4-yl)-2-methyl-1H-imidazo[4,5-c]quinoline;

1-((3S,4S)-4-(8-(2-chloro-4-((4-(trifluoromethyl)pyrimidin-2-yl)oxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)-3-fluoropiperidin-1-yl)-2-hydroxyethanone;

1-((3S,4S)-4-(8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)-3-fluoropiperidin-1-yl)-2-methoxyethanone;

1-((3S,4S)-4-(8-(2-chloro-4-((5-fluoro-4-methylpyrimidin-2-yl)oxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)-3-fluoropiperidin-1-yl)-2-hydroxyethanone;

1-(4-(8-(2-chloro-4-((4-cyclopropyl)pyrimidin-2-yl)oxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)piperidin-1-yl)-2-hydroxyethanone;

2-((3R,4R)-4-(8-(2-chloro-4-((4-methylpyrimidin-2-yl)oxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)-3-fluoropiperidin-1-yl)acetonitrile;

2-((3S,4S)-4-(8-(2-chloro-4-((4-methylpyrimidin-2-yl)oxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)-3-fluoropiperidin-1-yl)acetonitrile;

4-(3-chloro-4-(1-(1-(cyanomethyl)piperidin-4-yl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-8-yl)phenoxy)-6-methylpyrimidine-2-carbonitrile;

2-(4-(8-(2-chloro-4-((1-methyl-6-oxo-1,6-dihydropyrimidin-4-yl)oxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)piperidin-1-yl)acetonitrile;

2-((3R,4R)-3-fluoro-4-(7-fluoro-8-(2-methoxy-4-(pyrimidin-2-yloxy)phenyl)-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)piperidin-1-yl)acetonitrile;

2-((3S,4S)-3-fluoro-4-(7-fluoro-8-(2-methoxy-4-(pyrimidin-2-yloxy)phenyl)-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)piperidin-1-yl)acetonitrile;

3-(3-chloro-4-(7-fluoro-1-(1-(2-hydroxyacetyl)piperidin-4-yl)-2-methyl-1H-imidazo[4,5-c]quinolin-8-yl)phenoxy)-1-methylpyridin-2(1H)-one;

4-(8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-7-fluoro-1H-imidazo[4,5-c]quinolin-1-yl)-4-methylpiperidine-1-carboxamide;

4-(8-(2-chloro-4-((4-methylpyrimidin-2-yl)oxy)phenyl)-7-fluoro-1H-imidazo[4,5-c]quinolin-1-yl)-4-methylpiperidine-1-carboxamide;

1-(4-(8-(2-chloro-4-((4-methoxy-6-methylpyrimidin-2-yl)oxy)phenyl)-7-fluoro-1H-imidazo[4,5-c]quinolin-1-yl)-4-methylpiperidin-1-yl)-2-hydroxyethanone;

1-(4-(8-(2-chloro-4-((4-methylpyrimidin-2-yl)oxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)piperidin-1-yl)-2-methoxyethanone;

1-((3S,4S)-4-(8-(2-chloro-4-((4-methylpyrimidin-2-yl)oxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)-3-fluoropiperidin-1-yl)-2-hydroxyethanone;

6-(3-chloro-4-(7-fluoro-1-(1-(2-hydroxyacetyl)-4-methylpiperidin-4-yl)-1H-imidazo[4,5-c]quinolin-8-yl)phenoxy)-3-methylpyrimidin-4(3H)-one;

4-(7-fluoro-8-(2-fluoro-4-((4-methylpyrimidin-2-yl)oxy)phenyl)-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)piperidine-1-carboxamide;

1-(4-(7-fluoro-8-(2-fluoro-4-((4-methylpyrimidin-2-yl)oxy)phenyl)-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)piperidin-1-yl)-2-hydroxyethanone;

6-(3-chloro-4-(7-fluoro-1-(1-(2-hydroxyacetyl)piperidin-4-yl)-2-methyl-1H-imidazo[4,5-c]quinolin-8-yl)phenoxy)-3-methylpyrimidin-4(3H)-one;

4-(8-(2-chloro-4-((1-methyl-2-oxo-1,2-dihydropyridin-3-yl)oxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)piperidine-1-carboxamide;

4-(8-(2-chloro-4-((1-methyl-6-oxo-1,6-dihydropyrimidin-4-yl)oxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)piperidine-1-carboxamide;

4-(8-(2-chloro-4-((1-methyl-2-oxo-1,2-dihydropyridin-3-yl)oxy)phenyl)-7-fluoro-1H-imidazo[4,5-c]quinolin-1-yl)-4-methylpiperidine-1-carboxamide;

4-(7-fluoro-2-methyl-8-(2-methyl-4-((4-methylpyrimidin-2-yl)oxy)phenyl)-1H-imidazo[4,5-c]quinolin-1-yl)piperidine-1-carboxamide;

1-(4-(7-fluoro-2-methyl-8-(2-methyl-4-((4-methylpyrimidin-2-yl)oxy)phenyl)-1H-imidazo[4,5-c]quinolin-1-yl)piperidin-1-yl)-2-hydroxyethanone;

1-(4-(7-fluoro-2-methyl-8-(4-((4-methylpyrimidin-2-yl)oxy)phenyl)-1H-imidazo[4,5-c]quinolin-1-yl)piperidin-1-yl)-2-hydroxyethanone;

4-(7-fluoro-8-(2-fluoro-4-((4-methylpyrimidin-2-yl)oxy)phenyl)-1H-imidazo[4,5-c]quinolin-1-yl)-4-methylpiperidine-1-carboxamide;

4-(7-fluoro-8-(2-fluoro-4-(pyrimidin-2-yloxy)phenyl)-1H-imidazo[4,5-c]quinolin-1-yl)-4-methylpiperidine-1-carboxamide;

(S)-3-(3-chloro-4-(7-fluoro-1-(1-(2-hydroxypropanoyl)piperidin-4-yl)-2-methyl-1H-imidazo[4,5-c]quinolin-8-yl)phenoxy)-1-methylpyridin-2(1H)-one;

4-(8-(2-chloro-4-((4-methyl-3-oxo-3,4-dihydropyrazin-2-yl)oxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)piperidine-1-carboxamide

1-(4-(7-fluoro-8-(2-fluoro-4-((4-methylpyrimidin-2-yl)oxy)phenyl)-1H-imidazo[4,5-c]quinolin-1-yl)-4-methylpiperidin-1-yl)-2-hydroxyethanone;

2-(4-(8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)piperidin-1-yl)acetonitrile;

2-((3S,4S)-4-(8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)-3-fluoropiperidin-1-yl)acetonitrile;

((3S,4S)-4-(8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)-3-fluoropiperidin-1-yl)(oxetan-2-yl)methanone;

1-((3S,4S)-4-(8-(2-chloro-4-((5-fluoro-4-methylpyrimidin-2-yl)oxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)-3-fluoropiperidin-1-yl)-2-hydroxyethanone;

1-((3S,4S)-3-fluoro-4-(7-fluoro-8-(2-methoxy-4-(pyrimidin-2-yloxy)phenyl)-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)piperidin-1-yl)-2-hydroxyethanone;

1-((3S,4S)-4-(8-(2-chloro-4-((4-(hydroxymethyl)pyrimidin-2-yl)oxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)-3-fluoropiperidin-1-yl)-2-hydroxyethanone;

1-((3S,4S)-3-fluoro-4-(7-fluoro-2-methyl-8-(2-methyl-4-(pyrimidin-2-yloxy)phenyl)-1H-imidazo[4,5-c]quinolin-1-yl)piperidin-1-yl)-2-hydroxyethanone;

2-((3S,4S)-4-(8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)-3-fluoropiperidin-1-yl)-2-oxoethyl hydrogen sulfate;


1-((3S,4S)-3-fluoro-4-(7-fluoro-8-(2-fluoro-4-(pyrimidin-2-yloxy)phenyl)-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)piperidin-1-yl)-2-hydroxyethanone;

1-((3S,4S)-4-(8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)-3-fluoropiperidin-1-yl)ethanone;

- 168 -

(3S,4S)-4-(8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)-3-fluoropiperidine-1-carboxamide;
 (S)-1-((3S,4S)-4-(8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)-3-fluoropiperidin-1-yl)-2-hydroxypropan-1-one
 1-(4-(8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)piperidin-1-yl)-2-fluoroethanone;
 1-((3S,4S)-4-(8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)-3-fluoropiperidin-1-yl)-2-fluoroethanone;
 1-((3S,4S)-4-(8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)-3-fluoropiperidin-1-yl)-3-hydroxypropan-1-one; and
 1-((3S,4S)-4-(8-(2-chloro-4-((4-methoxy-1,3,5-triazin-2-yl)oxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)-3-fluoropiperidin-1-yl)-2-hydroxyethanone;
 or a pharmaceutically acceptable salt thereof.


9. The compound of claim 1 which is 1-((3S,4S)-4-(8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)-3-fluoropiperidin-1-yl)-2-hydroxyethanone:



; or a pharmaceutically acceptable salt thereof.


10. The compound of claim 1 which is 1-(4-(8-(2-chloro-4-(pyrimidin-2-yloxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)piperidin-1-yl)-2-hydroxyethanone:

- 169 -




; or a pharmaceutically acceptable salt thereof.

11. The compound of claim 1 which is 1-(4-(8-(2-chloro-4-((4-methylpyrimidin-2-yl)oxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)piperidin-1-yl)-2-hydroxyethanone:



; or a pharmaceutically acceptable salt thereof.

12. The compound of claim 1 which is 1-((3S,4S)-4-(8-(2-chloro-4-((4-(trifluoromethyl)pyrimidin-2-yl)oxy)phenyl)-7-fluoro-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)-3-fluoropiperidin-1-yl)-2-hydroxyethanone:



; or a pharmaceutically acceptable salt thereof.

- 170 -

13. A pharmaceutical composition comprising a compound according to any one of claims 1 to 12, or a pharmaceutically acceptable salt thereof, and at least one pharmaceutically acceptable carrier.

14. A combination comprising a compound according to any one of claims 1 to 12, or a pharmaceutically acceptable salt thereof, and one or more therapeutically active agents.

15. A compound according to any one of claims 1 to 12, or a pharmaceutically acceptable salt thereof, for use as a medicament.

16. Use of a compound according to any one of claims 1 to 12, or a pharmaceutically acceptable salt thereof, for the manufacture of a medicament for the treatment of a disorder or disease which is mediated by the activity of MEK.

17. Use according to claim 16, wherein the disorder or disease which is mediated by the activity of MEK is selected from ovarian carcinoma, kidney cancer, prostate cancer, breast carcinoma, lymphomas, myeloma, bladder carcinoma, colon cancer, cutaneous melanoma, hepatocellular carcinoma, endometrial cancer, lung cancer, pancreatic cancer, gastric cancer and soft tissue sarcomas selected from rhabdomyosarcoma, synovial sarcoma and Ewing sarcoma.

18. Use according to claim 16, wherein the disorder or disease which is mediated by the activity of MEK is selected from melanoma, pancreatic cancer, colon cancer, lung cancer, kidney cancer and ovarian cancer.