20000139 9-5 ref only

PCT WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6 : A61K 7/16	A1	(11) International Publication Number: **WO 99/13852**
		(43) International Publication Date: 25 March 1999 (25.03.99)

(21) International Application Number: PCT/US98/18500

(22) International Filing Date: 18 September 1998 (18.09.98)

(30) Priority Data:
60/059,222 18 September 1997 (18.09.97) US

(71) Applicants *(for all designated States except US)*: UNIVERSITY OF MARYLAND AT BALTIMORE [US/US]; 520 Lombard Street, Baltimore, MD 21201 (US). USBIOMATERIALS CORPORATION [US/US]; One Progress Boulevard, Alachua, FL 32615 (US).

(72) Inventors; and
(75) Inventors/Applicants *(for US only)*: LITKOWSKI, Leonard, J. [US/US]; 621 Sussex Road, Baltimore, MD 21286 (US). HACK, Gary, D. [US/US]; 8908 Skyrock Court, Columbia, MD 21046 (US). GREENSPAN, David, C. [US/US]; 3116 North West 62nd Terrace, Gainesville, FL 32606 (US).

(74) Agents: GRUDZIECKI, Ronald, L. et al.; Burns, Doane, Swecker & Mathis, L.L.P., P.O. Box 1404, Alexandria, VA 22313–1404 (US).

(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published
With international search report.
Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: METHODS AND COMPOSITIONS FOR WHITENING TEETH

(57) Abstract

Methods for whitening teeth including contacting teeth with an effective amount of particulate bioactive glass are disclosed.