

100




FIG. 1




FIG. 2




FIG. 3




FIG. 4







Vial Size	Label Application			Vial on Tray	Inserts	Dispensing Pack	CCL
10cc, 30cc, 30R, 50cc, 50R	FILLED 30cc VIAL	LABEL	LABELLED 30cc VIAL	 TRAY	 LEAFLET (MAX QTY. 2)	 CARTON	 CARTON CLOSURE LABEL (QTY. 2)
20cc, 50cc, 6cc, 6R,	FILLED 6cc/6R VIAL	LABEL	LABELLED 6cc/6R VIAL	 TRAY	 LEAFLET (MAX QTY. 2)	 CARTON	 CARTON CLOSURE LABEL (QTY. 2)
20cc, 20R, 20cc, 20R,	FILLED 20cc VIAL	LABEL	LABELLED 20cc VIAL	 TRAY	 LEAFLET (MAX QTY. 2)	 CARTON	 CARTON CLOSURE LABEL (QTY. 2)

FIG. 5




FIG. 6




FIG. 7




FIG. 8





FIG. 9

9/69






FIG. 11




FIG. 12

12/69




FIG. 13

13/69




FIG. 14




FIG. 15

14/69




FIG. 16

15/69




FIG. 17

16/69




FIG. 18A




FIG. 18B

17/69




FIG. 19




FIG. 20

SUBSTITUTE SHEET (RULE 26)

18/69




FIG. 21A




FIG. 21B

19/69




FIG. 22

20/69




FIG. 23




FIG. 24

21/69




FIG. 25A




FIG. 25B

22/69




FIG. 26

23/69




FIG. 27




FIG. 28

SUBSTITUTE SHEET (RULE 26)

24/69




FIG. 29A




FIG. 29B

25/69




FIG. 30

26/69




FIG. 31




FIG. 32

SUBSTITUTE SHEET (RULE 26)

27/69




FIG. 33




FIG. 34




FIG. 35




FIG. 36

30/69




FIG. 37

31/69




FIG. 38




FIG. 39

32/69




FIG. 40

33/69




FIG. 41




FIG. 42




FIG. 43

35/69




FIG. 44

36/69




FIG. 45




FIG. 46

37/69




FIG. 47

38/69




FIG. 48




FIG. 49

39/69




FIG. 50

40/69




FIG. 51




FIG. 52

41/69




FIG. 53

42/69




FIG. 54




FIG. 55

43/69




FIG. 56




FIG. 57




FIG. 58

45/69




FIG. 59

46/69




FIG. 60

47/69




FIG. 61

48/69




FIG. 62

49/69




FIG. 63




FIG. 64
SUBSTITUTE SHEET (RULE 26)

50/69




FIG. 65

51/69




FIG. 66




FIG. 67

52/69




FIG. 68

53/69




FIG. 69

54/69




FIG. 70

55/69




FIG. 71




FIG. 72

56/69




FIG. 73

57/69




FIG. 74

58/69




FIG. 75




FIG. 76




FIG. 77




FIG. 78




FIG. 79




FIG. 80




FIG. 81
SUBSTITUTE SHEET (RULE 26)

62/69




FIG. 82




FIG. 83

SUBSTITUTE SHEET (RULE 26)

63/69




FIG. 84




FIG. 85
SUBSTITUTE SHEET (RULE 26)




FIG. 86




FIG. 87




FIG. 88




FIG. 89

67/69




FIG. 90




FIG. 91

68/69




FIG. 92

69/69




FIG. 93




FIG. 94