


1/41

**FIG. 1**

2/41




FIG. 2








FIG. 3

3/41

**FIG. 4****FIG. 5**

4/41

**FIG. 6****FIG. 7**

5/41




FIG. 8




FIG. 9

SUBSTITUTE SHEET (RULE 26)

6/41




FIG. 10A





FIG. 10B

8/41

**FIG. 10C**




FIG. 10D

10/41




FIG. 11A




FIG. 11B

11/41




FIG. 11C

12/41




FIG. 12A

13/41




FIG. 12B




FIG. 13A

15/41






FIG. 13B

16/41

**FIG. 13C**

17/41

**FIG. 13D**

18/41




FIG. 13E

19/41




FIG. 13F

20/41




FIG. 13G

21/41




FIG. 13H

22/41




FIG. 14A




FIG. 14B

23/41




FIG. 14C

24/41




FIG. 15A






FIG. 15B

25/41

**FIG. 16A****FIG. 16B**

26/41




FIG. 17A

27/41




FIG. 17B

28/41




FIG. 18




FIG. 19A




FIG. 19B




FIG. 20

29/41




FIG. 21A




FIG. 21B

30/41




FIG. 21C






FIG. 21D

31/41

**FIG. 22****FIG. 23**

32/41




FIG. 24A




FIG. 24B

33/41





FIG. 24C

34/41

**FIG. 25**





 Anagen Active Growth Phase 2-6 Years	 Catagen Transition Phase 1-2 Weeks	 Telogen Resting Phase 5-6 Weeks	 Return to Anagen
Anagen Stage (Active Growth Phase) Permanent Hair Removal Can Only Occur During This Active Growth Stage. This Phase May Last Up To 2-6 Years.	Catagen Stage (Transition Phase) Club Hair Transitions Upwards Toward Skin Pore And Dermal Papilla Begins To Separate From Follicle. This Phase Usually Lasts 1-2 Weeks.	Telogen Stage (Resting Phase) Dermal Papilla Fully Separates From Follicle. This Phase Usually Lasts 5-6 Weeks.	Return To Anagen Phase Dermal Papilla Moves Upward To Meet Hair Follicle Once Again And Hair Matrix Begins To Form New Hair.


FIG. 26

36/41



Donor Hair Transplant Site

FIG. 27



Recipient Hair Transplant Site

FIG. 28

37/41




FIG. 29

38/41




FIG. 30




FIG. 31

39/41




FIG. 32




FIG. 33




FIG. 34

40/41




FIG. 35




FIG. 36

41/41




FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41




FIG. 42