Natalizumab (Tysabri®) and Vedolizumab (Entyvio®), have displayed therapeutic benefits for gastrointestinal autoinflammatory/autoimmune diseases, such as ulcerative colitis and Crohn's disease (DOI: 10.1056/NEJMoa1215734; DOI: 10.1056/NEJMoa1215739). However, there are potential concerns regarding the long-term administration of these therapies. For example, immunogenicity, which leads to a decrease in the effectiveness of drugs and an increase in the risk of hypersensitivity reactions due to the development of persistent anti-drug antibodies (DOI: 10.3748/wjg.v24.i17.1868; DOI: 10.3109/08830185.2012.690794; DOI: 10.1038/ni1275; DOI: 10.1016/j.jns.2008.08.003). Also, these therapies are administered by injection which can result in infusion-related reactions (DOI: 10.1016/j.msard.2019.101523). Furthermore, one of these therapies, Natalizumab, also inhibits $\alpha 4\beta 1$ integrin-ligand interactions, which carries an increased risk of development of progressive multifocal leukoencephalopathy (PML), an opportunistic brain infection caused by reactivated John Cunningham virus, which usually leads to death or severe disability (DOI: 10.1111/j.1527-3458.2007.00003.x).


[0004] Therefore, the development of an effective and safe small molecule α4β7 integrin inhibitor that can be administered orally, potentially increasing patient drug adherence, would be an important addition to the therapeutic armamentarium for α4β7 mediated conditions, such as the inflammatory bowel diseases ulcerative colitis, and Crohn's disease. Indeed, clinical studies are ongoing with two selective small molecule α4β7 integrin inhibitors (NCT05291689; ACTRN12621000612819).

[0005] Therefore, there is an ongoing need for development of an effective and safe small molecule α4β7 integrin inhibitor, given the role of α4β7 in inflammatory bowel diseases.

SUMMARY

[0006] In one example, the present disclosure provides a compound, or a pharmaceutically acceptable salt thereof as defined herein.

[0006a] In one aspect, the present disclosure provides a compound of Formula I, or a pharmaceutically acceptable salt thereof:



(I)

wherein:

A is an aromatic ring and Z^1, Z^2, Z^3 and Z^4 are independently N or CR^2;

B is aryl, 5- to 10-membered heteroaryl, C_{3-10}cycloalkyl, or 4- to 10-membered heterocyclyl; wherein B is optionally substituted with one to five substituents independently selected from C_{1-5}alkyl, halo, cyano, hydroxyl, NR^3R^4, C_{1-5}alkoxy, C_{1-5}haloalkyl, C_{1-5}haloalkoxy, C_{1-4}alkylene-O-C_{1-4}alkyl, C_{3-10}cycloalkyl, and 4- to 10-membered heterocyclyl;

L is C_{5-8}alkylene, or C_{5-8}alkenylene, wherein one, two or three methylene groups in L are optionally substituted with -O-, -S-, -C(O)-, or -N(R^5)-; and wherein L is optionally substituted with one to five substituents independently selected from C_{1-5}alkyl, halo, hydroxyl, C_{1-5}alkoxy, C_{1-5}haloalkyl, C_{1-5}haloalkoxy, and NR^6R^7;

R^1 is 4- to 10-membered heterocyclyl, 5- to 10-membered heteroaryl, aryl, C_{3-10}cycloalkyl, or $NR^8C(O)R^9$; wherein:

i) each of 4- to 10-membered heterocyclyl, 5- to 10-membered heteroaryl, aryl, and C_{3-10}cycloalkyl is optionally substituted with one to five substituents independently selected from C_{1-5}alkyl, halo, oxo, cyano, C_{1-5}alkoxy, C_{1-5}haloalkyl, C_{1-5}haloalkoxy, C_{1-4}alkylene-O-C_{1-4}alkyl, C_{1-4}alkylene-OH, C_{3-6}cycloalkyl, 4- to 6-membered heterocyclyl, and C_{1-4}alkylene-$NR^{10}R^{11}$; and

ii) the 4- to 10-membered heterocyclyl group optionally contains one or two carbon-carbon double bonds, and is optionally fused to a 5- or 6-membered heteroaryl ring, or a phenyl ring;

R^2 at each occurrence is independently selected from H, halo, cyano, hydroxyl, C_{1-5}alkyl, C_{1-5}alkoxy, C_{1-5}haloalkyl, C_{1-5}haloalkoxy, C_{1-4}alkylene-O-C_{1-4}alkyl, C_{3-6}cycloalkyl and 4-6 membered heterocyclyl;

R^3 and R^4 are independently selected from H, C_{1-5}alkyl, C_{1-5}haloalkyl, and C_{3-10}cycloalkyl;

R^5, R^6 and R^7 are independently H or C_{1-5}alkyl;

R^8 is H, C_{1-6}alkyl, C_{2-6}haloalkyl, C_{2-4}alkylene-O-C_{1-4}alkyl; C_{3-6}cycloalkyl, 4- to 6-membered heterocyclyl, or C_{2-5}alkylene-$NR^{12}R^{13}$;

R^9 is C_{1-6}alkyl, C_{1-6}alkoxy, C_{1-6}haloalkyl, C_{1-6}haloalkoxy, C_{2-4}alkylene-O-C_{1-4}alkyl, C_{3-6}cycloalkyl, 4- to 6-membered heterocyclyl, $NR^{14}R^{15}$ or C_{1-5}alkylene-$NR^{16}R^{17}$;

R^{10} and R^{11} are independently H, C_{1-5}alkyl, C_{1-5}haloalkyl or -C_{1-4}alkylene-O-C_{1-4}alkyl; or

R^{10} and R^{11}, taken together with the nitrogen to which they are attached, form a 4- to 6-membered heterocyclyl ring optionally substituted with one to four groups independently selected from halo, C_{1-5}alkyl, C_{1-5}alkoxy, C_{1-5}haloalkyl, and C_{1-5}haloalkoxy; and

R^{12}, R^{13}, R^{14}, R^{15}, R^{16}, and R^{17} are independently H, C_{1-5}alkyl, or C_{1-5}haloalkyl; or

R^{12} and R^{13}, R^{14} and R^{15}, or R^{16} and R^{17}, taken together with the nitrogen atoms to which they are attached, independently form a 4- to 6-membered heterocyclyl ring optionally substituted with one to four groups independently selected from halo and C_{1-5}alkyl.

[0007] In another aspect, the present disclosure provides a pharmaceutical composition comprising a compound of the disclosure as defined herein, or a pharmaceutically acceptable salt thereof, and one or more pharmaceutically acceptable excipients.

[0008] In another aspect, the present disclosure relates to a compound of the disclosure as defined herein, or a pharmaceutically acceptable salt thereof, or a pharmaceutical composition as defined herein, for use in therapy.

[0009] In another example, the present disclosure relates to a compound of the disclosure as defined herein, or a pharmaceutically acceptable salt thereof, or a pharmaceutical composition as defined herein, for use in the treatment of diseases or disorders mediated by α4β7.

[0010] In another example, the present disclosure relates to a method of treating a disease or disorder mediated by α4β7, said method comprising administering to a subject in need of such treatment a therapeutically effective amount of a compound of the disclosure as defined herein, or a pharmaceutically acceptable salt thereof, or a pharmaceutical composition as defined herein.

[0010a] In one aspect, the present disclosure provides a use of a compound as disclosed herein, or a pharmaceutically acceptable salt thereof, or a pharmaceutical composition as disclosed herein, in the manufacture of a medicament for the treatment of diseases or disorders mediated by α4β7.

[0011] Examples of diseases or disorders mediated by α4β7 include inflammatory bowel disease, including ulcerative colitis and Crohn's disease.

[0012] In another example, the present disclosure provides a compound, or a pharmaceutically acceptable salt thereof, or a pharmaceutical composition as defined herein, for use in the treatment of inflammatory bowel disease, including ulcerative colitis and Crohn's disease.

[0013] In another example, the present disclosure provides a method of treating inflammatory bowel disease, including ulcerative colitis and Crohn's disease, said method comprising administering to a subject in need of such treatment a therapeutically effective amount of a compound, or a pharmaceutically acceptable salt thereof, or a pharmaceutical composition as defined herein.

[0013a] In one aspect, the present disclosure provides a use of a compound as disclosed herein, or a pharmaceutically acceptable salt thereof, or a pharmaceutical composition as disclosed herein, in the manufacture of a medicament for the treatment of inflammatory bowel diseases, such as ulcerative colitis or Crohn's disease, eosinophilic gastrointestinal diseases, and pouchitis.

[0014] The present disclosure further provides a method of synthesising a compound, or a pharmaceutically acceptable salt thereof, as defined herein.

[0015] In another example, the present disclosure provides a compound, or a pharmaceutically acceptable salt thereof, obtainable by, or obtained by, or directly obtained by a method of synthesis as defined herein.

[0016] In another example, the present disclosure provides novel intermediates as defined herein which are suitable for use in any one of the synthetic methods set out herein.

[0017] Preferred, suitable, and optional features of any one particular example of the present disclosure are also preferred, suitable, and optional features of any other example.

DETAILED DESCRIPTION OF THE INVENTION


Definitions

[0018] Unless otherwise stated, the following terms used in the specification and claims have the following meanings set out below.

[0019] It is to be appreciated that references to “treating” or “treatment” include prophylaxis as well as the alleviation of established symptoms of a condition. “Treating” or “treatment” of a state, disorder or condition therefore includes: (1) preventing or delaying the appearance of clinical symptoms of the state, disorder or condition developing in a human that may be afflicted with or predisposed to the state, disorder or condition but does not yet experience or

Claims

1. A compound of Formula I, or a pharmaceutically acceptable salt thereof:



(I)

wherein:

A is an aromatic ring and Z^1, Z^2, Z^3 and Z^4 are independently N or CR^2;

B is aryl, 5- to 10-membered heteroaryl, C_{3-10}cycloalkyl, or 4- to 10-membered heterocyclyl; wherein B is optionally substituted with one to five substituents independently selected from C_{1-5}alkyl, halo, cyano, hydroxyl, NR^3R^4, C_{1-5}alkoxy, C_{1-5}haloalkyl, C_{1-5}haloalkoxy, C_{1-4}alkylene-O-C_{1-4}alkyl, C_{3-10}cycloalkyl, and 4- to 10-membered heterocyclyl;

L is C_{5-8}alkylene, or C_{5-8}alkenylene, wherein one, two or three methylene groups in L are optionally substituted with -O-, -S-, -C(O)-, or -N(R^5)-; and wherein L is optionally substituted with one to five substituents independently selected from C_{1-5}alkyl, halo, hydroxyl, C_{1-5}alkoxy, C_{1-5}haloalkyl, C_{1-5}haloalkoxy, and NR^6R^7;

R^1 is 4- to 10-membered heterocyclyl, 5- to 10-membered heteroaryl, aryl, C_{3-10}cycloalkyl, or $NR^8C(O)R^9$; wherein:

i) each of 4- to 10-membered heterocyclyl, 5- to 10-membered heteroaryl, aryl, and C_{3-10}cycloalkyl is optionally substituted with one to five substituents independently selected from C_{1-5}alkyl, halo, oxo, cyano, C_{1-5}alkoxy, C_{1-5}haloalkyl, C_{1-5}haloalkoxy, C_{1-4}alkylene-O-C_{1-4}alkyl, C_{1-4}alkylene-OH, C_{3-6}cycloalkyl, 4- to 6-membered heterocyclyl, and C_{1-4}alkylene-$NR^{10}R^{11}$; and

ii) the 4- to 10-membered heterocyclyl group optionally contains one or two carbon-carbon double bonds, and is optionally fused to a 5- or 6-membered heteroaryl ring, or a phenyl ring;

R^2 at each occurrence is independently selected from H, halo, cyano, hydroxyl, C_{1-5}alkyl, C_{1-5}alkoxy, C_{1-5}haloalkyl, C_{1-5}haloalkoxy, C_{1-4}alkylene-O-C_{1-4}alkyl, C_{3-6}cycloalkyl and 4-6 membered heterocyclyl;

R^3 and R^4 are independently selected from H, C_{1-5}alkyl, C_{1-5}haloalkyl, and C_{3-10}cycloalkyl;

R^5, R^6 and R^7 are independently H or C_{1-5}alkyl;

R^8 is H, C_{1-6}alkyl, C_{2-6}haloalkyl, C_{2-4}alkylene-O-C_{1-4}alkyl; C_{3-6}cycloalkyl, 4- to 6-membered heterocyclyl, or C_{2-5}alkylene-$NR^{12}R^{13}$;

R^9 is C_{1-6}alkyl, C_{1-6}alkoxy, C_{1-6}haloalkyl, C_{1-6}haloalkoxy, C_{2-4}alkylene-O-C_{1-4}alkyl, C_{3-6}cycloalkyl, 4- to 6-membered heterocyclyl, $NR^{14}R^{15}$ or C_{1-5}alkylene-$NR^{16}R^{17}$;


R^{10} and R^{11} are independently H, C_{1-5}alkyl, C_{1-5}haloalkyl or -C_{1-4}alkylene-O-C_{1-4}alkyl; or

R^{10} and R^{11}, taken together with the nitrogen to which they are attached, form a 4- to 6-membered heterocyclyl ring optionally substituted with one to four groups independently selected from halo, C_{1-5}alkyl, C_{1-5}alkoxy, C_{1-5}haloalkyl, and C_{1-5}haloalkoxy; and


R^{12}, R^{13}, R^{14}, R^{15}, R^{16}, and R^{17} are independently H, C_{1-5}alkyl, or C_{1-5}haloalkyl; or

R^{12} and R^{13}, R^{14} and R^{15}, or R^{16} and R^{17}, taken together with the nitrogen atoms to which they are attached, independently form a 4- to 6-membered heterocyclyl ring optionally substituted with one to four groups independently selected from halo and C_{1-5}alkyl.

2. The compound according to claim 1, wherein the compound has a structure according to either formula IA or formula IB:



(IA)



(IB) ,

or a pharmaceutically acceptable salt thereof.

3. The compound according to claim 1 or claim 2, wherein:

a) Z^1, Z^2, Z^3 and Z^4 are all CR^2; or


b) one of Z^1, Z^2, Z^3 and Z^4 is N and the other three are CR^2.

4. The compound according to any one of claims 1 to 3, wherein R^2 at each occurrence is independently selected from:

a) H, halo, cyano, hydroxyl, C_{1-5}alkyl, C_{1-5}alkoxy, C_{1-5}haloalkyl, and C_{3-6}cycloalkyl; or

b) H, fluoro, chloro, methyl, ethyl, trifluoromethyl, and cyclopropyl.

5. The compound according to claim 1 or claim 2, wherein A is selected from:



wherein 'b' is the point of attachment to the B ring.


6. The compound according to any one of claims 1 to 5, wherein B is:

a) aryl, or 5- to 6-membered heteroaryl; wherein B is optionally substituted with one to four substituents independently selected from C_{1-3}alkyl, halo, cyano, hydroxyl, NR^3R^4, C_{1-5}alkoxy, C_{1-5}haloalkyl, C_{1-5}haloalkoxy, C_{1-4}alkylene-O-C_{1-4}alkyl, C_{3-7}cycloalkyl, and 4- to 10-membered heterocyclyl;

b) phenyl, optionally substituted with one to four substituents independently selected from C_{1-3}alkyl, halo, cyano, C_{1-5}alkoxy, C_{1-5}haloalkyl, C_{3-7}cycloalkyl, and 4- to 10-membered heterocyclyl;

c) phenyl, optionally substituted with one to three substituents independently selected from methyl, fluoro, cyclopropyl, and 5- to 6-membered heterocyclyl; or

d) selected from:




wherein ‘a’ is the point of attachment to the A ring and ‘l’ is the point of attachment to the linker L.

7. The compound according to any one of claims 1 to 6, wherein L is:

a) C_{5-8}alkylene, or C_{5-8}alkenylene, wherein one, two or three methylene groups in L are optionally substituted with -O-, -C(O)-, or -N(R^5)-; and wherein L is optionally substituted with one to five substituents independently selected from C_{1-5}alkyl, halo, hydroxyl, C_{1-5}alkoxy, and C_{1-5}haloalkyl;

b) C_{5-8}alkylene, wherein one or two methylene groups in L are optionally substituted with -O-, -C(O)-, or -N(R^5)-; and wherein L is optionally substituted with one to three independently selected C_{1-5}alkyl substituents; or

c) selected from:



wherein 'b' is the point of attachment to the B ring.

8. The compound according to any one of claims 1 to 7, wherein R^1 is:

a) 4- to 10-membered heterocyclyl, 5- to 10-membered heteroaryl, aryl, C_{3-10}cycloalkyl, or $NR^8C(O)R^9$; wherein:

i) each of 4- to 10-membered heterocyclyl, 5- to 10-membered heteroaryl, aryl, and C_{3-10}cycloalkyl is optionally substituted with one to five substituents independently selected from C_{1-5}alkyl, halo, oxo, cyano, C_{1-5}alkoxy, C_{1-5}haloalkyl, C_{1-5}haloalkoxy, C_{1-4}alkylene-O-C_{1-4}alkyl, C_{3-6}cycloalkyl, 4- to 6-membered heterocyclyl, and C_{1-4}alkylene-$NR^{10}R^{11}$; and

ii) the 4- to 10-membered heterocyclyl group optionally contains one or two carbon-carbon double bonds, and is optionally fused to a 5- or 6-membered heteroaryl ring, or a phenyl ring;

b) 4- to 10-membered heterocyclyl, 5- to 10-membered heteroaryl, or -$NR^8C(O)R^9$; wherein:


i) each of 4- to 10-membered heterocyclyl, and 5- to 10-membered heteroaryl is optionally substituted with one to five substituents independently selected from C_{1-5}alkyl, halo, oxo, cyano, C_{1-5}alkoxy, C_{1-5}haloalkyl, C_{1-5}haloalkoxy, C_{1-4}alkylene-O-C_{1-4}alkyl, C_{3-6}cycloalkyl, 4- to 6-membered heterocyclyl, and C_{1-4}alkylene-$NR^{10}R^{11}$; and

ii) the 4- to 10-membered heterocyclyl group optionally contains one or two carbon-carbon double bonds, and is optionally fused to a 5- or 6-membered heteroaryl ring, or a phenyl ring; or

c) 5- to 6-membered heterocyclyl; optionally substituted with one to five substituents independently selected from C_{1-5}alkyl, halo, oxo, cyano, C_{1-5}alkoxy, C_{1-5}haloalkyl, C_{1-5}haloalkoxy, C_{1-4}alkylene-O-C_{1-4}alkyl, C_{3-6}cycloalkyl, 4- to 6-membered heterocyclyl, and C_{1-4}alkylene-$NR^{10}R^{11}$; optionally containing one or two carbon-carbon double bonds; and optionally fused to a phenyl ring.


9. The compound according to any one of claims 1 to 7, wherein R^1 is selected from:

a)



optionally substituted with one to three substituents independently selected from C_{1-5}alkyl, halo, oxo, cyano, C_{1-5}alkoxy, C_{1-5}haloalkyl, C_{1-5}haloalkoxy, C_{1-4}alkylene-O-C_{1-4}alkyl, C_{1-4}alkylene-OH, C_{3-6}cycloalkyl, 4- to 6-membered heterocyclyl, and C_{1-4}alkylene-$NR^{10}R^{11}$; or

b)



wherein R^{18} is selected from hydrogen, C_{1-5}alkyl, halo, C_{1-5}alkoxy, C_{1-5}haloalkyl, and C_{3-6}cycloalkyl; and R^{19} is selected from hydrogen, halo, C_{1-4}alkylene-O-C_{1-4}alkyl, C_{1-4}alkylene-OH, and C_{1-4}alkylene-$NR^{10}R^{11}$.

10. The compound according to any one of claims 1 to 7, wherein R^1 is $NR^8C(O)R^9$, and R^8 is H or C_{1-6}alkyl; and/or R^9 is C_{1-6}alkyl.

11. The compound according to any one of claims 1 to 10, wherein R^{10} and R^{11}:

a) are independently H or C_{1-5}alkyl; or

b) taken together with the nitrogen to which they are attached, form a 4- to 6-membered heterocyclyl ring optionally substituted with one to four groups independently selected from halo, C_{1-5}alkyl, C_{1-5}alkoxy, and C_{1-5}haloalkyl.

12. A compound according to claim 1, selected from one of the following compounds, or a pharmaceutically acceptable salt thereof:

2-((9*S*,12*S*)-9-Acetamido-2^6-methyl-10-oxo-3-oxa-11-aza-1(1,3),2(1,2)-dibenzenacyclododecaphane-12-yl)acetic acid;

2-((8*S*,11*S*)-8-Acetamido-2^6-methyl-9-oxo-3-oxa-10-aza-1(1,3),2(1,2)-dibenzenacycloundecaphane-11-yl)acetic acid;

2-((10*S*,13*S*)-10-Acetamido-2^6-methyl-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-10-Acetamido-2^6,8-dimethyl-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-10-acetamido-2^6-methyl-11-oxo-3-oxa-12-aza-1,2(1,3)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((8*S*,11*S*)-8-Acetamido-2^6,6-dimethyl-9-oxo-3-oxa-10-aza-1(1,3),2(1,2)-dibenzenacycloundecaphane-11-yl)acetic acid;

2-((10*S*,13*S*)-2^6-Methyl-10-(*N*-methylacetamido)-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((3*S*,6*S*)-1^6-Methyl-6-(*N*-methylacetamido)-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((10*S*,13*S*)-2^6-methyl-11-oxo-10-(2-oxopyridin-1(2*H*)-yl)-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-2^6-Methyl-11-oxo-10-(2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-2^6-Methyl-11-oxo-10-(2-oxopiperidin-1-yl)-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((9*S*,12*S*)-2^6-Methyl-10-oxo-9-(2-oxopiperidin-1-yl)-3-oxa-11-aza-1(1,3),2(1,2)-dibenzenacyclododecaphane-12-yl)acetic acid;

2-((10*S*,13*S*)-2^6-Methyl-11-oxo-10-(2-oxopyrrolidin-1-yl)-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((8*S*,11*S*)-2^6-Methyl-9-oxo-8-(2-oxopyridin-1(2*H*)-yl)-3-oxa-10-aza-1(1,3),2(1,2)-dibenzenacycloundecaphane-11-yl)acetic acid;

2-((10*S*,13*S*)-2^4-fluoro-2^6-methyl-11-oxo-10-(2-oxopyridin-1(2*H*)-yl)-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-10-(5-Fluoro-2-oxopyridin-1(2*H*)-yl)-2^6-methyl-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-2^6-Methyl-11-oxo-10-(2-oxopiperidin-1-yl)-3-oxa-12-aza-1(3,5)-pyridina-2(1,2)-benzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-2^4-Fluoro-2^6-methyl-11-oxo-10-(2-oxopyridin-1(2*H*)-yl)-3-oxa-12-aza-1(3,5)-pyridina-2(1,2)-benzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-10-(4-Fluoro-2-oxopyridin-1(2*H*)-yl)-2^6-methyl-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-2^6-Methyl-11-oxo-10-(2-oxo-5-(trifluoromethyl)pyridin-1(2H)-yl)-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-1^4-Fluoro-1^5,2^6-dimethyl-11-oxo-10-(2-oxopyridin-1(2*H*)-yl)-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-10-(5-(2-(Dimethylamino)ethyl)-2-oxopyridin-1(2*H*)-yl)-2^6-methyl-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((8*S*,11*S*)-8-(5-(2-(Dimethylamino)ethyl)-2-oxopyridin-1(2*H*)-yl)-2^6-methyl-9-oxo-3-oxa-10-aza-1(1,3),2(1,2)-dibenzenacycloundecaphane-11-yl)acetic acid;

2-((10*S*,13*S*)-2^6-Methyl-11-oxo-10-(2-oxopyridin-1(2*H*)-yl)-2^4-(tetrahydro-2*H*-pyran-4-yl)-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((3*S*,6*S*)-6-Acetamido-1^6-methyl-5,12-dioxo-4,11-diaza-1(1,2),2(1,3)-dibenzenacyclododecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-Acetamido-1^6-methyl-5,13-dioxo-4,12-diaza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((11*S*,14*S*,*E*)-11-acetamido-2^6-methyl-12-oxo-3-oxa-13-aza-1(1,3),2(1,2)-dibenzenacyclotetradecaphan-8-en-14-yl)acetic acid;

2-((11*S*,14*S*)-11-Acetamido-2^6-methyl-12-oxo-3-oxa-13-aza-1(1,3),2(1,2)-dibenzenacyclotetradecaphane-14-yl)acetic acid;

2-((10*S*,13*S*)-2^4-Fluoro-2^6-methyl-10-(*N*-methylacetamido)-11-oxo-3-oxa-12-aza-1(3,5)-pyridina-2(1,2)-benzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-10-(5-(2-(Dimethylamino)ethyl)-2-oxopyridin-1(2*H*)-yl)-2^4-fluoro-2^6-methyl-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-2^6-Methyl-11-oxo-10-(2-oxo-5-(2-(pyrrolidin-1-yl)ethyl)pyridin-1(2*H*)-yl)-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-2^4-Fluoro-2^6-methyl-10-(*N*-methylacetamido)-11-oxo-3-oxa-12-aza-1(3,5)-pyridina-2(1,2)-benzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-2^6-Methyl-11-oxo-10-(4-oxoquinazolin-3(4*H*)-yl)-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-10-(5-(2-(Dimethylamino)ethyl)-3-fluoro-2-oxopyridin-1(2*H*)-yl)-2^6-methyl-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-10-(5-(2-(Dimethylamino)ethyl)-2-oxopyridin-1(2*H*)-yl)-1^4-fluoro-1^5,2^6-dimethyl-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-10-(5-(2-(Dimethylamino)ethyl)-2-oxopyridin-1(2*H*)-yl)-2^4,2^6-dimethyl-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-10-(5-(2-(Dimethylamino)ethyl)-2-oxopyridin-1(2*H*)-yl)-1^4-fluoro-2^6-methyl-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-10-(5-(2-(Dimethylamino)ethyl)-2-oxopyridin-1(2*H*)-yl)-1^4,2^4-difluoro-1^5,2^6-dimethyl-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-10-(5-(2-(3-Fluoroazetidin-1-yl)ethyl)-2-oxopyridin-1(2*H*)-yl)-2^6-methyl-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-10-(5-(2-((*R*)-3-Fluoropyrrolidin-1-yl)ethyl)-2-oxopyridin-1(2*H*)-yl)-2^6-methyl-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-10-(5-(2-(3-Methoxyazetidin-1-yl)ethyl)-2-oxopyridin-1(2*H*)-yl)-2^6-methyl-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-10-(5-(2-(Dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-2^6-methyl-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-10-(5-(2-(Azetidin-1-yl)ethyl)-2-oxopyridin-1(2*H*)-yl)-1^5,2^6-dimethyl-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-1^4,2^4-Difluoro-10-(3-fluoro-5-(2-((*R*)-3-fluoropyrrolidin-1-yl)ethyl)-2-oxopyridin-1(2*H*)-yl)-1^5,2^6-dimethyl-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-1^4-Fluoro-10-(3-fluoro-5-(2-(3-fluoroazetidin-1-yl)ethyl)-2-oxopyridin-1(2*H*)-yl)-1^5,2^4,2^6-trimethyl-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-1^4,2^4-Difluoro-10-(3-fluoro-5-(2-(3-fluoroazetidin-1-yl)ethyl)-2-oxopyridin-1(2*H*)-yl)-1^5,2^6-dimethyl-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-10-(5-(2-(Dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2H)-yl)-1^4-fluoro-1^5,2^4,2^6-trimethyl-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-1^4,2^4-Difluoro-10-(5-(2-(3-methoxyazetidin-1-yl)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^5,2^6-dimethyl-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-10-(5-(2-(Dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4,2^4-difluoro-1^5,2^6-dimethyl-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid

2-((10*S*,13*S*)-1^5-cyclopropyl-10-(5-(2-(dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^2,1^4-difluoro-2^4,2^6-dimethyl-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-1^4-fluoro-1^5,2^4,2^6-trimethyl-11-oxo-10-(2-oxo-5-(2-(pyrrolidin-1-yl)ethyl)-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-1^4,2^4-difluoro-1^5,2^6-dimethyl-11-oxo-10-(2-oxo-5-(2-(pyrrolidin-1-yl)ethyl)-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-10-(5-(2-(dimethylamino)ethyl)-4-methyl-2-oxopyridin-1(2*H*)-yl)-1^4-fluoro-1^5,2^4,2^6-trimethyl-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-24-cyclopropyl-10-(5-(2-(dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4-fluoro-1^5,2^6-dimethyl-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-10-(5-(2-(dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4-fluoro-2^4,2^6-dimethyl-11-oxo-1^5-(trifluoromethyl)-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((8*S*,11*S*)-8-(5-(2-(dimethylamino)ethyl)-2-oxopyridin-1(2H)-yl)-2^4-fluoro-2^6-methyl-9-oxo-3-oxa-10-aza-1(1,3),2(1,2)-dibenzenacycloundecaphane-11-yl)acetic acid;

2-((10*S*,13*S*)-10-(5-(2-(azetidin-1-yl)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^5-cyclopropyl-1^2,1^4-difluoro-2^4,2^6-dimethyl-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-10-(5-(3-(dimethylamino)propyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4-fluoro-1^5,2^4,2^6-trimethyl-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-1^5-cyclopropyl-10-(5-(2-(dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4-fluoro-2^4,2^6-dimethyl-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-1^4-fluoro-1^5,2^4,2^6-trimethyl-11-oxo-10-(2-oxo-5-(3-(pyrrolidin-1-yl)propyl)-4-(trifluoromethyl)pyridin-1(2H)-yl)-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-1^5-cyclopropyl-10-(5-(2-(dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4,2^5-difluoro-2^4,2^6-dimethyl-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-10-(5-(2-(dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^2,1^4-difluoro-1^5,2^4,2^6-trimethyl-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-1^5-cyclopropyl-10-(5-(3-(dimethylamino)propyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^2,1^4-difluoro-2^4,2^6-dimethyl-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(2-(dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-2^4-fluoro-1^4,1^6-dimethyl-5-oxo-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotetradecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(2-(dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-2^4-fluoro-1^4,1^6-dimethyl-5-oxo-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(2-(dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-2^4-fluoro-1^4,1^6-dimethyl-5-oxo-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclododecaphane-3-yl)acetic acid;

2-((10*S*,13*S*)-1^5-Cyclopropyl-1^4-fluoro-2^4,2^6-dimethyl-11-oxo-10-(2-oxo-5-(2-(pyrrolidin-1-yl)ethyl)-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-1^5-Cyclopropyl-10-(5-(3-(dimethylamino)propyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4-fluoro-2^4,2^6-dimethyl-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-1^5-Cyclopropyl-10-(5-(2-(diethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4-fluoro-2^4,2^6-dimethyl-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-6-(5-(2-(dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-2^4-fluoro-1^4,1^6-dimethyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-6-(5-(2-(dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-2^4-fluoro-1^4,1^6-dimethyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclododecaphane-3-yl)acetic acid;

2-((10*S*,13*S*)-1^4,2^4-Difluoro-2^6-methyl-11-oxo-10-(2-oxo-5-(2-(pyrrolidin-1-yl)ethyl)-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^5-(trifluoromethyl)-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-2^4-Cyclopentyl-1^5-cyclopropyl-10-(5-(2-(dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4-fluoro-2^6-methyl-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-1^5-Cyclopropyl-10-(5-(3-(diethylamino)propyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4-fluoro-2^4,2^6-dimethyl-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-6-(5-(3-(dimethylamino)propyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-2^4-fluoro-1^4,1^6-dimethyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-1^4-Cyclopropyl-6-(5-(2-(dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-2^4-fluoro-1^6,2^5-dimethyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-1^4-Cyclopropyl-6-(5-(2-(dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-2^4-fluoro-1^6,2^5-dimethyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclododecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-6-(5-(2-(dimethylamino)ethyl)-3-fluoro-2-oxopyridin-1(2*H*)-yl)-2^4-fluoro-1^4,1^6-dimethyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((10*S*,13*S*)-1^5,2^4-Dicyclopropyl-10-(5-(2-(dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4-fluoro-2^6-methyl-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((9*S*,12*S*)-1^5,2^4-Dicyclopropyl-9-(5-(2-(dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4-fluoro-2^6-methyl-10-oxo-3-oxa-11-aza-1(1,3),2(1,2)-dibenzenacyclododecaphane-12-yl)acetic acid;

2-((10*S*,13*S*)-1^5-Cyclopropyl-10-(5-(2-(dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4-fluoro-2^4,2^5,2^6-trimethyl-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((9*S*,12*S*)-1^5-Cyclopropyl-9-(5-(2-(dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4-fluoro-2^4,2^5,2^6-trimethyl-10-oxo-3-oxa-11-aza-1(1,3),2(1,2)-dibenzenacyclododecaphane-12-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-6-(5-(2-(dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4-fluoro-1^6,2^4-dimethyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-6-(5-(2-(dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4,2^4-difluoro-1^6-methyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclododecaphane-3-yl)acetic acid;

2-((10*S*,13*S*)-1^5-Cyclopropyl-10-(5-(2-(dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4-fluoro-2^6-methyl-11-oxo-2^4-(trifluoromethyl)-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((9*S*,12*S*)-1^5-Cyclopropyl-9-(5-(2-(dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4-fluoro-2^6-methyl-10-oxo-2^4-(trifluoromethyl)-3-oxa-11-aza-1(1,3),2(1,2)-dibenzenacyclododecaphane-12-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(2-(Azetidin-1-yl)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-2^4-fluoro-1^4,1^6-dimethyl-5-oxo-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-1^4,2^4-difluoro-6-(5-(2-(3-fluoroazetidin-1-yl)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^6-methyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-1^4,2^4-difluoro-6-(5-(2-(3-fluoroazetidin-1-yl)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^6-methyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclododecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-1^4-Cyclopropyl-6-(5-(2-(dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-2^4-fluoro-1^6-methyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-1^4-Cyclopropyl-6-(5-(2-(dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-2^4-fluoro-1^6-methyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclododecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(2-(Dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-2^4-fluoro-1^4,1^6-dimethyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(2-(Dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-2^4-fluoro-1^4,1^6-dimethyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclododecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-6-(5-(2-(dimethylamino)ethyl)-2-oxopyridin-1(2*H*)-yl)-2^4-fluoro-1^4,1^6-dimethyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-6-(5-(2-(dimethylamino)ethyl)-2-oxopyridin-1(2*H*)-yl)-2^4-fluoro-1^4,1^6-dimethyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclododecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(2-(Dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-2^4-fluoro-1^4,1^6,2^5-trimethyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(2-(Dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-2^4-fluoro-1^4,1^6,2^5-trimethyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclododecaphane-3-yl)acetic acid;

2-((10*S*,13*S*)-10-(5-(3-(Dimethylamino)propyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4-fluoro-2^4,2^6-dimethyl-11-oxo-1^5-(trifluoromethyl)-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-2^4-fluoro-6-(5-(2-(3-fluoroazetidin-1-yl)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4,1^6-dimethyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((10*S*,13*S*)-10-(5-(2-(Azetidin-1-yl)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4-fluoro-2^4,2^6-dimethyl-11-oxo-1^5-(trifluoromethyl)-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(3-(Dimethylamino)propyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-2^4-fluoro-1^4,1^6-dimethyl-5-oxo-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((10*S*,13*S*)-10-(5-(2-(Azetidin-1-yl)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^5-cyclopropyl-1^4-fluoro-2^4,2^6-dimethyl-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((3*S*,6S)-6-(5-(2-(Azetidin-1-yl)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-2^5-cyclopropyl-2^4-fluoro-1^4,1^6-dimethyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(2-(Azetidin-1-yl)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-2^5-cyclopropyl-1^4,2^4-difluoro-1^6-methyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(2-(Azetidin-1-yl)ethyl)-3-fluoro-2-oxopyridin-1(2*H*)-yl)-2^5-cyclopropyl-2^4-fluoro-1^4,1^6-dimethyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-6-(5-(2-(dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-2^4-fluoro-1^4-methyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-6-(5-(3-(dimethylamino)propyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4,2^4-difluoro-1^6-methyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-6-(5-(2-(dimethylamino)ethyl)-3-fluoro-2-oxopyridin-1(2*H*)-yl)-1^4,2^4-difluoro-1^6-methyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-6-(5-(2-(dimethylamino)ethyl)-4-methyl-2-oxopyridin-1(2*H*)-yl)-1^4,2^4-difluoro-1^6-methyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-6-(5-(2-(dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-2^4-fluoro-1^6-methyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-6-(5-(2-(dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-2^4-fluoro-1^6-methyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclododecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-2^4-fluoro-6-(3-fluoro-5-(2-(3-fluoroazetidin-1-yl)ethyl)-2-oxopyridin-1(2*H*)-yl)-1^4,1^6-dimethyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((10*S*,13*S*)-1^5-Cyclopropyl-1^4-fluoro-10-(4-methoxy-2-oxopyridin-1(2*H*)-yl)-2^4,2^6-dimethyl-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(2-(Azetidin-1-yl)ethyl)-4-methyl-2-oxopyridin-1(2*H*)-yl)-2^5-cyclopropyl-2^4-fluoro-1^4,1^6-dimethyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(2-(Dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4,2^4-difluoro-1^6-methyl-5-oxo-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(2-(Dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4,2^4-difluoro-1^6-methyl-5-oxo-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclododecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-1^4,2^4-difluoro-6-(5-(3-(3-fluoroazetidin-1-yl)propyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^6-methyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(2-(Azetidin-1-yl)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-2^4-fluoro-1^4,1^6,2^5-trimethyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(3-(Dimethylamino)propyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-2^4-fluoro-1^4,1^6,2^5-trimethyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-1^4,2^4-difluoro-6-(5-(2-(3-methoxyazetidin-1-yl)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^6-methyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-1^4,2^4-difluoro-6-(5-(2-(3-methoxyazetidin-1-yl)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^6-methyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclododecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(2-(Azetidin-1-yl)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-2^5-cyclopropyl-2^4-fluoro-1^6-methyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-6-(5-(2-(dimethylamino)ethyl)-4-methyl-2-oxopyridin-1(2*H*)-yl)-2^4-fluoro-1^4,1^6-dimethyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-6-(5-(2-(dimethylamino)ethyl)-4-methyl-2-oxopyridin-1(2*H*)-yl)-2^4-fluoro-1^4,1^6-dimethyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclododecaphane-3-yl)acetic acid;

2-((10*S*,13*S*)-1^5-cyclopropyl-1^4-fluoro-10-(4-fluoro-2-oxopyridin-1(2*H*)-yl)-2^4,2^6-dimethyl-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-6-(5-(2-(dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4,1^6-dimethyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(2-(Azetidin-1-yl)ethyl)-4-methyl-2-oxopyridin-1(2*H*)-yl)-2^5-cyclopropyl-1^4,2^4-difluoro-1^6-methyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-1^4,2^4-difluoro-1^6-methyl-6-(4-methyl-2-oxopyridin-1(2*H*)-yl)-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^4-Chloro-6-(5-(2-(dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4,1^6-dimethyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-6-(5-(3-(dimethylamino)propyl)-4-methyl-2-oxopyridin-1(2*H*)-yl)-1^4,2^4-difluoro-1^6-methyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(2-(Azetidin-1-yl)ethyl)-3-fluoro-2-oxopyridin-1(2*H*)-yl)-2^5-cyclopropyl-1^4,2^4-difluoro-1^6-methyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-6-(4-cyclopropyl-5-(2-(dimethylamino)ethyl)-2-oxopyridin-1(2*H*)-yl)-2^4-fluoro-1^4,1^6-dimethyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-1^4,2^4-Difluoro-6-(3-(2-(3-fluoroazetidin-1-yl)ethyl)-6-oxo-4-(trifluoromethyl)pyridazin-1(6*H*)-yl)-1^6,2^5-dimethyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-6-(5-(3-(dimethylamino)propyl)-4-methyl-2-oxopyridin-1(2*H*)-yl)-2^4-fluoro-1^4,1^6-dimethyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-6-(5-(3-(dimethylamino)propyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-2^4-fluoro-1^6-methyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-6-(5-(3-(dimethylamino)propyl)-3-fluoro-2-oxopyridin-1(2*H*)-yl)-2^4-fluoro-1^4,1^6-dimethyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-6-(4-cyclopropyl-5-(2-(dimethylamino)ethyl)-2-oxopyridin-1(2*H*)-yl)-1^4,2^4-difluoro-1^6-methyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-6-(5-(3-(dimethylamino)propyl)-3-fluoro-2-oxopyridin-1(2*H*)-yl)-1^4,2^4-difluoro-1^6-methyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-6-(5-(2-(dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4,1^6,2^4-trifluoro-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-2^4-fluoro-6-(5-(3-(3-fluoroazetidin-1-yl)propyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4,1^6-dimethyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(2-(Azetidin-1-yl)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4,2^4-difluoro-1^6-methyl-5-oxo-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(2-(Diethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4,2^4-difluoro-1^6-methyl-5-oxo-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(3-(Dimethylamino)propyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4,2^4-difluoro-1^6-methyl-5-oxo-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(3-(Azetidin-1-yl)propyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-2^5-cyclopropyl-1^4,2^4-difluoro-1^6-methyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-6-(5-(2-(dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4,2^2,2^4-trifluoro-1^6-methyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(2-(Dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4,2^4-difluoro-1^6,2^5-dimethyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(2-(Diethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4,2^4-difluoro-1^6,2^5-dimethyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(2-(Azetidin-1-yl)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4,2^4-difluoro-1^6,2^5-dimethyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-1^6-Chloro-2^5-cyclopropyl-6-(5-(2-(dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-2^4-fluoro-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-6-(5-(2-(dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4-fluoro-1^6-methyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(3-(Azetidin-1-yl)propyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4,2^4-difluoro-1^6-methyl-5-oxo-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(2-(Dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-2^4-fluoro-1^4,1^6,2^5-trimethyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphan-8-en-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(4-(Difluoromethyl)-5-(2-(dimethylamino)ethyl)-2-oxopyridin-1(2*H*)-yl)-1^4,2^4-difluoro-1^6-methyl-5-oxo-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(2-(Dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4,2^4,2^5-trifluoro-1^6-methyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Chloro-6-(5-(2-(dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4,2^4-difluoro-1^6-methyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(2-(Azetidin-1-yl)ethyl)-3-methyl-2-oxopyridin-1(2*H*)-yl)-2^5-cyclopropyl-1^4,2^4-difluoro-1^6-methyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((10*S*,13*S*)-1^4,2^4-Difluoro-1^5,2^6-dimethyl-11-oxo-10-(3-oxo-2-azaspiro[4.5]decan-2-yl)-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-1^5-Cyclopropyl-10-(5-(2-(dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4-fluoro-2^3,2^4,2^6-trimethyl-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(2-(Dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4-fluoro-1^6-methyl-5-oxo-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(2-(dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4,1^6,2^4-trifluoro-2^6-methyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(2-(Dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4-fluoro-1^6,2^5-dimethyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(2-(Dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4,2^2-difluoro-1^6-methyl-5-oxo-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((10*S*,13*S*)-1^5-Cyclopropyl-10-(5-(3-(dimethylamino)propyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4,2^3,2^4-trifluoro-2^6-methyl-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(2-(Dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4,2^4-difluoro-1^6,8-dimethyl-5-oxo-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(2-(Dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4,2^4-difluoro-1^6,8-dimethyl-5-oxo-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclododecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(2-(Dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4,2^4-difluoro-1^6,2^6-dimethyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((10*S*,13*S*)-1^4,2^4-Difluoro-1^5,2^6-dimethyl-10-(3-methyl-2-oxotetrahydropyrimidin-1(2*H*)-yl)-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((3*S*,6*S*)-1^4,2^4-Difluoro-6-(5-(2-(3-methoxyazetidin-1-yl)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^6-methyl-5-oxo-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(2-(Ethyl(methyl)amino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4,2^4-difluoro-1^6-methyl-5-oxo-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(3-(Dimethylamino)propyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4,2^4-difluoro-1^6,2^5-dimethyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-1^4,2^4-Difluoro-6-(5-(2-(3-fluoroazetidin-1-yl)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^6-methyl-5-oxo-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(3-(Azetidin-1-yl)propyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4,2^4-difluoro-1^6,2^5-dimethyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(2-(Dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4,1^6,2^4,2^5-tetrafluoro-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(2-(Dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4,1^6,2^4,2^5-tetrafluoro-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclododecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-1^4,2^4-Difluoro-1^6-methyl-5-oxo-6-(2-oxo-5-(2-(pyrrolidin-1-yl)ethyl)-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-1^4,2^4-Difluoro-1^6-methyl-5-oxo-6-(3-oxo-3,4-dihydroisoquinolin-2(1*H*)-yl)-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-1^4,2^4-Difluoro-1^6,2^5-dimethyl-5-oxo-6-(3-oxo-2-azaspiro[4.5]decan-2-yl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(2-(Dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4,2^4-difluoro-1^6,9-dimethyl-5-oxo-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(2-(Dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4,1^6,2^4-trifluoro-5-oxo-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-1^4,2^4,2^5-Trifluoro-1^6-methyl-5-oxo-6-(3-oxo-2-azaspiro[4.5]decan-2-yl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((10*S*,13*S*)-10-(4,4-Dimethyl-2-oxopyrrolidin-1-yl)-1^4,2^4-difluoro-1^5,2^6-dimethyl-11-oxo-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((3*S*,6*S*)-1^4,2^4-Difluoro-1^6-methyl-5-oxo-6-(3-oxo-2-azaspiro[4.4]nonan-2-yl)-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-1^4,2^4-difluoro-1^6-methyl-5-oxo-6-(3-oxo-2,8-diazaspiro[4.5]decan-2-yl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-1^4,2^4-difluoro-1^6-methyl-5-oxo-6-(8-methyl-3-oxo-2,8-diazaspiro[4.5]decan-2-yl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-1^4,2^4-Difluoro-6-(3-fluoro-5-(2-(3-fluoroazetidin-1-yl)ethyl)-2-oxopyridin-1(2*H*)-yl)-1^6-methyl-5-oxo-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-1^4,2^4-Difluoro-6-(5-(2-(3-methoxyazetidin-1-yl)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^6,2^5-dimethyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-Bromo-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4,2^4-difluoro-1^6-methyl-5-oxo-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(3-(Dimethylamino)propyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4,2^4,2^5-trifluoro-1^6-methyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(3-(Dimethylamino)propyl)-2-oxopyridin-1(2*H*)-yl)-1^4,2^4-difluoro-1^6-methyl-5-oxo-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(2-(dimethylamino)ethyl)-2-oxopyridin-1(2*H*)-yl)-1^6-methyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-1^4,2^4-Difluoro-1^6-methyl-5-oxo-6-(3-oxo-8-oxa-2-azaspiro[4.5]decan-2-yl)-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(2-(Dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^6-ethyl-1^4,2^4-difluoro-5-oxo-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(3-(Dimethylamino)propyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4,1^6,2^4-trifluoro-5-oxo-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-1^4,2^4,2^5-Trifluoro-1^6-methyl-6-(1-methyl-2-oxo-1,3-diazaspiro[4.5]decan-3-yl)-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-2^4-fluoro-1^4,1^6-dimethyl-5-oxo-6-(2-oxo-5-(2-(pyrrolidin-1-yl)ethyl)-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-12-oxa-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((10*S*,13*S*)-10-(5-(2-(Dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4,2^4-difluoro-2^6,7-dimethyl-11-oxo-1^5-(trifluoromethyl)-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((10*S*,13*S*)-10-(5-(2-(Dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^4,2^4-difluoro-2^6,4-dimethyl-11-oxo-1^5-(trifluoromethyl)-3-oxa-12-aza-1(1,3),2(1,2)-dibenzenacyclotridecaphane-13-yl)acetic acid;

2-((3*S*,6*S*)-1^4,2^4-Difluoro-1^6-methyl-6-(5-(2-morpholinoethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-5-oxo-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(3-(2-(Azetidin-1-yl)ethyl)-6-oxo-5-(trifluoromethyl)pyridazin-1(6*H*)-yl)-2^5-cyclopropyl-1^4,2^4-difluoro-1^6-methyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-1^4,2^4-difluoro-6-(3-(2-(3-fluoroazetidin-1-yl)ethyl)-6-oxo-5-(trifluoromethyl)pyridazin-1(6*H*)-yl)-1^6-methyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(3-(2-(Azetidin-1-yl)ethyl)-6-oxo-5-(trifluoromethyl)pyridazin-1(6*H*)-yl)-1^4,2^4-difluoro-1^6-methyl-5-oxo-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(3-(2-(Azetidin-1-yl)ethyl)-5-methyl-6-oxopyridazin-1(6*H*)-yl)-2^5-cyclopropyl-1^4,2^4-difluoro-1^6-methyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(3-(3-(Dimethylamino)propyl)-6-oxo-5-(trifluoromethyl)pyridazin-1(6*H*)-yl)-1^4,2^4-difluoro-1^6-methyl-5-oxo-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-1^4,2^4-Difluoro-6-(3-(2-(3-fluoroazetidin-1-yl)ethyl)-5-methyl-6-oxopyridazin-1(6*H*)-yl)-1^6-methyl-5-oxo-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-1^4,2^4-Difluoro-6-(3-(2-(3-methoxyazetidin-1-yl)ethyl)-5-methyl-6-oxopyridazin-1(6*H*)-yl)-1^6-methyl-5-oxo-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(3-(2-(Azetidin-1-yl)ethyl)-5-methyl-6-oxopyridazin-1(6*H*)-yl)-1^4,2^4-difluoro-1^6-methyl-5-oxo-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(3-(3-(Dimethylamino)propyl)-5-methyl-6-oxopyridazin-1(6*H*)-yl)-1^4,2^4-difluoro-1^6-methyl-5-oxo-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(3-(3-(Dimethylamino)propyl)-6-oxo-4-(trifluoromethyl)pyridazin-1(6*H*)-yl)-1^4,2^4-difluoro-1^6-methyl-5-oxo-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-1^4,2^4-Difluoro-6-(3-(2-(3-fluoroazetidin-1-yl)ethyl)-6-oxo-4-(trifluoromethyl)pyridazin-1(6*H*)-yl)-1^6-methyl-5-oxo-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(3-(3-(Dimethylamino)propyl)-6-oxo-4-(trifluoromethyl)pyridazin-1(6*H*)-yl)-1^4,2^4-difluoro-1^6,2^5-dimethyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-6-(3-(3-(dimethylamino)propyl)-6-oxo-4-(trifluoromethyl)pyridazin-1(6*H*)-yl)-1^4,2^4-difluoro-1^6-methyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(3-(3-(Azetidin-1-yl)propyl)-6-oxo-4-(trifluoromethyl)pyridazin-1(6*H*)-yl)-1^4,2^4-difluoro-1^6-methyl-5-oxo-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-1^4,2^4-difluoro-6-(3-(2-(3-methoxyazetidin-1-yl)ethyl)-6-oxo-4-(trifluoromethyl)pyridazin-1(6*H*)-yl)-1^6-methyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-1^4,2^4-difluoro-6-(3-(2-(3-fluoroazetidin-1-yl)ethyl)-6-oxo-4-(trifluoromethyl)pyridazin-1(6*H*)-yl)-1^6-methyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-1^4,2^4-difluoro-6-(5-(3-hydroxypropyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^6-methyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-1^4,2^4-Difluoro-6-(3-(2-(3-methoxyazetidin-1-yl)ethyl)-6-oxo-4-(trifluoromethyl)pyridazin-1(6*H*)-yl)-1^6-methyl-5-oxo-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-1^4,1^6,2^4-Trifluoro-6-(5-(2-morpholinoethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-5-oxo-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(2-(dimethylamino)ethyl)-2-oxopyridin-1(2*H*)-yl)-1^4,2^4-difluoro-1^6-methyl-5-oxo-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(3-(2-(Dimethylamino)ethyl)-6-oxo-4-(trifluoromethyl)pyridazin-1(6*H*)-yl)-1^4,2^4-difluoro-1^6-methyl-5-oxo-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-1^4,2^4-difluoro-6-(3-(2-(3-fluoroazetidin-1-yl)ethyl)-5-methyl-6-oxopyridazin-1(6*H*)-yl)-1^6-methyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-1^4,2^4-Difluoro-6-(3-(2-(3-methoxyazetidin-1-yl)ethyl)-6-oxo-4-(trifluoromethyl)pyridazin-1(6*H*)-yl)-1^6,2^5-dimethyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-1^4,1^6,2^4-trifluoro-6-(5-(2-(3-methoxyazetidin-1-yl)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(3-(3-(Dimethylamino)propyl)-6-oxo-4-(trifluoromethyl)pyridazin-1(6*H*)-yl)-1^4,2^4,2^5-trifluoro-1^6-methyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-6-(5-(2-(dimethylamino)ethyl)-2-oxo-4-(trifluoromethyl)pyridin-1(2*H*)-yl)-1^3,1^4,2^4-trifluoro-1^6-methyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(3-(2-(Azetidin-1-yl)ethyl)-6-oxo-4-(trifluoromethyl)pyridazin-1(6*H*)-yl)-1^4,2^4-difluoro-1^6-methyl-5-oxo-2^5-(trifluoromethyl)-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-6-(3-(2-(dimethylamino)ethyl)-6-oxo-4-(trifluoromethyl)pyridazin-1(6*H*)-yl)-1^4,1^6,2^4-trifluoro-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(3-(2-(Azetidin-1-yl)ethyl)-6-oxo-4-(trifluoromethyl)pyridazin-1(6*H*)-yl)-1^4,2^4-difluoro-1^6,2^5-dimethyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-2^5-Cyclopropyl-6-(5-(2-(dimethylamino)ethyl)-4-methyl-2-oxopyrimidin-1(2*H*)-yl)-1^4,2^4-difluoro-1^6-methyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid;

2-((3*S*,6*S*)-6-(5-(2-(3-Methoxyazetidin-1-yl)ethyl)-2-oxopyridin-1(2*H*)-yl)-1^6-methyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid; and

2-((3*S*,6*S*)-6-(5-(2-(3-Fluoroazetidin-1-yl)ethyl)-2-oxopyridin-1(2*H*)-yl)-1^6-methyl-5-oxo-4-aza-1(1,2),2(1,3)-dibenzenacyclotridecaphane-3-yl)acetic acid.

13. A pharmaceutical composition comprising a compound according to any one of claims 1 to 12, or a pharmaceutically acceptable salt thereof, and one or more pharmaceutically acceptable excipients.

14. A compound according to any one of claims 1 to 12, or a pharmaceutically acceptable salt thereof, or a pharmaceutical composition according to claim 13, for use in therapy.

15. Use of a compound according to any one of claims 1 to 12, or a pharmaceutically acceptable salt thereof, or a pharmaceutical composition according to claim 13, in the manufacture of a medicament for the treatment of inflammatory bowel diseases, such as ulcerative colitis or Crohn's disease, eosinophilic gastrointestinal diseases, and pouchitis.

16. Use of a compound according to any one of claims 1 to 12, or a pharmaceutically acceptable salt thereof, or a pharmaceutical composition according to claim 13, in the manufacture of a medicament for the treatment of diseases or disorders mediated by α4β7.