

Figure 1A




Figure 1B




Figure 1C




Figure 1D




Figure 1E




Figure 1F




Figure 2A




Figure 2B




Figure 2C




Figure 2D





Figure 2E






Figure 3




Figure 4A




Figure 4B




Figure 4C




Figure 4D




Figure 4E




Figure 4F




Figure 4G




Figure 5A




Figure 5B




Figure 5C




Figure 5D




Figure 5E




Figure 5F




Figure 6




Figure 7A




Figure 7B




Figure 8




Figure 9




Figure 10A




Figure 10B




Figure 10C




Figure 11




Figure 12





Figure 12 (cont.)



VEGF Trap DS One way analysis by Phamalyte Samples based on % 3-9 peak area




Figure 13A




Figure 13B






Figure 13C

Matched Pairs


35/35




S1	29.1243	t-Ratio	0.758337
S2	29.0541	DF	36
Mean Difference	0.07027	Prob > t	0.4532
Std Error	0.09266	Prob > t	0.2266
Upper 95%	0.2582	Prob < t	0.7734
Lower 95%	-0.1177		
N	37		
Correlation	0.95901		



S1	43.9189	t-Ratio	-0.0433
S2	43.9216	DF	36
Mean Difference	-0.0027	Prob > t	0.9657
Std Error	0.06242	Prob > t	0.5271
Upper 95%	0.12389	Prob < t	0.4829
Lower 95%	-0.1293		
N	37		
Correlation	0.94393		



S1	26.9784	t-Ratio	-0.39005
S2	27.0189	DF	36
Mean Difference	-0.0405	Prob > t	0.6988
Std Error	0.10394	Prob > t	0.6506
Upper 95%	0.17025	Prob < t	0.3494
Lower 95%	-0.2513		
N	37		
Correlation	0.96779		



3 to 9 816	83.7757	t-Ratio	-26.2059
3 to 9 605	88.6324	DF	36
Mean Difference	-4.8568	Prob > t	<.0001*
Std Error	0.18533	Prob > t	1.0000
Upper 95%	-4.4809	Prob < t	<.0011*
Lower 95%	-5.2326		
N	37		
Correlation	0.45242		

Figure 13D