PCT WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7 :
C07D 211/96, 405/12, 413/12, 409/12, 401/12, A61K 31/445

A1

(11) International Publication Number: WO 00/09485

(43) International Publication Date: 24 February 2000 (24.02.00)

(21) International Application Number: PCT/IB99/01388

(22) International Filing Date: 5 August 1999 (05.08.99)

(30) Priority Data:
60/096,232 12 August 1998 (12.08.98) US

(71) Applicant *(for all designated States except US)*: PFIZER PRODUCTS INC. [US/US]; Eastern Point Road, Groton, CT 06340 (US).


(72) Inventors; and
(75) Inventors/Applicants *(for US only)*: MCCLURE, Kim, Francis [US/US]; Apartment 4, 6 School Street, Mystic, CT 06355 (US). NOE, Mark, Carl [US/US]; 7 Whitehall Lane, Mystic, CT 06355 (US). LETAVIC, Michael, Anthony [US/US]; 334 High Street, Mystic, CT 06355 (US). CHUPAK, Louis, Stanley [US/US]; 4 Stone Boat Road, Old Saybrook, CT 06475 (US).

(74) Agents: SPIEGEL, Allen, J. et al.; c/o Simpson, Alison, Urquhart–Dykes & Lord, 91 Wimpole Street, London W1M 8AH (GB).

(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published
With international search report.

(54) Title: HYDROXY PIPECOLATE HYDROXAMIC ACID DERIVATIVES AS MMP INHIBITORS



(I)

(57) Abstract

A compound of formula (I) wherein R^1, R^2 R^3, R^4 R^5, R^6, R^7, R^8, R^9 and Ar are as defined above, useful in the treatment of a condition selected from the group consisting of arthritis, cancer, and other diseases characterized by matrix metalloproteinase or mammalian reprolysin activity. In addition, the compounds of the present invention may be used in combination therapy with standard non–steroidal anti–inflammatory drugs (NSAID'S), COX–2 inhibitors and analgesics, and in combination with cytotoxic drugs such as adriamycin, daunomycin, cis–platinum, etoposide, taxol, taxotere and other alkaloids, such as vincristine, in the treatment of cancer.