




PAT054402A

Figure 1 Sorption results of Modification A





5

PAT054402A


Figure 2.1 X-ray Powder Diffraction Pattern (PXRD) of Modification A**Figure 2.2: X-ray Powder Diffraction Pattern (PXRD) of Modification B**

5


PAT054402A

Figure 2.3. X-ray Powder Diffraction Pattern (PXRD) of Modification C**5 Figure 2.4: X-ray Powder Diffraction Pattern (PXRD) of Modification D**

PAT054402A

Figure 2.5 X-ray Powder Diffraction Pattern (PXRD) of Modification E


5

Figure 2.6. X-ray Powder Diffraction Pattern (PXRD) of Modification F


10

PAT054402A



Figure 2.7: X-ray Powder Diffraction Pattern (PXRD) of Modification G





5 Figure 2.8: X-ray Powder Diffraction Pattern (PXRD) of Modification H





PAT054402A

Figure 2.9: X-ray Powder Diffraction Pattern (PXRD) of Modification I**5 Figure 2.10: X-ray Powder Diffraction Pattern (PXRD) of Modification J**

PAT054402A


Figure 2.11: X-ray Powder Diffraction Pattern (PXRD) of Modification K**5 Figure 2.12: X-ray Powder Diffraction Pattern (PXRD) of Modification L**

PAT054402A


Figure 2.13 X-ray Powder Diffraction Pattern (PXRD) of Modification M**5 Figure 2.14 X-ray Powder Diffraction Pattern (PXRD) of Modification N**

PAT054402A

Figure 2.15. X-ray Powder Diffraction Pattern (PXRD) of Modification O




5 Figure 2.16 X-ray Powder Diffraction Pattern (PXRD) of Modification P



PAT054402A

Figure 3:


Vacuum thermogravimetric analysis (VTGA) experiment showing the effect of RH (relative humidity) on sample mass of Modification A (20 mbar, 50°C, 32% RH throughout run).



PAT054402A


Figure 4: Vacuum thermogravimetric analysis (VTGA) experiment showing the effect of RH (relative humidity) on sample mass of wet cake of Modification C (in acetonitrile and water 8% wt. at 20°C for ~19 hrs.)

5




PAT054402A

Figure 5 Sorption profile differences at 25°C between Modification A (Form A) and Modification C (Form C)




5 Figure 6 Sorption profile at 25°C of Modification N




PAT054402A

Figure 7 Sorption profile at 25°C of Modification O




5

Figure 8 Crystal shapes of Modification A and Modification C



Modification A



Modification C