




1/45

FIG. 1





2/45





4/45





6/45




FIG. 6(a)






FIG. 6(b)

7/45


FIG. 7



8/45



9/45



10/45

FIG. 10(c)




FIG. 10(b)





FIG. 10(a)



11/45

FIG. 11(a)




FIG. 11(c)




FIG. 11(b)






FIG. 11(d)




12/45

FIG. 12




13/45

FIG. 13




14/45

FIG. 14



15/45



16/45

FIG. 16





FIG. 17



17/45





FIG. 18

18/45

FIG. 19






FIG. 20

20/45






FIG. 21


21/45

FIG. 22




22/45

FIG. 23



23/45

FIG. 24



24/45

FIG. 25






FIG. 26




26/45




27/45


FIG. 28



28/45



29/45



30/45

FIG. 31(a)





FIG. 31(b)



31/45




FIG. 32(a)







FIG. 32(b)




33/45



FIG. 34(a)*FIG. 34(b)*

34/45

FIG. 35




35/45



FIG. 36(a)*FIG. 36(b)*

36/45



FIG. 37



37/45

FIG. 38(a)*FIG. 38(b)*

38/45



39/45

FIG. 40(a)








FIG. 40(b)




40/45




41/45




42/45



43/45



44/45



45/45




Conductor cross section	1.5mm ²		2.5mm ²		4mm ²	
	Solid wire	Stranded wire	Solid wire	Stranded wire	Solid wire	Stranded wire
View						
						
Strand diameter x the number	$\phi 1.38 \times 1$	$\phi 0.52 \times 7$	$\phi 1.78 \times 1$	$\phi 0.67 \times 7$	$\phi 2.25 \times 1$	$\phi 0.86 \times 7$
Outline of covered wire	$\phi 2.8$	$\phi 3.25$	$\phi 3.4$	$\phi 3.7$	$\phi 4.4$	$\phi 4.4$

FIG. 46