

ANTI-RESPIRATORY SYNCYTIAL VIRUS ANTIBODIES, AND METHODS OF THEIR GENERATION AND USE

Cross Reference to Related Applications

[0001] The present application claims the benefit of United States Provisional Patent Application number 62/411,500, filed October 21, 2016, the entire contents of which are incorporated herein by reference.

Sequence Listing

[0002] The instant application contains a Sequence Listing which has been submitted electronically in ASCII format and is hereby incorporated by reference in its entirety. Said ASCII copy, created on October 20, 2017, is named "2009186_0217_SL.TXT" and is 860,021 bytes in size.

Field of the Invention

[0003] The invention relates, inter alia, to anti-Respiratory Syncytial Virus (RSV) antibodies and functional fragments thereof, and methods and reagents for their preparation and use.

Background of the Invention

[0004] All references cited herein, including without limitation patents, patent applicaotns, and non-patent references and publications referenced throughout are hereby expressly incorporated by reference in their entirety for all purposes.

[0005] Respiratory syncytial virus (RSV) causes substantial morbidity and mortality in young children and the elderly, is the leading cause of infant hospitalization in the United States and accounts for an estimated 64 million infections and 160,000 deaths world-wide each year. However, despite decades of research, the development of a safe and effective vaccines or therapeutic and/or prophylactic antibodies against RSV has remained elusive, highlighting the need for novel strategies that induce or provide protective immune responses. (1-3). Indeed, to date there are currently no approved RSV vaccines, and passive prophylaxis with the monoclonal antibody palivizumab (marketed as Synagis®) is restricted to high-risk infants in part due to its modest efficacy.

[0006] Certain populations of children are at risk for developing an RSV infection and these include preterm infants (Hall et al., 1979, New Engl. J. Med. 300:393-396), children with congenital

malformations of the airway, children with bronchopulmonary dysplasia (Groothuis et al., 1988, *Pediatrics* 82:199-203), children with congenital heart disease (MacDonald et al., *New Engl. J. Med.* 307:397-400), and children with congenital or acquired immunodeficiency (Ogra et al., 1988, *Pediatr. Infect. Dis. J.* 7:246-249; and Pohl et al., 1992, *J. Infect. Dis.* 165:166-169), and cystic fibrosis (Abman et al., 1988, *J. Pediatr.* 113:826-830).

[0007] RSV can infect the adult population as well. In this population, RSV causes primarily an upper respiratory tract disease, although elderly patients may be at greater risk for a serious infection and pneumonia (Evans, A. S., eds., 1989, *Viral Infections of Humans. Epidemiology and Control*, 3rd ed., Plenum Medical Book, New York at pages 525-544), as well as adults who are immunosuppressed, particularly bone marrow transplant patients (Hertz et al., 1989, *Medicine* 68:269-281). Other at risk patients include those suffering from congestive heart failure and those suffering from chronic obstructive pulmonary disease (ie. COPD). There have also been reports of epidemics among nursing home patients and institutionalized young adults (Falsey, A. R., 1991, *Infect. Control Hosp. Epidemiol.* 12:602-608; and Garvie et al., 1980, *Br. Med. J.* 281:1253-1254).

[0008] While treatment options for established RSV disease are limited, more severe forms of the disease of the lower respiratory tract often require considerable supportive care, including administration of humidified oxygen and respiratory assistance (Fields et al., eds, 1990, *Fields Virology*, 2nd ed., Vol. 1, Raven Press, New York at pages 1045-1072).

[0009] Similar to other pneumoviruses, RSV expresses two major surface glycoproteins: the fusion protein (F) and the attachment protein (G). Although both have been shown to induce protective neutralizing antibody responses, F is less genetically variable than G, is absolutely required for infection, and is the target for the majority of neutralizing activity in human serum (4-8). RSV F is also the target of the monoclonal antibody palivizumab, which is used to passively protect high-risk infants from severe disease (9). Consequently, the RSV F protein is considered to be a highly attractive target for vaccines and antibody-based therapies.

[0010] The mature RSV F glycoprotein initially exists in a metastable prefusion conformation (10), before undergoing a conformational change that leads to insertion of the hydrophobic fusion peptide into the host-cell membrane. Subsequent refolding of F into a stable, elongated postfusion conformation (postF) (11, 12) results in fusion of the viral and host-cell membranes. Due to its inherent instability, the preF protein has the propensity to prematurely trigger into postF, both in solution and on

the viral surface (13). Recently, stabilization of preF has been achieved by protein engineering (14, 15), and stabilized preF has been shown to induce higher titers of neutralizing antibodies than postF in animal models (15).

[0011] Despite the importance of neutralizing antibodies in protection against severe RSV disease, our understanding of the human antibody response to RSV has been limited to studies of human sera and a small number of RSV-specific human monoclonal antibodies (16-19). The epitopes recognized by these human antibodies, as well as several murine antibodies, have defined at least four ‘antigenic sites’ on RSV F (1, 10, 16, 18-20) (see also, e.g, Table 1). Three of these sites—I, II, and IV—are present on both pre- and postF, whereas antigenic site Ø exists exclusively on preF. Additional preF-specific epitopes have been defined by antibodies MPE8 (17) and AM14 (21). Although serum mapping studies have shown that site Ø-directed antibodies are responsible for a large proportion of the neutralizing antibody response in most individuals (8), there are additional antibody specificities that contribute to serum neutralizing activity that remain to be defined. In addition, it was heretofore unknown whether certain antibody sequence features are required for recognition of certain neutralizing sites, as observed for other viral targets (22-25). Accordingly, understanding the relationship between neutralization potency and epitope specificity would be advantageous in the selection and/or design of vaccine antigens, as well as therapeutic and/or prophylactic antibodies, which induce potent neutralizing responses to RSV.

[0012] While treatment options for established RSV disease are limited, more severe forms of the disease of the lower respiratory tract often require considerable supportive care, including administration of humidified oxygen and respiratory assistance (Fields et al., eds, 1990, Fields Virology, 2nd ed., Vol. 1, Raven Press, New York at pages 1045-1072).

[0013] Ribavirin, which is the only drug approved for treatment of infection, has been shown to be effective in the treatment of pneumonia and bronchiolitis associated with RSV infection, and has been shown to modify the course of severe RSV disease in immunocompetent children (Smith et al., 1991, New Engl. J. Med. 325:24-29). The use of ribavirin is limited due to concerns surrounding its potential risk to pregnant women who may be exposed to the aerosolized drug while it is being administered in a hospital environment.

[0014] Similarly, while a vaccine may be useful, no commercially available vaccine has been developed to date. Several vaccine candidates have been abandoned and others are under development

(Murphy et al., 1994, *Virus Res.* 32: 13-36). The development of a vaccine has proven to be problematic. In particular, immunization would be required in the immediate neonatal period since the peak incidence of lower respiratory tract disease occurs at 2-5 months of age. However, it is known that the neonatal immune response is immature at that time. Plus, the infant at that point in time still has high titers of maternally acquired RSV antibody, which might reduce vaccine immunogenicity (Murphy et al., 1988, *J. Virol.* 62:3907-3910; and Murphy et al, 1991, *Vaccine* 9:185-189).

[0015] Currently, the only approved approach to prophylaxis of RSV disease is passive immunization. For example, the humanized antibody, palivizumab (SYNAGIS®), which is specific for an epitope on the F protein, is approved for intramuscular administration to pediatric patients for prevention of serious lower respiratory tract disease caused by RSV at recommended monthly doses of 15 mg/kg of body weight throughout the RSV season (November through April in the northern hemisphere). SYNAGIS® is a composite of human (95%) and murine (5%) antibody sequences. (Johnson et al, (1997), *J. Infect. Diseases* 176:1215-1224 and U.S. Pat. No. 5,824,307).

[0016] Although SYNAGIS® has been successfully used for the prevention of RSV infection in pediatric patients, multiple intramuscular doses of 15 mg/kg of SYNAGIS® are required to achieve a prophylactic effect. The necessity for the administration of multiple intramuscular doses of antibody requires repeated visits to the doctor's office, which is not only inconvenient for the patient but can also result in missed doses.

[0017] Efforts were made to improve on the therapeutic profile of an anti-RSV-F antibody, and this led to the identification and development of motavizumab, also referred to as NUMAX™. However, clinical testing revealed that certain of the patients being administered motavizumab were having severe hypersensitivity reactions. Further development of this humanized anti- RSV-F antibody was then discontinued.

[0018] Other antibodies to RSV-F protein have been described and can be found in US6656467; US5824307, US 7786273; US 7670600; US 7083784; US6818216; US7700735; US7553489; US7323172; US7229619; US7425618; US7740851 ; US7658921 ; US7704505; US7635568; US6855493; US6565849; US7582297; US7208162; US7700720; US6413771 ; US581 1524; US6537809; US5762905; US7070786; US7364742; US7879329; US7488477; US7867497; US553441 1 ; US6835372; US7482024; US7691603; US8562996; US8568726; US9447173; US20100015596;

WO2009088159A1; and WO2014159822. To date, none other than SYNAGIS® has been approved by a regulatory agency for use in preventing an RSV infection.

[0019] There remains a need for the provision of highly specific, high affinity, and highly potent neutralizing anti-RSV antibodies and antigen-binding fragments thereof with neutralize at least one, but preferably both, of subtype A and subtype B RSV viral strains, and which preferentially recognize PreF relative to PostF conformations of the F protein. There also remains a need for the provision of anti-RSV and anti-HMPV cross-neutralizing antibodies and antigen-binding fragments thereof.

Summary of the Invention

[0020] Applicant has now discovered, isolated, and characterized, inter alia, an extensive panel of RSV F-specific monoclonal antibodies from the memory B cells of a healthy adult human donor and used these antibodies to comprehensively map the antigenic topology of RSV F. A large proportion of the RSV F-specific human antibody repertoire was advantageously comprised of antibodies with greatly enhanced specificity for the PreF conformation of the F protein (relative to the PostF form), many if not most of which exhibited remarkable potency in neutralization assays against one or both of RSV subtype A and RSV subtype B strains. Indeed, a large number of these antibodies display neutralization potencies that are multiple-fold greater – some 5- to 100-fold greater or more – to previous anti-RSV therapeutic antibodies, such as D25 and pavlizumab thus serve as attractive therapeutic and/or prophylactic candidates for treating and/or preventing RSV infection and disease.

[0021] The most potent antibodies were found to target two distinct antigenic sites that are located near the apex of the preF trimer, providing strong support for the development of therapeutic and/or prophylactic antibodies targeting these antigenic sites, as well as preF-based vaccine candidates that preserve these antigenic sites. Furthermore, the neutralizing antibodies described and disclosed herein represent new opportunities for the prevention of severe RSV disease using passive immunoprophylaxis.

[0022] Given the role that the F protein plays in fusion of the virus with the cell and in cell to cell transmission of the virus, the antibodies and pharmaceutical compositions described herein provide a method of inhibiting that process and as such, may be used for preventing infection of a patient exposed to, or at risk for acquiring an infection with RSV, or for treating and/or ameliorating one or

more symptoms associated with RSV infection in a patient exposed to, or at risk for acquiring an infection with RSV, or suffering from infection with RSV. The antibodies described herein may also be used to prevent or to treat an RSV infection in a patient who may experience a more severe form of the RSV infection due to an underlying or pre-existing medical condition. A patient who may benefit from treatment with an antibody and/or a pharmaceutical composition of the invention may be a pre-term infant, a full-term infant born during RSV season (approximately late fall (November) through early spring (April)) that is at risk because of other pre-existing or underlying medical conditions including congenital heart disease or chronic lung disease, a child greater than one year of age with or without an underlying medical condition, an institutionalized or hospitalized patient, or an elderly adult (> 65 years of age) with or without an underlying medical condition, such as congestive heart failure (CHF), or chronic obstructive pulmonary disease (COPD). A patient who may benefit from such therapy may suffer from a medical condition resulting from a compromised pulmonary, cardiovascular, neuromuscular, or immune system. For example, the patient may suffer from an abnormality of the airway, or an airway malfunction, a chronic lung disease, a chronic or congenital heart disease, a neuromuscular disease that compromises the handling of respiratory secretions, or the patient may be immunosuppressed due to severe combined immunodeficiency disease or severe acquired immunodeficiency disease, or from any other underlying infectious disease or cancerous condition that results in immunosuppression, or the patient may be immunosuppressed due to treatment with an immunosuppressive drug (e.g. any drug used for treating a transplant patient) or radiation therapy. A patient who may benefit from the antibodies and/or pharmaceutical compositions of the invention may be a patient that suffers from chronic obstructive pulmonary disease (COPD), cystic fibrosis (CF), bronchopulmonary dysplasia, congestive heart failure (CHF), or congenital heart disease.

[0023] Because the inventive antibodies and antigen-binding fragments thereof are more effective at neutralization of RSV compared to known antibodies, lower doses of the antibodies or antibody fragments or pharmaceutical composition of the invention could be used to achieve a greater level of protection against infection with RSV, and more effective treatment and/or amelioration of symptoms associated with an RSV infection. Accordingly, the use of lower doses of antibodies or fragments thereof which immunospecifically bind to RSV-F antigen may result in fewer or less severe adverse events. Likewise, the use of more effective neutralizing antibodies may result in a diminished need for frequent administration of the antibodies or antibody fragments or pharmaceutical compositions than previously envisioned as necessary for the prevention of infection, or for virus

neutralization, or for treatment or amelioration of one or more symptoms associated with an RSV infection. Symptoms of RSV infection may include a bluish skin color due to lack of oxygen (hypoxia), breathing difficulty (rapid breathing or shortness of breath), cough, croupy cough ("seal bark" cough), fever, nasal flaring, nasal congestion (stuffy nose), apnea, decreased appetite, dehydration, poor feeding, altered mental status, or wheezing.

[0024] Such antibodies or pharmaceutical compositions may be useful when administered prophylactically (prior to exposure to the virus and infection with the virus) to lessen the severity, or duration of a primary infection with RSV, or ameliorate at least one symptom associated with the infection. The antibodies or pharmaceutical compositions may be used alone or in conjunction with a second agent useful for treating an RSV infection. In certain embodiments, the antibodies or pharmaceutical compositions may be given therapeutically (after exposure to and infection with the virus) either alone, or in conjunction with a second agent to lessen the severity or duration of the primary infection, or to ameliorate at least one symptom associated with the infection. In certain embodiments, the antibodies or pharmaceutical compositions may be used prophylactically as stand-alone therapy to protect patients who are at risk for acquiring an infection with RSV, such as those described above. Any of these patient populations may benefit from treatment with the antibodies of the invention, when given alone or in conjunction with a second agent, including for example, an anti-viral therapy, such as ribavirin, or other anti-viral vaccines.

[0025] The antibodies of the invention can be full-length (for example, an IgG1 or IgG4 antibody) or may comprise only an antigen-binding portion (for example, a Fab, F(ab')₂ or scFv fragment), and may be modified to affect functionality, e.g., to eliminate residual effector functions (Reddy et al., (2000), J. Immunol. 164:1925-1933).

[0026] Accordingly, in certain embodiments are provided isolated antibodies or antigen-binding fragments thereof that specifically bind to Respiratory Syncytial Virus (RSV) F protein (F), wherein at least one, at least two, at least three, at least four, at least five, or at least six of the CDRH1, a CDRH2, a CDRH3, a CDRL1, a CDRL2, and CDRL3 amino acid sequence such antibodies or the antigen-binding fragments thereof are at least 70% identical; at least 75% identical; 80% identical; at least 85% identical; at least 90% identical; at least 95% identical; at least 96% identical; at least 97% identical; at least 98% identical; at least 99%; and/or all percentages of identity in between; to at least one, at least two, at least three, at least four, at least five, or at least six the CDRH1, a CDRH2, a CDRH3, a

CDRL1, a CDRL2, and/or a CDRL3 amino acid sequences as disclosed in Table 6 of an antibody selected from Antibody Number 124 through Antibody Number 244 as disclosed in Table 6; and wherein said antibody or the antigen-binding fragment thereof also has one or more of the following characteristics: a) the antibodies or antigen-binding fragments thereof cross-compete with said antibodies or antigen-binding fragments thereof for binding to RSV-F; b) the antibodies or antigen-binding fragments thereof display better binding affinity for the PreF form of RSV-F relative to the PostF form; c) the antibodies or antigen-binding fragments thereof display a clean or low polyreactivity profile; d) the antibodies or antigen-binding fragments thereof display neutralization activity toward RSV subtype A and RSV subtype B in vitro; e) the antibodies or antigen-binding fragments thereof display antigenic site specificity for RSV-F at Site Ø, Site I, Site II, Site III, Site IV, or Site V f) the antibodies or antigen-binding fragments thereof display antigenic site specificity for RSV-F Site Ø, Site V, or Site III relative to RSV-F Site I, Site II, or Site IV; g) at least a portion of the epitope with which the antibodies or antigen-binding fragments thereof interact comprises the $\alpha 3$ helix and $\beta 3/\beta 4$ hairpin of PreF; h) the antibodies or antigen-binding fragments thereof display an in vitro neutralization potency (IC_{50}) of between about 0.5 microgram/milliliter ($\mu g/ml$) to about 5 $\mu g/ml$; between about 0.05 $\mu g/ml$ to about 0.5 $\mu g/ml$; or less than about 0.05 mg/ml ; i) the binding affinities and/or epitopic specificities of the antibodies or antigen-binding fragments thereof for any one of the RSV-F variants designated as 1, 2, 3, 4, 5, 6, 7, 8, 9, and DG in Figure 7A is reduced or eliminated relative to the binding affinities and/or epitopic specificities of said antibodies or antigen-binding fragments thereof for the RSV-F or RSV-F DS-Cav1; j) the antibodies or antigen-binding fragments thereof display a cross-neutralization potency (IC_{50}) against human metapneumovirus (HMPV); k) the antibodies or antigen-binding fragments thereof do not compete with D25, MPE8, palivizumab, or motavizumab; or l) the antibodies or antigen-binding fragments thereof display at least about 2-fold; at least about 3-fold; at least about 4-fold; at least about 5-fold; at least about 6-fold; at least about 7-fold; at least about 8-fold; at least about 9-fold; at least about 10-fold; at least about 15-fold; at least about 20-fold; at least about 25-fold; at least about 30-fold; at least about 35-fold; at least about 40-fold; at least about 50-fold; at least about 55-fold; at least about 60-fold; at least about 70-fold; at least about 80-fold; at least about 90-fold; at least about 100-fold; greater than about 100-fold; and folds in between any of the foregoing; greater neutralization potency (IC_{50}) than D25 and/or palivizumab.

[0027] In certain other embodiments, the isolated antibodies or antigen-binding fragments thereof comprise: at least two; at least three; at least 4; at least 5; at least 6; at least 7; at least 8; at least 9; at least 10; at least 11; or at least 12; of characteristics a) through l) above.

[0028] In certain other embodiments, the isolated antibodies or antigen-binding fragments thereof comprise: a) the CDRH3 amino acid sequence of any one of the antibodies designated Antibody Number 124 through Antibody Number 244 as disclosed in Table 6; b) the CDRH2 amino acid sequence of any one of the antibodies designated Antibody Number 124 through Antibody Number 244 as disclosed in Table 6; c) the CDRH1 amino acid sequence of any one of the antibodies designated Antibody Number 124 through Antibody Number 244 as disclosed in Table 6; d) the CDRL3 amino acid sequence of any one of the antibodies designated Antibody Number 124 through Antibody Number 244 as disclosed in Table 6; e) the CDRL2 amino acid sequence of any one of the antibodies designated Antibody Number 124 through Antibody Number 244 as disclosed in Table 6; f) the CDRL1 amino acid sequence of any one of the antibodies designated Antibody Number 124 through Antibody Number 244 as disclosed in Table 6; or g) any combination of two or more of a), b), c), d), e), and f).

[0029] In certain other embodiments, the isolated antibodies or antigen-binding fragments thereof comprise: a) a heavy chain (HC) amino acid sequence of any one of the antibodies designated Antibody Number 124 through Antibody Number 244 as disclosed in Table 6; and/or b) a light chain (LC) amino acid sequence of any one of the antibodies designated Antibody Number 124 through Antibody Number 244 as disclosed in Table 6.

[0030] In certain other embodiments, the isolated antibodies or antigen-binding fragments thereof are selected from the group consisting of antibodies that are at least 70% identical; at least 75% identical; 80% identical; at least 85% identical; at least 90% identical; at least 95% identical; at least 96% identical; at least 97% identical; at least 98% identical; at least 99%; and/or all percentages of identity in between; to any one of the antibodies designated as Antibody Number 124 through Antibody Number 244 as disclosed in Table 6.

[0031] In certain other embodiments, the isolated antibodies or antigen-binding fragments thereof are selected from the group consisting of the antibodies designated as Antibody Number 124 through Antibody Number 244 as disclosed in Table 6.

[0032] In other embodiments are provided isolated nucleic acid sequences encoding antibodies, or antigen-binding fragments thereof, or light and/or heavy chains thereof according to any of the other embodiments disclosed herein.

[0033] In other embodiments are provided expression vectors comprising isolated nucleic acid sequences according to other embodiments disclosed herein.

[0034] In other embodiments are provided host cells transfected, transformed, or transduced with nucleic acid sequences or expression vectors according to other embodiments disclosed herein.

[0035] In other embodiments are provided pharmaceutical compositions comprising: one or more of the isolated antibodies or antigen-binding fragments thereof according to other embodiments disclosed herein; and a pharmaceutically acceptable carrier and/or excipient.

[0036] In other embodiments are provided pharmaceutical compositions: one or more nucleic acid sequences according other embodiments disclosed herein; or one or more the expression vectors according to other embodiments disclosed herein; and a pharmaceutically acceptable carrier and/or excipient.

[0037] In other embodiments are provided transgenic organisms comprising nucleic acid sequences according to other embodiments disclosed herein; or expression vectors according to other embodiments disclosed herein.

[0038] In other embodiments are provided methods of treating or preventing a Respiratory Syncytial Virus (RSV) infection, or at least one symptom associated with RSV infection, comprising administering to a patient in need thereof or suspected of being in need thereof: a) one or more antibodies or antigen-binding fragments thereof according to other embodiments disclosed herein; b) nucleic acid sequences according to other embodiments disclosed herein; an expression vector according to other embodiments disclosed herein; a host cell according to other embodiments disclosed herein; or e) a pharmaceutical composition according to other embodiments disclosed herein; such that the RSV infection is treated or prevented, or the at least one symptom associated with RSV infection is treated, alleviated, or reduced in severity.

[0039] In other embodiments are provided methods of treating or preventing either a Respiratory Syncytial Virus (RSV) infection and/or a human metapneumovirus (HMPV) infection, or at least one symptom associated with said RSV infection or said HMPV infection, comprising

administering to a patient in need thereof or suspected of being in need thereof: a) one or more antibodies or antigen-binding fragments thereof according to other embodiments disclosed herein; b) a nucleic acid sequences according to other embodiments disclosed herein; c) an expression vector according to other embodiments disclosed herein; d) a host cell according to other embodiments disclosed herein; or e) a pharmaceutical composition according to other embodiments disclosed herein; such that the RSV infection is treated or prevented, or the at least one symptom associated with RSV infection is treated, alleviated, or reduced in severity. In other embodiments are provided methods according to other embodiments wherein the one or more antibodies or antigen-binding fragments thereof of a) is selected from the group consisting of the antibodies designated as Antibody Number 179, 188, 211, 221, or 229 as disclosed in Table 6.

[0040] In other embodiments are provided methods according to other embodiments wherein the method further comprises administering to the patient a second therapeutic agent.

[0041] In other embodiments are provided methods according to other embodiments, wherein the second therapeutic agent is selected from a group consisting of: an antiviral agent; a vaccine specific for RSV, a vaccine specific for influenza virus, or a vaccine specific for metapneumovirus (MPV); an siRNA specific for an RSV antigen or a metapneumovirus (MPV) antigen; a second antibody specific for an RSV antigen or a metapneumovirus (MPV) antigen; an anti-IL4R antibody, an antibody specific for an influenza virus antigen, an anti-RSV-G antibody and a NSAID.

[0042] In certain embodiments are provided pharmaceutical compositions comprising any one or more of the isolated antibodies or antigen-binding fragments thereof and a pharmaceutically acceptable carrier and/or excipient.

[0043] In certain embodiments are provided pharmaceutical compositions according to other embodiments for use in preventing a respiratory syncytial virus (RSV) infection in a patient in need thereof or suspected of being in need thereof, or for treating a patient suffering from an RSV infection, or for ameliorating at least one symptom or complication associated with the infection, wherein the infection is either prevented, or at least one symptom or complication associated with the infection is prevented, ameliorated, or lessened in severity and/or duration as a result of such use.

[0044] In certain embodiments are provided pharmaceutical compositions according to other embodiments for use in treating or preventing either a Respiratory Syncytial Virus (RSV) infection

and/or a human metapneumovirus (HMPV) infection, or at least one symptom associated with said RSV infection or said HMPV infection, in a patient in need thereof or suspected of being in need thereof, wherein the infection is either prevented, or at least one symptom or complication associated with the infection is prevented, ameliorated, or lessened in severity and/or duration as a result of such use.

[0045] In certain other embodiments are provided uses of the pharmaceutical compositions according to other embodiments in the manufacture of a medicament for preventing a respiratory syncytial virus (RSV) infection in a patient in need thereof, or for treating a patient suffering from an RSV infection, or for ameliorating at least one symptom or complication associated with the infection, wherein the infection is either prevented, or at least one symptom or complication associated with the infection is prevented, ameliorated, or lessened in severity and/or duration.

[0046] In certain other embodiments are provided uses of the pharmaceutical compositions according to other embodiments in the manufacture of a medicament for preventing either a Respiratory Syncytial Virus (RSV) infection and/or a human metapneumovirus (HMPV) infection, or at least one symptom associated with said RSV infection and/or said HMPV infection, in a patient in need thereof or suspected of being in need thereof, wherein the infection is either prevented, or at least one symptom or complication associated with the infection is prevented, ameliorated, or lessened in severity and/or duration as a result of such use.

Brief Description of the Figures

[0047] Figures 1A-1F illustrate the anti-RSV repertoire cloning and sequence analysis of the identified and isolated antibodies. Figure 1A: RSV F-specific B cell sorting. FACS plots show RSV F reactivity of IgG⁺ and IgA⁺ B cells from the healthy adult human donor. B cells in quadrant 2 (Q2) were single cell sorted. Figure 1B: Isotype analysis. Index sort plots show the percentage of RSV F-specific B cells that express IgG or IgA. Figure 1C: Clonal lineage analysis. Each slice represents one clonal lineage; the size of the slice is proportional to the number of clones in the lineage. The total number of clones is shown in the center of the pie. Clonal lineages were assigned based on the following criteria: 1) matching of variable and joining gene segments; 2) identical CDR3 loop lengths; and 3) >80% homology in CDR3 nucleotide sequences. Figure 1D: VH repertoire analysis. VH germline genes were considered to be enriched in the RSV repertoire if a given gene was found to be enriched by greater than 3-fold over non-RSV-specific repertoires (33). Figure 1E: CDRH3 length

distribution. Figure 1F: Somatic hypermutation in VH (excluding CDRH3). Red bar indicates the average number of nucleotide substitutions. Each clonal lineage is only represented once in Figure 1D and Figure 1E. Data for non-RSV reactive IgGs were derived from published sequences obtained by high-throughput sequencing of re-arranged antibody variable gene repertoires from healthy individuals (33).

[0048] Figures 2A-2D illustrate the similar antibody preferences observed for conformational state and subtype of RSV F in the repertoire. Figure 2A: IgG affinities for preF and postF are plotted as shown. Figure 2B: Percentage of antibodies within the donor repertoire that recognized both conformations of F (green) or bind only to preF (blue) or postF (orange). Figure 2C: Percentage of antibodies within the donor repertoire that bind specifically to subtype A (green), subtype B (blue), or both subtypes A and B (red). N.B., non-binder. IgG KDs were calculated for antibodies with BLI responses >0.1 nm. Antibodies with BLI responses <0.05 nm were designated as N.B. Figure 2D: Polyreactivity analysis of anti-RSV antibodies. The polyreactivity of the isolated anti-RSV F antibodies was measured using a previously described assay (42, 43). Three panels of control antibodies were included for comparison: a group of 138 antibodies currently in clinical trials, 39 antibodies that have been approved for clinical use and 14 broadly neutralizing HIV antibodies.

[0049] Figures 3A-3G illustrate mapping and specificities of anti-RSV antibodies for antigenic sites spanning the surface of PreF and PostF. Figure 3A: The previously determined structure of preF with one protomer shown as ribbons and with six antigenic sites rainbow colored from red to purple. Figure 3B: The percentage of antibodies targeting each antigenic site is shown. Figure 3C: Percentage of preF-specific antibodies targeting each antigenic site. Figure 3D: Apparent antibody binding affinities for subtype A PreF antigenic sites. Figure 3E: Apparent binding affinities for subtype A postF antigenic sites. Figure 3F: Apparent antibody binding affinities for subtype B PreF antigenic sites. Figure 3G: Apparent binding affinities for subtype B postF. Only antibodies with apparent binding affinities greater than 2 nM were included in this analysis, since antibodies with lower affinity could not be reliably mapped. Red bars show the median and the dotted grey line is at 2 nM. N.B., non-binder.

[0050] Figures 4A-4G illustrate neutralizing potencies of anti-RSV antibodies and correlation between potency and Pref vs. PostF specificity for each of RSV subtypes A and B. Figure 4A: Neutralization IC_{50} s for the antibodies isolated from the donor repertoire. Data points are colored based

on neutralization potency, according to the legend on the right. Red and blue dotted lines depict motavizumab and D25 IC₅₀s, respectively. Figure 4B: Percentage of neutralizing antibodies in the donor repertoire against RSV subtype A or subtype B, stratified by potency as indicated in the legend in the *right* portion of the figure. Figure 4C: Percentage of antibodies within the donor repertoire that neutralized both RSV subtypes A and B (red) or neutralized only RSV subtype A (green) or subtype B (blue). Figure 4D: Apparent binding affinities for subtype A, preF and postF, plotted for each antibody (IgG K_Ds were calculated for antibodies with BLI responses >0.1 nm. Antibodies with BLI responses <0.05 nm were designated as N.B.) Figure 4E: Neutralization IC₅₀s plotted for RSV subtype A preF-specific, postF-specific, and cross-reactive antibodies. (Red and blue dotted lines depict motavizumab and D25 IC₅₀s, respectively. Red bars depict median. N.B., non-binder; N.N., non-neutralizing). Figure 4F: Apparent antibody binding affinities for subtype B, preF and postF. Figure 4G: IC₅₀s plotted for RSV subtype B preF-specific, postF-specific and cross-reactive antibodies. (Black bar depicts median. N.B., non-binder; N.N., non-neutralizing.)

[0051] Figures 5A-5C illustrate that the most potent neutralizing antibodies bind with high affinity to preF and recognize antigenic sites Ø and V. Figure 5A: apparent preF K_D plotted against neutralization IC₅₀ and colored according to antigenic site, as shown in the legend *at right* of Figure 5C. Figure 5B: apparent postF K_D plotted against neutralization IC₅₀ and colored as in Figure 5A. Figure 5C: antibodies grouped according to neutralization potency and colored by antigenic site as in legend *at right*. N.B., non-binder; N.N., non-neutralizing. IgG K_Ds were calculated for antibodies with BLI responses >0.1 nm. Antibodies with BLI responses <0.05 nm were designated as N.B. Statistical significance was determined using an unpaired two-tailed t test. The Pearson's correlation coefficient, r, was calculated using Prism software version 7.0. Antibodies that failed to bind or neutralize were excluded from the statistical analysis due to the inability to accurately calculate midpoint concentrations.

[0052] Figures 6A-6C illustrate the nature and purification of pre- and postF sorting probes. Figure 6A: Schematic of fluorescent prefusion RSV F probe shows one PE-conjugated streptavidin molecule bound by four avi-tagged trimeric prefusion F molecules. Figure 6B: Coomassie-stained SDS-PAGE gel demonstrating the isolation of RSV F with a single AviTag per trimer using sequential Ni-NTA and *Strep*-Tactin purifications, as described in the Methods. Figure 6C: Fluorescence size-

exclusion chromatography (FSEC) trace of the tetrameric probes on a Superose 6 column. Positions of molecular weight standards are indicated with arrows.

[0053] Figures 7A-7C illustrate the generation and validation of preF patch panel mutants. Figure 7A: Panel of RSV F variants used for epitope mapping. Figure 7B: Prefusion RSV F shown as molecular surface with one protomer colored in white. The nine variants, each containing a patch of mutations, are uniquely colored according to the table in Figure 7A. Figure 7C: Binding of each IgG to fluorescently labeled beads coupled to each of the variants listed in Figure 7A was measured using PE-conjugated anti-human Fc antibody on a FLEXMAP 3D flow cytometer (Luminex). Reduced binding of D25 and motavizumab to patches 1 and 5, respectively, is consistent with their structurally defined epitopes (10, 11). AM14 binding was reduced for both patch 3 and patch 9, due to its unique protomer-spanning epitope (21). This characteristic binding profile was used to assist in the classification of other possible quaternary-specific antibodies in the panel.

[0054] Figure 8 illustrates the antigenic site V resides between the epitopes recognized by D25, MPE8 and motavizumab. Prefusion F is shown with one protomer as a cartoon colored according to antigenic site location and the other two protomers colored grey. D25 and motavizumab Fabs are shown in blue and pink, respectively. The MPE8 binding site is circled in black. Antigenic site V is located between the binding sites of D25 and MPE8 within one protomer, explaining the competition between site-V directed antibodies and these controls. Competition with motavizumab may occur across two adjacent protomers (left) or within one protomer (right), depending on the angle-of-approach of these site-V directed antibodies.

[0055] Figure 9 illustrates percentage of anti-RSV antibodies demonstrating the indicated neutralizing activities of preF-specific, postF-specific, and cross-reactive antibodies. Antibodies were stratified according to neutralization potency and the percentage of antibodies in each group that were preF-specific (pink), postF-specific (white) or cross-reactive (orange) were plotted for subtype A (*left panel*) and subtype B (*right panel*).

[0056] Figures 10A-10C illustrate the relationship between subtype B neutralization and antigenic site specificity for anti-RSV antibodies. Figure 10A: Subtype B preF affinity plotted against neutralization IC₅₀ for all antibodies and colored by antigenic site according to the colore scheme depicted in Figure 10C, *right portion*. Figure 10B: PostF affinity plotted against IC₅₀ and colored as in

Figure 10A. Figure 10C: Antibodies with preF affinities higher than 2 nM grouped according to neutralization potency and colored by antigenic site (*right portion*).

[0057] Figure 11 illustrates *in vitro* neutralization of RSV A2. Inhibition of RSV-replication was measured in an ELISA based neutralization Assay using Hep-2 cells. Cells, mAbs and viruses were co-incubated for 4 days at 37°C, followed by quantification of viral proteins in infected cells using a polyclonal anti-RSV antibody. % inhibition was calculated relative to control cells infected with virus in absence of neutralizing antibody. Data are expressed as half-maximal inhibitory concentration that resulted in 50% reduction in virus replication (IC₅₀) and represent the mean +/- SEM of two independent experiments. An isotype matched control mAb (*) was included in every experiment and did not exhibit virus neutralization.

Detailed Description of the Invention

[0058] Unless defined otherwise, all technical and scientific terms used herein have the same meaning as commonly understood by one of ordinary skill in the art to which this invention belongs. As used herein, the term "about," when used in reference to a particular recited numerical value, means that the value may vary from the recited value by no more than 1 %. For example, as used herein, the expression "about 100" includes 99 and 101 and all values in between (e.g., 99.1, 99.2, 99.3, 99.4, etc.).

Definitions

[0059] "Respiratory Syncytial Virus-F protein", also referred to as "RSV-F" or "RSV F" is a type I transmembrane surface protein, which has an N terminal cleaved signal peptide and a membrane anchor near the C terminus (Collins, P.L. et al., (1984), PNAS (USA) 81 :7683-7687). The RSV-F protein is synthesized as an inactive 67 KDa precursor denoted as F0 (Calder, L.J.; et al., Virology (2000), 277,122-131. The F0 protein is activated proteolytically in the Golgi complex by a furin-like protease at two sites, yielding two disulfide linked polypeptides, F2 and F1, from the N and C terminal, respectively. There is a 27 amino acid peptide released called "pep27". There are furin cleavage sites (FCS) on either side of the pep27 (Collins, P.L.; Mottet, G. (1991), J. Gen. Virol., 72: 3095-3101 ; Sugrue, R.J , et al. (2001), J.. Gen. Virol., 82, 1375- 1386). The F2 subunit consists of the Heptad repeat C (HRC), while the F1 contains the fusion polypeptide (FP), heptad repeat A (HRA), domain I,

domain II, heptad repeat B (HRB), transmembrane (TM) and cytoplasmic domain (CP) (See Sun, Z. et al. *Viruses* (2013), 5:21 1 - 225). The RSV-F protein plays a role in fusion of the virus particle to the cell membrane, and is expressed on the surface of infected cells, thus playing a role in cell to cell transmission of the virus and syncytia formation. The amino acid sequence of the RSV-F protein is provided in GenBank as accession number AAX23994.

[0060] A stabilized variant of the PreF trimeric conformation of RSV-F, termed "RSV-DS-Cav1", or "DS-Cav1" disclosed in, inter alia, Stewart-Jones et al., *PLoS One*, Vol. 10(6) e0128779 and WO 2011/050168 was used in the identification, isolation, and characterization of the antibodies disclosed herein.

[0061] The term "laboratory strain" as used herein refers to a strain of RSV (subtype A or B) that has been passaged extensively in in vitro cell culture. A "laboratory strain" can acquire adaptive mutations that may affect their biological properties. A "clinical strain" as used herein refers to an RSV isolate (subtype A or B), which is obtained from an infected individual and which has been isolated and grown in tissue culture at low passage.

[0062] The term "effective dose 99" or "ED₉₉" refers to the dosage of an agent that produces a desired effect of 99% reduction of viral forming plaques relative to the isotype (negative) control. In the present invention, the ED₉₉ refers to the dosage of the anti-RSV-F antibodies that will neutralize the virus infection (i.e., reduce 99% of viral load) in vivo, as described in Example 5.

[0063] The term "IC₅₀" refers to the "half maximal inhibitory concentration", which value measures the effectiveness of compound (e.g. anti-RSV-F antibody) inhibition towards a biological or biochemical utility. This quantitative measure indicates the quantity required for a particular inhibitor to inhibit a given biological process by half. In certain embodiments, RSV virus neutralization potencies for anti-RSV and/or anti-RSV/anti-HMPV cross-neutralizing antibodies disclosed herein are expressed as neutralization IC₅₀ values.

[0064] "Palivizumab", also referred to as "SYNAGIS®", is a humanized anti-RSV-F antibody with heavy and light chain variable domains having the amino acid sequences as set forth in US7,635,568 and US 5,824,307. This antibody, which immunospecifically binds to the RSV-F protein, is currently FDA-approved for the passive immunoprophylaxis of serious RSV disease in high-risk children and is administered intramuscularly at recommended monthly doses of 15 mg/kg of body

weight throughout the RSV season (November through April in the northern hemisphere). SYNAGIS® is composed of 95% human and 5% murine antibody sequences. See also Johnson et al., (1997), J. Infect. Diseases 176:1215-1224.

[0065] "Motavizumab", also referred to as "NUMAX™", is an enhanced potency RSV-F-specific humanized monoclonal antibody derived by in vitro affinity maturation of the complementarity- determining regions of the heavy and light chains of palivizumab. For reference purposes, the amino acid sequence of the NUMAX™ antibody is disclosed in U.S Patent Publication 2003/0091584 and in U.S. Pat. No. 6,818,216 and in Wu et al., (2005) J. Mol. Bio. 350(1):126- 144 and in Wu, et al. (2007) J. Mol. Biol. 368:652-665. It is also shown herein as SEQ ID NO: 359 for the heavy chain and as SEQ ID NO: 360 for the light chain of the antibody.

[0066] As used herein, the terms "treat," "treatment" and "treating" refer to the reduction or amelioration of the progression, severity, and/or duration of an upper and/or lower respiratory tract RSV infection and/or human metapneumovirus (HMPV), otitis media, or a symptom or respiratory condition related thereto (such as asthma, wheezing, or a combination thereof) resulting from the administration of one or more therapies (including, but not limited to, the administration of one or more prophylactic or therapeutic agents). In certain embodiments, such terms refer to the reduction or inhibition of the replication of RSV and/or HMPV, the inhibition or reduction in the spread of RSV and/or HMPV to other tissues or subjects (e.g., the spread to the lower respiratory tract), the inhibition or reduction of infection of a cell with a RSV and/or HMPV, or the amelioration of one or more symptoms associated with an upper and/or lower respiratory tract RSV infection or otitis media.

[0067] As used herein, the terms "prevent," "preventing," and "prevention" refer to the prevention or inhibition of the development or onset of an upper and/or lower respiratory tract RSV and/or HMPV infection, otitis media or a respiratory condition related thereto in a subject, the prevention or inhibition of the progression of an upper respiratory tract RSV and/or HMPV infection to a lower respiratory tract RSV and/or HMPV infection, otitis media or a respiratory condition related thereto resulting from the administration of a therapy (e.g., a prophylactic or therapeutic agent), the prevention of a symptom of an upper and/or lower tract RSV and/or HMPV infection, otitis media or a respiratory condition related thereto, or the administration of a combination of therapies (e.g., a combination of prophylactic or therapeutic agents). As used herein, the terms "ameliorate" and "alleviate" refer to a reduction or diminishment in the severity a condition or any symptoms thereof.

[0068] The term "antibody", as used herein, is intended to refer to immunoglobulin molecules comprised of four polypeptide chains, two heavy (H) chains and two light (L) chains interconnected by disulfide bonds (i.e., "full antibody molecules"), as well as multimers thereof (e.g. IgM) or antigen-binding fragments thereof. Each heavy chain (HC) is comprised of a heavy chain variable region ("HCVR" or " V_H ") and a heavy chain constant region (comprised of domains C_{H1} , C_{H2} and C_{H3}). Each light chain (LC) is comprised of a light chain variable region ("LCVR" or " V_L ") and a light chain constant region (C_L). The V_H and V_L regions can be further subdivided into regions of hypervariability, termed complementarity determining regions (CDRs), interspersed with regions that are more conserved, termed framework regions (FRs). Each V_H and V_L is composed of three CDRs and four FRs, arranged from amino-terminus to carboxy-terminus in the following order: FR1, CDR1, FR2, CDR2, FR3, CDR3, FR4. In certain embodiments of the invention, the FRs of the antibody (or antigen binding fragment thereof) may be identical to the human germline sequences, or may be naturally or artificially modified. An amino acid consensus sequence may be defined based on a side-by-side analysis of two or more CDRs. Accordingly, the CDRs in a heavy chain are designated "CHRH1", "CDRH2", and "CDRH3", respectively, and the CDRs in a light chain are designated "CDRL1", "CDRL2", and "CDRL3".

[0069] Substitution of one or more CDR residues or omission of one or more CDRs is also possible. Antibodies have been described in the scientific literature in which one or two CDRs can be dispensed with for binding. Padlan et al. (1995 FASEB J. 9:133-139) analyzed the contact regions between antibodies and their antigens, based on published crystal structures, and concluded that only about one fifth to one third of CDR residues actually contact the antigen. Padlan also found many antibodies in which one or two CDRs had no amino acids in contact with an antigen (see also, Vajdos et al. 2002 J Mol Biol 320:415-428).

[0070] CDR residues not contacting antigen can be identified based on previous studies (for example residues H60-H65 in CDRH2 are often not required), from regions of Kabat CDRs lying outside Chothia CDRs, by molecular modeling and/or empirically. If a CDR or residue(s) thereof is omitted, it is usually substituted with an amino acid occupying the corresponding position in another human antibody sequence or a consensus of such sequences. Positions for substitution within CDRs and amino acids to substitute can also be selected empirically.

[0071] The fully human monoclonal antibodies disclosed herein may comprise one or more amino acid substitutions, insertions and/or deletions in the framework and/or CDR regions of the heavy and light chain variable domains as compared to the corresponding germline sequences. Such mutations can be readily ascertained by comparing the amino acid sequences disclosed herein to germline sequences available from, for example, public antibody sequence databases. The present invention includes antibodies, and antigen-binding fragments thereof, which are derived from any of the amino acid sequences disclosed herein, wherein one or more amino acids within one or more framework and/or CDR regions are mutated to the corresponding residue(s) of the germline sequence from which the antibody was derived, or to the corresponding residue(s) of another human germline sequence, or to a conservative amino acid substitution of the corresponding germline residue(s) (such sequence changes are referred to herein collectively as "germline mutations"). A person of ordinary skill in the art, starting with the heavy and light chain variable region sequences disclosed herein, can easily produce numerous antibodies and antigen-binding fragments which comprise one or more individual germline mutations or combinations thereof. In certain embodiments, all of the framework and/or CDR residues within the V_H and/or V_L domains are mutated back to the residues found in the original germline sequence from which the antibody was derived. In other embodiments, only certain residues are mutated back to the original germline sequence, e.g., only the mutated residues found within the first 8 amino acids of FR1 or within the last 8 amino acids of FR4, or only the mutated residues found within CDR1, CDR2 or CDR3. In other embodiments, one or more of the framework and/or CDR residue(s) are mutated to the corresponding residue(s) of a different germline sequence (i.e., a germline sequence that is different from the germline sequence from which the antibody was originally derived). Furthermore, the antibodies of the present invention may contain any combination of two or more germline mutations within the framework and/or CDR regions, e.g., wherein certain individual residues are mutated to the corresponding residue of a particular germline sequence while certain other residues that differ from the original germline sequence are maintained or are mutated to the corresponding residue of a different germline sequence. Once obtained, antibodies and antigen-binding fragments that contain one or more germline mutations can be easily tested for one or more desired property such as, improved binding specificity, increased binding affinity, improved or enhanced antagonistic or agonistic biological properties (as the case may be), reduced immunogenicity, etc. Antibodies and antigen-binding fragments obtained in this general manner are encompassed within the present invention.

[0072] The present invention also includes fully monoclonal antibodies comprising variants of any of the CDR amino acid sequences disclosed herein having one or more conservative substitutions. For example, the present invention includes antibodies having CDR amino acid sequences with, e.g., 10 or fewer, 8 or fewer, 6 or fewer, 4 or fewer, etc. conservative amino acid substitutions relative to any of the CDR amino acid sequences disclosed herein.

[0073] The term "human antibody", as used herein, is intended to include antibodies having variable and constant regions derived from human germline immunoglobulin sequences. The human mAbs of the invention may include amino acid residues not encoded by human germline immunoglobulin sequences (e.g., mutations introduced by random or site-specific mutagenesis in vitro or by somatic mutation in vivo), for example in the CDRs and in particular CDR3.

[0074] However, the term "human antibody", as used herein, is not intended to include mAbs in which CDR sequences derived from the germline of another mammalian species (e.g., mouse), have been grafted onto human FR sequences.

[0075] The term "humanized antibody" refers to human antibody in which one or more CDRs of such antibody have been replaced with one or more corresponding CDRs obtained a non-human derived (e.g., mouse, rat, rabbit, primate) antibody. Humanized antibodies may also include certain non-CDR sequences or residues derived from such non-human antibodies as well as the one or more non-human CDR sequence. Such antibodies may also be referred to as "chimeric" antibodies.

[0076] The term "recombinant" generally refers to any protein, polypeptide, or cell expressing a gene of interest that is produced by genetic engineering methods. The term "recombinant" as used with respect to a protein or polypeptide, means a polypeptide produced by expression of a recombinant polynucleotide. The proteins used in the immunogenic compositions of the invention may be isolated from a natural source or produced by genetic engineering methods.

[0077] The antibodies of the invention may, in some embodiments, be recombinant human antibodies. The term "recombinant human antibody", as used herein, is intended to include all antibodies, including human or humanized antibodies, that are prepared, expressed, created or isolated by recombinant means, such as antibodies expressed using a recombinant expression vector transfected into a host cell (described further below), antibodies isolated from a recombinant, combinatorial human antibody library (described further below), antibodies isolated from an animal (e.g., a mouse) that is

transgenic for human immunoglobulin genes (see e.g., Taylor et al. (1992) Nucl. Acids Res. 20:6287-6295) or antibodies prepared, expressed, created or isolated by any other means that involves splicing of human immunoglobulin gene sequences to other DNA sequences. Such recombinant human antibodies have variable and constant regions derived from human germline immunoglobulin sequences. In certain embodiments, however, such recombinant human antibodies are subjected to in vitro mutagenesis (or, when an animal transgenic for human Ig sequences is used, in vivo somatic mutagenesis) and thus the amino acid sequences of the V_H and V_L regions of the recombinant antibodies are sequences that, while derived from and related to human germline V_H and V_L sequences, may not naturally exist within the human antibody germline repertoire in vivo.

[0078] The term "specifically binds," or "binds specifically to", or the like, means that an antibody or antigen-binding fragment thereof forms a complex with an antigen that is relatively stable under physiologic conditions. Specific binding can be characterized by an equilibrium dissociation constant of at least about 1×10^{-6} M or less (e.g., a smaller K_D denotes a tighter binding). Methods for determining whether two molecules specifically bind are well known in the art and include, for example, equilibrium dialysis, surface plasmon resonance, and the like. As described herein, antibodies have been identified by surface plasmon resonance, e.g., BIACORE™, biolayer interferometry measurements using, e.g., a ForteBio Octet HTX instrument (Pall Life Sciences), which bind specifically to RSV-F. Moreover, multi-specific antibodies that bind to RSV-F protein and one or more additional antigens, such as an antigen expressed by HMPV, or a bi-specific that binds to two different regions of RSV-F are nonetheless considered antibodies that "specifically bind", as used herein. In certain embodiments, the antibodies disclosed herein display equilibrium dissociation constants (and hence specificities) of about 1×10^{-6} M; about 1×10^{-7} M; about 1×10^{-8} M; about 1×10^{-9} M; about 1×10^{-10} M; between about 1×10^{-6} M and about 1×10^{-7} M; between about 1×10^{-7} M and about 1×10^{-8} M; between about 1×10^{-8} M and about 1×10^{-9} M; or between about 1×10^{-9} M and about 1×10^{-10} M.

[0079] The term "high affinity" antibody refers to those mAbs having a binding affinity to RSV-F and/or HMPV, expressed as K_D , of at least 10^{-9} M; more preferably 10^{-10} M, more preferably 10^{-11} M, more preferably 10^{-12} M as measured by surface plasmon resonance, e.g., BIACORE™, biolayer interferometry measurements using, e.g., a ForteBio Octet HTX instrument (Pall Life Sciences), or solution- affinity ELISA.

[0080] By the term "slow off rate", "Koff" or "kd" is meant an antibody that dissociates from RSV-F, with a rate constant of $1 \times 10^{-3} \text{ s}^{-1}$ or less, preferably $1 \times 10^{-4} \text{ s}^{-1}$ or less, as determined by surface plasmon resonance, e.g., BIACORE™ or a ForteBio Octet HTX instrument (Pall Life Sciences).

[0081] The terms "antigen-binding portion" of an antibody, "antigen-binding fragment" of an antibody, and the like, as used herein, include any naturally occurring, enzymatically obtainable, synthetic, or genetically engineered polypeptide or glycoprotein that specifically binds an antigen to form a complex. In certain embodiments, the terms "antigen-binding portion" of an antibody, or "antibody fragment", as used herein, refers to one or more fragments of an antibody that retains the ability to bind to RSV-F and/or HMPV.

[0082] An antibody fragment may include a Fab fragment, a $F(ab')_2$ fragment, a Fv fragment, a dAb fragment, a fragment containing a CDR, or an isolated CDR. Antigen-binding fragments of an antibody may be derived, e.g., from full antibody molecules using any suitable standard techniques such as proteolytic digestion or recombinant genetic engineering techniques involving the manipulation and expression of DNA encoding antibody variable and (optionally) constant domains. Such DNA is known and/or is readily available from, e.g., commercial sources, DNA libraries (including, e.g., phage-antibody libraries), or can be synthesized. The DNA may be sequenced and manipulated chemically or by using molecular biology techniques, for example, to arrange one or more variable and/or constant domains into a suitable configuration, or to introduce codons, create cysteine residues, modify, add or delete amino acids, etc.

[0083] Non-limiting examples of antigen-binding fragments include: (i) Fab fragments; (ii) $F(ab')_2$ fragments; (iii) Fd fragments; (iv) Fv fragments; (v) single-chain Fv (scFv) molecules; (vi) dAb fragments; and (vii) minimal recognition units consisting of the amino acid residues that mimic the hypervariable region of an antibody (e.g., an isolated complementarity determining region (CDR) such as a CDR3 peptide), or a constrained FR3-CDR3-FR4 peptide. Other engineered molecules, such as domain-specific antibodies, single domain antibodies, domain-deleted antibodies, chimeric antibodies, CDR-grafted antibodies, diabodies, triabodies, tetrabodies, minibodies, nanobodies (e.g. monovalent nanobodies, bivalent nanobodies, etc.), small modular immunopharmaceuticals (SMIPs), and shark variable IgNAR domains, are also encompassed within the expression "antigen-binding fragment," as used herein.

[0084] An antigen-binding fragment of an antibody will typically comprise at least one variable domain. The variable domain may be of any size or amino acid composition and will generally comprise at least one CDR, which is adjacent to or in frame with one or more framework sequences. In antigen-binding fragments having a V_H domain associated with a V_L domain, the V_H and V_L domains may be situated relative to one another in any suitable arrangement. For example, the variable region may be dimeric and contain $V_H - V_H$, $V_H - V_L$ or $V_L - V_L$ dimers. Alternatively, the antigen-binding fragment of an antibody may contain a monomeric V_H or V_L domain.

[0085] In certain embodiments, an antigen-binding fragment of an antibody may contain at least one variable domain covalently linked to at least one constant domain. Non-limiting, exemplary configurations of variable and constant domains that may be found within an antigen-binding fragment of an antibody of the present invention include: (i) $V_H - C_{H1}$; (ii) $V_H - C_{H2}$; (iii) $V_H - C_{H3}$; (iv) $V_H - C_{H1} - C_{H2}$; (v) $V_H - C_{H1} - C_{H2} - C_{H3}$; (vi) $V_H - C_{H2} - C_{H3}$; (vii) $V_H - C_L$; (viii) $V_L - C_{H1}$; (ix) $V_L - C_{H2}$; (x) $V_L - C_{H3}$; (xi) $V_L - C_{H1} - C_{H2}$; (xii) $V_L - C_{H1} - C_{H2} - C_{H3}$; (xiii) $V_L - C_{H2} - C_{H3}$; and (xiv) $V_L - C_L$. In any configuration of variable and constant domains, including any of the exemplary configurations listed above, the variable and constant domains may be either directly linked to one another or may be linked by a full or partial hinge or linker region. A hinge region may consist of at least 2 (e.g., 5, 10, 15, 20, 40, 60 or more) amino acids, which result in a flexible or semi-flexible linkage between adjacent variable and/or constant domains in a single polypeptide molecule. Moreover, an antigen-binding fragment of an antibody of the present invention may comprise a homo-dimer or hetero-dimer (or other multimer) of any of the variable and constant domain configurations listed above in non-covalent association with one another and/or with one or more monomeric V_H or V_L domain (e.g., by disulfide bond(s)).

[0086] As with full antibody molecules, antigen-binding fragments may be mono-specific or multi-specific (e.g., bi-specific). A multi-specific antigen-binding fragment of an antibody will typically comprise at least two different variable domains, wherein each variable domain is capable of specifically binding to a separate antigen or to a different epitope on the same antigen. Any multi-specific antibody format, including the exemplary bi-specific antibody formats disclosed herein, may be adapted for use in the context of an antigen-binding fragment of an antibody of the present invention using routine techniques available in the art.

[0087] The specific embodiments, antibody or antibody fragments of the invention may be conjugated to a therapeutic moiety ("immunoconjugate"), such as an antibiotic, a second anti- RSV-F

antibody, an anti-HMPV antibody, a vaccine, or a toxoid, or any other therapeutic moiety useful for treating an RSV infection and/or an HMPV infection.

[0088] An "isolated antibody", as used herein, is intended to refer to an antibody that is substantially free of other antibodies (Abs) having different antigenic specificities (e.g., an isolated antibody that specifically binds RSV-F and/or HMPV, or a fragment thereof, is substantially free of Abs that specifically bind antigens other than RSV-F and/or HMPV).

[0089] A "blocking antibody" or a "neutralizing antibody", as used herein (or an "antibody that neutralizes RSV-F and/or HMPV activity"), is intended to refer to an antibody whose binding to RSV-F or to an HMPV antigen, as the case may be as disclosed herein, results in inhibition of at least one biological activity of RSV-F and/or HMPV. For example, an antibody of the invention may aid in blocking the fusion of RSV and/or HMPV to a host cell, or prevent syncytia formation, or prevent the primary disease caused by RSV and/or HMPV. Alternatively, an antibody of the invention may demonstrate the ability to ameliorate at least one symptom of the RSV infection and or HMPV infection. This inhibition of the biological activity of RSV-F and/or HMPV can be assessed by measuring one or more indicators of RSV-F and/or HMPV biological activity by one or more of several standard in vitro assays (such as a neutralization assay, as described herein) or in vivo assays known in the art (for example, animal models to look at protection from challenge with RSV and/or HMPV following administration of one or more of the antibodies described herein).

[0090] The term "surface plasmon resonance", as used herein, refers to an optical phenomenon that allows for the analysis of real-time biomolecular interactions by detection of alterations in protein concentrations within a biosensor matrix, for example using the BIACORE™ system (Pharmacia Biosensor AB, Uppsala, Sweden and Piscataway, N.J.).

[0091] The term " K_D ", as used herein, is intended to refer to the equilibrium dissociation constant of a particular antibody-antigen interaction.

[0092] The term "epitope" refers to an antigenic determinant that interacts with a specific antigen binding site in the variable region of an antibody molecule known as a paratope. A single antigen may have more than one epitope. Thus, different antibodies may bind to different areas on an antigen and may have different biological effects. The term "epitope" also refers to a site on an antigen to which B and/or T cells respond. It also refers to a region of an antigen that is bound by an antibody.

Epitopes may be defined as structural or functional. Functional epitopes are generally a subset of the structural epitopes and have those residues that directly contribute to the affinity of the interaction. Epitopes may also be conformational, that is, composed of non-linear amino acids. In certain embodiments, epitopes may include determinants that are chemically active surface groupings of molecules such as amino acids, sugar side chains, phosphoryl groups, or sulfonyl groups, and, in certain embodiments, may have specific three-dimensional structural characteristics, and/or specific charge characteristics.

[0093] The term "substantial identity", or "substantially identical," when referring to a nucleic acid or fragment thereof, indicates that, when optimally aligned with appropriate nucleotide insertions or deletions with another nucleic acid (or its complementary strand), there is nucleotide sequence identity in at least about 90%, and more preferably at least about 95%, 96%, 97%, 98% or 99% of the nucleotide bases, as measured by any well-known algorithm of sequence identity, such as FASTA, BLAST or GAP, as discussed below. Accordingly, nucleic acid sequences that display a certain percentage "identity" share that percentage identity, and/or are that percentage "identical" to one another. A nucleic acid molecule having substantial identity to a reference nucleic acid molecule may, in certain instances, encode a polypeptide having the same or substantially similar amino acid sequence as the polypeptide encoded by the reference nucleic acid molecule.

[0094] In certain embodiments, the disclosed antibody nucleic acid sequences are, e.g., at least 70% identical; at least 75% identical; 80% identical; at least 85% identical; at least 90% identical; at least 95% identical; at least 96% identical; at least 97% identical; at least 98% identical; at least 99%; and/or all percentages of identity in between; to other sequences and/or share such percentage identities with one another (or with certain subsets of the herein-disclosed antibody sequences).

[0095] As applied to polypeptides, the term "substantial identity" or "substantially identical" means that two peptide sequences, when optimally aligned, such as by the programs GAP or BESTFIT using default gap weights, share at least 90% sequence identity, even more preferably at least 95%, 98% or 99% sequence identity. Accordingly, amino acid sequences that display a certain percentage "identity" share that percentage identity, and/or are that percentage "identical" to one another. Accordingly, amino acid sequences that display a certain percentage "identity" share that percentage identity, and/or are that percentage "identical" to one another.

[0096] In certain embodiments, the disclosed antibody amino acid sequences are, e.g.,: at least 70% identical; at least 75% identical; 80% identical; at least 85% identical; at least 90% identical; at least 95% identical; at least 96% identical; at least 97% identical; at least 98% identical; at least 99%; and/or all percentages of identity in between; to other sequences and/or share such percentage identities with one another (or with certain subsets of the herein-disclosed antibody sequences).

[0097] Preferably, residue positions, which are not identical, differ by conservative amino acid substitutions. A "conservative amino acid substitution" is one in which an amino acid residue is substituted by another amino acid residue having a side chain (R group) with similar chemical properties (e.g., charge or hydrophobicity). In general, a conservative amino acid substitution will not substantially change the functional properties of a protein. In cases where two or more amino acid sequences differ from each other by conservative substitutions, the percent or degree of similarity may be adjusted upwards to correct for the conservative nature of the substitution. Means for making this adjustment are well known to those of skill in the art. (See, e.g., Pearson (1994) *Methods Mol. Biol.* 24: 307- 331). Examples of groups of amino acids that have side chains with similar chemical properties include 1) aliphatic side chains: glycine, alanine, valine, leucine and isoleucine; 2) aliphatic- hydroxyl side chains: serine and threonine; 3) amide-containing side chains: asparagine and glutamine; 4) aromatic side chains: phenylalanine, tyrosine, and tryptophan; 5) basic side chains: lysine, arginine, and histidine; 6) acidic side chains: aspartate and glutamate, and 7) sulfur-containing side chains: cysteine and methionine. Preferred conservative amino acids substitution groups are: valine-leucine-isoleucine, phenylalanine-tyrosine, lysine-arginine, alanine-valine, glutamate-aspartate, and asparagine-glutamine. Alternatively, a conservative replacement is any change having a positive value in the PAM250 log-likelihood matrix disclosed in Gonnet et al. (1992) *Science* 256: 1443 45. A "moderately conservative" replacement is any change having a nonnegative value in the PAM250 log-likelihood matrix.

[0098] Sequence similarity for polypeptides is typically measured using sequence analysis software. Protein analysis software matches similar sequences using measures of similarity assigned to various substitutions, deletions and other modifications, including conservative amino acid substitutions. For instance, GCG software contains programs such as GAP and BESTFIT which can be used with default parameters to determine sequence homology or sequence identity between closely related polypeptides, such as homologous polypeptides from different species of organisms or between a wild type protein and a mutein thereof. See, e.g., GCG Version 6.1. Polypeptide sequences also can

be compared using FASTA with default or recommended parameters; a program in GCG Version 6.1. FASTA {e.g., FASTA2 and FASTA3} provides alignments and percent sequence identity of the regions of the best overlap between the query and search sequences (Pearson (2000) *supra*). Another preferred algorithm when comparing a sequence of the invention to a database containing a large number of sequences from different organisms is the computer program BLAST, especially BLASTP or TBLASTN, using default parameters. (See, e.g., Altschul et al. (1990) *J. Mol. Biol.* 215: 403 410 and (1997) *Nucleic Acids Res.* 25:3389 402).

[0099] In certain embodiments, the antibody or antibody fragment for use in the method of the invention may be mono-specific, bi-specific, or multi-specific. Multi-specific antibodies may be specific for different epitopes of one target polypeptide or may contain antigen-binding domains specific for epitopes of more than one target polypeptide. An exemplary bi-specific antibody format that can be used in the context of the present invention involves the use of a first immunoglobulin (Ig) C_H3 domain and a second Ig C_H3 domain, wherein the first and second Ig C_H3 domains differ from one another by at least one amino acid, and wherein at least one amino acid difference reduces binding of the bi-specific antibody to Protein A as compared to a bi-specific antibody lacking the amino acid difference. In one embodiment, the first Ig C_H3 domain binds Protein A and the second Ig C_H3 domain contains a mutation that reduces or abolishes Protein A binding such as an H95R modification (by IMGT exon numbering; H435R by EU numbering). The second C_H3 may further comprise an Y96F modification (by IMGT; Y436F by EU). Further modifications that may be found within the second C_H3 include: D16E, L18M, N44S, K52N, V57M, and V82I (by IMGT; D356E, L358M, N384S, K392N, V397M, and V422I by EU) in the case of IgG1 mAbs; N44S, K52N, and V82I (IMGT; N384S, K392N, and V422I by EU) in the case of IgG2 mAbs; and Q15R, N44S, K52N, V57M, R69K, E79Q, and V82I (by IMGT; Q355R, N384S, K392N, V397M, R409K, E419Q, and V422I by EU) in the case of IgG4 mAbs. Variations on the bi-specific antibody format described above are contemplated within the scope of the present invention.

[0100] By the phrase "therapeutically effective amount" is meant an amount that produces the desired effect for which it is administered. The exact amount will depend on the purpose of the treatment, and will be ascertainable by one skilled in the art using known techniques (see, for example, Lloyd (1999) *The Art, Science and Technology of Pharmaceutical Compounding*).

[0101] An "immunogenic composition" relates to a composition containing an antigen/immunogen, e.g. a microorganism, such as a virus or a bacterium, or a component thereof, a protein, a polypeptide, a fragment of a protein or polypeptide, a whole cell inactivated, subunit or attenuated virus, or a polysaccharide, or combination thereof, administered to stimulate the recipient's humoral and/or cellular immune systems to one or more of the antigens/immunogens present in the immunogenic composition. The immunogenic compositions of the present invention can be used to treat a human susceptible to RSV and/or HMPV infection or suspected of having or being susceptible to RSV and/or HMPV infection, by means of administering the immunogenic compositions via a systemic route. These administrations can include injection via the intramuscular (i.m.), intradermal (i.d.), intranasal or inhalation route, or subcutaneous (s.c.) routes; application by a patch or other transdermal delivery device. In one embodiment, the immunogenic composition may be used in the manufacture of a vaccine or in the elicitation of polyclonal or monoclonal antibodies that could be used to passively protect or treat a mammal.

[0102] The terms "vaccine" or "vaccine composition", which are used interchangeably, refer to a composition comprising at least one immunogenic composition that induces an immune response in an animal.

[0103] In certain embodiments, a protein of interest comprises an antigen. The terms "antigen," "immunogen," "antigenic," "immunogenic," "antigenically active," and "immunologically active" when made in reference to a molecule, refer to any substance that is capable of inducing a specific humoral and/or cell-mediated immune response. In one embodiment, the antigen comprises an epitope, as defined above.

[0104] "Immunologically protective amount", as used herein, is an amount of an antigen effective to induce an immunogenic response in the recipient that is adequate to prevent or ameliorate signs or symptoms of disease, including adverse health effects or complications thereof. Either humoral immunity or cell-mediated immunity or both can be induced. The immunogenic response of an animal to a composition can be evaluated, e.g., indirectly through measurement of antibody titers, lymphocyte proliferation assays, or directly through monitoring signs and symptoms after challenge with the microorganism. The protective immunity conferred by an immunogenic composition or vaccine can be evaluated by measuring, e.g., reduction of shed of challenge organisms, reduction in clinical signs such as mortality, morbidity, temperature, and overall physical condition, health and performance of the

subject. The immune response can comprise, without limitation, induction of cellular and/or humoral immunity. The amount of a composition or vaccine that is therapeutically effective can vary, depending on the particular organism used, or the condition of the animal being treated or vaccinated.

[0105] An "immune response", or "immunological response" as used herein, in a subject refers to the development of a humoral immune response, a cellular- immune response, or a humoral and a cellular immune response to an antigen/immunogen. A "humoral immune response" refers to one that is at least in part mediated by antibodies. A "cellular immune response" is one mediated by T-lymphocytes or other white blood cells or both, and includes the production of cytokines, chemokines and similar molecules produced by activated T-cells, white blood cells, or both. Immune responses can be determined using standard immunoassays and neutralization assays, which are known in the art.

[0106] "Immunogenicity", as used herein, refers to the capability of a protein or polypeptide to elicit an immune response directed specifically against a bacteria or virus that causes the identified disease.

[0107] Unless specifically indicated otherwise, the term "antibody," as used herein, shall be understood to encompass antibody molecules comprising two immunoglobulin heavy chains and two immunoglobulin light chains (i.e., "full antibody molecules") as well as antigen-binding fragments thereof. The terms "antigen-binding portion" of an antibody, "antigen-binding fragment" of an antibody, and the like, as used herein, include any naturally occurring, enzymatically obtainable, synthetic, or genetically engineered polypeptide or glycoprotein that specifically binds an antigen to form a complex.

Preparation of Human Antibodies

[0108] As disclosed herein, anti-RSV and or anti-RSV/ anti-HMPF cross neutralizing antibodies by be obtained through B cell sorting techniques available to the artisan, and, for example, as described in the EXAMPLES below. Methods for generating human antibodies in transgenic mice are also known in the art and may be employed in order to derive antibodies in accordance with the present disclosure. Any such known methods can be used in the context of the present invention to make human antibodies that specifically bind to RSV-F (see, for example, U.S. Pat. No. 6,596,541).

[0109] In certain embodiments, the antibodies of the instant invention possess affinities (K_D) ranging from about 1.0×10^{-7} M to about 1.0×10^{-12} M, when measured by binding to antigen either immobilized on solid phase or in solution phase. In certain embodiments, the antibodies of the invention possess affinities (K_D) ranging from about 1×10^{-7} M to about 6×10^{-10} M, when measured by binding to antigen either immobilized on solid phase or in solution phase. In certain embodiments, the antibodies of the invention possess affinities (K_D) ranging from about 1×10^{-7} M to about 9×10^{-10} M, when measured by binding to antigen either immobilized on solid phase or in solution phase.

[0110] The anti-RSV-F and/or anti-HMPV antibodies and antibody fragments disclosed herein encompass proteins having amino acid sequences that vary from those of the described antibodies, but that retain the ability to bind RSV-F. Such variant antibodies and antibody fragments comprise one or more additions, deletions, or substitutions of amino acids when compared to parent sequence, but exhibit biological activity that is essentially equivalent to that of the described antibodies. Likewise, the antibody-encoding DNA sequences of the present invention encompass sequences that comprise one or more additions, deletions, or substitutions of nucleotides when compared to the disclosed sequence, but that encode an antibody or antibody fragment that is essentially bioequivalent to an antibody or antibody fragment of the invention.

[0111] Two antigen-binding proteins, or antibodies, are considered bioequivalent if, for example, they are pharmaceutical equivalents or pharmaceutical alternatives whose rate and extent of absorption do not show a significant difference when administered at the same molar dose under similar experimental conditions, either single dose or multiple dose. Some antibodies will be considered equivalents or pharmaceutical alternatives if they are equivalent in the extent of their absorption but not in their rate of absorption and yet may be considered bioequivalent because such differences in the rate of absorption are intentional and are reflected in the labeling, are not essential to the attainment of effective body drug concentrations on, e.g., chronic use, and are considered medically insignificant for the particular drug product studied.

[0112] In one embodiment, two antigen-binding proteins are bioequivalent if there are no clinically meaningful differences in their safety, purity, and potency.

[0113] In one embodiment, two antigen-binding proteins are bioequivalent if a patient can be switched one or more times between the reference product and the biological product without an expected increase in the risk of adverse effects, including a clinically significant change in

immunogenicity, or diminished effectiveness, as compared to continued therapy without such switching.

[0114] In one embodiment, two antigen-binding proteins are bioequivalent if they both act by a common mechanism or mechanisms of action for the condition or conditions of use, to the extent that such mechanisms are known.

[0115] Bioequivalence may be demonstrated by in vivo and/or in vitro methods. Bioequivalence measures include, e.g., (a) an in vivo test in humans or other mammals, in which the concentration of the antibody or its metabolites is measured in blood, plasma, serum, or other biological fluid as a function of time; (b) an in vitro test that has been correlated with and is reasonably predictive of human in vivo bioavailability data; (c) an in vivo test in humans or other mammals in which the appropriate acute pharmacological effect of the antibody (or its target) is measured as a function of time; and (d) in a well-controlled clinical trial that establishes safety, efficacy, or bioavailability or bioequivalence of an antibody.

[0116] Bioequivalent variants of the antibodies of the invention may be constructed by, for example, making various substitutions of residues or sequences or deleting terminal or internal residues or sequences not needed for biological activity. For example, cysteine residues not essential for biological activity can be deleted or replaced with other amino acids to prevent formation of unnecessary or incorrect intramolecular disulfide bridges upon renaturation. In other contexts, bioequivalent antibodies may include antibody variants comprising amino acid changes, which modify the glycosylation characteristics of the antibodies, e.g., mutations that eliminate or remove glycosylation.

Biological and Biophysical Characteristics of the Antibodies

[0117] In certain embodiments, the inventive antibodies and antigen-binding fragments thereof specifically bind to Respiratory Syncytial Virus (RSV) F protein (F), wherein at least one of the CDRH1, CDRH2, CDRH3, CDRL1, CDRL2, and/or CDRL3 amino acid sequences of such antibody or the antigen-binding fragment thereof is at least 70% identical; at least 75% identical; 80% identical; at least 85% identical; at least 90% identical; at least 95% identical; at least 96% identical; at least 97% identical; at least 98% identical; at least 99% identical, or 100% identical; and/or all percentages of identity in between; to at least one of the CDRH1, a CDRH2, a CDRH3, a CDRL1, a CDRL2, and/or a

CDRL3 amino acid sequences as disclosed in Table 6 of an antibody selected from Antibody Number 124 through Antibody Number 244 as disclosed in Table 6. In certain embodiments, such antibodies also possess at least one, two, three, four, five, six, seven, eight, nine, ten, or more characteristics disclosed in the immediately following eleven paragraphs.

[0118] Without wishing to be bound by any theory, it is believed that the inventive antibodies and antigen-binding fragments thereof may function by binding to RSV-F, preferably in the PreF conformation, and in so doing act to block the fusion of the viral membrane with the host cell membrane. The antibodies of the present invention may also function by binding to RSV-F and in so doing block the cell to cell spread of the virus and block syncytia formation associated with RSV infection of cells. Advantageously, both RSV subtype A and RSV subtype B are effectively blocked, or neutralized, by the majority of the anti-RSV antibodies disclosed herein.

[0119] In certain embodiments, the inventive antibodies and antigen-binding fragment thereof display better binding affinity for the PreF form of RSV-F relative to the PostF form of RSV-F.

[0120] In certain other embodiments, the inventive antibodies and antigen-binding fragments thereof advantageously display a clean or low polyreactivity profile (see, e.g., WO 2014/179363 and Xu et al., *Protein Eng Des Sel*, Oct;26(10):663-70), and are thus particularly amenable to development as safe, efficacious, and developable therapeutic and/or prophylactic anti-RSV and/or HMPV treatments.

[0121] In certain embodiments, the inventive antibodies and antigen-binding fragments thereof, without wishing to be bound by any theory, may function by blocking or inhibiting RSV fusion to the cell membrane by binding to any one or more of, e.g., antigenic Sites Ø, I, II, III, IV, or Site V of the PreF conformation of the F protein. In certain embodiments, the inventive antibodies display antigenic site specificity for Site Ø, Site V, or Site III of PreF relative to RSV-F Site I, Site II, or Site IV.

[0122] In certain embodiments, at least a portion of the epitope with which the inventive antibodies and antigen-binding fragments thereof interacts comprises a portion of the $\alpha 3$ helix and $\beta 3/\beta 4$ hairpin of PreF. In certain embodiments, substantially all of the epitope of such antibodies comprises the $\alpha 3$ helix and $\beta 3/\beta 4$ hairpin of PreF. In still further embodiments, the inventive antibodies cross-compete with antibodies that recognize a portion or substantially all of the $\alpha 3$ helix and $\beta 3/\beta 4$ hairpin of PreF.

[0123] In certain embodiments, the inventive antibodies and antigen-binding fragments thereof display an in vitro neutralization potency (IC_{50}) of between about 0.5 microgram/milliliter ($\mu\text{g/ml}$) to about 5 $\mu\text{g/ml}$; between about 0.05 $\mu\text{g/ml}$ to about 0.5 $\mu\text{g/ml}$; or less than about 0.05 mg/ml .

[0124] In certain embodiments, the binding affinity and/or epitopic specificity of the inventive antibodies and antigen-binding fragments thereof for any one of the RSV-F variants designated as 1, 2, 3, 4, 5, 6, 7, 8, 9, and DG in Figure 7A is reduced or eliminated relative to the binding affinity and/or epitopic specificity of said antibody or antigen-binding fragment thereof for the RSV-F or RSV-F DS-Cav1.

[0125] In certain embodiments, the inventive antibodies and antigen-binding fragments thereof display a cross-neutralization potency (IC_{50}) against human metapneumovirus (HMPV) as well as RSV. In certain such embodiments, the inventive antibodies and antigen-binding fragments thereof comprise at least one of the CDRH1, CDRH2, CDRH3, CDRL1, CDRL2, and/or CDRL3 amino acid sequences of such antibody or the antigen-binding fragment thereof is at least 70% identical; at least 75% identical; 80% identical; at least 85% identical; at least 90% identical; at least 95% identical; at least 96% identical; at least 97% identical; at least 98% identical; at least 99% identical; or 100% identical; and/or all percentages of identity in between; to at least one of the CDRH1, a CDRH2, a CDRH3, a CDRL1, a CDRL2, and/or a CDRL3 amino acid sequences as disclosed in Table 6 of an antibody selected from the group consisting of Antibody Number 179, 188, 211, 221, and 229 as disclosed in Table 6.

[0126] In certain embodiments, the inventive antibodies and antigen-binding fragments thereof do not complete with D25, MPE8, palivisumab, motavizumab, or AM-14. In certain embodiments, the inventive antibodies and antigen-binding fragments thereof do not complete with D25, MPE8, palivisumab, or motavizumab. In certain embodiments, the inventive antibodies and antigen-binding fragments thereof do not complete with MPE8, palivisumab, or motavizumab. In certain embodiments, the inventive antibodies and antigen-binding fragments thereof do not complete with D25, palivisumab, or motavizumab. In certain embodiments, the inventive antibodies and antigen-binding fragments thereof do not complete with D25. In certain embodiments, the inventive antibodies and antigen-binding fragments thereof do not complete with MPE8. In certain embodiments, the inventive antibodies and antigen-binding fragments thereof do not complete with palivisumab. In certain

embodiments, the inventive antibodies and antigen-binding fragments thereof do not compete with motavizumab.

[0127] In certain embodiments, the inventive antibodies and antigen-binding fragments thereof complete with one or more of D25, MPE8, palivizumab, motavizumab, and/or AM-14.

[0128] In certain embodiments, the inventive antibodies and antigen-binding fragments thereof display at least about 2-fold; at least about 3-fold; at least about 4-fold; at least about 5-fold; at least about 6-fold; at least about 7-fold; at least about 8-fold; at least about 9-fold; at least about 10-fold; at least about 15-fold; at least about 20-fold; at least about 25-fold; at least about 30-fold; at least about 35-fold; at least about 40-fold; at least about 50-fold; at least about 55-fold; at least about 60-fold; at least about 70-fold; at least about 80-fold; at least about 90-fold; at least about 100-fold; greater than about 100-fold; and folds in between any of the foregoing; greater neutralization potency (IC₅₀) than D25 and/or palivizumab.

[0129] In certain embodiments, the inventive antibodies and antigen-binding fragments thereof comprise the CDRH3 amino acid sequence of any one of the antibodies designated Antibody Number 124 through Antibody Number 244 as disclosed in Table 6.

[0130] In certain embodiments, the inventive antibodies and antigen-binding fragments thereof comprise the CDRH2 amino acid sequence of any one of the antibodies designated Antibody Number 124 through Antibody Number 244 as disclosed in Table 6.

[0131] In certain embodiments, the inventive antibodies and antigen-binding fragments thereof comprise the CDRH1 amino acid sequence of any one of the antibodies designated Antibody Number 124 through Antibody Number 244 as disclosed in Table 6.

[0132] In certain embodiments, the inventive antibodies and antigen-binding fragments thereof comprise the CDRL3 amino acid sequence of any one of the antibodies designated Antibody Number 124 through Antibody Number 244 as disclosed in Table 6.

[0133] In certain embodiments, the inventive antibodies and antigen-binding fragments thereof comprise the CDRL2 amino acid sequence of any one of the antibodies designated Antibody Number 124 through Antibody Number 244 as disclosed in Table 6.

[0134] In certain embodiments, the inventive antibodies and antigen-binding fragments thereof comprise the CDRL1 amino acid sequence of any one of the antibodies designated Antibody Number 124 through Antibody Number 244 as disclosed in Table 6.

[0135] In certain embodiments, the inventive antibodies and antigen-binding fragments thereof comprise any combination of two, three, four, five, or six characteristics disclosed in the immediately preceeding six paragraphs.

[0136] In certain embodiments, the inventive antibodies and antigen-binding fragments thereof comprise a heavy chain (HC) amino acid sequence of any one of the antibodies designated Antibody Number 124 through Antibody Number 244 as disclosed in Table 6. In certain embodiments, the inventive antibodies and antigen-binding fragments thereof comprise a light chain (LC) amino acid sequence of any one of the antibodies designated Antibody Number 124 through Antibody Number 244 as disclosed in Table 6. In certain embodiments, the inventive antibodies and antigen-binding fragments thereof comprise a heavy chain (HC) amino acid sequence and a light chain (LC) amino acid sequence of any one of the antibodies designated Antibody Number 124 through Antibody Number 244 as disclosed in Table 6.

[0137] In certain embodiments, the inventive antibodies and antigen-binding fragments thereof are each selected from the group consisting antibodies that are at least 70% identical; at least 75% identical; 80% identical; at least 85% identical; at least 90% identical; at least 95% identical; at least 96% identical; at least 97% identical; at least 98% identical; at least 99% identical; 100% identical; and/or all percentages of identity in between; to any one of the antibodies designated as Antibody Number 124 through Antibody Number 244 as disclosed in Table 6.

[0138] In certain embodiments, the inventive antibodies and antigen-binding fragments thereof comprise are each selected from the group consisting of the antibodies designated as Antibody Number 124 through Antibody Number 244 as disclosed in Table 6.

[0139] In certain embodiments, isolated nucleic acid sequences are provided that encode antibodies or antigen binding fragments thereof that specifically bind to Respiratory Syncytial Virus (RSV) F protein and antigen-binding fragments thereof, wherein at least one of the CDRH1, CDRH2, CDRH3, CDRL1, CDRL2, and/or CDRL3 amino acid sequences of the antibody or the antigen-binding fragment thereof is at least 70% identical; at least 75% identical; 80% identical; at least 85% identical;

at least 90% identical; at least 95% identical; at least 96% identical; at least 97% identical; at least 98% identical; at least 99% identical; 100% identical; and/or all percentages of identity in between; to at least one the CDRH1, CDRH2, CDRH3, CDRL1, CDRL2, and/or CDRL3 amino acid sequences as disclosed in Table 6 of an antibody selected from Antibody Number 124 through Antibody Number 244 as disclosed in Table 6. In certain embodiments, such nucleic acid sequences are selected from those nucleic acid sequences that are disclosed in Table 6, and compliments thereof.

[0140] In certain embodiments, isolated nucleic acid sequences are provided that encode the inventive antibodies and antigen-binding fragments thereof, wherein such nucleic acid sequences comprise sequences that encode the CDRH3 amino acid sequence of the antibodies designated Antibody Number 124 through Antibody Number 244 as disclosed in Table 6. In certain embodiments, such nucleic acid sequences are selected from those nucleic acid sequences that are disclosed in Table 6, and compliments thereof.

[0141] In certain embodiments, isolated nucleic acid sequences are provided that encode the inventive antibodies and antigen-binding fragments thereof, wherein such nucleic acid sequences comprise sequences that encode the CDRH2 amino acid sequences of the antibodies designated Antibody Number 124 through Antibody Number 244 as disclosed in Table 6. In certain embodiments, such nucleic acid sequences are selected from those nucleic acid sequences that are disclosed in Table 6, and compliments thereof.

[0142] In certain embodiments, isolated nucleic acid sequences are provided that encode the inventive antibodies and antigen-binding fragments thereof, wherein such nucleic acid sequences comprise sequences that encode the CDRH1 amino acid sequences of the antibodies designated Antibody Number 124 through Antibody Number 244 as disclosed in Table 6. In certain embodiments, such nucleic acid sequences are selected from those nucleic acid sequences that are disclosed in Table 6, and compliments thereof.

[0143] In certain embodiments, isolated nucleic acid sequences are provided that encode the inventive antibodies and antigen-binding fragments thereof, wherein such nucleic acid sequences comprise sequences that encode the CDRL3 amino acid sequences of the antibodies designated Antibody Number 124 through Antibody Number 244 as disclosed in Table 6. In certain embodiments, such nucleic acid sequences are selected from those nucleic acid sequences that are disclosed in Table 6, and compliments thereof.

[0144] In certain embodiments, isolated nucleic acid sequences are provided that encode the inventive antibodies and antigen-binding fragments thereof, wherein such nucleic acid sequences comprise sequences that encode the CDRL2 amino acid sequences of the antibodies designated Antibody Number 124 through Antibody Number 244 as disclosed in Table 6. In certain embodiments, such nucleic acid sequences are selected from those nucleic acid sequences that are disclosed in Table 6, and compliments thereof.

[0145] In certain embodiments, isolated nucleic acid sequences are provided that encode the inventive antibodies and antigen-binding fragments thereof, wherein such nucleic acid sequences comprise sequences that encode the CDRL1 amino acid sequences of the antibodies designated Antibody Number 124 through Antibody Number 244 as disclosed in Table 6. In certain embodiments, such nucleic acid sequences are selected from those nucleic acid sequences that are disclosed in Table 6, and compliments thereof.

[0146] In certain embodiments, isolated nucleic acid sequences are provided that encode the inventive antibodies and antigen-binding fragments thereof, wherein such nucleic acid sequences comprise sequences that encode the heavy chain (HC) amino acid sequences of the antibodies designated Antibody Number 124 through Antibody Number 244 as disclosed in Table 6. In certain embodiments, such nucleic acid sequences are selected from those nucleic acid sequences that are disclosed in Table 6, and compliments thereof.

[0147] In certain embodiments, isolated nucleic acid sequences are provided that encode the inventive antibodies and antigen-binding fragments thereof, wherein such nucleic acid sequences comprise sequences that encode the heavy chain (LC) amino acid sequences of the antibodies designated Antibody Number 124 through Antibody Number 244 as disclosed in Table 6. In certain embodiments, such nucleic acid sequences are selected from those nucleic acid sequences that are disclosed in Table 6, and compliments thereof.

[0148] In certain embodiments, isolated nucleic acid sequences are provided that encode the inventive antibodies and antigen-binding fragments thereof, wherein such nucleic acid sequences comprise sequences are each selected from the group consisting of sequences that are at least 70% identical; at least 75% identical; 80% identical; at least 85% identical; at least 90% identical; at least 95% identical; at least 96% identical; at least 97% identical; at least 98% identical; at least 99%

identical; 100% identical; and/or all percentages of identity in between; to any one of the nucleic acid sequences that are disclosed in Table 6, and compliments thereof.

[0149] In certain embodiments, expression vectors are provided comprising the isolated nucleic acid sequences disclose herein and throughout, and in particular in the immediately preceding ten paragraphs.

[0150] In certain embodiments, host cells transfected, transformed, or transduced with the nucleic acid sequences and/or the expression vectors disclosed immediately above are provided.

Epitope Mapping and Related Technologies

[0151] As described above and as demonstrated in the EXAMPLES, Applicant has characterized the epitopic specificities, bin assignments, and antigenic site assignments of the inventive antibodies and antigen-binding fragments thereof. In addition to the methods for conducting such characterization, various other techniques are available to the artisan that can be used to carry out such characterization or to otherwise ascertain whether an antibody "interacts with one or more amino acids" within a polypeptide or protein. Exemplary techniques include, for example, a routine cross-blocking assay such as that described Antibodies, Harlow and Lane (Cold Spring Harbor Press, Cold Spring Harb., NY) can be performed. Other methods include alanine scanning mutational analysis, peptide blot analysis (Reineke (2004) Methods Mol Biol 248:443-63), peptide cleavage analysis crystallographic studies and NMR analysis. In addition, methods such as epitope excision, epitope extraction and chemical modification of antigens can be employed (Tomer (2000) Protein Science 9: 487-496). Another method that can be used to identify the amino acids within a polypeptide with which an antibody interacts is hydrogen/deuterium exchange detected by mass spectrometry. In general terms, the hydrogen/deuterium exchange method involves deuterium-labeling the protein of interest, followed by binding the antibody to the deuterium- labeled protein. Next, the protein/antibody complex is transferred to water and exchangeable protons within amino acids that are protected by the antibody complex undergo deuterium-to- hydrogen back-exchange at a slower rate than exchangeable protons within amino acids that are not part of the interface. As a result, amino acids that form part of the protein/antibody interface may retain deuterium and therefore exhibit relatively higher mass compared to amino acids not included in the interface. After dissociation of the antibody, the target protein is

subjected to protease cleavage and mass spectrometry analysis, thereby revealing the deuterium-labeled residues that correspond to the specific amino acids with which the antibody interacts. See, e.g., Ehring (1999) *Analytical Biochemistry* 267 (2):252-259; Engen and Smith (2001) *Anal. Chem.* 73:256A-265A.

[0152] As the artisan will understand, an epitope can be formed both from contiguous amino acids or noncontiguous amino acids juxtaposed by tertiary folding of a protein. Epitopes formed from contiguous amino acids are typically retained on exposure to denaturing solvents, whereas epitopes formed by tertiary folding are typically lost on treatment with denaturing solvents. An epitope typically includes at least 3, and more usually, at least 5 or 8-10 amino acids in a unique spatial conformation.

[0153] Modification-Assisted Profiling (MAP), also known as Antigen Structure-based Antibody Profiling (ASAP) is a method that categorizes large numbers of monoclonal antibodies (mAbs) directed against the same antigen according to the similarities of the binding profile of each antibody to chemically or enzymatically modified antigen surfaces (U.S. Publ. No. 2004/0101920). Each category may reflect a unique epitope either distinctly different from or partially overlapping with epitope represented by another category. This technology allows rapid filtering of genetically identical antibodies, such that characterization can be focused on genetically distinct antibodies. When applied to hybridoma screening, MAP may facilitate identification of rare hybridoma clones that produce mAbs having the desired characteristics. MAP may be used to sort the antibodies of the invention into groups of antibodies binding different epitopes.

[0154] In certain embodiments, the inventive antibodies and/or antigen-binding fragments thereof interact with an amino acid sequence comprising the amino acid residues that are altered in one or more of the F protein patch variants disclosed, e.g., in the EXAMPLES and which are depicted in, e.g., Figure 7A and which are designated as RSV F Variants 1, 2, 3, 4, 5, 6, 7, 8, 9, and DG. In certain embodiments, such inventive antibodies and antigen-binding fragments thereof interact with an amino acid sequence comprising the amino acid residues that are altered in RSV F Variant 2. In certain embodiments, the inventive antibodies and/or antigen-binding fragments thereof interact with amino acid residues that extend beyond the region(s) identified above by about 5 to 10 amino acid residues, or by about 10 to 15 amino acid residues, or by about 15 to 20 amino acid residues towards either the amino terminal or the carboxy terminal of the RSV-F protein.

[0155] In certain embodiments, the antibodies of the present invention do not bind to the same epitope on RSV-F protein as palivizumab, motavizumab, MPE8, or AM-14.

[0156] As the artisan understands, one can easily determine whether an antibody binds to the same epitope as, or competes for binding with, a reference anti-RSV-F antibody by using routine methods available in the art. For example, to determine if a test antibody binds to the same epitope as a reference RSV-F antibody of the invention, the reference antibody is allowed to bind to a RSV-F protein or peptide under saturating conditions. Next, the ability of a test antibody to bind to the RSV-F molecule is assessed. If the test antibody is able to bind to RSV-F following saturation binding with the reference anti- RSV-F antibody, it can be concluded that the test antibody binds to a different epitope than the reference anti- RSV-F antibody. On the other hand, if the test antibody is not able to bind to the RSV-F molecule following saturation binding with the reference anti-RSV-F antibody, then the test antibody may bind to the same epitope as the epitope bound by the reference anti- RSV-F antibody of the invention.

[0157] To determine if an antibody competes for binding with a reference anti- RSV-F antibody, the above-described binding methodology is performed in two orientations: In a first orientation, the reference antibody is allowed to bind to a RSV-F molecule under saturating conditions followed by assessment of binding of the test antibody to the RSV-F molecule. In a second orientation, the test antibody is allowed to bind to a RSV-F molecule under saturating conditions followed by assessment of binding of the reference antibody to the RSV-F molecule. If, in both orientations, only the first (saturating) antibody is capable of binding to the RSV-F molecule, then it is concluded that the test antibody and the reference antibody compete for binding to RSV-F. As will be appreciated by a person of ordinary skill in the art, an antibody that competes for binding with a reference antibody may not necessarily bind to the identical epitope as the reference antibody, but may sterically block binding of the reference antibody by binding an overlapping or adjacent epitope.

[0158] Two antibodies bind to the same or overlapping epitope if each competitively inhibits (blocks) binding of the other to the antigen. That is, a 1 -, 5-, 10-, 20- or 100-fold excess of one antibody inhibits binding of the other by at least 50% but preferably 75%, 90% or even 99% as measured in a competitive binding assay (see, e.g., Junghans et al., Cancer Res. (1990) 50:1495-1502). Alternatively, two antibodies have the same epitope if essentially all amino acid mutations in the antigen that reduce or eliminate binding of one antibody reduce or eliminate binding of the other. Two

antibodies have overlapping epitopes if some amino acid mutations that reduce or eliminate binding of one antibody reduce or eliminate binding of the other.

[0159] Additional routine experimentation (e.g., peptide mutation and binding analyses) can then be carried out to confirm whether the observed lack of binding of the test antibody is in fact due to binding to the same epitope as the reference antibody or if steric blocking (or another phenomenon) is responsible for the lack of observed binding. Experiments of this sort can be performed using ELISA, RIA, surface plasmon resonance, flow cytometry or any other quantitative or qualitative antibody-binding assay available in the art.

Immunoconjugates

[0160] The invention encompasses a human RSV-F monoclonal antibody conjugated to a therapeutic moiety ("immunoconjugate"), such as an agent that is capable of reducing the severity of primary infection with RSV and/or HMPV, or to ameliorate at least one symptom associated with RSV infection and/or HMPV infection, including coughing, fever, pneumonia, or the severity thereof. Such an agent may be a second different antibody to RSV-F and/or HMPV, or a vaccine. The type of therapeutic moiety that may be conjugated to the anti- RSV-F antibody and/or anti-HMPV antibody and will take into account the condition to be treated and the desired therapeutic effect to be achieved. Alternatively, if the desired therapeutic effect is to treat the sequelae or symptoms associated with RSV and/or HMPV infection, or any other condition resulting from such infection, such as, but not limited to, pneumonia, it may be advantageous to conjugate an agent appropriate to treat the sequelae or symptoms of the condition, or to alleviate any side effects of the antibodies of the invention. Examples of suitable agents for forming immunoconjugates are known in the art, see for example, WO 05/103081.

Multi-specific Antibodies

[0161] The antibodies of the present invention may be mono-specific, bi-specific, or multi-specific. Multi-specific antibodies may be specific for different epitopes of one target polypeptide or may contain antigen-binding domains specific for more than one target polypeptide. See, e.g., Tutt et al., 1991, J. Immunol. 147:60-69; Kufer et al., 2004, Trends Biotechnol. 22:238-244. The antibodies of

the present invention can be linked to or co-expressed with another functional molecule, e.g., another peptide or protein. For example, an antibody or fragment thereof can be functionally linked {e.g., by chemical coupling, genetic fusion, noncovalent association or otherwise) to one or more other molecular entities, such as another antibody or antibody fragment to produce a bi-specific or a multi-specific antibody with a second binding specificity.

[0162] An exemplary bi-specific antibody format that can be used in the context of the present invention involves the use of a first immunoglobulin (Ig) C_H3 domain and a second Ig C_H3 domain, wherein the first and second Ig C_H3 domains differ from one another by at least one amino acid, and wherein at least one amino acid difference reduces binding of the bi-specific antibody to Protein A as compared to a bi-specific antibody lacking the amino acid difference. In one embodiment, the first Ig C_H3 domain binds Protein A and the second Ig C_H3 domain contains a mutation that reduces or abolishes Protein A binding such as an H95R modification (by IMGT exon numbering; H435R by EU numbering). The second C_H3 may further comprise a Y96F modification (by IMGT; Y436F by EU). Further modifications that may be found within the second C_H3 include: D16E, L18M, N44S, K52N, V57M, and V82I (by IMGT; D356E, L358M, N384S, K392N, V397M, and V422I by EU) in the case of IgG1 antibodies; N44S, K52N, and V82I (IMGT; N384S, K392N, and V422I by EU) in the case of IgG2 antibodies; and Q15R, N44S, K52N, V57M, R69K, E79Q, and V82I (by IMGT; Q355R, N384S, K392N, V397M, R409K, E419Q, and V422I by EU) in the case of IgG4 antibodies. Variations on the bi-specific antibody format described above are contemplated within the scope of the present invention.

Therapeutic Administration and Formulations

[0163] The invention provides therapeutic compositions comprising the inventive anti-RSV-F antibodies or antigen-binding fragments thereof. The administration of therapeutic compositions in accordance with the invention will be administered with suitable carriers, excipients, and other agents that are incorporated into formulations to provide improved transfer, delivery, tolerance, and the like. A multitude of appropriate formulations can be found in the formulary known to all pharmaceutical chemists: Remington's Pharmaceutical Sciences, Mack Publishing Company, Easton, PA. These formulations include, for example, powders, pastes, ointments, jellies, waxes, oils, lipids, lipid (cationic or anionic) containing vesicles (such as LIPOFECTIN™), DNA conjugates, anhydrous absorption pastes, oil-in-water and water-in-oil emulsions, emulsions carbowax (polyethylene glycols of various

molecular weights), semi-solid gels, and semi-solid mixtures containing carbowax. See also Powell et al. "Compendium of excipients for parenteral formulations" PDA (1998) J Pharm Sci Technol 52:238-311.

[0164] The dose of each of the antibodies of the invention may vary depending upon the age and the size of a subject to be administered, target disease, conditions, route of administration, and the like. When the antibodies of the present invention are used for treating a RSV infection and/or HMPV infection in a patient, or for treating one or more symptoms associated with a RSV infection and/or HMPV infection, such as the cough or pneumonia associated with a RSV infection and/or HMPV in a patient, or for lessening the severity of the disease, it is advantageous to administer each of the antibodies of the present invention intravenously or subcutaneously normally at a single dose of about 0.01 to about 30 mg/kg body weight, more preferably about 0.1 to about 20 mg/kg body weight, or about 0.1 to about 15 mg/kg body weight, or about 0.02 to about 7 mg/kg body weight, about 0.03 to about 5 mg/kg body weight, or about 0.05 to about 3 mg/kg body weight, or about 1 mg/kg body weight, or about 3.0 mg/kg body weight, or about 10 mg/kg body weight, or about 20 mg/kg body weight. Multiple doses may be administered as necessary. Depending on the severity of the condition, the frequency and the duration of the treatment can be adjusted. In certain embodiments, the antibodies or antigen-binding fragments thereof of the invention can be administered as an initial dose of at least about 0.1 mg to about 800 mg, about 1 to about 600 mg, about 5 to about 300 mg, or about 10 to about 150 mg, to about 100 mg, or to about 50 mg. In certain embodiments, the initial dose may be followed by administration of a second or a plurality of subsequent doses of the antibodies or antigen-binding fragments thereof in an amount that can be approximately the same or less than that of the initial dose, wherein the subsequent doses are separated by at least 1 day to 3 days; at least one week, at least 2 weeks; at least 3 weeks; at least 4 weeks; at least 5 weeks; at least 6 weeks; at least 7 weeks; at least 8 weeks; at least 9 weeks; at least 10 weeks; at least 12 weeks; or at least 14 weeks.

[0165] Various delivery systems are known and can be used to administer the pharmaceutical composition of the invention, e.g., encapsulation in liposomes, microparticles, microcapsules, recombinant cells capable of expressing the mutant viruses, receptor mediated endocytosis (see, e.g., Wu et al. (1987) J. Biol. Chem. 262:4429-4432). Methods of introduction include, but are not limited to, intradermal, transdermal, intramuscular, intraperitoneal, intravenous, subcutaneous, intranasal, epidural and oral routes. The composition may be administered by any convenient route, for example

by infusion or bolus injection, by absorption through epithelial or mucocutaneous linings {e.g., oral mucosa, nasal mucosa, rectal and intestinal mucosa, etc.) and may be administered together with other biologically active agents. Administration can be systemic or local. It may be delivered as an aerosolized formulation (See US Publ. No. 2011/031 1515 and U.S. Publ. No. 2012/0128669). The delivery of agents useful for treating respiratory diseases by inhalation is becoming more widely accepted (See A. J. Bitonti and J. A. Dumont, (2006), *Adv. Drug Deliv. Rev.*, 58:1 106-118). In addition to being effective at treating local pulmonary disease, such a delivery mechanism may also be useful for systemic delivery of antibodies (See Maillet et al. (2008), *Pharmaceutical Research*, Vol. 25, No. 6, 2008).

[0166] The pharmaceutical composition can be also delivered in a vesicle, in particular a liposome (see, for example, Langer (1990) *Science* 249:1527-1533).

[0167] In certain situations, the pharmaceutical composition can be delivered in a controlled release system. In one embodiment, a pump may be used. In another embodiment, polymeric materials can be used. In yet another embodiment, a controlled release system can be placed in proximity of the composition's target, thus requiring only a fraction of the systemic dose.

[0168] The injectable preparations may include dosage forms for intravenous, subcutaneous, intracutaneous and intramuscular injections, drip infusions, etc. These injectable preparations may be prepared by methods publicly known. For example, the injectable preparations may be prepared, e.g., by dissolving, suspending or emulsifying the antibody or its salt described above in a sterile aqueous medium or an oily medium conventionally used for injections. As the aqueous medium for injections, there are, for example, physiological saline, an isotonic solution containing glucose and other auxiliary agents, etc., which may be used in combination with an appropriate solubilizing agent such as an alcohol (e.g., ethanol), a polyalcohol (e.g., propylene glycol, polyethylene glycol), a nonionic surfactant [e.g., polysorbate 80, HCO-50 (polyoxyethylene (50 mol) adduct of hydrogenated castor oil)], etc. As the oily medium, there are employed, e.g., sesame oil, soybean oil, etc., which may be used in combination with a solubilizing agent such as benzyl benzoate, benzyl alcohol, etc. The injection thus prepared is preferably filled in an appropriate ampoule.

[0169] A pharmaceutical composition of the present invention can be delivered subcutaneously or intravenously with a standard needle and syringe. In addition, with respect to subcutaneous delivery, a pen delivery device readily has applications in delivering a pharmaceutical composition of the present

invention. Such a pen delivery device can be reusable or disposable. A reusable pen delivery device generally utilizes a replaceable cartridge that contains a pharmaceutical composition. Once all of the pharmaceutical composition within the cartridge has been administered and the cartridge is empty, the empty cartridge can readily be discarded and replaced with a new cartridge that contains the pharmaceutical composition. The pen delivery device can then be reused. In a disposable pen delivery device, there is no replaceable cartridge. Rather, the disposable pen delivery device comes prefilled with the pharmaceutical composition held in a reservoir within the device. Once the reservoir is emptied of the pharmaceutical composition, the entire device is discarded.

[0170] Numerous reusable pen and autoinjector delivery devices have applications in the subcutaneous delivery of a pharmaceutical composition of the present invention. Examples include, but certainly are not limited to AUTOPEN™ (Owen Mumford, Inc., Woodstock, UK), DISETRONIC™ pen (Disetronic Medical Systems, Burghdorf, Switzerland), HUMALOG MIX 75/25™ pen, HUMALOG™ pen, HUMALIN 70/30™ pen (Eli Lilly and Co., Indianapolis, IN), NOVOPEN™ I, II and III (Novo Nordisk, Copenhagen, Denmark), NOVOPEN JUNIOR™ (Novo Nordisk, Copenhagen, Denmark), BD™ pen (Becton Dickinson, Franklin Lakes, NJ), OPTIPEN™, OPTIPEN PRO™, OPTIPEN STARLET™, and OPTICLIK™ (Sanofi-Aventis, Frankfurt, Germany), to name only a few. Examples of disposable pen delivery devices having applications in subcutaneous delivery of a pharmaceutical composition of the present invention include, but certainly are not limited to the SOLOSTART™ pen (Sanofi-Aventis), the FLEXPEN™ (Novo Nordisk), and the KWIKPEN™ (Eli Lilly), the SURECLICK™ Autoinjector (Amgen, Thousand Oaks, CA), the PENLET™ (Haselmeier, Stuttgart, Germany), the EPIPEN (Dey, L.P.) and the HUMIRA™ Pen (Abbott Labs, Abbott Park, IL), to name only a few.

[0171] Advantageously, the pharmaceutical compositions for oral or parenteral use described above are prepared into dosage forms in a unit dose suited to fit a dose of the active ingredients. Such dosage forms in a unit dose include, for example, tablets, pills, capsules, injections (ampoules), suppositories, etc. The amount of the aforesaid antibody contained is generally about 5 to about 500 mg per dosage form in a unit dose; especially in the form of injection, it is preferred that the aforesaid antibody is contained in about 5 to about 100 mg and in about 10 to about 250 mg for the other dosage forms.

Administration Regimens

[0172] According to certain embodiments, multiple doses of an antibody to RSV-F and/or HMPV may be administered to a subject over a defined time course. The methods according to this aspect of the invention comprise sequentially administering to a subject multiple doses of an antibody to RSV-F and/or HMPV. As used herein, "sequentially administering" means that each dose of antibody to RSV-F and/or HMPV is administered to the subject at a different point in time, e.g., on different days separated by a predetermined interval (e.g., hours, days, weeks or months). The present invention includes methods which comprise sequentially administering to the patient a single initial dose of an antibody to RSV-F and/or HMPV, followed by one or more secondary doses of the antibody to RSV-F and/or HMPV and optionally followed by one or more tertiary doses of the antibody to RSV-F and/or HMPV.

[0173] The terms "initial dose," "secondary doses," and "tertiary doses," refer to the temporal sequence of administration of the antibody to RSV-F and/or HMPV. Thus, the "initial dose" is the dose which is administered at the beginning of the treatment regimen (also referred to as the "baseline dose"); the "secondary doses" are the doses which are administered after the initial dose; and the "tertiary doses" are the doses which are administered after the secondary doses. The initial, secondary, and tertiary doses may all contain the same amount of antibody to RSV-F and/or HMPV, but generally may differ from one another in terms of frequency of administration. In certain embodiments, however, the amount of antibody to RSV-F and/or HMPV contained in the initial, secondary and/or tertiary doses vary from one another (e.g., adjusted up or down as appropriate) during the course of treatment. In certain embodiments, two or more (e.g., 2, 3, 4, or 5) doses are administered at the beginning of the treatment regimen as "loading doses" followed by subsequent doses that are administered on a less frequent basis (e.g., "maintenance doses").

[0174] In one exemplary embodiment of the present invention, each secondary and/or tertiary dose is administered 1 to 26 (e.g., 1, 1½, 2, 2½, 3, 3½, 4, 4½, 5, 5½, 6, 6½, 7, 7½, 8, 8½, 9, 9½, 10, 10½, 11, 11½, 12, 12½, 13, 13½, 14, 14½, 15, 15½, 16, 16½, 17, 17½, 18, 18½, 19, 19½, 20, 20½, 21, 21½, 22, 22½, 23, 23½, 24, 24½, 25, 25½, 26, 26½, or more) weeks after the immediately preceding dose. The phrase "the immediately preceding dose," as used herein, means, in a sequence of multiple administrations, the dose of antibody to RSV-F and/or HMPV which is administered to a patient prior to the administration of the very next dose in the sequence with no intervening doses.

[0175] The methods according to this aspect of the invention may comprise administering to a patient any number of secondary and/or tertiary doses of an antibody to RSV-F and/or HMPV. For example, in certain embodiments, only a single secondary dose is administered to the patient. In other embodiments, two or more (e.g., 2, 3, 4, 5, 6, 7, 8, or more) secondary doses are administered to the patient. Likewise, in certain embodiments, only a single tertiary dose is administered to the patient. In other embodiments, two or more (e.g., 2, 3, 4, 5, 6, 7, 8, or more) tertiary doses are administered to the patient.

[0176] In embodiments involving multiple secondary doses, each secondary dose may be administered at the same frequency as the other secondary doses. For example, each secondary dose may be administered to the patient 1 to 2 weeks after the immediately preceding dose. Similarly, in embodiments involving multiple tertiary doses, each tertiary dose may be administered at the same frequency as the other tertiary doses. For example, each tertiary dose may be administered to the patient 2 to 4 weeks after the immediately preceding dose. Alternatively, the frequency at which the secondary and/or tertiary doses are administered to a patient can vary over the course of the treatment regimen. The frequency of administration may also be adjusted during the course of treatment by a physician depending on the needs of the individual patient following clinical examination.

[0177] Accordingly, in certain embodiments are provided pharmaceutical compositions comprising: one or more of the inventive antibodies or antigen-binding fragments thereof disclosed herein and throughout and a pharmaceutically acceptable carrier and/or one or more excipients. In certain other embodiments are provided pharmaceutical compositions comprising: one or more nucleic acid sequences encoding one or more inventive antibodies or antigen-binding fragments thereof; or one or more the expression vectors harboring such nucleic acid sequences; and a pharmaceutically acceptable carrier and/or one or more excipients.

Therapeutic Uses of the Antibodies

[0178] Due to their binding to and interaction with the RSV fusion protein (RSV-F), it is believed that the inventive antibodies and antigen-binding fragments thereof are useful – without wishing to be bound to any theory - for preventing fusion of the virus with the host cell membrane, for preventing cell to cell virus spread, and for inhibition of syncytia formation. Additionally, as Applicant

has demonstrated herein that, surprisingly, a subset of the inventive anti-RSV antibodies and antigen-binding fragment thereof display cross-neutralizing potency against HMPV, the inventive antibodies and antigen-binding fragments thereof are advantageous for preventing an infection of a subject with RSV and/or HMPV when administered prophylactically. Alternatively, the antibodies of the present invention may be useful for ameliorating at least one symptom associated with the infection, such as coughing, fever, pneumonia, or for lessening the severity, duration, and/or frequency of the infection. The antibodies of the invention are also contemplated for prophylactic use in patients at risk for developing or acquiring an RSV infection and/or HMPV infection. These patients include pre-term infants, full term infants born during RSV season (late fall to early spring), the elderly (for example, in anyone 65 years of age or older) and/or HMPV season, or patients immunocompromised due to illness or treatment with immunosuppressive therapeutics, or patients who may have an underlying medical condition that predisposes them to an RSV infection (for example, cystic fibrosis patients, patients with congestive heart failure or other cardiac conditions, patients with airway impairment, patients with COPD) and/or HMPV infection. It is contemplated that the antibodies of the invention may be used alone, or in conjunction with a second agent, or third agent for treating RSV infection and/or HMPV infection, or for alleviating at least one symptom or complication associated with the RSV infection and/or HMPV infection, such as the fever, coughing, bronchiolitis, or pneumonia associated with, or resulting from such an infection. The second or third agents may be delivered concurrently with the antibodies of the invention, or they may be administered separately, either before or after the antibodies of the invention. The second or third agent may be an anti-viral such as ribavirin, an NSAID or other agents to reduce fever or pain, another second but different antibody that specifically binds RSV-F, an agent (e.g. an antibody) that binds to another RSV antigen, such as RSV-G, a vaccine against RSV, an siRNA specific for an RSV antigen.

[0179] In yet a further embodiment of the invention the present antibodies are used for the preparation of a pharmaceutical composition for treating patients suffering from a RSV infection and/or HMPV infection. In yet another embodiment of the invention the present antibodies are used for the preparation of a pharmaceutical composition for reducing the severity of a primary infection with RSV and/or HMPV, or for reducing the duration of the infection, or for reducing at least one symptom associated with the RSV infection and/or the HMPV infection. In a further embodiment of the invention the present antibodies are used as adjunct therapy with any other agent useful for treating an RSV infection and/or and HMPV infectin, including an antiviral, a toxoid, a vaccine, a second RSV-F

antibody, or any other antibody specific for an RSV antigen, including an RSV-G antibody, or any other palliative therapy known to those skilled in the art.

[0180] Accordingly, in certain embodiments are provided methods of treating or preventing a Respiratory Syncytial Virus (RSV) infection, or at least one symptom associated with RSV infection, comprising administering to a patient in need thereof or suspected of being in need thereof one or more of the inventive antibodies or antigen-binding fragments thereof disclosed herein and throughout, such as, e.g., one or more of the anti-RSV antibodies disclosed in Table 6, such that the RSV infection is treated or prevented, or the at least one symptom associated with RSV infection is treated, alleviated, or reduced in severity.

[0181] In certain other embodiments are provided methods of treating or preventing a Respiratory Syncytial Virus (RSV) infection, or at least one symptom associated with RSV infection, comprising administering to a patient in need thereof or suspected of being in need thereof a nucleic acid sequence encoding one or more of the inventive antibodies or antigen-binding fragments thereof, such as nucleic acid sequences disclosed in Table 6 and compliments thereof, such that the RSV infection is treated or prevented, or the at least one symptom associated with RSV infection is treated, alleviated, or reduced in severity.

[0182] In additional embodiments are provided methods of treating or preventing a Respiratory Syncytial Virus (RSV) infection, or at least one symptom associated with RSV infection, comprising administering to a patient in need thereof or suspected of being in need thereof a host cell harboring a nucleic acid sequence or an expression vector comprising such a nucleic acid sequence, wherein such nucleic acid sequence is selected from the group consisting of sequences disclosed in Table 6 and compliments thereof, such that the RSV infection is treated or prevented, or the at least one symptom associated with RSV infection is treated, alleviated, or reduced in severity.

[0183] In additional embodiments are provided methods of treating or preventing a Respiratory Syncytial Virus (RSV) infection, or at least one symptom associated with RSV infection, comprising administering to a patient in need thereof or suspected of being in need thereof a pharmaceutical composition comprising either: one or more of the inventive antibodies or antigen-binding fragments thereof as disclosed in Table 6; one or more nucleic acid sequences or an expression vector comprising such a nucleic acid sequence, wherein such nucleic acid sequence is selected from the group consisting of sequences disclosed in Table 6 and compliments thereof; one or more host cells harboring

one or more nucleic acid sequences or an expression vectors comprising such one or more nucleic acid sequences, wherein such nucleic acid sequences are selected from the group consisting of sequences disclosed in Table 6 and compliments thereof; and a pharmaceutically acceptable carrier and/or one or more excipients, such that the RSV infection is treated or prevented, or the at least one symptom associated with RSV infection is treated, alleviated, or reduced in severity.

[0184] In certain embodiments are provided methods of treating or preventing either a Respiratory Syncytial Virus (RSV) infection or a human metapneumovirus (HMPV) infection, at least one symptom associated with said RSV infection or said HMPV infection, comprising administering to a patient in need thereof or suspected of being in need thereof one or more of the inventive antibodies or antigen-binding fragments thereof disclosed herein and throughout, such as, e.g., one or more of the anti-RSV antibodies disclosed in Table 6, such that the RSV infection is treated or prevented, or the at least one symptom associated with RSV infection is treated, alleviated, or reduced in severity. In certain embodiments, the one or more antibodies or antigen-binding fragments thereof of a) is selected from the group consisting of the antibodies designated as Antibody Number 179, 188, 211, 221, or 229 as disclosed in Table 6.

[0185] In certain other embodiments are provided methods of treating or preventing either a Respiratory Syncytial Virus (RSV) infection or a human metapneumovirus (HMPV) infection, at least one symptom associated with said RSV infection or said HMPV infection, comprising administering to a patient in need thereof or suspected of being in need thereof a nucleic acid sequence encoding one or more of the inventive antibodies or antigen-binding fragments thereof, such nucleic acid sequence disclosed in Table 6 and compliments thereof, such that the RSV infection is treated or prevented, or the at least one symptom associated with RSV infection is treated, alleviated, or reduced in severity. In certain embodiments, the one or more antibodies or antigen-binding fragments thereof of a) is selected from the group consisting of the antibodies designated as Antibody Number 179, 188, 211, 221, or 229 as disclosed in Table 6.

[0186] In additional embodiments are provided methods of treating or preventing either a Respiratory Syncytial Virus (RSV) infection or a human metapneumovirus (HMPV) infection, at least one symptom associated with said RSV infection or said HMPV infection, comprising administering to a patient in need thereof or suspected of being in need thereof a host cell harboring a nucleic acid sequence or an expression vector comprising such a nucleic acid sequence, wherein such

nucleic acid sequences is selected from the group consisting of sequences disclosed in Table 6 and compliments thereof, such that the RSV infection is treated or prevented, or the at least on symptom associated with RSV infection is treated, alleviated, or reduced in severity. In certain embodiments, the one or more antibodies or antigen-binding fragments thereof of is selected from the group consisting of the antibodies designated as Antibody Number 179, 188, 211, 221, or 229 as disclosed in Table 6.

[0187] In additional embodiments are provided methods of treating or preventing either a Respiratory Syncytial Virus (RSV) infection or a human metapneumovirus (HMPV) infection, or at least one symptom associated with said RSV infection or said HMPV infection, comprising administering to a patient in need thereof or suspected of being in need thereof a pharmaceutical composition comprising either: one or more of the inventive antibodies or antigen-binding fragments thereof as disclosed in Table 6; one or more nucleic acid sequences or an expression vectors comprising such a nucleic acid sequence, wherein such nucleic acid sequences are selected from the group consisting of sequences disclosed in Table 6 and compliments thereof; one or more host cells harboring one or more nucleic acid sequences or an expression vectors comprising such one or more nucleic acid sequences, wherein such nucleic acid sequences are selected from the group consisting of sequences disclosed in Table 6 and compliments thereof; and a pharmaceutically acceptable carrier and/or one or more excipients, such that the RSV infection is treated or prevented, or the at least on symptom associated with RSV infection is treated, alleviated, or reduced in severity. In certain embodiments, the one or more antibodies or antigen-binding fragments thereof of a) is selected from the group consisting of the antibodies designated as Antibody Number 179, 188, 211, 221, or 229 as disclosed in Table 6.

Combination Therapies

[0188] As noted above, according to certain embodiments, the disclosed methods comprise administering to the subject one or more additional therapeutic agents in combination with an antibody to RSV-F and/or HMPV or a pharmaceutical composition of the invention. As used herein, the expression "in combination with" means that the additional therapeutic agents are administered before, after, or concurrent with an antibody or pharmaceutical composition comprising an anti-RSV-F antibody. The term "in combination with" also includes sequential or concomitant administration of an anti-RSV-F antibody and a second therapeutic agent.

[0189] For example, when administered "before" the pharmaceutical composition comprising the anti-RSV-F antibody, the additional therapeutic agent may be administered about 72 hours, about 60 hours, about 48 hours, about 36 hours, about 24 hours, about 12 hours, about 10 hours, about 8 hours, about 6 hours, about 4 hours, about 2 hours, about 1 hour, about 30 minutes, about 15 minutes or about 10 minutes prior to the administration of the pharmaceutical composition comprising the anti-RSV-F antibody. When administered "after" the pharmaceutical composition comprising the anti-RSV-F antibody, the additional therapeutic agent may be administered about 10 minutes, about 15 minutes, about 30 minutes, about 1 hour, about 2 hours, about 4 hours, about 6 hours, about 8 hours, about 10 hours, about 12 hours, about 24 hours, about 36 hours, about 48 hours, about 60 hours or about 72 hours after the administration of the pharmaceutical composition comprising the anti-RSV-F antibodies. Administration "concurrent" or with the pharmaceutical composition comprising the anti-RSV-F antibody means that the additional therapeutic agent is administered to the subject in a separate dosage form within less than 5 minutes (before, after, or at the same time) of administration of the pharmaceutical composition comprising the anti-RSV-F antibody, or administered to the subject as a single combined dosage formulation comprising both the additional therapeutic agent and the anti-RSV-F antibody.

[0190] Combination therapies may include an anti-RSV-F antibody of the invention and any additional therapeutic agent that may be advantageously combined with an antibody of the invention, or with a biologically active fragment of an antibody of the invention.

[0191] For example, a second or third therapeutic agent may be employed to aid in reducing the viral load in the lungs, such as an antiviral, for example, ribavirin. The antibodies may also be used in conjunction with other therapies, as noted above, including a toxoid, a vaccine specific for RSV, a second antibody specific for RSV-F, or an antibody specific for another RSV antigen, such as RSV-G.

Diagnostic Uses of the Antibodies

[0192] The inventive anti-RSV antibodies and antigen-binding fragments thereof may also be used to detect and/or measure RSV and/or HMPV in a sample, e.g., for diagnostic purposes. It is envisioned that confirmation of an infection thought to be caused by RSV and/or HMPV may be made by measuring the presence of the virus through use of any one or more of the antibodies of the

invention. Exemplary diagnostic assays for RSV and/or HMPV may comprise, e.g., contacting a sample, obtained from a patient, with an anti-RSV-F and/or HMPV antibody of the invention, wherein the anti-RSV-F and/or HMPV antibody is labeled with a detectable label or reporter molecule or used as a capture ligand to selectively isolate the virus containing the F protein from patient samples. Alternatively, an unlabeled anti-RSV-F and/or HMPV antibody can be used in diagnostic applications in combination with a secondary antibody which is itself detectably labeled. The detectable label or reporter molecule can be a radioisotope, such as ^3H , ^{14}C , ^{32}P , ^{35}S , or ^{125}I ; a fluorescent or chemiluminescent moiety such as fluorescein isothiocyanate, or rhodamine; or an enzyme such as alkaline phosphatase, β -galactosidase, horseradish peroxidase, or luciferase. Specific exemplary assays that can be used to detect or measure RSV containing the F protein and/or HMPV in a sample include enzyme-linked immunosorbent assay (ELISA), radioimmunoassay (RIA), and fluorescence-activated cell sorting (FACS).

[0193] Samples that can be used in RSV and/or HMPV diagnostic assays according to the present invention include any tissue or fluid sample obtainable from a patient, which contains detectable quantities of RSV-F protein and/or HMPV, or fragments thereof, under normal or pathological conditions. Generally, levels of RSV-F and/or HMPV in a particular sample obtained from a healthy patient (e.g., a patient not afflicted with a disease or condition associated with the presence of RSV-F and/or HMPV) will be measured to initially establish a baseline, or standard, level of the F protein from RSV and/or HMPV. This baseline level of RSV-F and/or HMPV can then be compared against the levels of RSV-F and/or HMPV measured in samples obtained from individuals suspected of having an RSV and/or HMPV infection, or symptoms associated with such infection.

EXAMPLES

[0194] Applicant has comprehensively profiled the human antibody response to RSV fusion protein (F) by isolating and characterizing 108 RSV F-specific monoclonal antibodies from the memory B cells of a healthy adult donor, and used these antibodies to comprehensively map the antigenic topology of RSV F. The antibody response to RSV F was determined to be comprised of a broad diversity of clones that target several antigenic sites. Nearly half of the most potent antibodies target a previously undefined site of vulnerability near the apex of the prefusion conformation of RSV F (preF), providing strong support for the development of RSV antibodies that target this region, as well as vaccine candidates that preserve the membrane-distal hemisphere of the preF protein. Additionally, this

class of antibodies displayed convergent sequence features, thus providing a future means to rapidly detect these types of antibodies in human samples. Many of the antibodies that bound preF-specific surfaces from this donor were over 100 times more potent than palivizumab and several cross-neutralize human metapneumovirus (HMPV). Taken together, the results have implications for the design and evaluation of RSV vaccine and antibody-based therapeutic candidates, and offer new options for passive prophylaxis.

Large-scale isolation of RSV F-specific monoclonal antibodies from healthy adult human donors

[0195] In order to comprehensively profile the human antibody response to RSV F, Applicant isolated and characterized approximately 108 monoclonal antibodies from the memory B cells of a healthy adult donor (“donor 003”). Although this donor did not have a documented history of RSV infection, healthy adults are expected to have had multiple RSV infections throughout life (26).

[0196] The magnitude of the memory B cell response in this donor to RSV F was assessed by staining peripheral B cells with a mixture of fluorescently labeled pre- and postfusion RSV F sorting probes (Figure 6A through 6B) (11, 15). Both proteins were dual-labeled in order to eliminate background due to non-specific fluorochrome binding (27). Flow cytometric analysis revealed that 0.04–0.18% of class-switched (IgG⁺ and IgA⁺) peripheral B cells were specific for RSV F (Figure 1A and Figure B), which is significantly lower than the percentage of RSV F-specific cells observed after experimental RSV infection and suggests that this donor was probably not recently exposed to RSV (28). Notably, index sorting showed that 17–38% of circulating RSV F-specific B cells express IgA, indicating that IgA memory B cells to RSV F are present in peripheral blood (Figure 1B).

[0197] Approximately 200 RSV F-specific B cells were single-cell sorted from the donor sample, and antibody variable heavy (VH) and variable light (VL) chain genes were rescued by single-cell PCR (29). Over 100 cognate heavy and light chain pairs were subsequently cloned and expressed as full-length IgGs in an engineered strain of *Saccharomyces cerevisiae* for further characterization (30). Preliminary binding studies showed that approximately 80% of antibodies cloned from RSV F glycoprotein (F)-specific B cells bound to recombinant RSV F proteins.

Sequence analysis of RSV F-specific antibody repertoires

[0198] Sequence analysis of the isolated monoclonal antibodies revealed that the RSV-F specific repertoire was highly diverse, containing over 70 unique lineages (Fig. 1C and Table 2). This result is in stark contrast to the relatively restricted repertoires observed in HIV-infected patients (31), or in healthy donors after influenza vaccination (32). Compared to non-RSV-reactive antibodies (33), the RSV F-specific repertoires were skewed, generally, toward certain VH germline genes (VH1-18, VH1-2, VH1-69, VH2-70, VH4-304, and VH5-51) (Fig. 1D and Table 2) and longer heavy chain third complementarity-determining region (CDRH3) lengths (generally, approximately 14–18 amino acids in length; Fig. 1E and Table 2). Interestingly, a bias toward VH1-69 has also been observed in anti-HIV-1, anti-influenza, and anti-HCV repertoires (34–36), and recent studies have shown that there is a significant increase in the relative usage of VH1-18, VH1-2, and VH1-69 during acute dengue infection (37). Hence, it appears that these particular germline gene segments may have inherent properties that facilitate recognition of viral envelope proteins.

[0199] The average level of somatic hypermutation (SHM) ranged between 16 and 30 nucleotide substitutions per VH gene (excluding CDRH3) (Fig. 1F and Table 2), which is comparable to the average level of SHM observed in anti-influenza antibody repertoires (32, 38) and consistent with the recurrent nature of RSV infection (26). Interestingly, several antibodies contained 40 or greater VH gene nucleotide substitutions, suggesting that multiple rounds of RSV infection can result in antibodies with very high levels of somatic hypermutation (SHM).

A large proportion of antibodies bind exclusively to preF

[0200] We next measured the apparent binding affinities of the IgGs to furin-cleaved RSV F ectodomains stabilized in the prefusion (DS-Cav1) or postfusion (F Δ FP) conformation using biolayer interferometry (11, 15). A relatively large proportion of the antibodies (36–67%) bound exclusively to preF (Figure 2A and Figure B; Table 3). The vast majority of remaining antibodies bound to both pre- and postF, with only 5–7% of antibodies showing exclusive postF specificity (Figure 2A and Figure B; Table 3). The low prevalence of postF-specific antibodies in these donor repertoires is consistent with the observation that less than 10% of anti-RSV F serum-binding activity specifically targets postF (8). Interestingly, however, the majority of cross-reactive antibodies bound with higher apparent affinity to postF (Figure 2A; Table 3), suggesting that these antibodies were probably elicited by and/or affinity matured against postF in vivo. Hence, the significantly higher proportion of preF- versus postF-specific

antibodies is likely due to the higher immunogenicity of the unique surfaces on preF compared to postF, rather than an increased abundance of preF in vivo. Finally, as expected based on the relatively high degree of sequence conservation between RSV subtypes, most of the antibodies showed binding reactivity to F proteins derived from both subtypes A and B (Figure 2C; Table 3).

[0201] Since certain antiviral antibody specificities have been associated with poly- and autoreactivity (39-41), we also tested the RSV antibodies for polyreactivity using a previously described high-throughput assay that correlates with down-stream behaviors such as serum clearance (42, 43). One hundred and seventy-seven clinical antibodies, as well as several broadly neutralizing HIV antibodies, were also included for comparison. Interestingly, in contrast to many previously described HIV broadly neutralizing antibodies, the vast majority of RSV F-specific antibodies lacked significant polyreactivity in this assay (Figure 2D).

RSV F-specific antibodies target six major antigenic sites

[0202] To map the antigenic specificities of the RSV F-specific antibodies, Applicant first performed competitive binding experiments using a previously described yeast-based assay (44). Antibodies were initially tested for competition with D25, AM14 and MPE8—three previously described preF-specific antibodies (10, 17, 21)—and motavizumab, an affinity-matured variant of palivizumab that binds to both pre- and postF (10, 11, 45). Non-competing antibodies were then tested for competition with a site IV-directed mAb (101F) (46), a site I-directed antibody (Site I Ab), and two high affinity antibodies (High Affinity Ab I and High Affinity Ab 2, respectively) that did not strongly compete with each other or any of the control antibodies. Each antibody was assigned a bin based on the results of this competition assay (see, e.g., Table 4).

[0203] In order to confirm and increase the resolution of our epitope assignments, the binding of each antibody to a panel of preF variants was measured using a luminex-based assay. Each variant contained 2–4 mutations clustered together to form a patch on the surface of preF. A total of nine patches that uniformly covered the surface of preF were generated (Figure 7A through Figure 7C). Deglycosylated preF was also included to identify antibodies targeting glycan-dependent epitopes. Binding of each antibody to the 10 preF variants was compared to that of wild-type preF and used to assign a patch (see, e.g., Table 4). Previously characterized antibodies D25, AM14 and motavizumab

were used to validate the assay (see, e.g., Figure 7C and Table 4). The combined bin and patch data were then used to assign each antibody to a single antigenic site (Figure 3A through Figure 3G), which were defined based on previously determined structures, resistance mutations, and secondary structure elements of the F protein. Overall, these data show that the large majority of isolated antibodies target six dominant antigenic sites on prefusion RSV F (Ø, I, II, III, IV, and V). Interestingly, only a small proportion of the isolated antibodies had binding profiles similar to that of AM14, suggesting that antibodies targeting this quaternary epitope are not commonly elicited during natural infection. None of the antibodies were sensitive to deglycosylation of F, demonstrating that glycan-dependent antibodies are also rarely elicited by natural RSV infection.

[0204] Analysis of the preF- and postF-binding activities of the antibodies targeting each antigenic site (see, e.g., Figure 3C through Figure 3G; Table 4) revealed that three sites are primarily found on preF (Ø, III, and V). Antibodies targeting site Ø and site III have been previously described (10, 17), and these sites are located on the top and side of the preF spike, respectively. Greater than 20% of the antibodies from this donor recognized site Ø and approximately 22% recognized site III. A relatively large proportion of antibodies from this donor (approximately 14%) recognized the third preF-specific site, which has not been previously described and therefore has been designated herein as region site V (See, e.g., Figure 3C through Figure 3G; Table 4). The majority of site V antibodies competed with D25, MPE8 and motavizumab, which was unexpected given the distance between the epitopes recognized by these three antibodies. The patch mutant analysis revealed that these antibodies interact with the $\alpha 3$ helix and $\beta 3/\beta 4$ hairpin of preF. This region is located between the epitopes recognized by D25, MPE8, and motavizumab, explaining the unusual competition profile observed for this class of antibodies (See, e.g., Figure 8). In addition to the three primarily preF-specific sites, a large number of the antibodies that recognized antigenic site IV were preF-specific, likely due to contacts with $\beta 22$, which dramatically rearranges during the transition from pre- to postF. In summary, the epitope mapping data show that the large majority of isolated antibodies target six dominant antigenic sites, approximately half of which are exclusively expressed on preF.

Highly potent neutralizing antibodies target preF-specific epitopes

[0205] The antibodies were next tested for neutralizing activity against RSV subtypes A and B using a previously described high-throughput neutralization assay (15). Greater than 60% of the

isolated antibodies showed neutralizing activity, and approximately 20% neutralized with high potency ($IC_{50} \leq 0.05 \mu\text{g/ml}$) (see, e.g., Figure 4A and Figure 4B; Table 3). Notably, several clonally unrelated antibodies were ≥ 5.0 -fold more potent than D25 and ≥ 100 -fold more potent than palivizumab (see, e.g., Figure 4A; Table 3). Interestingly, there was no correlation between neutralization potency and level of SHM, suggesting that extensive SHM is not required for potent neutralization of RSV. Consistent with the binding cross-reactivity data, the majority of neutralizing antibodies showed activity against both subtype A and B (Figure 4A through Figure 4C; Table 3).

[0206] The relationship between preF- and postF-binding affinity and neutralization potency was next investigated, which clearly demonstrated that the majority of highly potent antibodies bound preferentially or exclusively to preF (see, e.g., Figure 4D through Figure 4G; Table 3). Quantifying this difference revealed that more than 80% of highly potent antibodies ($IC_{50} < 0.05 \mu\text{g/ml}$) were specific for preF (See, e.g., Figure 9; Table 3) and that the median IC_{50} for preF-specific antibodies was more than 8-fold lower than for pre- and postF cross-reactive antibodies and 80-fold lower than antibodies that specifically recognized postF (see, e.g., Figure 4E; Table 3). Importantly, there was a positive correlation between preF binding and neutralization ($P < 0.001$, $r = 0.24$), and the apparent preF K_D s generally corresponded well with the neutralization IC_{50} s (see, e.g., Figure 5A; Table 3). In contrast, there was no correlation between neutralization potency and postF affinity ($P = 0.44$, $r = -0.07$) (see, e.g., Figure 5B; Table 3). This result is compatible with the occupancy model of antibody-mediated neutralization (47), and suggests that DS-Cav1 is a faithful antigenic mimic of the native preF trimer. Notably, very few antibodies neutralized with IC_{50} s lower than 100 pM, which is consistent with the previously proposed ceiling to affinity maturation (48, 49).

[0207] The relationship between neutralization potency and antigenic site was next analyzed. The results, provided in, e.g., Figure 5C, Table 3, and Table 4, collectively, indicated that over 60% of the highly potent neutralizing antibodies targeted antigenic sites Ø and V, which are two of the three prefusion-F specific sites. In contrast, antibodies targeting sites III and IV showed a wide range of neutralization potencies, and antibodies targeting sites I and II were generally moderate to non-neutralizing. Similar results were obtained using binding affinities and neutralization potencies measured for subtype B (See, e.g., Figure 10A through Figure 10C; Table 3 and Table 4). Interestingly, a subset of site IV-directed antibodies neutralized with substantially lower potency than would be expected based on preF binding affinity (see, e.g., Figure 5A; Table 3). This result may suggest that

certain epitopes within site IV are less exposed in the context of the native envelope spike expressed on the crowded surface of the virion than on recombinant preF.

Several antibodies cross-neutralize RSV and HMPV

[0208] Given that the RSV and human metapneumovirus (HMPV) F proteins share 33% amino acid identity, and certain RSV F-specific antibodies cross-neutralize HMPV (17, 50), the antibodies from this donor were tested for neutralizing activity against HMPV. Of the 108 antibodies tested, five neutralized HMPV and two showed highly potent activity against both HMPV and RSV (see, e.g., Table 5). Sequence analysis revealed that the five antibodies represent two different clonal families, which utilize different VH germline genes and have varying CDRH3 lengths and levels of somatic hypermutation (See, e.g., Table 2 and sequence listing). All of the cross-neutralizing antibodies bound exclusively to preF and competed with MPE8 (See, e.g., Table 5), in agreement with previous studies indicating that MPE8 cross-neutralizes four pneumoviruses, including RSV and HMPV (17). This result suggests, inter alia, that highly conserved epitopes are relatively immunogenic in the context of natural RSV and/or HMPV infection.

Affinity maturation of RSV F-specific antibodies:

[0209] Some embodiments refer to affinity matured antibodies of any of the antibodies listed in Table 6 (each understood as a “parent” antibody” for producing an affinity matured variant). Affinity matured antibodies may be produced by mutagenesis of any one or more of the CDRs of the parent antibody. According to a specific embodiment, the invention provides for affinity matured variants comprising one or more point mutations e.g., 0, 1, 2, or 3 point mutations in each of the CDR sequences, of any of the antibodies listed in Table 6, or of an antibody comprising the six CDR sequences of any of the antibodies listed in Table 6. Affinity matured variants can be produced by any affinity maturation method employing standard mutagenesis techniques, e.g., for optimizing the binding characteristics, such as increasing affinity of binding, or increasing K_{on} , or decreasing K_{off} , and can be characterized by a K_D difference of at least 2 fold, 5 fold, 1 log, or 2 logs, or 3 logs, as compared to the parent antibody. Such affinity matured antibodies still have the same binding specificity as the parent antibody and e.g., an optimized affinity of binding the target epitope.

[0210] Selected anti RSV antibodies were identified for affinity maturation. Oligos were ordered which comprised CDRH1, CDRH2, CDRH3, CDRL1, CDRL2, and CDRL3 sequences that

were variegated via NNK diversity. The NNK oligos were incorporated into the parent HC or LC via DNA shuffling, as described previously (Stemmer WP et al., DNA shuffling by random fragmentation and reassembly: In vitro recombination for molecular evolution. Proc Natl Acad Sci U S A. 1994 Oct 25;91(22):10747-51). The library was then created by transforming the VH and VL PCR products into yeast already containing either the light chain or heavy chain plasmid of the parent. The diversified libraries were then selected using flow cytometry. For each FACS round, the libraries were affinity pressured using decreasing amounts of antigen and clones with improved binding affinities were sorted and propagated. Once improved binding populations were observed by flow cytometry (typically two rounds of selection), single yeast clones were picked for sequencing and characterization (Table 6).

[0211] A specific embodiment refers to affinity matured variants of the antibodies 128, 133 and 227 in Table 6. Notably, the antibodies numbered 232 and 233 are affinity matured variant of the antibody numbered 128 in Table 6, the antibodies numbered 234 - 236 are affinity matured variant of the antibody numbered 133 in Table 6 and the antibodies numbered 237 - 244 are affinity matured variant of the antibody numbered 227 in Table 6

Antibody production and purification of affinity matured antibodies

[0212] Yeast clones were grown to saturation and then induced for 48 h at 30°C with shaking. After induction, yeast cells were pelleted and the supernatants were harvested for purification. IgGs were purified using a Protein A column and eluted with acetic acid, pH 2.0. Fab fragments were generated by papain digestion and purified over KappaSelect (GE Healthcare LifeSciences).

RSV in vitro neutralization in ELISA based Microneutralization Assays

[0213] *In vitro* RSV neutralization was tested in ELISA based Microneutralization Assays using RSV-A strain A2 (ATCC, VR1540P). Virus (at a final multiplicity of infection of approximately 0.25) was added to 96-well plates containing serially diluted mAbs in serum-free MEM and pre-incubated for 30 min at 4°C. Freshly trypsinized Hep-2 cells (1.5×10^4 cells/well) were then added to each well in MEM supplemented with 5% FCS. Following incubation for 4 days at 37°C and 5% CO₂, medium was aspirated and cells were washed twice with 200 µl PBS/well, air-dried and fixed with 100 µl Acetone (80%). RSV replication was measured by quantification of expressed viral proteins by ELISA. For this purpose, fixed cells were washed 2x times with PBS-0.1% Tween-20, blocked with 1% skimmed milk

in PBS for 1 hour at RT and then stained with a polyclonal goat-anti RSV antibody preparation (BioRad, #7950-0004) for 1 hour at RT in blocking buffer. A donkey anti-goat IgG HRP conjugate was used as detection reagent and 1 step-Ultra TMB (Thermo Fisher Scientific, #34209) as substrate. % inhibition of virus replication was calculated relative to control cells infected with virus in absence of neutralizing antibodies. An isotype matched control mAb was included in all experiments. mAb potency is expressed as half-maximal inhibitory concentration that resulted in 50% reduction in virus replication (IC_{50}). Results are provided in **Figure 11** and demonstrate that all mAbs were able to neutralize RSV-A2 in this setting, with a broad range of IC_{50} values ranging from 8.5 ng/ml (ADI-31674) to 495.5 ng/ml (ADI-31379).

Discussion

[0214] An in-depth understanding of the human antibody response to RSV infection will aid the development and evaluation of RSV vaccine and therapeutic and/or prophylactic antibody candidates for the treatment and/or prevention of RSV infection. Although previous studies have coarsely mapped the epitopes targeted by RSV-specific neutralizing antibodies in human sera (4, 8), the specificities and functional properties of antibodies induced by natural RSV infection have remained largely undefined. As disclosed herein, preF- and postF-stabilized proteins (11, 15), a high-throughput antibody isolation platform, and a structure-guided collection of prefusion F mutants, were used to clonally dissect the human memory B cell response to RSV F in a naturally infected adult donor, and highly potent and selective RSV-neutralizing - as well as highly potent anti-RSV/anti-HMPV cross-selective and cross-neutralizing – were isolated and characterized.

[0215] In the repertoire analyzed, the ratio of preF-specific antibodies to those that recognize both pre- and postF was slightly greater than 1:1 (See, e.g., Figure 2B). These values are somewhat lower than those reported for human sera, which showed approximately 70% of anti-F serum binding is specific for preF (8). This discrepancy may be the result of differences between the levels of individual antibodies in serum, differences in the B cell phenotypes achieved for a particular specificity, or variation between donors. Despite these minor differences, the results of both studies suggest that preF-specific epitopes and epitopes shared by pre- and postF are immunogenic during natural RSV infection, whereas the unique surfaces on postF are significantly less immunogenic.

[0216] The repertoire analysis disclosed herein revealed that the large majority of RSV F-specific antibodies target six dominant antigenic sites on prefusion RSV F: Ø, I, II, III, IV, and V. These sites were defined based on previously determined structures, epitope binning/competition assays, resistance mutations, and secondary structure elements of the preF protein. It is important to note that the nomenclature for describing RSV F antigenic sites has evolved over time (6, 51-57), and previous mapping efforts were based on the postfusion conformation of F and did not include surfaces present exclusively on preF. The crystal structure of preF has provided critical information about F structure and function as well as new reagents to map antibody binding sites on the unique surfaces of preF and surfaces shared with postF. To a first approximation, each antibody can be assigned primarily to one of these sites. However, it is likely that antibody epitopes cover the entire surface of F and that there are antibodies that bind two or more adjacent antigenic sites within a protomer and quaternary antibodies that bind across protomers.

[0217] Importantly, the results disclosed herein show that the most potently neutralizing antibodies target antigenic sites Ø and V, both of which are located near the apex of the preF trimer. These findings are consistent with results obtained from human sera mapping, which determined that the majority of neutralizing activity can be removed by pre-incubation with preF (4, 8) and that preF-specific sites other than site Ø make up a considerable fraction of preF-specific neutralizing antibodies (8). Although antigenic site Ø has been shown to be a target of potently neutralizing antibodies (8, 10), the interaction of antibodies with site V is less well understood. Interestingly, it was found that the majority of site V-directed antibodies share several convergent sequence features, suggesting that it may be possible to rapidly detect these types of antibodies in human samples using high-throughput sequencing technology (58). Applicant anticipates this finding to be particularly advantageous in profiling antibody responses to RSV vaccine candidates that aim to preserve the apex of the preF trimer.

[0218] The extensive panel of antibodies described here provides new opportunities for passive prophylaxis, as well as for treatment of RSV infection. A large number of these antibodies neutralize RSV more potently than D25, which serves as the basis for MEDI8897—a monoclonal antibody that is currently in clinical trials for the prevention of RSV in young, at risk children (59). Additionally, a subset of these antibodies were demonstrated to cross-neutralize HMPV.

[0219] The development of an effective RSV vaccine has presented a number of unique challenges, and selection of the optimal vaccination strategy will be of the utmost importance. The in-depth analysis of the human antibody response to natural RSV infection presented here provides insights for the development of such a vaccine. Importantly, the results suggest that immunization of pre-immune donors with preF immunogens would be expected to boost neutralizing responses, whereas the use of postF immunogens would likely expand B cell clones with moderate or weak neutralizing activity. Similarly, immunization of RSV naïve infants with preF immunogens would be expected to activate naïve B cells targeting epitopes associated with substantially more potent neutralizing activity compared to postF immunogens. In addition, the ideal RSV vaccine should preserve antigenic sites Ø and V, since these sites are targeted by the most highly potent antibodies elicited in response to natural RSV infection.

[0220] Accordingly, disclosed herein are highly selective and potent anti-RSV antibodies, as well as highly potent cross-neutralizing anti-RSV and anti-HMPV antibodies, as well as vaccine candidates, for the treatment and or prophylaxis of RSV and/or HMPV infection. Additionally, the reagents disclosed here provide a useful set of tools for the evaluation of clinical trials, which will be critical for selecting the optimal RSV vaccination or antibody-based therapeutic strategy from the many currently under investigation (60).

Table 1: Antigenic sites targeted by prototypic RSV antibodies

Antigenic site	Prototypic antibodies
Ø	D25, 5C4, AM22 (10,16)
I	131-2a, 2F
II	1129, palivizumab, motavizumab (6)
III	MPE8 (17)
IV	101F (57), mAb 19 (19)

Table 2: Germline usage and sequence information of anti-RSV antibodies

Name	Antibody number (Ab #)	VH germline gene usage	LC germline gene usage	CDR H3 Sequence	CDR L3 Sequence	Lineage number	Number of nucleotide substitutions in VH	Number of nucleotide substitutions in VL
ADI-15005	124	VH2-70	VK1-39	ARTHIYDSSG YYLYYFDY	QQSYSSP WT	68	7	10
ADI-15006	125	VH4-304	VK1-39	ARGKYYDRG GYLLFYLDY	QQSYSTP IFT	51	17	10

ADI-15555	126	VH3-15	VL1-40	TTDRGITARPI FDS	QSYDGG LSGYV	82	15	9
ADI-15556	127	VH1-69	VL1-40	ARLDYDILT GYSVNYYYY GMDV	QSCDSSL SGWV	28	12	1
ADI-15557	128	VH1-69	VL3-21	ASLRYFDWQ PGGSYWFDL	QVWDTI DDHKDGL	73	6	6
ADI-15558	129	VH1-18	VL3-1	ARDYIVAIVA ALPHGMDV	QAWDSSI RV	43	12	11
ADI-15559	130	VH1-69	VK3-20	ATDSYYVWT GSYPFDFL	QQYGSW PLT	76	30	21
ADI-15560	131	VH3-30	VL3-21	ARDPLGIGVK GYVDF	QVWDSIS DHLV	32	17	9
ADI-15561	132	VH1-69	VK1-39	ARSPFVSDY SRGWFDL	QQSYTTP WT	66	8	8
ADI-15562	133	VH5-51	VK1-33	ATQGLEGA FDY	QHYDSFP IFT	77	21	10
ADI-15563	134	VH3-9	VK3-15	VKDGYSW HSDYHYGLD V	QQYNNW PLT	85	7	8
ADI-15564	135	VH1-69	VK3-20	ARDNYVWT GRYPEFDF	QQYGSTP IT	29	16	12
ADI-15565	136	VH1-8	VL1-40	VYNFWS DSSVS	QSYDSSL RGYV	89	18	9
ADI-15566	137	VH1-18	VK2-30	ARESGVAAA ATLLY	MQGIYW PRT	48	11	2
ADI-15568	138	VH1-46	VK1-39	GREDSYCSG DSCFNSGSGR WVDS	QQTYSTP HT	78	24	8
ADI-15569	139	VH1-18	VK2-30	ARDPGVTAA VLLDY	LQGTTPY T	30	8	4
ADI-15570	140	VH3-30	VK1D-8	ARGRTSHINT PETK	QQYYS LPWT	54	15	14
ADI-15571	141	VH1-2	VL1-51	ARDVLWLN GF	GTWDSSL STGPYV	41	10	4
ADI-15572	142	VH1-46	VK1-9	ARARIQLWA PNYYGMDV	QQLNRY PLT	20	14	7
ADI-15573	143	VH1-18	VL3-21	ARADGGSGS YYSA	QLWDSSS DSHV	14	16	5
ADI-15574	144	VH3-21	VL1-40	ARAPLLPAM MDL	QSYDRSL NGYV	17	18	3
ADI-15575	145	VH1-8	VL1-40	VYDFWSDDS VK	QSFSSSL RGYV	89	50	10
ADI-15576	146	VH5-51	VL1-44	ARHSSPYSSG WYGDYFFD S	AAWDDS LRGYV	58	13	6
ADI-15577	147	VH1-69	VL2-14	ARGVFRVGC SDTSCLKNY YGTDV	SSYSSS TLVV	56	4	13
ADI-15578	148	VH3-48	VK3-11	ARDAGPVWS GYYDYGMD V	QQRYNW PPLT	23	9	4

ADI-15579	149	VH3-9	VK1-39	AKTDGAVAV DGPFDY	QQSYIAP PT	10	5	6
ADI-15581	150	VH1-69	VK3-11	AGAPYPMDV	QQRTNW QGLS	1	9	3
ADI-15582	151	VH1-18	VK1-39	ARRYDILTGG GWFD	QQSYSTP LS	65	8	4
ADI-15583	152	VH5-51	VK3-20	ARQDNSGWA DFFPFDY	QQYDSSP WT	64	8	5
ADI-15586	153	VH3-30	VL1-47	ARDPLFLYN YEPFDY	SVWDDS LNGRL	31	17	6
ADI-15587	154	VH3-20	VK1-9	ARVGGITKW WYYGMDL	QHLNSYP LT	69	8	6
ADI-15588	155	VH4-61	VK3-20	ARDVGSTPY NYYGMDV	QQFGRSP ELT	40	20	13
ADI-15589	156	VH4-34	VL2-14	ARAPWYTHA MDV	SSYTNSN TLGV	19	9	6
ADI-15590	157	VH3-43	VK1-33	AKTKYRGTY YYFDS	QQYDNL PPVT	11	13	1
ADI-15591	158	VH3-21	VL1-40	AREDYDSRV YYLKWFD	QSYDSSR SGYV	45	11	2
ADI-15592	159	VH3-15	VL1-40	TTDRGITARPI FDS	QSYDGG LSGYV	82	16	9
ADI-15593	160	VH3-21	VK2-28	ARYFGDYSG LGNYYYYGM DV	MQALQT PR	72	15	4
ADI-15594	161	VH3-48	VK1-39	ARDFPPINLA ATTRNYYY VMDV	QQSYSTS YT	26	6	4
ADI-15595	162	VH2-5	VL3-21	TYARYSSALF GGYYFHS	QVWESS GDHPRI	83	13	6
ADI-15596	163	VH3-15	VL1-40	TTDRGITARPI FDS	QSYDGG LSGYV	82	18	10
ADI-15597	164	VH3-21	VL1-40	ARADYDRSV YHLNWFDP	QSYDSSL SGTWV	15	5	3
ADI-15599	165	VH3-49	VL6-57	TMAVVVPGA TDAFDI	HSYDSSN PWV	81	3	5
ADI-15600	166	VH3-53	VK3-20	ARELVPNFYE SHGYFSV	QQYGFSQ T	46	10	5
ADI-15601	167	VH3-23	VK3-15	AKDADFWSG EAYNGGYNF DS	QQYNQW PPIT	2	25	6
ADI-15602	168	VH3-30	VK3-20	AKDLAWIFG LGASYMDV	QQYGSSP FGLT	6	10	2
ADI-15603	169	VH3-23	VK3-15	ARSWDDYGD LDWYFAL	QQYSDW PPLT	67	24	6
ADI-15604	170	VH3-11	VL1-40	ARFPLYCSRS SCSHYVDY	QSYDRSL SVV	50	8	4
ADI-15605	171	VH5-51	VL6-57	ARFEYGDFGF	QSYDSSN HRV	49	11	2
ADI-15606	172	VH3-23	VK3-15	AKSWDDYGD LDWYFAL	QQYSDW PPLT	9	16	5
ADI-15607	173	VH3-23	VL2-11	AKELREYYY DSSGFDY	CSYAGTY TYV	8	5	2

ADI-15609	174	VH3-30	VK1-39	ASQGYHYVN MADVGVPSF DH	QQSYMT PPT	74	17	12
ADI-15610	175	VH1-69	VK1-39	AKTVSQYPN TYNYGMDV	LQTYSTP LT	12	8	6
ADI-15611	176	VH1-69	VK3-11	ARVPPRGHC ESTSCLWGT YFAF	QLRDYW PPTWT	71	12	4
ADI-15612	177	VH3-48	VK1-39	ARDQYIWNV VEPLDY	LQDHTCP WT	34	12	12
ADI-15613	178	VH1-69	VK3-11	ARDRGNNGR YYAMDV	QQRNNW PPT	36	17	3
ADI-15614	179	VH3-21	VL1-40	ARAPLLPAM MDL	QSYDRSL NGYV	17	16	3
ADI-15615	180	VH3-21	VL1-40	ARADYDRSV YHLNWLDP	QSYDSSL SGTWV	15	5	3
ADI-15616	181	VH3-11	VK3-20	ARDRNWGY AYGSDY	QLYGNSR T	37	5	4
ADI-15617	182	VH3-23	VK1-33	AKDDPTLFW SGSGYYGMD V	QQYDNL PLT	4	45	11
ADI-15618	183	VH3-53	VK3-11	ARMETVTTD AGSGWDWY FEV	QQHRDW RPVT	63	44	12
ADI-15619	184	VH1-8	VL1-40	VYNFWSOSS VS	QSFSSSL RGYV	89	17	11
ADI-15620	185	VH1-8	VL3-1	AREARDLRV GATNFDY	QAWDSI DVV	44	6	7
ADI-15621	186	VH1-69	VK3-20	ARDNYVWVT GHYPEFDF	QQYGSTP IT	29	21	17
ADI-15622	187	VH3-23	VK1-12	ARIVVGVLR FQEWLSSDG MDV	QQANSFP FT	60	16	7
ADI-15623	188	VH3-21	VL1-40	ARAPLLPAM MDL	QSYDRSL NGYV	17	17	3
ADI-15624	189	VH3-11	VL1-40	ARIRPDDSSG YPDY	QSYDSSL SGFV	59	8	2
ADI-15625	190	VH1-46	VL3-1	ARDRAGCSG GSCYYYGMD V	QAWDSR TVV	35	6	2
ADI-15626	191	VH1-69	VK1-5	ARERYPSTDD YYRSGRYYG E	QQYNSIP VT	47	11	9
ADI-15627	192	VH3-30	VL3-21	AKDRGSIWN VGDGMDV	QVWDASI GPLYV	7	6	5
ADI-15628	193	VH3-30	VL2-14	ARDAVPHYD YVWGNFDY	SSYTSFTP VV	24	15	4
ADI-15629	194	VH3-23	VK3-15	AKDADFWSG DSYNGGYNF DS	QQYNKW PPLT	2	20	3
ADI-15630	195	VH3-11	VK1-33	AQGWYSDF WSGPIRI	QQNDNL VLT	13	8	5

ADI-15631	196	VH3-9	VK3-15	AKDAH YFDN SGHYYYGLD V	QQYNNW PLT	3	5	6
ADI-15632	197	VH3-49	VK2-28	SGASRGFWS GPTYYYFGM DV	MQPLQTT	79	16	10
ADI-15633	198	VH5-51	VL6-57	ARLRLHPQSG MDV	QSYDNAI WV	62	18	8
ADI-15634	199	VH1-69	VK3-11	ARDRSVTPR YYGMDV	QHRSNW PPLT	38	1	0
ADI-15635	200	VH3-21	VL1-40	ARAPLLPAM MDL	QSYDRSL NGYV	17	16	3
ADI-15636	201	VH1-69	VK1-9	ARLAGPRWP GYGMDV	QQLNSFP LT	61	8	0
ADI-15637	202	VH1-24	VK1-39	SSVGPAGWF DP	HQSYIPPF T	80	15	3
ADI-15638	203	VH3-21	VL1-40	VRDSGHQDY RGDY	QSYDRSL SGWV	88	7	5
ADI-15640	204	VH2-70	VK1-39	ARASLYDSG GYLFFFDY	QLSYSSL WT	21	6	7
ADI-15641	205	VH3-30	VL2-14	AKDGYLAPD F	SSYTSSS GQA	5	12	8
ADI-15642	206	VH3-53	VK1-27	ARDDYDFWS GNGPPEMAV	QKYNSVP LT	25	3	1
ADI-15643	207	VH5-51	VK3-20	ARQDDSGWA DFFPFDY	QQYDSSP WT	64	8	6
ADI-15644	208	VH1-69	VK1-5	ARDSPKISAT EYYFDY	QHYDSYS GT	39	8	6
ADI-15645	209	VH3-23	VK1-12	ARGYHIDWF DF	QQA KSLP RT	57	13	8
ADI-15646	210	VH3-53	VK3-20	ARAGVVGED RSGWYGPDY FHGLDV	QQYGGSP YT	16	16	9
ADI-15647	211	VH1-69	VK3-11	ARVGLGRTW IYDTMGYLD Y	QHRTNW PSLT	70	15	4
ADI-15648	212	VH3-21	VL1-40	ARAPLLPAM MDL	QSYDRSL NGYV	17	16	3
ADI-15649	213	VH3-21	VL1-40	VRDHCTGGS CYLNGMDV	QSYDSSL SGSV	87	9	2
ADI-15650	214	VH3-53	VK1-27	ARDDYDFWS GNGPPEMAV	QKYDSVP LT	25	2	4
ADI-15651	215	VH2-70	VK1-39	ARTNRYDKS GYLYYLDY	QQSYSSF FT	68	28	14
ADI-15652	216	VH3-30	VL2-14	ARDAVPHYD YVWGNFDY	SSYTSFTP VV	24	16	3
ADI-15653	217	VH1-69	VL3-21	ARGSGGSNA YFDP	QVWDSR SDHPYV	55	14	8
ADI-15654	218	VH1-69	VL2-14	VRDERNGGY	SSYTISST LV	86	51	8
ADI-15655	219	VH3-30	VK2-28	ARDYIHGDY GLDV	MQPLQTI T	42	7	0
ADI-15656	220	VH1-2	VL1-40	ASRSWDHDA FDI	HCYDSRL SVV	75	6	3

ADI-15657	221	VH1-69	VK3-11	ARVGVGRTW IYDTMGYLD F	QHRSDW PSLT	70	12	3
ADI-15658	222	VH3-9	VL1-47	VKDGTPIAVA GYFEY	AVWDDS LSCYV	84	10	8
ADI-15659	223	VH1-69	VL3-21	ARCPPFEGVR PPWFDP	QVWETSS DHPV	22	10	15
ADI-15660	224	VH5-51	VL6-57	ARGPFPHYFD S	QSYDPTN QNV	52	23	4
ADI-15661	225	VH3-30	VL3-21	ARAPVTGAS YYLDY	QVWDST SDHLV	18	20	6
ADI-15662	226	VH4-61	VK3-11	ARDIGEDKY GTYYGMDV	QQRNTW PPVT	27	2	2
ADI-15663	227	VH3-21	VL1-40	ARDQPGTIFG VVQDY	QSYDSRL SVV	33	12	1
ADI-15664	228	VH1-69	VK3-11	ARDRTTAVR YYAMDV	QHRANW PPLT	38	8	2
ADI-15665	229	VH1-69	VK3-11	ARVGVGRTW VYDIMGYLD Y	QHRNNW PSLT	70	20	6
ADI-15666	230	VH4-34	VK3-15	ARGRYYGS TTDYRGLHW FDP	QQYNNW PRT	53	22	9
ADI-15667	231	VH3-66	VK3-15	AKDADFWSG AAYNNGGYNF DS	QQYHNW PPLT	2	20	4

Table 3: Affinity and Neutralization data for anti-RSV antibodies

Name	Antibody number (Ab #)	Prefusion subtype A K_D (M)*	Postfusion subtype A K_D (M)*	Prefusion subtype B K_D (M)*	Postfusion subtype B K_D (M)*	Neut IC ₅₀ (ug/ml) subtype A*	Neut IC ₅₀ (ug/ml) subtype B*
ADI-15005	124	1.398E-09	2.36714E-10	1.3986E-09	2.52685E-10	2.159	2.533
ADI-15006	125	3.59777E-09	2.43013E-10	4.2E-09	3.611E-09	19.150	>10
ADI-15555	126	NB		NB		2.188	2.454
ADI-15556	127	1.846E-09	2.46853E-10	2.199E-09	1.90295E-10	0.055	0.081
ADI-15557	128	1.34048E-10	NB	6.096E-10	NB	0.041	0.028
ADI-15558	129	1.564E-09	NB	9.401E-10	NB		
ADI-15559	130	8.65801E-10	NB	9.80392E-10	NB	0.008	0.006
ADI-15560	131	2.666E-08	NB	NB	NB		

ADI-15561	132	5.5991E-09	5.907E-10	8.62E-09	1.083E-09	5.626	22.430
ADI-15562	133	1.8315E-10	NB	NB	NB	0.010	
ADI-15563	134	2.50407E-10	NB	2.2E-09	NB	0.014	0.047
ADI-15564	135	7.249E-10	NB	6.4E-10	NB	0.011	0.016
ADI-15565	136	1.6835E-09	NB	6.75676E-09	NB	21.290	6.250
ADI-15566	137	2.7137E-10	NB	2.64236E-10	NB	0.010	0.043
ADI-15568	138	4.92247E-10	NB	6.99301E-10	NB	0.016	0.033
ADI-15569	139	3.07267E-10	NB	2.49906E-10	NB	0.006	0.035
ADI-15570	140	8.70322E-09	NB	NB	NB	13.350	>10
ADI-15571	141	2.30229E-09	NB	2.568E-08	NB	0.541	0.430
ADI-15572	142	3.8994E-09	NB	NB	NB	9.480	6.250
ADI-15573	143	NB	1.9802E-10	NB	1.98807E-10	6.250	1.670
ADI-15574	144	4.0347E-10	NB	4.59982E-10	NB	0.176	0.226
ADI-15575	145	3.06466E-09	NB	4.16146E-09	NB	>10	1.473
ADI-15576	146	NB	2.36939E-10	NB	1.79211E-10	6.076	9.855
ADI-15577	147	5.80215E-09	7.78816E-10	4.65658E-09	6.788E-10	>10	>10
ADI-15578	148	NB	1.268E-09	NB	1.536E-09		
ADI-15579	149	NB		NB		8.021	>10
ADI-15581	150	5.56328E-09	NB	NB	NB	8.249	6.125
ADI-15582	151	4.40238E-09	3.8506E-10	2.32099E-09	2.94942E-10	2.216	6.738
ADI-15583	152	3.65965E-10	NB	3.5137E-10	NB	0.443	0.377
ADI-15586	153	2.80387E-09	NB	5.78202E-09	NB	>10	1.020
ADI-15587	154	1.62602E-09	NB	2.41838E-09	NB	>10	0.130
ADI-15588	155	2.71998E-10	3.526E-10	4.266E-10	9.527E-10	0.094	0.234
ADI-	156	NB	NB	NB	NB	0.876	18.510

15589							
ADI-15590	157	2.273E-08	NB	NB	NB	>10	>10
ADI-15591	158	2.49844E-10	NB	3.04044E-10	NB	0.086	0.219
ADI-15592	159	NB		4.82E-08		12.300	20.900
ADI-15593	160	4.19024E-09	5.07228E-10	3.95413E-09	7.60746E-10	>10	>10
ADI-15594	161	4.92005E-10	NB	5.48847E-10	NB	3.250	3.280
ADI-15595	162	8.89284E-10	NB	NB	NB	0.020	0.170
ADI-15596	163	5.21E-08		4.755E-08		4.481	>10
ADI-15597	164	4.17449E-10	NB	6.089E-09	NB	0.163	1.787
ADI-15599	165	1.22E-10	1.23E-09	2.461E-10	6.52E-10	0.110	0.378
ADI-15600	166	1.709E-09	1.62338E-10	1.41743E-09	1.47601E-10	1.309	0.958
ADI-15601	167	3.21234E-10	2.0734E-10	3.28947E-10	1.93237E-10	0.046	0.084
ADI-15602	168	7.62777E-10	NB	8.07428E-10	NB	0.046	0.015
ADI-15603	169	3.76081E-09	NB	6.9735E-09	1.192E-08	0.795	0.273
ADI-15604	170	4.302E-10	NB	4.60087E-10	1.76835E-09	0.081	0.082
ADI-15605	171	1.38122E-09	1.62999E-10	3.487E-09	1.7094E-10	>10	>10
ADI-15606	172	3.40832E-09	NB	5.75209E-09	5.88755E-09	>10	0.802
ADI-15607	173	6.689E-08	NB	NB	NB	>10	>10
ADI-15609	174	5.21512E-10	NB	6.28141E-10	NB	0.022	>10
ADI-15610	175	8.23723E-10	4.17101E-10	NB	NB	0.727	>10
ADI-15611	176	5.78704E-09	6.2637E-10	4.34028E-09	6.09385E-10	0.150	0.432
ADI-15612	177	1.56006E-10	4.164E-10	1.5674E-10	3.528E-10	0.053	0.164
ADI-15613	178	4.79157E-09	NB	NB	NB	0.862	3.038
ADI-15614	179	4.09668E-10	NB	4.65658E-10	NB	0.027	0.059
ADI-15615	180	6.02954E-10	NB	1.164E-08	NB	0.977	1.675

ADI-15616	181	2.09622E-09	NB	1.73762E-09	NB	4.520	5.578
ADI-15617	182	6.84697E-10	NB	7.1048E-10	NB	0.022	0.038
ADI-15618	183	4.36681E-10	NB	5.35189E-10	NB	0.003	
ADI-15619	184	2.66134E-09	1.757E-09	6.913E-09	2.209E-09	1.453	0.377
ADI-15620	185	2.702E-10	NB	1.404E-09	NB	0.077	0.053
ADI-15621	186	5.97015E-10	NB	5.54785E-10	NB	0.018	0.021
ADI-15622	187	1.39276E-09	NB	1.50943E-09	NB	0.544	1.367
ADI-15623	188	3.8219E-10	NB	4.35256E-10	NB	0.054	0.108
ADI-15624	189	3.91083E-10	NB	4.07332E-10	NB	0.051	0.033
ADI-15625	190	2.73E-10	NB	2.614E-09	NB	0.239	1.198
ADI-15626	191	3.33778E-09	5.46001E-10	3.38926E-09	6.53168E-10	14.180	>10
ADI-15627	192	3.536E-09	1.57729E-10	1.61E-09	1.36519E-10	2.173	2.416
ADI-15628	193	1.541E-10	2.46731E-09	6.595E-10	NB	0.014	0.034
ADI-15629	194	3.4825E-10	2.28128E-10	3.59648E-10	2.13379E-10	0.085	0.088
ADI-15630	195	5.67215E-09	NB	NB	NB	>10	6.643
ADI-15631	196	3.6846E-10	NB	5.52334E-10	NB	0.099	0.207
ADI-15632	197	2.15308E-09	2.245E-09	2.94E-08		1.416	5.719
ADI-15633	198	1.18343E-09	1.03681E-10	8.95656E-10	1.10865E-10	12.780	>10
ADI-15634	199	5.974E-09	NB	NB	NB	>10	>10
ADI-15635	200	3.85951E-10	NB	4.31499E-10	NB	0.115	0.226
ADI-15636	201	6.29327E-09	NB	NB	NB	>10	6.444
ADI-15637	202	3.51309E-09	NB	6.12933E-09	NB	0.357	1.053
ADI-15638	203	3.69754E-10	NB	4.01606E-10	NB	0.178	>10
ADI-15640	204	2.51604E-10	1.69348E-10	1.49365E-09	1.95886E-10	>10	4.819
ADI-	205	1.2945E-10	1.60772E-10	1.35962E-10	1.36333E-10	0.184	0.483

15641							
ADI-15642	206	1.281E-09	NB	2.813E-09	NB	0.499	0.005
ADI-15643	207	1.5163E-10	NB	1.62338E-10	NB	0.039	0.115
ADI-15644	208	NB	3.00616E-10	NB	1.94363E-10	>10	>10
ADI-15645	209	8.7146E-09	3.67377E-10	4.60299E-09	3.52051E-10	>10	>10
ADI-15646	210	3.758E-09	3.17561E-10	2.61712E-09	3.178E-09	0.846	>10
ADI-15647	211	7.823E-09	NB	NB	NB	>10	>10
ADI-15648	212	3.9116E-10	NB	4.37541E-10	NB	0.064	0.145
ADI-15649	213	3.19336E-10	NB	3.29327E-10	NB	>10	2.195
ADI-15650	214	1.671E-09	NB	3.52E-09	NB	8.297	0.016
ADI-15651	215	1.72414E-09	2.29568E-10	2.08182E-09	4.531E-10	1.605	3.287
ADI-15652	216	1.42E-10	4.98256E-09	3.77E-10	NB	0.012	0.036
ADI-15653	217	NB	3.11769E-10	NB	3.89636E-10	>10	>10
ADI-15654	218	5.49E-09	NB	4.47327E-09	NB	3.758	3.272
ADI-15655	219	3.562E-08	NB	8.577E-09	NB	>10	>10
ADI-15656	220	3.27761E-09	NB	6.12933E-09	NB	>10	0.021
ADI-15657	221	5.65291E-09	NB	NB	NB	>10	>10
ADI-15658	222	3.35627E-09	1.79695E-10	1.80832E-09	1.69062E-10	6.250	>10
ADI-15659	223	4.88759E-09	1.13E-09	1.105E-08	3.657E-09	>10	>10
ADI-15660	224	1.06157E-09	9.80392E-11	8.90076E-10	1.04932E-10	17.340	>10
ADI-15661	225	5.21105E-10	NB	NB	NB	0.021	>10
ADI-15662	226	1.575E-08	3.086E-09	NB		6.250	>10
ADI-15663	227	2.64166E-10	2.316E-09	2.86738E-10	NB	0.003	0.019
ADI-15664	228	3.662E-09	NB	NB	NB	>10	>10
ADI-15665	229	8.253E-09	NB	NB	NB	12.720	6.250

ADI-15666	230	NB	4.98504E-10	NB	5.46299E-10	1.407	>10
ADI-15667	231	3.23415E-10	2.31134E-10	3.33278E-10	2.08442E-10	0.039	0.048

*NN; non-neutralizing, NB; non-binding, ND; not determined. IgG KDs were calculated for antibodies with BLI binding responses >0.1 nm. Antibodies with BLI binding responses <0.05 nm were designated as NB.

Table 4: Bin, patch, and antigenic site assignments for anti-RSV antibodies

Name	Antibody number (Ab #)	Bin Assignment	Patch Assignment	Antigenic Site Assignment
ADI-15005	124	Site I Ab	8	I
ADI-15006	125	Site I Ab		
ADI-15555	126	Mota		
ADI-15556	127	Mota	5,6	III
ADI-15557	128	High Affinity Ab. 1		IV
ADI-15558	129	D25	2,1	Ø
ADI-15559	130	D25	2,1	Ø
ADI-15560	131	101F		
ADI-15561	132	Site I Ab		
ADI-15562	133	D25	2,1	Ø
ADI-15563	134	D25/mota/MPE8	4,2	V
ADI-15564	135	D25	1,2	Ø
ADI-15565	136	Unknown	2	UK
ADI-15566	137	D25/mota/MPE8	2,4	V
ADI-15568	138	D25/mota	4,2,1	V
ADI-15569	139	D25/mota/MPE8	4,2	V
ADI-15570	140	AM14		
ADI-15571	141	High Affinity Ab. 1		
ADI-15572	142	AM14		
ADI-15573	143	Unknown		
ADI-15574	144	MPE8	2**	III
ADI-15575	145	Unknown		
ADI-15576	146	101F		
ADI-15577	147	High Affinity Ab. 2		
ADI-15578	148	101F		
ADI-15579	149	Unknown		
ADI-15581	150	MPE8		

ADI-15582	151	Mota/101F		
ADI-15583	152	High Affinity Ab. 1	8	IV
ADI-15586	153	Unknown		
ADI-15587	154	Unknown	2,1	Ø
ADI-15588	155	Mota	5	II
ADI-15589	156	Unknown		
ADI-15590	157	Mota		
ADI-15591	158	Mota/MPE8	2**	III
ADI-15592	159	Unknown		
ADI-15593	160	101F/Site I Ab		
ADI-15594	161		2,1	Ø
ADI-15595	162	D25	2,1	Ø
ADI-15596	163	101F		
ADI-15597	164	Mota/MPE8	2,1*	III
ADI-15599	165	High Affinity Ab. 1	9	IV
ADI-15600	166	101F	6,8,7	I
ADI-15601	167	Mota	5	II
ADI-15602	168	D25	2,1	Ø
ADI-15603	169	Mota		
ADI-15604	170	Mota/MPE8	2,1**	III
ADI-15605	171	101F	6,9	III
ADI-15606	172	Mota		
ADI-15607	173	AM14		
ADI-15609	174	D25/mota	4	V
ADI-15610	175	Site I Ab		I
ADI-15611	176	Unknown		
ADI-15612	177	High Affinity Ab. 1		IV
ADI-15613	178	AM14		
ADI-15614	179	MPE8		III
ADI-15615	180	Mota/MPE8		III
ADI-15616	181	AM14		
ADI-15617	182	D25	2,1	Ø
ADI-15618	183	D25		Ø
ADI-15619	184	Unknown		
ADI-15620	185	High Affinity Ab. 1	9	IV
ADI-15621	186	D25	1	Ø
ADI-15622	187	MPE8	4	V
ADI-15623	188	MPE8		III

ADI-15624	189	Mota/MPE8		III
ADI-15625	190	High Affinity Ab. 2		I
ADI-15626	191	Unknown		
ADI-15627	192	101F		
ADI-15628	193	High Affinity Ab. 1	9	IV
ADI-15629	194	Mota	5	II
ADI-15630	195	AM14		
ADI-15631	196	D25	4,1	V
ADI-15632	197	Mota/Site I Ab		
ADI-15633	198	101F		IV
ADI-15634	199	AM14		
ADI-15635	200	Mota/MPE8		III
ADI-15636	201	AM14		
ADI-15637	202	101F		
ADI-15638	203	Mota/MPE8		III
ADI-15640	204	High Affinity Ab. 2		I
ADI-15641	205	High Affinity Ab. 1	9	IV
ADI-15642	206	D25	1,2	Ø
ADI-15643	207	High Affinity Ab. 1	8	IV
ADI-15644	208	MPE8/101F		
ADI-15645	209	Unknown		
ADI-15646	210	Site I Ab		
ADI-15647	211	Mota/MPE8		
ADI-15648	212	Mota/MPE8		III
ADI-15649	213	Mota/MPE8		III
ADI-15650	214	D25	1,2	Ø
ADI-15651	215	Site I Ab	9	I
ADI-15652	216	High Affinity Ab. 1	9	IV
ADI-15653	217	101F		
ADI-15654	218	101F		
ADI-15655	219	Unknown		
ADI-15656	220	Unknown		
ADI-15657	221	MPE8		
ADI-15658	222	Mota		
ADI-15659	223	Site I Ab		
ADI-15660	224	101F	9	IV
ADI-15661	225	D25	4,3,1	V

ADI-15662	226	Mota		
ADI-15663	227	Mota/MPE8		III
ADI-15664	228	AM14		
ADI-15665	229	Mota/MPE8		
ADI-15666	230	MPE8/101F		
ADI-15667	231	Unknown	5	II

**Two site III antibodies displayed weakly disrupted binding for patches 1 and/or 2. This disruption was much weaker than was what observed for D25 competitors.

Table 5: A subset of anti-RSV F antibodies cross-neutralize human metapneumovirus.

Name	Antibody number (Ab #)	HMPV-A1 IC ₅₀ (μg/ml)	RSV-A2 IC ₅₀ (μg/ml)	Prefusion RSV F K _D (M)	Postfusion RSV F K _D (M)	RSV F Binding Site
ADI-15614	179	0.22	0.03	4.1 x 10 ⁻¹⁰	N.B.	III
ADI-15657	221	11.9	>25	5.7 x 10 ⁻⁹	N.B.	III*
ADI-15665	229	13.5	12.7	8.3 x 10 ⁻⁹	N.B.	III*
ADI-15647	211	20.3	>25	7.8 x 10 ⁻⁹	N.B.	III*
ADI-15623	188	0.37	0.05	2.1 x 10 ⁻⁹	N.B.	III*
MPE8 Control	N/A	0.07	0.04	—	—	—

N.B., non-binder; N/A, not applicable

*Binding site assignment based on competition only.

Materials and Methods

Study design

[0221] To profile the antibody response to RSV F, peripheral blood mononuclear cells were obtained from an adult donor approximately between 20-35 years of age, and monoclonal antibodies from RSV F-reactive B cells were isolated therefrom. The antibodies were characterized by sequencing, binding, epitope mapping, and neutralization assays. All samples for this study were collected with informed consent of volunteers. This study was unblinded and not randomized. At least two independent experiments were performed for each assay.

Generation of RSV F sorting probes

[0222] The soluble prefusion and postfusion probes were based on the RSV F Δ FP and DS-Cav1 constructs that we previously crystallized and determined to be in the pre- and postfusion conformations, respectively (11, 15). To increase the avidity of the probes and to uniformly orient the RSV F proteins, the trimeric RSV F proteins were coupled to tetrameric streptavidin through biotinylation of a C-terminal AviTag. For each probe, both a C-terminal His–Avi tagged version and a C-terminal StrepTagII version were co-transfected into FreeStyle 293-F cells. The secreted proteins were purified first over Ni-NTA resin to remove trimers lacking the His–Avi tag. The elution from the Ni-NTA purification was then purified over *Strep*-Tactin resin. Due to the low avidity of a single StrepTagII for the *Strep*-Tactin resin, additional washing steps were able to remove singly StrepTagged trimers. This resulted in the purification of trimers containing two StrepTagII tagged monomers and therefore only one His–Avi tagged monomer. This purification scheme results in a single AviTag per trimer which greatly reduces the aggregation or ‘daisy-chaining’ that occurs when trimeric proteins containing three AviTags are incubated with tetrameric streptavidin. RSV F trimers were biotinylated using biotin ligase BirA according to the manufacturer’s instructions (Avidity, LLC). Biotinylated proteins were separated from excess biotin by size-exclusion chromatography on a Superdex 200 column (GE Healthcare). Quantification of the number of biotin moieties per RSV F trimer was performed using the Quant*Tag Biotin Kit per the manufacturer’s instructions (Vector Laboratories).

Single B-cell sorting

[0223] Peripheral blood mononuclear cells were stained using anti-human IgG (BV605), IgA (FITC), CD27 (BV421), CD8 (PerCP-Cy5.5), CD14 (PerCP-Cy5.5), CD19 (PECy7), CD20 (PECy7) and a mixture of dual-labeled DS-Cav1 and F Δ FP tetramers (50 nM each). Dual-labeled RSV F tetramers were generated by incubating the individual AviTagged RSV F proteins with premium-grade phycoerythrin-labeled streptavidin (Molecular Probes) or premium-grade allophycocyanin-labeled streptavidin for at least 20 minutes on ice at a molar ratio of 4:1. Tetramers were prepared fresh for each experiment. Single cells were sorted on a BD fluorescence-activated cell sorter Aria II into 96-well PCR plates (BioRad) containing 20 μ L/well of lysis buffer [5 μ L of 5X first strand cDNA buffer (Invitrogen), 0.25 μ L RNaseOUT (Invitrogen), 1.25 μ L dithiothreitol (Invitrogen), 0.625 μ L NP-40

(New England Biolabs), and 12.6 μL dH_2O]. Plates were immediately frozen on dry ice before storage at -80°C .

Amplification and cloning of antibody variable genes

[0224] Single B cell PCR was performed as described previously (22). Briefly, IgH, Ig λ and Ig κ variable genes were amplified by RT-PCR and nested PCR reactions using cocktails of IgG and IgA-specific primers (22). The primers used in the second round of PCR contained 40 base pairs of 5' and 3' homology to the cut expression vectors to allow for cloning by homologous recombination into *Saccharomyces cerevisiae* (40). PCR products were cloned into *S. cerevisiae* using the lithium acetate method for chemical transformation (41). Each transformation reaction contained 20 μL of unpurified heavy chain and light chain PCR product and 200 ng of cut heavy and light chain plasmids. Following transformation, individual yeast colonies were picked for sequencing and characterization.

Expression and purification of IgGs and Fab fragments

[0225] Anti-RSV F IgGs were expressed in *S. cerevisiae* cultures grown in 24-well plates, as described previously (23). Fab fragments used for competition assays were generated by digesting the IgGs with papain for 2 hours at 30°C . The digestion was terminated by the addition of iodoacetamide, and the Fab and Fc mixtures were passed over Protein A agarose to remove Fc fragments and undigested IgG. The flowthrough of the Protein A resin was then passed over CaptureSelect™ IgG-CH1 affinity resin (ThermoFischer Scientific), and eluted with 200 mM acetic acid / 50 mM NaCl pH 3.5 into 1/8th volume 2M Hepes pH 8.0. Fab fragments then were buffer-exchanged into PBS pH 7.0.

Biolayer interferometry binding analysis

[0226] IgG binding to DS-Cav1 and F Δ FP was determined by BLI measurements using a FortéBio Octet HTX instrument (Pall Life Sciences). For high-throughput K_D screening, IgGs were immobilized on AHQ sensors (Pall Life Sciences) and exposed to 100 nM antigen in PBS containing 0.1% BSA (PBSF) for an association step, followed by a dissociation step in PBSF buffer. Data was

analyzed using the FortéBio Data Analysis Software 7. The data was fit to a 1:1 binding model to calculate an association and dissociation rate, and K_D was calculated using the ratio k_d/k_a .

Antibody competition assays

[0227] Antibody competition assays were performed as previously described (23). Antibody competition was measured by the ability of a control anti-RSV F Fab to inhibit binding of yeast surface-expressed anti-RSV F IgGs to either DS-Cav1 or FΔ FP. 50 nM biotinylated DS-Cav1 or FΔ FP was pre-incubated with 1 μM competitor Fab for 30 min at room temperature and then added to a suspension of yeast expressing anti-RSV F IgG. Unbound antigen was removed by washing with PBS containing 0.1% BSA (PBSF). After washing, bound antigen was detected using streptavidin Alexa Fluor 633 at a 1:500 dilution (Life Technologies) and analyzed by flow cytometry using a FACSCanto II (BD Biosciences). The level of competition was assessed by measuring the fold reduction in antigen binding in the presence of competitor Fab relative to an antigen-only control. Antibodies were considered competitors when a greater than five-fold reduction was observed in the presence of control Fab relative to an antigen-only control.

Expression, purification and biotinylation of preF patch variants

[0228] A panel of 9 patches of 2–4 mutations uniformly covering the surface of the preF molecule was designed based on the structure of prefusion RSV F (10). For known antigenic sites, including those recognized by motavizumab, 101F, D25, AM14 and MPE8, patches incorporated residues associated with viral escape or known to be critical for antibody binding. Residues with high conservation across 184 subtype A, subtype B and bovine RSV F sequences were avoided where possible to minimize the likelihood of disrupting protein structure. The mutations present in each patch variant are shown in Figure 7A. Mutations for each patch variant were cloned into the prefusion stabilized RSV F (DS-Cav1) construct with a C-terminal AviTag for site specific biotinylation. Proteins were secreted from FreeStyle 293-F cells, purified over Ni-NTA resin and biotinylated using biotin ligase BirA according to the manufacturer's instructions (Avidity, LLC). Biotinylated proteins were separated from excess biotin by size-exclusion chromatography on a Superdex 200 column (GE

Healthcare). A deglycosylated version of DS-Cav1 was produced by expressing DS-Cav1 in the presence of 1 μ M kifunensine and digesting with 10% (wt/wt) EndoH before biotinylation.

Luminex assay for patch variant binding

[0229] Binding of isolated antibodies to the patch variants was determined using a high-throughput Luminex assay. Each biotinylated variant and a DS-Cav1 control were coupled to avidin coated MagPlex beads (Bio-Rad), each with a bead identification number reflecting a unique ratio of red and infrared dyes embedded within the bead. The coupled beads were then mixed with a six-fold serial dilution of each antibody, ranging from 400 nM to 1.4 pM, in a 384-well plate. Beads were washed using a magnetic microplate washer (BioTek) before incubation with a PE conjugated mouse anti-human IgG Fc secondary antibody (Southern Biotech). Beads were classified and binding of PE was measured using a FLEXMAP 3D flow cytometer (Luminex).

RSV neutralization assays

[0230] Viral stocks were prepared and maintained as previously described (61). Recombinant mKate-RSV expressing prototypic subtype A (strain A2) and subtype B (18537) F genes and the Katushka fluorescent protein were constructed as reported by Hotard *et al.* (62). HEp-2 cells were maintained in Eagle's minimal essential medium containing 10% fetal bovine serum supplemented with glutamine, penicillin and streptomycin. Antibody neutralization was measured by a fluorescence plate reader neutralization assay (15). A 30 μ L solution of culture media containing 2.4×10^4 HEp-2 cells was seeded in 384-well black optical bottom plate (Nunc, Thermo Scientific). IgG samples were serially diluted four-fold from 1:10 to 1:163840 and an equal volume of recombinant mKate-RSV A2 was added. Samples were mixed and incubated at 37 °C for one hour. After incubation, 50 μ L mixture of sample and virus was added to cells in 384-well plate, and incubated at 37 °C for 22–24 hours. The assay plate was then measured for fluorescence intensity in a microplate reader at Ex 588 nm and Em 635 nm (SpectraMax Paradigm, molecular devices). IC₅₀ of neutralization for each sample was calculated by curve fitting using Prism (GraphPad Software Inc.).

Human metapneumovirus neutralization assays

[0231] Predetermined amounts of GFP-expressing hMPV recombinant virus (NL/1/00, A1 sublineage, a kind gift of Bernadette van den Hoogen and Ron Fouchier, Rotterdam, the Netherlands) were mixed with serial dilutions of monoclonal antibodies before being added to cultures of Vero-118 cells growing in 96-well plates with Dulbecco's Modified Eagle's medium supplemented with 10% fetal calf serum. Thirty-six hours later, the medium was removed, PBS was added and the amount of GFP per well was measured with a Tecan microplate reader M200. Fluorescence values were represented as percent of a virus control without antibody.

[0232] *Polyreactivity assay*

[0233] Antibody polyreactivity was assessed using a previously described high-throughput assay that measures binding to solubilized CHO cell membrane preparations (SMPs) (43). Briefly, two million IgG-presenting yeast were transferred into a 96-well assay plate and pelleted to remove the supernatant. The pellet was resuspended in 50 μ L of 1:10 diluted stock b-SMPs and incubated on ice for 20 minutes. Cells were then washed twice with ice-cold PBSF and the cell pellet was re-suspended in 50 μ L of secondary labeling mix (Extravidin-R-PE, anti-human LCFITC, and propidium iodide). The mix was incubated on ice for 20 minutes followed by two washes with ice-cold PBSF. Cells were then re-suspended in 100 μ L of ice-cold PBSF, and the plate was run on a FACSCanto II (BD Biosciences) using a HTS sample injector. Flow cytometry data was analyzed for mean fluorescence intensity in the R-PE channel and normalized to proper controls in order to assess non-specific binding.

[0235] References and Notes:

- [0236]** 1. A. L. Rogovik, B. Carleton, A. Solimano, R. D. Goldman, Palivizumab for the prevention of respiratory syncytial virus infection. *Can Fam Physician* **56**, 769-772 (2010).
- [0237]** 2. B. S. Graham, Biological challenges and technological opportunities for respiratory syncytial virus vaccine development. *Immunol Rev* **239**, 149-166 (2011).
- [0238]** 3. J. R. Groothuis, E. A. Simoes, V. G. Hemming, Respiratory syncytial virus (RSV) infection in preterm infants and the protective effects of RSV immune globulin (RSVIG). Respiratory Syncytial Virus Immune Globulin Study Group. *Pediatrics* **95**, 463-467 (1995).
- [0239]** 4. M. Magro, V. Mas, K. Chappell, M. Vazquez, O. Cano, D. Luque, M. C. Terron, J. A. Melero, C. Palomo, Neutralizing antibodies against the preactive form of respiratory syncytial virus fusion protein offer unique possibilities for clinical intervention. *Proc Natl Acad Sci U S A* **109**, 3089-3094 (2012).
- [0240]** 5. S. Johnson, C. Oliver, G. A. Prince, V. G. Hemming, D. S. Pfarr, S. C. Wang, M. Dormitzer, J. O'Grady, S. Koenig, J. K. Tamura, R. Woods, G. Bansal, D. Couchenour, E. Tsao, W. C. Hall, J. F. Young, Development of a humanized monoclonal antibody (MEDI-493) with potent in vitro and in vivo activity against respiratory syncytial virus. *J Infect Dis* **176**, 1215-1224 (1997).
- [0241]** 6. J. A. Beeler, K. van Wyke Coelingh, Neutralization epitopes of the F glycoprotein of respiratory syncytial virus: effect of mutation upon fusion function. *J Virol* **63**, 2941-2950 (1989).
- [0242]** 7. R. A. Karron, D. A. Buonagurio, A. F. Georgiu, S. S. Whitehead, J. E. Adamus, M. L. Clements-Mann, D. O. Harris, V. B. Randolph, S. A. Udem, B. R. Murphy, M. S. Sidhu, Respiratory syncytial virus (RSV) SH and G proteins are not essential for viral replication in vitro: clinical evaluation and molecular characterization of a cold-passaged, attenuated RSV subgroup B mutant. *Proc Natl Acad Sci U S A* **94**, 13961-13966 (1997).
- [0243]** 8. J. O. Ngwuta, M. Chen, K. Modjarrad, M. G. Joyce, M. Kanekiyo, A. Kumar, H. M. Yassine, S. M. Moin, A. M. Killikelly, G. Y. Chuang, A. Druz, I. S. Georgiev, E. J. Rundlet, M. Sastry, G. B. Stewart-Jones, Y. Yang, B. Zhang, M. C. Nason, C. Capella, M. E. Peeples, J. E. Ledgerwood, J. S. McLellan, P. D. Kwong, B. S. Graham, Prefusion F-specific antibodies determine the magnitude of RSV neutralizing activity in human sera. *Sci Transl Med* **7**, 309ra162 (2015).

- [0244] 9. T. I.-R. S. Group, Palivizumab, a humanized respiratory syncytial virus monoclonal antibody, reduces hospitalization from respiratory syncytial virus infection in high-risk infants. *Pediatrics* **102**, 531-537 (1998).
- [0245] 10. J. S. McLellan, M. Chen, S. Leung, K. W. Graepel, X. Du, Y. Yang, T. Zhou, U. Baxa, E. Yasuda, T. Beaumont, A. Kumar, K. Modjarrad, Z. Zheng, M. Zhao, N. Xia, P. D. Kwong, B. S. Graham, Structure of RSV fusion glycoprotein trimer bound to a prefusion-specific neutralizing antibody. *Science* **340**, 1113-1117 (2013).
- [0246] 11. J. S. McLellan, Y. Yang, B. S. Graham, P. D. Kwong, Structure of respiratory syncytial virus fusion glycoprotein in the postfusion conformation reveals preservation of neutralizing epitopes. *J Virol* **85**, 7788-7796 (2011).
- [0247] 12. K. A. Swanson, E. C. Settembre, C. A. Shaw, A. K. Dey, R. Rappuoli, C. W. Mandl, P. R. Dormitzer, A. Carfi, Structural basis for immunization with postfusion respiratory syncytial virus fusion F glycoprotein (RSV F) to elicit high neutralizing antibody titers. *Proc Natl Acad Sci U S A* **108**, 9619-9624 (2011).
- [0248] 13. L. Liljeroos, M. A. Krzyzaniak, A. Helenius, S. J. Butcher, Architecture of respiratory syncytial virus revealed by electron cryotomography. *Proc Natl Acad Sci U S A* **110**, 11133-11138 (2013).
- [0249] 14. A. Krarup, D. Truan, P. Furmanova-Hollenstein, L. Bogaert, P. Bouchier, I. J. Bisschop, M. N. Widjoatmodjo, R. Zahn, H. Schuitemaker, J. S. McLellan, J. P. Langedijk, A highly stable prefusion RSV F vaccine derived from structural analysis of the fusion mechanism. *Nat Commun* **6**, 8143 (2015).
- [0250] 15. J. S. McLellan, M. Chen, M. G. Joyce, M. Sastry, G. B. Stewart-Jones, Y. Yang, B. Zhang, L. Chen, S. Srivatsan, A. Zheng, T. Zhou, K. W. Graepel, A. Kumar, S. Moin, J. C. Boyington, G. Y. Chuang, C. Soto, U. Baxa, A. Q. Bakker, H. Spits, T. Beaumont, Z. Zheng, N. Xia, S. Y. Ko, J. P. Todd, S. Rao, B. S. Graham, P. D. Kwong, Structure-based design of a fusion glycoprotein vaccine for respiratory syncytial virus. *Science* **342**, 592-598 (2013).
- [0251] 16. M. J. Kwakkenbos, S. A. Diehl, E. Yasuda, A. Q. Bakker, C. M. van Geelen, M. V. Lukens, G. M. van Bleek, M. N. Widjoatmodjo, W. M. Bogers, H. Mei, A. Radbruch, F. A.

Scheeren, H. Spits, T. Beaumont, Generation of stable monoclonal antibody-producing B cell receptor-positive human memory B cells by genetic programming. *Nat Med* **16**, 123-128 (2010).

[0252] 17. D. Corti, S. Bianchi, F. Vanzetta, A. Minola, L. Perez, G. Agatic, B. Guarino, C. Silacci, J. Marcandalli, B. J. Marsland, A. Piralla, E. Percivalle, F. Sallusto, F. Baldanti, A. Lanzavecchia, Cross-neutralization of four paramyxoviruses by a human monoclonal antibody. *Nature* **501**, 439-443 (2013).

[0253] 18. M. Magro, D. Andreu, P. Gomez-Puertas, J. A. Melero, C. Palomo, Neutralization of human respiratory syncytial virus infectivity by antibodies and low-molecular-weight compounds targeted against the fusion glycoprotein. *J Virol* **84**, 7970-7982 (2010).

[0254] 19. G. Taylor, E. J. Stott, J. Furze, J. Ford, P. Sopp, Protective epitopes on the fusion protein of respiratory syncytial virus recognized by murine and bovine monoclonal antibodies. *J Gen Virol* **73** (Pt 9), 2217-2223 (1992).

[0255] 20. L. J. Calder, L. Gonzalez-Reyes, B. Garcia-Barreno, S. A. Wharton, J. J. Skehel, D. C. Wiley, J. A. Melero, Electron microscopy of the human respiratory syncytial virus fusion protein and complexes that it forms with monoclonal antibodies. *Virology* **271**, 122-131 (2000).

[0256] 21. M. S. Gilman, S. M. Moin, V. Mas, M. Chen, N. K. Patel, K. Kramer, Q. Zhu, S. C. Kabeche, A. Kumar, C. Palomo, T. Beaumont, U. Baxa, N. D. Ulbrandt, J. A. Melero, B. S. Graham, J. S. McLellan, Characterization of a Prefusion-Specific Antibody That Recognizes a Quaternary, Cleavage-Dependent Epitope on the RSV Fusion Glycoprotein. *PLoS Pathog* **11**, e1005035 (2015).

[0257] 22. M. G. Joyce, A. K. Wheatley, P. V. Thomas, G. Y. Chuang, C. Soto, R. T. Bailer, A. Druz, I. S. Georgiev, R. A. Gillespie, M. Kanekiyo, W. P. Kong, K. Leung, S. N. Narpala, M. S. Prabhakaran, E. S. Yang, B. Zhang, Y. Zhang, M. Asokan, J. C. Boyington, T. Bylund, S. Darko, C. R. Lees, A. Ransier, C. H. Shen, L. Wang, J. R. Whittle, X. Wu, H. M. Yassine, C. Santos, Y. Matsuoka, Y. Tsybovsky, U. Baxa, J. C. Mullikin, K. Subbarao, D. C. Douek, B. S. Graham, R. A. Koup, J. E. Ledgerwood, M. Roederer, L. Shapiro, P. D. Kwong, J. R. Mascola, A. B. McDermott, Vaccine-Induced Antibodies that Neutralize Group 1 and Group 2 Influenza A Viruses. *Cell* **166**, 609-623 (2016).

- [0258] 23. J. Truck, M. N. Ramasamy, J. D. Galson, R. Rance, J. Parkhill, G. Lunter, A. J. Pollard, D. F. Kelly, Identification of antigen-specific B cell receptor sequences using public repertoire analysis. *J Immunol* **194**, 252-261 (2015).
- [0259] 24. P. Parameswaran, Y. Liu, K. M. Roskin, K. K. Jackson, V. P. Dixit, J. Y. Lee, K. L. Artiles, S. Zompi, M. J. Vargas, B. B. Simen, B. Hanczaruk, K. R. McGowan, M. A. Tariq, N. Pourmand, D. Koller, A. Balmaseda, S. D. Boyd, E. Harris, A. Z. Fire, Convergent antibody signatures in human dengue. *Cell host & microbe* **13**, 691-700 (2013).
- [0260] 25. K. J. Jackson, Y. Liu, K. M. Roskin, J. Glanville, R. A. Hoh, K. Seo, E. L. Marshall, T. C. Gurley, M. A. Moody, B. F. Haynes, E. B. Walter, H. X. Liao, R. A. Albrecht, A. Garcia-Sastre, J. Chaparro-Riggers, A. Rajpal, J. Pons, B. B. Simen, B. Hanczaruk, C. L. Dekker, J. Laserson, D. Koller, M. M. Davis, A. Z. Fire, S. D. Boyd, Human responses to influenza vaccination show seroconversion signatures and convergent antibody rearrangements. *Cell host & microbe* **16**, 105-114 (2014).
- [0261] 26. F. W. Henderson, A. M. Collier, W. A. Clyde, Jr., F. W. Denny, Respiratory-syncytial-virus infections, reinfections and immunity. A prospective, longitudinal study in young children. *The New England journal of medicine* **300**, 530-534 (1979).
- [0262] 27. M. A. Moody, B. F. Haynes, Antigen-specific B cell detection reagents: use and quality control. *Cytometry A* **73**, 1086-1092 (2008).
- [0263] 28. M. S. Habibi, A. Jozwik, S. Makris, J. Dunning, A. Paras, J. P. DeVincenzo, C. A. de Haan, J. Wrammert, P. J. Openshaw, C. Chiu, I. Mechanisms of Severe Acute Influenza Consortium, Impaired Antibody-mediated Protection and Defective IgA B-Cell Memory in Experimental Infection of Adults with Respiratory Syncytial Virus. *Am J Respir Crit Care Med* **191**, 1040-1049 (2015).
- [0264] 29. T. Tiller, E. Meffre, S. Yurasov, M. Tsuiji, M. C. Nussenzweig, H. Wardemann, Efficient generation of monoclonal antibodies from single human B cells by single cell RT-PCR and expression vector cloning. *J Immunol Methods* **329**, 112-124 (2008).
- [0265] 30. Z. A. Bornholdt, H. L. Turner, C. D. Murin, W. Li, D. Sok, C. A. Souders, A. E. Piper, A. Goff, J. D. Shamblin, S. E. Wollen, T. R. Sprague, M. L. Fusco, K. B. Pommert, L. A. Cavacini, H. L. Smith, M. Klempner, K. A. Reimann, E. Krauland, T. U. Gerngross, K. D. Wittrup, E.

O. Saphire, D. R. Burton, P. J. Glass, A. B. Ward, L. M. Walker, Isolation of potent neutralizing antibodies from a survivor of the 2014 Ebola virus outbreak. *Science* **351**, 1078-1083 (2016).

[0266] 31. J. F. Scheid, H. Mouquet, N. Feldhahn, M. S. Seaman, K. Velinzon, J. Pietzsch, R. G. Ott, R. M. Anthony, H. Zebroski, A. Hurley, A. Phogat, B. Chakrabarti, Y. Li, M. Connors, F. Pereyra, B. D. Walker, H. Wardemann, D. Ho, R. T. Wyatt, J. R. Mascola, J. V. Ravetch, M. C. Nussenzweig, Broad diversity of neutralizing antibodies isolated from memory B cells in HIV-infected individuals. *Nature* **458**, 636-640 (2009).

[0267] 32. J. Wrammert, K. Smith, J. Miller, W. A. Langley, K. Kokko, C. Larsen, N. Y. Zheng, I. Mays, L. Garman, C. Helms, J. James, G. M. Air, J. D. Capra, R. Ahmed, P. C. Wilson, Rapid cloning of high-affinity human monoclonal antibodies against influenza virus. *Nature* **453**, 667-671 (2008).

[0268] 33. S. D. Boyd, B. A. Gaeta, K. J. Jackson, A. Z. Fire, E. L. Marshall, J. D. Merker, J. M. Maniar, L. N. Zhang, B. Sahaf, C. D. Jones, B. B. Simen, B. Hanczaruk, K. D. Nguyen, K. C. Nadeau, M. Egholm, D. B. Miklos, J. L. Zehnder, A. M. Collins, Individual variation in the germline Ig gene repertoire inferred from variable region gene rearrangements. *J Immunol* **184**, 6986-6992 (2010).

[0269] 34. J. Sui, W. C. Hwang, S. Perez, G. Wei, D. Aird, L. M. Chen, E. Santelli, B. Stec, G. Cadwell, M. Ali, H. Wan, A. Murakami, A. Yammanuru, T. Han, N. J. Cox, L. A. Bankston, R. O. Donis, R. C. Liddington, W. A. Marasco, Structural and functional bases for broad-spectrum neutralization of avian and human influenza A viruses. *Nat Struct Mol Biol* **16**, 265-273 (2009).

[0270] 35. C. C. Huang, M. Venturi, S. Majeed, M. J. Moore, S. Phogat, M. Y. Zhang, D. S. Dimitrov, W. A. Hendrickson, J. Robinson, J. Sodroski, R. Wyatt, H. Choe, M. Farzan, P. D. Kwong, Structural basis of tyrosine sulfation and VH-gene usage in antibodies that recognize the HIV type 1 coreceptor-binding site on gp120. *Proc Natl Acad Sci U S A* **101**, 2706-2711 (2004).

[0271] 36. C. H. Chan, K. G. Hadlock, S. K. Fong, S. Levy, V(H)1-69 gene is preferentially used by hepatitis C virus-associated B cell lymphomas and by normal B cells responding to the E2 viral antigen. *Blood* **97**, 1023-1026 (2001).

[0272] 37. E. E. Godoy-Lozano, J. Tellez-Sosa, G. Sanchez-Gonzalez, H. Samano-Sanchez, A. Aguilar-Salgado, A. Salinas-Rodriguez, B. Cortina-Ceballos, H. Vivanco-Cid, K. Hernandez-Flores, J. M. Pfaff, K. M. Kahle, B. J. Doranz, R. E. Gomez-Barreto, H. Valdovinos-Torres, I. Lopez-Martinez,

M. H. Rodriguez, J. Martinez-Barnette, Lower IgG somatic hypermutation rates during acute dengue virus infection is compatible with a germinal center-independent B cell response. *Genome Med* **8**, 23 (2016).

[0273] 38. J. Wrammert, D. Koutsoukos, G. M. Li, S. Edupuganti, J. Sui, M. Morrissey, M. McCausland, I. Skountzou, M. Hornig, W. I. Lipkin, A. Mehta, B. Razavi, C. Del Rio, N. Y. Zheng, J. H. Lee, M. Huang, Z. Ali, K. Kaur, S. Andrews, R. R. Amara, Y. Wang, S. R. Das, C. D. O'Donnell, J. W. Yewdell, K. Subbarao, W. A. Marasco, M. J. Mulligan, R. Compans, R. Ahmed, P. C. Wilson, Broadly cross-reactive antibodies dominate the human B cell response against 2009 pandemic H1N1 influenza virus infection. *J Exp Med* **208**, 181-193 (2011).

[0274] 39. S. F. Andrews, Y. Huang, K. Kaur, L. I. Popova, I. Y. Ho, N. T. Pauli, C. J. Henry Dunand, W. M. Taylor, S. Lim, M. Huang, X. Qu, J. H. Lee, M. Salgado-Ferrer, F. Krammer, P. Palese, J. Wrammert, R. Ahmed, P. C. Wilson, Immune history profoundly affects broadly protective B cell responses to influenza. *Sci Transl Med* **7**, 316ra192 (2015).

[0275] 40. M. Liu, G. Yang, K. Wiehe, N. I. Nicely, N. A. Vandergrift, W. Rountree, M. Bonsignori, S. M. Alam, J. Gao, B. F. Haynes, G. Kelsoe, Polyreactivity and autoreactivity among HIV-1 antibodies. *J Virol* **89**, 784-798 (2015).

[0276] 41. H. Mouquet, J. F. Scheid, M. J. Zoller, M. Krogsgaard, R. G. Ott, S. Shukair, M. N. Artyomov, J. Pietzsch, M. Connors, F. Pereyra, B. D. Walker, D. D. Ho, P. C. Wilson, M. S. Seaman, H. N. Eisen, A. K. Chakraborty, T. J. Hope, J. V. Ravetch, H. Wardemann, M. C. Nussenzweig, Polyreactivity increases the apparent affinity of anti-HIV antibodies by heterologation. *Nature* **467**, 591-595 (2010).

[0277] 42. R. L. Kelly, T. Sun, T. Jain, I. Caffry, Y. Yu, Y. Cao, H. Lynaugh, M. Brown, M. Vasquez, K. D. Wittrup, Y. Xu, High throughput cross-interaction measures for human IgG1 antibodies correlate with clearance rates in mice. *MAbs*, 0 (2015).

[0278] 43. Y. Xu, W. Roach, T. Sun, T. Jain, B. Prinz, T. Y. Yu, J. Torrey, J. Thomas, P. Bobrowicz, M. Vasquez, K. D. Wittrup, E. Krauland, Addressing polyspecificity of antibodies selected from an in vitro yeast presentation system: a FACS-based, high-throughput selection and analytical tool. *Protein Eng Des Sel* **26**, 663-670 (2013).

- [0279] 44. D. R. Bowley, A. F. Labrijn, M. B. Zwick, D. R. Burton, Antigen selection from an HIV-1 immune antibody library displayed on yeast yields many novel antibodies compared to selection from the same library displayed on phage. *Protein Eng Des Sel* **20**, 81-90 (2007).
- [0280] 45. H. Wu, D. S. Pfarr, S. Johnson, Y. A. Brewah, R. M. Woods, N. K. Patel, W. I. White, J. F. Young, P. A. Kiener, Development of motavizumab, an ultra-potent antibody for the prevention of respiratory syncytial virus infection in the upper and lower respiratory tract. *Journal of molecular biology* **368**, 652-665 (2007).
- [0281] 46. J. S. McLellan, M. Chen, J. S. Chang, Y. Yang, A. Kim, B. S. Graham, P. D. Kwong, Structure of a major antigenic site on the respiratory syncytial virus fusion glycoprotein in complex with neutralizing antibody 101F. *J Virol* **84**, 12236-12244 (2010).
- [0282] 47. P. W. Parren, D. R. Burton, The antiviral activity of antibodies in vitro and in vivo. *Advances in immunology* **77**, 195-262 (2001).
- [0283] 48. J. Foote, H. N. Eisen, Kinetic and affinity limits on antibodies produced during immune responses. *Proc Natl Acad Sci U S A* **92**, 1254-1256 (1995).
- [0284] 49. F. D. Batista, M. S. Neuberger, Affinity dependence of the B cell response to antigen: a threshold, a ceiling, and the importance of off-rate. *Immunity* **8**, 751-759 (1998).
- [0285] 50. J. E. Schuster, R. G. Cox, A. K. Hastings, K. L. Boyd, J. Wadia, Z. Chen, D. R. Burton, R. A. Williamson, J. V. Williams, A broadly neutralizing human monoclonal antibody exhibits in vivo efficacy against both human metapneumovirus and respiratory syncytial virus. *J Infect Dis* **211**, 216-225 (2015).
- [0286] 51. B. F. Fernie, P. J. Cote, Jr., J. L. Gerin, Classification of hybridomas to respiratory syncytial virus glycoproteins. Proceedings of the Society for Experimental Biology and Medicine. Society for Experimental Biology and Medicine (New York, N.Y.) **171**, 266-271 (1982).
- [0287] 52. P. J. Cote, Jr., B. F. Fernie, E. C. Ford, J. W. Shih, J. L. Gerin, Monoclonal antibodies to respiratory syncytial virus: detection of virus neutralization and other antigen-antibody systems using infected human and murine cells. *Journal of virological methods* **3**, 137-147 (1981).
- [0288] 53. E. E. Walsh, J. Hruska, Monoclonal antibodies to respiratory syncytial virus proteins: identification of the fusion protein. *J Virol* **47**, 171-177 (1983).

- [0289] 54. L. J. Anderson, P. Bingham, J. C. Hierholzer, Neutralization of respiratory syncytial virus by individual and mixtures of F and G protein monoclonal antibodies. *J Virol* **62**, 4232-4238 (1988).
- [0290] 55. G. E. Scopes, P. J. Watt, P. R. Lambden, Identification of a linear epitope on the fusion glycoprotein of respiratory syncytial virus. *J Gen Virol* **71 (Pt 1)**, 53-59 (1990).
- [0291] 56. J. Arbiza, G. Taylor, J. A. Lopez, J. Furze, S. Wyld, P. Whyte, E. J. Stott, G. Wertz, W. Sullender, M. Trudel, et al., Characterization of two antigenic sites recognized by neutralizing monoclonal antibodies directed against the fusion glycoprotein of human respiratory syncytial virus. *J Gen Virol* **73 (Pt 9)**, 2225-2234 (1992).
- [0292] 57. J. A. Lopez, R. Bustos, C. Orvell, M. Berois, J. Arbiza, B. Garcia-Barreno, J. A. Melero, Antigenic structure of human respiratory syncytial virus fusion glycoprotein. *J Virol* **72**, 6922-6928 (1998).
- [0293] 58. B. J. DeKosky, T. Kojima, A. Rodin, W. Charab, G. C. Ippolito, A. D. Ellington, G. Georgiou, In-depth determination and analysis of the human paired heavy- and light-chain antibody repertoire. *Nat Med* **21**, 86-91 (2015).
- [0294] 59. U.S. National Library of Medicine, (NCT02290340, <https://clinicaltrials.gov/>).
- [0295] 60. PATH, *RSV Vaccine Snapshot* (2016 http://sites.path.org/vaccinedevelopment/files/2016/07/RSV-snapshot-July_13_2016.pdf).
- [0296] 61. B. S. Graham, M. D. Perkins, P. F. Wright, D. T. Karzon, Primary respiratory syncytial virus infection in mice. *Journal of medical virology* **26**, 153-162 (1988).
- [0297] 62. A. L. Hotard, F. Y. Shaikh, S. Lee, D. Yan, M. N. Teng, R. K. Plemper, J. E. Crowe, Jr., M. L. Moore, A stabilized respiratory syncytial virus reverse genetics system amenable to recombination-mediated mutagenesis. *Virology* **434**, 129-136 (2012).
- [0298] An informal sequence listing is provided in Table 6, below. The informal sequence listing for antibodies 124 – 231 provides the following sixteen (16) sequence elements contained in each of the 108 antibodies, identified as described above and designated as Antibody Numbers (Ab #) 124 through 231, in the following order:

- Heavy chain variable region ("HC") nucleic acid sequence
- Heavy chain variable region ("HC") amino acid sequence
- Heavy chain variable region CDR H1 ("H1") amino acid sequence
- Heavy chain variable region CDR H1 ("H1") nucleic acid sequence
- Heavy chain variable region CDR H2 ("H2") amino acid sequence
- Heavy chain variable region CDR H2 ("H2") nucleic acid sequence
- Heavy chain variable region CDR H3 ("H3") amino acid sequence
- Heavy chain variable region CDR H3 ("H3") nucleic acid sequence
- Light chain variable region ("LC") nucleic acid sequence
- Light chain variable region ("LC") amino acid sequence
- Light chain variable region CDR L1 ("L1") amino acid sequence
- Light chain variable region CDR L1 ("L1") nucleic acid sequence
- Light chain variable region CDR L2 ("L2") amino acid sequence
- Light chain variable region CDR L2 ("L2") nucleic acid sequence
- Light chain variable region CDR L3 ("L3") amino acid sequence
- Light chain variable region CDR L3 ("L3") nucleic acid sequence

[0299] The informal sequence listing for antibodies 232 – 244 provides the following ten (10) sequence elements contained in each of the 13 antibodies, identified as described above and designated as Antibody Numbers (Ab #) 232 through 244, in the following order:

- Heavy chain variable region ("HC") nucleic acid sequence
- Heavy chain variable region ("HC") amino acid sequence
- Heavy chain variable region CDR H1 ("H1") amino acid sequence
- Heavy chain variable region CDR H2 ("H2") amino acid sequence
- Heavy chain variable region CDR H3 ("H3") amino acid sequence
- Light chain variable region ("LC") nucleic acid sequence
- Light chain variable region ("LC") amino acid sequence
- Light chain variable region CDR L1 ("L1") amino acid sequence
- Light chain variable region CDR L2 ("L2") amino acid sequence
- Light chain variable region CDR L3 ("L3") amino acid sequence

Table 6: Informal Sequence Listing

Antibody No.	Seq. Ref. No.	SEQ ID NO.	Sequence
124	1969	1	CAGGTGCAGCTGGTGGAGTCTGGTCCTGCGCTGGTGAAACCCACACAGACCCTCACACTGACCTGCAGCTTCTCCGGGTTCTCACTCACCCTAGGAGATGTGTGTGAGCTGGATCCGTCAGACCCCAGGGAAGGCCCTGGAGTGGCTTGACGCATTGATTGGGATGATGATAAAGACTACAGCACATCTCTGAA GACCAGGCTCACCCTCTCCAAGGACACCTCCAAAAACCAGGTGGTCTTACAATGACCAACATGGACCCTGTGGACACGGCCACGTATTACTGTGCAC GGACCCACATTTATGATAGTAGTGGTTATTATCTATACTACTTTGACTACTGGGGCCAGGGAACCCTGGTCACCGTCTCTTCA
124	1970	2	QVQLVESGPALVKPTQTLTLTCSFSGFSLTTRRMCVSWIRQTPGKALEWLA RIDWDDDDKDYSTSLKTRLTISKDTSKNQVVLMTNMDPVDATYYCARTHI YDSSGYLYYFDYWGQGTLVTVSS
124	1971	3	FSLTTRRMCVS
124	1972	4	TTCTCACTCACCCTAGGAGAATGTGTGTGAGC
124	1973	5	RIDWDDDDKDYSTSLKT
124	1974	6	CGCATTGATTGGGATGATGATAAAGACTACAGCACATCTCTGAAGACC
124	1975	7	ARTHIYDSSGYLYYFDY
124	1976	8	GCACGGACCCACATTTATGATAGTAGTGGTTATTATCTATACTACTTTGACTAC
124	1977	9	GATATTGTGCTGACCCAGTCTCCATCCTCCCTGTCTGCATCTATAGGAGACAGAGTCACCATCACTTGCCGGGCAAGTCAGACCATTGCCAGCTATTTA AATTGGTATCAGCAGAAACCAGGGAAAGCCCCTGAACTCCTGATCTATG CTGCAACCAATTTGCAGAGTGGGGTCCCATCAAGGTTCAAGTGGCAGTGG ATCTGGGACAGATTTCACTCTCACCATCAGCAGTCTGCGACCTGAAGATT TTGCAAGTTACTACTGTCAACAGAGTTACAGTAGTCCCTGGACGTTCCGGC CAAGGGACCAAAGTGGATATCAAA
124	1978	10	DIVLTQSPSSLSASIGDRVITTCRASQTIASYLNWYQQKPGKAPELLIYAATN LQSGVPSRFSGSGSGTDFLTISLRPEDFASYCQQSYSSPWTFTGQGTKVDI K
124	1979	11	RASQTIASYLN
124	1980	12	CGGGCAAGTCAGACCATTGCCAGCTATTTAAAT
124	1981	13	AATNLQS
124	1982	14	GCTGCAACCAATTTGCAGAGT
124	1983	15	QQSYSSPWT
124	1984	16	CAACAGAGTTACAGTAGTCCCTGGACG
125	1985	17	GAGGTGCAGCTGGTGGAGTCTGGCCAGGACTGGTGAAGCCTTCGGGGA CCCTGTCCCTCACCTGCAGTGTCTCTGGTGACTCCATGAGTGATTACTAC TGGAGCTGGATCCGGCAGTCCCCAGGGAGGGGACTGGAGTGGCTTGGAT ATATCTATTACGATGGGAGCACCAACTACAACCCCTCCCTCAAGGGTCG AGGCACCATTTCAATAGACACGTCCAAGAGCCAGTTCTCCCTGACGCTG

			AGCTCTGTGAAGGCTGCGGACACGGCCGTGTATTACTGTGCGAGAGGGA AGTACTATGATAGAGGTGGTTATTACCTGTTCTACCTTGACTACTGGGGC CAGGGAATACTGGTCACCGTCTCCTCA
125	1986	18	EVQLVESGPGLVKPSGTLSTCTVSGDSMSDYYWSWIRQSPGRGLEWLGYI YYDGSTNYPNPSLKGRGTISIDTSKSQFSLTLSSVKAADTAVYYCARGKYYD RGGYYLFYLDYWGQGILVTVSS
125	1987	19	DSMSDYYWS
125	1988	20	GACTCCATGAGTGATTACTACTGGAGC
125	1989	21	YIYYDGSTNYPNPSLKG
125	1990	22	TATATCTATTACGATGGGAGCACCAACTACAACCCCTCCCTCAAGGGT
125	1991	23	ARGKYYDRGGYYLFYLDY
125	1992	24	GCGAGAGGGAAGTACTATGATAGAGGTGGTTATTACCTGTTCTACCTTG ACTAC
125	1993	25	GACATCCGGTTGACCCAGTCTCCATCCTCCCTGTCTGCATCTGTGGGAGA CAGAGTCACCATCACTTGCCGGGCAAGTCAGACCATTGCCAGCTATGTA AACTGGTATCAGCAGAAACAGGGAAAGCCCCTAAACTCCTTATCTATG CTGCATCCAGTTTGCAAGATGGGGTTCCATCAAGGTTCAAGTGGCAGTGG ATCTGGGACAGATTTTCGCTCTCACCATCAGCAGTCTGCAACCTGAAGATT TTGCAATTTACTTTTGTCAACAGAGTTACAGTACCCCCATATTCACTTTC GGCCCTGGGACCAAGGTGGAAATCAAA
125	1994	26	DIRLTQSPSSLSASVGRVTITCRASQTIASYVNWYQQKPGKAPKLLIYAASS LQDGVPSRFSGSGSGTDFALTISSLQPEDFAIYFCQQSYSTPIFTFGPGTKVEIK
125	1995	27	RASQTIASYVN
125	1996	28	CGGGCAAGTCAGACCATTGCCAGCTATGTAAAC
125	1997	29	AASSLQD
125	1998	30	GCTGCATCCAGTTTGCAAGAT
125	1999	31	QQSYSTPIFT
125	2000	32	CAACAGAGTTACAGTACCCCCATATTCACT
126	2001	33	GAGGTGCAGCTGGTGGAGTCTGGGGGCGCCTTGTTAAAGCCGGGGGGGT CCCTTAGACTCTCCTGTGTAGGCACTGGACTCACTTTCACTACTGCCTAC ATGAGCTGGGCCCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTTGGTC GTATTAAGAGCAAAAGTGATGGTGGGACAACAGACTACCCTACACCCGT CAAAGGCAGATTACCATCTCAAGAGATGAATCAAAAACACCCTGTAT CTGCAAATGAACAGCCTGAAAATCGAGGACACAGCCGTCTATTATTGTA CCACAGATAGGGGGATAACAGCTCGTCCTATCTTCGACTCCTGGGGCCA GGGAACCCTGGTCACCGTCTCCTCA
126	2002	34	EVQLVESGGALVKPGSLRLSCVGTGLTFTTAYMSWARQAPGKGLEWVGR IKSKSDGGTTDYPTPVKGRFTISRDESKNTLYLQMNSLKIEDTAVYYCTTDR GITARPIFDSWGQGLVTVSS
126	2003	35	LTFTTAYMS
126	2004	36	CTCACTTTCCTACTGCCTACATGAGC
126	2005	37	RIKSKSDGGTTDYPTPVKG
126	2006	38	CGTATTAAGAGCAAAAGTGATGGTGGGACAACAGACTACCCTACACCCG TCAAAGGC

126	2007	39	TTDRGITARPIFDS
126	2008	40	ACCACAGATAGGGGGATAACAGCTCGTCCTATCTTCGACTCC
126	2009	41	CAGTCTGTCTTGACGCAGCCGCCCTCAGTGTCTGGGGCCCTAGGGCGGA GGGTCACCATCTCCTGCACTGGGAGCAGCTCCAACATCGGGGCGGGTTA TGATGTACATTGGTACAGGCAACTTCCAGGAACAGCCCCAACTCCTC ATTTATGGTAACACCAAACGGCCCTCAGGGGTCCCTGACCGATTCTCTGG CTCCAAGTATGCCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAGGCTG AGGATGACGCTGATTATTACTGCCAGTCCTATGACGGCGGCCTGAGTGG TTATGTCTTCGGAACCTGGGACCAAGCTCACCGTCCTA
126	2010	42	QSVLTQPPSVSGALGRRVTISCTGSSSNIGAGYDVHWYRQLPGTAPKLLIYG NTKRPSGVPDRFSGSKYATSASLAITGLQAEDDADYYCQSYDGGLSGYVFG TGTKLTVL
126	2011	43	TGSSSNIGAGYDVH
126	2012	44	ACTGGGAGCAGCTCCAACATCGGGGCGGGTTATGATGTACAT
126	2013	45	GNTKRPS
126	2014	46	GGTAACACCAAACGGCCCTCA
126	2015	47	QSYDGGLSGYV
126	2016	48	CAGTCCTATGACGGCGGCCTGAGTGGTTATGTC
127	2017	49	CAGGTCCAGCTTGACAGTCTGGGGCTGAGGTGAAGAAGCCTGGGTCCT CGGTGAAGGTCTCCTGCAAGGCTTCTGGAGGCAACGTCAACATCTATGG AATCAGTTGGGTGCGACAGGCCCTGGACAAGGGCTTGAGTGGATGGGA GGGATCATCCCTATTTATGATACAACAAAGTACGCACAGAAATTCCAGG ACAGAGTCACGATTACCGCGGACAAATCCACGAGTACAGCCTACATGGA GTTGAGCAGCCTGAGATCTGAGGACACGGCCGTATATTTCTGTGCGAGA GATCTTGATTACGATATTTGACTGGTTATCCGTAAACTACTACTACTA CGGTATGGACGTCTGGGGCCAAGGGACCACGGTCACCGTCTCCTCA
127	2018	50	QVQLVQSGAEVKKPGSSVKVSKASGGNVNIYGISWVRQAPGQGLEWMG GIPIYDTTKYAQKFQDRVTITADKSTSTAYMELSSLRSEDYAVYFCARDLD YDILTGYSVNYYYYGMDVWVGQGTITVTVSS
127	2019	51	GNVNIYGIS
127	2020	52	GGCAACGTCAACATCTATGGAATCAGT
127	2021	53	GIPIYDTTKYAQKFQD
127	2022	54	GGGATCATCCCTATTTATGATACAACAAAGTACGCACAGAAATTCCAGG AC
127	2023	55	ARDLDYDILTGYSVNYYYYGMDV
127	2024	56	GCGAGAGATCTTGATTACGATATTTTACTGGTTATTCGTAAACTACTA CTACTACGGTATGGACGTC
127	2025	57	CAGTCTGTCTTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAGGGCAGA GGGTCACCATCTCCTGCACTGGGAGCAGCTCCAACATCGGGGCGGGTTA TGATGTACACTGGTACCAGCAGCTTCCAGGAACAGCCCCAACTCCTC ATCTATGGTAACATCAATCGGCCCTCAGGGGTCCCTGACCGATTCTCTGG CTCCAAGTCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAGGCTG AGGATGAGGCTGATTATTACTGCCAGTCCTGTGACAGCCTAAGTGG TTGGGTGTTTCGGCGGAGGGACCAAGCTGACCATCCTA

127	2026	58	QSVLTQPPSVSGAPGQRTISCTGSSSNIGAGYDVHWYQQLPGTAPKLLIYG NINRPSGVPDRFSGSKSGTSASLAITGLQAEDEADYYCQSCDSSLSGWVFGG GTKLTIL
127	2027	59	TGSSSNIGAGYDVH
127	2028	60	ACTGGGAGCAGCTCCAACATCGGGGCAGGTTATGATGTACAC
127	2029	61	GNINRPS
127	2030	62	GGTAACATCAATCGGCCCTCA
127	2031	63	QSCDSSLSGWV
127	2032	64	CAGTCCTGTGACAGCAGCCTAAGTGGTTGGGTG
128	2033	65	CAGGTCCAGCTTGTACAGTCTGGGGCTGAAGTGAAGAGGCCTGGGTCCT CGGTGAAGGTCTCCTGCAAGGCTTCTGGAGGCACCTTCAGCAGCTTTGCT ATCAACTGGGTGCGACAGGCCCTGGACAAGGGCTTGAGTGGATGGGAG GGCTCATCCCTATCTTTGGTACACCAAACAACGCACAGAAGTTCAGGG CAGAGTCACGATTACCGCGGACGAATCCACGAGCACAGCCTACATGGAG CTGAGCAGCCTGAGATCTGAGGACACGGCCGTCTATTACTGTGCCTCATT ACGATATTTTACTGGCAACCTGGGGGGTCTACTGGTTTCAGCCCTGGG GCCAGGGAACCCTGGTCACCGTCTCCTCA
128	2034	66	QVQLVQSGAEVKRPGSSVKVSKASGGTFSSFAINWVRQAPGQGLEWMGG LIPIFGTPNNAQKFQGRVTITADESTSTAYMELSSLRSEDYAVYYCASLRYFD WQPGGSYWFDWPWGQGLTVSS
128	2035	67	GTSSFAIN
128	2036	68	GGCACCTTCAGCAGCTTTGCTATCAAC
128	2037	69	GLIPIFGTPNNAQKFQG
128	2038	70	GGGCTCATCCCTATCTTTGGTACACCAAACAACGCACAGAAGTTCAGG GC
128	2039	71	ASLRYFDWQPGGSYWFDW
128	2040	72	GCCTCATTACGATATTTTACTGGCAACCTGGGGGGTCTACTGGTTCTGA CCCC
128	2041	73	CAGCCTGGGCTGACTCAGCCACCCTCAGTGTGAGTGGCCCCAGGAAAGA CGGCCAGGATTGCCTGTGGGGGAGACAACATTGGAATAAAGGAGTGC ACTGGTACCAGCAGAAGCCAGGCCAGGCCCTGTGCTGGTCATCTATTA TGATAGCGACCGGCCCTCAGGGATCCCTGAGCGATTCTCTGGTTCCAAC CTGGGAACACGGCCACCCTGACCATCAGCGGGTCTGAAGCCGGGGATG AGGCCGACTACTACTGTGAGTTTGGGATACTATTGATGATCATAAGGA TGGACTATTCTGGCGGAGGGACCAAGCTCACCGTCCTA
128	2042	74	QPGLTQPPSVSVAPGKTARIACGGDNIGTKGVHWYQQKPGQAPVLYYYDS DRPSGIPERFSGSNSGNTATLTISGVEAGDEADYYCQVWDTIDHDKDGLFGG GTKLTVL
128	2043	75	GGDNIGTKGVH
128	2044	76	GGGGGAGACAACATTGGAATAAAGGAGTGCAC
128	2045	77	YDSDRPS
128	2046	78	TATGATAGCGACCGGCCCTCA
128	2047	79	QVWDTIDHDKDGL

128	2048	80	CAGGTTTGGGATACTATTGATGATCATAAGGATGGACTA
129	2049	81	CAGGTCCAGCTTGTGCAGTCTGGAGGTGAGGTGAAGAAGCCTGGCGCCT CAGTGAAGGTCTCCTGCAAGGCTTCTGGTTACACCTTTACCACCTATGGA ATCAGCTGGGTGCGACAGGCCCTGGACATGGGCTTGAGTGGCTGGGAT GGATCAGCCCTAAGAATGGCAACACAAAGTATGCACAGAAGGTCCAGG GCAGAGTCACCATGACCATAGACCCAACCACGAGTACAGCCTACATGGA ACTGAGGAGCCTGAGATCAGACGACACGGCCATGTATTACTGTGCGAGA GACTATATTGTAGCAATAGTGGCTGCTCTCCCCACGGTATGGACGTCTG GGGCCAAGGGACCCTGGTCACTGTCTCCTCA
129	2050	82	QVQLVQSGGEVKKPGASVKVSKASGYTFTTYGISWVRQAPGHGLEWLG WISPKNGNTKYAQKVQGRVTMTIDPTTSTAYMELRSLRSDDTAMYYCARD YIVAIVAALPHGMDVWGQGLTVTVSS
129	2051	83	YTFTTYGIS
129	2052	84	TACACCTTTACCACCTATGGAATCAGC
129	2053	85	WISPKNGNTKYAQKVQG
129	2054	86	TGGATCAGCCCTAAGAATGGCAACACAAAGTATGCACAGAAGGTCCAG GGC
129	2055	87	ARDYIVAIVAALPHGMDV
129	2056	88	GCGAGAGACTATATTGTAGCAATAGTGGCTGCTCTCCCCACGGTATGG ACGTC
129	2057	89	CAGTCTGTCTTGACGCAGCCGCCCTCCCTGTCCGTGTCCCCAGGACAGAC AGCCAGCATCTCCTGCTCTGGGGATCAGTTGGGGAATAAATATGTTTGT GGTATCAGCAGAAGCCAGGCCAGTCCCCTGTTCTGGTCATCTATCAAGA TTCCAGGCGGCCCTCAGGGGTCCCTGAGCGATTCTCTGGCTCCAACCTCCG GGAACACAGCCACTCTGACCGTCGGCGGGACCCAGCCTATGGATGAGGC TGACTATTACTGTGAGCGGTGGGACAGCAGCATTCGGGTATTCGGCGGA GGGACCAAGGTGACCGTCCTA
129	2058	90	QSVLTQPPSLSVSPGQTASISCSGDQLGNKYVCWYQQKPGQSPVLVIYQDSR RPSGVPERFSGSNSGNATLTVGGTQPMDEADYYCQAWDSSIRVFEGGTKV TVL
129	2059	91	SGDQLGNKYVC
129	2060	92	TCTGGGGATCAGTTGGGGAATAAATATGTTTGT
129	2061	93	QDSRRPS
129	2062	94	CAAGATTCCAGGCGGCCCTCA
129	2063	95	QAWDSSIRV
129	2064	96	CAGGCGTGGGACAGCAGCATTCGGGTA
130	2065	97	CAGGTCCAGCTTGTACAGTCTGGGGCTGAGGTGAAGAAGCCTGGGTCCT CGGTGAAGGTCTCCTGCAAGGCCTCTGGAGGCTCCTTGAGCACCTATGG GATCCACTGGGTGCGACAGGCCCTGGCCAAGGCCTTGAGTGGGTGGGA GGGGTCATGACTGTCTATGGCAAAACAACCTACGGACAGAACTTCCAGG GCAGAGTCACCATTGCCGTGGACAGATCGACCAACACAGCCTACATGGA ACTGAGCAGCCTAACATCTGACGACACGGGTACTTATTACTGTGCGACA GACTCCTACTATGTTTGGACTGGTTCTTATCCCCCCCCCTTTGACCTCTGG GGCCAGGGAACCCTGGTCAACCGTCTCCTCA
130	2066	98	QVQLVQSGAEVKKPGSSVKVSKASGSLSTYGIHWVRQAPGQGLEWVGG

			VMTVYGKTTYGQNFQGRVTIAVDRSTNTAYMELSSLTSDDTGTYTCATDS YYVWTGSYPPFDLWGQGLTVTVSS
130	2067	99	GSLSTYGIH
130	2068	100	GGCTCCTTGAGCACCTATGGGATCCAC
130	2069	101	GVMTVYGKTTYGQNFQG
130	2070	102	GGGGTCATGACTGTCTATGGCAAAACAACCTACGGACAGAACTTCCAGG GC
130	2071	103	ATDSYYVWTGSYPPFDL
130	2072	104	GCGACAGACTCCTACTATGTTTGACTGGTTCTTATCCCCCCCCCTTTGA CCTC
130	2073	105	GAAATTGTGTTGACCCAGACTCCAGGCACCCAGTCTTTGTCTCCAGGGCA AAGTGCCACCCTCTCCTGCAGGGCCAGTCACAGTGTGCGCAACGACTAC TTGGCCTGGTATCAGCAGAAGCCTGGCCAGTCTCCCCGGCTCCTCATTCA CGGTGCATACAGGAGGGACTCTGGCATCCCAGACAGGTTTCATTGGCAGT GGGTCTGGGACAGACTTCACTCTCACCATCGACAGTCTGGAGCCTGACG ATTGTGCAGTATATTACTGTGCAGCAGTATGGGAGCTGGCCTCTCACTTTC GGCGGAGGGACCAAAGTGGATATCAAA
130	2074	106	EIVLTQTPGTQSLSPGQSATLSCRASHSVGNDYLAWYQQKPGQSPRLIHGA YRRDSGIPDRFIGSGSGTDFLTIDSLPDDCAVYYCQQYGSWPLTFGGGTK VDIK
130	2075	107	RASHSVGNDYLA
130	2076	108	AGGGCCAGTCACAGTGTGCGCAACGACTACTTGGCC
130	2077	109	GAYRRDS
130	2078	110	GGTGCATACAGGAGGGACTCT
130	2079	111	QQYGSWPLT
130	2080	112	CAGCAGTATGGGAGCTGGCCTCTCACT
131	2081	113	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCGTGGTCCAGCCTGGGAGGT CCCTGAGACTCTCCTGTGTTACCTCTGGATTTCATCTTCAGCAATTATGCT ATGCACTGGGTCCGCCAGGCTCCAGGCAAGGGGCTGGAGTGGGTGGCAG TTATATCCTTTGATGCAGACAATGAATATTATGCAGAGTCCGTGAAGGG CCGATTACCATCTCCAGAGACAATTCCAAGAACACGATGTATCTGCAA ATGAACAGCCTGAGAGCCGGGGACACAGCTCTCTATTACTGTGCGAGAG ATCCTCTGGGTATAGGAGTGAAGGGCTACGTTGACTTCTGGGGCCAGGG AACCCTGGTCAACGCTCTCCTCA
131	2082	114	EVQLVESGGGVVQPGRSLRLSCVTSGFIFSNYAMHWVRQAPGKGLEWVAV ISFDADNEYAESA VKGRFTISRDN SKNTMYLQMNSLRAGDTALYYCARDPL GIGVKGYVDFWGQGLTVTVSS
131	2083	115	FIFSNYAMH
131	2084	116	TTCATCTTCAGCAATTATGCTATGCAC
131	2085	117	VISFDADNEYAESA VKG
131	2086	118	GTTATATCCTTTGATGCAGACAATGAATATTATGCAGAGTCCGTGAAGG GC
131	2087	119	ARDPLGIGVKGYVDF

131	2088	120	GCGAGAGATCCTCTGGGTATAGGAGTGAAGGGCTACGTTGACTTC
131	2089	121	TCCTCTGAGCTGAGTCAGCCACCCTCAGTGTGAGTGGCCCCAGGAGAGA CGGCCAGGATTACTTGTGGGGGAGACAACCTTTGGAAGTGACGGTCTGCA CTGGTACCAGCAGAAGCCAGGCCAGGCCCTGTGTTGGTCATCTATTAT GATAGCGACCGGCCCTCAGGGATCCCTGAGCGATTCTCCGGCTCCATCTC TGGGAACACGGCCACCTTGACCATCAGCAGGGTCGAAGCCGGGGATGA GGCCGACTATTTCTGTCAGGTGTGGGATAGTATTAGTGATCATCTGGTAT TCGGCGGGGGGACCAAGGTGACCGTCCTA
131	2090	122	SSELSQPPSVSVAPGETARITCGGDNFGSDGLHWYQQKPGQAPVLVIYYDS RPSGIPERFSGSISGNTATLTISRVEAGDEADYFCQVWDSISDHLVFGGGTKV TVL
131	2091	123	GGDNFGSDGLH
131	2092	124	GGGGGAGACAACCTTTGGAAGTGACGGTCTGCAC
131	2093	125	YDSDRPS
131	2094	126	TATGATAGCGACCGGCCCTCA
131	2095	127	QVWDSISDHLV
131	2096	128	CAGGTGTGGGATAGTATTAGTGATCATCTGGTA
132	2097	129	CAGGTCCAGCTTGTGCACTCTGGGGCTGAGGTGAAGAAGCCTGGGTCCT CGGTGAAGGTCTCCTGCAAGGCTTCTGGAGGCACCTTCAGCAGTTATGCT ATCAACTGGGTGCGACAGGCCCTGGACAAGGGCTGAGTGAGTGGGAG GGATCATCCCTGCCTTTGGTACAACAATCTACGCACAGAGGTTCCAGGA CAGAGTCACGATTACCGCGGACAAATCCACGAGCACAGCCTACATGGAG CTGAGGAGCCTGAGATCTGAGGACACGGCCGTGTATTACTGTGCGAGGT CACCACCCTTTTGGAGTGACTATAGCCGTGGGTGGTTCGACCCCTGGGGC CAGGGAACCCTGGTCACCGTCTCCTCA
132	2098	130	QVQLVQSGAEVKKPGSSVKVSKASGGTFSSYAINWVRQAPGQGLEWMG GIIPAFGTIIYAQRFQDRVTITADKSTSTAYMELRSLRSEDTAVYYCARSPPF WSDYSRGWFDPWQGTLVTVSS
132	2099	131	GTFFSSYAIN
132	2100	132	GGCACCTTCAGCAGTTATGCTATCAAC
132	2101	133	GIIPAFGTIIYAQRFQD
132	2102	134	GGGATCATCCCTGCCTTTGGTACAACAATCTACGCACAGAGGTTCCAGG AC
132	2103	135	ARSPPFWSDYSRGWFD
132	2104	136	GCGAGGTCACCACCCTTTTGGAGTGACTATAGCCGTGGGTGGTTCGACC CC
132	2105	137	GAAACGACACTCACGCAGTCTCCATCCGCCCTGTCTGCATCTGTAGGAG ACAGAGTCACCATCACTTGCCGGGCAAGTCAGACCATTAGCGGCTATTT AAATTGGTATCAGCAGAAACCAGGGAAAGCCCCTAAGCTCCTGATCTAT GCTGCATCCAGTTTGCAAAGTGGGGTCCCCTCGAGATTCAGTGGCAGTA GCGCTGGGACAGATTTCACTCTCTCCATCAGCAATCTACAACCTGAAGAT TTTGCAACTTACTACTGTCAACAGAGTTACTACTACCCCGTGACGTTCCG CCAAGGGACCAAGGTGGAAATCAAA
132	2106	138	ETTLTQSPSALSASVGDRVITTCRASQTISGYLNWYQQKPGKAPKLLIYAAS SLQSGVPSRFSGSSAGTDFLTSLISNLQPEDFATYYCQSYTTPWTFGQGTKV

			EIK
132	2107	139	RASQTISGYLN
132	2108	140	CGGGCAAGTCAGACCATTAGCGGCTATTTAAAT
132	2109	141	AASSLQS
132	2110	142	GCTGCATCCAGTTTGCAAAGT
132	2111	143	QQSYTTPWT
132	2112	144	CAACAGAGTTACACTACCCCGTGGACG
133	2113	145	CAGGTCCAGCTGGTGCAGTCTGGAGCAGAGGTGAAAAAGCCCGGAGAC TCTCTGAAGATCTCCTGTAAGAATGCTGGACACACCTCTAGAATCTACTG GATCGCCTGGGTGCGCCAGATGCCCCGCGAAAGGCCTGGAGTACATGGGC ATCATCTTTCCTGGTGACTCTGATACCAGATACAGTCCGTCCTTCCGAGG CCAGGTCAACCATCTCAGCCGACAGGTCCATCAGAACTGCCTACCTGCAG TTGAGCAGCCTGAAGGCCTCGGACACCGGCATTTATTACTGTGCGACAC AGGGGCTTGAGGGGGCTTTTGACTACTGGGGCCAGGGAACCCTGGTCAC CGTCTCCTCA
133	2114	146	QVQLVQSGAEVKKPGDSLKISCKNAGHTSRIYWIAWVRQMPAKGLEVMGII FPGSDTRYSPSFRGQVTISADRSIRTAYLQLSSLKASDTGIYYCATQGLEGA FDYWGQGLTVSS
133	2115	147	HTSRIYWIA
133	2116	148	CACACCTCTAGAATCTACTGGATCGCC
133	2117	149	IIFPGSDTRYSPSFRG
133	2118	150	ATCATCTTTCCTGGTGACTCTGATACCAGATACAGTCCGTCCTTCCGAGG C
133	2119	151	ATQGLEGAFDY
133	2120	152	GCGACACAGGGGCTTGAGGGGGCTTTTGACTAC
133	2121	153	GACATCCGGTTGACCCAGTCTCCATCCTCCCTGTCTGCATCTGTAGGAGA CAGAGTCACCATCACTTGCCAGGCGAGTCAGGACATTAGCAACCAGTTA AATTGGTATCAGCAGAAACCAGGGACAGCCCCTAAGCTCCTCATCTACG ATGCATCCTTTTTGCAAACAGGGGTCCCATCAAGGTTTCAGTGGAAGTGG ATCTGGGACACATTTTACTTTTACCATCACCAGCCTGCAGCCTGAAGATT TTGCAACATATTTCTGTGTCAGCATTATGATAGTTTCCCCATATTTCACTTTTCG GCCCTGGGACCAAGCTGGAGATCAAA
133	2122	154	DIRLTQSPSSLSASVGDRTITCQASQDISNQLNWYQQKPGTAPKLLIYDASF LQTGVPSRFSGSGSGTHFTTITSLQPEDFATYFCQHYDSFPIFTFGPGTKLEI K
133	2123	155	QASQDISNQLN
133	2124	156	CAGGCGAGTCAGGACATTAGCAACCAGTTAAAT
133	2125	157	DASFLQT
133	2126	158	GATGCATCCTTTTTGCAAACA
133	2127	159	QHYDSFPIFT
133	2128	160	CAGCATTATGATAGTTTCCCCATATTTCACT
134	2129	161	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGCAGGT

			CCCTGCGACTCTCCTGTGCAGCCTCTGGATTACCTTTGATGATTATGCC ATGCACTGGGTCCGGCAAGCTCCAGGGAAGGGCTGGAGTGGGTCTCAG GCATCAGTTGGAATAGTGGTATTGTAAAGTATGCGGACTCTGTGAAGGG CCGATTACCATCTCCAGAGACAACGCCAAGAACTCCCTGTATCTGCAA ATGAACAGTCTGAGAACTGAGGACACGGCCTTGTATTATTGTGTAAAAG ACGGTTATACCAGCAGTTGGCACTCGGACTACCACTACGGCTTGGACGT CTGGGGCCAAGGGACCACGGTCACCGTCTCCTCA
134	2130	162	EVQLVESGGGLVQPGRSLRLSCAASGFTFDDYAMHWVRQAPGKGLEWVS GISWNSGIVKYADSVKGRFTISRDNAKNSLYLQMNSLRTEDTALYYCVKDG YTSSWHSYHYGLDVWGQGTITVTVSS
134	2131	163	FTFDDYAMH
134	2132	164	TTCACCTTTGATGATTATGCCATGCAC
134	2133	165	GISWNSGIVKYADSVKG
134	2134	166	GGCATCAGTTGGAATAGTGGTATTGTAAAGTATGCGGACTCTGTGAAGG GC
134	2135	167	VKDGYTSSWHSYHYGLDV
134	2136	168	GTAAAAGACGGTTATACCAGCAGTTGGCACTCGGACTACCACTACGGCT TGGACGTC
134	2137	169	GATATTGTGATGACTCAGTCTCCAGCCACCCTGTCTCTGTCTCCAGGGGA CAGAGCCACCCTCTCCTGCAGGGCCAGTCAGAATGTTATCAGCAACTTG GCCTGGTACCAGCAGAAACCTGGCCAGGCTCCCAGGCTCCTCATCTATA CTGTATCCACCAGGGCCACTGGTATCCCAGCCAGGTTTCAGTGGCAGTGG GTCTGGGACAGACTTCACTCTCACCATCAGCAGCCTGCAGTCTGAAGATT TTGCAGTTTATTACTGTCTCAGCAGTATAATAACTGGCCTCTCACTTTCGGC GGAGGGACCAAGGTGGAAATCAAA
134	2138	170	DIVMTQSPATLSLSPGDRATLSCRASQNVISNLAWYQQKPGQAPRLLIYTVS TRATGIPARFSGSGSGTDFTLTISLQSEDFAVYYCQQYNNWPLTFGGGTKV EIK
134	2139	171	RASQNVISNLA
134	2140	172	AGGGCCAGTCAGAATGTTATCAGCAACTTGGCC
134	2141	173	TVSTRAT
134	2142	174	ACTGTATCCACCAGGGCCACT
134	2143	175	QQYNNWPLT
134	2144	176	CAGCAGTATAATAACTGGCCTCTCACT
135	2145	177	CAGGTCCAGCTTGTGTCAGTCTGGGGCTGAGGTGAAGAAGCCTGGGTCGT CGGTGAAGGTCTCCTGCAAGGCTTCTGGAGACACCTTCAACAGTTATTCC ATCAGCTGGGTGCGACAGGCCCCCTGGACAAGGGCTTGAGTGGATGGGAG GAATCCTCCCTATGTTTGGTTTCGTCACTACGCACAGAAGTTCCAGGGC AGACTCACAATTACCGCGGACGAATCCACGAGGACAGCCTACATGGAGC TGAACAGTCTGACATCTGAGGACACGGCCATTTACTACTGTGCGAGAGA CAATTACTATGTTTGGACTGGTCGTTATCCCGAATTTGACTTCTGGGGCC AGGGAACCCTGGTCACCGTCTCCTCA
135	2146	178	QVQLVQSGAEVKKPGSSVKVSKASGDTFNSYSISWVRQAPGQGLEWMGG ILPMFGSSDYAQKFQGRLLTITADESTRAYMELNSLTSEDTAIYYCARDNYY VWTGRYPEFDFWQGGLTVTVSS

135	2147	179	DTFNSYSIS
135	2148	180	GACACCTTCAACAGTTATTCCATCAGC
135	2149	181	GILPMFGSSDYA QKFQG
135	2150	182	GGAATCCTCCCTATGTTTGGTTCGTCAGACTACGCACAGAAGTTCCAGGG C
135	2151	183	ARDNYYVWTGRYPEFDF
135	2152	184	GCGAGAGACAATTACTATGTTTGGACTGGTCGTTATCCCGAATTTGACTT C
135	2153	185	GAAATTGTGTTGACACAGTCTCCAGGCACCCTGTCCTTGTCTCCAGGGGA TGAAGCCACCCTCTCCTGCAGGGCCAGTCAGAGTGTTACCAGCAATTAC TTAGCCTGGTACCAGCAGAGGCCTGGCCAGGCTCCAGGCTCCTCATCTC TGGTGCATCCAGAAGGGCCACTGCCGTCCAGACAGGTTTCAGTGGCAGT GGGTCTGGGACAGACTTCACTCTCACCATCAGCAGACTGGAGCCTGAAG ATTTTGCAGTTTATTACTGTCAGCAATATGGAAGCACACCGATCACCTTC GGCCAGGGGACACGACTGGAGATTAAA
135	2154	186	EIVLTQSPGTLSPGDEATLSCRASQSVTSNYLAWYQQRPGQAPRLISGAS RRATAVPDRFSGSGSGTDFLTISRLEPEDFAVYYCQYGSTPITFGQGRLE IK
135	2155	187	RASQSVTSNYLA
135	2156	188	AGGGCCAGTCAGAGTGTTACCAGCAATTACTTAGCC
135	2157	189	GASRRAT
135	2158	190	GGTGCATCCAGAAGGGCCACT
135	2159	191	QYGSTPIT
135	2160	192	CAGCAATATGGAAGCACACCGATCACC
136	2161	193	CAGGTCCAGCTGGTGCAGTCTGGAGCTGAGGTGAAGAAGCCTGGGGCCT CAGTGAAGGTCTCCTGCAAGGCTTCTGGATACACTTTCACCAATGATATA AACTGGGTGCGACAGGGCCACTGGACAAGGGCTTGAGTGGATGGGGTGG ATGAACCCTAACAATGGTCACACAGGCTATGCACAGAGCTTCGAGGGCA GAGTCAGCATGACCAGGAACCTCCGCCATAAACACAGCCTACCTGGAGCT GAGCAGCCTGAGATTTGACGATACGGCCATATATTATTGTGTATACAATT TCTGGAGTGATTCTTCAGTCTCCTGGGGCCAGGGAACCCTGGTCACCGTC TCCTCA
136	2162	194	QVQLVQSGAEVKKPGASVKVSKASGYTFTNDINWVRQATGQGLEWMGW MNPNGHTGYAQSFEGRVSMTRNSAINTAYLELSSLRFDITAIYYCVYNFW SDSSVSWGQGTLLTVSS
136	2163	195	YTFTNDIN
136	2164	196	TACACTTTCACCAATGATATAAAC
136	2165	197	WMNPNGHTGYAQSFEGR
136	2166	198	TGGATGAACCTAACAATGGTCACACAGGCTATGCACAGAGCTTCGAGG GC
136	2167	199	VYNFWSDSSVS
136	2168	200	GTATACAATTTCTGGAGTGATTCTTCAGTCTCC
136	2169	201	CAGTCTGTCTGTCAGCAGCCGCCCTCAGTGTCTGGGGCCCCAGGGCAGA

			GTGTCGCCATCTCCTGCACTGGGAGCAGCTCCAACATCGGGCCAGGTTA TGATGTACACTGGTATCAGCAACTTCCGGGAGCAGCCCCAAACTCCTC ATCTATGGTGACAGCAATCGGCCCTCAGGGGTCCCTGACCGATTCTCTAC CTCCAAGTCTGGCACCTCAGTTTCCCTGGCCATCACTGGGCTCCAGGCTG AGGATGAGGCTGATTATTACTGCCAGTCCTATGACAGCAGCCTCCGTGG TTATGTCTTCGGAAGTGGGACCAAGCTCACCGTCCTA
136	2170	202	QSVVTQPPSVSGAPGQSV AISCTGSSSNIGPGYDVHWYQQLPGAAPKLLIYG DSNRPSGVPDRFSTSKSGTSVSLAITGLQAEDEADYCYQSYDSSLRGYVFGT GTKLTVL
136	2171	203	TGSSSNIGPGYDVH
136	2172	204	ACTGGGAGCAGCTCCAACATCGGGCCAGGTTATGATGTACAC
136	2173	205	GDSNRPS
136	2174	206	GGTGACAGCAATCGGCCCTCA
136	2175	207	QSYDSSLRGYV
136	2176	208	CAGTCCTATGACAGCAGCCTCCGTGGTTATGTC
137	2177	209	CAGGTCCAGCTTGTAAGTCTGGAGCTGAGGTGAAGAAGCCTGGGGCCT CAGTGAAGGTCTCCTGCAAGGCTTCTGGTTTACCTTTACTAATTATGGT ATAAGTTGGGTGCGACAGGCCCTGGACGAGGGCTTGAGTGGATGGGCT GGATCAGCGCTTACAATGGTAACACAGAGTATGCACAGAAGCTCCAAGA CAGACTCACCATGACCACAGACACATCTACGAACACAGCCTACATGGAG TTGAGGAGCCTGAGATCTGACGACACGGCCCTATATTATTGTGCGAGAG AGTCAGGTGTGCGCAGCAGCTGCTACCTTACTTTACTGGGGCCAGGGAAC CCTGGTCACCGTCTCCTCA
137	2178	210	QVQLVQSGAEVKKPGASVKV SCKASGFTFTNYGISWVRQAPGRGLEWMG WISAYNGNTEYAQKLQDRLTMTTDTSTNTAYMELRSLRSDDTALYYCARE SGVAAAATLLYWQGTLVTVSS
137	2179	211	FTFTNYGIS
137	2180	212	TTCACCTTTACTAATTATGGTATAAGT
137	2181	213	WISAYNGNTEYAQKLQD
137	2182	214	TGGATCAGCGCTTACAATGGTAACACAGAGTATGCACAGAAGCTCCAAG AC
137	2183	215	ARESGVAAAATLLY
137	2184	216	GCGAGAGAGTCAGGTGTGCGCAGCAGCTGCTACCTTACTTTAC
137	2185	217	GAAACGACACTCACGCAGTCTCCACTCTCCCTGCCCGTCACCCCTGGACA ACCGGCCTCCATCTCCTGCAGGTCTAGTCAAAGCCTCGTATACAGCGATG GAAACACCTACTTGAGTTGGTTTCAGCAGAGGCCAGGCCAATCTCCAAG GCGCCTAATTTATAAGGTTTCTAACC GGACTCTGGGGTCCCAGACAGA TTCAGCGGCAGTGGGTGAGGCGCTGATTTACACTGAAAATCAGCAGGG TGGAGGCTGAGGATGTTGGGGTTTATTACTGCATGCAAGGTATATACTG GCCTCGGACGTTTCGGCCAAGGGACCAAAGTGGATATCAAA
137	2186	218	ETTLTQSPLSLPVTLGQPASISCRSSQSLVYSDGNTYLSWFFQQRPGQSPRRLI YKVSNRDSGVPDRFSGSGADFTLKISRVEAEDVGVYYCMQGIYWPRTFG QGTKVDIK
137	2187	219	RSSQSLVYSDGNTYLS

137	2188	220	AGGTCTAGTCAAAGCCTCGTATACAGCGATGGAAACACCTACTTGAGT
137	2189	221	KVSNRDS
137	2190	222	AAGGTTTCTAACC GGGACTCT
137	2191	223	MQGIYWPRT
137	2192	224	ATGCAAGGTATATACTGGCCTCGGACG
138	2193	225	CAGGTGCAGCTGGTGGAGTCTGGGGCTGAGGTGCAGAAGCCTGGGGCCT CAGTGAAGATTTCTTGCAAGGCATCTGGATACAAGTTCATCAGCTACTCC ATACACTGGGTGCGACAGGCCCTGGACAAGGACTTGAGTGGATGGGAG TAATCAACCCTGGTGGCGGTCTCACAACTATGCACAGAAGTTCCAGGA CAGACTCACCATGACCAGGGACACGTCCACGGCCACAGTGACCATGGAA CTGAGGAGCCTGAGATCTGACGACAGGGCCGTATATTTTTGTGGTAGAG AAGACTCATATTGTAGTGGAGACAGCTGCTTCAATTCGGTTCGGGGCG CTGGGTCGACTCCTGGGGCCAGGGAACCCTGGTCACCGTCTCCTCA
138	2194	226	QVQLVESGAEVQKPGASVKISCKASGYKFISYSIHWVRQAPGQGLEWMGVI NPGGGLTNYAQKFQDRLTMTRDTSTATVTMELRSLRSDRAVYFCGREDS YCSGDS CFNSGSGRWVDSWGQGLTVTVSS
138	2195	227	YKFISYSIH
138	2196	228	TACAAGTTCATCAGCTACTCCATACAC
138	2197	229	VINPGGGLTNYAQKFQD
138	2198	230	GTAATCAACCCTGGTGGCGGTCTCACAACTATGCACAGAAGTTCCAGG AC
138	2199	231	GREDSYCSGDS CFNSGSGRWVDS
138	2200	232	GGTAGAGAAGACTCATATTGTAGTGGAGACAGCTGCTTCAATTCGGTT CGGGGCGCTGGGTGCGACTCC
138	2201	233	GACATCCAGGTGACCCAGTCTCCATCGTCCCTGTCTGCATCTGTCCGAGA CAGAGTCACCATCACTTGCCGGCAAGTCAGAGCGTTATCACCTATTTA AATTGGTATCAGCAGAAACCAGGGAAAGCCCTCAACTCCTGGTCTATG CTGCTTCCATTTTGCAAAGTGGGGTCCCATCCAGCTTCAGTGGCAGTGGA TCTGGGACAGATTTCACTCTCACCATCAGCAGTCTGCAACCTGAAGATTT TGCAACTTACTACTGTCAACAGACTTACAGTACCCCTCATACTTTTGCC AGGGGACCAAAGTGGATATCAAA
138	2202	234	DIQVTQSPSSLASVGDRTITCRASQSVITYLNWYQQKPGKAPQLLVYAAS ILQSGVPSSFSGSGSDFTLTISLQPEDFATYYCQQTYSTPHTFGQGTKVDI K
138	2203	235	RASQSVITYLN
138	2204	236	CGGGCAAGTCAGAGCGTTATCACCTATTTAAAT
138	2205	237	AASILQS
138	2206	238	GCTGCTTCCATTTTGCAAAGT
138	2207	239	QQTYSTPHT
138	2208	240	CAACAGACTTACAGTACCCCTCATACT
139	2209	241	GAGGTGCAGCTGGTGGAGTCTGGAGCTGAGGTGAAGAAGCCTGGGGCCT CAGTGAAGGTCTCCTGCAAGGCTTCTGGTTACACCTTTGCCAACTATGGT ATCACCTGGGTGCGACAGGCCCTGGACAAGGGCTTGAGTACATGGGAT

			GGATCAGCGCTTACAATGGTAACACAACTATGCACAGAAGTTCCAGGG CAGAGTCACCATGACCACGGACACATCCACGAGCACAGCGTACATGGAG CTGAGGAGCCTGAGATCTGACGACACGGCCATTTATTACTGTGCGAGAG ATCCCGGTGTTACGGCTGCTGTGCTACTTGACTACTGGGGCCAGGGAGC CCTGGTCACCGTCTCCTCA
139	2210	242	EVQLVESGAIEVKKPGASVKVSKASGYTFANYGITWVRQAPGQGLEVMG WISAYNGNTNYAQKFQGRVTMTTDTSTSTAYMELRSLRSDDTAIYYCARDP GVTAAVLLDYWGQALVTSS
139	2211	243	YTFANYGIT
139	2212	244	TACACCTTTGCCAACTATGGTATCACC
139	2213	245	WISAYNGNTNYAQKFQG
139	2214	246	TGGATCAGCGCTTACAATGGTAACACAACTATGCACAGAAGTTCCAGG GC
139	2215	247	ARDPGVTAAVLLDY
139	2216	248	GCGAGAGATCCCGGTGTTACGGCTGCTGTGCTACTTGACTAC
139	2217	249	GATATTGTGTTGACCCAGTCTCCACTCTCCCTGCCCGTCACCTTGGACA GCCGGCCTCCATCTCCTGCAGGTCTAGTCAAAGCCTCGTATTCAGTGATG GAAACACCTACTTGAGTTGGTTTCAGCAGAGGCCAGGCCAATCTCCAAG GCGCCTACTTTATAAGGTTTCTAACCAGGACTCTGGGGTCCCAGACAGAT TCAGCGGCAGTGGGTGAGGCACTGATTTCACTGACAATCAGCAGGGT GGAGGCTGAGGATGTTGGGGTTTATTACTGCTTGCAAGGTACACCCCTT ACACTTTTGGCCAGGGGACCAAAGTGGATATCAAA
139	2218	250	DIVLTQSPLSLPVTLGQPASISCRSSQSLVFS DGNTYLSW FQRPQSPRRLL YKVS NRDSGVPDRFSGSGSGTDFLTISRVEAEDVGVYYCLQGTPPYTFGQG TKVDIK
139	2219	251	RSSQSLVFS DGNTYLS
139	2220	252	AGGTCTAGTCAAAGCCTCGTATTCAGTGATGGAAACACCTACTTGAGT
139	2221	253	KVS NRDS
139	2222	254	AAGGTTTCTAACCAGGACTCT
139	2223	255	LQGTPPYT
139	2224	256	TTGCAAGGTACACCCCTTACACT
140	2225	257	CAGGTGCAGCTGGTGGAGTCTGGGGGAGGCGTGGTCCAGCCTGGGAAGT CCCTGAGACTCTCCTGTGCAGCCTCTGGATTACCTTCAGTAGCTATCCT ATGCACTGGGTCCGCCAGGCTCCAGGCGCGGGGCTGGAGTGGATGGCCG TAATCTCATATGATGGAGCCAATAAATACTATGAAGACTCCTTAAAGGG CCGATTCACCATCTCCAGAGACAATTCCAAGGACACTCTGTTTCTGCAAA TGAACAACCTGAGACCTGAGGACACGGCTGTCTATTACTGTGCGAGAGG GAGGACTTCGCATATAAATACACCCGAGACTAAGTGGGGCCAGGGAACC CTGGTCACCGTCTCCTCA
140	2226	258	QVQLVESGGGVVQPGKSLRLS CAASGFTFSSYPMHWVRQAPGAGLEWMA VISYDGANKYYEDSLKGRFTISRDN SKDTLFLQMNNLRPEDTAVYYCARGR TSHINTPETKWGQGLVTSS
140	2227	259	FTFSSYPMH
140	2228	260	TTCACCTTCAGTAGCTATCCTATGCAC

140	2229	261	VISYDGANKYYEDSLKG
140	2230	262	GTAATCTCATATGATGGAGCCAATAAAATACTATGAAGACTCCTTAAAGG GC
140	2231	263	ARGRTSHINTPETK
140	2232	264	GCGAGAGGGAGGACTTCGCATATAAAATACACCCGAGACTAAG
140	2233	265	GAAATTGTGTTGACGCAGTCTCCAACCTTAGTGTCTGCATCTACAGGAGA CACAGTCACCATCAGTTGCCGGATGAGTCAGGGCATTAAACGGTTATTTA GCCTGGTTTCAGAAAAAACAGGGAAAGCCCCTGACCTCCTGATCTATG GTGCATCCACTTTGCAAGATGGGGTCCCATCAAGGTTTCAGTGGCAGTGG ATCTGGGACAGATTTCACTCTCACCATCAGTCGCCTGCAGTCTGAAGATT TGGCAACTTATTATTGTCAACAGTATTACAGTTTGCCGTGGACGTTCCGC CAAGGGACCAAAGTGGATATCAAA
140	2234	266	EIVLTQSPTLVASASTGDTVITSCRMSQGINGYLAWFQKKPGKAPDLLIYGAS TLQDGVPSRFSGSGSGTDFLTISRLQSEDLATYYCQQYYSLPWTFGQGTKV DIK
140	2235	267	RMSQGINGYLA
140	2236	268	CGGATGAGTCAGGGCATTAAACGGTTATTTAGCC
140	2237	269	GASTLQD
140	2238	270	GGTGCATCCACTTTGCAAGAT
140	2239	271	QQYYSLPWT
140	2240	272	CAACAGTATTACAGTTTGCCGTGGACG
141	2241	273	CAGGTCCAGCTTGTACAGTCTGGGGCTGAGGTGAAGAAGCCTGGGGCCT CAGTGAAGGTCTCCTGCAAGGCTTCTGGATACAGCTTCACCGACTACTAT ATACACTGGGTGCGACAGGCCCTGGACAAGGGCTTGAGTGGATAGGAT GGATCAACCCTAACAGTGGTGGCACAACCTTTGCACAGAACTTTCAGGG CAGGGTCACCATGACCAGGGACACGTCCATCAGCACAGCCTTCCTGGAG CTGAGCAGGCTAAAATCTGACGACACGGCCGTATATTATTGTGCGAGAG ACGTTCTCTGGTTAAACGGATTCTGGGGCCTGGGAACCCTGGTCACCGTC TCTTCA
141	2242	274	QVQLVQSGAEVKKPGASVKVSKASGYSFTDYYIHWVRQAPGQGLEWIG WINPNSGGTTFAQNFQGRVTMTRDTSISTAFLELSRLKSDDTAVYYCARDV LWLNGFWGLGLTLTVSS
141	2243	275	YSFTDYYIH
141	2244	276	TACAGCTTCACCGACTACTATATACAC
141	2245	277	WINPNSGGTTFAQNFQG
141	2246	278	TGGATCAACCCTAACAGTGGTGGCACAACCTTTGCACAGAACTTTCAGG GC
141	2247	279	ARDVLWLNGF
141	2248	280	GCGAGAGACGTTCTCTGGTTAAACGGATTC
141	2249	281	CAGTCTGTGGTGACGCAGCCGCCCTCAGTGTCTGCGGCCCCAGGACAGA AGGTCACCATCTCCTGCTCTGGAAGCAGCTCCAACATTGGGAATAATTAT GTATCCTGGTATCAGCAGTTCCGAGGAACAGCCCCCAAAGTCCTCATTTA TGAAAATAATAAGCGAACCTCAGGGATTCTGACCGATTCTCTGGCTCC AAGTCTGGCACGTCAGCCACCCTGGGCATCACCGGACTCCAGACTGGGG

			ACGAGGCCGATTATTACTGCGGAACATGGGATAGCAGCCTGAGTACTGG CCCCATATGTGGTATTCGGCGGAGGGACCAAGCTGACCGTCCTA
141	2250	282	QSVVTQPPSVSAAPGQKVTISCSGSSSNIGNNYVSWYQQFRGTAPKVLIIYEN NKRTSGIPDRFSGSKSGTSATLGITGLQTGDEADYYCGTWSSSLSTGPYVVF GGGTKLTVL
141	2251	283	SGSSSNIGNNYVS
141	2252	284	TCTGGAAGCAGCTCCAACATTGGAATAATTATGTATCC
141	2253	285	ENNKRTS
141	2254	286	GAAAATAATAAGCGAACCTCA
141	2255	287	GTWDSSLSTGPYVV
141	2256	288	GGAACATGGGATAGCAGCCTGAGTACTGGCCCCTATGTGGTA
142	2257	289	CAGGTCCAGCTGGTGCAGTCTGGGGCTGAGGCGAAGAAGCCTGGGGCCT CAGTGAAGGTTTCCTGTAAGGCATCTGGATATACCTTTACCAGCTACTAT TTGCACTGGGTGCGACAGGCCCTGGACAAGGGCCTGAGTGGATGGGAA TAATCAACCCTGGTGGTGGTAGCACAGAGTTGTACAGAAAGTTCCAGGG CAGAGTCACCTTGACTAGGGACACGTCCACGAGCACAGTCTACATGGAG GTGACCAGCCTGACATCTGAGGACACGGCCGTCTATTACTGTGCGAGAG CCCGGATACAGCTCTGGGCACCAAATTACTACGGTATGGACGTCTGGGG CCAAGGGACCACGGTCACCGTCTCTTCA
142	2258	290	QVQLVQSGAEAKKPGASVKVSKASGYTFTSYLHWVRQAPGQGPPEWMG IINPGGGSTELSQKFQGRVLTTRDTSTSTVYMEVTSLSLSEDTAVYYCARARI QLWAPNYYGMDVWVGQTTVTVSS
142	2259	291	YTFTSYYLH
142	2260	292	TATACCTTTACCAGCTACTATTTGCAC
142	2261	293	IINPGGGSTELSQKFQG
142	2262	294	ATAATCAACCCTGGTGGTGGTAGCACAGAGTTGTACAGAAAGTTCCAGG GC
142	2263	295	ARARIQLWAPNYYGMDV
142	2264	296	GCGAGAGCCCGGATACAGCTCTGGGCACCAAATTACTACGGTATGGACG TC
142	2265	297	GACATCCAGTTGACCCAGTCTCCATCCTTCCTGTCTGCATCTGTAGGAGA CAGAGTCACCATCACTTGCCGGGCCAGTCATGGCATTACCAGTTATTTAG CCTGGTATCAGCAAAAACAGGGAATGCCCTAAGCTCCTGATCTATGC TGCATCCACTTTGCAAAGTGGGGTCCCATCAAGGTTACGCGGCAGTGGG TCTGAGACACAGTTCACTCTCACAATCAGCGGCCTGCAGCCTGAAGATTT TGCAACTTATTACTGTCAACAGCTTAATCGTTACCCTCTAACGTTTCGGCC AAGGGACCAAGGTGGAAATCAAA
142	2266	298	DIQLTQSPSFLSASVGDRVITICRASHGITSYLAWYQQKPGNAPKLLIYAAS LQSGVPSRFSGSGSETQFTLTISGLQPEDFATYYCQQLNRYPLTFGQGTKVEI K
142	2267	299	RASHGITSYLA
142	2268	300	CGGGCCAGTCATGGCATTACCAGTTATTTAGCC
142	2269	301	AASLQS
142	2270	302	GCTGCATCCACTTTGCAAAGT

142	2271	303	QQLNRYPLT
142	2272	304	CAACAGCTTAATCGTTACCCTCTAACG
143	2273	305	CAGGTCCAGCTTGTGCAGTCTGGAGCTGAGGTGAAGAAGCCTGGGGCCT CAGTGAAGATCTCCTGCAAGACCTCTGGTTACACCTTTACGAGCTCTGTG ATCAGCTGGGTGCGGCAGGCCCTGGACAAGGGCTTGAGTGGGTGGGAT GGATCACCGGTCACAGAAGTAGCACAAACTATGCACAGAGACTCCAGG GTAGAGTCACCATGACCACAGACACATCCACGAGCACAGCCTATATGGA GCTGAGGAGCCTGAGGTCTGACGACACGGCCGTGTATTACTGTGCGAGA GCCGATGGTGGTTCGGGGAGTTATTATAGCGCCTGGGGCCAGGGAACCC TGGTCACCGTCTCCTCA
143	2274	306	QVQLVQSGAEVKKPGASVKISCKTSGYTFTSSVISWVRQAPGQGLEWVGWI TGHRSSTNYAQRLLQGRVTMTTDTSTSTAYMELRSLRSDDTAVYYCARADG GSGSYSAWGQGLVTVSS
143	2275	307	YTFTSSVIS
143	2276	308	TACACCTTTACGAGCTCTGTGATCAGC
143	2277	309	WITGHRSTNYAQRLLQG
143	2278	310	TGGATCACCGGTCACAGAAGTAGCACAAACTATGCACAGAGACTCCAGG GT
143	2279	311	ARADGGSGSYSA
143	2280	312	GCGAGAGCCGATGGTGGTTCGGGGAGTTATTATAGCGCC
143	2281	313	TCCTATGAGCTGACACAGCCACCCTCAGCGTCAGTGGCCCCAGGAAAGA CGGCCAGGATCTCCTGTGGGGGAAACAACATTGGAACCTAAGAGTGTCCA CTGGTACCAGCAGAAGCCAGGCCAGGCCCTGTCTTGGTCATCTATCAT GATAGCCACCGGCCCTCAGGGATCCCTGAGCGATTCTCTGGCTCCAACCT TGGGAACACGGCCACCCTGACCATCAGTAGGGTCAAGCCGGGGATGA GGCCGACTATTATTGTGCTAGCTGTGGGATAGTAGTAGTGATTCCCATGTCT TCGGAACCTGGGACCAAGCTCACCGTCCTA
143	2282	314	SYELTQPPSASVAPGKTARISCGNNIGTKSVHWYQQKPGQAPVLVIYHDS HRPSGIPERFSGSNSGNTATLTISRVEAGDEADYYCQLWDSSSDSHVFGTGT KLTVL
143	2283	315	GGNNIGTKSVH
143	2284	316	GGGGGAAACAACATTGGAACCTAAGAGTGTCCAC
143	2285	317	HDSHRPS
143	2286	318	CATGATAGCCACCGGCCCTCA
143	2287	319	QLWDSSSDSHV
143	2288	320	CAGCTGTGGGATAGTAGTAGTGATTCCCATGTC
144	2289	321	CAGGTGCAGCTGGTGCAGTCTGGGGGAGGCCTGGTCAAGCCTGGGGGGT CCCTGAGACTCTCCTGTGCAGCCTCGGGATTACCATCAGTGGTTATAAC ATGTTCTGGGTCCGCCAGCCTCCGGGGAAGGGGCTGGAGTGGGTCTCAT CCATTACTGCTGGTAGTAGTTATTTAACTATGCAGACTCAGTGAAGGGC CGTTTCATCGTCTCCAGAGACAACGCCAAGAATTCAGTGTATCTGCAAT GAACAGCCTGAGAGCCGAGGACACGGCTGTTTATTTCTGTGCGAGAGCA CCTCTTTTACCCGCTATGATGGACCTCTGGGGCCAAGGGACCACGGTCAC CGTCTCCTCA

144	2290	322	QVQLVQSGGGLVKPGGSLRLSCAASGFTISGYNMFVWRQPPGKGLEWVSSI TAGSSYLNYADSVKGRFIVSRDNAKNSLYLQMNSLRAEDTAVYFCARAPLL PAMMDLWGQGTTVTVSS
144	2291	323	FTISGYNMF
144	2292	324	TTCACCATCAGTGGTTATAACATGTTC
144	2293	325	SITAGSSYLNYADSVKG
144	2294	326	TCCATTACTGCTGGTAGTAGTTATTTAACTATGCAGACTCAGTGAAGGG C
144	2295	327	ARAPLLPAMMDL
144	2296	328	GCGAGAGCACCTCTTTTACCCGCTATGATGGACCTC
144	2297	329	CAGTCTGTCTTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAGGGCAGA GGGTCACCATCTCCTGCACTGGGAGCAGCTCCAACATCGGGGCAGGTTA TGATGTACACTGGTACCAGCAACTTCCAGGAACAGCCCCAACTCCTC ATCTATACTAACAACAATCGGCCCTCAGGGGTCCCTGACCGATTCTCTGG CTCCAAGTCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAGGCTG AGGATGAGGCTGACTATTACTGCCAGTCCTATGACAGAAGCCTGAATGG TTATGTCTTCGGAAGTGGGACCAAGCTCACCGTCCTA
144	2298	330	QSVLTQPPSVSGAPGQRVTISCTGSSSNIGAGYDVHWYQQLPGTAPKLLIYT NNNRPSGVPDRFSGSKSGTSASLAITGLQAEDEADYYCQSYDRSLNGYVFG TGTKLTVL
144	2299	331	TGSSSNIGAGYDVH
144	2300	332	ACTGGGAGCAGCTCCAACATCGGGGCAGGTTATGATGTACAC
144	2301	333	TNNNRPS
144	2302	334	ACTAACAACAATCGGCCCTCA
144	2303	335	QSYDRSLNGYV
144	2304	336	CAGTCCTATGACAGAAGCCTGAATGGTTATGTC
145	2305	337	CAGGTCCAGCTTGTACAGTCTGGGGCTGAGGTGAAGAAGCCTGGGGCCT CACTGATGGTCTCCTGCTCGGCTTCTGGATACATTTTCAACAGTGACATC AACTGGGTGCGACAGGCCCTGGACAAGGGCTTGAGTGGATGGGGTGG ATGAACCCTAAGAATGGTCACACAGGCTATGCACAGGAATTCGAGGGCA GAGTCAGCATGACCAGGAATCCTCCAAAATATTGCCTATCTGCAGCT GAGCAGCCTGACATATGAAGACACGGCCGTCTATTATTGTGTTTACGATT TCTGGAGTGATGATTCAGTCAAGTGGGGCCGGGGAACCCTGGTCACCGT CTCCTCA
145	2306	338	QVQLVQSGAEVKKPGASLMVSCSASGYIFNSDINWVRQAPQGLEWMGW MNPKNHGHTGYAQEFEGRVSMTRNSSKTIAYLQLSSLTYEDTAVYYCVYDF WSDDSVKWGRGTLTVTVSS
145	2307	339	YIFNSDIN
145	2308	340	TACATTTTCAACAGTGACATCAAC
145	2309	341	WMNPKNHGHTGYAQEFEG
145	2310	342	TGGATGAACCCTAAGAATGGTCACACAGGCTATGCACAGGAATTCGAGG GC
145	2311	343	VYDFWSDDSVK

145	2312	344	GTTTACGATTTCTGGAGTGATGATTCAGTCAAG
145	2313	345	CAGTCTGTGGTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAGGGCAGA GTGTCGCCATCTCCTGCTCTGGGAGCAGCTCCAACATCGGGCCAGGTTAT GATGTACACTGGTACCAGCAACTTCCGGGATCAGCCCCAACTCCTCA TCTACGGTGACAACAATCGGCCCTCAGGGGTCCCTGAGCGATTCTCTACC TCCAAGTCTGGCACCTCAGCCTCACTGGCCATCACTGGGCTCCAGGCTGA GGATGAGGCTGATTATTACTGCCAGTCCTTTGACAGCAGCCTGCGTGTT ATGTCCTTCGGAACCTGGGACCAAGGTGACCGTCCTA
145	2314	346	QSVVTQPPSVSGAPGQSVVAISCSGSSSNIGPGYDVHWYQQLPGSAPKLLIYG DNNRPSGVPERFSTSKSGTSASLAITGLQAEDEADYYCQSFSSLRGYVFGT GTKVTVL
145	2315	347	SGSSSNIGPGYDVH
145	2316	348	TCTGGGAGCAGCTCCAACATCGGGCCAGGTTATGATGTACAC
145	2317	349	GDNNRPS
145	2318	350	GGTGACAACAATCGGCCCTCA
145	2319	351	QSFSSLRGYV
145	2320	352	CAGTCCTTTGACAGCAGCCTGCGTGTTATGTC
146	2321	353	CAGGTCCAGCTGGTACAGTCTGGAGCAGCGGTAAAAAGCCCGGGGAG TCTCTGAAGATCTCCTGTAAGGGTTTTGGATACAGCTTTACCAAGTATTG GATCGGCTGGGTGCGCCAGGTGCCCGGAAAGGCCTGGAGTGATAGG GATCATCTCTCCTACTGACTCTAATACCAGATACAGCCCGTCCTTCCGAG GCCAGGTCACCATGTCAGCCGACAAGTCCATCAGTGCCGCCTACCTGCA GTGGAGCAGCCTGAAGGCCTCGGACACCGCCATGTATTACTGTGCGAGA CACAGCAGTCCGTATAGCAGTGGCTGGTACGGAGATACATACTTCTTTG ACTCCTGGGGCCAGGGAACCCTGGTCACCGTCTCCTCA
146	2322	354	QVQLVQSGAAVKKPGESLKISCKGFGYSFTKYWIGWVRQVPKGLEWIGHI SPTDSNTRYSPSFRGQVTMSADKSISAAYLQWSSLKASDTAMYYCARHSSP YSSGWYGDYFFDSWGQGLTVTVSS
146	2323	355	YSFTKYWIG
146	2324	356	TACAGCTTTACCAAGTATTGGATCGGC
146	2325	357	IISPTDSNTRYSPSFRG
146	2326	358	ATCATCTCTCCTACTGACTCTAATACCAGATACAGCCCGTCCTTCCGAGG C
146	2327	359	ARHSSPYSSGWYGDYFFDS
146	2328	360	GCGAGACACAGCAGTCCGTATAGCAGTGGCTGGTACGGAGATACATACT TCTTTGACTCC
146	2329	361	CAGCCTGTGCTGACTCAGCCACCCTCAGCGTCTGGGACCCCCGGGCAGA GGGTCACCATCTCTTGTCTGGAAGCAACTCCAACATCGGGACTAATACT GTGAACTGGTACCAGCAGCTCCCTGGAACGGCCCCCAAAGTCCTCATCC ATAATAATAATGAGCGGCCCTCAGGGGTCCCTGACCGATTCTCTGGCTCC AAGTCTGGCACCTCAGCCTCCCTGGCCATCAGTGGGCTCCAGTCTGAGG ATGAGGCTGATTATTACTGTGCAGCATGGGATGACAGCCTGAGAGGTTA TGTCTTCGGAACCTGGGACCAAGGTGACCGTCCTA
146	2330	362	QPVLTPPSASGTPGQRVTISCSGNSNIGTNTVNWYQQLPGTAPKVLHNN NERPSGVPDRFSGSKSGTSASLAISGLQSEDEADYYCAAWDDSLRGYVFGT

			GTKVTVL
146	2331	363	SGSNSNIGTNTVN
146	2332	364	TCTGGAAGCAACTCCAACATCGGGACTAATACTGTGAAC
146	2333	365	NNNERPS
146	2334	366	AATAATAATGAGCGGCCCTCA
146	2335	367	AAWDDSLRGYV
146	2336	368	GCAGCATGGGATGACAGCCTGAGAGGTTATGTC
147	2337	369	CAGGTGCAGCTGGTGCAATCTGGGGCTGAGGTGAAGAAGCCTGGGTCCT CGGTGAAGGTCTCCTGCAAGGCTTCTGGAGGCACCTTCGGCAGCTATGC TATCAGCTGGGTGCGACAGGCCCCCTGGACAAGGACTTGAGTGGATGGGA GGGACCATCCCTATCTTTGGTACAGCAGACCACGCACAGAAGTTCCAGG GCAGAGTCACGATAACCGCGGACAAATCCACGAGCACAGCGTACATGG AACTGAGCAGCCTGAGATCTGAGGACACGGCCGTGTATTACTGTGCGAG AGGTGTTTTCCGCGTAGGTTGTAGTGATACCAGCTGCCTCAAAACTACT ACGGTACGGACGTCTGGGGCCAAGGGACCACGGTCACCGTCTCCTCA
147	2338	370	QVQLVQSGAEVKKPGSSVKVSKASGGTFGSY AISWVRQAPGQGLEWMG GTIPFGTADHAQKFQGRVTITADKSTSTAYMELSSLRSED TAVYYCARGVF RVGCSDT SCLKNYYGTDVWGQGTTVTVSS
147	2339	371	GTFGSYAIS
147	2340	372	GGCACCTTCGGCAGCTATGCTATCAGC
147	2341	373	GTIPFGTADHAQKFQG
147	2342	374	GGGACCATCCCTATCTTTGGTACAGCAGACCACGCACAGAAGTTCCAGG GC
147	2343	375	ARGVFRVGCSDTSCLKNYYGTDV
147	2344	376	GCGAGAGGTGTTTTCCGCGTAGGTTGTAGTGATACCAGCTGCCTCAAAA ACTACTACGGTACGGACGTC
147	2345	377	CAGTCTGTTCTGATTCAGCCTGCCTCCGTGTCTGGGTCTCCTGGACAGTC GATCACCGTCTCCTGCACTGGATCCAGCGGTGACGTTGGTGCTTATAAGT ATGTCTCCTGGTACCAACAACACCCAGGCAGAGGCCCCAACTCATAAT TTATGATGTCAGTGCTCGGCCCTCAGGGATTTCTGATCGCTTCTCTGGCT CCAAGTCTGGCAACACGGCCTCCCTGACCATCTCTGGGCTCCAGGCTGA GGACGAGGCTGACTATTACTGCAGCTCATATTCAAGCAGCAGCACTCTC GTAGTATTCCGCGGAGGGACCAAGGTGACCGTCCTA
147	2346	378	QSVLIQPASVSGSPQSITVSGTSSGDVGAYKYVSWYQQHPGRGPKLIID VSARPSGISDRFSGSKSGNTASLTISGLQAEDEADYYCSSYSSSSTLVVFGGG TKVTVL
147	2347	379	TGSSGDVGAYKYVS
147	2348	380	ACTGGATCCAGCGGTGACGTTGGTGCTTATAAGTATGTCTCC
147	2349	381	DVSARPS
147	2350	382	GATGTCAGTGCTCGGCCCTCA
147	2351	383	SSYSSSSTLVV
147	2352	384	AGCTCATATTCAAGCAGCAGCACTCTCGTAGTA

148	2353	385	CAGGTCCAGCTGGTGCAGTCTGGGGGAGGGTTGGTGCAGCCTGGGGGGT CCCTGAGACTCTCTTGTGTAGGCTCTGGATTACCTTCAGTACCTATAGT ATGAACTGGGTCCGTCAGGCTCCAGGGAAGGGGCTGGAGTGGGTTTCAC ACATTAGTAGTAGTAGTGTACCATGTACTACGCAGACTTTGTGAAGGG CCGATTACCATCTCCAGAGACAATGCCAAGAACTCACTGTATCTGCAA ATGACCAGCCTGAGAGCCGAGGACACGGCTGTGTATTACTGTGCGAGAG ATGCGGGACCAGTTTGGAGTGGTTATTACGACTACGGTATGGACGTCTG GGCCAAGGGACCACGGTCACTGTCTCCTCA
148	2354	386	QVQLVQSGGGLVQPGGSLRLSCVSGFTFSTYSMNWVRQAPGKGLEWVSH ISSSSVTMYADDFVKGRFTISRDNKNSLYLQMTSLRAEDTAVYYCARDAG PVWSGYYDYGMDVWGQGTITVTVSS
148	2355	387	FTFSTYSMN
148	2356	388	TTCACCTTCAGTACCTATAGTATGAAC
148	2357	389	HISSSVTMYADDFVKG
148	2358	390	CACATTAGTAGTAGTAGTGTACCATGTACTACGCAGACTTTGTGAAGG GC
148	2359	391	ARDAGPVWSGYYDYGMDV
148	2360	392	GCGAGAGATGCGGGACCAGTTTGGAGTGGTTATTACGACTACGGTATGG ACGTC
148	2361	393	GAAACGACACTCACGCAGTCTCCAGCCACGCTGTCTTTGTCTCCAGGGG AAAGAGCCACCCTCTCCTGCAGGGCCAGTCAGAGTGTTAGCAGCCTCTT AGCCTGGTACCAACAGAAACCTGGCCAGGCTCCCAGGCTCCTCATTTTTG ATGCATCCAAGAGGGCCACTGGCATCCAGCCAGGTTCACTGGCAGTGG GTCTGGGACAGACTTCACTCTCACCATCAGCAGCCTAGAGCCTGAAGAT TTTGCAGTCTATTACTGTACGACGCTTACAACCTGGCCTCCGCTCACTTT CGGCGGAGGGACCAAGGTGGAATCAAA
148	2362	394	ETTLTQSPATLSLSPGERATLSCRASQSVSSLLAWYQQKPGQAPRLIFDASK RATGIPARFSGSGGTDFLTITISLEPEDFAVYYCQQRYNWPPLTFGGGTKV EIK
148	2363	395	RASQSVSSLLA
148	2364	396	AGGGCCAGTCAGAGTGTTAGCAGCCTCTTAGCC
148	2365	397	DASKRAT
148	2366	398	GATGCATCCAAGAGGGCCACT
148	2367	399	QQRYNWPPLT
148	2368	400	CAGCAGCGTTACAACCTGGCCTCCGCTCACT
149	2369	401	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGGTCCAGCCTGGCAGGT CCCTGAGACTCTCCTGTGCAGCCTTTGGATTACCTTTGATGATTATGCC ATGCACTGGGTCCGGCAAGCTCCAGGGAAGGGCCTGGAGTGGGTCTCAG GTATTAGTTGGAATAGTGGTTTCATAGGCTATGCGGACTCTGTGAAGGG CCGATTACCATCTCCAGAGACAATGCCAAGAACTCCCTGTCTCTGCAA ATGAACAGTCTGAGAACTGAGGATACGGCCTTGTATTACTGTGCAAAAA CTGATGGAGCAGTGGCTGTGACGGGCCCTTTGACTACTGGGGCCAGGG AACCCTGGTCACCGTCTCCTCA
149	2370	402	EVQLVESGGGLVQPGRSRLSCAAGFTFDDYAMHWVRQAPGKGLEWVS GISWNSGFIGYADSVKGRFTISRDNKNSLSLQMNSLRTEDTALYYCAKTD

			GAVAVDGPFDYWGQGLVTVSS
149	2371	403	FTFDDYAMH
149	2372	404	TTCACCTTTGATGATTATGCCATGCAC
149	2373	405	GISWNSGFIGYADSVKG
149	2374	406	GGTATTAGTTGGAATAGTGGTTTCATAGGCTATGCGGACTCTGTGAAGG GC
149	2375	407	AKTDGAVAVDGPFDY
149	2376	408	GCAAAACTGATGGAGCAGTGGCTGTCGACGGGCCCTTTGACTAC
149	2377	409	GAAATTGTGTTGACACAGTCTCCATCCTCCCTGTCTGCATCTGTAGGAGA CAGAGTCACCATCACTTGCCGGGCAAGTCAGAGCATTAGCGGCTATTTA AGTTGGTATCAGCAGAAACCAGGGAAAGCCCCTAAGCTCCTGATCCATT CTACATCTAGTTTGCAAAGTGGGGTCCCATCAAGGTTCAAGTGGCAGTGG ATCTGGGACAGATTTCACTCTCACCATCACCAGTCTGCAACCTGAGGATT TTGCAACTTACTACTGTCAACAGAGTTACATTGCCCTCCGACTTTTGGC CAGGGGACCAAGGTGGAAATCAAA
149	2378	410	EIVLTQSPSSLSASVGDRTITCRASQSIGYLSWYQQKPGKAPKLLIHSTSSL QSGVPSRFSGSGSGTDFLTITSLQPEDFATYYCQQSYIAPPTFGQGTKVEIK
149	2379	411	RASQSIGYLS
149	2380	412	CGGGCAAGTCAGAGCATTAGCGGCTATTTAAGT
149	2381	413	STSSLQS
149	2382	414	TCTACATCTAGTTTGCAAAGT
149	2383	415	QQSYIAPPT
149	2384	416	CAACAGAGTTACATTGCCCTCCGACT
150	2385	417	CAGGTCCAGCTGGTACAGTCTGGGGCTGAGGTGAAGAAGCCTGGGTCCT CGATGAAGGTCTCCTGCCAGGCTTCTGGAGGCCCTTCAGCACCTATACT ATCAGCTGGGTGCGCAGGCCCCCTGGACAAGGGCTTGAGTGGATGGGAG GTATCATCCCTGTCTTTGGTACACCAAACCTACGCGCAGAAGTTCCACGGC AGAGTCACGATTACCGCGGACCAATCCACGAGCACAGCCTACATGGAGT TGAGTAGCCTGAGATCTGAGGACACCGCCGTTTATTACTGTGCGGGAGC CCCCCTACCCTATGGACGTCTGGGGCCAAGGGACCACGGTCACCGTCTCC TCA
150	2386	418	QVQLVQSGAEVKKPGSSMKVSCQASGGPFSTYTISWVRQAPGQGLEWMGG IIPVFGTPNYAQKFHGRVTITADQSTSTAYMELSSLRSEDATVYYCAGAPYP MDVWGQGTITVTVSS
150	2387	419	GPSTYTIS
150	2388	420	GGCCCCCTCAGCACCTATACTATCAGC
150	2389	421	GIIPVFGTPNYAQKFHG
150	2390	422	GGTATCATCCCTGTCTTTGGTACACCAAACCTACGCGCAGAAGTTCCACGG C
150	2391	423	AGAPYPMDV
150	2392	424	GCGGGAGCCCCCTACCCTATGGACGTC
150	2393	425	GAAATTGTATTGACACAGTCTCCAGCCACCCTGTCTTTGTCTCCAGGGGA GAGAGCCACCCTCTCCTGCAGGGCCAGTCAGAGTGTTGCCAGCTCCTTA

			GCCTGGTACCAACAGAAACCTGGCCAGGCTCCCAGGCTCCTCATCTATG ATGCATCCAACAGGGCCACTGGCATCCCAGCCAGGTTTCAGTGGCAGTGG GTCTGGGACAGACTTCACTCTCACCATCAGCAGCCTAGAGCCTGAAGAT TTTGCAGTTTATTACTGTCAGCAGCGTACCAACTGGCAGGGGCTCTCTTT CGGCGGAGGGACCAAAGTGGATATCAAA
150	2394	426	EIVLTQSPATLSLSPGERATLSCRASQSVASSLAWYQQKPGQAPRLLIYDAS NRATGIPARFSGSGSGTDFTLTISLLEPEDFAVYYCQQRNTNWQGLSFGGGTK VDIK
150	2395	427	RASQSVASSLA
150	2396	428	AGGGCCAGTCAGAGTGTTGCCAGCTCCTTAGCC
150	2397	429	DASNRAT
150	2398	430	GATGCATCCAACAGGGCCACT
150	2399	431	QQRNTNWQGLS
150	2400	432	CAGCAGCGTACCAACTGGCAGGGGCTCTCT
151	2401	433	CAGGTCCAGCTTGTGTCAGTCTGGAGGTGAGGTCAAGAAGCCTGGGGCCT CAGTGAAGGTCTCCTGCAAGGCTTCTGGTTACACCTTTATCAGTTATGGT ATCACCTGGGTGCGACAGGCCCCCTGGACAAGGGCCTGAGTGGATGGGAT GGATCAGCCCTTACAACGGTGACACAACTATGCACAGAAGCTCCAGGG CAGAGTCACCATGACCACAGACACATCCACGACCACAGCCTACATGGAA CTGAGGAGCCTGAGATCTGACGACACGGCCATATATTATTGTGCGAGAC GGTACGATATTTTGAAGTGGCGGGGGCTGGTTCGACTCCTGGGGCCAGGG AACCTGGTCAACGTCTCCTCA
151	2402	434	QVQLVQSGGEVKKPGASVKVSKASGYTFISYGITWVRQAPGQGPPEWMG WISPYNGDTNYAQKLQGRVTMTTDTSTTTAYMELRSLRSDDTAIYYCARR YDILTGGGWFDWSWGQGLVTVSS
151	2403	435	YTFISYGIT
151	2404	436	TACACCTTTATCAGTTATGGTATCACC
151	2405	437	WISPYNGDTNYAQKLQG
151	2406	438	TGGATCAGCCCTTACAACGGTGACACAACTATGCACAGAAGCTCCAGG GC
151	2407	439	ARRYDILTGGGWFD
151	2408	440	GCGAGACGGTACGATATTTTGAAGTGGCGGGGGCTGGTTCGACTCC
151	2409	441	GATATTGTGATGACTCAGTCTCCTTCCTCCCTGTCTGCATCTGTAGGAGA CAGAGTCACCATCAATTGCCGGGCAAGTCAGAGCATTATCAGCTATTTA AATTGGTATCAGCAAAAACCAGGGAAAGCCCCTGAGCTCCTAATCTATG CTGCGTCCAGTTTGCAAAGTGGGGTCCCATCAAGGTTTCAGTGGCAGTGG ATCTGGGACAGAGTTCACTCTCACCATCAGCAGTCTGCAACCTGAAGAT TTTGCAACGTACTACTGTCAACAGAGTTACAGTACCCCTCTAGTTTCGG CCCTGGGACCAAGGTGGAGATCAAA
151	2410	442	DIVMTQSPSSLSASVGRVTINCRASQSIISYLNWYQQKPGKAPELLIYAASS LQSGVPSRFSGSGSGTEFTLTISLQPEDFATYYCQQSYSTPLSFGPGTKVEIK
151	2411	443	RASQSIISYLN
151	2412	444	CGGGCAAGTCAGAGCATTATCAGCTATTTAAAT
151	2413	445	AASSLQS

151	2414	446	GCTGCGTCCAGTTTGCAAAGT
151	2415	447	QQSYSTPLS
151	2416	448	CAACAGAGTTACAGTACCCCTCTTAGT
152	2417	449	CAGGTCCAGCTTGTGCAGTCTGGAGCAGAGGTGAAAAAGCCCGGGGAGT CTCTGAAGATCTCCTGTAAGACTTCTGGATACAAATTTACCAATTACTGG ATCGGCTGGGTGCGCCAGATGCCCCGGGAAAGGCCTGGAGTGGATGGGG ATCATCTATCCTGGTGACTCTGATGCCAGATACAGCCCGTCTTTCCAAGG CCAGGTCACCTTCTCAGCCGACAAGTCCATCAGCACCGCCTACCTGCAGT GGAGCAGCCTGAAGGCCTCGGACACCGCCATGTATTACTGTGCGAGACA AGATAACAGTGGCTGGGCCGACTTCTTTCCCTTTGACTACTGGGGCCAGG GAACCCTGGTCACCGTCTCTCA
152	2418	450	QVQLVQSGAEVKKPGESLKISCKTSQYKFTNYWIGWVRQMPGKGLEWMGI IYPGDS DARYSPSFQGVTF SADSISTAYLQWSSLKASDTAMY YCARQDN SGWADFFPF DYWGQGLTVTVSS
152	2419	451	YKFTNYWIG
152	2420	452	TACAAATTTACCAATTACTGGATCGGC
152	2421	453	IYPGDS DARYSPSFQG
152	2422	454	ATCATCTATCCTGGTGACTCTGATGCCAGATACAGCCCGTCTTTCCAAGG C
152	2423	455	ARQDNSGWADFFPF DY
152	2424	456	GCGAGACAAGATAACAGTGGCTGGGCCGACTTCTTTCCCTTTGACTAC
152	2425	457	GAAACGACACTCACGCAGTCTCCAGGCACCCTGTCTTTGTCTCCAGGGG AAAGAGCCACCCTCTCCTGCAGGGCCAGTCACAGTTTTAGCAGCAGCTA CTTAGCCTGGTACCAGCAGAAACCTGGCCAGGCTCCCAGGCTCCTCATCT ATGCTGCATCCAACAGGGCCACTGGCATCCCAGACAGGTTCA GTGGCAG TGGGTCTGGGACAGACTTCACTCTCACCATCAGCAGACTGGAGCCTGAA GATTTTGAGTGTATTTCTGT CAGCAGTATGATAGCTCACCGTGGACGTT CGGCCAAGGGACCAAGGTGGAGATCAAA
152	2426	458	ETTLTQSPGTLSPGERATLSCRASHSFSSSYLA WYQQKPGQAPRLLIYAAS NRATGIPDRFSGSGSGTDFLTISRLEPEDFAVYFCQQYDSSPWTFGQGTKVE IK
152	2427	459	RASHSFSSSYLA
152	2428	460	AGGGCCAGTCACAGTTTTTAGCAGCAGCTACTTAGCC
152	2429	461	AASNRAT
152	2430	462	GCTGCATCCAACAGGGCCACT
152	2431	463	QQYDSSPWT
152	2432	464	CAGCAGTATGATAGCTCACCGTGGACG
153	2433	465	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCGTGGTCCAGCCTGGGAAAT CCCTGAGACTCTCCTGTGCCGCGTCGGGATTCATCTTCAGTGGCTATGGC ATGCACTGGGTCCGCCAGGCTCCAGGCAAGGGGCTGGAGTGGGTGGCGT TTATATGGTTTGATGGAAGTTCTACATATTATGCAGACTCCGTGAAGGGC CGTTTCACCATCTCCAAAGACGATTC AAGCAGACGGTATATTTGCAAT GAACAGGCTGAGAGCCGAGGACACGGCTGTCTACTACTGTGCGAGAGAC CCCTTATTTTTATACAATTATAATGACGAACCTTTTGACTACTGGGGACA

			GGGAACCCTGGTCACCGTCTCCTCA
153	2434	466	EVQLVESGGGVVQPGKSLRLSCAASGFIFSGYGMHWVRQAPGKGLEWVAF IWFDGSSTYYADSVKGRFTISKDDSKQTVYLQMNRLRAEDTAVYYCARDPL FLYNYNDEPFDYWGGQGLTVTVSS
153	2435	467	FIFSGYGMH
153	2436	468	TTCATCTTCAGTGGCTATGGCATGCAC
153	2437	469	FIWFDGSSTYYADSVKG
153	2438	470	TTTATATGGTTTGATGGAAGTTCTACATATTATGCAGACTCCGTGAAGGG C
153	2439	471	ARDPLFLYNYNDEPFDY
153	2440	472	GCGAGAGACCCCTTATTTTTATACAATTATAATGACGAACCTTTTGACTA C
153	2441	473	TCCTATGAGCTGACACAGCCACCCTCAGCGTCTGGTTCCCCCGGGCAGA GCGTCACCATCTCTTGTCTGGAAGCAGCTCCAATATCGGGGGTAATTTT GTGTACTGGTACCAGCAACTGCCCGGAACGGCCCCCAAAGTCCTCATCT ATAGGAATAATCAGCGGCCCTCAGGGGTCCCTGACCGATTCTCTGGCTC CAAGTCTGGCACTTCAGCCTCCCTGGCCATCAGTGGGTCCGGTCCGACG ATGAGGCTGATTATTATTGTTTCAGTATGGGATGACAGCCTAAATGGTCG GCTGTTTCGGCGGAGGGACCAAGCTGACCGTCCTA
153	2442	474	SYELTQPPSASGSPGQSVTISCSGSSSNIGGNFVYWYQQLPGTAPKVLIYRNN QRPSGVPDRFSGSKSGTSASLAISGLRSDDEADYYCSVWDDSLNGLRFGGG TKLTVL
153	2443	475	SGSSSNIGGNFVY
153	2444	476	TCTGGAAGCAGCTCCAATATCGGGGGTAATTTTGTGTAC
153	2445	477	RNNQRPS
153	2446	478	AGGAATAATCAGCGGCCCTCA
153	2447	479	SVWDDSLNGL
153	2448	480	TCAGTATGGGATGACAGCCTAAATGGTCGGCTG
154	2449	481	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGTGTGGTCCGGCCTGGGGGGT CCCTGAGACTCTCCTGTGCAGCCTCTGGATTCAAGTTTGATGATTATGGC ATGAGCTGGGTCCGCCAAGCTCCAGGGAAGGGGCTGGAGTGGGTCTCTG CAATTATTTGGAATAGTGGTAGCACAGGTTATGCAGACTCTGTGAAGGG CCGATTCATCATCTCCAGAGACAACGCCAAGAACTCCCTGTATCTGCAA ATGAATAGTCTGAGAGCCGAAGACACGGCCTTGTATTACTGTGCGAGAG TCGGGGGGATAACGAAGTGGTGGTACTACGGTATGGACCTCTGGGGCCA AGGGACCACGGTCACCGTCTCCTCA
154	2450	482	EVQLVESGGGVVVRPGGSLRLSCAASGFKFDDYGMSWVRQAPGKGLEWVS AIIWNSGSTGYADSVKGRFIISRDNKNSLYLQMNSLRAEDTALYYCARVG GITKWWYYGMDLWGQGTITVTVSS
154	2451	483	FKFDDYGMS
154	2452	484	TTCAAGTTTGATGATTATGGCATGAGC
154	2453	485	AIIWNSGSTGYADSVKG
154	2454	486	GCAATTATTTGGAATAGTGGTAGCACAGGTTATGCAGACTCTGTGAAGG GC

154	2455	487	ARVGGITKWWYYGMDL
154	2456	488	GCGAGAGTCGGGGGGATAACGAAGTGGTGGTACTACGGTATGGACCTC
154	2457	489	GAAACGACACTCACGCAGTCTCCATCCTTCTGTCTGCATCTGTCTGGAGA CAGAGTCACCATCACTTGCCGGGCCAGTCAGGGCTTGAGCAATTATTTA GCCTGGTATCAGCAAAAACCAGGGAGAGCCCCAAGCTCCTGATCTATG CTGCATCCACTTTGCAAAGTGGGGTCCCATCAAGGTTTCAGAGGCAGTGG ATCTGGGACAGAGTTCACTCTCACAATCAGCAGCCTGCAGCCTGAAGAT CTTGCAACTTATTACTGTCAACACCTTAATAGTTACCTCTCACTTTCCGC GGAGGGACCAAGGTGGAGATCAAA
154	2458	490	ETTLTQSPSFLSASVGDRTITCRASQGLSNYLAWYQQKPGRAPKLLIYAAS TLQSGVPSRFRSGSGTEFTLTISSLQPEDLATYYCQHLNSYPLTFGGGKVE IK
154	2459	491	RASQGLSNYLA
154	2460	492	CGGGCCAGTCAGGGCTTGAGCAATTATTTAGCC
154	2461	493	AASLQS
154	2462	494	GCTGCATCCACTTTGCAAAGT
154	2463	495	QHLNSYPLT
154	2464	496	CAACACCTTAATAGTTACCTCTCACT
155	2465	497	GAGGTGCAGCTGGTGGAGTCGGGCCCCGGACTGGTGAAGCCTTCGGAGA CCCTGTCCCTCATCTGCAGAGTCTTTGGTGGGTCCGTCAGGAGGGGGGA CTACAACTGGAATTGGATCCGGCAGCCCCAGGGAAGGGACTGGAGTGG ATTGGCTATATCGATTATAGTGGGACCACCAAGTACAATCCCTCCCTCAA GAGCCGAGTGACCATATCAGAAGACACGTCCAGGAATCAGTTCTCCCTG GAGCTGAGGTCTGTGACCGCCGCGGACACGGCCATGTATTACTGTGCGA GAGACGTTGGAAGTACTCCCTACAATATTACGGTATGGACGTCTGGGG CCAAGGGACCACGGTCACCGTCTCCTCA
155	2466	498	EVQLVESGPGLVKPSSETLSLICRVFGGSVRRGDYNWNWIRQPPGKLEWIG YIDYSGTTKYNPSLKSRTVISEDTSRNQFSLELRSVTAADTAMYYCARDVGS TPYNYYGMDVWGQGTITVTVSS
155	2467	499	GSVRRGDYNWN
155	2468	500	GGGTCCGTCAGGAGGGGGGACTACAACTGGAAT
155	2469	501	YIDYSGTTKYNPSLKS
155	2470	502	TATATCGATTATAGTGGGACCACCAAGTACAATCCCTCCCTCAAGAGC
155	2471	503	ARDVGSTPYNYYGMDV
155	2472	504	GCGAGAGACGTTGGAAGTACTCCCTACAATATTACGGTATGGACGTC
155	2473	505	GAAATTGTGTTGACGCAGTCTCCAGGCACCCTGTCCTTGTCTCCAGGGGA AAGAGCCACCCTCTCCTGTAGGGCCAGTCAGACTATTAACAACTAC TTAGCCTGGTACCAACAGAAACCTGGCCAGGCTCCCAGGCTCCTCATGT ATGGTGTATCCAGCAGGCCGACTGGCATCCCAGACAGGTTTCAGTGGCAG TGGGTCTGGGACAGACTTCAGTCTCACCATCGACAGACTGGAGCCTGAA GATTTTGCAGTATATTACTGTGAGCAGTTTGGTAGGTCACCGGAGCTCAC TTTCGGCGGAGGGACCAAGGTGGAAATCAAA
155	2474	506	EIVLTQSPGTLSPGERATLSCRASQTIKNNYLAWYQQKPGQAPRLLMYG VSSRPTGIPDRFSGSGSTDFSLTIDRLEPEDFAVYYCQQFGRSPELTFGGGT

			KVEIK
155	2475	507	RASQTIKNNYLA
155	2476	508	AGGGCCAGTCAGACTATTAAAAACAACACTTAGCC
155	2477	509	GVSSRPT
155	2478	510	GGTGTATCCAGCAGGCCGACT
155	2479	511	QQFGRSPELT
155	2480	512	CAGCAGTTTGGTAGGTCACCGGAGCTCACT
156	2481	513	CAGGTGCAGCTACAGCAGTGGGGCGCAGGACTGTTGAAGCCTTCGGAGA CCCTGTCCCTCACCTGCGCTGTCTATGGTGGGTCTTCAGTGGTTACTAC TGGGGCTGGATCCGCCAGCCCCAGGGAAGGGGCTGGAGTGGATTGGG GAAGTCAATCATAGTGGAACCTCCAATTACAACCCGTCCCTCACGAGTC GAGTCACCATATCAGTAGACCCGTCCAAGAAACAGTTGTCCCTGAAGCT GAACTCTGTGACCGCCGCGGACACGGCTGTCTATTACTGTGCGAGAGCT CCTTGGTATACTCACGCCATGGACGTCTGGGGCCAAGGGACCACGGTCA CCGTCTCCTCA
156	2482	514	QVQLQQWGAGLLKPSETLSLTCVYGGSFSGYYWGWIRQPPGKGLEWIGE VNHSGTSNYPNPSLTSRVTISVDPSKKQLSLKLSVTAADTAVYYCARAPWY THAMDVWGQGTITVTVSS
156	2483	515	GSFSGYYWG
156	2484	516	GGGTCCTTCAGTGGTTACTACTGGGGC
156	2485	517	EVNHSGTSNYPNPSLTS
156	2486	518	GAAGTCAATCATAGTGGAACCTCCAATTACAACCCGTCCCTCACGAGT
156	2487	519	ARAPWYTHAMDV
156	2488	520	GCGAGAGCTCCTTGGTATACTCACGCCATGGACGTC
156	2489	521	CAGTCTGTCCTGACTCAGCCTGCCTCCGTGTCTGGGTCTCCTGGACAGTC GATCACCATCTCCTGCACTAGAACCAGCAGTGACGTTGGTGCTTATAGTT ATGTCTCCTGGTACCAACAACACCCAGGCAAAGCCCCAAACTCATGAT TTATGATGTCAATAATCGGCCCTCAGGGGTTTCTAATCGCTTCTCTGGCT CCAAGTCTGGCAACACGGCCTCCCTGACCATCTCTGGGCTCCAGGCTGA GGACGAGGCTGATTATTACTGCAGCTCATATACAAACAGCAACACTCTC GGGGTGTTTCGGCGGAGGGACCAAGCTGACCGTCCTA
156	2490	522	QSVLTQPASVSGSPGQSITISCTRTSSDVGAYSYSVSWYQQHPGKAPKLMYD VNNRPSGVSNRFSKSGNTASLTISGLQAEDEADYYCSSYTNSNTLGVFGG GTKLTVL
156	2491	523	TRTSSDVGAYSYSVS
156	2492	524	ACTAGAACCAGCAGTGACGTTGGTGCTTATAGTTATGTCTCC
156	2493	525	DVNNRPS
156	2494	526	GATGTCAATAATCGGCCCTCA
156	2495	527	SSYTNSNTLGV
156	2496	528	AGCTCATATACAAACAGCAACACTCTCGGGGTG
157	2497	529	GAGGTGCAGCTGTTGGAGTCTGGGGGACTCGTGGTACAGCCTGGGGGGT CCCTGAGACTGTCCTGTGCAGCCTCTGGATTCTTTGATGATTATACC

			ATGCACTGGGTCCGTCAAGCTCCGGGGAAGGGTCTGGAGTGGATCTCTC TTATTAGTTGGGATAGTCTTGACACATACTATGCAGGCTCTGTGCAGGGC CGCTTCACCATCTCCAGAGACAACAGCAGAAACTCCCTCTATCTGCGAA TGAACAGTCTGAGACCTGAGGACACCGCCTTGTATTACTGTGCAAAAAC AAAGTATAGGGGTACTTATTACTACTTTGACTCGTGGGGCCAGGGAACC CTGGTCACCGTCTCCTCA
157	2498	530	EVQLLESGLVVPGGSLRLSCAASGFIFDDYTMHWVRQAPGKGLEWISLIS WDSLDITYYAGSVQGRFTISRDNRSNLYLRMNSLRPEDTALYYCAKTKYR GTYYYFDSWGQGLTVTVSS
157	2499	531	FIFDDYTMH
157	2500	532	TTCATCTTTGATGATTATACCATGCAC
157	2501	533	LISWDSLDITYYAGSVQG
157	2502	534	CTTATTAGTTGGGATAGTCTTGACACATACTATGCAGGCTCTGTGCAGGG C
157	2503	535	AKTKYRGTYYYFDS
157	2504	536	GCAAAAACAAAGTATAGGGGTACTTATTACTACTTTGACTCG
157	2505	537	GACATCCGGGTGACCCAGTCTCCATCCTCCCTGTCTGCATCTGTAGGAGA CAGAGTCACCATCACTTGCCAGGCGAGTCAGGACATTAGCAACTATTTA AATTGGTATCAGCAGAAACCAGGGAAAGCCCCTAAGCTCCTGATCTACG ATGCATCCAATTTGGAAACAGGGGTCCCATCAAGGTTCACTGGACGTGG ATCTGGGACAGATTTTACTTTTACCATCAGCAGCCTGCAGCCTGAAGATA TTGCAACATATTACTGTCAACAATATGATAATCTCCCTCCGGTCACTTTC GGCCCTGGGACCAAGGTGGAAATCAAA
157	2506	538	DIRVTQSPSSLSASVGDRVTITCQASQDISNYLNWYQQKPGKAPKLLIYDAS NLETGVPSRFSGRGSGTDFTFITSSLQPEDIATYYCQQYDNLPPVTFGPGTKV EIK
157	2507	539	QASQDISNYLN
157	2508	540	CAGGCGAGTCAGGACATTAGCAACTATTTAAAT
157	2509	541	DASNLET
157	2510	542	GATGCATCCAATTTGGAAACA
157	2511	543	QQYDNLPPVT
157	2512	544	CAACAATATGATAATCTCCCTCCGGTCACT
158	2513	545	GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCCTGGTCAAGCCGGGGGGGT CCCTGAGACTCTCCTGTGCAGCCTCTGGATTACCTTCAGTAGTTATGGC ATGCACTGGGTCCGCCAGGCGCCAGGGAAGGGGCTAGAGTGGGTCTCAT CCATTACTGCTGGTAGTAGTTACATGGACTACGCAGACTCAGTGAAGGG CCGATTCACCGTCTCCAGAGACAACGGCAAGAACTCACTGTACCTGCAA ATGAACAGCCTGAGAGCCGAGGACACGGCTGTCTACTTCTGTGCGAGAG AGGACTATGATAGTCGTGTTTATTACCTTAAGTGGTTCGACCCCTGGGGC CAGGGAACCCTGGTCACCGTCTCCTCA
158	2514	546	EVQLLESGGGLVKPGGSLRLSCAASGFTFSSYGMHWVRQAPGKGLEWVSSI TAGSSYMDYADSVKGRFTVSRDNGKNSLYLQMNSLRAEDTAVYFCAREDY DSRVYYLKWFDPWGQGLTVTVSS
158	2515	547	FTFSSYGMH

158	2516	548	TTCACCTTCAGTAGTTATGGCATGCAC
158	2517	549	SITAGSSYMDYADSVKG
158	2518	550	TCCATTACTGCTGGTAGTAGTTACATGGACTACGCAGACTCAGTGAAGG GC
158	2519	551	AREDYDSRVYYLKWFD
158	2520	552	GCGAGAGAGGACTATGATAGTCGTGTTTATTACCTTAAGTGGTTCGACCC C
158	2521	553	CAGTCTGTCTTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAGGGCAGA GAGTCACCATCTCCTGCACTGGGAGCAGCTCCAACATCGGGACAGGTTA TGATGTACACTGGTACCAGCAGCTTCCAGGATCAGCCCCCAAACCTCTC ATCTATGGTAACAGCAATCGGCCCTCAGGGGTCCCTGACCGATTCTCTGG GTCCAAGTCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAGGCTG AGGATGAGGCTGACTATTATTGCCAGTCCTATGACAGCAGTCGGAGTGG TTATGTCTTCGGAAGTGGGACCAAGCTGACCGTCCTA
158	2522	554	QSVLTQPPSVSGAPGQRTISCTGSSSNIGTGVDVHWYQQLPGSAPKLLIYG NSNRPSGVPDRFSGSKSGTSASLAITGLQAEDEADYYCQSYDSSRSRGYVFGT GKLTVL
158	2523	555	TGSSSNIGTGVDVH
158	2524	556	ACTGGGAGCAGCTCCAACATCGGGACAGGTTATGATGTACAC
158	2525	557	GNSNRPS
158	2526	558	GGTAACAGCAATCGGCCCTCA
158	2527	559	QSYDSSRSRGYV
158	2528	560	CAGTCCTATGACAGCAGTCGGAGTGGTTATGTC
159	2529	561	GAGGTGCAGCTGGTGGAGTCTGGGGGCGCCTTGGTAAAGCCGGGGGGGT CCCTTAGACTCTCCTGTGTAGGCACTGGACTCACTTTCCTACTGCCTAC ATGAGCTGGGCCCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTTGGTC GCATTAAGAGCAAAAAGTGATGGTGGGACAACAGAGTACCCTACACCCGT CAAAGGCAGATTACCATCTCAAGAGATGAATCAAAAACACCCCTGTAT CTGCAAATGAACAGCCTGAAAATCGAGGACACAGCCGTCTATTATTGTA CCACAGATAGGGGGATAACAGCTCGTCCTATCTTCGACTCCTGGGGCCA GGGAACCCTGGTCACCGTCTCCTCA
159	2530	562	EVQLVESGGALVKPGGSLRLSCVGTGLTFTTAYMSWARQAPGKGLEWVGR IKSKSDGGTTEYPTPVKGRFTISRDESKNTLYLQMNSLKIEDTAVYYCTTDR GITARPIFDSWGQGLVTVSS
159	2531	563	LTFTTAYMS
159	2532	564	CTCACTTTCCTACTGCCTACATGAGC
159	2533	565	RIKSKSDGGTTEYPTPVKG
159	2534	566	CGCATTAAGAGCAAAAGTGATGGTGGGACAACAGAGTACCCTACACCCG TCAAAGGC
159	2535	567	TTDRGITARPIFDS
159	2536	568	ACCACAGATAGGGGGATAACAGCTCGTCCTATCTTCGACTCC
159	2537	569	CAGTCTGTCTTGACGCAGCCGCCCTCAGTGTCTGGGGCCCTAGGGCGGA GGGTACCATCTCCTGCACTGGGAGCAGCTCCAACATCGGGGCAGGTTA TGATGTACATTGGTACAGGCAACTTCCAGGAACAGCCCCCAAACCTCTC

			ATTTATGGTAACACCAAACGGCCCTCAGGGGTCCCTGACCGATTCTCTGG CTCCAAGTATGCCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAGGCTG AGGATGACGCTGATTATTACTGCCAGTCCTATGACGGCGGCCTGAGTGG TTATGTCTTCGGAAC TGGCACCCAGCTGACCGTCCTC
159	2538	570	QSVLTQPPSVSGALGRRVTISCTGSSSNIGAGYDVHWYRQLPGTAPKLLIYG NTKRPSGVPDRFSGSKYATSASLAITGLQAEDDADYYCQSYDGGLSGYVFG TGTQLTVL
159	2539	571	TGSSSNIGAGYDVH
159	2540	572	ACTGGGAGCAGCTCCAACATCGGGGCAGGTTATGATGTACAT
159	2541	573	GNTKRPS
159	2542	574	GGTAACACCAAACGGCCCTCA
159	2543	575	QSYDGGLSGYV
159	2544	576	CAGTCCTATGACGGCGGCCTGAGTGGTTATGTC
160	2545	577	CAGGTCCAGCTTGTGTCAGTCTGGGGGAGGCCTGGTCAGGCCTGGGGGGT CCCTGAGACTCTCCTGTGCAGCCTCTGGATTCTGTTTCAGTACCTACAGC ATGAACTGGCTCCGCACGGTCCAGGGAAGGGGCTGGAGTGGGTCTCAT CCATTAGTGGTAGTAGCAGTCACATATACTACGCAGACTCAGTGAAGGG CCGATTCACCATCTCCAGAGACAACCAAGAACTCACTGTATCTGCAA ATGAACAGCCTGAGACCCGAAGACACGGCTTTATATTACTGTGCGAGAT ATTTTGGTGACTACTCAGGGTTGGGGAAGTACTACTACTACGGTATGGAC GTCTGGGGCCAGGGGACCGGTACCGTCTCCTCA
160	2546	578	QVQLVQSGGGLVRPGLSLRLSAAAGFMFSTYSMNWLRTPGKGLEWVSS ISGSSSHIYYADSVKGRFTISRDN TKNSLYLQMNSLRPEDTALYYCARYFGD YSGLGNYYYYGMDVWVGQGT TVTVSS
160	2547	579	FMFSTYSMN
160	2548	580	TTCATGTTCAGTACCTACAGCATGAAC
160	2549	581	SISGSSSHIYYADSVKG
160	2550	582	TCCATTAGTGGTAGTAGCAGTCACATATACTACGCAGACTCAGTGAAGG GC
160	2551	583	ARYFGDYSGLGNYYYYYGMDV
160	2552	584	GCGAGATATTTTGGTGACTACTCAGGGTTGGGGAAGTACTACTACTACG GTATGGACGTC
160	2553	585	GATATTGTGATGACGCAGTCTCCAGTCTCCCTGCCCGTCACCCCTGGAGA GCCGGCCTCCATCTCCTGCAGGTCTAGTCAGAGCCTCCTGCATTCTAATG GAAACAAC TATTTGGATTGGTACCTGCAGAGGCCAGGGCAGTCTCCACA GCTCCTCATCTATTTGGGTTCTAATCGGGCCTCCGGGGTCCCTGACAGGT TCAGTGGCAGTGGATCAGGCACAGATTTTACACTGAGAATCAGCAGAGT GGAGGCTGAGGATGTTGGGGTTTATTACTGCATGCAAGCTCTACAACT CCTCGCTTCGGCGGAGGGACCAAGGTGGAAATCAA
160	2554	586	DIVMTQSPVSLPVTGPGEPAISCRSSQSLLHSNGNNYLDWYLRPGQSPQLLI YLGSNRAAGVPDRFSGSGSGTDFTLRISRVEAEDVGVYYCMQALQTPRFGG GTKVEIK
160	2555	587	RSSQSLLHSNGNNYLD
160	2556	588	AGGTCTAGTCAGAGCCTCCTGCATTCTAATGGAAACAAC TATTTGGAT

160	2557	589	LGSNRAS
160	2558	590	TTGGGTTCTAATCGGGCCTCC
160	2559	591	MQALQTPR
160	2560	592	ATGCAAGCTCTACAAACTCCTCGC
161	2561	593	GAGGTGCAGCTGGTGGAGTCTGGGGGACACTTGGTACAGCCTGGGGGGT CCCTGAGACTCTCCTGTGCAGCCTCTGGATTACCTTCAGTAGCTATAGT ATGAACTGGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGATTTCAT ACATTAGTAGTAGTAGTAGTACCATGTACTACGCAGACTCTGTGAAGGG CCGATTACCATGTCCAGAGACAATGCCAAGAACTCACTGTATCTGCAA ATGAACAGCCTGAGAGACGAGGACACGGCTTTGTATTACTGTGCGAGAG ATTTCCCCCTATTAATCTAGCAGCGACAACCCGAACTACTACTACTAT GTTATGGACGTCTGGGGCCAAGGGACCACGGTCACCGTCTCCTCA
161	2562	594	EVQLVESGGHLVQPGGSLRLSCAASGFTFSSYSMNWVRQAPGKLEWISYI SSSSSTMYADSVKGRFTMSRDNAKNSLYLQMNSLRDEDTALYYCARDP PINLAATTRNYYYYVMDVWVGQGTITVTVSS
161	2563	595	FTFSSYSMN
161	2564	596	TTCACCTTCAGTAGCTATAGTATGAAC
161	2565	597	YISSSSSTMYADSVKG
161	2566	598	TACATTAGTAGTAGTAGTAGTACCATGTACTACGCAGACTCTGTGAAGG GC
161	2567	599	ARDFPPINLAATTRNYYYYVMDV
161	2568	600	GCGAGAGATTTCCCCCTATTAATCTAGCAGCGACAACCCGAACTACT ACTACTATGTTATGGACGTC
161	2569	601	GACATCCAGTTGACCCAGTCTCCATCCTCCCTGTCTGCATCTGTAGGAGA CAGAGTCACCATCACTTGCCGGGCAAGTCAGAGCATTAGCAGCTATTTA AATTGGTATCAGCAGAAACCAGGGAAAGCCCCTAACCTCCTAATCTATG CTACATCCAATTTGAAAAGTGGGGTCCCATCAAGGTTCACTGGCAGTGG ATCTGGGACAGATTTCACTCTCACCATCAGCAGTCTGCAACCTGAAGATT TTGCAACTTACTACTGTCAACAGAGTTACAGTACCTCGTACACTTTTGGC CAGGGGACCAAAGTGGATATCAAA
161	2570	602	DIQLTQSPSSLSASVGDRTITCRASQSISSYLNWYQQKPGKAPNLLIYATSN LKSGVPSRFSGSGSGTDFTLTISLQPEDFATYYCQQSYSTSYTFGQGTKVDI K
161	2571	603	RASQSISSYLN
161	2572	604	CGGGCAAGTCAGAGCATTAGCAGCTATTTAAAT
161	2573	605	ATSNLKS
161	2574	606	GCTACATCCAATTTGAAAAGT
161	2575	607	QQSYSTSYT
161	2576	608	CAACAGAGTTACAGTACCTCGTACACT
162	2577	609	GAGGTGCAGCTGGTGGAGTCCGGCCCTACTCTGGTGAAACCCACACAGA CCCTCACGCTGACCTGCACCTTCTCTGGGTTCTCACTCACTACTATTGGA GTGGGTGTGGGCTGGATCCGTCAGCCCCCAGGAAAGGCCCTGGAGTTTC TTGGAATCGTTTATTGGGATGATGATAAGCGGTACAGCCCATCTCTGAA GAGCAGGCTCACCATACCAAGGACACCTCCAAAAACCAGGTGGTCCTT

			ACGATGACCACGTTGGCCCCCTGAGGACACAGGCACATATTACTGTACAT ACGCCCCGCTATAGCAGTGCCTTGTTCGGGGGTTACTACTTTCACTCGTGG GGCCAGGGAACCCTGGTCACCGTCTCCTCA
162	2578	610	EVQLVESGPTLVKPTQTLTLTCTFSGFSLTTIGVGVGWIRQPPGKALEFLGIV YWDDDKRYSPSLKSRLTITKDTSKNQVVLMTTLAPEDTGTYYCTYARYSS ALFGGYYFHSWGQGLVTVSS
162	2579	611	FSLTTIGVGVG
162	2580	612	TTCTCACTCACCCTATTGGAGTGGGTGTGGGC
162	2581	613	IVYWDDDKRYSPSLKS
162	2582	614	ATCGTTTATTGGGATGATGATAAGCGGTACAGCCCATCTCTGAAGAGC
162	2583	615	TYARYSSALFGGYYFHS
162	2584	616	ACATACGCCCCGCTATAGCAGTGCCTTGTTCGGGGGTTACTACTTTCACTC G
162	2585	617	CAGTCTGTCCTGACGCAGCCGCCCTCGGTGTCAGTGGCCCCAGGACAGA CGGCCAAGATTACCTGTGGGGGAAACGACATTGGAAGTAGAAGTGTGCAC CTGGTACCAGCAGAAGCCAGGCCAGGCCCTGTGCTGGTTCGTCTATGAT AATAGCGACCGGCCCTCAGGGATCCCTGAACGATTCTCTGGCTCCAATTC TGGAGACACGGCCACCCTGACCATCAGCAGGGTCGAAGCCGGGGATGA GGCCGTCTATTACTGTGAGGTGTGGGAGAGTAGTGGTGATCATCCGAGG ATATTCGGCGGAGGGACCAAGCTCACCGTCCTA
162	2586	618	QSVLTQPPSVSVAPGQTAKITCGGNDIGSRSVHWYQQKPGQAPVLLVVDNS DRPSGIPERFSGSNSGDTATLTISRVEAGDEAVYYCQVWESSGDHPRIFGGG TKLTVL
162	2587	619	GGNDIGSRSVH
162	2588	620	GGGGGAAACGACATTGGAAGTAGAAGTGTGCAC
162	2589	621	DNSDRPS
162	2590	622	GATAATAGCGACCGGCCCTCA
162	2591	623	QVWESSGDHPRI
162	2592	624	CAGGTGTGGGAGAGTAGTGGTGATCATCCGAGGATA
163	2593	625	GAGGTGCAGCTGGTGGAGTCTGGGGGCGCCCTGGTAAAGCCGGGGGGG TCCCTTAGACTCTCCTGTGTAGGCACTGGACTCACTTTCACTACTGCCTA CATGAGCTGGGCCCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTGGT CGTATTCTGAGCAAAAGTGATGGTGGGACAACAGACTACCCTACACCCG TCAAAGGCAGATTACCATCTCAAGAGATGAATCTAAAAACACCCTGTA TCTGCAAATGAACAGCCTGAAAATCGAGGACACAGCCGTCTATTATTGT ACCACAGATAGGGGGATAACAGCTCGTCCTATCTTCGACTCCTGGGGCC AGGGAACCCTGGTCACCGTCTCCTCA
163	2594	626	EVQLVESGGALVKPGGSLRLSCVGTGLTFTTAYMSWARQAPGKGLEWVGR ILSKSDGGTTDYPTPVKGRFTISRDESKNTLYLQMNSLKIEDTAVYYCTTDR GITARPIFDSWGQGLVTVSS
163	2595	627	LTFTTAYMS
163	2596	628	CTCACTTTCACTACTGCCTACATGAGC
163	2597	629	RILSKSDGGTTDYPTPVKG

163	2598	630	CGTATTCTGAGCAAAAGTGATGGTGGGACAACAGACTACCCTACACCCG TCAAAGGC
163	2599	631	TTDRGITARPIFDS
163	2600	632	ACCACAGATAGGGGGGATAACAGCTCGTCCTATCTTCGACTCC
163	2601	633	CAGTCTGTGCTGACGCAGCCGCCCTCAGTGTCTGGGGCCCTAGGGCGGA GGGTCACCATCTCCTGCACTGGGAGCAGCTCCAACATCGGGGCAGGTTA TGATGTACATTGGTACAGGCAACTTCCAGGAACAGCCCCCAAACCTCTC ATTTATGGTAACACCAAACGGGCCCTCAGGGGTCCCTGACCGATTCTCTGG CTCCAAGTATGCCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAGGCTG ACGATGACGCTGATTATTACTGCCAGTCCTATGACGGCGGCCTGAGTGG TTATGTCTTCGGAAGTGGGACCAAGGTCACCGTCCTA
163	2602	634	QSVLTQPPSVSGALGRRVTISCTGSSSNIGAGYDVHWYRQLPGTAPKLLIYG NTRPSGVDPDRFSGSKYATSASLAITGLQADDDADYQCQSYDGGLSGYVFG TGTKVTVL
163	2603	635	TGSSSNIGAGYDVH
163	2604	636	ACTGGGAGCAGCTCCAACATCGGGGCAGGTTATGATGTACAT
163	2605	637	GNTKRPS
163	2606	638	GGTAACACCAAACGGGCCCTCA
163	2607	639	QSYDGGLSGYV
163	2608	640	CAGTCCTATGACGGCGGCCTGAGTGGTTATGTC
164	2609	641	CAGGTCCAGCTGGTGCAGTCTGGGGGAGGCCTGGTCAAGCCTGGGGGGT CCCTGAGACTCTCCTGTGCAGGCTCTGGATTACCTTCAGTAGCTATAACC CTGAACTGGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTCTCAT CCATTAGTAGTAGTAGTACTTACATATACTACGCAGACTCAGTGAAGGG CCGATTCACCATCTCCAGAGACAACGCCAAGAACTCACTGCATCTGCAA ATGAACAGCCTGAGAGCCGAGGACACGGCTGTGTATTATTGTGCGAGAG CTGACTATGATAGAAGTGTATTATCACCTCAATTGGTTCGACCCCTGGGGC CAGGGAACCCTGGTCACCGTCTCCTCA
164	2610	642	QVQLVQSGGGLVKPGGSLRLSCAGSGFTFSSYTLNWVRQAPGKGLEWVSSI SSSSTYIYYADSVKGRFTISRDNALNSLHLQMNSLRAEDTAVYYCARADYD RSVYHLNWFDPPWGQGLTVTVSS
164	2611	643	FTFSSYTLN
164	2612	644	TTCACCTTCAGTAGCTATAACCCTGAAC
164	2613	645	SISSSSTYIYYADSVKG
164	2614	646	TCCATTAGTAGTAGTAGTACTTACATATACTACGCAGACTCAGTGAAGG GC
164	2615	647	ARADYDRSVYHLNWFDPP
164	2616	648	GCGAGAGCTGACTATGATAGAAGTGTATTATCACCTCAATTGGTTCGACCC C
164	2617	649	CAGTCTGTGTTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAGGGCAGA GGGTCACCATCTCCTGCACTGGGAGCAGCTCCAACATCGGGGCAGGTTA TGATGTACACTGGTACCAGCAACTTCCAGGAGCAGCCCCCAAACCTCTC ATCTATGGTAACACCAATCGGCCCTCAGGGGTCCCTGACCGATTTTCTGG CTCCAAGTCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAGGCTG ACGATGAGGCTGATTATTACTGCCAGTCCTATGACAGCAGCCTGAGTGG

			CACTTGGGTGTTTCGGCGGAGGGACCAAGCTCACCGTCCTA
164	2618	650	QSVLTQPPSVSGAPGQRTISCTGSSSNIGAGYDVHWYQQLPGAAPKLLIYG NTNRPSGVPDRFSGSKSGTSASLAITGLQADDEADYYCQSYDSSLSGTWVF GGGTKLTVL
164	2619	651	TGSSSNIGAGYDVH
164	2620	652	ACTGGGAGCAGCTCCAACATCGGGGCAGGTTATGATGTACAC
164	2621	653	GNTNRPS
164	2622	654	GGTAACACCAATCGGCCCTCA
164	2623	655	QSYDSSLSGTWV
164	2624	656	CAGTCCTATGACAGCAGCCTGAGTGGCACTTGGGTG
165	2625	657	GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCAGGGCGGT CCCTGAGACTCTCTTGTTCAGGTTCTGGATTACCTTTGGGGATTATGCT CTGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTAGGTT TCATTAGAAGCAAAGCCTATGGTGGGACAACAGAATACGCCGCGTCTGT GAAAGGCAGATTACCATTCTCAAGAGATGATTCCAAAAGCATCGCCTAT CTGCAAATGAACAGCCTGAAAACCGAGGACACAGCCGTGTATTACTGTA CTATGGCTGTAGTGGTGCCAGGTGCTACAGATGCTTTTGATATCTGGGGC CAAGGGACAATGGTCACCGTCTCTTCA
165	2626	658	EVQLLESGGGLVQPGRSLRLSCSGSGFTFGDYALSWVRQAPGKGLEWVGF RSKAYGGTTEYAASVKGRFTISRDDSKSIAYLQMNSLKTEDTAVYYCTMAV VVPGATDAFDIWGQGTMTVSS
165	2627	659	FTFGDYALS
165	2628	660	TTCACCTTTGGGGATTATGCTCTGAGC
165	2629	661	FIRSKAYGGTTEYAASVKG
165	2630	662	TTCATTAGAAGCAAAGCCTATGGTGGGACAACAGAATACGCCGCGTCTG TGAAAGGC
165	2631	663	TMAVVVPATDAFDI
165	2632	664	ACTATGGCTGTAGTGGTGCCAGGTGCTACAGATGCTTTTGATATC
165	2633	665	AATTTTATGCTGACTCAGCCCCACTCTGTGTGCGAGTCTCCGGGGAAGAC GGTAACCATCTCCTGTACCCGCAGCAGTGGCAGCATTGCCAGCGACTAT GTGCAGTGGTTCCAGCAGCGCCCGGCAGTTCCCCCGCCACTGTGATCT ATCAGGATAACCAAAGACCCTCTGGGGTCCCTGATCGGTTCTCTGGCTCC ATCGACACCTCCTCCAACCTCTGCCTCCCTCACCATTCTCTGGACTGAAGAC TGAGGACGAGGCTGACTACTACTGTCACTCTTATGATAGTAGCAATCCTT GGGTGTTTCGGCGGAGGGACCAAGCTCACCGTCCTA
165	2634	666	NFMLTQPHSVSESPGKTVTISCTRSSGSIASDYVQWFQQRPGSSPATVIYQDN QRPSGVPDRFSGSIDTSSNSASLTISGLKTEADYYCHSYDSSNPWFVGGG TKLTVL
165	2635	667	TRSSGSIASDYVQ
165	2636	668	ACCCGCAGCAGTGGCAGCATTGCCAGCGACTATGTGCAG
165	2637	669	QDNQRPS
165	2638	670	CAGGATAACCAAAGACCCTCT
165	2639	671	HSYDSSNPWV

165	2640	672	CACCTCTTATGATAGTAGCAATCCTTGGGTG
166	2641	673	GAGGTGCAGCTGGTGGAGTCCGGAGGAGGCTTGATCCAGCCGGGGGGG TCCCTGAGACTCTCCTGTGCAGTCTCTGGGTTCAGCGTCAGCAGCAACTA TATAAGTTGGGTCCGCCAGCCTCCAGGGAAGGGGCTGGAGTGGGTCTCA GTTAGTTATAGTAGTGGTGTACAGACTACGCAGACTCCGTGAAGGGCC GATTCACCACCTCCAGAGACAACCTCCAAGAACACGCTGTATCTTCAAAT GAACAGCCTGAGAGGCGAAGACACGGCCGTCTATTACTGTGCGAGAGA GTTGGTGCCAAATTTCTATGAAAGTCATGGTTATTTTTCCGTGTGGGGCC AGGGAACCCTGGTCACCGTCTCCTCA
166	2642	674	EVQLVESGGGLIQPGGSLRLSCAVSGFSVSSNYISWVRQPPGKGLEWVSYSY SSGVTDYADSVKGRFTTSRDNSKNTLYLQMNSLRGEDTAVYYCARELVPN FYESHGYFSVWGQGLTVTVSS
166	2643	675	FSVSSNYIS
166	2644	676	TTCAGCGTCAGCAGCAACTATATAAGT
166	2645	677	VSYSSGVTDYADSVKG
166	2646	678	GTTAGTTATAGTAGTGGTGTACAGACTACGCAGACTCCGTGAAGGGC
166	2647	679	ARELVPNFYESHGYFSV
166	2648	680	GCGAGAGAGTTGGTGCCAAATTTCTATGAAAGTCATGGTTATTTTTCCGT G
166	2649	681	GATATTGTGATGACTCAGTCTCCAGGCACCCTGTCTTTGTCTCCAGGGGA AAGAGCCACCCTCTCCTGCAGGGCCAGTCAGAGAGTTGACAGCAGCTAC TTAGCCTGGTACCAGCAGAAACCTGGCCAGGCTCCAGGCTCCTCATCT ATGGTGGATCCAGCAGGGCCACTGGCATCCCAGACAGGTTCACTGGCAG TGGGTCTGGGACAGACTTCACTCTACCATCAGCAGGCTGGAGCCTGAA GATTTTGCGTTGTATTACTGTCAGCAGTATGGTTTCTCACAGACGTTCCG CCAAGGGACCAAGGTGGAGATCAAA
166	2650	682	DIVMTQSPGTLSPGERATLSCRASQRVDSSYLAWYQQKPGQAPRLLIYGG SSRATGIPDRFSGSGSGTDFLTISRLEPEDFALYYCQYGFSTFGQGTKVEI K
166	2651	683	RASQRVDSSYLA
166	2652	684	AGGGCCAGTCAGAGAGTTGACAGCAGCTACTTAGCC
166	2653	685	GGSSRAT
166	2654	686	GGTGGATCCAGCAGGGCCACT
166	2655	687	QQYGFST
166	2656	688	CAGCAGTATGGTTTCTCACAGACG
167	2657	689	GAGGTGCAGCTGTTGGAGACTGGGGGAGGCTTGTTAAGCCGGGGGGGT CCCTGAGACTCTCCTGTGAAGCCACTGGATTCACTTCAGCGACTTTGCC ATGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTCTCAC TGATTAAGAGTAGTGATTATCCATACTATGCAGACTCCGTGAGGGGCGG CTTCACCATCTCCAGAGACAATTCCAAGAACACCCTGTATCTGCGAATG GACAACCTGAGAGCCGACGACACGGCCGTGTATTACTGTGCCAAGGACG CCGATTTTTGGAGTGGTGAGGCCTACAATGGAGGGGTACAACCTTTGACTC CTGGGGCCAGGGAACCCTGGTCACCGTCTCCTCA
167	2658	690	EVQLLETGGGLVKPGGSLRLSCEATGFTFSDFAMSWVRQAPGKGLEWVSLI KSSDYPYYADSVRGRFTISRDNKNTLYLRMDNLRADDTAVYYCAKDADF

			WSGEAYNGGYNFDSWGQGLVTVSS
167	2659	691	FTFSDFAMS
167	2660	692	TTCACCTTTCAGCGACTTTGCCATGAGC
167	2661	693	LIKSSDYPYYADSVRG
167	2662	694	CTGATTAAGTAGTGATTATCCATACTATGCAGACTCCGTGAGGGGC
167	2663	695	AKDADFWSGEAYNGGYNFDS
167	2664	696	GCCAAGGACGCCGATTTTTGGAGTGGTGAGGCCTACAATGGAGGGTACA ACTTTGACTCC
167	2665	697	GAAATTGTATTGACACAGTCTCCAGCCACCCTGTCTGTCTCTCCAGGGGA AAGAGCCACCCTCTCCTGCAGGGCCAGTCAGAGTATTGGCACCAACTTG GCCTGGTACCAGCAAAAACCTGGCCAGGCTCCCCGGCTCCTCATCTTTGG TGCTCAACCAGGGCCACGGGTATCCAGCCAGGTTCACTGGCAGTGGG TCTGGGACAGAGTTCCTCTCACCATCGGCAGCCTCCAGTCTGAAGATTT TGCAGTTTATTACTGTCAGCAGTACAATCAGTGGCCTCCGATCACTTCG GCGGAGGGACCAAGGTGGAAATCAAA
167	2666	698	EIVLTQSPATLSVSPGERATLSCRASQSIGTNLAWYQQKPGQAPRLIFGAST RATGIPARFTGSGSGTEFTLTIGSLQSEDFAVYYCQQYNQWPPITFGGGTKV EIK
167	2667	699	RASQSIGTNLA
167	2668	700	AGGGCCAGTCAGAGTATTGGCACCAACTTGGCC
167	2669	701	GASTRAT
167	2670	702	GGTGCCTCAACCAGGGCCACG
167	2671	703	QQYNQWPPIT
167	2672	704	CAGCAGTACAATCAGTGGCCTCCGATCACT
168	2673	705	GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCGTGGTCCAGCCTGGGAAGT CCCTGAGACTCTCCTGTGTAGCCTCTGGATTACCTTCGGTGACTATGGC ATGCACTGGGTCCGCCAGGCTCCAGGCAAGGGGTGGAGTGGGTGGCAG TTATATCAGATGGTGGAAGCACTAAATACTATGCAGACTCCGTGAAGGG CCGATTCACCATCGCCAGAGACAATTCCAAGAACACGCTGAATCTGCAA ATGAACAGCCTGAGAGCTGAGGACACGGCTGTGTATTACTGTGCGAAAG ATTTGGCTTGATTTTTGGACTGGGTGCTTCATATATGGACGTCTGGGGC CAAGGGACCCTGGTCACCGTCTCCTCA
168	2674	706	EVQLLESQGGVVPQPKSLRLSCVASGFTFGDYGMHWVRQAPGKGLEWVA VISDGGSTKYYADSVKGRFTIARDNSKNTLNLMNSLRAEDTAVYYCAKD LAWIFGLGASYMDVWGQGLVTVSS
168	2675	707	FTFGDYGMH
168	2676	708	TTCACCTTCGGTGACTATGGCATGCAC
168	2677	709	VISDGGSTKYYADSVKG
168	2678	710	GTTATATCAGATGGTGGAAGCACTAAATACTATGCAGACTCCGTGAAGG GC
168	2679	711	AKDLAWIFGLGASYMDV
168	2680	712	GCGAAAGATTTGGCTTGATTTTTGGACTGGGTGCTTCATATATGGACGT C

168	2681	713	GACATCCAGTTGACCCAGTCTCCAGGCACCCGTGTCTTTGTCTCCAGGGGA AAGAGCCACCCCTCTCCTGCAGGGCCAGTCAGACTGTTAGTAGCAGCTAC TTAGCCTGGTACCAGCAGAAACCTGGCCAGGCTCCCAGGCTCCTCATCT ATGATGCATCCAGCAGGGCCACTGGCATCCCAGACAGGTTTCAGTGGCAG TGGGTCTGGGACAGACTTCACTCTCACCATCAGCAGACTGGAGCCTGAA GATTTTGCAGTGTATTACTGTCAGCAGTATGGTAGCTCACCTTTCGGGCT CACTTTCGGCGGAGGGACCAAGGTGGAAATCAAA
168	2682	714	DIQLTQSPGTLSPGERATLSCRASQTVSSSYLAWYQQKPGQAPRLLIYDA SSRATGIPDRFSGSGSGTDFTLTISRLEPEDFAVYYCQQYGSSPFGLTFGGGT KVEIK
168	2683	715	RASQTVSSSYLA
168	2684	716	AGGGCCAGTCAGACTGTTAGTAGCAGCTACTTAGCC
168	2685	717	DASSRAT
168	2686	718	GATGCATCCAGCAGGGCCACT
168	2687	719	QQYGSSPFGLT
168	2688	720	CAGCAGTATGGTAGCTCACCTTTCGGGCTCACT
169	2689	721	CAGGTCCAGCTGGTGCAGTCTGGGGGAGGCTTGGTACAGCCGGGGGGGT CCCTGCGACTCTCCTGTGCAGCCTCTGGATTACCTTTGGGAGACATGCC ATGACGTGGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTGCGA GGCATTACTGCTACTGGGGACCCACATACTACCCAGACTCCGTGAAGG GCCGGTTCGCCGCTCTCCAGAGACAACTCCCGGAACACGCTTTATCTGCA AATGGACAGTCTGAGAGTCGAGGACACGGCCCTATATTACTGTGCGAGA AGTTGGGATGACTACGGTGACCTGGACTGGTACTTCGCTCTCTGGGGCC GTGGCACAATGGTCACCGTCTCTTCA
169	2690	722	QVQLVQSGGGLVQPGGSLRLSCAASGFTFGRHAMTWVRQAPGKGLEWVA GITATGDPTYYPDSVKGRFAVSRDNRNTLYLQMDSLRVEDTALYYCARS WDDYGDLDWYFALWGRGTMVTVSS
169	2691	723	FTFGRHAMT
169	2692	724	TTCACCTTTGGGAGACATGCCATGACG
169	2693	725	GITATGDPTYYPDSVKG
169	2694	726	GGCATTACTGCTACTGGGGACCCACATACTACCCAGACTCCGTGAAGG GC
169	2695	727	ARSWDDYGDLDWYFAL
169	2696	728	GCGAGAAGTTGGGATGACTACGGTGACCTGGACTGGTACTTCGCTCTC
169	2697	729	GAAATTGTGATGACACAGTCTCCAGCCATCCTGTCTGTGTCTCCAGGGGA AAGAGCCACCCCTCTCCTGCAGGGCCAGTCAGAGTGTAGCAGCAGCTTG GCCTGGTACCAGCAGAAACCTGGCCAGGCTCCTAGGCTCCTCATCTACG GTGCATCCACCAGGGCCACTGGTATCCCACCCCGTTTCAGTGGCAGTGG GTCTGGGACACAATTCCTCTCACCATCAGCAGCCTGCAGTCTGAAGAT GTTGCAGTATATTACTGTCAGCAGTATAGTGACTGGCCTCCGCTCACTTT CGGCGGGGGGACCAAGGTGGAAATCAAA
169	2698	730	EIVMTQSPAILSVPGERATLSCRASQSVSSSLAWYQQKPGQAPRLLIYGAST RATGIPPRFSGSGSGTQFTLTISLQSEDVAVYYCQQYSDWPPLTFGGGTKV EIK
169	2699	731	RASQSVSSSLA

169	2700	732	AGGGCCAGTCAGAGTGTTAGCAGCAGCTTGGCC
169	2701	733	GASTRAT
169	2702	734	GGTGCATCCACCAGGGCCACT
169	2703	735	QQYSDWPPLT
169	2704	736	CAGCAGTATAGTGACTGGCCTCCGCTCACT
170	2705	737	GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTCAAGCCTGGAGGGT CCCTGAGACTCTCCTGTGGAGCCTCTGGATTCAAGTTCAGTGACTACTAC ATGAGTTGGATCCGCCAGGCTCCAGGGAAGGGGCTAGAGTGGGTTTCAC ACATTAGTAGTAGTAATAGTTACATAAACTACGCAGACTCTGTGAAGGG CCGATTCACCATCTCCAGGGACAACGCCAGGAACTCACTGTCTCTGCAA ATGAACAGCCTGAGAGCCGAGGACACGGCCGTGTATTACTGTGCGAGAT TCCCCCTTTACTGTAGTCGTTCTCCTGCTCCCATTACGTTGACTACTGGG GCCAGGGAACCCTGGTCACCGTCTCCTCA
170	2706	738	EVQLLESGGGLVKPGGSLRLSCGASGFKFSDYYMSWIRQAPGKGLEWVSHI SSNSYINYADSVKGRFTISRDNARNLSLQMNLSRAEDTAVYYCARFPLYC SRSSCSHYVDYWGQGLTVTVSS
170	2707	739	FKFSDYYMS
170	2708	740	TTCAAGTTCAGTGACTACTACATGAGT
170	2709	741	HISNSYINYADSVKG
170	2710	742	CACATTAGTAGTAGTAATAGTTACATAAACTACGCAGACTCTGTGAAGG GC
170	2711	743	ARFPLYCSRSSCSHYVDY
170	2712	744	GCGAGATTCCCCCTTTACTGTAGTCGTTCTCCTGCTCCCATTACGTTGAC TAC
170	2713	745	CAGTCTGTCCTGACTCAGCCTCCCTCAGTGTCTGGGGCCCCAGGGCAGA GGGTCACCATCTCCTGCACTGGGAGCGGCTCCAACATCGGGGCAGGTTA TGATGTACACTGGTACCAGCAGCTTCCAGGAACAGCCCCAACTCCTC ATCTATGATAACAACAATCGGCCCTCAGGGGTCCCTGACCGATTCTCTGG CTCCAAGTCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAGGTTG AGGATGAGGCTGATTATTACTGCCAGTCCTATGACAGGAGCCTGAGTGT GGTATTCGGCGGAGGGACCAAGGTCACCGTCCTA
170	2714	746	QSVLTQPPSVSGAPGQRTISCTGSGSNIGAGYDVHWYQQLPGTAPKLLIYD NNNRPSGVPDRFSGSKSGTSASLAITGLQVEDEADYYCQSYDRSLSVVFGG GTKVTVL
170	2715	747	TGSGSNIGAGYDVH
170	2716	748	ACTGGGAGCGGCTCCAACATCGGGGCAGGTTATGATGTACAC
170	2717	749	DNNRPS
170	2718	750	GATAACAACAATCGGCCCTCA
170	2719	751	QSYDRSLSVV
170	2720	752	CAGTCCTATGACAGGAGCCTGAGTGTGGTA
171	2721	753	CAGGTGCAGCTGGTGCAATCTGGACCAGAGGTGAAAAAGCCGGGGAG TCTCTGAAGATCTCCTGTAAGGGTTCTGGATATACGTTTACTACCTACTG GATCGGCTGGGTGCGCCAGAGGCCCGGGAAGGGCCTGGAGTGGATGGG

			AATCATCCATCCCGGTGACTCTGATACCAGATACAGTCCGTCCTTACAAG GCCAGGTCACCATCTCAGTCGACAAGTCCATCAATACCGCCTACCTGCA GTGGAGGAGTTTGAAGGCCTCGGACACCGGCATGTATTATTGTGCGAGA TTCGAATACGGTGACTTCGGGAATGACTTCTGGGGCCAGGGAACCTGG TCACTGTCTCCTCA
171	2722	754	QVQLVQSGPEVKKPGESLKISCKSGSYTFTTYWIGWVRQRPKGLEWMGII HPGDS DTRYSPSLQGQVTISVDKSINTAYLQWRSLKASDTGMYCARFEYG DFGNDFWGQGLTVTVSS
171	2723	755	YTFTTYWIG
171	2724	756	TATACGTTTACTACCTACTGGATCGGC
171	2725	757	IIHPGDS DTRYSPSLQG
171	2726	758	ATCATCCATCCCGGTGACTCTGATACCAGATACAGTCCGTCCTTACAAGG C
171	2727	759	ARFEYGDFGNDF
171	2728	760	GCGAGATTGGAATACGGTGACTTCGGGAATGACTTC
171	2729	761	AATTTTATGCTGACTCAGCCCCACTCTGTGTGCGGAGTCTCCGGGGAAGAC GGTAACCATCTCCTGCTCCCGCAGCAGTGGCAGCATTGCCAACAACTAT GTGCAGTGGTACCAGCAGCGCCCGGGCAGTTCCCCCACCCTGTGATCT ATGAGGATAACCAAAGACCCTCTGGGGTCCCTGATCGGTTCTCTGGCTCC ATCGACAGCTCCTCCAACCTCTGCCTCCCTCACCATCTCTGGACTGAAGAC TGAGGACGAGGCAGACTACTACTGTCACTTATGATAGTAGCAATCAT AGGGTGTTTCGGCGGAGGGACCAAGCTCACCGTCCTA
171	2730	762	NFMLTQPHSVSESPGKTVTISCSRSSGSIANNYVQWYQQRPGSSPTTVIYEDN QRPSGVPDRFSGSIDSSNSASLTISGLKTEDEADYQCQSYDSSNHRVFGGGT KLTVL
171	2731	763	SRSSGSIANNYVQ
171	2732	764	TCCCGCAGCAGTGGCAGCATTGCCAACAACTATGTGCAG
171	2733	765	EDNQRPS
171	2734	766	GAGGATAACCAAAGACCCTCT
171	2735	767	QSYDSSNHRV
171	2736	768	CAGTCTTATGATAGTAGCAATCATAGGGTG
172	2737	769	GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGT CCCTGCGACTCTCCTGTGCAGCCTCTGGATTACCTTTAGGAGATATGCC ATGACCTGGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTGCGAG CTATTACTGCTACTGGTGATACCACATACTACCCAGACTCCGTAAAGGGC CGGTTCCCGTCTCCAGAGACAATTCCCGGAACACGCTTTATCTGCAAAT GGACAGTCTGAGAGCCGAGGACACGGCCCTATATTACTGTGCGAAAAGT TGGGATGACTACGGTGACCTGGACTGGTACTTCGCTCTCTGGGGCCGTG GCACCCTGGTCACCGTCTCCTCA
172	2738	770	EVQLLES GGGVLVQPGGSLRLSCAASGFTFRRYAMTWVRQAPGKLEWVAA ITATGDTTYYPD SVKGRFAVSRD NSRNTLYLQMDSLRAEDTALYYCAKSW DDYGDLDWYFALWGRGTLTVTVSS
172	2739	771	FTFRRYAMT
172	2740	772	TTCACCTTTAGGAGATATGCCATGACC

172	2741	773	AITATGDTTYPDSVKG
172	2742	774	GCTATTACTGCTACTGGTGATACCACATACTACCCAGACTCCGTAAAGG GC
172	2743	775	AKSWDDYGDLDWYFAL
172	2744	776	GCGAAAAGTTGGGATGACTACGGTGACCTGGACTGGTACTTCGCTCTC
172	2745	777	GATATTGTGATGACCCAGTCTCCAGCCATCCTGTCTGTGTCTCCAGGGGA AAGAGCCACCCTCTCCTGCAGGGCCAGTCAGAGTGTTAGCAGCAGCTTG GCCTGGTACCAGCAGAAACCTGGCCAGGCTCCCAGGCTCCTCATCTACG GTGCATCCACCAGGGCCACTGGTATCCCACCCCGTTTCAGTGGCAGTGG GTCTGGGACACAATTCACTCTCACCATCAGCAGCCTGCAGTCTGAAGATT TTGCAGTGTATTACTGTCAGCAGTATAGTGACTGGCCTCCGCTCACTTTC GGCGGGGGGACCAAGGTGGAGATCAAA
172	2746	778	DIVMTQSPAILSVSPGERATLSCRASQSVSSSLAWYQQKPGQAPRLLIYGAST RATGIPPRFSGSGSGTQFTLTISLQSEDFAVYYCQQYSDWPPLTFGGGKVE IK
172	2747	779	RASQSVSSSLA
172	2748	780	AGGGCCAGTCAGAGTGTTAGCAGCAGCTTGGCC
172	2749	781	GASTRAT
172	2750	782	GGTGCATCCACCAGGGCCACT
172	2751	783	QQYSDWPPLT
172	2752	784	CAGCAGTATAGTGACTGGCCTCCGCTCACT
173	2753	785	CAGGTCCAGCTTGTACAGTCTGGGGGAGGTTTGGTACAGCCTGGGGGGT CCCTGAGACTCTCCTGTGCAGCCTCTAGATTACCTTTAGCAGCTATGCC ATGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTCTCAA CTATTAGTGGTAGTGGTATTAGCACGTACTACGCAGACTCCGTGAAGGG CCGGTTCACCATCTCCAGAGACAATTCCAAGAACACGCTGTATCTGCAA ATGAACAGCCTGAGCGCCGAGGACACGGCCGTATATTACTGTGCGAAAG AATTGAGGGAGTATTACTATGATAGCAGTGGCTTTGACTACTGGGGCCA GGGAACCCTGGTCACCGTCTCCTCA
173	2754	786	QVQLVQSGGGLVQPGGSLRLSCAASRFTFSSYAMSWVRQAPGKGLEWVSTI SGSGISTYYADSVKGRFTISRDNKNTLYLQMNSLSAEDTAVYYCAKELRE YYYDSSGFDYWGQGLVTVSS
173	2755	787	FTFSSYAMS
173	2756	788	TTCACCTTTAGCAGCTATGCCATGAGC
173	2757	789	TISGSGISTYYADSVKG
173	2758	790	ACTATTAGTGGTAGTGGTATTAGCACGTACTACGCAGACTCCGTGAAGG GC
173	2759	791	AKELREYYYDSSGFDY
173	2760	792	GCGAAAGAATTGAGGGAGTATTACTATGATAGCAGTGGCTTTGACTAC
173	2761	793	CAGCCTGTGCTGACTCAGTCTCGCTCAGTGTCCGGGTCTCCTGAACAGTC AGTCACCATCTCCTGCACTGGAACCAGCAGTGATGTTGGTGGTTATAACT ATGTCTCCTGGTACCAACAGCACCCAGGCAAAGCCCCCAAACATCATGAT TTATGATGTCAGTAAGCGGCCCTCAGGGGTCCCTGATCGCTTCTCTGGCT CCAAGTCTGGCAACACGGCCTCCCTGACCATCTCTGGGCTCCAGGCTGA

			GGATGAGTCTGATTATTACTGCTGCTCATATGCAGGCACCTACACTTATG TCTTCGGAAC TGGGACCAAGGTCACCGTCCTA
173	2762	794	QPVLTSRSVSGSPEQSVTISCTGTSSDVGGYNYVSWYQQHPGKAPKLMY DVSKRPSGVPDRFSGSKSGNTASLTISGLQAEDES DYCCSYAGTYTYVFGT GTKVTVL
173	2763	795	TGTSSDVGGYNYVS
173	2764	796	ACTGGAACCAGCAGTGATGTTGGTGGTTATAACTATGTCTCC
173	2765	797	DVSKRPS
173	2766	798	GATGTCAGTAAGCGGCCCTCA
173	2767	799	CSYAGTYTYV
173	2768	800	TGCTCATATGCAGGCACCTACACTTATGTC
174	2769	801	GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCGTGGTCCAGCCTGGGAGGT CCCTGAAACTCTCCTGTGCAGCCTCTGGATTCACTTCACTACCGATGTT ATGCACTGGATACGCCAGGCTCCAGGCAAGGGGCTGGAGTGGGTGGCA GTTATTTCAACTGATGGAGCCAATTCATACTACGCAGAGTCCGTGAAGG GCCGATTACCATCTCCAGAGACAATTCGAAGAACACGCTGTTTCTGCA GATGAGCAGCCTGAGAGCTGAGGACACGGCTGTGTATTATTGTGCGAGC CAGGGATATCATTATGTTAATATGGCTGATGTGGGAGTGCCCTCGTTTGA CCACTGGGGCCAGGGAACCCTGGTCACCGTCTCCTCA
174	2770	802	EVQLLESGGGVVQPGRSLKLSAASGFSFTTDMHWIRQAPGKGLEWVAVI STDGANSYYAESVKGRFTISRDN SKNTLFLQMSSLRAEDTAVYYCASQGYH YVNMADVGVPSFDHWGQGLVTVSS
174	2771	803	FSFTTDMVH
174	2772	804	TTCAGCTTCACTACCGATGTTATGCAC
174	2773	805	VISTDGANSYYAESVKG
174	2774	806	GTTATTTCAACTGATGGAGCCAATTCATACTACGCAGAGTCCGTGAAGG GC
174	2775	807	ASQGYHYVNMADVGVPSFDH
174	2776	808	GCGAGCCAGGGATATCATTATGTTAATATGGCTGATGTGGGAGTGCCCT CGTTTGACCAC
174	2777	809	GAAACGACACTCACGCAGTCTCCATCCTCCCTGTCTGCATCTGTCTGGAGA CAGAGTACCATCACTTGCCGGGCACGTCGGAGCATTGACAACTATTTA AATTGGTATCAGCACAAACCAGGGACAGCCCCTAAGCTCCTGATCTATG CTGTATCCAGTTTGCCTAGCGGGTCCCATCGAGATTCACTGGCAGTGG ATCTGGGGCAGACTTCACTCTACCATCAGCAGTCTGCAACCTGAAGAT CTTGCAACTTACTACTGTCAACAGAGTTACATGACCCCTCCCACTTTTGG CCAGGGGACCAAGCTGGAGATCAAA
174	2778	810	ETTLTQSPSSLSASVGDRVITICRARRSIDNYLNWYQHKPGTAPKLLIYAVSS LP SGVPSRFSGSGSGADFTLTISLQPEDLATYYCQQSYMTPPTFGQGTKLEI K
174	2779	811	RARRSIDNYLN
174	2780	812	CGGGCACGTCGGAGCATTGACAACTATTTAAAT
174	2781	813	AVSSLPS
174	2782	814	GCTGTATCCAGTTTGCCTAGC

174	2783	815	QQSYMTPPT
174	2784	816	CAACAGAGTTACATGACCCCTCCCACT
175	2785	817	GAGGTGCAGCTGTTGGAGTCTGGGGCTGAGGTGAAGAAGCCTGGGTCCT CGGTGAAGGTCTCCTGCAAGGCTTCTGGCGGCACCTTCAGCAGCTATGCT ATAACCTGGGTGCGACAGGCCCTGGACAAGGACTTGAGTGGATGGGAG GGATCATCCCTATCCTTGGAACAACAACCTACGCACAGAGGTTCCAGGG CAGAGTCACGATTACCGCGGACAAATCCACGACAACAGCCTACATGGAG CTGAGTCGCCTGAGATCTGAGGACACGGCCGTCTATTACTGTGCGAAAA CGGTGTCACAATATCCCAACACCTACAACCTACGGCATGGACGTCTGGGG CCAAGGGACCACGGTCACCGTCTCCTCA
175	2786	818	EVQLLESGAEVKKPGSSVKVSKASGGTFSSYAITWVRQAPGQGLEWMGGI IPILGTTTYAQRFGQGRVTITADKSTTTAYMELSRLEDTAIVYYCAKTVSQY PNTYNYGMDVWGQGTTVTVSS
175	2787	819	GTFFSYAIT
175	2788	820	GGCACCTTCAGCAGCTATGCTATAACC
175	2789	821	GIIPILGTTTYAQRFGQ
175	2790	822	GGGATCATCCCTATCCTTGGAACAACAACCTACGCACAGAGGTTCCAGG GC
175	2791	823	AKTVSQYPNTYNYGMDV
175	2792	824	GCGAAAACGGTGTCAATATCCCAACACCTACAACCTACGGCATGGACG TC
175	2793	825	GAAATTGTGATGACACAGTCTCCCTCCTCCTGTCTGCATCTGTAGGAGA CAGAGTCACCATCACTTGCCGGGCAAGTCAGAGCGTTAGCATCTATTTA AACTGGTATCAGCAGAAACCAGGGAAAACCCCTGAGCTCCTGATCTATG GTGCATCCCGTTTGCAAAGTGGGGTCCCATCAAGGTTTCAGTGGCAGTGG ATCTGGGACAGATTTCACTCTCACCATCAGCAGTCTGCAACCTGAAGATT TTGCAACTTACTACTGTCTACAGACGTACTCTACCCCCCTCACCTTCGGC CAAGGGACCAAGGTGGAAATCAAA
175	2794	826	EIVMTQSPSSLSASVGRVTITCRASQSVSIYLNWYQQKPGKTPELLIYGASR LQSGVPSRFSGSGSGTDFLTITSLQPEDFATYYCLQTYSTPLTFGQGTKVEIK
175	2795	827	RASQSVSIYLN
175	2796	828	CGGGCAAGTCAGAGCGTTAGCATCTATTTAAAC
175	2797	829	GASRLQS
175	2798	830	GGTGCATCCCGTTTGCAAAGT
175	2799	831	LQTYSTPLT
175	2800	832	CTACAGACGTACTCTACCCCCCTCACC
176	2801	833	CAGGTGCAGCTGGTGGAGTCTGGGGCTGAGGTGAAGAAGCCTGGGTCCT CGGTGAAGGTCTCCTGCAAGGCTTCTGGAGGCACCTTCGGCAGGGATTC TATCAGCTGGGTGCGACAGGCCCTGGGCAGGGCCTTGAGTGGATGGGA GGGATCAACCTATCTTTCATACATCACACTACGCACAGAAATTCAGG GCAGAGTCACAATTACCGCGGACGAGTCCACGAGCACAGCCTACATGGA ACTGGGCAACCTGAGATCTGAGGACACGGCCATGTATTACTGTGCGAGA GTTCCCCCCCCCGGGGTCAATTGTGAGAGTACCAGCTGTTTATGGGGGAC CTATTTTGCTTCTGGGGCCAGGGAACCCTGGTCACCGTCTCCTCA

176	2802	834	QVQLVESGAIEVKKPGSSVKVSKASGGTFGRDSISWVRQAPGQGLEWMGG INPIFHTSHYAQKFQGRVTITADESTSTAYMELGNLRSEDTAMYYCARVPPP RGHCESTSCLWGTYFAFWGQGTLVTVSS
176	2803	835	GTFGRDSIS
176	2804	836	GGCACCTTCGGCAGGGATTCTATCAGC
176	2805	837	GINPIFHTSHYAQKFQG
176	2806	838	GGGATCAACCTATCTTTTCATACATCACACTACGCACAGAAATTCCAGG GC
176	2807	839	ARVPPPRGHCESTSCLWGTYFAF
176	2808	840	GCGAGAGTTCCCCCCCCCGGGGTCATTGTGAGAGTACCAGCTGTTTATG GGGGACCTATTTTGCCTTC
176	2809	841	GAAACGACACTCACGCAGTCTCCAGCCACCCTGTCTTTGTCTCCAGGGG AAAGAGCCACCCTCTCCTGCAGGGCCAGTCAGAGGGTTCGCAGCTACTT AGCCTGGTACCAGCAGAAACCTGGCCAGGCTCCCAGGCTCCTCATCTAT GATGCATCCATCAGGGCTACTGGCATCCCAGCCAGGTTCACTGGCAGTG GGTCTGGGGCAGACTTCACTCTCACCATCAGCAGCCTCGAGCCTGAAGA TTTTGCAGTTTATTACTGTGAGCTGCGTGACTACTGGCCTCCACGTGGA CGTTCGGCCAAGGGACCAAGGTGGAAATCAAA
176	2810	842	ETTLTQSPATLSLSPGERATLSCRASQVRVRSYLAWYQQKPGQAPRLLIYDAS IRATGIPARFSGSGSGADFTLTISLEPEDFAVYYCQLRDYWPPTWTFGQGTK VEIK
176	2811	843	RASQVRVSYLA
176	2812	844	AGGGCCAGTCAGAGGGTTCGCAGCTACTTAGCC
176	2813	845	DASIRAT
176	2814	846	GATGCATCCATCAGGGCTACT
176	2815	847	QLRDYWPPTWT
176	2816	848	CAGCTGCGTGACTACTGGCCTCCACGTGGACG
177	2817	849	GAGGTGCAGCTGTTGGAGTCTGGGGGAGACCTGGTACAGCCGGGGGGGT CCCTGAGACTCTCCTGTGCAGCCTCTGGATTCCCCTTCAGCAGCCATAGC ATGAACTGGGTCCGCCAGGCTCCAGGGAAGGGCCTGGAGTGATCTCAT ACATTAGTGGTGGTAGTGATACCATTTCAGTACGCAGACTCTGTGAAGGG CCGATTTACCATCTCCAGAGACAATGTCAAGAATTCAGTGTATCTGCAAA TGAAACAGCCTGAGAGCCGAGGACACGGCTGTCTATTACTGTGCGAGAGA CCAGTATATTTGGAATATGTGGAACCTCTTGACTACTGGGGCCAGGGA ACCCTGGTCACCGTCTCCTCA
177	2818	850	EVQLLESGGDLVQPGGSLRLSCAASGFPFSSHSMNWVRQAPGKGLEWISYIS GGSDTIQYADSVKGRFTISRDNVKNLSLYLQMNSLRAEDTAVYYCARDQYI WNYVEPLDYWGQGLTVTVSS
177	2819	851	FPFSSHSMN
177	2820	852	TTCCCCCTTCAGCAGCCATAGCATGAAC
177	2821	853	YISGGSDTIQYADSVKG
177	2822	854	TACATTAGTGGTGGTAGTGATACCATTTCAGTACGCAGACTCTGTGAAGG GC
177	2823	855	ARDQYIWNYVEPLDY

177	2824	856	GCGAGAGACCAGTATATTTGGAACCTATGTGGAACCTCTTGACTAC
177	2825	857	GACATCCAGATGACCCAGTCTCCATCCTCCCTGTCTGCATCTGTAGGAGA CAGAGTCACCATCACTTGCCGGGCAAGTCAGGACATTAGCTATTATTTA GGCTGGTATCAGCAGAAAGCAGGGAAAGCCCCGAAGCTCCTGATTTATG CTGTATCCAATTTGCAAACCTGGGGTCCCATCAAGGTTTCAGCGGCAGTGG ATCTGGCACAGATTTCACCTCTCACCATCAGCAGCCTGCAGCCTGAAGATT TCGCAACTTATTATTGTCTACAAGATCACACTTGCCCTTGACGTTCCGC CAAGGGACCAAGGTGGAAATCAAA
177	2826	858	DIQMTQSPSSLSASVGDRTITCRASQDISYYLGWYQQKAGKAPKLLIYAVS NLQGTGVPSTRFSGSGSDFTLTISLQPEDFATYYCLQDHTCPWTFGQGTKV EIK
177	2827	859	RASQDISYYLG
177	2828	860	CGGGCAAGTCAGGACATTAGCTATTATTTAGGC
177	2829	861	AVSNLQT
177	2830	862	GCTGTATCCAATTTGCAAACCT
177	2831	863	LQDHTCPWT
177	2832	864	CTACAAGATCACACTTGCCCTTGACG
178	2833	865	GAGGTGCAGCTGGTGGAGTCTGGGGCTGAGGTGAAGAAGCCTGGGTCTCT CGGTGAAAGTCTCCTGCAAGGTTTCTGGAGGCACCTTCAGCACTTATGGT ATCAGCTGGATACAACAGGCCCTGGACAAGGGCTGAGTGGGTGGGAG GGATCATCCCTATGTTTGGGACAGCAAACCTACGCACAGAGGTTTCAGGG CAGAGTCACCCCTACCGCGGACGAAGGCACGAACACAGCTTACATGGAG CTGAACAACCTGAGATCTGAGGACACGGCCATGTATTACTGTGCGAGAG ATCGAGGTAATAACGGCCGCTACTACGCTATGGACGTCTGGGGCCAGGG GACCACGGTCACCGTCTCCTCA
178	2834	866	EVQLVESGAIEVKKPGSSVKVSKVSGGTFSTYGISWIIQAPGQGLEWVGGII PMFGTANYAQRFGQGRVTLTADEGTNTAYMELNNLRSEDTAMYYCARDRG NNGRYYAMDVWGQGTTVTVSS
178	2835	867	GTFSTYGIS
178	2836	868	GGCACCTTCAGCACTTATGGTATCAGC
178	2837	869	GIIPMFGTANYAQRFGQ
178	2838	870	GGGATCATCCCTATGTTTGGGACAGCAAACCTACGCACAGAGGTTTCAGG GC
178	2839	871	ARDRGNNGRYYAMDV
178	2840	872	GCGAGAGATCGAGGTAATAACGGCCGCTACTACGCTATGGACGTC
178	2841	873	GATATTGTGCTGACCCAGACTCCAGCCACCCTGTCTTTGTCTCCAGGGGA AAGAGCCACCCCTCTCTGCAAGGCTCAGAGTGTCAACACCTACTTA GCGTGGTACCAACAGAAACCTGGCCAGGCTCCCAGGCTCCTCATCTATG ATACATCCAACAGGGCCACTGGCATCCAGCCAGGTTTCAGTGGCAGTGG GTCTGGGACAGACTTCACTCTCACCATCAGCAGCCTAGAGCCTGAAGAT TTTGAGTTTATTACTGTGAGCGTAACAACCTGGCCGCCGACCTTCGG CCAAGGGACACGACTGGAGATTA
178	2842	874	DIVLTQTPATLSLSPGERATLSCRASQSVTTYLAQYQQKPGQAPRLLIYDTS NRATGIPARFSGSGSDFTLTISLLEPEDFAVYYCQQRNNWPPTFGQGTRLE IK

178	2843	875	RASQSVTTYLA
178	2844	876	AGGGCCAGTCAGAGTGTCCACCACCTACTTAGCG
178	2845	877	DTSNRAT
178	2846	878	GATACATCCAACAGGGCCACT
178	2847	879	QQRNNWPPT
178	2848	880	CAGCAGCGTAACAACCTGGCCGCCGACC
179	2849	881	GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCCTGGTCAAGCCTGGGGGGT CCCTGAGACTCTCCTGTGCAGCCTCGGGATTACCATCAGTGTTATAAC ATGTTCTGGGTCCGCCAGCCTCCGGGGAAGGGGCTGGAGTGGGTCTCAT CCATTACTGCTGGTAGTAGTTATTTAACTATGCAGACTCAGTGAAGGGC CGTTTCATCGTCTCCAGAGACAACGCCAAGAATTCAGTGTATCTGCAAAT GAACAGCCTGAGAGCCGAGGACACGGCTGTTTATTTCTGTGCGAGAGCA CCTCTTTTACCCGCTATGATGGACCTCTGGGGCCAAGGGACCACGGTCAC CGTCTCCTCA
179	2850	882	EVQLLESGLVVKPGGSLRLSCAASGFTISGYNMFVWRQPPGKGLEWVSSI TAGSSYLNADSVKGRFIVSRDNAKNSLYLQMNSLRAEDTAVYFCARAPLL PAMMDLWGQGTITVTVSS
179	2851	883	FTISGYNMF
179	2852	884	TTCACCATCAGTGTTATAACATGTTC
179	2853	885	SITAGSSYLNADSVKG
179	2854	886	TCCATTACTGCTGGTAGTAGTTATTTAACTATGCAGACTCAGTGAAGGG C
179	2855	887	ARAPLLPAMMDL
179	2856	888	GCGAGAGCACCTCTTTTACCCGCTATGATGGACCTC
179	2857	889	CAGTCTGTCTTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAGGGCAGA GGGTCACCATCTCCTGCACTGGGAGCAGCTCCAACATCGGGGCAGGTTA TGATGTACACTGGTACCAGCAACTTCCAGGAACAGCCCCCAAACCTCTC ATCTATACTAACAACAATCGGCCCTCAGGGGTCCCTGACCGATTCTCTGG CTCCAAGTCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAGGCTG AGGATGAGGCTGACTATTACTGCCAGTCCTATGACAGAAGCCTGAATGG TTATGTCTTCGGAACCTGGGACCAAGCTCACCGTCCTA
179	2858	890	QSVLTQPPSVSGAPGQRTISCTGSSSNIGAGYDVHWYQQLPGTAPKLLIYT NNNRPSGVPDRFSGSKSGTSASLAITGLQAEDEADYYCQSYDRSLNGYVFG TGTKLTVL
179	2859	891	TGSSSNIGAGYDVH
179	2860	892	ACTGGGAGCAGCTCCAACATCGGGGCAGGTTATGATGTACAC
179	2861	893	TNNNRPS
179	2862	894	ACTAACAACAATCGGCCCTCA
179	2863	895	QSYDRSLNGYV
179	2864	896	CAGTCCTATGACAGAAGCCTGAATGGTTATGTC
180	2865	897	GAGGTGCAGCTGGTGGAGACTGGGGGAGGCCTGGTCAAGCCTGGGGGG TCCCTGAGACTCTCCTGTGCAGGCTCTGGATTACCTTCAGTAGCTATAC CCTGAACCTGGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTCTCA

			TCTATTAGTAGTAGTAGTACTTACATATACTACGCAGACTCAGTGAAGG GCCGATTACCATCTCCAGAGACAACGCCAAGAACTCACTGCATCTGCA AATGAACAGCCTGAGAGCCGAGGACACGGCTGTGTATTATTGTGCGAGA GCTGACTATGATAGAAGTGTTTATCACCTCAATTGGCTCGACCCCTGGGG CCAGGGAACCTGGTCACCGTCTCCTCA
180	2866	898	EVQLVETGGGLVKPGGSLRLSCAGSGFTFSSYTLNWVRQAPGKGLEWVSSI SSSSTYIYYADSVKGRFTISRDNAKNSLHLQMNSLRAEDTAVYYCARADYD RSVYHLNWLDLPWGQGLTVTVSS
180	2867	899	FTFSSYTLN
180	2868	900	TTCACCTTCAGTAGCTATAACCCTGAAC
180	2869	901	SISSSSTYIYYADSVKG
180	2870	902	TCTATTAGTAGTAGTAGTACTTACATATACTACGCAGACTCAGTGAAGG GC
180	2871	903	ARADYDRSVYHLNWLDP
180	2872	904	GCGAGAGCTGACTATGATAGAAGTGTTTATCACCTCAATTGGCTCGACC CC
180	2873	905	CAGCCTGTGCTGACTCAGCCGCCCTCAGTGTCTGGGGCCCCAGGGCAGA GGGTCACCATCTCCTGCACTGGGAGCAGCTCCAACATCGGGGCAGGTTA TGATGTACACTGGTACCAGCAACTTCCAGGAGCAGCCCCCAAACCTCTC ATCTATGGTAACACCAATCGGCCCTCAGGGGTCCCTGACCGATTTTCTGG CTCCAAGTCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAGGCTG ACGATGAGGCTGATTATTACTGCCAGTCCTATGACAGCAGCCTGAGTGG CACTTGGGTGTTTCGGCGGAGGGACCAAGCTCACCGTCCTA
180	2874	906	QPVLTPPSVSGAPGQRTISCTGSSSNIGAGYDVHWYQQLPGAAPKLLIYG NTNRPSGVPDRFSGSKSGTSASLAITGLQADDEADYYCQSYDSSLSGTWVF GGGTKLTVL
180	2875	907	TGSSSNIGAGYDVH
180	2876	908	ACTGGGAGCAGCTCCAACATCGGGGCAGGTTATGATGTACAC
180	2877	909	GNTNRPS
180	2878	910	GGTAACACCAATCGGCCCTCA
180	2879	911	QSYDSSLSGTWV
180	2880	912	CAGTCCTATGACAGCAGCCTGAGTGGCACTTGGGTG
181	2881	913	CAGGTGCAGCTGGTGCAGTCTGGGGGAGGCTTGGTCAAGCCTGGAGGGT CCCTGAGACTCTCCTGTGCAGCCTCTGGATTACCTTCAGTGACCACTAC ATGACCTGGATCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTTTCAT ACATTAGCAGTACTAGTAGTTTCACAACTACGCAGACTCTGTGAAGGG CCGATTACCATCTCCAGAGACAACGCCAAGAAGTCACTTTATCTGCAA ATGAACAGCCTGAGAGCCGAGGACACGGCTGTGTATTACTGTGCGAGAG ACCGCAATTGGGGATATGCCTATGGTTCTGACTACTGGGGCCAGGGAAC CCTGGTCACCGTCTCCTCA
181	2882	914	QVQLVQSGGGLVKPGGSLRLSCAASGFTFSDHYMTWIRQAPGKGLEWVSYI SSTSSFTNYADSVKGRFTISRDNAAKSLYLQMNSLRAEDTAVYYCARDNRW GYAYGSDYWQGGLTVTVSS
181	2883	915	FTFSDHYMT
181	2884	916	TTCACCTTCAGTGACCACTACATGACC

181	2885	917	YISSTSSFTNYADSVKG
181	2886	918	TACATTAGCAGTACTAGTAGTTTCACAACTACGCAGACTCTGTGAAGG GC
181	2887	919	ARDRNWGYAYGSDY
181	2888	920	GCGAGAGACCGCAATTGGGGATATGCCTATGGTTCTGACTAC
181	2889	921	GACATCCGGTTGACCCAGTCTCCAGACACCCTGTCTTTGTCTCCAGGGGA AAGAGCCACCCTCTCCTGCAGGGCCAGTCAGAGTGTTAGCAGCACCTAC TTAGCCTGGTACCAGCAGAAACCTGGCCAGGCTCCCAGGCTCCTCATTTA TGGTGCATTTCGGCAGGGCCACTGGCATCCCAGACAGGTTTCAGTGGCAGT GGGTCTGGGACAGACTTCACTCTCACCATCAGCAGACTGGAGCCTGAAG ATTTTGCAGTGTATTACTGTCTAGCTGTATGGTAACTCACGGACGTTTCGGC CAAGGGACCAAGCTGGAGATCAAA
181	2890	922	DIRLTQSPDTLSLSPGERATLSCRASQSVSSTYLAWYQQKPGQAPRLLIYGAF GRATGIPDRFSGSGSGTDFTLTISRLEPEDFAVYYCQLYGNRSRTFGQGTKLEI K
181	2891	923	RASQSVSSTYLA
181	2892	924	AGGGCCAGTCAGAGTGTTAGCAGCACCTACTTAGCC
181	2893	925	GAFGRAT
181	2894	926	GGTGCATTTCGGCAGGGCCACT
181	2895	927	QLYGNRSRT
181	2896	928	CAGCTGTATGGTAACTCACGGACG
182	2897	929	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGT CCCTGAGAATCTCCTGTGCAGCCTCTGGATTCTCCATTAGTAGTCATGCC GTGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTCTCAG TTATTAGTGGGAGTGGTGGTGACACACACTCCGTAGTTCAAGGTCGTGG TAGTGGCACATATTACGCAGACTCCGTGAAGGGCCGGTTCACCATCTCC AGAGACAATGTCAGGAACACAGTGTATCTGCAAATGAATAGCCTGAGGG TCGAGGACACGGCCGTATATTATTGTGCGAAAGACGACCCACGCTTTTT TGGAGTGGTTCGGGGTACTACGGAATGGACGTCTGGGGCCAAGGGACCA CGGTCACCGTCTCCTCA
182	2898	930	EVQLVESGGGLVQPGGSLRISCAASGFSISSHAVSWVRQAPGKGLEWVSVIS GSGGDTHSVVQGRGSGTYADSVKGRFTISRDNVRNTVYQLQMNSLRVEDT AVYYCAKDDPTLFWSGSGYYGMDVWGQGTITVTVSS
182	2899	931	FSISSHAVS
182	2900	932	TTCTCCATTAGTAGTCATGCCGTGAGC
182	2901	933	VISGSGGDTHSVVQGRGSGTYADSVKG
182	2902	934	GTTATTAGTGGGAGTGGTGGTGACACACACTCCGTAGTTCAAGGTCGTG GTAGTGGCACATATTACGCAGACTCCGTGAAGGGC
182	2903	935	AKDDPTLFWSGSGYYGMDV
182	2904	936	GCGAAAGACGACCCACGCTTTTTTGGAGTGGTTCGGGGTACTACGGAA TGGACGTC
182	2905	937	GACATCCGGGTGACCCAGTCTCCATCCTCCCTGTCTGCATCTGTTGGAGA CAGAGTCACCATCACTTGCCAGGCGAGTCAGGGCATTAGCGACTCTTTA AATTGGTATCAGCAGAAACCAGGGAAAGCCCTAAGCTCCTGATCTACG

			GTGCATCCAAATTGGAACCAGGGGTCTCATCAAGGTTTCAGCGGACGAGG ATCTGGGAGAGATTTTACTTTTACCATCAGCAGCCTGCAGCCTGAAGAT ATCGGAACATATTACTGTCAACAGTATGATAATCTCCCTCTGACTTTTCGG CCCTGGGACCAAGCTGGAGATCAAA
182	2906	938	DIRVTQSPSSLSASVGDRVITITCQASQGISDSLWYQQKPGKAPKLLIYGAS KLEPGVSSRFSGRSGRDFTFTISSLQPEDIGTYYCQQYDNLPLTFGPGTKLEI K
182	2907	939	QASQGISDSL
182	2908	940	CAGGCGAGTCAGGGCATTAGCGACTCTTTAAAT
182	2909	941	GASKLEP
182	2910	942	GGTGCATCCAAATTGGAACCA
182	2911	943	QQYDNLPLT
182	2912	944	CAACAGTATGATAATCTCCCTCTGACT
183	2913	945	GAGGTGCAGCTGGTGGAGACGGGGGGCGGCTTGATACAGCCGGGGGGG TCCCTGAGACTCTCCTGCGTGGCCTCCGGATTACGCCTTAGGAACTATGC CTTAGGTTGGCTCCGCCAGGCGCCAGGGAAGGGGCTGGAGTGGGTCTCA GGTGGCTATTATGGTGTGTCTATTACACGGACTCCGTGAAGGGCCGGTT CGCCGTCTCCAGGGACAATTCCGGGGACACAGTATATCTAGAAATGGAC AACCTGAGAGTCGAAGACACGGCCGTGTATTACTGTGCGAGAATGGAGA CAGTGACCACTGATGCAGGCTCGGGATGGGACTGGTACTTCGAGGTCTG GGCCCGCGCACCTGGTCACTGTCTCTCA
183	2914	946	EVQLVETGGGLIQPGSLRLSCVASGFSRLRYALGWLRQAPGKLEWVSG GYYGDVYYTDSVKGRFAVSRDNSGDTVYLEMDNLRVEDTAVYYCARMET VTTDAGSGWDWYFEVWGRGTLTVSS
183	2915	947	FSLRNYALG
183	2916	948	TTCAGCCTTAGGAACTATGCCTTAGGT
183	2917	949	GGYYGDVYYTDSVKG
183	2918	950	GGTGGCTATTATGGTGTGTCTATTACACGGACTCCGTGAAGGGC
183	2919	951	ARMETVTTDAGSGWDWYFEV
183	2920	952	GCGAGAATGGAGACAGTGACCACTGATGCAGGCTCGGGATGGGACTGG TACTTCGAGGTC
183	2921	953	GAAACGACACTCACGCAGTCTCCAGCCACCCTGTCTTTGTCTCCAGGGG ATTGGGCCACCCTCTCCTGCAGGGCCAGTCAGAGTGTTGGCACCTACTTA GCCTGGTACCAACACAAACCTGGCCAGGCTCCCAGACTCCTCATTATG ATGCATCCAACAGGGCCAGTGACATCCCATCCAGGTTCAAGTGGCAGTGG GTCTGGGACAGACTTCACTCTCACCATCCGCGGCTAGAGCCTGAAGAT TTTGAGTTTATTACTGTCAGCAACATCGCGACTGGCGGCCGGTCACTTT CGGCGGAGGGACCAAGGTGGAATCAAA
183	2922	954	ETTLTQSPATLSLSPGDWATLSCRASQSVGTYLAWYQHKPGQAPRLIHDA SNRASDIPSRFSGSGTDFTLTIRGLEPEDFAVYYCQHRDWRPVTFGGGT KVEIK
183	2923	955	RASQSVGTYLA
183	2924	956	AGGGCCAGTCAGAGTGTTGGCACCTACTTAGCC
183	2925	957	DASNRAS

183	2926	958	GATGCATCCAACAGGGCCAGT
183	2927	959	QQHRDWRPVT
183	2928	960	CAGCAACATCGCGACTGGCGGCCGGTCACT
184	2929	961	CAGGTCCAGCTTGTGCAGTCTGGGGCTGAGGCGAAGAAGCCTGGGGCCT CAGTGAAGGTCTCCTGCACGGCGTCTGGATACACCTTACCAATGATATT AACTGGGTGCGCCAGGCCACTGGACAAGGGCTTGAGTGGATGGGGTGG ATGAACCCTAACAACGGTCACACAGGATATGGACAGAAGTTCGAGGAC AGAGTCACCTTGACAAGGGACTCCTCCAGAAGCACAGCCTACATGGAAC TGAGCAGCCTGAGATTTGAGGACACGGCCGTGTACTATTGTGTATACAA TTTTTGGAGCGATTCTTCAGTCAGTTGGGGCCGGGGAACCTGGTCACCG TCTCCTCA
184	2930	962	QVQLVQSGAEAKKPGASVKVSTASGYTFTNDINWVRQATGQGLEWMGW MNPNNGHTGYGQKFEDRVTLTRDSSRSTAYMELSSLRFEDTAVYYCVYNF WSDSSVSWGRGTLTVSS
184	2931	963	YTFTNDIN
184	2932	964	TACACCTTACCAATGATATTAAC
184	2933	965	WMNPNNGHTGYGQKFED
184	2934	966	TGGATGAACCCTAACAACGGTCACACAGGATATGGACAGAAGTTCGAGG AC
184	2935	967	VYNFWSDSSVS
184	2936	968	GTATACAATTTTTGGAGCGATTCTTCAGTCAGT
184	2937	969	CAGTCTGTCTGTGACGACGCCGCCCTCAGTGTCTGGGGCCCCAGGGCAGA GTGTCGCCATCTCCTGCACTGGGAGCAGCTCCAACATCGGGCCAGCCTA TGATGTACACTGGTACCAGCAGACTCCGGGAGCAGCCCCAACTCCTC ATCTATGGTGACAGCAATCGGCCCTCAGGGGTCCCTGACCGATTCTCTAC CTCCAAGTCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAGGCTG AGGATGAGGCTGATTATTACTGCCAGTCCTTTGACAGCAGCCTGCGTGGT TATGTCTTCGGAACCTGGGACCAAGGTGACCGTCCTA
184	2938	970	QSVVTQPPSVSGAPGQSV AISCTGSSSNIGPAYDVHWYQQTPGAAPKLLIYG DSNRPSGVPDRFSTSKSGTSASLAITGLQAEDEADYYCQSFSSSLRGYVFGT GTKVTVL
184	2939	971	TGSSSNIGPAYDVH
184	2940	972	ACTGGGAGCAGCTCCAACATCGGGCCAGCCTATGATGTACAC
184	2941	973	GDSNRPS
184	2942	974	GGTGACAGCAATCGGCCCTCA
184	2943	975	QSFSSSLRGYV
184	2944	976	CAGTCCTTTGACAGCAGCCTGCGTGGTTATGTC
185	2945	977	CAGGTCCAGCTGGTGCAGTCTGGGGCTGAGGTGAAGAAGCCTGGGGCCT CAGTGAAGGTCTCCTGCAAGGCTTCTGGATACACCTTACCAAGTTATGAT ATCAACTGGGTGCGACAGGCCACTGGACATGGGCTTGAGTGGATGGGAT GGATGAGCCCTAACAGTGTTACACAGGCTATGCACAGAAGTTCCAGGG CAGAGTCACCATGAGCAGGAACACCTCCACAGGCACAGCCTACATGGAG CTGAGCAGCCTGAGATCTGAGGACACGGCCGTGTATTACTGTGCGAGAG AGGCCCCGGGACCTACGAGTGGGAGCTACTAAGTTTACTACTGGGGCCA

			GGGAACCCTGGTCACCGTCTCCTCA
185	2946	978	QVQLVQSGAEVKKPGASVKVSCKASGYTFTSYDINWVRQATGHGLEWMG WMSPNSGYTG YAQKFQGRVTMSRNTSTGTAYMELSSLRSEDTAVYYCARE ARDLRVGATNFDYWGQGLTVTVSS
185	2947	979	YTFTSYDIN
185	2948	980	TACACCTTCACCAGTTATGATATCAAC
185	2949	981	WMSPNSGYTG YAQKFQG
185	2950	982	TGGATGAGCCCTAACAGTGGTTACACAGGCTATGCACAGAAGTTCCAGG GC
185	2951	983	AREARDLRVGATNFDY
185	2952	984	GCGAGAGAGGCCCGGACCTACGAGTGGGAGCTACTAACTTTGACTAC
185	2953	985	CAGCCTGTGCTGACTCAGCCACCCTCAGTGTCCGTGTCCCCAGGACAGA CAGCCAGCATAACCTGCTCTGGAGATAAAATTGGGAGATAAATATATTTTC GTGGTATCAACAGAGGCCAGGCCAGTCCCCTGTAATGGTAATTTATCAA GATAGCAAGGGGCCCTCAGGGATCCCTGAGCGATTCTCTGGCTCCAACT CTGGGAACACAGCCACTCTGACCATCAGCGGGACGCAGGCTATGGATGA GGCTGACTATTACTGTCAGGCGTGGGACAGCAGCATAGATGTGGTATTC GGCGGAGGGACCAAGCTCACCGTCCTA
185	2954	986	QPVLTQPPSVSVSPGQTASITCSGDKLGDYISWYQQRPGQSPVMVIYQDSK GPSGIPERFSGSNSGNTATLTISGTQAMDEADYYCQAWDSSIDVVFGGGTKL TVL
185	2955	987	SGDKLGDYIS
185	2956	988	TCTGGAGATAAATTGGGAGATAAATATATTTTCG
185	2957	989	QDSKGPS
185	2958	990	CAAGATAGCAAGGGGCCCTCA
185	2959	991	QAWDSSIDVV
185	2960	992	CAGGCGTGGGACAGCAGCATAGATGTGGTA
186	2961	993	CAGGTCCAGCTGGTGCAGTCTGGGCCTGAGATGAAGAAGCCTGGGTCCT CCGTGAAGGTCTCCTGCAAGCCTTCTGGAGGCACCTTCAGCAGCTACTCT GTCAGCTGGGTGCGACAGGCCCTGGACAAGGGCTTGAGTGGATGGGAG GAATCATCCCGATATTTGGTTTCGTCAGACTACGCACAGAAGTTTCAGGG CAGACTCACAATTACAGAGGACGAATCCACGAAGACATCCTACATGCAG CTGAACAACCTGACATCTGACGACACGGCCATTTATTTCTGTGCGAGAG ACAATACTATGTTTGGACTGGTCACTATCCCGAATTGACTTCTGGGGC CAGGGAACCCTGGTCACCGTCTCCTCA
186	2962	994	QVQLVQSGPEMCKPGSSVKVSKPSGGTFSSYSVSWVRQAPGQGLEWMGG IPIFGSSDYA QKFQGRLTITEDESTKTSYMLNLTSDDTAIYFCARDNYYV WTGHYPEFDWVGQGLTVTVSS
186	2963	995	GTFFSSYSVS
186	2964	996	GGCACCTTCAGCAGCTACTCTGTCAGC
186	2965	997	GIPIFGSSDYA QKFQG
186	2966	998	GGAATCATCCCGATATTTGGTTTCGTCAGACTACGCACAGAAGTTTCAGG GC

186	2967	999	ARDNYYVWTGHYPEFDF
186	2968	1000	GCGAGAGACAACTACTATGTTTGGACTGGTCACTATCCCGAATTTGACTT C
186	2969	1001	GAAACGACACTCACGCAGTCTCCAGGCACCCTGTCCTTGTCTCTAGGGG AGACTGCCACCCTCTCCTGCAGGGCCAGTCAGAGTGTGAGAAGCGATTA CTTAGCCTGGTACCAACAGAAACCAGGCCAGGCTCCCAGGCTCCTCATC TCTGGTGCATCCAACAGGGCCACTGCCATCCCAGAGAGGTTCACTGGCA GTGGGTCTGGGACAGACTTCACTCTACCATCAGCAGCCTGGAGCCTGC AGATTTTGCAGTGTATTATTGTTCAGCAGTATGGTAGCACACCGATCACCT TCGGCCAGGGGACACGACTGGAGATTAAA
186	2970	1002	ETTLTQSPGTLSSLGETATLSCRASQSVRSYDLAWYQQKPGQAPRLLISGA SNRATAIPERFTGSGSGTDFLTISLEPADFAVYYCQYGSTPITFGQGRLE IK
186	2971	1003	RASQSVRSYDLA
186	2972	1004	AGGGCCAGTCAGAGTGTGAGAAGCGATTACTTAGCC
186	2973	1005	GASNRAT
186	2974	1006	GGTGCATCCAACAGGGCCACT
186	2975	1007	QYGSTPIT
186	2976	1008	CAGCAGTATGGTAGCACACCGATCACC
187	2977	1009	CAGGTGCAGCTGCAGGAGTCGGGGGGAGGCTTGGTACAGCCTGGGGGG TCCCTGAGACTCTCCTGTTACAGCTCTGGATTACCTTTAGTAACTATGG CATGAGTTGGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTCTCA GGTATTGGTGTGAGTGTGGAAGCACACACTACGCGGACTCCGTGAAGG GCCGGTTCATCATCTCCAGAGACAATTCCAAGAACATGCTGTCTCTGCAA ATGAGCAGCCTGGGAGTCGACGACACGGCCGTATATTACTGTGCGAGAA TTGTAATTGTTGGAGTATTACGATTTTCAGGAGTGGTTATCATCTGACGGG ATGGACGTCTGGGGCCAAGGGACCACGGTCACCGTCTCCTCA
187	2978	1010	QVQLQESGGGLVQPGGSLRLSCSASGFTFSNYGMSWVRQAPGKLEWVSG IGVSDGSTHYADSVKGRFIISRDNSKNMLSLQMSSLGVDDTAVYYCARIVIV GVLRFQEWLSSDGMDVWGQGTTVTVSS
187	2979	1011	FTFSNYGMS
187	2980	1012	TTACCTTTAGTAACTATGGCATGAGT
187	2981	1013	GIGVSDGSTHYADSVKG
187	2982	1014	GGTATTGGTGTGAGTGTGGAAGCACACACTACGCGGACTCCGTGAAGG GC
187	2983	1015	ARIVIVGVLRFQEWLSSDGMDV
187	2984	1016	GCGAGAATTGTAATTGTTGGAGTATTACGATTTTCAGGAGTGGTTATCATC TGACGGGATGGACGTC
187	2985	1017	GATATTGTGATGACCCAGACTCCATCTTCCGTGTCTGCATCTGTAGGAGA CAGAGTCACGATCACTTGTCTGGGCGAGTCAGGCCATTAGTGGCGGGTTA GCCTGGTATCAGCAGAAAGCAGGAAAAGCCCCCTAACTCCTGATCTATG CTGCATCCAATTTGCCAAGTGGGGTCCCATCAAGGTTTCAGCGGCAGTGG ATCTGGGACAGATTTCACTCTCACCATCAGCAGCCTGCAGCCTGAGGATT TTGCGACTTATTATTGTCAACAGGCTAACAGTTTCCCCTTCACCTTCGGC CAAGGGACACGACTGGAGATTAAA

187	2986	1018	DIVMTQTPSSVSASVGDRVTITCRASQAISGGLAWYQQKAGKAPKLLIYAAS NLPSGVPSRFSGSGSGTDFTLTISSLQPEDFATYYCQQANSFPFTFGQGTRLEI K
187	2987	1019	RASQAISGGLA
187	2988	1020	CGGGCGAGTCAGGCCATTAGTGGCGGGTTAGCC
187	2989	1021	AASNLPS
187	2990	1022	GCTGCATCCAATTTGCCAAGT
187	2991	1023	QQANSFPFT
187	2992	1024	CAACAGGCTAACAGTTTCCCCTTCACC
188	2993	1025	GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCCTGGTCAAGCCTGGGGGGT CCCTGAGACTCTCCTGTGCAGCCTCGGGATTCAACATCGGTGGTTATAAC ATGTTCTGGGTCCGCCAGCCTCCGGGGAAGGGGCTGGAGTGGGTCTCAT CCATTACTGCTGGTAGTAGTTATTTAACTATGCAGACTCAGTGAAGGGC CGTTTCATCGTCTCCAGAGACAACGCCAAGAATTCAGTGTATCTGCAAAT GAACAGCCTGAGAGCCGAGGACACGGCTGTTTATTTCTGTGCGAGAGCA CCTCTTTTACCCGCTATGATGGACCTCTGGGGCCAAGGGACCACGGTCAC CGTCTCCTCA
188	2994	1026	EVQLLESGGGLVKPGGSLRLSCAASGFTIGGYNMFVVRQPPGKLEWVSSI TAGSSYLNADSVKGRFIVSRDNAKNSLYLQMNSLRAEDTAVYFCARAPLL PAMMDLWGQGTITVTVSS
188	2995	1027	FTIGGYNMF
188	2996	1028	TTCACCATCGGTGGTTATAACATGTTC
188	2997	1029	SITAGSSYLNADSVKG
188	2998	1030	TCCATTACTGCTGGTAGTAGTTATTTAACTATGCAGACTCAGTGAAGGG C
188	2999	1031	ARAPLLPAMMDL
188	3000	1032	GCGAGAGCACCTCTTTTACCCGCTATGATGGACCTC
188	3001	1033	CAGTCTGTGGTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAGGGCAGA GGGTCACCATCTCCTGCACTGGGAGCAGCTCCAACATCGGGGCAGGTTA TGATGTACACTGGTACCAGCAACTTCCAGGAACAGCCCCCAAACCTCTC ATCTATACTAACAACAATCGGCCCTCAGGGGTCCCTGACCGATTCTCTGG CTCCAAGTCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAGGCTG AGGATGAGGCTGACTATTACTGCCAGTCCTATGACAGAAGCCTGAATGG TTATGTCTTCGGAAGTGGCACCCAGCTGACCGTCCTC
188	3002	1034	QSVVTQPPSVSGAPGQRTISCTGSSSNIGAGYDVHWYQQLPGTAPKLLIYT NNNRPSGVPRFSGSKSGTSASLAITGLQAEDEADYYCQSYDRSLNGYVFG TGTQLTVL
188	3003	1035	TGSSSNIGAGYDVH
188	3004	1036	ACTGGGAGCAGCTCCAACATCGGGGCAGGTTATGATGTACAC
188	3005	1037	TNNNRPS
188	3006	1038	ACTAACAACAATCGGCCCTCA
188	3007	1039	QSYDRSLNGYV
188	3008	1040	CAGTCCTATGACAGAAGCCTGAATGGTTATGTC

189	3009	1041	CAGGTCCAGCTTGTACAGTCTGGGGGAGGCTTGGTCAAGGCTGGAGGGT CCCTGAGACTCTCCTGTGCAGCCTCTGGATTACCATCAGTGGCTTCTAC ATGACCTGGATCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTTTCAT CCATTAGTGGTAGTAGTAGTTACACAACTACGCAGACTCTGTGAAGGG CCGATTACCATCTCCAGAGACAACGCCAAGAACTCACTGTATCTGCAC ATGAACAGCCTGAGAGCCGAGGACACGGCTGTATATTACTGTGCGAGAA TAAGGCCGGATGATAGTAGTGGTTATCCTGACTACTGGGGCCAGGGAAC CCTGGTCACCGTCTCCTCA
189	3010	1042	QVQLVQSGGGLVKAGGSLRLSCAASGFTISGFYMTWIRQAPGKLEWVSSI SGSSSYTNYADSVKGRFTISRDNKNSLYLHMNSLRAEDTAVYYCARIRPD DSSGYPDYWGQGTLTVSS
189	3011	1043	FTISGFYMT
189	3012	1044	TTCACCATCAGTGGCTTCTACATGACC
189	3013	1045	SISGSSSYTNYADSVKG
189	3014	1046	TCCATTAGTGGTAGTAGTAGTTACACAACTACGCAGACTCTGTGAAGG GC
189	3015	1047	ARIRPDDSSGYPDY
189	3016	1048	GCGAGAATAAGGCCGGATGATAGTAGTGGTTATCCTGACTAC
189	3017	1049	CAGTCTGTGTTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAGGGCAGA GGGTCACCATCTCCTGCACTGGGAGCAGCTCCAACATCGGGGCTGGTTA TGATGTACACTGGTGCCAGCAGCTTCCAGGAACAGCCCCCAAACCTCTC ATCTATGGTAACAACAATCGGCCCTCAGGGGTCCCTGACCGATTCTCTGG CTCCAAGTCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAGGCTG AGGATGAGGCTGATTATTACTGCCAGTCCTATGACAGCAGCCTGAGTGG CTTTGTCTTCGGAACCTGGGACCAAGGTGACCGTCTCTA
189	3018	1050	QSVLTQPPSVSGAPGQRVTISCTGSSSNIGAGYDVHWCQQLPGTAPKLLIYG NNNRPSGVPDRFSGSKSGTSASLAITGLQAEDEADYYCQSYDSSLSGFVFGT GTKVTVL
189	3019	1051	TGSSSNIGAGYDVH
189	3020	1052	ACTGGGAGCAGCTCCAACATCGGGGCTGGTTATGATGTACAC
189	3021	1053	GNNNRPS
189	3022	1054	GGTAACAACAATCGGCCCTCA
189	3023	1055	QSYDSSLSGFV
189	3024	1056	CAGTCCTATGACAGCAGCCTGAGTGGCTTTGTC
190	3025	1057	GAGGTGCAGCTGGTGGAGTCTGGGGCTGAGGTGAGGAAGCCTGGGGCCT CAGTGCAGGTTTCCTGCAAGGCATCTGGATACACCTTACCAGCTACTAT ATGCACTGGGTGCGACAGGCCCTGGACACGGGCTTGAGTGGATGGGAA TGATCTACCCTAGTGGTGGTAGCACAAGCTACGCACAGAAGTTCCAGGG CAGAGTCACCATGACCAGGGACACGTCCACGAGCACAGTCTACATGGAG CTGAGCAGCCTGAGATCTGAGGACGCGGCCGTGTATTACTGTGCGAGAG ACCGGGCAGGGTGTAGTGGTGGTAGCTGTTACTATTATGGTATGGACGT CTGGGGCCAAGGGACCACGGTCACCGTCTCCTCA
190	3026	1058	EVQLVESGAIEVRKPGASVQVSKASGYTFTSYMHVWRQAPGHGLEWMG MIYPSGGSTSYAQKFQGRVTMTRDTSTSTVYMELSSLRSEDAAVYYCARDR AGCSGGSCYYYGMDVWGQGTITVTVSS

190	3027	1059	YTFTSYMH
190	3028	1060	TACACCTTCACCAGCTACTATATGCAC
190	3029	1061	MIYPSGGSTSYAQKFQG
190	3030	1062	ATGATCTACCCTAGTGGTGGTAGCACAAGCTACGCACAGAAGTTCCAGG GC
190	3031	1063	ARDRAGCSGGSCYYYGMDV
190	3032	1064	GCGAGAGACCGGGCAGGGTGTAGTGGTGGTAGCTGTTACTATTATGGTA TGGACGTC
190	3033	1065	AATTTTATGCTGACTCAGCCCCCTCAGTGTCCGTGTCCCAGGACAGAC AGCCAGCATCACCTGCTCTGGAAATAAATTGGGGGATAAATATGCTTGC TGGTATCAACAAAAGCCAGGCCAGTCCCTGTGCTGGTCATCTCTCAAG ATAGCAAGCGGCCCTCAGGGATCCCTGAGCGATTCTCTGGCTCCAACCTCT GGGAACACAGCCACTCTGACCATCAGCGGGACCCAGGCTATGGATGAGG CTGACTATTACTGTGAGGCGTGGGACAGTAGAACTGTTGTATTCGGCGG AGGGACCAAGCTGACCGTCCTA
190	3034	1066	NFMLTQPPSVSVSPGQTASITCSGNKLGDKYACWYQQKPGQSPVLVISQDS KRPSGIPERFSGSNSGNTATLTISGTQAMDEADYYCQAWDSRTVVFGGGTK LTVL
190	3035	1067	SGNKLGDKYAC
190	3036	1068	TCTGGAAATAAATTGGGGGATAAATATGCTTGC
190	3037	1069	QDSKRPS
190	3038	1070	CAAGATAGCAAGCGGCCCTCA
190	3039	1071	QAWDSRTVV
190	3040	1072	CAGGCGTGGGACAGTAGAACTGTTGTA
191	3041	1073	GAGGTGCAGCTGGTGGAGTCTGGGGCTGAGGTGAAGAAGCCTGGGTCCT CGGTGAAGGTCTCCTGCAAGGCTTCTGGAGGCACCTTCAGTAGTTATGA AATCAGCTGGGTGCGACAGGCCCTGGACAAGGACTTGAGTGGATGGGA GGGATCAACCCTATGTTTGGAGCAGCAAACCTACGCACAGAAGTTCCAGG ACAGAGTCACGATTATCGCGGACAAATCCACGGGCACAGTCTACATGGA ACTGAGCAGCCTGAGATCTGAGGACACGGCCCTCTATTACTGTGCGAGA GAACGCTACCCGTCTACGGATGACTATTATAGGAGTGGTCGTTACTACG GGGAGTGGGGCCAGGGGACCACGGTCACCGTCTCCTCA
191	3042	1074	EVQLVESGAEVKKPGSSVKVSKASGGTFSSYEISWVRQAPGQGLEWMGGI NPMFGAANYAQKFQDRVTIIADKSTGTVMELSSLRSEDALYYCARERYP STDDYYRSGRYYGEGWGQGTTVTVSS
191	3043	1075	GTFSSYEIS
191	3044	1076	GGCACCTTCAGTAGTTATGAAATCAGC
191	3045	1077	GINPMFGAANYAQKFQD
191	3046	1078	GGGATCAACCCTATGTTTGGAGCAGCAAACCTACGCACAGAAGTTCCAGG AC
191	3047	1079	ARERYPSTDDYYRSGRYIGE
191	3048	1080	GCGAGAGAACGCTACCCGTCTACGGATGACTATTATAGGAGTGGTCGTT ACTACGGGGAG

191	3049	1081	GAAACGACACTCACGCAGTCTCCTTCCACCCTGTCTGCATCTGTAGGAGA CAGAGTCACCATCACTTGCCGGGCCAGTCAGAGTATTCGTAGTTGGTTG GCCTGGTATCAGCAGAAACCAGGGAAAGCCCCGAAGCTCCTGATCTATA GGGCGTCTACTTCAGACAGTGGGGTCCCATCAAGGTTTCAGCGGCAGTGG ATCTGGGACAGAATTCACGCTCACCATCAGCAGCCTGCAGCCTGATGAT TTTGCAATTTATTACTGCCAACAGTATAATAGCATCCCAGTGACGTTCCG CCAAGGGACCAAGCTGGAGATCAAA
191	3050	1082	ETTLTQSPSTLSASVGDVRTITCRASQSIRSWLAWYQQKPGKAPKLLIYRAS TSDSGVPSRFSGSGSGTEFTLTISLQPDFAIYYCQQYNSIPVTFGQGTKLEI K
191	3051	1083	RASQSIRSWLA
191	3052	1084	CGGGCCAGTCAGAGTATTCGTAGTTGGTTGGCC
191	3053	1085	RASTSDS
191	3054	1086	AGGGCGTCTACTTCAGACAGT
191	3055	1087	QQYNSIPVT
191	3056	1088	CAACAGTATAATAGCATCCCAGTGACG
192	3057	1089	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCGTGGTCCAGCCTGGGAGGT CCCTGAGACTCTCCTGTGCAGCGTCTGGATTACATTCAGTGACTATGCC ATGCACTGGGTCCGCCAGGCTCCAGGCAAGGGGCTGGAGTGGGTGGCAG TTATATGGTATGATGGAGGTAATAAATACTATGCAGACTCCGCGAAGGG CCGATTACCATCTCCAGAGACAATTCCAAGAACACGCTGTATCTGCAA ATGAACAGCCTGAGAGCCGAGGACACGGCTGTGTATTACTGTGCGAAAG ATCGCGGGTCTATCTGGAACGTTGGGGATGGTATGGACGTCTGGGGCCA AGGGACCACGGTCACCGTCTCTTCA
192	3058	1090	EVQLVESGGGVVQPGRSLRLSCAASGFTFSDYAMHWVRQAPGKGLEWVA VIWYDGGNKYYADSAKGRFTISRDNSKNTLYLQMNSLRAEDTAVYYCAKD RGSIWNVGDGMDVWGQGTITVTVSS
192	3059	1091	FTFSDYAMH
192	3060	1092	TTCACATTCAGTGACTATGCCATGCAC
192	3061	1093	VIWYDGGNKYYADSAKG
192	3062	1094	GTTATATGGTATGATGGAGGTAATAAATACTATGCAGACTCCGCGAAGG GC
192	3063	1095	AKDRGSIWNVGDGMDV
192	3064	1096	GCGAAAGATCGCGGGTCTATCTGGAACGTTGGGGATGGTATGGACGTC
192	3065	1097	CAGCCTGTGCTGACTCAGCCACCCTCGGTGTCAGTGGCCCCAGGACAGA CGGCCAGGGTTACCTGTGGGGGAAACAACATTGGAGCTAAGAGTGTCCA CTGGTACCAGCAGAAGCCAGGCCAGGCCCTGTGCTGGTCGTCGATGAT GATACCGACCGGCCCTCAGGGATCCCTGAGCGATTCTCTGGCTCCAACTC TGGGAACACGGCCACCCTGACCATCAGCAGGGTTCGAAGCCGGGGATGA GGCCGACTATTACTGTCAGGTGTGGGATGCTAGTATTGGTCCTCTTTATG TCTTCGGAACCTGGGACCAAGCTCACCGTCCTA
192	3066	1098	QPVLTPPPSVSVAPGQTARVTCGNNIGAKSVHWYQQKPGQAPVTVVDDD TDRPSGIPERFSGSNSGNTATLTISRVEAGDEADYYCQVWDASIGPLYVFGT GTKLTVL
192	3067	1099	GGNNIGAKSVH

192	3068	1100	GGGGGAAACAACATTGGAGCTAAGAGTGTCCAC
192	3069	1101	DDTDRPS
192	3070	1102	GATGATACCGACCGGCCCTCA
192	3071	1103	QVWDASIGPLYV
192	3072	1104	CAGGTGTGGGATGCTAGTATTGGTCCTCTTTATGTC
193	3073	1105	CAGGTCCAGCTGGTGCAGTCTGGGGGAGGCGTGGTCCAGCCTGGGAGGT CCCTGAGACTCTCCTGTGCAGCCTCTGGTTTCACCTTCAGTGACTTTTCTA TGCACTGGGTCCGCCAGGCTCCAGGCAAGGGGCTGGAGTGGGTGGCACT CATCTCAAATGATGGAAGCAATAAATATTATTTCAGACTCCCTGAAGGGT TCATTCATCATCTCCAGAGACAACTCCAAGAACACGCTCTATCTCCAAC GAACAGCCTGGGAGCTGAGGACACGGCTCTGTATTACTGTGCGAGAGAT GCGGTTCCCCATTATGATTACGTCTGGGGAAACTTTGACTACTGGGGCCC GGGAACCCTGGTCACCGTCTCCTCA
193	3074	1106	QVQLVQSGGGVVPGRSLRLSCAASGFTFSDFSMHWVRQAPGKGLEWVAL ISNDGSNKYYSDSLKGSFIISRDNSKNTLYLQLNSLGAEDTALYYCARDVP HYDYVWGNFDYWGPGLTVTVSS
193	3075	1107	FTFSDFSMH
193	3076	1108	TTCACCTTCAGTGACTTTTCTATGCAC
193	3077	1109	LISNDGSNKYYSDSLKG
193	3078	1110	CTCATCTCAAATGATGGAAGCAATAAATATTATTTCAGACTCCCTGAAGG GT
193	3079	1111	ARDAVPHYDYVWGNFDY
193	3080	1112	GCGAGAGATGCGGTTCCCCATTATGATTACGTCTGGGGAAACTTTGACT AC
193	3081	1113	CAGCCTGTGCTGACTCAGCCTGCCTCCGTGTCTGCGTCTCCTGGACAGTC GATCACCATCTCCTGCACTGGAACCAGCAGTGACGTTGGTGGTTATAATT ATGTCTCCTGGTACCAACAGCACCCAGGCAAAGCCCCAAACTCATAGT TTATGAGGTCAGTAATCGGCCCTCAGGGGTTTCTAATCGCTTCTCTGGCT CCAAGTCTGGCAACACGGCCTCCCTGACCATCTCTGGGCTCCAGGCTGA CGACGAGGCTGATTATTACTGCAGCTCATATACAAGTTTCACTCCCGTGG TATTCGGCGGAGGGACCAAGGTGACCGTCCTA
193	3082	1114	QPVLTPASVSASPGQSITISCTGTSSDVGGYNYVSWYQQHPGKAPKLIVYE VSNRPSGVSNRFSKSGNTASLTISGLQADDEADYYCSSYTSFTPVVFGGG TKVTVL
193	3083	1115	TGTSSDVGGYNYVS
193	3084	1116	ACTGGAACCAGCAGTGACGTTGGTGGTTATAATTATGTCTCC
193	3085	1117	EVSNRPS
193	3086	1118	GAGGTCAGTAATCGGCCCTCA
193	3087	1119	SSYTSFTPVV
193	3088	1120	AGCTCATATACAAGTTTCACTCCCGTGGTA
194	3089	1121	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGGTTCAGCCTGGGGGGT CCCTGAGACTCTCCTGTGCAGCCTCTGGATTCACTTTTAGCGACTTTGCC ATGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTCTCAC

			TTATTAAAAGTAGTGATTATGCATACTATGCAGACTCCGTGAGGGGCCG GTTACCATCTCCAGAGACAATTCCAAGAACACCCTGTATCTGCGAATG AACAGCCTGAGAGCCGACGACACGGCCGTATATTACTGTGCGAAAGACG CCGATTTTTGGAGTGGTGATTCTACAATGGAGGGTACAACCTTTGACTCC TGGGGCCAGGGAACCCTGGTCACCGTCTCCTCA
194	3090	1122	EVQLVESGGGLVQPGGSLRLSCAASGFTFSDFAMSWVRQAPGKGLEWVSLI KSSDYAYYADSVRGRFTISRDN SKNTLYLRMNSLRADDTAVYYCAKDADF WSGDSYNGGYNFDSWGQGLVTVSS
194	3091	1123	FTFSDFAMS
194	3092	1124	TTCATTTTAGCGACTTTGCCATGAGC
194	3093	1125	LIKSSDYAYYADSVRG
194	3094	1126	CTTATTAAAAGTAGTGATTATGCATACTATGCAGACTCCGTGAGGGGC
194	3095	1127	AKDADFWSGDSYNGGYNFDS
194	3096	1128	GCGAAAGACGCCGATTTTTGGAGTGGTGATTCTACAATGGAGGGTACA ACTTTGACTCC
194	3097	1129	GATATTGTGCTGACCCAGTCTCCAGCCACCCTGTCTGTATCTCCAGGGGA AAGAGCCACCCTCTCCTGCAGGGCCAGTCAGAGTGTTGGCACCAACTTG GCCTGGTACCAGCAAAAACCTGGCCAGGCTCCCCGGCTCCTCATCTTTGG TGCCTCAACCAGGGCCACTGGTATCCCAGCCAGGTTCAGTGGCAGTGGG TCTGGGACAGAGTTCACTCTCACCATCAGCAGCCTGCAGTCTGAAGATTT TGCAGTTTATTACTGTCAGCAGTATAATAAGTGGCCTCCGCTCACTTTCG GCGGAGGGACCAAAGTGGATATCAAA
194	3098	1130	DIVLTQSPATLSVSPGERATLSCRASQSVGTNLAWYQQKPGQAPRLLIFGAS TRATGIPARFSGSGSGTEFTLTISSLQSEDFAVYYCQQYNKWPLTFGGGTK VDIK
194	3099	1131	RASQSVGTNLA
194	3100	1132	AGGGCCAGTCAGAGTGTTGGCACCAACTTGGCC
194	3101	1133	GASTRAT
194	3102	1134	GGTGCCTCAACCAGGGCCACT
194	3103	1135	QQYNKWPLT
194	3104	1136	CAGCAGTATAATAAGTGGCCTCCGCTCACT
195	3105	1137	CAGGTCCAGCTTGTGCACTCTGGGGGAGGCTTGGTCAAGCCTGGAGGGT CCCTGAGACTCTCCTGTGCAGCCTCTGGATTCTTCACTGACTACTAC ATGGTCTGGATCCGTCAGGCTCCAGGGAAGGGGCTGGAGTGGGTTTCAT ACATTAGTAGTAGCAGCAGATACATAAACTACGCAGACTCTGTGAAGGG CCGATTCACCATCTCCAGAGACAACGCCAAGAAGTCACTGTTTCTGCAA ATGAACACCGTGAGAGCCGAGGACACGGCTGTGTATTACTGTGCGCAAG GCTGGTATTCCGATTTTTGGAGTGGTCCCATTAGGATTTGGGGCCAGGGA ACCCTGGTCACCGTCTCCTCA
195	3106	1138	QVQLVQSGGGLVKPGGSLRLSCAASGFIFSDYYMVWIRQAPGKGLEWVSYI SSSSRYINYADSVKGRFTISRDNKNSLFLQMN TVRAEDTAVYYCAQGWYS DFWSGPIRIWGQGLVTVSS
195	3107	1139	FIFSDYYMV
195	3108	1140	TTCATCTTCAGTGACTACTACATGGTC

195	3109	1141	YISSSSRYINYADSVKG
195	3110	1142	TACATTAGTAGTAGCAGCAGATACATAAACTACGCAGACTCTGTGAAGG GC
195	3111	1143	AQGWYSDFWSGPIRI
195	3112	1144	GCGCAAGGCTGGTATTCCGATTTTTGGAGTGGTCCCATTAGGATT
195	3113	1145	GACATCCAGTTGACCCAGTCTCCATCCTCCCTGTCTGCATCTGTAGGAGA CAGAGTCACCATCACTTGCCAGGCGAGTCAGGACATTAGTAACTCTTTA AATTGGTTTCAGCAGAAACCTGGGAAAGCCCCCTAAGCTCCTGATCTTCG ATGCATACAATCTGGAAACAGGGGTCCCATCAAGGTTTCAGTGGAAAGTGG ATCTGGGACAGATTTTACCCTCACCATCAGCAGCCTGCAGCCTGAAGAT ATTGCAACATATTACTGTCTCAGCAGAATGATAATCTCGTTCTCACTTTTCG CGGAGGGACCAAGCTGGAGATCAAA
195	3114	1146	DIQLTQSPSSLSASVGDRTITCQASQDISNSLNWFQKPGKAPKLLIFDAYN LETGVPSRFSGSGSGTDFTLTISSLQPEDIATYYCQQNDNLVLTFGGGTKLEI K
195	3115	1147	QASQDISNSLN
195	3116	1148	CAGGCGAGTCAGGACATTAGTAACTCTTTAAAT
195	3117	1149	DAYNLET
195	3118	1150	GATGCATACAATCTGGAAACA
195	3119	1151	QQNDNLVLT
195	3120	1152	CAGCAGAATGATAATCTCGTTCTCACT
196	3121	1153	CAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGCAGGT CCCTGAGACTCTCCTGTGCAGCCTCTGGATTACGTTTGATAATTACCCC ATGCACTGGATCCGGCAAGCTCCAGGGAAGGGCCTGGAGTGGGTCTCAG GTATTAGTTGGCATAGTGGAAGCATAGGCTATGCGGACTCTGTGAAGGG CCGATTACCATCTCCAGAGACAACGCCAAGAACTCCCTGTATCTGCAA ATGAACAGTCTGAGAACTGAGGACACGGCCTTGTATTACTGTGCAAAAG ACGCCATTACTTTGATAATAGCGGTCACTACTACTACGGTCTGGACGTC TGGGGCCAAGGGACCACGGTCACCGTCTCCTCA
196	3122	1154	QVQLVESGGGLVQPGRSLRLSCAASGFTFDNYPMHWIRQAPGKGLEWVSGI SWHSGSIGYADSVKGRFTISRDNKNSLYLQMNSLRTEDTALYYCAKDAH YFDNSGHYYYGLDVWGQGTTVTVSS
196	3123	1155	FTFDNYPMH
196	3124	1156	TTCACGTTTGATAATTACCCCATGCAC
196	3125	1157	GISWHSGSIGYADSVKG
196	3126	1158	GGTATTAGTTGGCATAGTGGAAGCATAGGCTATGCGGACTCTGTGAAGG GC
196	3127	1159	AKDAH YFDNSGHYYYGLDV
196	3128	1160	GCAAAAGACGCCCATTACTTTGATAATAGCGGTCACTACTACTACGGTCT GGACGTC
196	3129	1161	GAAATTGTGTTGACACAGTCTCCAGCCACCCTGTCTGTGTCTCCAGGGGA AAGAGCCACCCTCTCCTGCAGGGCCAGTCAGAATATTATCAACAACCTTA GCCTGGTACCAGCAGAAACCTGGCCAGGCTCCAGGCTCCTCATCTCTG GTGCATCCACCAGGGCCACTGGTATCCAGCCAGGTTTCAGTGGCAGTGG

			GTCTGGGACAGAGTTCACTCTCACCATCACCAGCCTGCAGTCTGAAGATT TTGCAGTTTATTACTGTCAGCAGTATAATAACTGGCCGCTCACTTTCCGC GGAGGGACCAAAGTGGATATCAAA
196	3130	1162	EIVLTQSPATLSVSPGERATLSCRASQNIINNLAWYQQKPGQAPRLLISGAST RATGIPARFSGSGSGTEFTLTITSLQSEDFAVYYCQQYNNWPLTFGGGKVD IK
196	3131	1163	RASQNIINNLA
196	3132	1164	AGGGCCAGTCAGAATATTATCAACAACTTAGCC
196	3133	1165	GASTRAT
196	3134	1166	GGTGCATCCACCAGGGCCACT
196	3135	1167	QQYNNWPLT
196	3136	1168	CAGCAGTATAATAACTGGCCGCTCACT
197	3137	1169	CAGGTCCAGCTGGTGCAGTCTGGGGGAGGCTTGGTACAGCCAGGGCGGT CCCTGAGACTCTCCTGTACAGCCTCTGGATTTCAGTTTCAGTGATTATGGA GTGACCTGGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGATAGGTT TCGTCAGAACCAAGGGTTATGGAGGGACAACAGAGTACGCCGCGTCTGT GAGAGGCAGATTACCATCTCAAGAGATGACTCCAAAAGCGTCGCCTAT CTACAATTGAACAGCCTGAAAGTCGAGGATACAGCCGTCTATTACTGTT CTGGGGCATCACGGGGCTTTTGGAGTGGGCCAACCTACTACTACTTTGGT ATGGACGTCTGGGGCCATGGGACCACGGTCACTGTCTCCTCA
197	3138	1170	QVQLVQSGGGLVQPRSLRLSCTASGFSFSDYGVTVWRQAPGKGLEWIGFV RTKGYGGTTEYAASVRGRFTISRDDSKSVAYLQLNSLKVEDTAVYYCSGAS RGFWSGPTYYYFGMDVWGHGTTVTSS
197	3139	1171	FSFSDYGVTV
197	3140	1172	TTCAGCTTCAGTGATTATGGAGTGACC
197	3141	1173	FVRTKGYGGTTEYAASVRG
197	3142	1174	TTCGTCAGAACCAAGGGTTATGGAGGGACAACAGAGTACGCCGCGTCTG TGAGAGGC
197	3143	1175	SGASRGFWSGPTYYYFGMDV
197	3144	1176	TCTGGGGCATCACGGGGCTTTTGGAGTGGGCCAACCTACTACTACTTTGG TATGGACGTC
197	3145	1177	GAAATTGTGTTGACACAGTCTCCACTCTCCCTGGCCGTACCCCTGGAGA GCCGGCCTCCATCTCCTGCAGGTCTAGTCAGAGCCTCCTGCATGGTAATG GATACAACTACTTGGATTGGTACCTGCAGAAGCCAGGGCAGTCTCCACA ACTCCTGATCTTTTGGGGTTCTTATCGGGCCTCCGGGGCCCCCTGACAGGT TCAGTGCCAGTGGATCAGGCTCAGAGTTTACACTGAAAATCAGAAGAGT GGAGGCTGAGGATGTGGGGGTTTATTACTGCATGCAACCTCTACAAACA ACTTTTGCCAGGGGACCAAAGTGGATATCAAA
197	3146	1178	EIVLTQSPLSLAVTPGEPASISCRSSQSLLHGNGYNYLDWYLQKPGQSPQLLI FWGSYRASGAPDRFSASGSGSEFTLKIRRVEAEDVGVYYCMQPLQTFGQG TKVDIK
197	3147	1179	RSSQSLLHGNGYNYLD
197	3148	1180	AGGTCTAGTCAGAGCCTCCTGCATGGTAATGGATACAACTACTTGGAT
197	3149	1181	WGSYRAS

197	3150	1182	TGGGGTTCTTATCGGGCCTCC
197	3151	1183	MQPLQTT
197	3152	1184	ATGCAACCTCTACAAACAAC
198	3153	1185	CAGGTCCAGCTGGTGCAGTCTGGAGCAGAGGTGAAAAAGCCCGGGGAG TCTCTAAAGATCTCCTGTAAGGGTTCTGGATACACCTTTAGAATGTATTG GATCGGCTGGGCGCGCCTGTGCCCCGGGAAAGGCCTGGAGTGGATAGGA ATCATCTATCCTGGTGACTCTGATACCAGGTACAACCCGTCCTCCAAGG CCAGGTCACCATGTGAGTCGACAAGTCCATCAACACCGCCTACCTCCAG TGGGGAAGCCTGAAGGCCTCGGACAGCGCCATTTATTACTGTGCGAGAC TGAGATTACATCCCCAGAGTGGAATGGACGTCTGGGGCCAAGGGACCCT GGTCACCGTCTCCTCA
198	3154	1186	QVQLVQSGAEVKKPGESLKISCKGSGYTFRMYWIGWARLLPGKGLEWIGII YPGDS DTRYNPSLQGQV TMSVDKSINTAYLQWGLSKASDSAIIYYCARLRH PQSGMDVWVGQGLTVTVSS
198	3155	1187	YTFRMYWIG
198	3156	1188	TACACCTTTAGAATGTATTGGATCGGC
198	3157	1189	IIPGDS DTRYNPSLQG
198	3158	1190	ATCATCTATCCTGGTGACTCTGATACCAGGTACAACCCGTCCTCCAAGG C
198	3159	1191	ARLRHPQSGMDV
198	3160	1192	GCGAGACTGAGATTACATCCCCAGAGTGGAATGGACGTC
198	3161	1193	AATTTTATGCTGACTCAGCCCCACTCTGTGTGCGGAGTCTCCGGGGAAGAC GGTAGTTATCTCCTGCACCCGCAGCAGTGGCAGCATTGCCGGCTACTATG TGCAGTGGTACCAACATCGCCCGGGCAGTCCCCCACTACTGTGATATAT GAGGATGACCAAAGACCCTCTGGGGTCCCTGATCGGTTCTCTGGGTCCG TCGACAGCTCCTCCAACCTCTGCCTCCCTACCATCTCTGGACTGAAGACT GAGGACGAGGCTGACTACTATTGTGAGTCCTATGATAACGCCATTTGGG TGTTGCGGCGGAGGGACCAAGCTCACCGTCCTA
198	3162	1194	NFMLTQPHSVSESPGKTVVISCTRSSGSIAGYYVQWYQHRPGSSPTTVIYED DQRPSGVPDRFSGSV DSSNSASLTISGLKTEDEADYYCQSYDNAIWVFGGG TKLTVL
198	3163	1195	TRSSGSIAGYYVQ
198	3164	1196	ACCCGCAGCAGTGGCAGCATTGCCGGCTACTATGTGCAG
198	3165	1197	EDDQRPS
198	3166	1198	GAGGATGACCAAAGACCCTCT
198	3167	1199	QSYDNAIWV
198	3168	1200	CAGTCCTATGATAACGCCATTTGGGTG
199	3169	1201	CAGGTGCAGCTTGTGCAGTCTGGGGCTGAGGTGAAGAAGCCTGGGTCCT CGGTGAAGGTCTCCTGCAAGGCTTCTGGAGGCACCTTCAGCAGCTATGC TATCAGCTGGGTGCGACAGGCCCTGGACAAGGGCTTGAGTGGATGGGA GGGATCATCCCTATCTTTGGTACAGTAAACTACGCACAGAAGTTCCAGG GCAGAGTCACGATTACCGCGGACGAATCCACGAGCACAGCCTACATGGA GCTGAGCAGTCTGAGATCTGAGGACACGGCCGTGTATTACTGTGCGAGA GATCGTTCGGTGACCCCTCGCTACTACGGTATGGACGTCTGGGGCCAAG

			GGACCACGGTCACCGTCTCCTCA
199	3170	1202	QVQLVQSGAEVKKPGSSVKVSCASGGTFSSYAIWVRQAPGQGLEWMGG IIPFGTVNYAQKFQGRVTITADESTSTAYMELSSLRSEDTAVYYCARDRSVT PRYYGMDVWGQGTTVTVSS
199	3171	1203	GTFSSYAI
199	3172	1204	GGCACCTTCAGCAGCTATGCTATCAGC
199	3173	1205	GIIPFGTVNYAQKFQG
199	3174	1206	GGGATCATCCCTATCTTTGGTACAGTAACTACGCACAGAAGTTCCAGG GC
199	3175	1207	ARDRSVTPRYYGMDV
199	3176	1208	GCGAGAGATCGTTCGGTGACCCCTCGCTACTACGGTATGGACGTC
199	3177	1209	GAAATTGTGATGACACAGTCTCCAGCCACCCTGTCTTTGTCTCCAGGGGA AAGAGCCACCCTCTCCTGCAGGGCCAGTCAGAGTGTTAGCAGCTACTTA GCCTGGTACCAACAGAAACCTGGCCAGGCTCCCAGGCTCCTCATCTATG ATGCATCCAACAGGGCCACTGGCATCCAGCCAGGTTTCAGTGGCAGTGG GTCTGGGACAGACTTCACTCTCACCATCAGCAGCCTAGAGCCTGAAGAT TTTGAGTTTATTACTGTCAGCACCGTAGCAACTGGCCTCCACTCACTTT CGGCCCTGGGACCAAGCTGGAGATCAAA
199	3178	1210	EIVMTQSPATLSLSPGERATLSCRASQSVSSYLAWYQQKPGQAPRLLIYDAS NRATGIPARFSGSGSGTDFLTITSSLEPEDFAVYYCQHRSNWPPLTFGPGTKL EIK
199	3179	1211	RASQSVSSYLA
199	3180	1212	AGGGCCAGTCAGAGTGTTAGCAGCTACTTAGCC
199	3181	1213	DASNRAT
199	3182	1214	GATGCATCCAACAGGGCCACT
199	3183	1215	QHRSNWPPLT
199	3184	1216	CAGCACCGTAGCAACTGGCCTCCACTCACT
200	3185	1217	GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCCTGGTCAAGCCTGGGGGGT CCCTGAGACTCTCCTGTGCAGCCTCGGGATTACCATCAGTGGTTATAAC ATGTTCTGGGTCCGCCAGCCTCCGGGGAAGGGGCTGGAGTGGGTCTCAT CCATTACTGCTGGTAGTAGTTATTTAACTATGCAGACTCAGTGAAGGGC CGTTTCATCGTCTCCAGAGACAACGCCAAGAATTCAGTGTATCTGCAAT GAACAGCCTGAGAGCCGAGGACACGGCTGTTTATTTCTGTGCGAGAGCA CCTCTTTTACCCGCTATGATGGACCTCTGGGGCCAAGGGACCACGGTCAC CGTCTCCTCA
200	3186	1218	EVQLLESGLLVKPGGSLRLSCAASGFTISGYNMFVVRQPPGKGLEWVSSI TAGSSYLNYADSVKGRFIVSRDNAKNSLYLQMNSLRAEDTAVYFCARAPLL PAMMDLWGQGTTVTVSS
200	3187	1219	FTISGYNMF
200	3188	1220	TTCACCATCAGTGGTTATAACATGTTC
200	3189	1221	SITAGSSYLNYADSVKG
200	3190	1222	TCCATTACTGCTGGTAGTAGTTATTTAACTATGCAGACTCAGTGAAGGG C

200	3191	1223	ARAPLLPAMMDL
200	3192	1224	GCGAGAGCACCTCTTTTACCCGCTATGATGGACCTC
200	3193	1225	CAGTCTGTGCTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAGGGCAGA GGGTCACCATCTCCTGCACTGGGAGCAGCTCCAACATCGGGGCAGGTTA TGATGTACACTGGTACCAGCAACTTCCAGGAACAGCCCCAAACTCCTC ATCTATACTAACAACAATCGGCCCTCAGGGGTCCCTGACCGATTCTCTGG CTCCAAGTCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAGGCTG AGGATGAGGCTGACTATTACTGCCAGTCCTATGACAGAAGCCTGAATGG TTATGTCTTCGGAAC TGGGACCAAGGTCACCGTCCTA
200	3194	1226	QSVLTQPPSVSGAPGQVRVTISCTGSSSNIGAGYDVHWYQQLPGTAPKLLIYT NNNRPSGVPDRFSGSKSGTSASLAITGLQAEDEADYYCQSYDRSLNGYVFG TGTKVTVL
200	3195	1227	TGSSSNIGAGYDVH
200	3196	1228	ACTGGGAGCAGCTCCAACATCGGGGCAGGTTATGATGTACAC
200	3197	1229	TNNNRPS
200	3198	1230	ACTAACAACAATCGGCCCTCA
200	3199	1231	QSYDRSLNGYV
200	3200	1232	CAGTCCTATGACAGAAGCCTGAATGGTTATGTC
201	3201	1233	GAGGTGCAGCTGGTGGAGTCTGGGGCTGAGGTGAAGAAGCCTGGGTCCT CGGTGAAGGTCTCCTGCAAGGCTTCTGCAGACACCTTCAGCAGTTATGCT ATCAGCTGGGTGCGGCAGGCCCTGGACAAGGGCTTGAGTGGATGGGAG GGATCCTCCCTATCCTTGGTACAGCAAACCTCCGCACAGAAGTTCCGGGG CAGAGTCACGTTTACCGCGGACGAATCCACGACCACAGCCTACATGGAA CTGAGCAGCCTGAGATCTGAGGACACGCGCGTCTATTACTGCGCGAGGC TTGCTGGACCACGGTGGCCGGGGTACGGTATGGACGCTCTGGGGCCAAGG GACCCTGGTCAACGCTCTCCTCA
201	3202	1234	EVQLVESGAIEVKKPGSSVKVSKASADTFSSYAISWVRQAPGQGLEWMGGI LPILGTANSAQKFRGRVFTADESTTTAYMELSSLRSEDAVYYCARLAGPR WPGYGMMDVWGQGLTVTVSS
201	3203	1235	DTFSSYAIS
201	3204	1236	GACACCTTCAGCAGTTATGCTATCAGC
201	3205	1237	GILPILGTANSAQKFRG
201	3206	1238	GGGATCCTCCCTATCCTTGGTACAGCAAACCTCCGCACAGAAGTTCCGGG GC
201	3207	1239	ARLAGPRWPGYGMMDV
201	3208	1240	GCGAGGCTTGCTGGACCACGGTGGCCGGGGTACGGTATGGACGTC
201	3209	1241	GACATCCAGTTGACCCAGTCTCCATCCTTCCTGTCTGCTTCTGTAGGAGA CAGAGTCACCATCACTTGCCGGGCCAGTCAGGGCATTAGCAGTTATTTA GCCTGGTATCAACAGAAACCAGGGAAAGCCCCTAAACTCCTGATCTATG CTGCATCCACTTTGCAAAGTGGGGTCCCATCAAGGTTTCAGCGGCAGTGG ATCTGGGACAGAATTCACTCTCACAATCAGCAGCCTGCAGCCTGAAGAT TTTGCAACTTATTACTGTCAGCAGCTTAACAGTTTCCCCCTCACCTTCGG CGGAGGGACCAAGGTGGAAATCAAA
201	3210	1242	DIQLTQSPSFLSASVGDRVTITCRASQGISSYLAWYQQKPGKAPKLLIYAAS

			LQSGVPSRFSGSGSGTEFTLTISSLQPEDFATYYCQQLNSFPLTFGGGTKVEIK
201	3211	1243	RASQGISSYLA
201	3212	1244	CGGGCCAGTCAGGGCATTAGCAGTTATTTAGCC
201	3213	1245	AASTLQS
201	3214	1246	GCTGCATCCACTTTGCAAAGT
201	3215	1247	QQLNSFPLT
201	3216	1248	CAGCAGCTTAACAGTTTCCCCCTCACC
202	3217	1249	CAGGTCCAGCTGGTGCAGTCTGGGGCTGAGGTGACGAAGCCTGGGGCCT CAGTGAGGGTCTCCTGCAAATTTCCGCATACACCCTCTCTGCATTATCC ATTCACTGGGTGCGACAGGCTCCTGGAAAAGGCCTTGAGTGGATGGGAG CTTTTGATCCTGAGGATGGTGAGCCAATCTACTCACAGCATTTCAGGGC AGAGTCACCATGACCGAGGACACTTCTACACAGACAGCCTACATGGAGC TGAACAGCCTGAGATCTGAGGACACGGCCGTTTATTACTGTTTCATCCGTA GGACCAGCGGGGTGGTTTCGACCCCTGGGGCCAGGGAACCCTGGTCACCG TCTCCTCA
202	3218	1250	QVQLVQSGAEVTKPGASVRVSCKFSAITLSALSIHWVRQAPGKGLEWMGA FDPEDGEPIYSQHFQGRVTMTEDTSTQTAYMELNSLRSEDTAVYYCSSVGP AGWFDPPWGQGLTVTVSS
202	3219	1251	YTLSALSIH
202	3220	1252	TACACCCTCTCTGCATTATCCATTAC
202	3221	1253	AFDPEDGEPIYSQHFQG
202	3222	1254	GCTTTTGATCCTGAGGATGGTGAGCCAATCTACTCACAGCATTTCAGGG C
202	3223	1255	SSVGPAGWFDP
202	3224	1256	TCATCCGTAGGACCAGCGGGGTGGTTTCGACCCC
202	3225	1257	GACATCCGGTTGACCCAGTCTCCATCCTCCCTGTCTGCATCTGTGGGAGA CAGAGTCAGCATCACTTGCCGGGCAAGTCAGAGCATTAGCAGCTATTTA CATTGGTATCAACAAAAACCAGGGAAAGCCCCTAAGCTCCTGATCTATG CTGCATCCAGTTTGCAAAGTGGGGTCCCATCAAGTTTCAGTGGCAGTGG ATCTGGGTGAGATTTCACTCTCACCATCAGCAGTCTGCAACCTGAAGATT TTGCAACTTACTACTGTCACCAGAGTTACATTCCCCCATTCACTTTCCGGC CCTGGGACCAAGCTGGAGATCAAA
202	3226	1258	DIRLTQSPSSLSASVGDVRSITCRASQSISSYLHWYQQKPGKAPKLLIYAASS LQSGVPSRFSGSGSGSDFTLTISSLQPEDFATYYCHQSYIPPFITFGPGTKLEIK
202	3227	1259	RASQSISSYLH
202	3228	1260	CGGGCAAGTCAGAGCATTAGCAGCTATTTACAT
202	3229	1261	AASSLQS
202	3230	1262	GCTGCATCCAGTTTGCAAAGT
202	3231	1263	HQSYIPPF
202	3232	1264	CACCAGAGTTACATTCCCCCATTCCT
203	3233	1265	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCCTGGTCAAGCCTGGGGGGT CCCTGAGACTCTCCTGTGCAGCCTCTGGATTACCATCACTAGCTATGGC

			ATGAACTGGGTCCGCCAGGCTCCAGGAAAGGGGCTGGAGTGGGTCTCAT CCATTAGTAGTAGTAGTAGTTTCATACACTATGGAGACTCAGTGAAGGG TCGATTCACCATCTCCAGAGACAACGCCAAGAACTCACTGTATCTGCAA ATGAACAGCCTGAGAGCCGGGGACACGGCTGTATACTACTGTGTGAGAG ACTCGGGCCACCAGGACTACCGCGGGGACTACTGGGGCCAGGGAACCCT GGTCACCGTCTCCTCA
203	3234	1266	EVQLVESGGGLVKPGGSLRLSCAASGFTITSYGMNWVRQAPGKGLEWVSSI SSSSSFIHYGDSVKGRFTISRDNKNSLYLQMNSLRAGDTAVYYCVRDSGH QDYRGDYWGQGLTVTVSS
203	3235	1267	FTITSYGMN
203	3236	1268	TTCACCATCACTAGCTATGGCATGAAC
203	3237	1269	SISSSSSFIHYGDSVKG
203	3238	1270	TCCATTAGTAGTAGTAGTAGTTTCATACACTATGGAGACTCAGTGAAGG GT
203	3239	1271	VRDSGHQDYRGDY
203	3240	1272	GTGAGAGACTCGGGCCACCAGGACTACCGCGGGGACTAC
203	3241	1273	CAGTCTGTGGTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAGGGCAGA GGGTCTCCATCTCCTGCACTGGGAGCAGCTCCAACATCGGGGCAGGTTA TGATGTACACTGGTACCAGCAGCTTCCAGGAACAGCCCCCAAACCTCTC ATCTATACTAACAACAATCGGCCCTCAGGGGTCCCTGACCGATTCTCTGG CTCCAAGTCTGGCACCTCAGCCTCCCTGGCCATCAATGGGCTCCAGGCTG AGGATGAGGCTGATTATTACTGCCAGTCCTATGACAGGAGCCTGAGTGG TTGGGTGTTCGGCGGAGGGACCAAGCTCACCGTCCTA
203	3242	1274	QSVVTQPPSVSGAPGQRVSIISCTGSSSNIGAGYDVHWWYQQLPGTAPKLLIYT NNNRPSGVPDRFSGSKSGTSASLAINGLQAEDEADYYCQSYDRSLSGWVFG GGTKLTVL
203	3243	1275	TGSSSNIGAGYDVH
203	3244	1276	ACTGGGAGCAGCTCCAACATCGGGGCAGGTTATGATGTACAC
203	3245	1277	TNNNRPS
203	3246	1278	ACTAACAACAATCGGCCCTCA
203	3247	1279	QSYDRSLSGWV
203	3248	1280	CAGTCCTATGACAGGAGCCTGAGTGGTTGGGTG
204	3249	1281	CAGGTGCAGCTGGTGGAGTCTGGTCCTGCGTTGGTGAAACCCACACAGA CCCTCACACTGACCTGCGCCTTCTCTGGGTTCTCACTACCACTCGTGGG ATGTCTGTGAGCTGGATCCGTCAGCCCCCAGGGAAGGCCCTGGAGTGGC TTGCACGCATTGATTGGGATGATGATAAATACTACAGCACCTCTCTGAA GACCAGGCTCACCATCTCCAAGGACACCTCCAAAAACCAGGTGGTCCTC ACAATGAGCAACATGGACCCTGTGGACACAGCCACGTATTACTGTGCAC GGGCGTCTCTCTATGATAGTGGTGGCTATTACCTTTTTTTCTTTGACTACT GGGGCCAGGGAACCCTGGTCACCGTCTCCTCA
204	3250	1282	QVQLVESGPALVKPTQTLTLTCAFSGFSLTTRGMSVSWIRQPPGKALEWLA RIDWDDDKYYSTSLKTRLTISKDTSKNQVVLTMNSMDPVDATYYCARAS LYDSGGYYLFFFDYWGQGLTVTVSS
204	3251	1283	FSLTTRGMSVS

204	3252	1284	TTCTCACTCACCACCTCGTGGGATGTCTGTGAGC
204	3253	1285	RIDWDDDKYYSTSLKT
204	3254	1286	CGCATTGATTGGGATGATGATAAATACTACAGCACCTCTCTGAAGACC
204	3255	1287	ARASLYDSGGYYLFFFDY
204	3256	1288	GCACGGGCGTCTCTCTATGATAGTGGTGGCTATTACCTTTTTTCTTTGAC TAC
204	3257	1289	GATATTGTGATGACTCAGTCTCCATCCTCCCTGTCTGCATCTGTTGGAGA CAGAGTCACCATCACTTGCCGGGCAAGCCAGAGCATTGGCAGTTATTTA AATTGGTATCAGCAGAAACCAGGGAAAGTCCCGAAACTCCTGATCTATG CTGCATCCAATTTGCAAGGTGGGGTCCCATCAAGGTTTCGTGGCAGTGG ATCTGGGACAGATTTCACTCTCACCATCAGCAATCTGCAACCTGAAGATT TTGCAAGTTACTACTGTCAACTGAGTTACAGTAGCCTTTGGACGTTCCGC CAAGGGACCAAGGTGGAAATCAAA
204	3258	1290	DIVMTQSPSSLSASVGDRTITCRASQSIGSYLNWYQQKPGKVPKLLIYAAS NLQGGVPSRFRGSGSGTDFLTISNLQPEDFASYCQLSYSSLWTFGQGTKV EIK
204	3259	1291	RASQSIGSYLN
204	3260	1292	CGGGCAAGCCAGAGCATTGGCAGTTATTTAAAT
204	3261	1293	AASNLQG
204	3262	1294	GCTGCATCCAATTTGCAAGGT
204	3263	1295	QLSYSSLWT
204	3264	1296	CAACTGAGTTACAGTAGCCTTTGGACG
205	3265	1297	CAGGTGCAGCTGGTGGAGTCTGGGGGAGGCGTGGTCCAGCCTGGGAGGT CCCTGAGAGTCTCCTGTGCAGCCTCTGGATTTGACTTCAGTAACTATGCC ATGCACTGGGTCCGCCAGGCTCCAGGCAAGGGGCTGGAGTGGGTGGCAC TTATATCCTATGATGGAAATAATAAAGTCTATGCAGACTCCGTGAAGGG CCGATTCACCGTCTCCAGAGACAATTCCAAAAACACACTTTATCTGCAA ATGAACAGCCTGAGACCTGAAGACACGGCTGTGATTTACTGTGCGAAAG ATGGCTATCTGGCTCCTGACTTCTGGGGCCAGGGAACCCTGGTCACCGTC TCCTCA
205	3266	1298	QVQLVESGGGVVQPGRSLRVSCAASGFDfsNYAMHWVRQAPGKLEWVA LISYDGNNKVYADSVKGRFTVSRDNSKNTLYLQMNSLRPEDTAVIYCAKDG YLAPDFWGQGLTVTVSS
205	3267	1299	FDFSNYAMH
205	3268	1300	TTTGACTTCAGTAACTATGCCATGCAC
205	3269	1301	LISYDGNNKVYADSVKG
205	3270	1302	CTTATATCCTATGATGGAAATAATAAAGTCTATGCAGACTCCGTGAAGG GC
205	3271	1303	AKDGYLAPDF
205	3272	1304	GCGAAAGATGGCTATCTGGCTCCTGACTTC
205	3273	1305	CAGTCAGTCCTGACTCAGCCTGCCTCCGTGTCTGGGTCTCCTGGACAGTC GATCATCATCTCCTGCACTGGAACCAGCAGTGACGTTGGTGAATATGAC TATGTCTCCTGGTACCAACACCACCCACACAAAGCCCCCAAACTCATAA

			TTTATGAGGTCAGTAATCGGCCCTCAGGGGTTTCTAATCGCTTCTCTGGC TCCAAGTCTGGCAACACGGCCTCCCTGACCATCTCTGGGCTCCAGGCTGA GGACGAGGCTGATTATTACTGCAGTTCCTACACAAGCAGTAGCGGTCAA GCCTTCGGAACCTGGGACCAAGGTCACCGTCCTA
205	3274	1306	QSVLTQPASVSGSPGQSIISCTGTSSDVGEYDYVSWYQHHPHKAPKLIIEV SNRPSGVSNRFSGSKSGNTASLTISGLQAEDEADYYCSSYTSSSGQAFGTGT KVTVL
205	3275	1307	TGTSSDVGEYDYVS
205	3276	1308	ACTGGAACCAGCAGTGACGTTGGTGAATATGACTATGTCTCC
205	3277	1309	EVSNRPS
205	3278	1310	GAGGTCAGTAATCGGCCCTCA
205	3279	1311	SSYTSSSGQA
205	3280	1312	AGTTCCTACACAAGCAGTAGCGGTCAAGCC
206	3281	1313	GAGGTGCAGCTGGTGGAGTCTGGAGGAGGCTTGATCCAGCCTGGGGGGT CCCTGAGACTCTCCTGTGCAGCCTCTGGGTTACCGTCAGTAGCAAGTAC ATGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTCTCAA TTATTTATAGTGGTGGTAGCACATAACCACGCAGACTCCGTGAAGGGCCG ATTACCATCTCCAGAGACAACTCCAAGAACACACTGTATCTTCAAATG AACAGCCTGAGAGCCGAGGACACGGCCGTGTATTACTGTGCGAGAGATG ATTACGATTTTTGGAGTGGCAACGGCCACCGGAGATGGCCGTCTGGGG CCAGGGGACCACGGTCACCGTCTCCTCA
206	3282	1314	EVQLVESGGGLIQPGSLRLSCAASGFTVSSKYSWVRQAPGKLEWVSII YSGGSTYHADSVKGRFTISRDN SKNTLYLQMNSLRAEDTAVYYCARDYD FWSGNGPPEMAVWGQGT TVTVSS
206	3283	1315	FTVSSKYS
206	3284	1316	TTCACCGTCAGTAGCAAGTACATGAGC
206	3285	1317	IISGGSTYHADSVKG
206	3286	1318	ATTATTTATAGTGGTGGTAGCACATAACCACGCAGACTCCGTGAAGGGC
206	3287	1319	ARDDYDFWSGNGPPEMAV
206	3288	1320	GCGAGAGATGATTACGATTTTTGGAGTGGCAACGGCCACCGGAGATGG CCGTC
206	3289	1321	GACATCCGGATGACCCAGTCTCCATCCTCCCTGTCTGCATCTGTAGGAGA CAGAGTCACCATCACTTGCCGGGCGAGTCAGGGCATTAGCAATTATTTA GCCTGGTATCAGCAGAAACCAGGGAAAGTTCCTAAGCTCCTGATCTATG CTGCATCCACTTTGCAATCAGGGGTCCCATCTCGGTTCAGTGGCAGTGGA TCTGAGACAGATTTCACTCTCACCATCAGCAGCCTGCAGCCTGAAGATGT TGCAACTTATTACTGTCAAAGTATAACAGTGTCCCTCTGACGTTTCGCC AAGGGACCAAGGTGGAAATCAA
206	3290	1322	DIRMTQSPSSLSASVGDRTITCRASQGISNYLAWYQQKPGKVPKLLIYAAS TLQSGVPSRFSGSGSETDFTLTISLQPEDVATYYCQKYNVPLTFGQGTKVE IK
206	3291	1323	RASQGISNYLA
206	3292	1324	CGGGCGAGTCAGGGCATTAGCAATTATTTAGCC
206	3293	1325	AASTLQS

206	3294	1326	GCTGCATCCACTTTGCAATCA
206	3295	1327	QKYNVPLT
206	3296	1328	CAAAAGTATAACAGTGTCCCTCTGACG
207	3297	1329	CAGGTCCAGCTGGTGCAGTCTGGAGCAGAGGTGAAAAAGCCCGGGGAG TCTCTGAAGATCTCCTGTAAGACTTCTGGATACAGATTTACCAATTACTG GATCGGCTGGGTGCGCCAGATGCCCGGGAAGGCCTGGAGTGGATGGG GATCATCTATCCTGGTGACTCTGATGCCAGATACAGCCCGTCCTTCCAAG GCCAGGTCACCTTCTCAGCCGACAAGTCCATCAGCACCGCCTACCTGCA CTGGAGCAGCCTGAAGGCCTCGGACACCGCCATGTATTACTGTGCGAGA CAAGATGACAGTGGCTGGGCCGACTTCTTTCCCTTTGACTACTGGGGCCA GGGAACCCTGGTCACCGTCTCCTCA
207	3298	1330	QVQLVQSGAEVKKPGESLKISCKTSGYRFTNYWIGWVRQMPGKGLEWMGI IYPGDS DARYSPSFQGVTF SADSISTAYLHWSSLKASDTAMY YCARQDD SGWADFFPFDYWGQGLTVTVSS
207	3299	1331	YRFTNYWIG
207	3300	1332	TACAGATTTACCAATTACTGGATCGGC
207	3301	1333	IYPGDS DARYSPSFQG
207	3302	1334	ATCATCTATCCTGGTGACTCTGATGCCAGATACAGCCCGTCCTTCCAAGG C
207	3303	1335	ARQDDSGWADFFPFDY
207	3304	1336	GCGAGACAAGATGACAGTGGCTGGGCCGACTTCTTTCCCTTTGACTAC
207	3305	1337	GAAATTGTGTTGACGCAGTCTCCAGGCACCCTGTCTTTGTCTCCAGGGGA AAGAGCCACCCTCTCCTGCAGGGCCAGTCACAGTTTTAGCAGCACCTAC TTAGCCTGGTACCAGCAGAAACCTGGCCAGGCTCCCAGGCTCCTCATCT ATGCTGCATCCAACAGGGCCACTGGCATCCCAGACAGGTTCACTGGCAG TGGGTCTGGGACAGACTTCACTCTCACCATCAGCAGACTGGAGCCTGAA GATTTTGAGTGTATTTCTGTGTCAGCAGTATGATAGCTCACCGTGGACGTT CGGCCAAGGGACCAAGCTGGAGATCAAA
207	3306	1338	EIVLTQSPGTL SLSPGERATLSCRASHSFSSSTYLAWYQQKPGQAPRLLIYAAS NRATGIPDRFSGSGSGTDFTLTISRLEPEDFAVYFCQQYDSSPWTFGQGKLE IK
207	3307	1339	RASHSFSSSTYLA
207	3308	1340	AGGGCCAGTCACAGTTTTAGCAGCACCTACTTAGCC
207	3309	1341	AASNRAT
207	3310	1342	GCTGCATCCAACAGGGCCACT
207	3311	1343	QQYDSSPWT
207	3312	1344	CAGCAGTATGATAGCTCACCGTGGACG
208	3313	1345	CAGGTCCAGCTGGTACAGTCTGGGGCTGAGGTGAAGAAGCCTGGGTCCT CGGTGAAGGTCTCCTGCAGGACTTCTGGAGGCACCTTCAGCAGCTTTTCT ATCAGCTGGGTGCGACAGGCCCTGGACAAGGACTTGAATGGATGGGAG GGATCATCCCTATCTTTGGGACAGCAAACCTACGCAAAGAAATTCCAGGG CAGAGTCACAATTACCGCGGACGAATCCACGGACACAGCCTATATGGAA CTGAGGAGCCTGAGATCTGAGGACACGGCCGTCTATTACTGTGCGAGAG ATTCCCCCAAATATCAGCAACTGAATATTACTTTGACTACTGGGGCCAG

			GGAACCCTGGTCACCGTCTCCTCA
208	3314	1346	QVQLVQSGAEVKKPGSSVKVSCRTSGGTFSSFSISWVRQAPGQGLEWMGGI IPIFGTANYAKKFQGRVTITADESTDTAYMELRSLRSEDVAVYYCARDSPKIS ATEYYFDYWGGQGLTVTVSS
208	3315	1347	GTFSSFSIS
208	3316	1348	GGCACCTTCAGCAGCTTTTCTATCAGC
208	3317	1349	GIPIFGTANYAKKFQG
208	3318	1350	GGGATCATCCCTATCTTTGGGACAGCAAACCTACGCAAAGAAATTCCAGG GC
208	3319	1351	ARDSPKISATEYYFDY
208	3320	1352	GCGAGAGATTCCCCCAAATATCAGCAACTGAATATTACTTTGACTAC
208	3321	1353	GACATCCAGGTGACCCAGTCTCCTTCCACCCTGTCTGCATCTGTAGGAGA CAGAGTCACCATCACTTGCCGGGCCAGTCAGAGTTTTACTAGTTGGTTGG CCTGGTATCAGCAGAAACCAGGGAAAGCCCCTAAGCTCCTGATCTATAA GGCGTCTACTTTAGACAGTGGGGTCCCATCAAGGTTTCAGCGGCAGTGGA TCTGGGACAGAATTCACTCTCACCATCAACGGCCTGCAGCCTGATGATTT TGCAACTTACTACTGCCAACACTATGATAGTTATTCGGGGACCTTCGGCC AAGGGACACGACTGGAGATTAAA
208	3322	1354	DIQVTQSPSTLSASVGDRTITCRASQSFTSWLAWYQKPGKAPKLLIYKAS TLDSGVPSRFSGSGSGTEFTLTINGLQPDDFATYYCQHYDSYSGTFGQGTRL EIK
208	3323	1355	RASQSFTSWLA
208	3324	1356	CGGGCCAGTCAGAGTTTTACTAGTTGGTTGGCC
208	3325	1357	KASTLDS
208	3326	1358	AAGGCGTCTACTTTAGACAGT
208	3327	1359	QHYDSYSGT
208	3328	1360	CAACACTATGATAGTTATTCGGGGACC
209	3329	1361	GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGGGGGT CCCTGAGACTCTCCTGTGCAGCCTCTGGATTACCTTTAGCAGCTACGCC ATGAGCTGGGTCCGCCAGATTCCAGGGAAGGGGCTGGAGTGGGTCTCAA CAATCAATATTAGTGGTGGTAGTACATACTACGCAGACTCCGTGAAGGG CCGGTTCACCATCTCCAGAGACAATTCCAGGGACACGGTGTTTCTACAA ATGAATGGCCTGAGAGCCGAGGACACGGCCCTATATTACTGCGCGAGGG GATATCATATAGACTGGTTTGACTTTTGGGGCCAGGGAACCTGGTCACC GTCTCCTCA
209	3330	1362	EVQLLESGLVQPGGSLRLSCAASGFTFSSYAMSWVRQIPKGLEWVSTI NISGGSTYYADSVKGRFTISRDNRTVFLQMNGLR AEDTALYYCARGYHI DWFDWVGQGLTVTVSS
209	3331	1363	FTFSSYAMS
209	3332	1364	TTCACCTTTAGCAGCTACGCCATGAGC
209	3333	1365	TINISGGSTYYADSVKG
209	3334	1366	ACAATCAATATTAGTGGTGGTAGTACATACTACGCAGACTCCGTGAAGG GC

209	3335	1367	ARGYHIDWFDF
209	3336	1368	GCGAGGGGATATCATATAGACTGGTTTGACTTT
209	3337	1369	GATATTGTGCTGACTCAGACTCCATCTTCCGTGTCTGCATCTGTAGGAGA CAGAGTCACCATCACTTGTTCGGGCGAGTCAGGATATTGGCAGCTGGTTA GCCTGGTATCAGCAGAAACCAGGGAAAGCCCCTCAATTCCTGATCTATG CTGCATCCCAATTGCAAAGTGGGGTCCCATCAAGGTTTCAGCGGCAGTGG ATCTGGGACAGATTTCACTCTTACCATCAGCAGCCTGCAGCCTGAAGATT TTGCAACTTACTATTGTCAACAGGCTAAAAGTTTACCTCGGACTTTTCGGC GGAGGGACCAAAGTGGATATCAAA
209	3338	1370	DIVLTQTPSSVSASVGDRTITCRASQDIGSWLAWYQQKPGKAPQFLIYAAS QLQSGVPSRFSGSGSGTDFLTITSLQPEDFATYYCQQAASLPRTFGGGTKV DIK
209	3339	1371	RASQDIGSWLA
209	3340	1372	CGGGCGAGTCAGGATATTGGCAGCTGGTTAGCC
209	3341	1373	AASQLQS
209	3342	1374	GCTGCATCCCAATTGCAAAGT
209	3343	1375	QQAASLPRT
209	3344	1376	CAACAGGCTAAAAGTTTACCTCGGACT
210	3345	1377	GAGGTGCAGCTGTTGGAGTCTGGAGGAGGCTTGATCCAGCCTGGGGGGT CCCTGAGACTCTCCTGTGGAGCCTCTGGGTTTACCGTCACTGGCAACTAC ATGCATTGGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTCTCAG TTATTTATGCCGGTTCTAGCACATATTACGCAGACTCCGTGAGGGGGCCGA TTCACCATCTCCAGAGACAAGGCCAGGAACACGTTGTTTCTTCAAATGA ATAGACTGAGAGCCGAGGACACGGCCGTGTATTATTGTGCGAGAGCGGG GGTAGTTGGGGAAGATAGAAGTGGCTGGTACGGTCCCATTATTTCCAC GGTTTGGACGTCTGGGGCCAAGGGACCACGGTCAACGTCTCCTCA
210	3346	1378	EVQLLESGLLIQPGSLRLSCGASGFTVTGNYMHWVRQAPGKGLEWVSVI YAGSSTYYADSVRGRFTISRDKARNITFLQMNRLRAEDTAVYYCARAGVV GEDRSGWYGPDPYFHGLDVWGQGTITVTVSS
210	3347	1379	FTVTGNYMH
210	3348	1380	TTCACCGTCACTGGCAACTACATGCAT
210	3349	1381	VIYAGSSTYYADSVRG
210	3350	1382	GTTATTTATGCCGGTTCTAGCACATATTACGCAGACTCCGTGAGGGGC
210	3351	1383	ARAGVVGEDRSGWYGPDPYFHGLDV
210	3352	1384	GCGAGAGCGGGGGTAGTTGGGGAAGATAGAAGTGGCTGGTACGGTCCC GATTATTTCCACGGTTTGGACGTC
210	3353	1385	GAAACGACACTCACGCAGTCTCCAGGCACCCTGTCTTTGTCTCCAGGGG AAAGAGCCACCCTCTCCTGCAGGGCCAGTCAGAGTATTCGCAACAATA CTTAGCCTGGTACCAGCAAAAACCTGGCCAGCCTCCAGGCTCCTCATCT ATGGTGAATCCAGAAGGGCCACTGGCATCCCAGGCAGGTTTCAGTGGCAG TGGGTCTGGGACAGACTTCACTCTCACCATCAGCAGCCTGGAGCCTGAA GATTTTGCAGTGTATTACTGTGTCAGCAGTATGGTGGCTCACCGTACACTTT TGGCCAGGGGACCAAGGTGGATATCAAA
210	3354	1386	ETTLTQSPGTLSPGERATLSCRASQSIRNNYLAWYQQKPGQPPRLLIYGES

			RRATGIPGRFSGSGSGTDFTLTISSLEPEDFAVYYCQQYGGSPYTFGQGTKV DIK
210	3355	1387	RASQSIRNNYLA
210	3356	1388	AGGGCCAGTCAGAGTATTCGCAACAACACTACTTAGCC
210	3357	1389	GESRRAT
210	3358	1390	GGTGAATCCAGAAGGGCCACT
210	3359	1391	QQYGGSPYT
210	3360	1392	CAGCAGTATGGTGGCTCACCGTACACT
211	3361	1393	CAGGTCCAGCTTGTGCAGTCTGGGGCTGAGGTGAAGAAGCCTGGGTCCT CGGTGAGGGTCTCCTGCGAGGCTTCTGGAGGCACCTTCAGCACCTATGCT ATTAGCTGGGTGCGACAGGCCCTGGACTAGGGCTTGAGTGGATGGGAG GGATCCACCCCATCTCTGGTACAGCAAACACTACGCACAGAGCTTCCAGGA CAGACTCACCATTACCGTGGACAAGTCCACGAGCACAGCCTACATGGAC CTGAGCAGCCTGAGATCTGAGGACACGGCCATATATTATTGTGCGAGAG TTGGTCTGGGTCGCACTTGGATTTATGATACAATGGGTTACCTTGACTAC TGGGGCCAGGGAACCCTGGTCACCGTCTCCTCA
211	3362	1394	QVQLVQSGAEVKKPGSSVRVSCEASGGTFSTYAIWVRQAPGLGLEWMGGI HPISGTANYAQSFQDRLTITVDKSTSTAYMDLSSLRSEDTAIYYCARVGLGR TWIYDTMGYLDYWGQGLTVSS
211	3363	1395	GTFSTYAI
211	3364	1396	GGCACCTTCAGCACCTATGCTATTAGC
211	3365	1397	GIHPISGTANYAQSFQD
211	3366	1398	GGGATCCACCCCATCTCTGGTACAGCAAACACTACGCACAGAGCTTCCAGG AC
211	3367	1399	ARVGLGRTWIYDTMGYLDY
211	3368	1400	GCGAGAGTTGGTCTGGGTCGCACTTGGATTTATGATACAATGGGTTACCT TGACTAC
211	3369	1401	GAAATTGTATTGACACAGTCTCCAGCCACCCTGTCTTTGTCTCCAGGGGA GAGAGTCACCCTCTCCTGCAGGGCCAGTCAGAGTGTTAACGACTACTTA GCCTGGTACCAACAAAAACCTGGCCAGGCTCCCAGGCTCCTCATCTATG ATGCATCCAACAGGGCCACTGGCATCCCAGCCAGGTTTCAGTGGCAGTGG GTCTGGGACAGACTTCACTCTCACCATCAGCAGCCTAGAGCCTGAAGAT TTTGCAGTTTATTACTGTGACGACCGTACCAACTGGCCTTCCCTCACTTC GGCGGAGGGACCAAGGTGGAAATCAAA
211	3370	1402	EIVLTQSPATLSLSPGERVTLSRASQSVNDYLAWYQQKPGQAPRLLIYDAS NRATGIPARFSGSGSGTDFTLTISSLEPEDFAVYYCQHRTNWPSLTFGGGK VEIK
211	3371	1403	RASQSVNDYLA
211	3372	1404	AGGGCCAGTCAGAGTGTTAACGACTACTTAGCC
211	3373	1405	DASNRAT
211	3374	1406	GATGCATCCAACAGGGCCACT
211	3375	1407	QHRTNWPSLT
211	3376	1408	CAGCACCGTACCAACTGGCCTTCCCTCACT

212	3377	1409	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCCTGGTCAAGCCTGGGGGGT CCCTGAGACTCTCCTGTGCAGCCTCGGGATTACCATCAGTGGTTATAAC ATGTTCTGGGTCCGCCAGCCTCCGGGGAAGGGGCTGGAGTGGGTCTCAT CCATTACTGCTGGTAGTAGTTATTTAACTATGCAGACTCAGTGAAGGGC CGTTTCATCGTCTCCAGAGACAACGCCAAGAATTCAGTGTATCTGCAAAT GAACAGCCTGAGAGCCGAGGACACGGCTGTTTATTTCTGTGCGAGAGCA CCTCTTTTACCCGCTATGATGGACCTCTGGGGCCAAGGGACCACGGTCAC CGTCTCCTCA
212	3378	1410	EVQLVESGGGLVKPGGSLRLSCAASGFTISGYNMFVWRQPPGKGLEWVSSI TAGSSYLNYADSVKGRFIVSRDNAKNSLYLQMNSLRAEDTAVYFCARAPLL PAMMDLWGQGTTVTVSS
212	3379	1411	FTISGYNMF
212	3380	1412	TTCACCATCAGTGGTTATAACATGTTC
212	3381	1413	SITAGSSYLNYADSVKG
212	3382	1414	TCCATTACTGCTGGTAGTAGTTATTTAACTATGCAGACTCAGTGAAGGG C
212	3383	1415	ARAPLLPAMMDL
212	3384	1416	GCGAGAGCACCTCTTTTACCCGCTATGATGGACCTC
212	3385	1417	CAGTCTGTGGTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAGGGCAGA GGGTCACCATCTCCTGCAGTGGGAGCAGCTCCAACATCGGGGCAGGTTA TGATGTACACTGGTACCAGCAACTTCCAGGAACAGCCCCCAAACCTCTC ATCTATACTAACAACAATCGGCCCTCAGGGGTCCCTGACCGATTCTCTGG CTCCAAGTCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAGGCTG AGGATGAGGCTGACTATTACTGCCAGTCCTATGACAGAAGCCTGAATGG TTATGTCTTCGGAACCTGGGACCACGGTCACCGTCTCTA
212	3386	1418	QSVVTQPPSVSGAPGQRTISCTGSSSNIGAGYDVHWYQQLPGTAPKLLIYT NNNRPSGVPDRFSGSKSGTSASLAITGLQAEDEADYYCQSYDRSLNGYVFG TGTTVTVL
212	3387	1419	TGSSSNIGAGYDVH
212	3388	1420	ACTGGGAGCAGCTCCAACATCGGGGCAGGTTATGATGTACAC
212	3389	1421	TNNNRPS
212	3390	1422	ACTAACAACAATCGGCCCTCA
212	3391	1423	QSYDRSLNGYV
212	3392	1424	CAGTCCTATGACAGAAGCCTGAATGGTTATGTC
213	3393	1425	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCCTGGTCAAGCCTGGGGGGT CCCTGAGACTCTCCTGTGCAGCCCCTGGATTACCATCAGGAGTTATAACC ATGTACTGGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTCTGCAT CCATTAGTAGTAGTAGTTACATACACTATGGAGACTCAGTGAAGGG CCGATTACCATCGCCAGAGACAATGCCAAGAACTCACTGTATCTGCAA ATGAACAGCCTGAGAGCCGAGGACACGGCTGTGTATTACTGTGTGAGAG ATCATTGTACTGGTGGAAGCTGCTACTTAAACGGTATGGACGCTCTGGGG CCAAGGGACCACGGTCACCGTCTCCTCA
213	3394	1426	EVQLVESGGGLVKPGGSLRLSCAAPGFTIRSYTMYWVRQAPGKGLEWVASI SSSSSYIHGDSVKGRFTIARDNAKNSLYLQMNSLRAEDTAVYYCVRDHCT GGSCYLNQMDVWGQGTTVTVSS

213	3395	1427	FTIRSYTMY
213	3396	1428	TTCACCATCAGGAGTTATAACCATGTAC
213	3397	1429	SISSSSSYIHYGDSVKG
213	3398	1430	TCCATTAGTAGTAGTAGTAGTTACATACACTATGGAGACTCAGTGAAGG GC
213	3399	1431	VRDHCTGGSCYLNGMDV
213	3400	1432	GTGAGAGATCATTGTACTGGTGGAAGCTGCTACTTAAACGGTATGGACG TC
213	3401	1433	CAGCCTGTGCTGACTCAGCCACCCTCAGTGTCTGGGGCCCCAGGGCAGA GGGTCACCATCTCCTGCACTGGGACCAGCTCCAACATCGGGGCAGGTTA TGATGTACACTGGTACCAGCAGCTTCCAGGAACAGCCCCAACTCCTC ATCTATGGTAACAACAATCGGCCCTCAGGGGTCCCTGACCGATTCTCTGG CTCCAAGTCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAGGCTG AGGATGAGGCTGATTATTACTGCCAGTCCTATGACAGCAGCCTGAGCGG TTCGGTATTCGGCGGAGGGACCAAGCTCACCGTCCTA
213	3402	1434	QPVLTPPPSVSGAPGQRTVTSCTGTSSNIGAGYDVHWHYQQLPGTAPKLLIYG NNNRPSGVPDRFSGSKSGTSASLAITGLQAEDEADYYCQSYDSSLSGSVFVG GTLTLVL
213	3403	1435	TGTSSNIGAGYDVH
213	3404	1436	ACTGGGACCAGCTCCAACATCGGGGCAGGTTATGATGTACAC
213	3405	1437	GNNNRPS
213	3406	1438	GGTAACAACAATCGGCCCTCA
213	3407	1439	QSYDSSLSGSV
213	3408	1440	CAGTCCTATGACAGCAGCCTGAGCGGTTTCGGTA
214	3409	1441	GAGGTGCAGCTGGTGGAGTCTGGAGGAGGCTTGATCCAGCCTGGGGGGT CCCTGAGACTCTCCTGTGCAGCCTCTGGGTTCACCGTCAGTAGCAAGTAC ATGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTCTCAA TTATTTATAGTGGTGGTAGCACATACTACGCAGACTCCGTGAAGGGCCG ATTACCATCTCCAGAGACAATTCCAAGAACACACTGTATCTTCAAATG AACAGCCTGAGAGCCGAGGACACGGCCGTGTATTACTGTGCGAGAGATG ATTACGATTTTTGGAGTGGCAACGGCCACCGGAGATGGCCGTCTGGGG CCAGGGGACCACGGTCACCGTCTCCTCA
214	3410	1442	EVQLVESGGGLIQPGSLRLSCAASGFTVSSKYMSWVRQAPGKGLEWVSII YSGGSTYYADSVKGRFTISRDN SKNTLYLQMNSLRAEDTAVYYCARDYD FWSGNGPPEMAVWGQGTTTVTVSS
214	3411	1443	FTVSSKYMS
214	3412	1444	TTCACCGTCAGTAGCAAGTACATGAGC
214	3413	1445	IYSGGSTYYADSVKG
214	3414	1446	ATTATTTATAGTGGTGGTAGCACATACTACGCAGACTCCGTGAAGGGC
214	3415	1447	ARDDYDFWSGNGPPEMAV
214	3416	1448	GCGAGAGATGATTACGATTTTTGGAGTGGCAACGGCCACCGGAGATGG CCGTC
214	3417	1449	GACATGAGACTCACCCAGTCTCCATCCTCCCTGTCTGCGTCTGTAGGAGA

			CAGAGTCACCATCACTTGCCGGGCGAGTCAGGGCATTAGCAATTATTTA GCCTGGTATCAGCAGAGACCAGGGAAAAGTTCCTCAGCTCCTGATCTATA CTGCATCCACTTTGCAATCAGGGGTCCTCCTCGGTTTCACTGGCAGTGGA TCTGAGACAGATTTCACTCTCACCATCAGCAGCCTGCAGCCTGAAGATGT TGCAACTTATTACTGTCAAAAGTATGACAGTGTCCCTCTGACGTTTCGGCC AAGGGACCAAGGTGGAAATCAAA
214	3418	1450	DMRLTQSPSSLSASVGDRVITITCRASQGISNYLAWYQQRPGKVPQLLIYTAS TLQSGVPSRFSGSGSETDFTLTISLQPEDVATYYCQKYDSVPLTFGQGTKVE IK
214	3419	1451	RASQGISNYLA
214	3420	1452	CGGGCGAGTCAGGGCATTAGCAATTATTTAGCC
214	3421	1453	TASTLQS
214	3422	1454	ACTGCATCCACTTTGCAATCA
214	3423	1455	QKYDSVPLT
214	3424	1456	CAAAAGTATGACAGTGTCCCTCTGACG
215	3425	1457	GAGGTGCAGCTGGTGGAGTCTGGTCTGCGCTGGTGAAACCCACACAGA CCCTCACACTGACCTGCACCGTCTCGGGGGGTGTTGAGAGAATGAGTGT GAGTTGGGTCCGTCAGCCCCAGGGAAGGCCCTGGAGTGGCTTGCACGC ATTGATTGGGATGATGATAAAATACTACAACACATTTCTGAAGACCAGGC TCACCATCTCCAAGGGCACCTCCAAAAACGAGGTGGTCTTACAATGAC CAACATGGACCCTGAAGACACAGCAATTTATTACTGTGCACGGACGAAT CGCTATGATAAAAGTGGTTATTACCTTTATTACCTTGACTACTGGGGCCA GGGAACCCTGGTCACTGTCTCTCTCA
215	3426	1458	EVQLVESGPALVKPTQTLTLTCTVSGGVERMSVSWVRQPPGKALEWLARID WDDDKYYNTFLKTRLTISKGTSKNEVVLMTNMDPEDTAIYYCARTNRYD KSGYYLYLDYWGQGLTVTVSS
215	3427	1459	GVERMSVS
215	3428	1460	GGTGTGAGAGAATGAGTGTGAGT
215	3429	1461	RIDWDDDKYYNTFLKT
215	3430	1462	CGCATTGATTGGGATGATGATAAAATACTACAACACATTTCTGAAGACC
215	3431	1463	ARTNRYDKSGYYLYLDY
215	3432	1464	GCACGGACGAATCGCTATGATAAAAGTGGTTATTACCTTTATTACCTTGA CTAC
215	3433	1465	GACATCCAGATGACCCAGTCTCCATCCTCCCTGTCTGCATCTGTAGGAGA CAAAGTCACCATCACTTGCCGGGCAAGTCAGACCATTGCCAGTTATGTA AATTGGTATCAGCAGCACCCAGGGAAAGCCCCTAAGCTCCTAATCTATC TTGCATCCCGTTTGCAAAGTGGTGCCCATCAAGGTTTCACTGGCAGTGG ATCTGGGACAGATTTCACTCTCACCATCCTCAATCTGCAACCTGAAGATT TTGCAACTTACTACTGTCAACAGAGTTACAGTTCGTTTTTCACTTTCGGC CCTGGGACCAAGGTGGAAATCAAA
215	3434	1466	DIQMTQSPSSLSASVGDKVTITCRASQTIASYVNWYQHHPGKAPKLLIYLAS RLQSGAPSRFSGSGTDFTLTILNLQPEDFATYYCQSYSSFFTFGPGTKVEI K
215	3435	1467	RASQTIASYVN

215	3436	1468	CGGGCAAGTCAGACCATTGCCAGTTATGTAAAT
215	3437	1469	LASRLQS
215	3438	1470	CTTGCATCCCGTTTGCAAAGT
215	3439	1471	QSYSSFFT
215	3440	1472	CAACAGAGTTACAGTTCGTTTTTCACT
216	3441	1473	GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCGTGGTCCAGCCTGGGAGGT CCCTGAGACTCTCCTGTGCAGCCTCTGGATTACCTTCAGTGACTTTTCT ATGCACTGGGTCCGCCAGGCTCCAGGCAAGGGGCTGGAGTGGGTGGCAC TCATCTCAAATGATGGAAGCAATAAATATTATTCAGACTCCCTGAAGGG TTCATTCATCATCTCCAGAGACAACCTCCAAGAACACGCTCTATCTCCAAC TGAACAGCCTGGGAGCTGAGGACACGGCTCTCTATTACTGTGCGAGAGA TGCGGTTCCCCATTATGATTACGTCTGGGGAACTTTGACTACTGGGGCC AGGGAACCCTGGTCACTGTCTCCTCA
216	3442	1474	EVQLLESGGGVVQGRSLRLSCAASGFTFSDFSMHWVRQAPGKGLEWVALI SNDGSNKYYSDSLKGSFIISRDNSKNTLYLQLNSLGAEDTALYYCARDAPH YDYVWGNFDYWGQGLTVTVSS
216	3443	1475	FTFSDFSMH
216	3444	1476	TTCACCTTCAGTGACTTTTCTATGCAC
216	3445	1477	LISNDGSNKYYSDSLKG
216	3446	1478	CTCATCTCAAATGATGGAAGCAATAAATATTATTCAGACTCCCTGAAGG GT
216	3447	1479	ARDAVPHYDYVWGNFDY
216	3448	1480	GCGAGAGATGCGGTTCCCCATTATGATTACGTCTGGGGAACTTTGACT AC
216	3449	1481	CAGTCTGTTCTGACTCAGCCTGCCTCCGTGTCTGCGTCTCCTGGACAGTC GATCACCATCTCCTGCACTGGAACCAGCAGTGACGTTGGTGTTATAATT ATGTCTCCTGGTACCAACAGCACCCAGGCAAAGCCCCAACTCATAAT TTATGAGGTCAGTAATCGGCCCTCAGGGGTTTCTAATCGCTTCTCTGGCT CCAAGTCTGGCAACACGGCCTCCCTGACCATCTCTGGGCTCCAGGCTGA CGACGAGGCTGATTATTACTGCAGCTCATATACAAGTTTCACTCCCGTGG TATTCGGCGGAGGGACCAAGCTGACCGTCCTA
216	3450	1482	QSVLTQPASVSASPGQSITISCTGTSSDVGGYNYVSWYQQHPGKAPKLIYEV SNRPSGVSNRFSGSKSGNTASLTISGLQADDEADYYCSSYTSFTPVPVFGGGT KLTVL
216	3451	1483	TGTSSDVGGYNYVS
216	3452	1484	ACTGGAACCAGCAGTGACGTTGGTGTTATAATTATGTCTCC
216	3453	1485	EVSNRPS
216	3454	1486	GAGGTCAGTAATCGGCCCTCA
216	3455	1487	SSYTSFTPVV
216	3456	1488	AGCTCATATACAAGTTTCACTCCCGTGGTA
217	3457	1489	CAGGTCCAGCTTGTACAGTCTGGGGCGGAGGTGAAGAAGCCTGGGTCCT CGGTGAAGGTCTCTTGTAAGTCTTCTGGAGGGACCTTCAGCAACTATATT ATCAGCTGGGTGCGACAGGCCCTGGACAAGGGCTTGAGTGATGGGAG

			GGATCGTCCCTCTCTCTGGAACAACAGACTACGCACAGAAGTTCCAGGG CCGAGTCACGATTACCGCGGACAAATCCACGACTACAGCCTACATGGAG CTTCGCACCTTGAGACCTGAGGACACGGCCGTCTATTATTGTGCGAGGG GGAGTGGTGGTAGCAATGCCTACTTCGACCCCTGGGGCCAGGGAACCCT GGTCACCGTCTCCTCA
217	3458	1490	QVQLVQSGAEVKKPGSSVKVSKSSGGTFSNYIISWVRQAPGQGLEWMGGI VPLSGTTDYAQKFQGRVTITADKSTTTAYMELRTLRLPEDTAVYYCARGSGG SNAYFDPWGQGLTVTVSS
217	3459	1491	GTFSNYIIS
217	3460	1492	GGGACCTTCAGCAACTATATTATCAGC
217	3461	1493	GIVPLSGTTDYAQKFQG
217	3462	1494	GGGATCGTCCCTCTCTCTGGAACAACAGACTACGCACAGAAGTTCCAGG GC
217	3463	1495	ARGSGGSNAYFDP
217	3464	1496	GCGAGGGGGAGTGGTGGTAGCAATGCCTACTTCGACCCC
217	3465	1497	CAGTCTGTGGTGACGCAGCCGCCCTCAGTGTCACTGGCCCCAGGAAAGA CGGCCAAGATTACCTGTGGGGGAAACAACATTGGAAGTAAGAGTGTGTA CTGGTACCAACAGAAGCCAGGCCAGGCCCTGTGCTGGTCATGTATTAT GATACTTACCGGCCCTCAGGGATCCCCTGAGCGCTTCTCTGGCTCCAACCTC TGGGAACTCGGCCACCCTGACCATCAGCAGAGTCGACGCCGGGGATGAG GCCGACTATTACTGTCAAGGTGTGGGATAGTAGGAGTGATCATCCTTATGT CTTCGGAAGTGGGACCAAGCTCACCGTCCTA
217	3466	1498	QSVVTQPPSVSVAPGKTAKITCGGNNIGSKSVYWYQQKPGQAPVLMYYD TYRPSGIPERFSGSNSGNSATLTISRVDAGDEADYYCQVWDSRSDHPYVFGS GTKLTVL
217	3467	1499	GGNNIGSKSVY
217	3468	1500	GGGGGAAACAACATTGGAAGTAAGAGTGTGTAC
217	3469	1501	YDTYRPS
217	3470	1502	TATGATACTTACCGGCCCTCA
217	3471	1503	QVWDSRSDHPYV
217	3472	1504	CAGGTGTGGGATAGTAGGAGTGATCATCCTTATGTC
218	3473	1505	CAGGTCCAGCTGGTGCACTCTGGGGCTGAGGTGAAGAGGCCTGGGTCGT CGGTGAAGGTCTCCTGCAAGGCTTCTGGAGGCACGTCCAGCAGTTATAT TATCAGTTGGGTGCGACAGGCCCTGGGCAAGGGCTTGAGTGGATGGGA GGGATCATCCCCATCCCTATTTCTGGCGCACCAACCTACGCACAGAAGTT CCAGGGCAGAGCAAACCTATGCACAGAAGTTCGAGGGCAGACTCACGATT ACCGCGGACAGACTCACAGCACAGCCTACATGGAGCTGAGCAGCCTGA CATCTGAGGACACGGCCGTGTATTATTGTGTAAGAGATGAGAGGAACGG GGGCTATTGGGGCCAGGGAACCCTGGTCACCGTCTCCTCA
218	3474	1506	QVQLVQSGAEVKRPGSSVKVSKASGGTSSSYIISWVRQAPGQGLEWMGGI IPIPSGAPTYAQKFQGRANYAQKFEGRLTITADRLTSTAYMELSSLTSEDTA VYYCVRDERNGGYWGQGLTVTVSS
218	3475	1507	GTSSSYIIS
218	3476	1508	GGCACGTCCAGCAGTTATATTATCAGT

218	3477	1509	GIIPISGAPTYAQKFQGRANYAQKFEG
218	3478	1510	GGGATCATCCCCATCCCTATTTCTGGCGCACCAACCTACGCACAGAAGTT CCAGGGCAGAGCAAACCTATGCACAGAAGTTCGAGGGC
218	3479	1511	VRDERNGGY
218	3480	1512	GTAAGAGATGAGAGGAACGGGGGCTAT
218	3481	1513	CAGTCTGCCCTGACTCAGCCTGCCTCCGTGTCTGGGTCTCCTGGACAGTC GATCACCATCTCCTGCACTGGAACCAGCAATGACGTTGGTGCTTATAATC ATGTGTCGTGGTACCAACAACACCCAGGGAAAGCCCCAAACTCATGAT CTATGATGTCATAATCGGCCCTCAGGGGTTTCTAATCGCTTCTCTGGCT CCAAGTCTGGCAACACGGCCTCCCTGACCATCTTTGGGCTCCAGACTGAC GACGAGGCTGATTATTATTGCAGCTCATATACAATCAGCAGCACCTTGGT GTTCGGCGGAGGGACCCAGCTGACCGTCCCTC
218	3482	1514	QSALTQPASVSGSPGQSITISCTGTSNDVGAYNHVSWYQQHPGKAPKLMY DVTNRPSGVSNRFSKSGNTASLTIFGLQTDDEADYYCSSYTISSTLVFGGG TQLTVL
218	3483	1515	TGTSNDVGAYNHVS
218	3484	1516	ACTGGAACCAGCAATGACGTTGGTGCTTATAATCATGTGTGCG
218	3485	1517	DVTNRPS
218	3486	1518	GATGTCATAATCGGCCCTCA
218	3487	1519	SSYTISSTLV
218	3488	1520	AGCTCATATACAATCAGCAGCACCTTGGTG
219	3489	1521	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCGTGGTCCAGCCTGGGAGGT CCCTGAGGCTCTCCTGTGCAGCCTCTGGATTACCTTCAGTTCCTATGCA ATGCACTGGGTCCGCCAGGCTCCAGGCAAGGGCCTGGAGTGGGTGGCAG TTATATCATATGATGAAGGCAATGAATACTACGCAGACTCCGTGAAGGG CCGATTCACCATCTCCAGAGCCAATTCCAAGAACACGATTTATCTGCAA ATGAACAGCCTGAGAGCTGAGGACACGGCTGTCTATTACTGTGCGAGAG ATTACATACATGGGGACTACGGTTTGGACGTCTGGGGCCTAGGGACCAC GGTCACCGTCTCTCTCA
219	3490	1522	EVQLVESGGGVVQPGRSLRLSCAASGFTFSSYAMHWVRQAPGKGLEWVAV ISYDEGNEYADSVKGRFTISRANSKNTIYLMNSLRAEDTAVYYCARDYI HGDYGLDVWGLGTTVTSS
219	3491	1523	FTFSSYAMH
219	3492	1524	TTCACCTTCAGTTCCTATGCAATGCAC
219	3493	1525	VISYDEGNEYADSVKG
219	3494	1526	GTTATATCATATGATGAAGGCAATGAATACTACGCAGACTCCGTGAAGG GC
219	3495	1527	ARDYIHGDYGLDV
219	3496	1528	GCGAGAGATTACATACATGGGGACTACGGTTTGGACGTC
219	3497	1529	GAAATTGTGTTGACACAGTCTCCACTCTCCCTGCCCGTCACCCCTGGAGA GCCGGCCTCCATCTCCTGCAGGTCTAGTCAGAGCCTCCTGCATAGTAATG GATACAACTATTTGGATTGGTACCTGCAGAAGCCAGGGCAGTCTCCACA GCTCCTGATCTATTTGGGTTCTAATCGGGCCTCCGGGGTCCCTGACAGGT TCAGTGGCAGTGGATCAGGCACAGATTTTACACTGAAAATCAGCAGAGT

			GGAGGCTGAGGATGTTGGGGTTTACTACTGCATGCAACCTCTACAAACA ATCACCTTCGGCCAAGGGACACGACTGGAGATTA
219	3498	1530	EIVLTQSPLSLPVTGPASPISCRSSQSLHLSNGYNYLDWYLQKPGQSPQLLI YLGSNRASGVDPDRFSGSGSGTDFTLKISRVEAEDVGVYYCMQPLQTITFGQG TRLEIK
219	3499	1531	RSSQSLHLSNGYNYLD
219	3500	1532	AGGTCTAGTCAGAGCCTCCTGCATAGTAATGGATACAACCTATTTGGAT
219	3501	1533	LGSNRAS
219	3502	1534	TTGGGTTCTAATCGGGCCTCC
219	3503	1535	MQPLQTIT
219	3504	1536	ATGCAACCTCTACAAACAATCACC
220	3505	1537	CAGGTCCAGCTGGTGCAGTCTGGGGCTGAGGTGAAGAAGCCTGGGGCCT CAGTGAAGGTCTCCTGCAAGGCTTCTGGATACACCTTCACCGACTACTAT ATGCACTGGGTGCGACAGGCCCTGGACAAGGGCTTGAGTGGGTGGGAT GGATCAACCCTAACAGTGGTTCACAACTATGCACAGAAGTTTCAGGG CAGGGTCACCGTGACCAGGGACACGTCCATCAGCACAGCCTACATGGAC CTGAGCAGACTGAGATCTGACGACACGGCCGTGTATTACTGTGCGAGCA GGAGCTGGGACCATGATGCTTTTGATATCTGGGGCCAAGGGACAATGGT CACTGTCTCCTCA
220	3506	1538	QVQLVQSGAEVKKPGASVKVSCKASGYTFTDYYMHWVRQAPGQGLEWV GWINPNSGSTNYAQKFQGRVTITRDTSISTAYMDLSRLRSDDTAVYYCASR SWDHDADFIDWGQGTMTVSS
220	3507	1539	YTFTDYYMH
220	3508	1540	TACACCTTCACCGACTACTATATGCAC
220	3509	1541	WINPNSGSTNYAQKFQG
220	3510	1542	TGGATCAACCCTAACAGTGGTTCACAACTATGCACAGAAGTTTCAGG GC
220	3511	1543	ASRSWDHDADFID
220	3512	1544	GCGAGCAGGAGCTGGGACCATGATGCTTTTGATATC
220	3513	1545	CAGTCTGTCTTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAGGGCAGA GGGTCACCATCTCCTGCACTGGGAGTAGCTCCAACATCGGGGCAGGTTA TGATGTACACTGGTACCAGCAGCTTCCAGGAAGAGCCCCCAAACCTCTC ATCTTTGGTAACAGCAATCGGCCCTCAGGGGTCCCTGACCGATTCTCTGG CTCCAAGTCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAGCCTG AGGATGAGGCTGATTATTACTGCCACTGCTATGACAGCAGGCTGAGTGT GGTCTTCGGCGGAGGGACCAAGCTCACCGTCCTA
220	3514	1546	QSVLTQPPSVSGAPGQRVTISCTGSSSNIGAGYDVHWYQQLPGRAPKLLIFG NSNRPSGVDPDRFSGSKSGTSASLAITGLQPEDEADYYCHCYDSRLSVVFGGG TKLTVL
220	3515	1547	TGSSSNIGAGYDVH
220	3516	1548	ACTGGGAGTAGCTCCAACATCGGGGCAGGTTATGATGTACAC
220	3517	1549	GNSNRPS
220	3518	1550	GGTAACAGCAATCGGCCCTCA

220	3519	1551	HCYDSRLSVV
220	3520	1552	CACTGCTATGACAGCAGGCTGAGTGTGGTC
221	3521	1553	CAGGTCCAGCTGGTACAGTCTGGGACTGAGGTGAAGAAGCCTGGGTCTT CGGTGAAGGTCTCCTGCAAGGCTTCGGGAGGCACCTTCAGTAGCTATGC TATCAGCTGGGTGCGACAGGCCCTGGACAAGGGCTTGAGTGGATGGGA GGGATCCACCCTACCTCTGGTCCAGCAAATTACGCACAGAAGTTCCAGG ATAGAGTCACCATTACCGTGGACAAGTCCACGAGCACAGTCTACATGGA CCTGAGCAGCCTGAGATCTGAGGACACGGCCGTGTATTACTGTGCGAGA GTTGGTGTGGGTGCGACTTGGATATATGATACAATGGGTACCTTGACTT CTGGGGCCAGGGAACCTGGTCACCGTCTCTTCA
221	3522	1554	QVQLVQSGTEVKKPGSSVKVSKASGGTFSSYAISWVRQAPGQGLEWMGG IHPTSGPANYAQKFQDRVITITVDKSTSTVYMDLSSLRSEDTAVYYCARVGV GRTWIYDTMGYLDFWQGQTLTVSS
221	3523	1555	GTFFSYAIS
221	3524	1556	GGCACCTTCAGTAGCTATGCTATCAGC
221	3525	1557	GIHPTSGPANYAQKFQD
221	3526	1558	GGGATCCACCCTACCTCTGGTCCAGCAAATTACGCACAGAAGTTCCAGG AT
221	3527	1559	ARVGVGRTWIYDTMGYLDF
221	3528	1560	GCGAGAGTTGGTGTGGGTGCGACTTGGATATATGATACAATGGGTACC TTGACTTC
221	3529	1561	GAAATTGTGATGACACAGTCTCCAGCCACGCTGTCTTTGTCTCCAGGAGA AAGAGCCACCCTCTCCTGCAGGGCCAGTCAGAGTGTTAGCGACTACTTA GCCTGGTACCAACAAAAACCTGGCCAGGCTCCCAGGCTCCTCATCTATG ATGCATCCAACAGGGCCACTGGCATCCAGCCAGGTTTCAGTGGCAGTGG GTCTGGGACAGACTTCACTCTCACCATCACCAGCCTAGAGCCTGAAGAT TTTGCAGTTTATTACTGTCAGCACCGTAGCGACTGGCCTTCCCTCACTTTC GGCGGAGGGACCAAGCTGGAGATCAAA
221	3530	1562	EIVMTQSPATLSLSPGERATLSCRASQSVSDYLAWYQQKPGQAPRLLIYDAS NRATGIPARFSGSGSGTDFTLTITSLEPEDFAVYYCQHRSDWPSLTFGGGTKL EIK
221	3531	1563	RASQSVSDYLA
221	3532	1564	AGGGCCAGTCAGAGTGTTAGCGACTACTTAGCC
221	3533	1565	DASNRAT
221	3534	1566	GATGCATCCAACAGGGCCACT
221	3535	1567	QHRSDWPSLT
221	3536	1568	CAGCACCGTAGCGACTGGCCTTCCCTCACT
222	3537	1569	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGGTACAGCCTGGCAGGT CCCTGAGACTCTCCTGTGTAACTTCGGGATTCGGCTTTGATGACTATGCC ATGCACTGGGTCCGGCAAGCCCCAGGGAAGGGCCTGGAGTGGGTCTCAG GGATTGGTTGGAATAGTGGTGGCATAGGCTATGCGGACTCTGTGAAGGG CCGATTCTCCATCTCCAGAGACAACGCCAAGAAGCTCCTTGATCTACAAA TGAACAGTCTGAGACCTGAAGACACTGCCTTCTATTACTGTGTAAAGA TGGGACCCCTATAGCAGTGGCTGGATACTTTGAATACTGGGGCCAGGGA ACCTGGTCAACCGTCTCCTCA

222	3538	1570	EVQLVESGGGLVQPGRSLRLSCVTSFGFDDYAMHWVRQAPGKGLEWVS GIGWNSGGIGYADSVKGRFSISRDNAKNSLYLQMNSLRPEDTAFYYCVKDG TPIAVAGYFEYWGQGLVTVSS
222	3539	1571	FGFDDYAMH
222	3540	1572	TTCGGCTTTGATGACTATGCCATGCAC
222	3541	1573	GIGWNSGGIGYADSVKG
222	3542	1574	GGGATTGGTTGGAATAGTGGTGGCATAGGCTATGCGGACTCTGTGAAGG GC
222	3543	1575	VKDGTPIAVAGYFEY
222	3544	1576	GTAAAAGATGGGACCCCTATAGCAGTGGCTGGATACTTTGAATAC
222	3545	1577	TCCTATGAGCTGACACAGCCGCCCTCAGCGTCTGGTACCCCCGGGCAGA GGGTCACCATCTCTTGTCTGGAGGCAGGTCCAACATCGGAAATAATTAT GTATACTGGTACCAGCAGCTCCAGGAACGGCCCCCAAACCTCCTCATCT ATAGGCATGATCAGCGGCCCTCAGGGGTCCCTGACCGATTCTCTGGCTCC AAGTCTGGCACCTCAGCCTCCCTGGCCATCAATGGGCTCCGGTCCGAGG ATGAGGCTGACTATTTTTCGCGCAGTATGGGATGACAGCCTGAGTTGTTAT GTCTTCGGAGCTGGGACCAAGCTCACCGTCCTA
222	3546	1578	SYELTQPPSASGTPGQRTVISCSSGRSNIGNNYVYVYQQLPGTAPKLLIYRH DQRPSGVPDRFSGSKSGTSASLAINGLRSEADYFCAVWDDSLSCYVFGA GTKLTVL
222	3547	1579	SSGRSNIGNNYVY
222	3548	1580	TCTGGAGGCAGGTCCAACATCGGAAATAATTATGTATAC
222	3549	1581	RHDQRPS
222	3550	1582	AGGCATGATCAGCGGCCCTCA
222	3551	1583	AVWDDSLSCYV
222	3552	1584	GCAGTATGGGATGACAGCCTGAGTTGTTATGTC
223	3553	1585	CAGGTCCAGCTGGTGCAGTCTGGGGCTGAGGTGAAGAAGCCTGGGTCCT CGGTGAAGGTCTCCTGCAAGGCCTCTGGAGGCACCTTCAGCACCTATGG TATCAGCTGGGTGCGACAGGCCCTGGACAAGGTCTTGAGTGGATGGGA AGGGTCATCCCTATGTTTGAACAGCAACCTACGCACAGAAGTTCCAGG ACAGAGTCACGATTACCGCGGACAAAGCCACGAGCACGGCGTACATGG AGCTGAACAGCCTGAGATCTGACGACACGGCCGTATATTACTGTGCGAG ATGTCCTCCTTTTGAGGGAGTTCGTCCGCCCTGGTTTCGACCCCTGGGGCC AGGGAACCCTGGTCACCGTCTCTTCA
223	3554	1586	QVQLVQSGAEVKKPGSSVKVSKASGGTFSTYGISWVRQAPGQGLEWMGR VIPMFGTATYAQKFQDRVTITADKATSTAYMELNSLRSDDTAVYYCARCPP FEGVRPPWFDPWGQGLVTVSS
223	3555	1587	GTFSTYGIS
223	3556	1588	GGCACCTTCAGCACCTATGGTATCAGC
223	3557	1589	RVIPMFGTATYAQKFQD
223	3558	1590	AGGGTCATCCCTATGTTTGAACAGCAACCTACGCACAGAAGTTCCAGG AC
223	3559	1591	ARCPPFEGVRPPWFDP

223	3560	1592	GCGAGATGTCTCCTTTTGGAGGGAGTTCGTCCGCCCTGGTTCGACCCC
223	3561	1593	TCCTATGAGCTGACTCAGCCACCCTCGGTGTCAGTGGCCCCAGGACGGA CGGCCAAGATTACCTGTGGGGGATACAACATTGGAAATAAACGTGTGCA CTGGTACCGGCAGAGGCCAGGCCAGGCCCCAGTGCTGATCGTCTATGAT AATGCCGACCGGCCCTCAGGGATCCCTGAGCGATTCTCTGGCTCCAATC TGGGAACACGGCCACCCTGACCATCAGCAACGTCGCGAGCCGGGATGAG GCCGACTATCACTGTCAGGTGTGGGAACTAGTAGTGATCATCCGGTAT TCGGCGGAGGGACCAAGCTCACCGTCCTA
223	3562	1594	SYELTQPPSVSVAPGRTAKITCGGYNIGNKRVHWYRQRPQAPVLIVYDNA DRPSGIPERFSGSNSGNTATLTISNVAAGDEADYHCQVWETSSDHPVFGGGT KLTVL
223	3563	1595	GGYNIGNKRVH
223	3564	1596	GGGGGATACAACATTGGAAATAAACGTGTGCAC
223	3565	1597	DNADRPS
223	3566	1598	GATAATGCCGACCGGCCCTCA
223	3567	1599	QVWETSSDHPV
223	3568	1600	CAGGTGTGGGAACTAGTAGTGATCATCCGGTA
224	3569	1601	GAGGTGCAGCTGGTGCAGTCTGGAACAGAGGTGAAAAAGCCCGGGGAA TCTCTGAAGATCTCTTGTAAGGCTTCTGGATACAGCTCTTTCCCAATTG GATCGGCTGGGTGCGCCAGATGCCCGGGAAGGCCCTGGAGTACATGGG GTCCATCTTTCCTGATGACTCTAATACCAGATATAGTCCGTCCTTCCGAG GCCTGGTCGCCATCTCAGCCGACAAGTCCCTGAGAACCGCCTATCTGCA GTGGAGCAGCCTGAAGGCCTCGGACAGCGCCATATATTACTGTGCGAGA GGGCCCTTCCCGCACTACTTTGACTCCTGGGGTCAGGGAACCTGGTCAC CGTCTCCTCA
224	3570	1602	EVQLVQSGTEVKKPGESLKISKASGYSSFPNWIGWVRQMPGKLEYMGSI FPDDSNTRYSPSFRGLVAISADKSLRTAYLQWSSLKASDSAIYYCARGPFPH YFDSWGQGLTVTVSS
224	3571	1603	YSSFNWIG
224	3572	1604	TACAGCTCTTTCCCAATTGGATCGGC
224	3573	1605	SIFPDDSNTRYSPSFRG
224	3574	1606	TCCATCTTTCCTGATGACTCTAATACCAGATATAGTCCGTCCTTCCGAGG C
224	3575	1607	ARGPFPHYFDS
224	3576	1608	GCGAGAGGGCCCTTCCCGCACTACTTTGACTCC
224	3577	1609	AATTTTATGCTGACTCAGCCCCACTCTGTGTCGGAGTCTCCGGGGAAGAC GGTCACCATCTCCTGCACCCGACAGTGGCAGTATTGCCCGCAACTAT GTGCAGTGGTACCAGCAGCGCCCGGGCAGTTCCCCCACCCTGTGATCT ATGAGGATGACCAAAGACCCCTGGGGTCCCTGATCGGTTCTCTGGCTC CATCGACAGCTCCTCCAATCTGCCTCCCTACCATCTCTGGACTGCAGA CTGAGGACGAGGCTGACTACTACTGTCAGTCTTATGATCCCAACATCA AAATGTCTTCGGAAGTGGGACCAAGCTCACCGTCCTA
224	3578	1610	NFMLTQPHSVSESPGKTVTISCTRSSGSIARNYVQWYQQRPGSSPTTVIYEDD QRPPGVDPDRFSGSIDSSNSASLTISGLQTEADYQCQSYDPTNQNVFGTGT KLTVL

224	3579	1611	TRSSGSIARNYVQ
224	3580	1612	ACCCGCAGCAGTGGCAGTATTGCCCCGCAACTATGTGCAG
224	3581	1613	EDDQRPP
224	3582	1614	GAGGATGACCAAAGACCCCT
224	3583	1615	QSYDPTNQNV
224	3584	1616	CAGTCTTATGATCCCACCAATCAAAATGTC
225	3585	1617	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCGTGGTCCAGCCTGGGAGGT CCCTGAGACTCTCCTGTGAAGCCTCTGGATTCAACTTCCATAATTATGAT ATACAATGGGTCCGCCAGGCCCCAGGCAAGGGGCTGGAGTGGGTGGCA CTAGTATTATTTGATGGAAGCAAAAAATATTATCCACACTCTGTGAAGG GCCGATTGCCATCTCCAGAGACAACTCCAAAAAACTCTATTTCTGCA AATGAACAGCCTGAGACCTGAGGACACGGCTGTGTATTACTGTGCGAGA GCCCCAGTGACTGGCGCCTCGTATTACCTTGACTATTGGGGCCAGGGAA CCCTGGTCACCGTCTCCTCA
225	3586	1618	EVQLVESGGGVVQPGRSLRLSCEASGFNFHNYDIQWVRQAPGKGLEWVAL VLFDGSKKYYPHSVKGRFAISRDNSSKTLFLQMNSLRPEDTAVYYCARPV TGASYILDYWGQGLTVTVSS
225	3587	1619	FNHNYDIQ
225	3588	1620	TTCAACTTCCATAATTATGATATACAA
225	3589	1621	LVLFDGSKKYYPHSVKG
225	3590	1622	CTAGTATTATTTGATGGAAGCAAAAAATATTATCCACACTCTGTGAAGG GC
225	3591	1623	ARAPVTGASYILDY
225	3592	1624	GCGAGAGCCCCAGTGACTGGCGCCTCGTATTACCTTGACTAT
225	3593	1625	TCCTATGTGCTGACACAGCCACCCTCGGTGTCACTGGCCCCAGGACAGA CGGCCAGAAATTACCTGTGGGGCAAACAACATTGGAAATAAAGGTGTGCA CTGGTACCAACAGAAGCCAGGCCAGGCCCTGTGCTGGTCTCTATGAT GATGACGACCAGCCCTCAGGGATCCCTGAGCGATTCTCTGGCTCCA CTGGGAACACGGCCACCCTGACCATCAGCAGGGTCGAAGCCGGGGATG AGGCCGACTATTACTGTGAGGTGTGGGATAGTACTAGTGATCATCTGGT ATTCGGCGGAGGGACCCAGCTGACCGTCCTA
225	3594	1626	SYVLTQPPSVSVAPGQTARITCGANNIGNKGVHWYQQKPGQAPVLVYDD DDQPSGIPERFSGSNSGNATLTISRVEAGDEADYYCQVWDSTSDHLVFGG GTQLTVL
225	3595	1627	GANNIGNKGVH
225	3596	1628	GGGGCAAACAACATTGGAAATAAAGGTGTGCAC
225	3597	1629	DDDDQPS
225	3598	1630	GATGATGACGACCAGCCCTCA
225	3599	1631	QVWDSTSDHLV
225	3600	1632	CAGGTGTGGGATAGTACTAGTGATCATCTGGTA
226	3601	1633	CAGGTGCAGCTGCAGGAGTCGGGGCCAGGACTGGTGAAGCCTTCGGAGA CCCTGTCCCTCACCTGCACTGTCTCTGGTGGCTCCGTCAGCAGAGGGAGT TACTACTGGACCTGGATCCGGCAGCCCCCAGGGAAGGGACTGGAGTGGGA

			TTGGCTATATCTATTACAGTGGGAGCACCAACTACAACCCCTCCCTCAAG AGTCGAGTCACCATATCAGTAGACACGTCCAAGAACCAGTTCTCCCTGA AGCTGAGCTCTGTGACCGCTGCGGACACGGCCGTTTATTACTGTGCGAG AGATATAGGGGAAGATAAGTATGGTACTTACTACGGTATGGACGTCTGG GGCCAAGGGACCACGGTCACCGTCTCTTCA
226	3602	1634	QVQLQESGPGLVKPSSETLSLTCTVSGGSVSRGSYYWTWIRQPPGKGLEWIG YIYYSGSTNYPNPSLKSRTISVDTSKNQFSLKLSSVTAADTAVYYCARDIGE DKYGTYYGMDVWGQGTITVTVSS
226	3603	1635	GSVSRGSYYWT
226	3604	1636	GGCTCCGTCAGCAGAGGGAGTTACTACTGGACC
226	3605	1637	YIYYSGSTNYPNPSLKS
226	3606	1638	TATATCTATTACAGTGGGAGCACCAACTACAACCCCTCCCTCAAGAGT
226	3607	1639	ARDIGEDKYGTYYGMDV
226	3608	1640	GCGAGAGATATAGGGGAAGATAAGTATGGTACTTACTACGGTATGGACG TC
226	3609	1641	GAAATTGTGATGACACAGTCTCCAGCCACCCTGTCTTTGTCTCCAGGAGA AAGAGCCACCCTCTCTGTCAGGGCCAGTCAGAGTGTTAGCAGCTCCTTA GCCTGGTACCAACAGAAACCTGGCCAGGCTCCAGGCTCCTCATCTATG GTGCATCCAACAGGGCCACTGGCATCCAGCCAGGTTTCAGTGGCAGTGG GTCTGGGACAGACTTCACTCTCACCATCAGTAGCCTAGAGCCTGAGGAT TTTGCAGTTTATTACTGTGTCAGCAGCGTACCAACTGGCCCCCGGTCACTT CGGCCCTGGGACCAAGGTGGAAATCAAA
226	3610	1642	EIVMTQSPATLSLSPGERATLSCRASQSVSSSLAWYQQKPGQAPRLLIYGAS NRATGIPARFSGSGSGTDFTLTISLEPEDFAVYYCQQRNWPVPVTFGPSTKV EIK
226	3611	1643	RASQSVSSSLA
226	3612	1644	AGGGCCAGTCAGAGTGTTAGCAGCTCCTTAGCC
226	3613	1645	GASNRAT
226	3614	1646	GGTGCATCCAACAGGGCCACT
226	3615	1647	QQRNWPVPV
226	3616	1648	CAGCAGCGTACCAACTGGCCCCCGGTCACT
227	3617	1649	CAGGTCCAGCTGGTACAGTCTGGGGGAGGCCTGGTCAAGCCTGGGGGGT CCCTGAGACTCTCTTGTGTCAGCCTCTGGATTACCTTCAGTAGCTATACC ATGAACTGGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTCTCAT CCATTACTGGTGGTAGTAGTTTCACAACTACGCAGACTCACTGGAGGG CCGATTACCATCTCCAGAGATAACGCCAAGAGCTCACTTTTTCTGCAAA TGAACAGCCTGAGAGTCGAGGACACGGCTGTATATTACTGTGCGAGAGA TCAGCCGGGGACGATTTTTGGAGTGGTCCAGGACTACTGGGGCCAGGGA ACCCTGGTCAACGTCTCTCTCA
227	3618	1650	QVQLVQSGGGLVKPGGSLRLSAAAGFTFSSYTMNWVRQAPGKGLEWVSS ITGGSSFTNYADSLEGRFTISRDAKSSSLFLQMNSLRVEDTAVYYCARDQPG TIFGVVQDYWGQGLTVTVSS
227	3619	1651	FTFSSYTMN
227	3620	1652	TTCACCTTCAGTAGCTATACCATGAAC

227	3621	1653	SITGGSSFTNYADSLEG
227	3622	1654	TCCATTACTGGTGGTAGTAGTTTCACAACTACGCAGACTCACTGGAGG GC
227	3623	1655	ARDQPGTIFGVVQDY
227	3624	1656	GCGAGAGATCAGCCGGGGACGATTTTTGGAGTGGTCCAGGACTAC
227	3625	1657	CAGTCTGTCTTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAGGGCAGA GGGTCACCATCTCCTGCACTGGGGGCAGCTCCAACATCGGGGCAGGTTA TGATGTGCACTGGTACCAGCAGCTTCCAGGAACAGCCCCAACTCCTC ATCTATGGTAACAGCAATCGGCCCTCAGGGGTCCCTGACCGATTCTCTGG CTCCAAGTCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAGGCTG AGGATGAGGCTGATTATTACTGCCAGTCCTATGACAGCCGCCTGAGTGT GGTATTCGGCGGAGGGACCAAGGTGACCGTCCTA
227	3626	1658	QSVLTQPPSVSGAPGQRTISCTGGSSNIGAGYDVHWYQQLPGTAPKLLIYG NSNRPSGVPDRFSGSKSGTSASLAITGLQAEDEADYYCQSYDSRLSVVFGGG TKVTVL
227	3627	1659	TGGSSNIGAGYDVH
227	3628	1660	ACTGGGGGCAGCTCCAACATCGGGGCAGGTTATGATGTGCAC
227	3629	1661	GNSNRPS
227	3630	1662	GGTAACAGCAATCGGCCCTCA
227	3631	1663	QSYDSRLSVV
227	3632	1664	CAGTCCTATGACAGCCGCCTGAGTGTGGTA
228	3633	1665	GAGGTGCAGCTGGTGGAGTCTGGGGCTGAGGTGAAGAAGCCTGGGTCTT CGGTGAAGGTCTCCTGCAAGGCTTCTGGAGGCACCTTCAGCAGCTATGC TATCAGCTGGGTGCGACAGGCCCTGGACAAGGACTTGAGTGGATGGGA GGGACCATCCCTATTTTTGGTACAATCAACTACGCACAGAAGTTCCAGG GCAGACTCACGATTAACGCGGACGCATCAACGAGCACAGCCTACATGGA GCTGAGCAGCCTGAGATCTGAGGACACGGCCGTGTATTTCTGTGCGAGA GACCGGACTACAGCTGTGAGGTACTACGCTATGGACGTCTGGGGCCAAG GGACCACGGTCACCGTCTCTTCA
228	3634	1666	EVQLVESGAIEVKKPGSSVKVSKASGGTFSSYAIWVRQAPGQGLEWMGG TIPIFGTINYAQKFQRLINADASTSTAYMELSSLRSEDVAVYFCARDRTTA VRYYAMDVWGQGTTVTVSS
228	3635	1667	GTFFSYAIS
228	3636	1668	GGCACCTTCAGCAGCTATGCTATCAGC
228	3637	1669	GTIPIFGTINYAQKFQG
228	3638	1670	GGGACCATCCCTATTTTTGGTACAATCAACTACGCACAGAAGTTCCAGG GC
228	3639	1671	ARDRTTAVRYYAMDV
228	3640	1672	GCGAGAGACCGGACTACAGCTGTGAGGTACTACGCTATGGACGTC
228	3641	1673	GAAATTGTGTTGACACAGTCTCCAGCCACCCTGTCTTTGTCTCCAGGGGA AAGAGCCACCCTCTCCTGCAGGGCCAGTCAGAGTGTTAGCAGCTACTTA GCCTGGTACCAACAGAAACCTGGCCAGGCTCCCAGGCTCCTCATCTATG ATACATCCAACAGGGCCACTGACATCCCAGCCAGGTTTCAGTGGCAGTGG GTCTGGGACAGACTTCACTCTCACCATCAGCAGCCTAGAGCCTGAAGAT

			TTTGCAGTTTATTACTGTCAGCACCGTGCCAACTGGCCCCGCTCACTTT CGGCGGAGGGACCAAGGTGGAAATCAAA
228	3642	1674	EIVLTQSPATLSLSPGERATLSCRASQSVSSYLAWYQQKPGQAPRLLIYDTSN RATDIPARFSGSGSGTDFTLTISSLEPEDFAVYYCQHRANWPPLTFGGGTKV EIK
228	3643	1675	RASQSVSSYLA
228	3644	1676	AGGGCCAGTCAGAGTGTTAGCAGCTACTTAGCC
228	3645	1677	DTSNRAT
228	3646	1678	GATACATCCAACAGGGCCACT
228	3647	1679	QHRANWPPLT
228	3648	1680	CAGCACCGTGCCAACTGGCCCCGCTCACT
229	3649	1681	CAGGTCCAGCTTGTGTCAGTCTGGGCCTGAGGTGAAGAGGCCTGGGTCCT CGGTGAAGGTCTCCTGCAAGGCTTCTGGAGACACCTTCAACAACACTACGC CATCAGCTGGGTGCGACAGGCCCTGGACAAGGACTTGAGTGGATGGGA GGGATCCACCCTACCACTGCTACACCAAACACTACGCACAGAAGTTCCAGG GCAGAGTCGTCATTAGCGCGGACAAGTCCACGAGTACAGCCTACTTGA CCTGAGTCGGCTGAGATCTGAGGACACGGCCATGTATTACTGTGCGAGA GTTGGTGTGGGACGCACTTGGGTCTATGATATTATGGGTTACCTAGACTA CTGGGGCCAGGGAACCTGGTCACCGTCTCTCA
229	3650	1682	QVQLVQSGPEVKRPGSSVKVSKASGDTFNNYAIWVRQAPGQGLEWMGG IHPTTATPNYAQKFQGRVISADKSTSTAYLDLSRLRSED TAMYYCARVGV GRTWVYDIMGYLDYWGQGLTVTVSS
229	3651	1683	DTFNNYAI
229	3652	1684	GACACCTTCAACAACACTACGCCATCAGC
229	3653	1685	GIHPTTATPNYAQKFQG
229	3654	1686	GGGATCCACCCTACCACTGCTACACCAAACACTACGCACAGAAGTTCCAGG GC
229	3655	1687	ARVGVGRTWVYDIMGYLDY
229	3656	1688	GCGAGAGTTGGTGTGGGACGCACTTGGGTCTATGATATTATGGGTTACCT AGACTAC
229	3657	1689	GAAATTGTATTGACACAGTCTCCAGCCACCCTGTCTTTGTCTCCAGGGGA AAGAGCCACCCTCTCCTGCAGGGCCAGTCAGAGTGTTAGCGACTACTTG GCCTGGTACCAACAAAGACCTGGCCAGGCTCCAGGCTCCTCATCTATG ATGCGTCCACCAGGGCCACTGGCATCCAGACAGGTTCAAGTGGCGGTGG GTCTGGGACAGACTTCACTCTCACCATCAGCAGCCTAGAGCCTGAAGAT TTTGCAGTTTATTACTGTCAACACCGTAACAACACTGGCCTTCCCTCACTTTC GGCGGAGGGACCAAGGTGGAAATCAAA
229	3658	1690	EIVLTQSPATLSLSPGERATLSCRASQSVSDYLAWYQQRPGQAPRLLIYDAS TRATGIPDRFSGGSGTDFTLTISSLEPEDFAVYYCQHRNWPPLTFGGGTK VEIK
229	3659	1691	RASQSVSDYLA
229	3660	1692	AGGGCCAGTCAGAGTGTTAGCGACTACTTGCC
229	3661	1693	DASTRAT
229	3662	1694	GATGCGTCCACCAGGGCCACT

229	3663	1695	QHRNNWPSLT
229	3664	1696	CAACACCGTAACAACTGGCCTTCCCTCACT
230	3665	1697	CAGGTGCAGCTACAGCAGTGGGGCGCAGGACTGCTGAAGCCTTCGGAGA CCCTGTCCCTCACCTGCGGTGTCTCTGATGGGTCTTCAGTGCCTACTAC TGGAAGTGGATCCGCCAGTCCCCAGGGAAGGGGCTGGAGTGGATTGGGG AAACCAATCCAAGTGAAAACACCAACTACAGCCCGTCCCTCAAGAATCG AGTCACCATATCGGCAGACAGGTCCGCGAATCAGTTCTCCCTGAGACTG AGGTCTGTGACCGCCGCGGACACGGGTGTTTATTACTGTGCGAGAGGCC GCGGTTATTATGGTTCGACGACTGATTATCGGGGGCTCCACTGGTTCGAC CCCTGGGGCCAGGGAACCTGGTCACCGTCTCCTCA
230	3666	1698	QVQLQQWGAGLLKPSETLSLTCGVSDGSFSAYYWNWIRQSPGKGLEWIGE TNPSSENTNYSPLKNRVITISADRSANQFSLRLRSVTAADTGVIYCARGRGY YGSTTDYRGLHWFDPPWQGGLTVTVSS
230	3667	1699	GSFSAYYWN
230	3668	1700	GGGTCCTTCAGTGCCTACTACTGGAAC
230	3669	1701	ETNPSSENTNYSPLKN
230	3670	1702	GAAACCAATCCAAGTGAAAACACCAACTACAGCCCGTCCCTCAAGAAT
230	3671	1703	ARGRGYYGSTTDYRGLHWFDPP
230	3672	1704	GCGAGAGGCCGCGGTTATTATGGTTCGACGACTGATTATCGGGGGCTCC ACTGGTTCGACCCC
230	3673	1705	GAAACGACACTCACGCAGTCTCCAGTCACCTGTCTGTGTCTCCAGGGG AAAGAGCCACCCTCTCCTGCAGGGCCAGTCAGAGTGTTAGCTTCAACTT AGCCTGGTACCAGCAGAAACCTGGCCAGGCTCCCAGGCTCCTCATCTAT GGTGCATCCACCAGGGTCACTAATCTCCCACTCAGGTTTCAGTGGCAGTG GGTCTGGGACAGAGTTCACTCTCACCATCAGCAGCCTGCAGTCTGAAGA TTTTGCAGTTTATTACTGTGACGAGTATAATAACTGGCCTCGGACTTTTG GCCAGGGGACCAAGCTGGAGATCAAA
230	3674	1706	ETTLTQSPVTLSPGERATLSRASQSVSFNLAWYQQKPGQAPRLLIYGAS TRVTNLPLRFSGSGSGTEFTLTISLQSEDFAVYYCQYNNWPRTFGQGTKL EIK
230	3675	1707	RASQSVSFNLA
230	3676	1708	AGGGCCAGTCAGAGTGTTAGCTTCAACTTAGCC
230	3677	1709	GASTRVT
230	3678	1710	GGTGCATCCACCAGGGTCACT
230	3679	1711	QYNNWPRT
230	3680	1712	CAGCAGTATAATAACTGGCCTCGGACT
231	3681	1713	GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGTTTCAGCCGGGGGGGT CCCTGAGACTCTCCTGTGCAGCCTCTGGATTCACTTTCAGCGACTTTTCC ATGAGCTGGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAATGGGTCTCAC TTATTAAAAGTAGCGGTTATGCATACTATGCAGACTCCGTGAGGGGCGG GTTCAACCATCTCCAGAGACAATTCCAAGAACACCCTGTATCTGCAAATG AACAGCCTGAGAGCCGAGGACACGGCCATATATTATTGTGCGAAAGACG CCGATTTTTGGAGTGGTGCCGCCTACAATGGAGGATACAACCTTTGACTCC TGGGGCCAGGGAACCTGGTCACCGTCTCCTCA

231	3682	1714	EVQLVESGGGLVQPGGSLRLSCAASGFTFSDFMSWVRQAPGKGLEWVSLI KSSGYAAYYADSVRGRFTISRDN SKNTLYLQMNSLRAEDTAIYYCAKDADF WSGAAYNGGYNFDSWGQGLVTVSS
231	3683	1715	FTFSDFMS
231	3684	1716	TTCAC TTT CAGCGACTTTTCCATGAGC
231	3685	1717	LIKSSGYAAYYADSVRG
231	3686	1718	CTTATTA AAAAGTAGCGTTATGCATACTATGCAGACTCCGTGAGGGGC
231	3687	1719	AKDADFWSGAAYNGGYNFDS
231	3688	1720	GCGAAAGACGCCGATTTTTGGAGTGGTGCCGCCTACAATGGAGGATACA ACTTTGACTCC
231	3689	1721	GACATCCAGATGACCCAGTCTCCAGCCACCCTGTCTGTATTTCCAGGGGA CAGAGCCACCCTCTCCTGCAGGGCCAGTCAGAGTGTTGGCAGCAACTTG GCCTGGTACCAGCAGAAACCTGGCCAGGCTCCCAGGCTCCTCATCTTTG GTGCCTCAACCAGGGCCACTGGTATCCAGCCAGGTTCA GTGGCAGTGG GTCTGGGACAGAGTTCACTCTCACCATCAGCAGCCTGCAGTCTGAAGAT TTTGCA GTTTATTACTGT CAGCAGTATCATAACTGGCCTCCGCTCACTTTC GGCGGAGGGACCAAAGTGGATATCAAA
231	3690	1722	DIQMTQSPATLSVFP GDRA TLSCRASQSVGSNLAWYQQKPGQAPRL LIFGAS TRATGIPARFSGSGSGTEFTLTIS SLQSEDFAVYYCQYHNWPPLTFGGGTK VDIK
231	3691	1723	RASQSVGSNLA
231	3692	1724	AGGGCCAGTCAGAGTGTTGGCAGCAACTTGGCC
231	3693	1725	GASTRAT
231	3694	1726	GGTGCCTCAACCAGGGCCACT
231	3695	1727	QYHNWPPLT
231	3696	1728	CAGCAGTATCATAACTGGCCTCCGCTCACT
232 (ADI- 31672)	5905	1729	CAGGTCCAGCTTGTACAGTCTGGGGCTGAAGTGAAGAGGCCTGGGTCCT CGGTGAAGGTCTCCTGCAAGGCTTCTGGAGGCACCTTCAGCAGCTTTGG GATCAACTGGGTGCGACAGGCCCTGGACAAGGGCTTGAGTGGATGGGA GGGCTCAATCCTATCTTTGGTACACCATCTAACGCACAGAAGTTCCAGG GCAGAGTCACGATTACCGCGGACGAATCCACGAGCACAGCCTACATGGA GCTGAGCAGCCTGAGATCTGAGGACACGGCCGTCTATTACTGTGCCTCA TTACGATATTTTACTGGCAACCTGGGGGGTCTACTGGTTTCGACCCCTG GGGCCAGGGAACCCTGGTCACCGTCTCCTCA
	5906	1730	QVQLVQSGAEVKRPGSSVKVSKASGGTFSSFGINWVRQAPGQGLEWMGG LNPIFGTPSNAQKFQGRVTITADESTSTAYMELSSLRSEDTAVYYCASLRYF DWQPGGSYWFDWPWGQGLVTVSS
	5907	1731	GTFSFGIN
	5908	1732	GLNPIFGTPSNAQKFQG
	5909	1733	ASLRYFDWQPGGSYWFDP
	5910	1734	CAGCCTGGGCTGACTCAGCCACCCTCAGTGTCAGTGGCCCCAGGAAAGA CGGCCAGGATTGCCTGTGGGGGAGACAACATTGGA ACTAAAGGAGTGC ACTGGTACCAGCAGAAGCCAGGCCAGGCCCTGTGCTGGTCATCTATTA

			TGATAGCGACCGGCCCTCAGGGATCCCTGAGCGATTCTCTGGTTCCAACCT CTGGGAACACGGCCACCCTGACCATCAGCGGGGTCGAAGCCGGGGATG AGGCCGACTACTACTGTCAGGTTTGGGATACTATTGATGATTATAAGGAT GGACTATTCGGCGGAGGGACCAAGCTCACCGTCCTA
	5911	1735	QPGLTQPPSVSVAPGKTARIACGGDNIGTKGVHWYQQKPGQAPVLVIYYDS DRPSGIPERFSGSNSGNTATLTISGVEAGDEADYYCQVWDTIDDYKDGLFGG GTKLTVL
	5912	1736	GGDNIGTKGVH
	5913	1737	YDSDRPS
	5914	1738	QVWDTIDDYKDGL
233 (ADI- 31673)	5915	1739	CAGGTCCAGCTTGTACAGTCTGGGGCTGAAGTGAAGAGGCCTGGGTCCT CGGTGAAGGTCTCCTGCAAGGCTTCTGGAGGCACCTTCAGCAGCTTTGCT ATCCAGTGGGTGCGACAGGCCCCCTGGACAAGGGCTTGAGTGGATGGGAG GGCTCATCCCTATCTTTGGTACACCAGAGAACGCACAGAAGTTCCAGGG CAGAGTCACGATTACCGCGGACGAATCCACGAGCACAGCCTACATGGAG CTGAGCAGCCTGAGATCTGAGGACACGGCCGTCTATTACTGTGCCTCATT ACGATATTTGACTGGCAACCTGGGGGGTCTACTGGTTCGACCCCTGGG GCCAGGGAACCCTGGTCACCGTCTCCTCA
	5916	1740	QVQLVQSGAEVKRPGSSVKVSKASGGTFSSFAIQWVRQAPGQGLEWMGG LIPIFGTPENAQKFQGRVTITADESTSTAYMELSSLRSEDVAVYYCASLRYFD WQPGGSYWFDPPWGQGLTVSS
	5917	1741	GTFSSFAIQ
	5918	1742	GLIPIFGTPENAQKFQG
	5919	1743	ASLRYFDWQPGGSYWFDPP
	5920	1744	CAGCCTGGGCTGACTCAGCCACCCTCAGTGTGCTAGTGGCCCCAGGAAAGA CGGCCAGGATTGCCTGTGGGGGAGACAACATTGGAATAAAGGAGTGC ACTGGTACCAGCAGAAGCCAGGCCAGGCCCCCTGTGCTGGTCATCTATTA TGATAGCGACCGGCCCTCAGGGATCCCTGAGCGATTCTCTGGTTCCAACCT CTGGGAACACGGCCACCCTGACCATCAGCGGGGTCGAAGCCGGGGATG AGGCCGACTACTACTGTCAGGTTTGGGATACTATTGATGATCATAAGGA TGGACTATTCGGCGGAGGGACCAAGCTCACCGTCCTA
	5921	1745	QPGLTQPPSVSVAPGKTARIACGGDNIGTKGVHWYQQKPGQAPVLVIYYDS DRPSGIPERFSGSNSGNTATLTISGVEAGDEADYYCQVWDTIDHDKDGLFGG GTKLTVL
	5922	1746	GGDNIGTKGVH
	5923	1747	YDSDRPS
	5924	1748	QVWDTIDHDKDGL
234 (ADI- 31674)	5925	1749	GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCGTGGTCCAGCCTGGGAGGT CCCTGAGACTCTCCTGTGAGCCTCTGGATTACCTTCAGTGACTTTTCT ATGCACTGGGTCCGCCAGGCTCCAGGCAAGGGGCTGGAGTGGGTGGCAC TCATCTCAAATGATGGAAGCAATAAATATTATTCAGACTCCCTGAAGGG TTCATTTCATCATCTCCAGAGACAACTCCAAGAACACGCTCTATCTCCAAC TGAACAGCCTGGGAGCTGAGGACACGGCTCTCTATTACTGTGCGAGAGA TGCGGTTCCCCATTATGATTACGTCTGGGGAACTTTGACTACTGGGGCC AGGGAACCCTGGTCACTGTCTCCTCA
	5926	1750	EVQLLESGGGVVQPGRSLRLSCAASGFTFSDFSMHWVRQAPGKGLEWVALI

			SNDGSNKYYSDSLKGSFIISRDNSKNTLYLQLNSLGAEDTALYYCARDAPH YDYVWGNFDYWGQGLTVTVSS
	5927	1751	FTFSDFSMH
	5928	1752	LISNDGSNKYYSDSLKG
	5929	1753	ARDAVPHYDYVWGNFDY
	5930	1754	GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCGTGGTCCAGCCTGGGAGGT CCCTGAGACTCTCCTGTGCAGCCTCTGGATTACCTTCAGTGACTTTTCT ATGCACTGGGTCCGCCAGGCTCCAGGCAAGGGGCTGGAGTGGGTGGCAC TCATCTCAAATGATGGAAGCAATAAATATTATTCAGACTCCCTGAAGGG TTCATTATCATCTCCAGAGACAACCTCCAAGAACACGCTCTATCTCCAAC TGAACAGCCTGGGAGCTGAGGACACGGCTCTCTATTACTGTGCGAGAGA TGCGGTTCCCCATTATGATTACGTCTGGGGAACTTTGACTACTGGGGCC AGGGAACCTGGTCACTGTCTCCTCA
	5931	1755	EVQLLESGGGVVQPGRLRLSCLASGFTFSDFSMHWVRQAPGKGLEWVALI SNDGSNKYYSDSLKGSFIISRDNSKNTLYLQLNSLGAEDTALYYCARDAPH YDYVWGNFDYWGQGLTVTVSS
	5932	1756	TGTASDVGGYNYVS
	5933	1757	EVSNRPS
	5934	1758	SSYTSFTPVV
235 (ADI- 31674S 95A)	5935	1759	GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCGTGGTCCAGCCTGGGAGGT CCCTGAGACTCTCCTGTGCAGCCTCTGGATTACCTTCAGTGACTTTTCT ATGCACTGGGTCCGCCAGGCTCCAGGCAAGGGGCTGGAGTGGGTGGCAC TCATCTCAAATGATGGAAGCAATAAATATTATTCAGACTCCCTGAAGGG TTCATTATCATCTCCAGAGACAACCTCCAAGAACACGCTCTATCTCCAAC TGAACAGCCTGGGAGCTGAGGACACGGCTCTCTATTACTGTGCGAGAGA TGCGGTTCCCCATTATGATTACGTCTGGGGAACTTTGACTACTGGGGCC AGGGAACCTGGTCACTGTCTCCTCA
	5936	1760	EVQLLESGGGVVQPGRLRLSCLASGFTFSDFSMHWVRQAPGKGLEWVALI SNDGSNKYYSDSLKGSFIISRDNSKNTLYLQLNSLGAEDTALYYCARDAPH YDYVWGNFDYWGQGLTVTVSS
	5937	1761	FTFSDFSMH
	5938	1762	LISNDGSNKYYSDSLKG
	5939	1763	ARDAVPHYDYVWGNFDY
	5940	1764	CAGTCTGTTCTGACTCAGCCTGCCTCCGTGTCTGCGTCTCCTGGACAGTC GATCACCATCTCCTGCACTGGAACCGCGAGTGACGTTGGTGTTATAATT ATGTCTCCTGGTACCAACAGCACCCAGGCAAAGCCCCAACTCATAAT TTATGAGGTCAGTAATCGGCCCTCAGGGGTTTCTAATCGCTTCTCTGGCT CCAAGTCTGGCAACACGGCCTCCCTGACCATCTCTGGGCTCCAGGCTGA CGACGAGGCTGATTATTACTGCAGCTCATATACAGCTTTCACTCCCGTGG TATTCGGCGGAGGGACCAAGCTGACCGTCCTA
	5941	1765	QSVLTQPASVSASPGQSITISCTGTASDVGGYNYVSWYQQHPGKAPKLIYE VSNRPSGVSNRFSKSGNTASLTISGLQADDEADYYCSSYTAFTPVVFGGG TKLTVL

	5942	1766	TGTASDVGGYNYVS
	5943	1767	EVSNRPS
	5944	1768	SSYTAFTPVV
236 (ADI-31675)	5945	1769	GAGGTGCAGCTGTTGGAGTCTGGGGGAGGCGTGGTCCAGCCTGGGAGGT CCCTGAGACTCTCCTGTGCAGCCTCTGGATTACCTTCAGTGACTTTTCT ATGCACTGGGTCCGCCAGGCTCCAGGCAAGGGGCTGGAGTGGGTGGCAC TCATCTCAAATGATGGAAGCAATAAATATTATTCAGACTCCCTGAAGGG TTCATTCATCATCTCCAGAGACAACTCCAAGAACACGCTCTATCTCCAAC TGAACAGCCTGGGAGCTGAGGACACGGCTCTCTATTACTGTGCGAGAGA TGCGGTTCCCCATTATGATTACGTCTGGGGAACTTTGACTACTGGGGCC AGGGAACCTGGTCACTGTCTCCTCA
	5946	1770	EVQLLESGGGVVQPGRLRLSCAASGFTFSDFSMHVVRQAPGKGLEWVALI SNDGSNKYYSDSLKGSFIISRDNSKNTLYLQLNSLGAEDTALYYCARDAPH YDYVWGNFDYWGQGLTVTVSS
	5947	1771	FTFSDFSMH
	5948	1772	LISNDGSNKYYSDSLKG
	5949	1773	ARDAVPHYDYVWGNFDY
	5950	1774	CAGTCTGTTCTGACTCAGCCTGCCTCCGTGTCTGCGTCTCCTGGACAGTC GATCACCATCTCCTGCACTGGAACCGCGAGTGACGTTGGTGGTTATAATT ATGTCTCCTGGTACCAACAGCACCCAGGCAAAGCCCCCAAACCTCATAAT TTATGAGAAGAGTAATCGGCCCTCAGGGGTTTCTAATCGCTTCTCTGGCT CCAAGTCTGGCAACACGGCTCCCTGACCATCTCTGGGCTCCAGGCTGA CGACGAGGCTGATTATTACTGCAGCTCATATACAAGTTTCACTCCCCTGG TATTCGGCGGAGGGACCAAGCTGACCGTCCTA
	5951	1775	QSVLTQPASVSASPGQSITISCTGTASDVGGYNYVSWYQQHPGKAPKLIYE KSNRPSGVSNRFSGSKSGNTASLTISGLQADDEADYYCSSYTSFTPVVFGGG TKLTVL
	5952	1776	TGTASDVGGYNYVS
	5953	1777	EKSNRPS
	5954	1778	SSYTSFTPVV
237 (ADI-31378)	5955	1779	CAGGTCCAGCTGGTACAGTCTGGGGGAGGCGTGGTCAAGCCTGGGGGGT CCCTGAGACTCTCTTGTGCAGCCTCTGGATTACCTTCAGTAGCTATAACC ATGAACTGGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTCTCAT CCATTACTGGTGGTAGTAGTTTCACAACTACGCAGACTCACTGGAGGG CCGATTCACCATCTCCAGAGATAACGCCAAGAGCTCACTTTTTCTGCAAA TGAACAGCCTGAGAGTCGAGGACACGGCTGTATATTACTGTGCGAGAGA TCAGCCGGGGACGATTTTTGGAGTGGTCCAGGACTACTGGGGCCAGGGA ACCCTGGTCACCGTCTCCTCA
	5956	1780	QVQLVQSGGGLVKPGGSLRLSCAASGFTFSSYTMNWVRQAPGKGLEWVSS ITGGSSFTNYADSLEGRFTISRDNKSSLFLQMNSLRVEDTAVYYCARDQPG TIFGVVQDYWGQGLTVTVSS
	5957	1781	FTFSSYTMN
	5958	1782	SITGGSSFTNYADSLEG

	5959	1783	ARDQPGTIFGVVQDY
	5960	1784	CAGTCTGTCTTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAGGGCAGAGGGTCACCATCTCCTGCACTGGGGGCAGCTCCAACATCGGGGCAGGTTATGATGTGCACTGGTACCAGCAGCTTCCAGGAACAGCCCCCTAACTCCTCATCTATGGTAACAGCAATCGGGGGTTCAGGGGTCCCTGACCGATTCTCTGGCTCCAAGTCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAGGCTGAGGATGAGGCTGATTATTACTGCCAGTCCTATGACAGCCGCCTGCAGGTGGTATTCGGCGGAGGGACCAAGGTGACCGTCCTA
	5961	1785	QSVLTQPPSVSGAPGQRTISCTGGSSNIGAGYDVHWYQQLPGTAPKLLIYGNSNRSGVPDRFSGSKSGTSASLAITGLQAEDEADYYCQSYDSRLQVVFGGGTKVTVL
	5962	1786	TGGSSNIGAGYDVH
	5963	1787	GNSNRGS
	5964	1788	QSYDSRLQVV
238 (ADI-31379)	5965	1789	CAGGTCCAGCTGGTACAGTCTGGGGGAGGCCTGGTCAAGCCTGGGGGGTCCCTGAGACTCTCTTGTGCAGCCTCTGGATTCACTTCAGTAGCTATAACATGAAGTGGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTCTCATCCATTACTGGTGGTAGTAGTTTCAAACTACGCAGACTCACTGGAGGGCCGATTACCATCTCCAGAGATAACGCCAAGAGCTCACTTTTTCTGCAAAATGAACAGCCTGAGAGTCGAGGACACGGCTGTATATTACTGTGCGAGAGATCAGCCGGGGACGATTTTTGGAGTGGTCCAGGACTACTGGGGCCAGGGAACCCTGGTCACCGTCTCCTCA
	5966	1790	QVQLVQSGGGLVKPGGSLRLSCAASGFTFSSYTMNWVRQAPGKGLEWVSSITGGSSFTNYADSLEGRFTISRDNKSSSLFLQMNSLRVEDTAVYYCARDQPGTIFGVVQDYWGQGLVTVSS
	5967	1791	FTFSSYTMN
	5968	1792	SITGGSSFTNYADSLEG
	5969	1793	ARDQPGTIFGVVQDY
	5970	1794	CAGTCTGTCTTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAGGGCAGAGGGTCACCATCTCCTGCACTGGGGGCAGCTCCAACATCGGGAAGGGTTATGATGTGCACTGGTACCAGCAGCTTCCAGGAACAGCCCCCTAACTCCTCATCTATGGTAACAGCAATCGGCCCCGGGGGGTCCCTGACCGATTCTCTGGCTCCAAGTCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAGGCTGAGGATGAGGCTGATTATTACTGCCAGTCCTATGACAGCGGGCTGAGGTGGTATTCGGCGGAGGGACCAAGGTGACCGTCCTA
	5971	1795	QSVLTQPPSVSGAPGQRTISCTGGSSNIGKGYDVHWYQQLPGTAPKLLIYGNSNRPGVPDRFSGSKSGTSASLAITGLQAEDEADYYCQSYDSGLSVVFGGGTKVTVL
	5972	1796	TGGSSNIGKGYDVH
	5973	1797	GNSNRPG
	5974	1798	QSYDSGLSVV
239 (ADI-31380)	5975	1799	CAGGTCCAGCTGGTACAGTCTGGGGGAGGCCTGGTCAAGCCTGGGGGGTCCCTGAGACTCTCTTGTGCAGCCTCTGGATTCAAGTTCAGTAGCTATAACATGAAGTGGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTCTCATCCATTACTGGTGGTAGTAGTTTCAAACTACGCAGACTCACTGGAGGGCCGATTACCATCTCCAGAGATAACGCCAAGAGCTCACTTTTTCTGCAAA

			TGAACAGCCTGAGAGTCGAGGACACGGCTGTATATTACTGTGCGAGAGA TCAGCCGGGGACGATTTTTGGAGTGGTCCAGGACTACTGGGGCCAGGGA ACCCTGGTCACCGTCTCCTCA
	5976	1800	QVQLVQSGGGLVKPGGSLRLSCAASGFKFSSYTMNWVRQAPGKGLEWVSS ITGGSSFTNYADSLEGRFTISRDNKSSLFLQMNSLRVEDTAVYYCARDQPG TIFGVVQDYWGQGLTVTVSS
	5977	1801	FKFSSYTMN
	5978	1802	SITGGSSFTNYADSLEG
	5979	1803	ARDQPGTIFGVVQDY
	5980	1804	CAGTCTGTCTTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAGGGCAGA GGGTCACCATCTCCTGCACTGGGGGCAGCTCCAACATCGGGGCAGGTTA TGATGTGCACTGGTACCAGCAGCTTCCAGGAACAGCCCCAAACTCCTC ATCTATGGTAACAGCAATCGGCCCTCAGGGGTCCCTGACCGATTCTCTGG CTCCAAGTCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAGGCTG AGGATGAGGCTGATTATTACTGCCAGTCCTATGACAGCCGCTGAGTGT GGTATTCGGCGGAGGGACCAAGGTGACCGTCCTA
	5981	1805	QSVLTQPPSVSGAPGQRVTISCTGGSSNIGAGYDVHWYQQLPGTAPKLLIYG NSNRPSGVPDRFSGSKSGTSASLAITGLQAEDEADYYCQSYDSRLSVVFGGG TKVTVL
	5982	1806	TGGSSNIGAGYDVH
	5983	1807	GNSNRPS
	5984	1808	QSYDSRLSVV
240 (ADI- 31381)	5985	1809	CAGGTCCAGCTGGTACAGTCTGGGGGAGGCCTGGTCAAGCCTGGGGGGT CCCTGAGACTCTCTTGTCAGCCTCTGGATTCACTTCAGTAGCTATAGC ATGAACTGGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTCTCAT CCATTACTGGTGGTAGTAGTTTCGTAACTACGCAGACTCACTGGAGGGC CGATTACCATCTCCAGAGATAACGCCAAGAGCTCACTTTTTCTGCAAT GAACAGCCTGAGAGTCGAGGACACGGCTGTATATTACTGTGCGAGAGAT CAGCCGGGGACGATTTTTGGAGTGGTCCAGGACTACTGGGGCCAGGGAA CCCTGGTCACCGTCTCCTCA
	5986	1810	QVQLVQSGGGLVKPGGSLRLSCAASGFSFSSYSMNWVRQAPGKGLEWVSSI TGGSSFVNYADSLEGRFTISRDNKSSLFLQMNSLRVEDTAVYYCARDQPG TIFGVVQDYWGQGLTVTVSS
	5987	1811	FSFSSYSMN
	5988	1812	SITGGSSFVNYADSLEG
	5989	1813	ARDQPGTIFGVVQDY
	5990	1814	CAGTCTGTCTTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAGGGCAGA GGGTCACCATCTCCTGCACTGGGGGCAGCTCCAACATCGGGGCAGGTTA TGATGTGCACTGGTACCAGCAGCTTCCAGGAACAGCCCCAAACTCCTC ATCTATGGTAACAGCAATCGGCCCTCAGGGGTCCCTGACCGATTCTCTGG CTCCAAGTCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAGGCTG AGGATGAGGCTGATTATTACTGCCAGTCCTATGACAGCCGCTGAGTGT GGTATTCGGCGGAGGGACCAAGGTGACCGTCCTA
	5991	1815	QSVLTQPPSVSGAPGQRVTISCTGGSSNIGAGYDVHWYQQLPGTAPKLLIYG NSNRPSGVPDRFSGSKSGTSASLAITGLQAEDEADYYCQSYDSRLSVVFGGG TKVTVL

	5992	1816	TGGSSNIGAGYDVH
	5993	1817	GNSNRPS
	5994	1818	QSYDSRLSVV
241 (ADI-31312)	5995	1819	CAGGTCCAGCTGGTACAGTCTGGGGGAGGCCTGGTCAAGCCTGGGGGGT CCCTGAGACTCTCTTGTGCAGCCTCTGGATTCAAGTTCAGTAGCTATAACC ATGAACTGGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTCTCAT CCATTACTGGTGGTAGTAGTTTACAAACTACGCAGACTCACTGGAGGG CCGATTACCATCTCCAGAGATAACGCCAAGAGCTCACTTTTTCTGCAAA TGAACAGCCTGAGAGTCGAGGACACGGCTGTATATTACTGTGCGAGAGA TCAGCCGGGGACGATTTTTGGAGTGGTCCAGGACTACTGGGGCCAGGGA ACCCTGGTCACCGTCTCCTCA
	5996	1820	QVQLVQSGGGLVKPGGSLRLSCAASGFKFSSYTMNWVRQAPGKGLEWVSS ITGGSSFTNYADSLEGRFTISRDNKSSLFLQMNSLRVEDTAVYYCARDQPG TIFGVVQDYWGQGLTVTVSS
	5997	1821	FKFSSYTMN
	5998	1822	SITGGSSFTNYADSLEG
	5999	1823	ARDQPGTIFGVVQDY
	6000	1824	CAGTCTGTCTTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAGGGCAGA GGGTCACCATCTCCTGCACTGGGGGCAGCTCCAACATCGGGGCAGGTTA TGATGTGCACTGGTACCAGCAGCTTCCAGGAACAGCCCCTAAACTCCTC ATCTATGGTAACAGCAATCGGGGGTCAGGGGTCCCTGACCGATTCTCTG GCTCCAAGTCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAGGCT GAGGATGAGGCTGATTACTGCCAGTCCTATGACAGCCGCCTGCAGG TGGTATTCGGCGGAGGGACCAAGGTGACCGTCCTA
	6001	1825	QSVLTQPPSVSGAPGQRVTISCTGGSSNIGAGYDVHWYQQLPGTAPKLLIYG NSNRGSGVPDRFSGSKSGTSASLAITGLQAEDEADYYCQSYDSRLQVVFVG GTKVTVL
	6002	1826	TGGSSNIGAGYDVH
	6003	1827	GNSNRGS
	6004	1828	QSYDSRLQVV
242 (ADI-31319)	6005	1829	CAGGTCCAGCTGGTACAGTCTGGGGGAGGCCTGGTCAAGCCTGGGGGGT CCCTGAGACTCTCTTGTGCAGCCTCTGGATTCAAGTTCAGTAGCTATAACC ATGAACTGGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTCTCAT CCATTACTGGTGGTAGTAGTTTACAAACTACGCAGACTCACTGGAGGG CCGATTACCATCTCCAGAGATAACGCCAAGAGCTCACTTTTTCTGCAAA TGAACAGCCTGAGAGTCGAGGACACGGCTGTATATTACTGTGCGAGAGA TCAGCCGGGGACGATTTTTGGAGTGGTCCAGGACTACTGGGGCCAGGGA ACCCTGGTCACCGTCTCCTCA
	6006	1830	QVQLVQSGGGLVKPGGSLRLSCAASGFKFSSYTMNWVRQAPGKGLEWVSS ITGGSSFTNYADSLEGRFTISRDNKSSLFLQMNSLRVEDTAVYYCARDQPG TIFGVVQDYWGQGLTVTVSS
	6007	1831	FKFSSYTMN
	6008	1832	SITGGSSFTNYADSLEG
	6009	1833	ARDQPGTIFGVVQDY

	6010	1834	CAGTCTGTCTTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAGGGCAGA GGGTCACCATCTCCTGCACTGGGGGCAGCTCCAACATCGGGAAGGGTTA TGATGTGCACTGGTACCAGCAGCTTCCAGGAACAGCCCCAAACTCCTC ATCTATGGTAACAGCAATCGGCCCGGGGGGTCCCTGACCGATTCTCTG GCTCCAAGTCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAGGCT GAGGATGAGGCTGATTATTACTGCCAGTCCTATGACAGCGGGCTGAGTG TGGTATTCGGCGGAGGGACCAAGGTGACCGTCCTA
	6011	1835	QSVLTQPPSVSGAPGQRVITISCTGGSSNIGKGYDVHWYQQLPGTAPKLLIYG NSNRPGGVPDRFSGSKSGTSASLAITGLQAEDEADYYCQSYDSGLSVVFGG GTKVTVL
	6012	1836	TGGSSNIGKGYDVH
	6013	1837	GNSNRPG
	6014	1838	QSYDSGLSVV
243 (ADI- 31328)	6015	1839	CAGGTCCAGCTGGTACAGTCTGGGGGAGGCCTGGTCAAGCCTGGGGGGT CCCTGAGACTCTCTTGTGCAGCCTCTGGATTCACTTCAGTAGCTATAGC ATGAACTGGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTCTCAT CCATTACTGGTGGTAGTAGTTTCGTAACTACGCAGACTCACTGGAGGGC CGATTACCATCTCCAGAGATAACGCCAAGAGCTCACTTTTTCTGCAAAT GAACAGCCTGAGAGTCGAGGACACGGCTGTATATTACTGTGCGAGAGAT CAGCCGGGGACGATTTTTGGAGTGGTCCAGGACTACTGGGGCCAGGGAA CCCTGGTCACCGTCTCCTCA
	6016	1840	QVQLVQSGGGLVKPGGSLRLSCAASGFSFSSYSMNWVRQAPGKGLEWVSSI TGGSSFVNYADSLEGRFTISRDNKSSFLQMNSLRVEDTAVYYCARDQPG TIFGVVQDYWGQGLTVSS
	6017	1841	FSFSSYSMN
	6018	1842	SITGGSSFVNYADSLEG
	6019	1843	ARDQPGTIFGVVQDY
	6020	1844	CAGTCTGTCTTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAGGGCAGA GGGTCACCATCTCCTGCACTGGGGGCAGCTCCAACATCGGGGCAGGTTA TGATGTGCACTGGTACCAGCAGAATCCAGGAACAGCCCCAAACTCCTC ATCTATGGTAACAGCAATCGGGGGTCAGGGGTCCCTGACCGATTCTCTG GCTCCAAGTCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAGGCT GAGGATGAGGCTGATTATTACTGCCAGTCCTATGACAGCCGCCTGCAGG TGGTATTCGGCGGAGGGACCAAGGTGACCGTCCTA
	6021	1845	QSVLTQPPSVSGAPGQRVITISCTGGSSNIGAGYDVHWYQQNPGTAPKLLIYG NSNRSGVVPDRFSGSKSGTSASLAITGLQAEDEADYYCQSYDSRLQVVFGG GTKVTVL
	6022	1846	TGGSSNIGAGYDVH
	6023	1847	GNSNRGS
	6024	1848	QSYDSRLQVV
244 (ADI- 31330)	6025	1849	CAGGTCCAGCTGGTACAGTCTGGGGGAGGCCTGGTCAAGCCTGGGGGGT CCCTGAGACTCTCTTGTGCAGCCTCTGGATTCACTTCAGTAGCTATAGC ATGAACTGGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTCTCAT CCATTACTGGTGGTAGTAGTTTCGTAACTACGCAGACTCACTGGAGGGC CGATTACCATCTCCAGAGATAACGCCAAGAGCTCACTTTTTCTGCAAAT GAACAGCCTGAGAGTCGAGGACACGGCTGTATATTACTGTGCGAGAGAT

			CAGCCGGGGACGATTTTTGGAGTGGTCCAGGACTACTGGGGCCAGGGAA CCCTGGTCACCGTCTCCTCA
	6026	1850	QVQLVQSGGGLVKPGGSLRLSCAASGFSFSSYSMNWVRQAPGKGLEWVSSI TGGSSFVNYADSLEGRFTISRDNKSSLFLQMNSLRVEDTAVYYCARDQPG TIFGVVQDYWGQGLTVTVSS
	6027	1851	FSFSSYSMN
	6028	1852	SITGGSSFVNYADSLEG
	6029	1853	ARDQPGTIFGVVQDY
	6030	1854	CAGTCTGTCTTGACGCAGCCGCCCTCAGTGTCTGGGGCCCCAGGGCAGA GGGTCACCATCTCCTGCACTGGGGGCAGCTCCAACATCGGGAAGGGTTA TGATGTGCACTGGTACCAGCAGCTTCCAGGAACAGCCCCAAACTCCTC ATCTATGGTAACAGCAATCGGCCCGGGGGGGTCCCTGACCGATTCTCTG GCTCCAAGTCTGGCACCTCAGCCTCCCTGGCCATCACTGGGCTCCAGGCT GAGGATGAGGCTGATTATTACTGCCAGTCCTATGACAGCGGGCTGAGTG TGGTATTCGGCGGAGGGACCAAGGTGACCGTCCTA
	6031	1855	QSVLTQPPSVSGAPGQRVTISCTGGSSNIGKGYDVHWYQQLPGTAPKLLIYG NSNRPGGVPDRFSGSKSGTSASLAITGLQAEDEADYYCQSYDSGLSVVFGG GTKVTVL
	6032	1856	TGGSSNIGKGYDVH
	6033	1857	GNSNRPG
	6034	1858	QSYDSGLSVV

Additional Embodiments:

[0300] Embodiment 1. An isolated antibody or an antigen-binding fragment thereof that specifically binds to Respiratory Syncytial Virus (RSV) F protein (F), wherein at least one of the CDRH1, a CDRH2, a CDRH3, a CDRL1, a CDRL2, and CDRL3 amino acid sequence of the antibody or the antigen-binding fragment thereof is at least 70% identical; at least 75% identical; 80% identical; at least 85% identical; at least 90% identical; at least 95% identical; at least 96% identical; at least 97% identical; at least 98% identical; at least 99%; and/or all percentages of identity in between; to at least one the CDRH1, a CDRH2, a CDRH3, a CDRL1, a CDRL2, and/or a CDRL3 amino acid sequences as disclosed in Table 6 of an antibody selected from Antibody Number 124 through Antibody Number 244 as disclosed in Table 6; and wherein said antibody or the antigen-binding fragment thereof also has one or more of the following characteristics:

a) the antibody or antigen-binding fragment thereof cross-competes with said antibody or antigen-binding fragment thereof for binding to RSV-F;

- b) the antibody or antigen-binding fragment thereof displays better binding affinity for the PreF form of RSV-F relative to the PostF form;
- c) the antibody or antigen-binding fragment thereof displays a clean or low polyreactivity profile;
- d) the antibody or antigen-binding fragment thereof displays neutralization activity toward RSV subtype A and RSV subtype B in vitro;
- e) the antibody or antigen-binding fragment thereof displays antigenic site specificity for RSV-F at Site Ø, Site I, Site II, Site III, Site IV, or Site V;
- f) the antibody or antigen-binding fragment thereof displays antigenic site specificity for RSV-F Site Ø, Site V, or Site III relative to RSV-F Site I, Site II, or Site IV;
- g) at least a portion of the epitope with which the antibody or antigen-binding fragment thereof interacts comprises the $\alpha 3$ helix and $\beta 3/\beta 4$ hairpin of PreF;
- h) the antibody or antigen-binding fragment thereof displays an in vitro neutralization potency (IC_{50}) of between about 0.5 microgram/milliliter (ug/ml) to about 5 ug/ml; between about 0.05 ug/ml to about 0.5 ug/ml; or less than about 0.05 mg/ml;
- i) the binding affinity and/or epitopic specificity of the antibody or antigen-binding fragment thereof for any one of the RSV-F variants designated as 1, 2, 3, 4, 5, 6, 7, 8, 9, and DG in Figure 7A is reduced or eliminated relative to the binding affinity and/or epitopic specificity of said antibody or antigen-binding fragment thereof for the RSV-F or RSV-F DS-Cav1;
- j) the antibody or antigen-binding fragment thereof displays a cross-neutralization potency (IC_{50}) against human metapneumovirus (HMPV);
- k) the antibody or antigen-binding fragment thereof does not compete with D25, MPE8, palivizumab, or motavizumab; or
- l) the the antibody or antigen-binding fragment thereof displays at least about 2-fold; at least about 3-fold; at least about 4-fold; at least about 5-fold; at least about 6-fold; at least about 7-fold; at least about 8-fold; at least about 9-fold; at least about 10-fold; at least about 15-fold; at least about 20-fold; at least about 25-fold; at least about 30-fold; at least about 35-fold; at least about 40-fold; at least about 50-fold; at least about 55-fold; at least about 60-fold; at least about 70-fold; at least about 80-fold; at least about 90-fold; at least about 100-fold; greater than about 100-fold; and folds in between any of the foregoing; greater neutralization potency (IC_{50}) than D25 and/or palivizumab.

[0301] Embodiment 2. The isolated antibody or antigen-binding fragment thereof of Embodiment 1, wherein the antibody or antigen-binding fragment thereof comprises: at least two; at least three; at least 4; at least 5; at least 6; at least 7; at least 8; at least 9; at least 10; at least 11; or at least 12; of characteristics a) through l).

[0302] Embodiment 3. The isolated antibody or antigen-binding fragment thereof of Embodiment 1 or 2, wherein the antibody or antigen-binding fragment thereof comprises:

- a) the CDRH3 amino acid sequence of any one of the antibodies designated Antibody Number 124 through Antibody Number 244 as disclosed in Table 6;
- b) the CDRH2 amino acid sequence of any one of the antibodies designated Antibody Number 124 through Antibody Number 244 as disclosed in Table 6;
- c) the CDRH1 amino acid sequence of any one of the antibodies designated Antibody Number 124 through Antibody Number 244 as disclosed in Table 6;
- d) the CDRL3 amino acid sequence of any one of the antibodies designated Antibody Number 124 through Antibody Number 244 as disclosed in Table 6;
- e) the CDRL2 amino acid sequence of any one of the antibodies designated Antibody Number 124 through Antibody Number 244 as disclosed in Table 6;
- f) the CDRL1 amino acid sequence of any one of the antibodies designated Antibody Number 124 through Antibody Number 244 as disclosed in Table 6; or
- g) any combination of two or more of a), b), c), d), e), and f).

[0303] Embodiment 4. The isolated antibody or antigen-binding fragment thereof of any one of Embodiments 1 through 3, wherein the antibody or antigen-binding fragment thereof comprises:

- a) a heavy chain (HC) amino acid sequence of any one of the antibodies designated Antibody Number 124 through Antibody Number 244 as disclosed in Table 6; and/or
- b) a light chain (LC) amino acid sequence of any one of the antibodies designated Antibody Number 124 through Antibody Number 244 as disclosed in Table 6.

[0304] Embodiment 5. The isolated antibody or antigen-binding fragment thereof of any one of Embodiments 1 through 4, wherein the antibody is selected from the group consisting antibodies that are at least 70% identical; at least 75% identical; 80% identical; at least 85% identical; at least 90% identical; at least 95% identical; at least 96% identical; at least 97% identical; at least 98% identical; at least 99%; and/or all percentages of identity in between; to any one of the antibodies designated as Antibody Number 124 through Antibody Number 244 as disclosed in Table 6.

[0305] Embodiment 6. The isolated antibody or antigen-binding fragment thereof of any one of Embodiments 1 through 5, wherein the antibody is selected from the group consisting of the antibodies designated as Antibody Number 124 through Antibody Number 244 as disclosed in Table 6.

[0306] Embodiment 7. An isolated nucleic acid sequence encoding an antibody or antigen-binding fragment thereof according to any one of Embodiments 1 through 6.

[0307] Embodiment 8. An expression vector comprising the isolated nucleic acid sequence according to Embodiment 7.

[0308] Embodiment 9. A host cell transfected, transformed, or transduced with the nucleic acid sequence according to Embodiment 7 or the expression vector according to Embodiment 8.

[0309] Embodiment 10. A pharmaceutical composition comprising: one or more of the isolated antibodies or antigen-binding fragments thereof according to any one of Embodiments 1 through 6; and a pharmaceutically acceptable carrier and/or excipient.

[0310] Embodiment 11. A pharmaceutical composition comprising: one or more nucleic acid sequences according to Embodiment 7; or one or more the expression vectors according to Embodiment 8; and a pharmaceutically acceptable carrier and/or excipient.

[0311] Embodiment 12. A transgenic organism comprising the nucleic acid sequence according to Embodiment 7; or the expression vector according to Embodiment 8.

[0312] Embodiment 13. A method of treating or preventing a Respiratory Syncytial Virus (RSV) infection, or at least one symptom associated with RSV infection, comprising administering to a patient in need thereof or suspected of being in need thereof:

- a) one or more antibodies or antigen-binding fragments thereof according to any of Embodiments 1 through 6;
- b) a nucleic acid sequences according to Embodiment 7;
- c) an expression vector according to Embodiment 8;
- d) a host cell according to Embodiment 9; or
- e) a pharmaceutical composition according Embodiment 10 or Embodiment 11;

such that the RSV infection is treated or prevented, or the at least one symptom associated with RSV infection is treated, alleviated, or reduced in severity.

[0313] Embodiment 14. A method of treating or preventing either a Respiratory Syncytial Virus (RSV) infection or a human metapneumovirus (HMPV) infection, or at least one symptom associated with said RSV infection or said HMPV infection, comprising administering to a patient in need thereof or suspected of being in need thereof:

- a) one or more antibodies or antigen-binding fragments thereof according to any of Embodiments 1 through 6;
- b) a nucleic acid sequences according to Embodiment 7;
- c) an expression vector according to Embodiment 8;
- d) a host cell according to Embodiment 9; or
- e) a pharmaceutical composition according Embodiment 10 or Embodiment 11;

such that the RSV infection is treated or prevented, or the at least one symptom associated with RSV infection is treated, alleviated, or reduced in severity.

[0314] Embodiment 15. The method according to Embodiment 14, wherein the one or more antibodies or antigen-binding fragments thereof of a) is selected from the group consisting of the antibodies designated as Antibody Number 179, 188, 211, 221, or 229 as disclosed in Table 6.

[0315] Embodiment 16. The method according to any one of Embodiments 13 through 15, wherein the method further comprises administering to the patient a second therapeutic agent.

[0316] Embodiment 17. The method according to Embodiment 16, wherein the second therapeutic agent is selected from a group consisting of: an antiviral agent; a vaccine specific for RSV, a vaccine specific for influenza virus, or a vaccine specific for metapneumovirus (MPV); an siRNA specific for an RSV antigen or a metapneumovirus (MPV) antigen; a second antibody specific for an RSV antigen or a metapneumovirus (MPV) antigen; an anti-IL4R antibody, an antibody specific for an influenza virus antigen, an anti-RSV-G antibody and a NSAID.

[0317] Embodiment 18. A pharmaceutical composition comprising any one or more of the isolated antibodies or antigen-binding fragments thereof of any one of Embodiments 1 through 7 and a pharmaceutically acceptable carrier and/or excipient.

[0318] Embodiment 19. The pharmaceutical composition according to Embodiment 18 for use in preventing a respiratory syncytial virus (RSV) infection in a patient in need thereof or suspected of being in need thereof, or for treating a patient suffering from an RSV infection, or for ameliorating at least one symptom or complication associated with the infection, wherein the infection is either prevented, or at least one symptom or complication associated with the infection is prevented, ameliorated, or lessened in severity and/or duration as a result of such use.

[0319] Embodiment 20. The pharmaceutical composition according to Embodiment 18 for use in treating or preventing either a Respiratory Syncytial Virus (RSV) infection or a human metapneumovirus (HMPV) infection, or at least one symptom associated with said RSV infection or

said HMPV infection, in a patient in need thereof or suspected of being in need thereof, wherein the infection is either prevented, or at least one symptom or complication associated with the infection is prevented, ameliorated, or lessened in severity and/or duration as a result of such use.

[0320] Embodiment 21. Use of the pharmaceutical composition of Embodiment 18 in the manufacture of a medicament for preventing a respiratory syncytial virus (RSV) infection in a patient in need thereof, or for treating a patient suffering from an RSV infection, or for ameliorating at least one symptom or complication associated with the infection, wherein the infection is either prevented, or at least one symptom or complication associated with the infection is prevented, ameliorated, or lessened in severity and/or duration.

[0321] Embodiment 22. Use of the pharmaceutical composition of Embodiment 18 in the manufacture of a medicament for preventing either a Respiratory Syncytial Virus (RSV) infection or a human metapneumovirus (HMPV) infection, or at least one symptom associated with said RSV infection or said HMPV infection, in a patient in need thereof or suspected of being in need thereof, wherein the infection is either prevented, or at least one symptom or complication associated with the infection is prevented, ameliorated, or lessened in severity and/or duration as a result of such use.

CLAIMS

What Is Claimed Is:

1. An isolated antibody or an antigen-binding fragment thereof that specifically binds to Respiratory Syncytial Virus (RSV) F protein (F), wherein at least one of the CDRH1, a CDRH2, a CDRH3, a CDRL1, a CDRL2, and CDRL3 amino acid sequence of the antibody or the antigen-binding fragment thereof is at least 70% identical; at least 75% identical; 80% identical; at least 85% identical; at least 90% identical; at least 95% identical; at least 96% identical; at least 97% identical; at least 98% identical; at least 99%; and/or all percentages of identity in between; to at least one the CDRH1, a CDRH2, a CDRH3, a CDRL1, a CDRL2, and/or a CDRL3 amino acid sequences as disclosed in Table 6 of an antibody selected from Antibody Number 124 through Antibody Number 244 as disclosed in Table 6; and wherein said antibody or the antigen-binding fragment thereof also has one or more of the following characteristics:

- a) the antibody or antigen-binding fragment thereof cross-competes with said antibody or antigen-binding fragment thereof for binding to RSV-F;
- b) the antibody or antigen-binding fragment thereof displays better binding affinity for the PreF form of RSV-F relative to the PostF form;
- c) the antibody or antigen-binding fragment thereof displays a clean or low polyreactivity profile;
- d) the antibody or antigen-binding fragment thereof displays neutralization activity toward RSV subtype A and RSV subtype B in vitro;
- e) the antibody or antigen-binding fragment thereof displays antigenic site specificity for RSV-F at Site Ø, Site I, Site II, Site III, Site IV, or Site V;
- f) the antibody or antigen-binding fragment thereof displays antigenic site specificity for RSV-F Site Ø, Site V, or Site III relative to RSV-F Site I, Site II, or Site IV;
- g) at least a portion of the epitope with which the antibody or antigen-binding fragment thereof interacts comprises the $\alpha 3$ helix and $\beta 3/\beta 4$ hairpin of PreF;
- h) the antibody or antigen-binding fragment thereof displays an in vitro neutralization potency (IC_{50}) of between about 0.5 microgram/milliliter (ug/ml) to about 5 ug/ml; between about 0.05 ug/ml to about 0.5 ug/ml; or less than about 0.05 mg/ml;

- i) the binding affinity and/or epitopic specificity of the antibody or antigen-binding fragment thereof for any one of the RSV-F variants designated as 1, 2, 3, 4, 5, 6, 7, 8, 9, and DG in Figure 7A is reduced or eliminated relative to the binding affinity and/or epitopic specificity of said antibody or antigen-binding fragment thereof for the RSV-F or RSV-F DS-Cav1;
 - j) the antibody or antigen-binding fragment thereof displays a cross-neutralization potency (IC_{50}) against human metapneumovirus (HMPV);
 - k) the antibody or antigen-binding fragment thereof does not compete with D25, MPE8, palivisumab, motavizumab, or AM-14; or
 - l) the antibody or antigen-binding fragment thereof displays at least about 2-fold; at least about 3-fold; at least about 4-fold; at least about 5-fold; at least about 6-fold; at least about 7-fold; at least about 8-fold; at least about 9-fold; at least about 10-fold; at least about 15-fold; at least about 20-fold; at least about 25-fold; at least about 30-fold; at least about 35-fold; at least about 40-fold; at least about 50-fold; at least about 55-fold; at least about 60-fold; at least about 70-fold; at least about 80-fold; at least about 90-fold; at least about 100-fold; greater than about 100-fold; and folds in between any of the foregoing; greater neutralization potency (IC_{50}) than D25 and/or palivisumab.
2. The isolated antibody or antigen-binding fragment thereof of claim 1, wherein the antibody or antigen-binding fragment thereof comprises: at least two; at least three; at least 4; at least 5; at least 6; at least 7; at least 8; at least 9; at least 10; at least 11; or at least 12; of characteristics a) through l).
3. The isolated antibody or antigen-binding fragment thereof of claim 1 or 2, wherein the antibody or antigen-binding fragment thereof comprises:
- a) the CDRH3 amino acid sequence of any one of the antibodies designated Antibody Number 124 through Antibody Number 244 as disclosed in Table 6;
 - b) the CDRH2 amino acid sequence of any one of the antibodies designated Antibody Number 124 through Antibody Number 244 as disclosed in Table 6;
 - c) the CDRH1 amino acid sequence of any one of the antibodies designated Antibody Number 124 through Antibody Number 244 as disclosed in Table 6;
 - d) the CDRL3 amino acid sequence of any one of the antibodies designated Antibody Number 124 through Antibody Number 244 as disclosed in Table 6;

- e) the CDRL2 amino acid sequence of any one of the antibodies designated Antibody Number 124 through Antibody Number 244 as disclosed in Table 6;
- f) the CDRL1 amino acid sequence of any one of the antibodies designated Antibody Number 124 through Antibody Number 244 as disclosed in Table 6; or
- g) any combination of two or more of a), b), c), d), e), and f).

4. The isolated antibody or antigen-binding fragment thereof of any one of claims 1 through 3, wherein the antibody or antigen-binding fragment thereof comprises:

- a) a heavy chain (HC) amino acid sequence of any one of the antibodies designated Antibody Number 124 through Antibody Number 244 as disclosed in Table 6; and/or
- b) a light chain (LC) amino acid sequence of any one of the antibodies designated Antibody Number 124 through Antibody Number 244 as disclosed in Table 6.

5. The isolated antibody or antigen-binding fragment thereof of any one of claims 1 through 4, wherein the antibody is selected from the group consisting antibodies that are at least 70% identical; at least 75% identical; 80% identical; at least 85% identical; at least 90% identical; at least 95% identical; at least 96% identical; at least 97% identical; at least 98% identical; at least 99%; and/or all percentages of identity in between; to any one of the antibodies designated as Antibody Number 124 through Antibody Number 244 as disclosed in Table 6.

6. The isolated antibody or antigen-binding fragment thereof of any one of claims 1 through 5, wherein the antibody is selected from the group consisting of the antibodies designated as Antibody Number 124 through Antibody Number 244 as disclosed in Table 6.

7. An isolated nucleic acid sequence encoding an antibody or antigen-binding fragment thereof according to any one of claims 1 through 6.

8. An expression vector comprising the isolated nucleic acid sequence according to claim 7.

9. A host cell transfected, transformed, or transduced with the nucleic acid sequence according to claim 7 or the expression vector according to claim 8.

10. A pharmaceutical composition comprising: one or more of the isolated antibodies or antigen-binding fragments thereof according to any one of claims 1 through 6; and a pharmaceutically acceptable carrier and/or excipient.

11. A pharmaceutical composition comprising: one or more nucleic acid sequences according to claim 7; or one or more the expression vectors according to claim 8; and a pharmaceutically acceptable carrier and/or excipient.

12. A transgenic organism comprising the nucleic acid sequence according to claim 7; or the expression vector according to claim 8.

13. A method of treating or preventing a Respiratory Syncytial Virus (RSV) infection, ar at least one symptom associated with RSV infection, comprising administering to a patient in need thereof or suspected of being in need thereof:

- a) one or more antibodies or antigen-binding fragments thereof according to any of claims 1 through 6;
- b) a nucleic acid sequences according to claim 7;
- c) an expression vector according to claim 8;
- d) a host cell according to claim 9; or
- e) a pharmaceutical composition according claim 10 or claim 11;

such that the RSV infection is treated or prevented, or the at least on symptom associated with RSV infection is treated, alleviated, or reduced in severity.

14. A method of treating or preventing either a Respiratory Syncytial Virus (RSV) infection or a human metapneumovirus (HMPV) infection, ar at least one symptom associated with said RSV infection or said HMPV infection, comprising administering to a patient in need thereof or suspected of being in need thereof:

- a) one or more antibodies or antigen-binding fragments thereof according to any of claims 1 through 6;
- b) a nucleic acid sequences according to claim 7;
- c) an expression vector according to claim 8;
- d) a host cell according to claim 9; or
- e) a pharmaceutical composition according claim 10 or claim 11;

such that the RSV infection is treated or prevented, or the at least one symptom associated with RSV infection is treated, alleviated, or reduced in severity.

15. The method according to claim 14, wherein the one or more antibodies or antigen-binding fragments thereof of a) is selected from the group consisting of the antibodies designated as Antibody Number 179, 188, 211, 221, or 229 as disclosed in Table 6.

16. The method according to any one of claims 13 through 15, wherein the method further comprises administering to the patient a second therapeutic agent.

17. The method according to claim 16, wherein the second therapeutic agent is selected from a group consisting of: an antiviral agent; a vaccine specific for RSV, a vaccine specific for influenza virus, or a vaccine specific for metapneumovirus (MPV); an siRNA specific for an RSV antigen or a metapneumovirus (MPV) antigen; a second antibody specific for an RSV antigen or a metapneumovirus (MPV) antigen; an anti-IL4R antibody, an antibody specific for an influenza virus antigen, an anti-RSV-G antibody and a NSAID.

18. A pharmaceutical composition comprising any one or more of the isolated antibodies or antigen-binding fragments thereof of any one of claims 1 through 7 and a pharmaceutically acceptable carrier and/or excipient.

19. The pharmaceutical composition according to claim 18 for use in preventing a respiratory syncytial virus (RSV) infection in a patient in need thereof or suspected of being in need thereof, or for treating a patient suffering from an RSV infection, or for ameliorating at least one symptom or complication associated with the infection, wherein the infection is either prevented, or at

least one symptom or complication associated with the infection is prevented, ameliorated, or lessened in severity and/or duration as a result of such use.

20. The pharmaceutical composition according to claim 18 for use in treating or preventing either a Respiratory Syncytial Virus (RSV) infection or a human metapneumovirus (HMPV) infection, or at least one symptom associated with said RSV infection or said HMPV infection, in a patient in need thereof or suspected of being in need thereof, wherein the infection is either prevented, or at least one symptom or complication associated with the infection is prevented, ameliorated, or lessened in severity and/or duration as a result of such use.

21. Use of the pharmaceutical composition of claim 18 in the manufacture of a medicament for preventing a respiratory syncytial virus (RSV) infection in a patient in need thereof, or for treating a patient suffering from an RSV infection, or for ameliorating at least one symptom or complication associated with the infection, wherein the infection is either prevented, or at least one symptom or complication associated with the infection is prevented, ameliorated, or lessened in severity and/or duration.

22. Use of the pharmaceutical composition of claim 18 in the manufacture of a medicament for preventing either a Respiratory Syncytial Virus (RSV) infection or a human metapneumovirus (HMPV) infection, or at least one symptom associated with said RSV infection or said HMPV infection, in a patient in need thereof or suspected of being in need thereof, wherein the infection is either prevented, or at least one symptom or complication associated with the infection is prevented, ameliorated, or lessened in severity and/or duration as a result of such use.