

FIG. 1





	Structure	Method	Analytic Data
1		Ex. 2	ESI-MS m/z : 714.3; ¹ H NMR (400 MHz, MeOD) δ 8.64 (s, 1H), 7.79 (s, 1H), 7.70 (dd, J = 17.1, 10.5 Hz, 1H), 7.62 – 7.54 (m, 2H), 7.17 (s, 1H), 6.99 (s, 1H), 6.60 (s, 1H), 6.42 (dd, J = 17.1, 2.1 Hz, 1H), 5.82 (dd, J = 10.5, 2.1 Hz, 1H), 5.63 (t, J = 6.2 Hz, 1H), 4.44 (d, J = 15.2 Hz, 2H), 4.18 (d, J = 11.1 Hz, 1H), 4.12 (d, J = 15.5 Hz, 1H), 3.95 – 3.80 (m, 3H), 3.66 (d, J = 8.7 Hz, 1H), 3.57 (d, J = 6.3 Hz, 1H), 3.50 – 3.46 (m, 1H), 2.91 (d, J = 6.3 Hz, 2H), 2.80 – 2.73 (m, 1H), 2.67 (s, 3H), 2.24 – 2.15 (m, 2H), 1.94 (d, J = 9.9 Hz, 1H), 1.76 – 1.54 (m, 3H), 1.20 (s, 3H), 1.05 (s, 3H), 0.97 (dd, J = 17.6, 6.6 Hz, 6H).
2		Ex. 3	ESI-MS m/z = 685.3 [M+H] ⁺ ; ¹ H NMR (300 MHz, DMSO- <i>d</i> ₆) δ 9.46 (s, 1H), 8.75 (d, J = 5.3 Hz, 1H), 8.33 (s, 2H), 8.03 – 7.98 (m, 2H), 7.62 (dd, J = 17.2, 10.4 Hz, 1H), 7.21 (s, 1H), 7.18 – 7.01 (m, 2H), 6.71 (s, 1H), 6.30 (dd, J = 17.1, 2.3 Hz, 1H), 5.90 – 5.77 (m, 1H), 5.64 (t, J = 9.5 Hz, 1H), 5.27 – 5.08 (m, 2H), 4.74 (d, J = 11.2 Hz, 1H), 4.46 – 4.31 (m, 1H), 4.17 – 4.03 (m, 3H), 3.92 (m, 1H), 3.74 (t, J = 7.9 Hz, 2H), 3.15 – 3.03 (m, 3H), 2.93 (d, J = 13.7 Hz, 1H), 2.73 – 2.70 (m, 1H), 2.10 – 2.02 (m, 2H), 1.75 – 1.63 (m, 3H), 0.92 (d, 3H), 0.79 (d, 3H).
3		Ex. 4	ESI-MS m/z: 773.2 [M+H] ⁺ ; ¹ H NMR (400 MHz, MeOD) δ 8.02 (d, 1H), 7.99-7.92 (m, 1H), 7.72-7.61 (m, 2H), 7.30 (d, 1H), 7.05 (d, 1H), 6.59-6.53 (m, 1H), 5.78 (d, 1H), 4.85 (s, 1H), 4.64 (m, 1H), 4.51-4.45 (m, 2H), 4.41-4.36 (m, 1H), 4.21 (m, 2H), 4.15-4.02 (m, 3H), 3.93-3.76 (m, 2H), 3.17 (m, 1H), 3.01 (m, 2H), 2.88-2.65 (m, 3H), 2.53 (d, 2H), 2.19-2.02 (m, 2H), 1.96 (d, 1H), 1.70 (d, 2H), 1.04-0.72 (m, 12H).
4		Ex. 5	ESI-MS m/z = 685.3 [M+H] ⁺ . ¹ H-NMR (400MHz, MeOD- <i>d</i> ₄) δ 8.77 (d, J=4.00 Hz, 1H), 8.31 (d, J=4.00 Hz, 1H), 8.11 (s, 1H), 7.71 (s, 1H), 7.63-7.62 (m, 3H), 6.43-6.39 (m, 1H), 5.84-5.82 (m, 1H), 5.64-5.62 (m, 1H), 4.55-4.49 (m, 1H), 4.39-4.35 (m, 2H), 4.15-4.12 (m, 1H), 3.92-3.89 (m, 1H), 4.11-3.89 (m, 4H), 3.55-3.44 (m, 2H), 3.09-2.93 (m, 4H), 2.93-2.74 (m, 1H), 2.15-2.09 (m, 4H), 2.09-1.92 (m, 1H), 1.92-1.57 (m, 2H), 1.57-1.45 (m, 3H), 1.01-0.91 (m, 6H).

FIG. 1 cont.





	Structure	Method	Analytic Data
5		Ex. 6	ESI-MS m/z = 836.4 $[M+H]^+$; 1H NMR (300 MHz, Methanol- d_4): δ = 8.18 (t, J = 8.2 Hz, 1H), 7.89 – 7.68 (m, 6H), 7.49 (t, 2H), 7.26 (s, 1H), 7.04 (s, 1H), 6.55 (s, 1H), 5.66 (s, 1H), 4.72 (dd, J = 11.1, 5.3 Hz, 1H), 4.53-4.09 (m, 9H), 3.89 (d, J = 10.7 Hz, 2H), 3.71-3.58 (m, 2H), 3.66-2.71 (m, 6H), 2.42 (s, 1H), 2.20-2.14 (m, 2H), 1.93 (s, 1H), 1.66 (q, J = 12.1, 11.4 Hz, 2H), 1.23 (d, J = 7.2 Hz, 3H), 0.96 (d, J = 6.4 Hz, 3H), 0.84 (d, J = 6.8 Hz, 3H)
6		A	ESI-MS m/z = 760.4 $[M+H]^+$; 1H -NMR (300 MHz, DMSO- d_6) δ 9.58 (s, 1H), 8.49 (s, 1H), 8.40 (s, 1H), 8.05 (d, J = 8.3 Hz, 1H), 7.85 (s, 1H), 7.71 (d, J = 8.3 Hz, 1H), 7.57 – 7.47 (m, 1H), 7.08 – 6.91 (m, 3H), 6.71 – 6.50 (m, 1H), 6.49 – 6.29 (m, 2H), 5.43 – 5.31 (m, 1H), 5.08 (dd, J = 12.2, 4.9 Hz, 1H), 4.61 (m, 1H), 4.40 – 4.13 (m, 4H), 4.09 – 3.78 (m, 6H), 3.71 – 3.48 (m, 2H), 2.87 (d, J = 13.0 Hz, 1H), 2.78 (s, 1H), 2.73 (d, J = 7.0 Hz, 2H), 2.61 (s, 2H), 2.20 (m, 2H), 2.04 (m, 2H), 1.82 (m, 1H), 1.55 (m, 2H), 0.89 (dd, J = 9.8, 6.4 Hz, 3H), 0.73 (t, J = 6.0 Hz, 3H).
7		B	ES, m/z : 760.3 $[M+H]^+$; 1H -NMR (300 MHz, DMSO- d_6) δ 9.58-9.26 (m, 1H), 8.60 (t, J = 10.3 Hz, 1H), 8.10 (d, J = 8.2 Hz, 1H), 7.65 (d, J = 7.9 Hz, 2H), 7.48 (s, 1H), 7.36 (d, J = 8.4 Hz, 1H), 6.93 (d, J = 9.8 Hz, 2H), 6.74-6.47 (m, 1H), 5.47-5.27 (m, 1H), 5.09 (d, J = 12.5 Hz, 1H), 4.67 (d, J = 10.9 Hz, 1H), 4.60-4.15 (m, 8H), 4.10 (s, 3H), 4.10-3.66 (m, 3H), 2.91-2.71(m,5H), 2.62 (s, 2H), 2.10 (d, J = 18.6 Hz, 4H), 1.81 (s, 1H), 1.52 (d, J = 22.9 Hz, 2H), 0.91 (dd, J = 16.5, 6.3 Hz, 3H), 0.84-0.65 (m, 3H).
8		A	ESI-MS m/z : 758.3 $[M+H]^+$; 1H -NMR (400 MHz, MeOD) δ 7.99 (d, J = 2.4 Hz, 1H), 7.76 (d, J = 6.0 Hz, 1H), 7.70 (d, J = 8.4 Hz, 1H), 7.59 (dd, J = 13.4, 8.2 Hz, 1H), 7.11 (s, 1H), 7.01 (d, J = 8.0 Hz, 1H), 6.68 – 6.50 (m, 1H), 5.68 – 5.56 (m, 1H), 5.40 (s, 1H), 5.17 (d, J = 16.3 Hz, 1H), 5.09 – 4.95 (m, 2H), 4.69 (dd, J = 11.0, 9.3 Hz, 1H), 4.37 (tdd, J = 35.2, 16.6, 9.0 Hz, 6H), 4.16 – 4.00 (m, 3H), 3.95 – 3.75 (m, 2H), 3.04 – 2.62 (m, 6H), 2.26 – 2.03 (m, 2H), 1.92 (d, J = 13.0 Hz, 1H), 1.63 (dd, J = 23.3, 12.3 Hz, 2H), 1.04 – 0.72 (m, 6H).

FIG. 1 cont.





	Structure	Method	Analytic Data
9		A	ESI-MS m/z = 816.4 $[M+H]^+$; 1H -NMR (300 MHz, CD_3OD) δ 7.84 (d, J = 8.3 Hz, 1H), 7.67 (d, J = 4.2 Hz, 1H), 7.45 (dd, J = 8.1, 4.8 Hz, 1H), 7.25 (s, 1H), 7.14 (s, 1H), 7.01 (d, J = 5.7 Hz, 1H), 6.55 (s, 1H), 5.59-5.56 (m, 1H), 4.77-4.73 (m, 1H), 4.55-4.41 (s, 4H), 4.30-4.09 (m, 4H), 3.92-3.86 (m, 2H), 3.72-3.55 (m, 2H), 2.99-2.72 (m, 7H), 2.19-2.14 (m, 2H), 1.87 (d, J = 2.5 Hz, 8H), 1.72-1.54 (m, 2H), 1.17 (s, 3H), 1.09 (s, 3H), 0.92 (dd, J = 30.9, 6.5 Hz, 6H).
10		A	ESI-MS m/z : 752.3 $[M+H]^+$; 1H NMR (400 MHz, MeOD) δ 7.99 (d, 1H), 7.81-7.66 (m, 2H), 7.56 (d, 1H), 7.11 (s, 1H), 6.97 (s, 1H), 6.55 (s, 1H), 6.42-6.32 (m, 1H), 6.26 (d, 1H), 5.77 (m, 1H), 5.60-5.50 (m, 1H), 4.81-4.67 (m, 2H), 4.53 (m, 2H), 4.42 (d, 1H), 4.27 (m, 1H), 4.18-4.10 (m, 1H), 3.96 (d, 2H), 3.70 (d, 1H), 3.54 (s, 1H), 3.20 (d, 1H), 2.98 (d, 1H), 2.89-2.78 (m, 4H), 2.74-2.64 (m, 1H), 2.19 (m, 2H), 1.90 (d, 1H), 1.60 (d, 1H), 1.53 (d, 1H), 1.27 (d, 1H), 1.19-0.75 (m, 9H).
11		A	ESI-MS m/z = 772.3 $[M+H]^+$; 1H -NMR (400MHz, MeOD- d^4) δ 8.09-8.08 (m, 1H), 7.85-7.82 (m, 1H), 7.62-7.59 (m, 1H), 7.59-7.55 (m, 1H), 7.12 (s, 1H), 7.00-6.97 (m, 1H), 6.56-6.55 (m, 1H), 5.55-5.51 (m, 1H), 4.72-4.70 (m, 1H), 4.52-4.50 (m, 1H), 4.41-4.27 (m, 3H), 4.27-4.15 (m, 4H), 3.91-3.61 (m, 5H), 3.12-2.96 (m, 2H), 2.96-2.65 (m, 4H), 2.18-2.13 (m, 2H), 1.95-1.90 (m, 1H), 1.68-1.55 (m, 2H), 1.07-0.69 (m, 10H).
12		C	ESI-MS m/z : 787.1 $[M+H]^+$; 1H NMR (400 MHz, MeOD) δ 8.03 (s, 1H), 7.84-7.65 (m, 3H), 7.37 (s, 1H), 7.14 (d, 1H), 6.56 (d, 1H), 5.81 (d, 1H), 4.98 (d, 1H), 4.67-3.91 (m, 13H), 3.79 (m, 1H), 3.16-3.07 (m, 1H), 2.87-2.56 (m, 4H), 2.48 (m, 2H), 2.22-1.90 (m, 4H), 1.78 (d, 1H), 1.59-1.47 (m, 1H), 1.03-0.64 (m, 11H).

FIG. 1 cont.





	Structure	Method	Analytic Data
13		A	ESI-MS m/z : 755.3; ¹ H NMR (400 MHz, MeOD) δ 7.70 (s, 1H), 7.44 (d, J = 8.2 Hz, 1H), 7.34 (dd, J = 8.3, 1.3 Hz, 1H), 7.16 (s, 1H), 7.00 (s, 1H), 6.75 (s, 1H), 6.69 (dd, J = 16.9, 10.5 Hz, 1H), 6.34 (dd, J = 16.9, 1.7 Hz, 1H), 6.26 (s, 1H), 5.80 (dd, J = 10.5, 1.7 Hz, 1H), 5.52 (dd, J = 8.3, 3.6 Hz, 1H), 5.02 (dd, J = 8.4, 4.9 Hz, 1H), 4.77 (d, J = 11.0 Hz, 1H), 4.44 (d, J = 12.2 Hz, 2H), 3.86 – 3.77 (m, 3H), 3.57 (s, 1H), 3.16 – 3.04 (m, 3H), 2.98 – 2.91 (m, 1H), 2.83 (d, J = 15.8 Hz, 3H), 2.77 – 2.69 (m, 1H), 2.47 (s, 3H), 2.39 (dd, J = 12.2, 7.9 Hz, 1H), 2.30 – 2.18 (m, 2H), 2.17 – 2.02 (m, 3H), 1.94 – 1.85 (m, 2H), 1.60 (dd, J = 16.6, 7.7 Hz, 2H), 1.14 – 0.82 (m, 13H).
14		A	ESI-MS m/z = 780.4 [M+H] ⁺ ; ¹ H-NMR (300 MHz, methanol-d ₄) δ 7.84 (d, J = 8.4 Hz, 1H), 7.67 (s, 1H), 7.44 (d, J = 8.5 Hz, 1H), 7.23 (s, 1H), 7.14 (s, 1H), 7.00 (s, 1H), 6.71-6.67 (m, 1H), 6.57 (s, 1H), 6.30 (d, J = 16.7 Hz, 1H), 5.81 (d, J = 10.9 Hz, 1H), 5.60 (s, 1H), 4.84-4.78 (m, 2H), 4.47-4.31 (m, 4H), 3.86 (d, J = 13.8 Hz, 2H), 3.72-3.33 (m, 5H), 2.95-2.69 (m, 3H), 2.16 (d, J = 12.8 Hz, 2H), 1.95-1.87 (m, 7H), 1.73-1.55 (m, 2H), 1.12 (d, J = 23.4 Hz, 6H), 0.93 (dd, J = 21.2, 6.5 Hz, 6H).
15		A	ESI-MS m/z = 802.5 [M+H] ⁺ ; ¹ H-NMR (300 MHz, CD ₃ OD) δ 7.83 (d, J = 9.2 Hz, 1H), 7.72 (d, J = 10.5 Hz, 1H), 7.46 (d, J = 7.6 Hz, 1H), 7.26 (d, J = 6.2 Hz, 2H), 7.03 (d, 1H), 6.53 (d, 1H), 5.64-5.63 (m, 1H), 4.78 – 4.66 (m, 1H), 4.51 (m, J = 6.5 Hz, 1H), 4.49-4.40 (m, 5H), 4.27-4.08 (d, J = 17.8, 10.3 Hz, 3H), 3.90-3.81 (m, 2H), 3.73 – 3.69 (m, 2H), 3.72 (m, 2H), 2.94 – 2.72 (m, 5H), 2.35 (s, 1H), 2.34 – 2.10 (m, 2H), 1.92 (m, 1H), 2.12-1.64 (m, J = 10.9 Hz, 6H), 1.63-1.18 (s, 2H), 1.16-1.14 (m, 3H), 0.96 (d, J = 6.5 Hz, 3H), 0.84 (d, J = 6.8 Hz, 3H).
16		A	ESI-MS m/z = 780.6 [M+H] ⁺ ; ¹ H-NMR: (300 MHz, CD ₃ OD) δ 7.83 (d, J = 9.2 Hz, 1H), 7.72 (d, J = 10.5 Hz, 1H), 7.46 (d, J = 7.6 Hz, 1H), 7.26 (d, J = 6.2 Hz, 2H), 7.03 (d, 1H), 6.53 (d, 1H), 6.39-6.34 (m, 2H), 5.79 – 5.76 (m, 1H), 5.66 (m, J = 6.5 Hz, 1H), 4.89-4.74 (m, 1H), 4.51 (d, J = 17.8, 10.3 Hz, 2H), 4.34-4.27 (m, 5H), 3.92 – 3.89 (m, 1H), 3.72-3.65 (m, 2H), 3.00 (m, 2H), 2.94 – 2.72 (m, 5H), 2.35 (s, 1H), 2.18 – 2.10 (m, 2H), 1.92 (m, 1H), 1.87-1.64 (m, J = 10.9 Hz, 6H), 1.63-1.18 (m, 2H), 1.16-1.14 (m, 3H), 0.97 (m, J = 14.1 Hz, 1H), 0.96 (d, J = 6.5 Hz, 3H), 0.84 (d, J = 6.8 Hz, 3H).

FIG. 1 cont.





	Structure	Method	Analytic Data
17		A	ESI-MS m/z = 816.6 $[M+H]^+$; 1H NMR (300 MHz, DMSO- d_6) δ 9.37 (s, 1H), 8.70-8.60 (m, 0.5H), 8.08-8.00 (m, 0.5H), 7.80 (d, J = 8.4 Hz, 1H), 7.70 (d, J = 2.0 Hz, 1H), 7.41 (s, J = 1.9 Hz, 2H), 7.14 (d, J = 8.9 Hz, 1H), 7.00 (s, 1H), 6.66-6.49 (m, 1H), 5.47-5.23 (m, 2H), 4.80-4.58 (m, 2H), 4.58-4.32 (m, 2H), 4.35-4.05 (m, 4H), 4.00-3.67 (m, 4H), 3.55 (t, J = 9.9 Hz, 3H), 2.93-2.67 (m, 4H), 2.61 (d, J = 7.9 Hz, 2H), 2.32 (s, 1H), 2.16-1.92 (m, 2H), 1.81 (s, 6H), 1.69-1.41 (m, 5H), 1.03 (d, J = 7.1 Hz, 3H), 0.97-0.87 (m, 3H), 0.82-0.68 (m, 3H).
18		A	ESI-MS m/z = 816.7 $[M+H]^+$; 1H NMR (300 MHz, DMSO- d_6) δ 9.39 (s, 1H), 8.70-8.60 (m, 0.5H), 8.11-8.03 (m, 0.5H), 7.80 (d, J = 8.4 Hz, 1H), 7.69 (d, J = 4.3 Hz, 1H), 7.42 (s, 2H), 7.19-7.11 (m, 1H), 7.04-6.91 (m, 1H), 6.69-6.48 (m, 1H), 5.47-5.25 (m, 2H), 4.76-4.60 (m, 2H), 4.59-4.33 (m, 2H), 4.31-4.08 (m, 4H), 3.97-3.68 (m, 4H), 3.55 (s, 3H), 2.97-2.66 (m, 4H), 2.60 (s, 2H), 2.32 (s, 1H), 2.17-1.95 (m, 2H), 1.81 (s, 6H), 1.63-1.44 (m, 5H), 1.08 (d, J = 7.0 Hz, 3H), 0.99-0.86 (m, 3H), 0.75 (dd, J = 20.4, 6.3 Hz, 3H).
19		A	ESI-MS m/z = 774.6 $[M+H]^+$; 1H -NMR (300 MHz, DMSO- d_6) δ = 9.70-9.50 (m, 1H), 8.60-8.50 (m, 0.5H), 8.45-8.30 (m, 1H), 8.13-8.05 (m, 0.5H), 7.80-7.50 (m, 3H), 7.10-6.90 (m, 1H), 6.70-6.50 (m, 1H), 5.45-5.30 (m, 1H), 4.64-4.54 (m, 1H), 4.50 - 4.05 (m, 8H), 4.00 - 3.50 (m, 4H), 2.90-2.70 (m, 7H), 2.20-1.95 (m, 3H), 1.90-1.30 (m, 5H), 1.10 - 0.80 (m, 5H), 0.65-0.80 (m, 3H).
20		A	ESI-MS m/z : 792.3; 1H NMR (400 MHz, MeOD) δ 7.69 (s, 1H), 7.60 - 7.49 (m, 2H), 7.46 (d, J = 8.3 Hz, 1H), 7.12 - 6.87 (m, 2H), 6.70 (d, J = 33.9 Hz, 1H), 5.46 (s, 1H), 5.00 (ddd, J = 14.0, 8.5, 4.7 Hz, 2H), 4.76 - 4.65 (m, 0H), 4.39 (dd, J = 30.1, 15.4 Hz, 0H), 3.90 - 3.76 (m, 0H), 3.68 - 3.55 (m, 0H), 3.17 (s, 0H), 3.09 - 2.92 (m, 0H), 2.88 - 2.72 (m, 0H), 2.63 (d, J = 2.9 Hz, 0H), 2.42 (dd, J = 12.4, 8.2 Hz, 0H), 2.20 (t, J = 12.3 Hz, 0H), 2.10 - 1.98 (m, 0H), 1.96 - 1.85 (m, 0H), 1.62 - 1.37 (m, 0H), 1.29 (dd, J = 13.9, 5.4 Hz, 0H), 1.19 - 0.76 (m, 12H).

FIG. 1 cont.

	Structure	Method	Analytic Data
21		A ²	ESI-MS m/z = 818.5 [M+H] ⁺ ; ¹ H-NMR (300 MHz, CD ₃ CN) δ 7.87 (d, J = 8.5 Hz, 1H), 7.66 (d, J = 6.8 Hz, 1H), 7.49 (d, J = 7.3 Hz, 1H), 7.30 (s, 1H), 7.15 – 6.99 (m, 2H), 6.79 (d, J = 19.5, 8.4 Hz, 1H), 6.77-6.56 (m, 1H), 5.55 (d, J = 20.9, 10.7 Hz, 1H), 4.63 (d, J = 11.0 Hz, 1H), 4.44 (d, J = 18.1, 9.5 Hz, 3H), 4.33 – 4.13 (m, 2H), 4.10-4.00 (m, 3H), 3.91 – 3.77 (m, 1H), 3.59 (d, J = 10.2 Hz, 3H), 3.00 – 2.82 (m, 1H), 2.81-2.79 (m, 1H), 2.71-2.64 (m, 1H), 2.57-2.23 (m, 3H), 2.43-2.17 (m, 1H), 1.86 (d, J = 3.9 Hz, 6H), 1.71-1.56 (m, 2H), 1.03 – 0.98 (m, 3H), 0.97-0.77 (m, 3H).
22		A ²	ESI-MS m/z = 818.6 [M+H] ⁺ ; ¹ H-NMR: (300 MHz, CD ₃ CN): δ 7.87 (d, J = 8.4 Hz, 1H), 7.81-7.75 (m, 1H), 7.50 (d, J = 7.2 Hz, 1H), 7.33 – 7.16 (m, 2H), 7.05 (s, 1H), 6.71 (d, J = 15.3 Hz, 1H), 6.65-6.56 (m, 1H), 5.64 – 5.49 (m, 1H), 4.59 (d, J = 23.1, 11.4 Hz, 1H), 4.56-4.43 (m, 5H), 4.36 (d, J = 12.7 Hz, 1H), 4.20 (d, J = 9.4, 5.5 Hz, 3H), 4.13 – 3.97 (m, 3H), 3.82 – 3.70 (m, 2H), 3.18-3.10 (m, 1H), 2.95-2.74 (m, 2H), 2.74-2.62 (m, 4H), 2.35-2.21 (m, 1H), 1.98-1.93 (m, 6H), 1.93-1.86 (m, 2H), 1.86- 1.61 (m, 3H), 1.06 – 0.76 (m, 3H).
23		A ²	ESI-MS m/z = 832.5 [M+H] ⁺ ; ¹ H-NMR (300 MHz, CD ₃ CN): δ 7.86 (d, J = 8.4, 2.7 Hz, 1H), 7.65 (d, J = 8.0 Hz, 1H), 7.53 – 7.42 (m, 1H), 7.28-7.16 (m, 1H), 7.10 – 6.99 (m, 2H), 6.98 – 6.76 (m, 1H), 6.54 (d, J = 17.6 Hz, 1H), 5.52 (d, J = 19.6, 9.0 Hz, 1H), 4.69 – 4.55 (m, 1H), 4.55 – 4.25 (m, 4H), 4.29 – 4.09 (m, 5H), 3.96 – 3.71 (m, 3H), 3.61 – 3.46 (m, 3H), 3.46 – 3.34 (m, 3H), 2.96 – 2.80 (m, 1H), 2.76- 2.61 (m, 1H), 2.58- 2.45 (m, 3H), 2.45-2.20 (m, 1H), 2.21 – 2.09 (m, 6H), 1.85 (d, J = 4.1 Hz, 2H), 1.03 – 0.90 (m, 3H), 0.87 – 0.76 (m, 3H).
24		A ²	ESI-MS m/z = 832.6 [M+H] ⁺ ; ¹ H-NMR (300 MHz, CD ₃ CN): δ 7.87 (d, J = 8.4 Hz, 1H), 7.72 (d, J = 15.0 Hz, 1H), 7.50 (d, J = 8.4, 5.1 Hz, 1H), 7.27 – 7.16 (m, 2H), 7.05 (s, 1H), 6.94-6.89 (m, 1H), 6.57 (d, J = 5.5 Hz, 1H), 5.49 (d, J = 11.9 Hz, 1H), 4.69 – 4.47 (m, 1H), 4.51 – 4.31 (m, 5H), 4.20 (d, J = 9.4, 5.9 Hz, 1H), 4.14 – 3.99 (m, 3H), 3.89 – 3.67 (m, 4H), 3.55 – 3.34 (m, 5H), 3.04 – 2.82 (m, 2H), 2.73-2.49 (m, 4H), 2.20 - 2.18 (m, 1H), 2.14- 1.86 (m, 13H), 1.65 – 1.53 (m, 2H), 1.06 – 0.97 (m, 3H), 0.96 – 0.83 (m, 3H).

FIG. 1 cont.





	Structure	Method	Analytic Data
25		A ³	(ES, <i>m/z</i>): 806.6 [M+H] ⁺ ; ¹ H-NMR (300 MHz, Acetonitrile- <i>d</i> ₃) δ 7.88 (d, <i>J</i> = 8.3 Hz, 1H), 7.80 – 7.59 (m, 1H), 7.52 (d, <i>J</i> = 8.1 Hz, 1H), 7.34 (s, 1H), 7.23 – 6.85 (m, 3H), 6.64 (d, <i>J</i> = 35.7 Hz, 1H), 5.53 (dd, <i>J</i> = 20.3, 10.1 Hz, 1H), 5.30 – 4.91 (m, 1H), 4.77 (q, <i>J</i> = 11.8, 11.1 Hz, 1H), 4.61 (t, <i>J</i> = 10.4 Hz, 1H), 4.42 (qd, <i>J</i> = 9.9, 6.3, 5.6 Hz, 4H), 4.33 – 3.44 (m, 9H), 3.08 – 2.61 (m, 8H), 2.12 (d, <i>J</i> = 11.0 Hz, 3H), 1.85 (d, <i>J</i> = 2.7 Hz, 7H), 1.60 (d, <i>J</i> = 11.2 Hz, 3H), 0.89 (ddt, <i>J</i> = 33.3, 12.1, 6.0 Hz, 6H).
26		A ³	(ES, <i>m/z</i>): 806.6 [M+H] ⁺ ; ¹ H-NMR (300 MHz, Acetonitrile- <i>d</i> ₃) δ 7.89 (d, <i>J</i> = 8.3 Hz, 1H), 7.66 (d, <i>J</i> = 20.2 Hz, 1H), 7.50 (d, <i>J</i> = 8.3 Hz, 1H), 7.25 (s, 1H), 7.00 (dd, <i>J</i> = 41.6, 18.5 Hz, 3H), 6.63 (d, <i>J</i> = 30.1 Hz, 1H), 5.70 – 5.44 (m, 1H), 5.17 (d, <i>J</i> = 43.8 Hz, 1H), 4.82 – 4.13 (m, 7H), 4.13 – 3.44 (m, 8H), 3.07 – 2.60 (m, 12H), 2.16 (q, <i>J</i> = 11.5, 9.0 Hz, 2H), 1.85 (s, 7H), 1.61 (d, <i>J</i> = 11.4 Hz, 2H), 1.10 – 0.69 (m, 6H).
27		A	ESI-MS <i>m/z</i> = 819.5 [M+H] ⁺ ; ¹ H-NMR: (300 MHz, CD ₃ OD): δ 7.70 (d, <i>J</i> = 10.4 Hz, 1H), 7.42 – 7.29 (m, 4H), 7.09 (d, <i>J</i> = 1.5 Hz, 1H), 6.72–6.52 (m, 1H), 5.78–5.64 (m, 1H), 4.71–4.64 (m, 1H), 4.61 – 4.37 (m, 6H), 4.17 – 4.00 (m, 2H), 3.95–3.84 (m, 2H), 3.75 – 3.58 (m, 2H), 3.07 – 2.91 (m, 1H), 2.73 (d, <i>J</i> = 4.2 Hz, 4H), 2.37 (s, 1H), 2.25 – 2.12 (m, 2H), 1.95–1.86 (m, 4H), 1.69–1.60 (m, 8H), 1.17 (d, <i>J</i> = 6.9 Hz, 3H), 1.09 – 0.91 (m, 3H), 0.83 (d, <i>J</i> = 6.7 Hz, 3H).
28		A	ESI-MS <i>m/z</i> = 788.6 [M+H] ⁺ ; ¹ H-NMR (300 MHz, Acetonitrile- <i>d</i> ₃) δ 7.86 (d, <i>J</i> = 8.4 Hz, 1H), 7.74 (s, 1H), 7.51 (d, <i>J</i> = 8.4 Hz, 1H), 7.37 (d, <i>J</i> = 7.5 Hz, 1H), 7.29–7.21 (m, 3H), 7.08 (s, 1H), 6.65 (s, 1H), 5.55 (t, <i>J</i> = 8.7 Hz, 1H), 4.55–4.42 (m, 4H), 4.26–4.21 (m, 2H), 4.12 (s, 2H), 3.79 (dt, <i>J</i> = 11.5, 5.7 Hz, 2H), 3.62–3.58 (m, 1H), 3.35 (t, <i>J</i> = 9.6 Hz, 1H), 3.16 (q, <i>J</i> = 9.2 Hz, 1H), 2.93 (d, <i>J</i> = 13.1 Hz, 1H), 2.74–2.66 (m, 2H), 2.43–2.34 (m, 2H), 2.24–2.08 (m, 3H), 1.98–1.95 (m, 8H), 1.62–1.58 (m, 2H), 1.13 (d, <i>J</i> = 7.2 Hz, 3H), 0.94 (d, <i>J</i> = 6.5 Hz, 3H), 0.89 (d, <i>J</i> = 6.6 Hz, 3H).

FIG. 1 cont.

	Structure	Method	Analytic Data
29		A	ESI-MS m/z = 766.7 $[M+H]^+$; 1H -NMR (300 MHz, Acetonitrile- d_3) δ 7.87 (d, J = 8.4 Hz, 1H), 7.74 (s, 1H), 7.52 (d, J = 8.4 Hz, 1H), 7.25-7.08 (m, 5H), 6.67 (s, 1H), 6.28 (d, J = 6.1 Hz, 2H), 5.70 (t, J = 6.0 Hz, 1H), 5.57 (dt, J = 10.0, 5.0 Hz, 1H), 4.61 (q, J = 9.1 Hz, 1H), 4.46-4.42 (m, 3H), 4.26-4.20 (m, 2H), 3.81-3.77 (m, 2H), 3.60 (dd, J = 11.3, 8.7 Hz, 1H), 3.32 (t, J = 9.5 Hz, 1H), 3.14-3.04 (m, 1H), 2.94 (dd, J = 13.5, 2.8 Hz, 1H), 2.79-2.68 (m, 2H), 2.37-2.33 (m, 2H), 2.12-2.08 (m, 2H), 1.86 (d, J = 2.4 Hz, 8H), 1.62-1.58 (m, 2H), 1.34 (dd, J = 6.8, 3.6 Hz, 1H), 1.13 (d, J = 7.2 Hz, 3H), 0.91 (dd, J = 18.0, 6.6 Hz, 6H).
30		A	ESI-MS m/z = 802.6 $[M+H]^+$; 1H -NMR (300 MHz, Acetonitrile- d_3) δ 7.88-7.85 (m, 1H), 7.76 (s, 1H), 7.53 (d, J = 8.5 Hz, 1H), 7.24 (d, J = 4.7 Hz, 2H), 7.10 (d, J = 6.9 Hz, 1H), 6.99 (d, J = 9.3 Hz, 1H), 6.67 (d, J = 7.8 Hz, 1H), 5.54 (t, J = 10.2 Hz, 1H), 4.86 (dt, J = 64.9, 9.6 Hz, 1H), 4.46-4.15 (m, 7H), 3.83 (d, J = 9.0 Hz, 2H), 3.62 (td, J = 11.9, 10.3, 4.5 Hz, 1H), 3.33-3.01 (m, 2H), 2.99-2.90 (m, 3H), 2.77-2.69 (m, 3H), 2.36-2.24 (m, 2H), 2.10-2.08 (m, 3H), 1.86 (d, J = 2.3 Hz, 7H), 1.74-1.51 (m, 2H), 1.12 (dd, J = 7.3, 3.6 Hz, 3H), 0.92 (dd, J = 16.5, 6.6 Hz, 6H).
31		D	ESI-MS m/z = 794.3 $[M+H]^+$; 1H -NMR (400MHz, MeOD- d_4) δ 8.07 (s, 1H), 7.98-7.89 (m, 2H), 7.75-7.67 (m, 3H), 7.36 (s, 1H), 6.82 (t, J = 56 Hz, 1H), 5.67-5.55 (m, 1H), 5.04-4.97 (m, 1H), 4.79-4.66 (m, 1H), 4.66-4.25 (m, 6H), 4.17-4.08 (m, 2H), 3.85-3.64 (m, 4H), 3.13-3.03 (m, 1H), 2.96-2.77 (m, 5H), 2.41 (brs, 1H), 2.19-2.03 (m, 2H), 1.94-1.87 (m, 1H), 1.60 (brs, 2H), 1.14 (d, J = 8.0 Hz, 3H), 0.97 (d, J = 8.0 Hz, 4.0 Hz, 3H), 0.83 (d, J = 8.0 Hz, 3H).
32		A	ESI-MS m/z = 780.7 $[M+H]^+$; 1H -NMR: (300 MHz, Acetonitrile- d_3) δ 7.87 (d, J = 8.4 Hz, 1H), 7.76 (d, J = 1.5 Hz, 1H), 7.53 (d, J = 8.5 Hz, 1H), 7.24 (d, J = 11.6 Hz, 2H), 7.09 (s, 1H), 6.90-6.70 (m, 2H), 6.65 (s, 1H), 6.34-6.17 (m, 1H), 5.81-5.69 (m, 1H), 5.61-5.51 (m, 1H), 5.05 (dt, J = 61.6, 9.7 Hz, 1H), 4.48-4.37 (m, 3H), 4.26-4.13 (m, 2H), 3.84-3.78 (m, 2H), 3.69-3.58 (m, 1H), 3.35-3.27 (m, 1H), 3.03-2.92 (m, 4H), 2.80-2.58 (m, 3H), 2.37 (s, 1H), 2.18-2.02 (m, 4H), 1.86 (d, J = 2.3 Hz, 7H), 1.75-1.56 (m, 2H), 1.14 (d, J = 6.8 Hz, 3H), 0.91 (dd, J = 16.0, 6.5 Hz, 6H).

FIG. 1 cont.





	Structure	Method	Analytic Data
33		A	ESI-MS m/z : 830.3; ^1H NMR (400 MHz, MeOD) δ 7.81 (d, J = 8.4 Hz, 1H), 7.64 (d, J = 10.9 Hz, 1H), 7.43 (dd, J = 8.4, 4.1 Hz, 1H), 7.21 (t, J = 3.7 Hz, 1H), 7.11 (d, J = 6.9 Hz, 1H), 7.00 (d, J = 12.2 Hz, 1H), 6.51 (d, J = 11.0 Hz, 1H), 5.59 – 5.49 (m, 1H), 4.85 – 4.71 (m, 2H), 4.60 (s, 1H), 4.39 (dd, J = 25.7, 10.6 Hz, 1H), 4.24 (dd, J = 14.2, 2.9 Hz, 1H), 3.89 – 3.75 (m, 2H), 3.74 – 3.45 (m, 5H), 3.29 – 3.19 (m, 2H), 2.97 (dd, J = 14.6, 3.0 Hz, 2H), 2.92 – 2.76 (m, 2H), 2.69 (dd, J = 19.8, 13.7 Hz, 1H), 2.40 – 2.10 (m, 3H), 2.06 – 1.98 (m, 1H), 1.86 (t, J = 9.7 Hz, 5H), 1.72 – 1.50 (m, 2H), 1.35 – 1.26 (m, 6H), 1.18 – 0.74 (m, 12H).
34		A	(ES, m/z): 842.5[M+Na] $^+$; ^1H -NMR (300 MHz, Methanol- d_4) δ 7.85 (d, J = 8.4 Hz, 1H), 7.73 (d, J = 38.6 Hz, 1H), 7.46 (t, J = 8.2 Hz, 1H), 7.18 (dd, J = 67.0, 21.2 Hz, 3H), 6.55 (s, 1H), 5.77 – 5.55 (m, 1H), 4.79 – 4.37 (m, 7H), 4.37 – 4.16 (m, 3H), 4.10 (dd, J = 7.9, 4.8 Hz, 3H), 4.02 – 3.47 (m, 4H), 3.07 – 2.88 (m, 2H), 2.75 (dd, J = 29.4, 4.6 Hz, 6H), 2.19 (dt, J = 12.3, 6.8 Hz, 2H), 2.05 (s, 2H), 1.88 (d, J = 1.8 Hz, 7H), 1.79 – 1.49 (m, 2H), 0.95 (dd, J = 6.5, 2.4 Hz, 3H), 0.84 (t, J = 6.3 Hz, 3H).
35		A	ESI-MS m/z = 848.4 [M+H] $^+$; ^1H -NMR (300 MHz, DMSO- d_6) δ 8.30 (d, J = 5.0 Hz, 1H), 7.83 (d, J = 8.3 Hz, 1H), 7.62 (d, J = 6.3 Hz, 1H), 7.49 – 7.37 (m, 1H), 7.24 (s, 1H), 7.10 (d, J = 8.5 Hz, 1H), 6.96 (s, 1H), 6.60 (s, 1H), 5.60 (s, 1H), 4.98 (s, 1H), 4.64 (t, J = 10.8 Hz, 4H), 4.44 (d, J = 13.6 Hz, 3H), 3.89 (d, J = 14.9 Hz, 1H), 3.66 (s, 1H), 3.57 – 3.38 (m, 1H), 3.27 – 3.03 (m, 3H), 3.04 – 2.77 (m, 4H), 2.69 (d, J = 13.2 Hz, 2H), 2.21 (d, J = 35.8 Hz, 2H), 1.87 (d, J = 2.5 Hz, 7H), 1.64 (t, J = 8.8 Hz, 4H), 1.12 (d, J = 20.3 Hz, 6H), 0.93 (dd, J = 30.3, 6.4 Hz, 6H).
36		A ²	ESI-MS m/z = 838.5 [M+H] $^+$; ^1H -NMR: (300 MHz, Acetonitrile- d_3) δ 7.88 (d, J = 8.4 Hz, 1H), 7.65 (d, J = 8.1 Hz, 1H), 7.47 (d, J = 8.2 Hz, 1H), 7.33 (s, 1H), 7.03 (d, J = 6.2 Hz, 2H), 6.87 (dd, J = 18.3, 8.3 Hz, 1H), 6.63 (d, J = 37.1 Hz, 1H), 6.21 – 6.09 (m, 1H), 5.96 (d, J = 5.2 Hz, 1H), 5.61 – 5.39 (m, 1H), 4.63 (d, J = 10.9 Hz, 2H), 4.36 (ddt, J = 46.5, 18.5, 8.1 Hz, 5H), 4.16 – 3.94 (m, 4H), 3.92 – 3.61 (m, 2H), 3.59 – 3.35 (m, 1H), 3.01 – 2.53 (m, 7H), 1.86 (d, J = 3.8 Hz, 7H), 1.57 (t, J = 11.9 Hz, 2H), 1.07 – 0.70 (m, 6H).

FIG. 1 cont.

	Structure	Method	Analytic Data
37		A ²	ESI-MS m/z = 838.5 [M+H] ⁺ ; ¹ H-NMR (300 MHz, Acetonitrile- <i>d</i> ₃) δ 7.88 (d, <i>J</i> = 8.4 Hz, 1H), 7.81 – 7.68 (m, 1H), 7.52 (q, <i>J</i> = 8.2, 7.2 Hz, 1H), 7.37 – 7.17 (m, 2H), 7.05 (s, 1H), 6.97 – 6.67 (m, 1H), 6.59 (d, <i>J</i> = 5.9 Hz, 1H), 6.39 – 5.77 (m, 2H), 5.72 – 5.41 (m, 1H), 4.77 – 4.13 (m, 8H), 4.12 – 3.43 (m, 7H), 3.10 – 2.50 (m, 7H), 1.85 (s, 7H), 1.70 – 1.41 (m, 2H), 1.06 – 0.67 (m, 6H).
38		A	ESI-MS m/z = 842.3 [M+H] ⁺ ; ¹ H-NMR (400 MHz, Methanol- <i>d</i> ₄) δ 7.83 (d, <i>J</i> = 8.4 Hz, 1H), 7.74–7.44 (m, 2H), 7.31–7.01 (m, 3H), 6.64–6.53 (m, 1H), 5.67–5.58 (m, 1H), 4.84–4.71 (m, 1H), 4.55–4.21 (m, 6H), 4.13–4.07 (m, 3H), 3.93–3.71 (m, 3H), 2.97–2.71 (m, 7H), 2.32 (s, 1H), 2.20–2.08 (m, 2H), 1.94 (d, <i>J</i> = 11.1 Hz, 1H), 1.87 (d, <i>J</i> = 1.9 Hz, 6H), 1.72–1.48 (m, 4H), 0.96 (d, <i>J</i> = 6.4 Hz, 3H), 0.84 (dd, <i>J</i> = 9.4, 6.6 Hz, 4H), 0.57–0.53 (m, 2H), 0.16–0.12 (m, 2H).
39		A	ESI-MS m/z = 827.5 [M+H] ⁺ ; ¹ H-NMR (300 MHz, Methanol- <i>d</i> ₄) δ 7.83 (d, <i>J</i> = 8.4 Hz, 1H), 7.61 – 7.18 (m, 3H), 7.09 – 6.94 (m, 2H), 6.70 – 6.46 (m, 1H), 5.61 (dd, <i>J</i> = 44.1, 9.2 Hz, 1H), 4.79 – 4.63 (m, 1H), 4.62 – 3.53 (m, 14H), 3.44 (d, <i>J</i> = 12.0 Hz, 1H), 3.12 – 2.49 (m, 10H), 2.32 – 2.10 (m, 2H), 1.95 (d, <i>J</i> = 12.0 Hz, 1H), 1.86 (d, <i>J</i> = 2.8 Hz, 6H), 1.79 – 1.46 (m, 2H), 1.10 – 0.73 (m, 6H).
40		A ³	ESI-MS m/z = 822.4 [M+H] ⁺ ; ¹ H-NMR: (300 MHz, DMSO- <i>d</i> ₆) δ 9.56 (s, 1H), 8.62 – 8.10 (m, 1H), 7.81 – 7.79 (m, 2H), 7.60 (s, 1H), 7.45 – 7.44 (m, 1H), 7.02 – 6.99 (m, 2H), 6.67 – 6.54 (m, 1H), 5.39 – 5.29 (m, 1H), 5.09 – 5.04 (m, 1H), 4.78 – 4.65 (m, 3H), 4.47 – 4.40 (m, 3H), 4.28 – 4.20 (m, 7H), 2.84 – 2.66 (m, 6H), 2.08 – 2.03 (s, 3H), 1.80 – 1.78 (m, 7H), 1.56 – 1.54 (m, 2H), 1.20 – 1.11 (m, 1H), 0.90 (dd, <i>J</i> = 15.7, 6.4 Hz, 3H), 0.81 – 0.69 (m, 3H).

FIG. 1 cont.

	Structure	Method	Analytic Data
41		A ³	ESI-MS m/z = 822.2 [M+H] ⁺ ; ¹ H-NMR: (300 MHz, DMSO- <i>d</i> ₆) δ 9.51 – 9.38 (m, 1H), 8.57 – 8.03 (m, 1H), 7.83 – 7.74 (m, 2H), 7.43 (d, <i>J</i> = 7.2 Hz, 2H), 7.10 – 6.98 (m, 2H), 6.65 – 6.53 (m, 1H), 5.75 (s, 1H), 5.41 (d, <i>J</i> = 14.1 Hz, 1H), 5.23 (dd, <i>J</i> = 11.7, 6.2 Hz, 1H), 4.91 – 4.73 (m, 2H), 4.70 – 4.65 (m, 2H), 4.69 – 4.58 (m, 1H), 4.18 – 4.06 (m, 6H), 3.81 (s, 3H), 2.80 (d, <i>J</i> = 1.9 Hz, 4H), 2.57 (d, <i>J</i> = 11.0 Hz, 2H), 2.10 – 2.02 (m, 2H), 1.81 (d, <i>J</i> = 3.2 Hz, 7H), 1.57 (s, 2H), 1.15 – 1.04 (m, 1H), 0.91 (dd, <i>J</i> = 13.0, 6.4 Hz, 3H), 0.81 – 0.67 (m, 3H).
42		A	ESI-MS m/z = 806.7[M+H] ⁺ ; ¹ H-NMR (300 MHz, Methanol- <i>d</i> ₄) δ = 7.88 – 7.79 (m, 1H), 7.68 (s, 1H), 7.45 (d, <i>J</i> = 8.5 Hz, 1H), 7.24 (s, 1H), 7.13 (s, 1H), 7.02 (d, <i>J</i> = 2.1 Hz, 1H), 6.57 (d, <i>J</i> = 9.1 Hz, 1H), 6.48 – 6.23 (m, 2H), 5.79 (td, <i>J</i> = 9.4, 2.7 Hz, 1H), 5.56 (ddd, <i>J</i> = 12.5, 8.4, 4.6 Hz, 1H), 4.47 (dd, <i>J</i> = 15.7, 9.2 Hz, 3H), 4.37 – 4.19 (m, 3H), 4.03 (t, <i>J</i> = 10.1 Hz, 1H), 3.87 (d, <i>J</i> = 14.7 Hz, 1H), 3.74 – 3.39 (m, 4H), 3.31 – 3.21 (m, 2H), 2.99 – 2.61 (m, 3H), 2.37 (p, <i>J</i> = 6.6, 6.2 Hz, 2H), 2.17 (d, <i>J</i> = 12.7 Hz, 2H), 1.87 (d, <i>J</i> = 2.7 Hz, 7H), 1.61 (dd, <i>J</i> = 26.9, 14.4 Hz, 2H), 1.17 (s, 3H), 1.08 (s, 3H), 0.97 (dd, <i>J</i> = 6.6, 3.9 Hz, 3H), 0.86 (dd, <i>J</i> = 6.6, 4.2 Hz, 3H).
43		A	¹ H-NMR (400 MHz, MeOD) δ 7.81 (d, <i>J</i> = 8.4 Hz, 1H), 7.59 (d, <i>J</i> = 6.0 Hz, 1H), 7.46 – 7.35 (m, 1H), 7.23 (d, <i>J</i> = 7.6 Hz, 1H), 7.10 (d, <i>J</i> = 10.5 Hz, 1H), 6.95 (d, <i>J</i> = 6.9 Hz, 1H), 6.62 (s, 1H), 5.55 (dd, <i>J</i> = 14.9, 6.5 Hz, 1H), 4.70 (t, <i>J</i> = 11.5 Hz, 2H), 4.41 (d, <i>J</i> = 14.8 Hz, 2H), 4.29 (s, 1H), 4.21 (dt, <i>J</i> = 17.8, 8.8 Hz, 1H), 3.95 – 3.78 (m, 2H), 3.75 – 3.47 (m, 5H), 3.15 (d, <i>J</i> = 19.5 Hz, 1H), 3.12 – 2.93 (m, 3H), 2.92 – 2.79 (m, 2H), 2.64 (d, <i>J</i> = 12.2 Hz, 1H), 2.34 – 2.02 (m, 4H), 2.00 – 1.74 (m, 6H), 1.59 (s, 3H), 1.25 (d, <i>J</i> = 11.3 Hz, 1H), 1.22 – 0.69 (m, 11H).
44		A	ESI-MS m/z = 828.5 [M+H] ⁺ ; ¹ H NMR (300 MHz, Methanol- <i>d</i> ₄) δ 7.84 (d, <i>J</i> = 8.4 Hz, 1H), 7.66 (s, 1H), 7.45 (d, <i>J</i> = 8.5 Hz, 1H), 7.30 – 7.18 (m, 1H), 7.13 (s, 1H), 7.02 (s, 1H), 6.57 (d, <i>J</i> = 13.2 Hz, 1H), 5.56 (s, 1H), 4.45 (d, <i>J</i> = 10.1 Hz, 3H), 4.36 – 4.18 (m, 4H), 4.16 – 4.07 (m, 2H), 4.07 – 3.79 (m, 2H), 3.75 – 3.41 (m, 3H), 2.97 – 2.58 (m, 4H), 2.35 (d, <i>J</i> = 7.7 Hz, 2H), 2.18 (s, 2H), 1.88 (d, <i>J</i> = 2.7 Hz, 7H), 1.63 (dd, <i>J</i> = 38.5, 21.9 Hz, 2H), 1.17 (s, 3H), 1.08 (s, 3H), 0.97 (dd, <i>J</i> = 6.5, 4.1 Hz, 3H), 0.86 (dd, <i>J</i> = 6.5, 3.7 Hz, 3H).

FIG. 1 cont.





	Structure	Method	Analytic Data
45		A	ESI-MS m/z = 842.4 $[M+H]^+$; 1H NMR (300 MHz, Methanol- d_4) δ 7.84 (dd, J = 8.4, 1.8 Hz, 1H), 7.63 (d, J = 4.0 Hz, 1H), 7.50 – 7.41 (m, 1H), 7.21 (d, J = 1.9 Hz, 1H), 7.11 (d, J = 4.7 Hz, 1H), 7.02 (s, 1H), 6.63 – 6.52 (m, 1H), 5.55 (tt, J = 8.8, 3.9 Hz, 1H), 4.59 (ddd, J = 13.6, 8.9, 6.8 Hz, 1H), 4.58 (s, 1H), 4.47 (t, J = 4.8 Hz, 1H), 4.39 – 4.16 (m, 5H), 4.07 – 3.93 (m, 1H), 3.80 (d, J = 15.0 Hz, 1H), 3.68 (d, J = 11.3 Hz, 1H), 3.61 – 3.35 (m, 3H), 3.32 – 3.20 (m, 1H), 2.88 (s, 2H), 2.72 (s, 1H), 2.35 (dd, J = 12.8, 6.5 Hz, 2H), 2.16 (s, 2H), 1.87 (d, J = 2.2 Hz, 7H), 1.74 – 1.50 (m, 5H), 1.16 (d, J = 1.9 Hz, 3H), 1.07 (s, 3H), 1.02 – 0.90 (m, 3H), 0.86 (dd, J = 6.6, 3.4 Hz, 3H).
46		E	ESI-MS m/z = 836.4 $[M+H]^+$; 1H -NMR (300 MHz, Methanol- d_4) δ 8.19 (t, J = 8.2 Hz, 1H), 8.03 (s, 2H), 7.92 (d, J = 8.4 Hz, 1H), 7.78 (s, 1H), 7.66 (d, J = 8.4 Hz, 1H), 7.61 (d, J = 7.1 Hz, 2H), 7.52 (s, 1H), 7.27 (s, 1H), 7.04 (s, 1H), 6.54 (s, 1H), 5.66 (s, 1H), 4.72 (dd, J = 11.3, 5.1 Hz, 1H), 4.51-4.07 (m, 9H), 3.87 (d, J = 11.3 Hz, 2H), 3.77 – 3.65 (m, 2H), 3.02-2.74 (m, 6H), 2.41 (s, 1H), 2.25 (s, 2H), 1.93 (s, 1H), 1.66 (d, J = 10.6 Hz, 2H), 1.19 (d, J = 7.0 Hz, 3H), 0.96 (d, J = 6.4 Hz, 3H), 0.84 (d, J = 6.7 Hz, 3H).
47		E	ESI-MS m/z = 836.4 $[M+H]^+$; 1H -NMR (300 MHz, Methanol- d_4) δ 8.19 (s, 1H), 7.98 (d, J = 8.4 Hz, 1H), 7.91 (d, J = 8.1 Hz, 2H), 7.82 – 7.72 (m, 4H), 7.52 (s, 1H), 7.27 (s, 1H), 7.04 (s, 1H), 6.55 (s, 1H), 5.67 (s, 1H), 4.72 (dd, J = 11.0, 5.0 Hz, 1H), 4.54 – 4.38 (m, 6H), 4.24 (dd, J = 17.1, 7.4 Hz, 1H), 4.09 (s, 2H), 3.88 (d, J = 11.8 Hz, 2H), 3.72 (s, 2H), 2.85 (s, 4H), 2.74 (d, J = 4.0 Hz, 2H), 2.42 (s, 1H), 2.14 (s, 2H), 1.94 (s, 1H), 1.75 – 1.61 (m, 2H), 1.19 (d, J = 7.1 Hz, 3H), 0.96 (d, J = 6.4 Hz, 3H), 0.84 (d, J = 6.8 Hz, 3H).
48		E	ESI-MS m/z = 841.5 $[M+H]^+$; 1H NMR (300 MHz, Methanol- d_4) δ 7.79 – 7.69 (m, 2H), 7.62 (d, J = 7.6 Hz, 1H), 7.53 (s, 1H), 7.42 (s, 1H), 7.29 (d, J = 9.5 Hz, 2H), 7.16 – 6.98 (m, 3H), 6.52 (s, 1H), 5.66 (s, 1H), 4.79 – 4.64 (m, 1H), 4.61 – 4.01 (m, 9H), 3.87 (s, 5H), 3.73 (d, J = 9.7 Hz, 2H), 3.11 – 2.62 (m, 6H), 2.40 (s, 1H), 2.14 (d, J = 11.2 Hz, 2H), 1.94 (s, 1H), 1.75 – 1.58 (m, 2H), 1.21 (d, J = 7.0 Hz, 3H), 0.90 (dd, J = 36.1, 6.6 Hz, 6H).

FIG. 1 cont.





	Structure	Method	Analytic Data
49		E	ESI-MS m/z = 841.4 $[M+H]^+$; 1H NMR (400 MHz, Methanol- d_4) δ 7.93 (d, J = 8.3 Hz, 1H), 7.78 (s, 1H), 7.54 (s, 1H), 7.47 (d, J = 7.6 Hz, 1H), 7.36 (s, 1H), 7.30 (s, 2H), 7.25 (s, 1H), 7.05 (s, 1H), 6.85 (d, J = 8.2 Hz, 1H), 6.54 (s, 1H), 5.68 (s, 1H), 4.72 (ddd, J = 9.1, 7.0, 2.9 Hz, 1H), 4.54 – 4.45 (m, 2H), 4.42 (d, J = 10.5 Hz, 3H), 4.31 – 4.22 (m, 1H), 4.10 (d, J = 7.9 Hz, 3H), 3.89 (s, 5H), 3.74 (s, 2H), 3.04 – 2.93 (m, 1H), 2.82 (s, 2H), 2.74 (d, J = 5.7 Hz, 5H), 2.42 (s, 1H), 2.16 (s, 2H), 1.95 (s, 1H), 1.70 – 1.63 (m, 2H), 1.21 (d, J = 7.0 Hz, 3H), 0.96 (d, J = 6.4 Hz, 3H), 0.84 (d, J = 6.7 Hz, 3H).
50		E	ESI-MS m/z = 841.4 $[M+H]^+$; 1H NMR (300 MHz, Methanol- d_4) δ 7.88 (d, J = 8.4 Hz, 1H), 7.76 (s, 1H), 7.62 (d, J = 8.7 Hz, 2H), 7.50 – 7.39 (m, 2H), 7.28 (s, 1H), 7.07 – 6.98 (m, 3H), 6.53 (s, 1H), 5.72 – 5.62 (m, 1H), 5.13 – 4.93 (m, 1H), 4.72 (dd, J = 11.1, 5.1 Hz, 1H), 4.59 – 4.20 (m, 6H), 4.09 (d, J = 4.8 Hz, 3H), 3.86 (s, 5H), 3.71 (dd, J = 20.0, 9.4 Hz, 2H), 3.05 – 2.92 (m, 1H), 2.89 – 2.65 (m, 5H), 2.41 (s, 1H), 2.26 – 2.09 (m, 2H), 1.94 (s, 1H), 1.72 – 1.58 (m, 2H), 1.21 (d, J = 7.1 Hz, 3H), 0.96 (d, J = 6.4 Hz, 3H), 0.84 (d, J = 6.7 Hz, 3H).
51		E	ESI-MS m/z = 812.5 $[M+H]^+$; 1H -NMR (400 MHz, Methanol- d_4) δ 8.90 (s, 1H), 8.43 (s, 1H), 8.19 (d, J = 7.8 Hz, 1H), 7.92 (d, J = 8.3 Hz, 1H), 7.81 (s, 1H), 7.70 (s, 1H), 7.56 – 7.49 (m, 2H), 7.23 (s, 1H), 7.05 (s, 1H), 6.55 (s, 1H), 5.68 (s, 1H), 4.72 (dd, J = 11.1, 6.7 Hz, 1H), 4.57 – 4.33 (m, 6H), 4.30 – 4.18 (m, 1H), 4.09 (d, J = 7.1 Hz, 2H), 3.89 (d, J = 11.6 Hz, 2H), 3.69 (d, J = 40.0 Hz, 2H), 3.03 – 2.93 (m, 2H), 2.84 (d, J = 11.8 Hz, 2H), 2.74 (d, J = 5.3 Hz, 4H), 2.43 (s, 1H), 2.23 – 2.09 (m, 2H), 1.94 (s, 1H), 1.66 (s, 2H), 1.37 (t, J = 7.1 Hz, 1H), 1.21 (d, J = 7.1 Hz, 3H), 0.96 (d, J = 6.4 Hz, 3H), 0.84 (d, J = 6.7 Hz, 3H).
52		A	ESI-MS m/z : 830.5 $[M+H]^+$; 1H -NMR (300 MHz, Methanol- d_4) δ 7.83 (d, J = 8.4 Hz, 1H), 7.64 (d, J = 5.0 Hz, 1H), 7.45 (t, J = 7.3 Hz, 1H), 7.22 (d, J = 2.0 Hz, 1H), 7.11 (s, 1H), 7.01 (d, J = 5.8 Hz, 1H), 6.55 (t, J = 1.8 Hz, 1H), 5.63 – 5.50 (m, 1H), 4.82 (d, J = 5.8 Hz, 1H), 4.64 – 4.00 (m, 8H), 3.99 – 3.74 (m, 2H), 3.64 (dd, J = 24.1, 11.4 Hz, 2H), 3.25 (s, 2H), 3.02 – 2.62 (m, 6H), 2.23 – 1.82 (m, 9H), 1.61 (dq, J = 24.1, 12.4, 11.8 Hz, 2H), 1.47 – 1.27 (m, 1H), 1.12 (d, J = 24.8 Hz, 6H), 1.01 – 0.79 (m, 6H).

FIG. 1 cont.





	Structure	Method	Analytic Data
53		A	ESI-MS m/z = 788.7 $[M+H]^+$; 1H -NMR (400 MHz, Methanol- d_4) δ 7.83 (d, J = 8.4 Hz, 1H), 7.63 (d, J = 8.0 Hz, 1H), 7.41 (t, J = 7.5 Hz, 1H), 7.24 (s, 1H), 7.11 (d, J = 9.3 Hz, 1H), 6.99 (d, J = 6.7 Hz, 1H), 6.62 (d, J = 9.0 Hz, 1H), 5.62 (d, J = 17.2 Hz, 1H), 5.19-5.13 (m, 1H), 4.71 (dd, J = 22.3, 12.4 Hz, 1H), 4.56-4.50 (m, 2H), 4.45-4.41 (m, 2H), 4.28-4.23 (m, 2H), 4.10-4.07 (m, 2H), 3.90 (d, J = 14.7 Hz, 2H), 3.70-3.65 (m, 1H), 3.22-3.12 (m, 1H), 2.94-2.90 (m, 3H), 2.86-2.83 (m, 2H), 2.72-2.66 (m, 1H), 2.14 (d, J = 12.1 Hz, 1H), 1.88 (d, J = 3.0 Hz, 8H), 1.65-1.47 (m, 3H), 1.35 (dt, J = 7.3, 2.7 Hz, 2H), 1.16 (s, 3H), 1.10 (d, J = 3.6 Hz, 3H).
54		A	ESI-MS m/z = 816.4 $[M+H]^+$; 1H NMR (400 MHz, Methanol- d_4) δ = 7.84 (d, J = 8.4 Hz, 1H), 7.62 (s, 1H), 7.46 – 7.38 (m, 1H), 7.25 (d, J = 1.4 Hz, 1H), 7.11 (s, 1H), 6.98 (s, 1H), 6.65 (s, 1H), 5.75 – 5.54 (m, 1H), 4.77 – 4.67 (m, 1H), 4.64 – 4.49 (m, 2H), 4.47 – 4.38 (m, 2H), 4.30 – 4.21 (m, 2H), 4.16 – 4.04 (m, 2H), 3.90 (dd, J = 14.8, 7.0 Hz, 2H), 3.66 (d, J = 11.2 Hz, 1H), 3.22 – 3.12 (m, 1H), 3.04 – 2.89 (m, 3H), 2.86 (d, J = 3.8 Hz, 3H), 2.67 (d, J = 16.0 Hz, 2H), 2.22 (s, 1H), 2.14 (d, J = 12.2 Hz, 1H), 1.88 (d, J = 3.4 Hz, 7H), 1.55 (dd, J = 28.0, 15.8 Hz, 2H), 1.16 (s, 3H), 1.10 (d, J = 4.0 Hz, 3H), 1.04 – 0.93 (m, 3H), 0.88 (dd, J = 12.2, 6.6 Hz, 3H).
55		A	ESI-MS m/z = 842.5 $[M+H]^+$; 1H -NMR (400 MHz, Methanol- d_4) δ 7.83 (d, J = 8.4 Hz, 1H), 7.56 (d, J = 4.7 Hz, 1H), 7.43 (ddd, J = 8.4, 3.5, 1.3 Hz, 1H), 7.17 (s, 1H), 7.08 (s, 1H), 7.02 (d, J = 5.3 Hz, 1H), 6.67 – 6.54 (m, 1H), 5.57 (s, 1H), 5.13 – 4.99 (m, 1H), 4.58 – 4.38 (m, 3H), 4.35 – 4.12 (m, 3H), 4.11 – 4.02 (m, 2H), 3.91 (s, 1H), 3.73 (d, J = 14.8 Hz, 1H), 3.64 (d, J = 11.2 Hz, 1H), 3.52 – 3.39 (m, 1H), 3.20 (d, J = 11.5 Hz, 1H), 2.96 – 2.76 (m, 5H), 2.76 – 2.60 (m, 1H), 2.28 – 1.98 (m, 4H), 1.98 – 1.89 (m, 3H), 1.86 (d, J = 1.9 Hz, 7H), 1.84 – 1.62 (m, 5H), 1.54 (q, J = 12.6 Hz, 1H), 1.13 (s, 3H), 1.05 (d, J = 3.7 Hz, 3H).
56		A	ESI-MS m/z = 802.3 $[M+H]^+$; 1H NMR (400 MHz, Methanol- d_4) δ 7.83 (d, J = 8.4 Hz, 1H), 7.62 (d, J = 12.7 Hz, 1H), 7.43 (d, J = 8.6 Hz, 1H), 7.23 (s, 1H), 7.12 (s, 1H), 7.00 (d, J = 5.1 Hz, 1H), 6.63-6.59 (m, 1H), 5.59 (s, 1H), 5.04 (dt, J = 9.1, 6.4 Hz, 1H), 4.75 (d, J = 12.3 Hz, 1H), 4.56-4.38 (m, 4H), 4.30-4.26 (m, 1H), 4.20-4.08 (m, 3H), 3.89-3.85 (m, 2H), 3.69-3.63 (m, 2H), 3.50-3.43 (m, 1H), 3.22 (d, J = 11.7 Hz, 1H), 3.14 (d, J = 8.4 Hz, 1H), 2.92-2.87 (m, 2H), 2.84 (d, J = 3.3 Hz, 2H), 2.70 (t, J = 12.6 Hz, 1H), 2.15 (d, J = 12.6 Hz, 1H), 1.87 (d, J = 2.9 Hz, 8H), 1.74-1.64 (m, 2H), 1.59-1.51 (m, 1H), 1.34 (d, J = 6.5 Hz, 6H), 1.16 (s, 3H), 1.09 (d, J = 3.9 Hz, 3H), 0.98-0.90 (m, 3H).

FIG. 1 cont.





	Structure	Method	Analytic Data
57		A	(ES, m/z): 828.5[M+H] ⁺ ; ¹ H-NMR (400 MHz, Methanol- <i>d</i> ₄) δ 7.83 (d, J = 8.4 Hz, 1H), 7.65 – 7.57 (m, 1H), 7.43 (d, J = 8.3 Hz, 1H), 7.22 (s, 1H), 7.12 (d, J = 7.6 Hz, 1H), 7.04 – 6.98 (m, 1H), 6.61 (d, J = 17.5 Hz, 1H), 5.60 (t, J = 6.6 Hz, 1H), 5.26 – 5.15 (m, 1H), 4.64 – 4.40 (m, 3H), 4.41 – 4.21 (m, 3H), 4.21 – 4.04 (m, 2H), 4.02 – 3.81 (m, 2H), 3.67 (d, J = 11.3 Hz, 1H), 3.46 (q, J = 11.8, 10.5 Hz, 1H), 3.27 – 3.14 (m, 1H), 2.99 – 2.82 (m, 5H), 2.70 (t, J = 12.3 Hz, 1H), 2.14 (d, J = 12.6 Hz, 1H), 1.87 (d, J = 2.8 Hz, 7H), 1.84 – 1.45 (m, 4H), 1.15 (s, 3H), 1.08 (d, J = 3.4 Hz, 3H), 0.61 (dd, J = 26.1, 8.9 Hz, 1H), 0.47 (dt, J = 19.1, 8.9 Hz, 2H), 0.18 (dd, J = 33.6, 4.6 Hz, 2H).
58		A	ESI-MS m/z = 817.6 [M+H] ⁺ ; ¹ H NMR (300 MHz, CD ₃ OD- <i>d</i> ₄) δ 7.61-7.41 (m, 2H), 7.31 (t, J = 8.7 Hz, 1H), 7.14-6.88 (m, 3H), 6.64-6.47 (m, 1H), 5.60-5.50 (m, 1H), 4.79-4.34 (m, 6H), 4.30-4.03 (m, 3H), 3.96-3.40 (m, 5H), 3.30-3.10 (m, 1H), 2.94-2.60 (m, 6H), 2.53-2.39 (m, 2H), 2.31-2.04 (m, 5H), 2.02-1.81 (m, 2H), 1.60 (t, J = 7.8 Hz, 4H), 1.06 (d, J = 18.0 Hz, 6H), 0.95 (d, J = 6.3 Hz, 3H), 0.84 (d, J = 6.5 Hz, 3H).
59		D	ESI-MS m/z = 803.3 [M+H] ⁺ ; ¹ H-NMR (400MHz, MeOD- <i>d</i> ₄) δ 8.51 (s, 3H), 7.92-7.91 (m, 1H), 7.52-7.48 (m, 1H), 7.39 (s, 1H), 6.69 (brs, 1H), 6.24 (brs, 1H), 6.01 (brs, 1H), 5.15 (brs, 1H), 4.56-3.85 (m, 14H), 3.14-2.66 (m, 6H), 2.66-2.43 (m, 2H), 2.05-1.61 (m, 7H), 1.61-1.40 (m, 3H), 1.12-0.78 (m, 9H).
60		C	ESI-MS m/z = 802.3 [M+H] ⁺ ; ¹ H NMR (400 MHz, MeOD) δ 8.29 (d, J = 23.0 Hz, 1H), 8.03 – 7.77 (m, 1H), 7.59 – 7.27 (m, 2H), 6.65 (s, 1H), 6.48 – 6.02 (m, 2H), 4.72 – 4.58 (m, 1H), 4.54 (t, J = 9.4 Hz, 1H), 4.50 – 4.32 (m, 3H), 4.27 – 4.11 (m, 1H), 4.13 – 3.80 (m, 4H), 3.75 – 3.42 (m, 3H), 3.19 – 2.65 (m, 6H), 2.20 (dd, J = 19.0, 11.6 Hz, 2H), 2.10 – 1.94 (m, 2H), 1.89 (d, J = 28.9 Hz, 6H), 1.71 – 1.50 (m, 3H), 1.16 – 0.84 (m, 6H), 0.84 – 0.63 (m, 3H).

FIG. 1 cont.





	Structure	Method	Analytic Data
61		A	ESI-MS m/z : 882.3 $[M+Na]^+$; 1H NMR (400 MHz, MeOD) δ 7.81 (d, J = 8.4 Hz, 1H), 7.66 (s, 1H), 7.48 – 7.37 (m, 2H), 7.23 (s, 1H), 7.11 (s, 1H), 6.99 (s, 1H), 6.51 (s, 1H), 5.57 (s, 1H), 5.34 (t, J = 4.6 Hz, 1H), 4.72 – 4.43 (m, 5H), 4.25 – 4.16 (m, 1H), 3.91 (s, 1H), 3.84 – 3.77 (m, 1H), 3.60 (dd, J = 39.2, 12.2 Hz, 3H), 3.48 – 3.36 (m, 3H), 3.25 (s, 1H), 2.86 (ddd, J = 59.0, 43.8, 34.8 Hz, 6H), 2.18 (dd, J = 14.2, 6.5 Hz, 3H), 2.03 (d, J = 5.4 Hz, 2H), 1.89 (s, 1H), 1.85 (d, J = 3.7 Hz, 3H), 1.60 (s, 3H), 1.19 – 1.01 (m, 6H), 0.98 – 0.79 (m, 6H).
62		A	ESI-MS m/z = 830.1 $[M+H]^+$; 1H NMR (400 MHz, Methanol- d_4) δ 7.80 – 7.77 (m, 2H), 7.70 (dd, J = 8.3, 2.2 Hz, 2H), 7.50 – 7.43 (m, 2H), 7.35 (d, J = 5.1 Hz, 2H), 7.05 – 6.98 (m, 2H), 6.53 – 6.47 (m, 2H), 5.76 – 5.64 (m, 2H), 5.03 – 4.86 (m, 5H), 4.72 – 4.59 (m, 2H), 4.53 – 4.29 (m, 8H), 4.28 – 4.15 (m, 5H), 4.12 – 3.92 (m, 9H), 3.89 – 3.77 (m, 6H), 3.74 – 3.65 (m, 2H), 3.05 – 2.85 (m, 5H), 2.68 – 2.56 (m, 7H), 2.36 – 2.22 (m, 2H), 2.14 (dp, J = 13.1, 6.7 Hz, 2H), 2.08 – 1.98 (m, 2H), 1.98 – 1.89 (m, 2H), 1.77 (s, 3H), 1.76 (s, 3H), 1.71 – 1.59 (m, 3H), 1.15 – 1.07 (m, 6H), 0.93 (d, J = 6.4 Hz, 6H), 0.79 (d, J = 6.6 Hz, 6H).
63		A ²	ESI-MS m/z : 830.7 $[M+H]^+$
64		A ²	ESI-MS m/z = 830.8 $[M+H]^+$

FIG. 1 cont.






	Structure	Method	Analytic Data
65		A	ESI-MS m/z: 830.3 [M+H] ⁺ ; ¹ H-NMR (400 MHz, Methanol- <i>d</i> ₄) δ 7.81 (d, <i>J</i> = 8.4 Hz, 1H), 7.67 (d, <i>J</i> = 4.6 Hz, 1H), 7.42 (d, <i>J</i> = 8.3 Hz, 1H), 7.23 (s, 1H), 7.15 (s, 1H), 6.98 (d, <i>J</i> = 6.2 Hz, 1H), 6.54 (s, 1H), 5.52 (dd, <i>J</i> = 9.2, 5.4 Hz, 1H), 4.63 – 4.48 (m, 2H), 4.47 – 4.35 (m, 3H), 4.29 (dt, <i>J</i> = 16.8, 7.9 Hz, 1H), 4.15 – 4.02 (m, 3H), 3.96 – 3.85 (m, 2H), 3.78 – 3.54 (m, 3H), 2.97 – 2.62 (m, 3H), 2.40 – 2.23 (m, 1H), 2.21 – 2.08 (m, 2H), 2.07 – 1.98 (m, 1H), 1.96 – 1.80 (m, 9H), 1.75 – 1.47 (m, 1H), 1.14 (s, 3H), 1.08 (s, 3H), 0.95 – 0.78 (m, 9H).
66		A	ESI-MS m/z = 815.5 [M+H] ⁺ ; ¹ H-NMR (300 MHz, CD ₃ OD- <i>d</i> ₄) δ 8.23 (d, <i>J</i> = 8.1 Hz, 1H), 7.76 (s, 1H), 7.49-7.46 (m, 1H), 7.41-7.36 (m, 2H), 7.12-7.09 (m, 2H), 6.76-6.74 (d, <i>J</i> = 7.8 Hz, 1H), 6.54 (s, 1H), 5.77-5.67 (m, 1H), 4.67-4.65 (m, 1H), 4.51-4.38 (m, 7H), 4.11-3.95 (m, 6H), 3.85-3.80 (m, 2H), 3.68-3.64 (m, 1H), 3.01-2.85 (m, 3H), 2.75-2.65 (m, 3H), 2.56-2.45 (m, 1H), 2.28-1.95 (m, 3H), 1.71-1.58 (m, 2H), 1.17 (d, <i>J</i> = 6.9 Hz, 3H), 0.94 (d, <i>J</i> = 6.3 Hz, 3H), 0.85-0.81 (m, 3H).
67		A	ESI-MS m/z = 824.5 [M+H] ⁺ ; ¹ H-NMR (300 MHz, CD ₃ OD- <i>d</i> ₄) δ 8.42 (d, <i>J</i> = 6.6 Hz, 1H), 7.89-7.86 (m, 1H), 7.63-7.53 (m, 4H), 7.10 (s, 2H), 6.62 (s, 1H), 5.57 (s, 1H), 4.78-4.76 (m, 1H), 4.67-4.48 (m, 4H), 4.30-3.95 (m, 7H), 3.76 (d, <i>J</i> = 11.7 Hz, 1H), 3.51-3.48 (m, 1H), 3.01-2.78 (m, 6H), 2.28-2.13 (m, 2H), 2.01-1.90 (m, 1H), 1.81-1.48 (m, 2H), 1.17 (s, 3H), 1.02-0.89 (m, 8H).
68		A	ESI-MS m/z = 824.5 [M+H] ⁺ ; ¹ H-NMR (300 MHz, CD ₃ OD- <i>d</i> ₄) δ 8.36 (s, 1H), 8.12-8.09 (m, 1H), 7.64-7.54 (m, 4H), 7.06 (d, <i>J</i> = 4.2 Hz, 2H), 6.62 (s, 1H), 5.57 (s, 1H), 4.75-4.74 (m, 1H), 4.65-4.60 (m, 2H), 4.54-4.48 (m, 3H), 4.32-4.29 (m, 2H), 4.11-4.05 (m, 4H), 3.95-3.90 (m, 1H), 3.75 (d, <i>J</i> = 8.7 Hz, 1H), 3.45-3.35 (m, 1H), 2.95-2.90 (m, 5H), 2.80-2.75 (m, 1H), 2.20-2.10 (m, 2H), 1.91-1.88 (m, 1H), 1.70-1.50 (m, 2H), 1.18 (s, 3H), 1.03-0.92 (m, 6H), 0.87-0.85 (m, 3H).
69		A	ESI-MS m/z = 826.4 [M+H] ⁺ ; ¹ H-NMR: (300 MHz, Methanol- <i>d</i> ₄) δ 8.54 (d, <i>J</i> = 5.3 Hz, 1H), 8.15 (t, <i>J</i> = 7.3 Hz, 1H), 7.99 – 7.88 (m, 1H), 7.68 (d, <i>J</i> = 9.5 Hz, 1H), 7.48 (dd, <i>J</i> = 17.7, 6.2 Hz, 3H), 7.39 – 7.25 (m, 1H), 7.20 (d, <i>J</i> = 12.3 Hz, 2H), 6.98 (s, 1H), 6.52 (s, 1H), 5.64 (t, <i>J</i> = 8.8 Hz, 1H), 4.71 (dd, <i>J</i> = 11.1, 5.0 Hz, 1H), 4.58 – 4.35 (m, 6H), 4.34 – 3.99 (m, 5H), 3.95 – 3.59 (m, 4H), 3.07 – 2.91 (m, 1H), 2.84 – 2.66 (m, 5H), 2.35 (s, 1H), 2.15 (dd, <i>J</i> = 20.0, 8.3 Hz, 2H), 1.94 (d, <i>J</i> = 11.6 Hz, 1H), 1.65 (q, <i>J</i> = 12.8, 11.9 Hz, 2H), 1.40 – 1.32 (m, 1H), 1.15 (d, <i>J</i> = 7.3 Hz, 3H), 1.09 – 0.91 (m, 3H), 0.83 (d, <i>J</i> = 6.7 Hz, 3H).

FIG. 1 cont.





	Structure	Method	Analytic Data
70		A	ESI-MS m/z = 826.5 $[M+H]^+$; 1H -NMR (300 MHz, CD_3OD-d_4) δ 8.53 (s, 1H), 8.40 (d, J = 4.5 Hz, 1H), 8.20-8.10 (m, 1H), 7.83 (d, J = 7.5 Hz, 1H), 7.69 (s, 1H), 7.49-7.43 (m, 2H), 7.39-7.33 (m, 1H), 7.22 (s, 1H), 7.13 (s, 1H), 6.98 (s, 1H), 6.51 (s, 1H), 5.77-4.68 (m, 1H), 4.77-4.67 (m, 1H), 4.54-4.38 (m, 4H), 4.33-4.05 (m, 6H), 3.95-3.55 (m, 4H), 3.01-2.68 (m, 6H), 2.48-2.37 (m, 1H), 2.26-2.05 (m, 2H), 2.00-1.90 (m, 1H), 1.85-1.68 (m, 2H), 1.45-1.10 (m, 3H), 1.02-0.80 (m, 6H).
71		A	ESI-MS m/z = 849.4 $[M+H]^+$; 1H -NMR: (300 MHz, CD_3CN) δ 7.88 (d, J = 8.5, 4.1 Hz, 1H), 7.62 (s, 1H), 7.34 (d, J = 9.0 Hz, 1H), 7.10-7.03 (m, 3H), 6.58-6.47 (m, 1H), 5.49 (s, 1H), 4.64 (d, J = 11.0 Hz, 5H), 4.43-4.16 (m, 4H), 4.06-3.73 (m, 5H), 3.63-3.34 (m, 4H), 3.25-2.52 (d, J = 9.9 Hz, 6H), 2.38-2.17 (m, 10H), 1.58-1.47 (m, 4H), 1.47-1.40 (m, 3H), 1.39 (d, J = 5.5 Hz, 3H), 1.13-1.07 (m, 3H), 1.07-0.95 (m, 4H), 0.95-0.78 (m, 2H).
72		A	ESI-MS m/z = 821.6 $[M+H]^+$; 1H -NMR (300 MHz, CD_3CN) δ 7.86 (d, J = 8.5 Hz, 1H), 7.65 (d, J = 10.5 Hz, 1H), 7.36-7.28 (m, 1H), 7.27-7.12 (m, 1H), 7.08-7.03 (m, 2H), 6.86-6.64 (m, 1H), 6.53 (s, 1H), 5.62-5.42 (m, 1H), 4.62 (d, J = 11.0 Hz, 1H), 4.61-4.30 (m, 5H), 4.21 (d, J = 6.5 Hz, 3H), 4.14-3.99 (m, 3H), 3.90-3.78 (m, 4H), 3.01-2.89 (m, 2H), 2.75-2.69 (m, 2H), 2.61 (d, J = 2.5 Hz, 2H), 2.37-2.29 (m, 3H), 2.16-2.03 (m, 3H), 1.74-1.54 (m, 2H), 1.46-1.29 (m, 6H), 1.22-1.07 (m, 3H), 1.07-0.89 (m, 6H), 0.89-0.76 (m, 3H).
73		A	ESI-MS m/z : 806.3 $[M+H]^+$; 1H NMR (400 MHz, cd_3od) δ 8.20 (dd, J = 28.6, 4.7 Hz, 1H), 7.85 (d, J = 8.5 Hz, 1H), 7.72-7.61 (m, 1H), 7.44 (dd, J = 13.8, 6.7 Hz, 1H), 7.20 (s, 1H), 7.02-6.95 (m, 1H), 6.56 (dd, J = 38.9, 3.7 Hz, 1H), 5.62 (s, 1H), 4.69 (dd, J = 11.1, 6.8 Hz, 1H), 4.63-4.18 (m, 7H), 4.18-4.03 (m, 3H), 3.96 (d, J = 18.6 Hz, 3H), 3.88-3.75 (m, 2H), 3.74-3.60 (m, 2H), 3.01-2.76 (m, 3H), 2.74-2.61 (m, 3H), 2.42 (s, 2H), 2.34 (s, 1H), 2.12 (ddd, J = 35.2, 17.2, 8.7 Hz, 2H), 1.91 (d, J = 12.4 Hz, 1H), 1.61 (dd, J = 25.8, 16.7 Hz, 2H), 1.10 (d, J = 7.0 Hz, 3H), 0.93 (d, J = 6.4 Hz, 3H), 0.80 (d, J = 6.6 Hz, 3H).

FIG. 1 cont.





	Structure	Method	Analytic Data
74		A	ESI-MS m/z : 800.2 $[M+H]^+$; 1H NMR (400 MHz, MeOD) δ 7.70 (s, 1H), 7.51-7.35 (m, 2H), 7.26 (s, 1H), 6.99 (s, 1H), 6.47 (s, 1H), 5.65 (s, 1H), 4.66 (m, 1H), 4.45 (d, 1H), 4.40-3.99 (m, 9H), 3.88 (d, 3H), 3.70 (s, 1H), 3.00 (m, 6H), 2.77 (s, 1H), 2.65 (m, 3H), 2.29 (s, 1H), 2.13 (m, 1H), 2.04 (d, 1H), 1.90 (s, 1H), 1.64 (d, 2H), 1.10 (m, 3H), 1.04-0.97 (m, 0.6H), 0.91 (d, 2.5H), 0.80 (m, 3H).
75		A	(ES, m/z): 819.4 $[M+H]^+$; 1H -NMR (400 MHz, Methanol- d_4) δ 7.67 (s, 1H), 7.60 (d, J = 8.3 Hz, 1H), 7.37 (q, J = 9.4, 7.8 Hz, 1H), 7.23 (s, 1H), 7.09 (s, 1H), 7.02 (s, 1H), 6.52 (s, 1H), 5.63 (d, J = 10.5 Hz, 1H), 4.98 (d, J = 12.4 Hz, 1H), 4.72 (dd, J = 11.1, 6.7 Hz, 1H), 4.62 – 4.30 (m, 4H), 4.31 – 4.00 (m, 5H), 3.84 (dt, J = 34.3, 20.8, 10.1 Hz, 6H), 3.58 (dt, J = 23.7, 8.7 Hz, 2H), 3.09 – 2.90 (m, 2H), 2.85 (d, J = 7.3 Hz, 3H), 2.73 (dd, J = 11.2, 6.6 Hz, 4H), 2.33 (s, 1H), 2.24 – 2.00 (m, 3H), 1.94 (d, J = 13.1 Hz, 1H), 1.81 – 1.49 (m, 3H), 1.14 (d, J = 7.0 Hz, 3H), 1.10 – 0.90 (m, 3H), 0.84 (d, J = 6.7 Hz, 3H).
76		A	ESI-MS m/z = 788.5 $[M+H]^+$; 1H -NMR (300 MHz, DMSO- d_6) δ = 9.35 – 9.33 (m, 1H), 8.61-8.55 (m, 0.5H), 8.10-8.01 (m, 0.5H), 7.65 (d, J = 8.5 Hz, 2H), 7.31 (s, 2H), 7.11 (d, J = 6.8 Hz, 1H), 6.97 (s, 1H), 6.63 – 6.54 (m, 1H), 5.25 – 5.21 (m, 2H), 4.69-4.62 (d, J = 21 Hz, 1H), 4.50 – 4.38 (m, 2H), 4.27 – 4.08 (m, 6H), 3.98 – 3.83 (m, 4H), 3.74 – 3.70 (m, 2H), 3.03 (s, 2H), 2.89 – 2.76 (m, 7H), 2.62 (s, 1H), 2.29 (s, 1H), 2.05 (d, J = 16.5 Hz, 2H), 1.81 (s, 1H), 1.57 (s, 2H), 1.08 – 1.06 (d, J = 6 Hz, 3H), 0.95 – 0.88 (m, 3H), 0.78 – 0.73 (m, 3H).
77		A	ESI-MS m/z = 788.3 $[M+H]^+$; 1H -NMR: (400 MHz, Acetonitrile- d_3) δ 7.73 (d, J = 7.8 Hz, 2H), 7.52-7.50 (m, 1H), 7.31-7.22 (m, 2H), 7.06 (d, J = 10.4 Hz, 1H), 6.85-6.69 (m, 1H), 6.56 (d, J = 6.5 Hz, 1H), 5.60-5.50 (m, 1H), 4.63 (d, J = 11.2 Hz, 1H), 4.50-4.33 (m, 6H), 4.27-4.21 (m, 2H), 4.06-4.02 (m, 3H), 3.81-3.60 (m, 4H), 3.03-2.89 (m, 2H), 2.68 (d, J = 52.4 Hz, 4H), 2.37 (s, 1H), 2.10 (d, J = 11.4 Hz, 1H), 1.90 (d, J = 13.5 Hz, 1H), 1.76-1.74 (m, 3H), 1.63-1.57 (m, 2H), 1.30 (s, 1H), 1.16 (dt, J = 16.5, 7.8 Hz, 3H), 1.02-0.92 (m, 3H), 0.83 (dd, J = 20.5, 7.4 Hz, 3H).

FIG. 1 cont.





	Structure	Method	Analytic Data
78		A	ESI-MS m/z = 814.5 $[M+H]^+$; 1H -NMR (400 MHz, Acetonitrile- d_3) δ = 7.78 – 7.67 (m, 2H), 7.49 (t, J = 7.2 Hz, 1H), 7.35 (s, 1H), 7.28 – 7.18 (m, 1H), 7.01 (d, J = 26.3 Hz, 2H), 6.58 (d, J = 5.3 Hz, 1H), 5.62 – 5.44 (m, 1H), 4.64 (d, J = 11.0 Hz, 1H), 4.58 – 4.33 (m, 4H), 4.31 – 4.15 (m, 2H), 4.12 – 3.96 (m, 3H), 3.89 (dd, J = 8.0, 2.6 Hz, 1H), 3.76 (dt, J = 14.2, 7.7 Hz, 3H), 3.66 – 3.49 (m, 1H), 3.03 – 2.85 (m, 2H), 2.76 (d, J = 7.0 Hz, 2H), 2.62 (d, J = 14.8 Hz, 2H), 2.17 – 2.10 (m, 3H), 1.90 (d, J = 12.6 Hz, 1H), 1.72 – 1.47 (m, 3H), 1.15 (dt, J = 13.5, 6.9 Hz, 3H), 0.96 (dt, J = 25.4, 6.6 Hz, 3H), 0.88 – 0.65 (m, 5H), 0.60 – 0.43 (m, 2H).
79		A	ESI-MS m/z : 870.3 $[M+H]^+$; 1H -NMR (400 MHz, MeOD) δ 7.84 (m, 1H), 7.64 (s, 1H), 7.38 (m, 1H), 7.36 (s, 1H), 7.10 (s, 1H), 6.97 (d, 1H), 6.52 (s, 1H), 5.53 (s, 1H), 4.75-4.71 (m, 1H), 4.60-4.48 (m, 2H), 4.47-4.39 (m, 2H), 4.31-4.11 (m, 3H), 4.10-4.03 (m, 2H), 3.91 (s, 2H), 3.66 (d, 1H), 2.94-2.80 (m, 5H), 2.78-2.66 (m, 2H), 2.23-2.09 (m, 2H), 2.03-1.86 (m, 3H), 1.84 (d, 3H), 1.76 (s, 1H), 1.68-1.42 (m, 8H), 1.14 (s, 3H), 1.07 (s, 3H), 0.89 (m, 6H).
80		A	ESI-MS m/z = 844.4 $[M+H]^+$; 1H -NMR (400 MHz, MeOD) δ 7.73 (d, J = 8.0 Hz, 1H), 7.65 (d, J = 5.1 Hz, 1H), 7.37 (s, 1H), 7.25 (s, 1H), 7.10 (s, 1H), 6.97 (d, J = 7.6 Hz, 1H), 6.52 (s, 1H), 5.54 (s, 1H), 4.72 (t, J = 9.0 Hz, 1H), 4.47 (dd, J = 23.1, 10.4 Hz, 3H), 4.33 – 4.00 (m, 4H), 3.90 (d, J = 14.8 Hz, 2H), 3.66 (d, J = 11.2 Hz, 1H), 3.56 – 3.44 (m, 1H), 3.24 – 3.14 (m, 1H), 3.12 – 2.42 (m, 7H), 2.19 (dd, J = 42.5, 7.4 Hz, 6H), 1.90 (d, J = 11.8 Hz, 1H), 1.73 – 1.46 (m, 2H), 1.26 – 0.63 (m, 18H).
81		A	ESI-MS m/z = 814.3 $[M+H]^+$; 1H -NMR: (400 MHz, Methanol- d_4) δ 8.18 (t, J = 9.5 Hz, 1H), 7.75 (d, J = 2.2 Hz, 1H), 7.68 (d, J = 8.3 Hz, 1H), 7.46 (ddd, J = 8.2, 6.5, 1.5 Hz, 1H), 7.36 (d, J = 2.6 Hz, 1H), 7.25 (s, 1H), 7.03 (dt, J = 4.4, 1.9 Hz, 1H), 6.65 – 6.47 (m, 1H), 5.66 (d, J = 7.6 Hz, 1H), 4.72 (dd, J = 11.1, 7.1 Hz, 1H), 4.58 – 4.48 (m, 1H), 4.47 – 4.16 (m, 5H), 4.15 – 4.04 (m, 2H), 3.97 – 3.79 (m, 2H), 3.79 – 3.55 (m, 2H), 3.07 – 2.66 (m, 10H), 2.41 (dt, J = 19.4, 8.1 Hz, 2H), 2.28 – 2.04 (m, 3H), 1.95 (d, J = 12.4 Hz, 1H), 1.77 – 1.52 (m, 2H), 1.17 (d, J = 7.2 Hz, 3H), 0.96 (d, J = 6.5 Hz, 3H), 0.84 (d, J = 6.6 Hz, 3H).

FIG. 1 cont.





	Structure	Method	Analytic Data
82		A	ESI-MS m/z: 814.3 [M+H] ⁺ ; ¹ H-NMR (400 MHz, MeOD) δ 7.78 (d, J = 8.3 Hz, 1H), 7.63 (d, J = 5.5 Hz, 1H), 7.49 – 7.38 (m, 1H), 7.25 (d, J = 1.7 Hz, 1H), 7.10 (s, 1H), 6.99 (d, J = 7.8 Hz, 1H), 6.56 (d, J = 31.4 Hz, 1H), 5.52 (d, J = 4.9 Hz, 1H), 4.82 – 4.67 (m, 2H), 4.58 – 4.33 (m, 4H), 4.28 – 4.02 (m, 4H), 3.99 – 3.88 (m, 1H), 3.82 (d, J = 14.0 Hz, 1H), 3.62 (dd, J = 28.4, 11.3 Hz, 2H), 3.23 (d, J = 11.0 Hz, 1H), 2.97 – 2.90 (m, 1H), 2.88 – 2.78 (m, 3H), 2.76 – 2.65 (m, 1H), 2.23 – 2.09 (m, 2H), 1.90 (d, J = 12.5 Hz, 1H), 1.70 – 1.46 (m, 4H), 1.45 – 1.35 (m, 2H), 1.08 (d, J = 36.9 Hz, 6H), 0.89 (dd, J = 41.3, 6.5 Hz, 6H).
83		A	ESI-MS m/z = 844.3 [M+H] ⁺ ; ¹ H-NMR (400MHz, MeOD- <i>d</i> ₄) δ 8.52 (s, 1H), 7.82 (d, J = 8.0 Hz, 1H), 7.74 (s, 1H), 7.45-7.41 (m, 1H), 7.32 (d, J = 4.0 Hz, 1H), 7.31 (s, 1H), 7.01-6.98 (m, 1H), 6.51 (s, 1H), 5.63 (brs, 1H), 4.70-4.67 (m, 1H), 4.51-4.20 (m, 7H), 4.12-4.03 (m, 4H), 3.93-3.64 (m, 6H), 2.98-2.68 (m, 6H), 2.37 (d, J = 12 Hz, 2H), 2.22-2.12 (m, 4H), 2.03-1.91 (m, 1H), 1.69-1.59 (m, 3H),), 1.15 (d, J = 8.0 Hz, 3H), 0.94 (d, J = 4.0 Hz, 3H), 0.82 (d, J = 4.0 Hz, 3H).
84		A	ESI-MS m/z: 826.3 [M+H] ⁺ ; ¹ H-NMR (400 MHz, MeOD) δ 8.50 (s, 1H), 8.45 (dd, J = 4.9, 1.3 Hz, 1H), 7.80 – 7.64 (m, 2H), 7.48 (dd, J = 8.2, 1.6 Hz, 1H), 7.45 – 7.27 (m, 3H), 6.99 (s, 1H), 6.47 (s, 1H), 6.14 (s, 1H), 5.68 (d, J = 6.9 Hz, 1H), 4.65 (dd, J = 11.1, 5.5 Hz, 1H), 4.41 (ddt, J = 28.4, 22.2, 11.1 Hz, 4H), 4.30 – 4.16 (m, 3H), 4.04 (qd, J = 13.3, 7.0 Hz, 4H), 3.90 – 3.72 (m, 2H), 3.71 – 3.61 (m, 1H), 3.02 (d, J = 11.5 Hz, 1H), 2.90 (dd, J = 18.2, 9.7 Hz, 2H), 2.71 – 2.53 (m, 3H), 2.29 (s, 1H), 2.19 – 2.08 (m, 1H), 2.04 (d, J = 8.5 Hz, 1H), 1.93 (s, 1H), 1.67 (d, J = 7.5 Hz, 2H), 1.08 (dd, J = 38.5, 6.9 Hz, 3H), 0.92 (d, J = 6.4 Hz, 3H), 0.81 (dd, J = 20.9, 6.6 Hz, 3H).
85		A	ESI-MS m/z: 827.3 [M+H] ⁺ ; ¹ H-NMR (400 MHz, MeOD) δ 8.12 – 8.05 (m, 1H), 7.86 (s, 1H), 7.66 – 7.56 (m, 1H), 7.35 (s, 1H), 7.03 (s, 1H), 6.62 (d, J = 36.5 Hz, 1H), 5.67 (d, J = 5.1 Hz, 1H), 5.19 (d, J = 10.1 Hz, 1H), 4.73 – 4.57 (m, 2H), 4.52 – 4.29 (m, 4H), 4.22 (d, J = 11.9 Hz, 1H), 4.10 (d, J = 2.8 Hz, 1H), 4.09 – 4.03 (m, 2H), 4.01 (d, J = 13.8 Hz, 1H), 3.82 (t, J = 11.8 Hz, 2H), 3.68 (s, 1H), 3.01 (d, J = 15.2 Hz, 1H), 2.97 – 2.79 (m, 3H), 2.66 (d, J = 5.6 Hz, 3H), 2.45 (s, 1H), 2.21 – 2.11 (m, 1H), 2.03 (s, 6H), 1.93 (s, 1H), 1.65 (s, 2H), 1.20 (d, J = 6.9 Hz, 3H), 1.06 – 0.90 (m, 3H), 0.80 (d, J = 6.6 Hz, 3H).

FIG. 1 cont.





	Structure	Method	Analytic Data
86		A	ESI-MS m/z: 869.3 [M+H] ⁺ ; ¹ H-NMR (400 MHz, MeOD) δ 7.71 (d, J = 10.3 Hz, 1H), 7.59 (dd, J = 8.2, 1.7 Hz, 1H), 7.48 (t, J = 7.9 Hz, 1H), 7.41 – 7.33 (m, 2H), 7.28 (ddd, J = 14.4, 7.4, 1.7 Hz, 1H), 7.16 (dd, J = 8.2, 5.1 Hz, 1H), 7.10 (t, J = 7.4 Hz, 1H), 7.03 (s, 1H), 6.48 (s, 1H), 5.77 – 5.59 (m, 1H), 4.67 (dt, J = 11.1, 5.6 Hz, 1H), 4.42 (ddt, J = 30.1, 22.9, 10.1 Hz, 4H), 4.22 (ddd, J = 22.1, 15.7, 9.9 Hz, 2H), 4.10 – 3.96 (m, 3H), 3.86 – 3.73 (m, 5H), 3.70 – 3.55 (m, 2H), 3.06 – 2.78 (m, 3H), 2.70 – 2.47 (m, 5H), 2.20 – 2.08 (m, 1H), 2.02 – 1.84 (m, 3H), 1.70 – 1.50 (m, 2H), 1.19 – 1.09 (m, 3H), 1.05 – 0.90 (m, 3H), 0.87 – 0.66 (m, 6H).
87		A ²	ESI-MS m/z = 760.4 [M+H] ⁺ ; ¹ H-NMR: (300 MHz, DMSO-d ₆) δ 9.54 – 9.49 (m, 1H), 8.67–8.58 (m, 0.5H), 8.37 (d, J = 16.7 Hz, 1H), 8.12 (d, J = 8.0 Hz, 0.5H), 7.82 (d, J = 9.5 Hz, 1H), 7.72 (dd, J = 8.3, 2.5 Hz, 1H), 7.62 – 7.48 (m, 1H), 7.13 – 6.99 (m, 2H), 6.69 – 6.58 (m, 1H), 5.27 (d, J = 15.8 Hz, 2H), 5.05 (d, J = 11.6 Hz, 1H), 4.67 – 4.18 (m, 12H), 3.86 – 3.74 (m, 4H), 2.78 – 2.63 (m, 4H), 2.37 (s, 1H), 2.05 (s, 1H), 1.82 (s, 1H), 1.56 (s, 2H), 1.33 – 1.24 (m, 1H), 1.19 – 1.14 (m, 1H), 1.12 – 1.01 (m, 3H), 0.96 – 0.86 (m, 3H), 0.74 – 0.71 (m, 3H).
88		A ²	ESI-MS m/z = 760.2 [M+H] ⁺ ; ¹ H-NMR: (300 MHz, DMSO-d ₆) δ 9.43 (s, 1H), 8.44 – 8.27 (m, 2H), 7.81 (d, J = 14.2 Hz, 1H), 7.76 – 7.66 (m, 1H), 7.63 – 7.50 (m, 1H), 7.13 – 6.97 (m, 2H), 6.72 (d, J = 7.2 Hz, 1H), 5.43 – 5.31 (m, 1H), 5.13 – 5.05 (m, 1H), 4.75 – 4.70 (m, 1H), 4.60 – 4.05 (m, 10H), 3.99 – 3.73 (m, 4H), 2.83 – 2.76 (m, 4H), 2.36 (s, 1H), 2.00 (m, 2H), 1.80 (s, 1H), 1.54 (s, 2H), 1.34 – 1.21 (m, 1H), 1.08 (m, 3H), 0.84 – 0.74 (m, 6H).
89		A	ESI-MS m/z : 808.4; ¹ H-NMR (400 MHz, MeOD) δ 7.81 (d, J = 8.4 Hz, 1H), 7.67 (d, J = 11.9 Hz, 1H), 7.42 (dd, J = 7.8, 2.8 Hz, 1H), 7.23 (s, 1H), 7.13 (s, 1H), 6.99 (d, J = 9.6 Hz, 1H), 6.68 – 6.58 (m, 1H), 6.51 (s, 1H), 6.33 – 6.24 (d, 1H), 5.80 – 5.72 (m, 1H), 5.59 – 5.51 (m, 1H), 4.82 – 4.70 (m, 2H), 4.43 (d, J = 14.4 Hz, 2H), 3.98 – 3.85 (m, 2H), 3.83 (d, J = 6.9 Hz, 1H), 3.72 – 3.54 (m, 4H), 3.24 (m, 1H), 2.98 (d, J = 14.4, 4.4 Hz, 3H), 2.90 (d, J = 12.5 Hz, 1H), 2.83 – 2.69 (m, 2H), 2.33 – 2.09 (m, 4H), 1.85 (d, J = 3.5 Hz, 6H), 1.61 (dd, J = 35.7, 13.0 Hz, 3H), 1.15 (d, J = 2.6 Hz, 3H), 1.08 (s, 3H), 0.99 – 0.90 (m, 3H), 0.88 – 0.78 (t, J = 6.0 Hz, 3H).

FIG. 1 cont.





	Structure	Method	Analytic Data
90		A	ESI-MS m/z: 861. [M+H] ⁺ ; ¹ H-NMR (400 MHz, MeOD) δ 8.52 (s, 1H), 7.76 (brs, 1H), 7.60 (d, J = 8.0 Hz, 2H), 7.45 (s, 2H), 7.38–7.35 (m, 1H), 7.14 (brs, 2H), 6.99 (d, J = 12.0 Hz, 1H), 6.65–6.58 (m, 2H), 6.51 (s, 1H), 6.28 (d, J = 16.0 Hz, 1H), 5.75 (d, J = 12.0 Hz, 1H), 5.63–5.58 (m, 1H), 4.75–4.71 (m, 1H), 4.41 (d, J = 12.0 Hz, 2H), 4.27 (brs, 2H), 3.91 (t, J = 4.0 Hz, 1H), 3.82 (d, J = 4.0 Hz, 1H), 3.77–3.48 (m, 5H), 3.40 (brs, 4H), 3.13 (s, 2H), 3.05 (s, 1H), 2.88 (s, 2H), 2.67 (d, J = 12.0 Hz, 2H), 2.27–2.05 (m, 4H), 1.93–1.85 (m, 1H), 1.50–1.48 (m, 2H), 0.93 (t, J = 4.0 Hz, 4H), 0.84 (t, J = 4.0 Hz, 4H), 0.35 (brs, 4H).
91		A	¹ H NMR (400 MHz, MeOH-d ₄) δ 8.01 (d, J = 21.2 Hz, 1H), 7.76 (d, J = 9.1 Hz, 1H), 7.56 (d, J = 8.1 Hz, 1H), 7.40 (d, J = 18.5 Hz, 2H), 7.01 (s, 1H), 6.52 (d, J = 26.9 Hz, 2H), 5.70 (s, 1H), 4.66 (dd, J = 11.1, 5.4 Hz, 1H), 4.45 (td, J = 27.6, 26.3, 11.2 Hz, 3H), 4.31–4.15 (m, 4H), 4.15–4.00 (m, 2H), 3.81 (d, J = 11.9 Hz, 2H), 3.73–3.61 (m, 2H), 3.22 (t, J = 4.8 Hz, 2H), 2.98 (d, J = 13.4 Hz, 2H), 2.66 (s, 1H), 2.60 (d, J = 5.6 Hz, 3H), 2.21–1.83 (m, 2H), 1.68 (s, 3H), 1.18 (d, J = 7.0 Hz, 2H), 0.93 (d, J = 6.5 Hz, 3H), 0.79 (d, J = 6.7 Hz, 3H). ESI-MS m/z = 825.14[M+Na] ⁺ .
92		A	ESI-MS m/z = 763.3[M+H] ⁺
93		A	ESI-MS m/z = 671.2 [M+H] ⁺ ; ¹ H-NMR (300 MHz, CD ₃ OD) δ 7.70 (m, 3H), 7.33–7.26 (dd, J = 8.1 Hz, J = 3.3 Hz, 2H), 7.14 (s, 1H), 6.98 (s, 1H), 6.53–6.52 (d, J = 3.0 Hz, 2H), 6.45–6.44 (d, J = 3.0 Hz, 1H), 5.85–5.81 (d, J = 12.0 Hz, 1H), 5.69–5.67 (m, 1H), 4.61 (s, 1H), 4.47 (m, 2H), 4.43 (m, 1H), 4.15–4.12 (d, J = 9.0 Hz, 1H), 3.80 (m, 5H), 3.55 (m, 1H), 3.41 (m, 1H), 2.96 (m, 1H), 2.74–2.71 (t, J = 9.0 Hz, 2H), 2.19 (m, 4H), 1.91 (m, 2H), 1.65 (m, 2H), 1.30 (s, 2H), 0.93–0.89 (dd, J = 6.6 Hz, J = 6.6 Hz, 6H).

FIG. 1 cont.





	Structure	Method	Analytic Data
94		A	(ES, m/z): 696.3 [M+H] ⁺ ; ¹ H NMR (300 MHz, CD ₃ CN) δ 7.96 (s, 1H), 7.83-7.54 (m, 4H), 7.23-6.94 (m, 3H), 6.61 (s, 1H), 6.39 (dd, J = 17.1, 2.2 Hz, 1H), 5.80 (dd, J = 10.5, 2.2 Hz, 1H), 5.54 (td, J = 9.4, 2.9 Hz, 1H), 4.65-4.57 (m, 1H), 4.46-4.30 (m, 3H), 4.06 (d, J = 10.9 Hz, 1H), 3.94 (dd, J = 11.8, 4.0 Hz, 1H), 3.89-3.75 (m, 3H), 3.63-3.56 (m, 1H), 3.46-3.36 (m, 2H), 2.92 (dd, J = 13.5, 2.9 Hz, 1H), 2.75-2.67 (m, 2H), 2.18-2.11 (m, 2H), 1.88 (s, 1H), 1.76-1.48 (m, 2H), 0.91 (dd, J = 15.1, 6.6 Hz, 6H).
95		A	ESI-MS m/z = 722.3 [M+H] ⁺ ; ¹ H-NMR (300 MHz, DMSO) δ 9.39 (s, 1H), 8.50 (dd, J = 7.1, 4.8 Hz, 2H), 8.32 (d, J = 8.2 Hz, 1H), 7.84 (s, 1H), 7.77-7.48 (m, 3H), 7.07 (d, J = 15.0 Hz, 2H), 6.67 (s, 1H), 6.32 (dd, J = 17.2, 2.3 Hz, 1H), 5.83 (dd, J = 10.4, 2.3 Hz, 1H), 5.41 (t, J = 8.9 Hz, 1H), 5.13 (d, J = 12.2 Hz, 1H), 4.76-4.49 (m, 2H), 4.27 (d, J = 12.9 Hz, 1H), 4.15 (d, J = 10.5 Hz, 1H), 4.06-3.82 (m, 2H), 3.76 (t, J = 7.9 Hz, 2H), 3.52 (d, J = 10.4 Hz, 1H), 3.24-3.05 (m, 1H), 2.78 (dt, J = 22.9, 12.5 Hz, 3H), 2.24 (d, J = 19.3 Hz, 2H), 2.12-1.97 (m, 2H), 1.82 (m, 1H), 1.55 (q, J = 14.2, 13.4 Hz, 3H), 1.42-1.27 (m, 1H), 0.97-0.94 (m, 1H), 0.92 (dd, J = 6.9 Hz, 3H), 0.82 (d, J = 6.6 Hz, 3H).
96		B	ESI-MS m/z = 710.4 [M+H] ⁺ ; ¹ H NMR: (300 MHz, CDCl ₃) δ 7.74-7.64 (m, 3H), 7.46 (d, J = 8.4 Hz, 1H), 7.34 (s, 1H), 7.11 (s, 1H), 7.02 (s, 1H), 6.93-6.89 (m, 2H), 6.57 (s, 1H), 6.39 (dd, J = 17.2, 2.3 Hz, 1H), 5.80 (dd, J = 10.5, 2.3 Hz, 1H), 5.54 (t, J = 8.4 Hz, 1H), 4.56-4.38 (m, 2H), 4.31-4.26 (m, 2H), 4.06 (d, J = 10.9 Hz, 1H), 3.96-3.79 (m, 7H), 3.57 (dt, J = 11.9, 6.4 Hz, 1H), 3.43-3.38 (m, 2H), 2.96-2.89 (m, 1H), 2.69-2.61 (m, 2H), 1.75-1.63 (m, 1H), 1.61-1.50 (m, 1H), 0.92 (dd, J = 14.6, 6.6 Hz, 6H).
97		A	ESI-MS m/z = 713.3 [M+H] ⁺ ; ¹ H NMR (400 MHz, MeOD) δ 7.67 (dd, J = 17.1, 10.5 Hz, 1H), 7.57-7.43 (m, 2H), 7.29 (d, J = 8.2 Hz, 1H), 7.08 (s, 1H), 6.96 (d, J = 15.9 Hz, 2H), 6.52 (s, 1H), 6.39 (dd, J = 17.1, 2.0 Hz, 1H), 5.80 (dd, J = 10.5, 2.0 Hz, 1H), 5.61 (t, J = 5.5 Hz, 1H), 4.46-4.25 (m, 2H), 4.13 (d, J = 11.0 Hz, 1H), 3.93-3.71 (m, 3H), 3.67-3.57 (m, 1H), 3.56-3.37 (m, 3H), 3.19 (d, J = 11.0 Hz, 1H), 2.94-2.76 (m, 2H), 2.67 (t, J = 12.7 Hz, 1H), 2.30 (d, J = 2.1 Hz, 3H), 2.22-2.08 (m, 2H), 1.88 (d, J = 12.2 Hz, 1H), 1.69-1.45 (m, 2H), 1.31 (d, J = 17.6 Hz, 2H), 1.08 (dd, J = 25.0, 6.2 Hz, 4H), 0.96-0.88 (m, 6H).

FIG. 1 cont.





	Structure	Method	Analytic Data
98		A	ESI-MS m/z = 774.3 $[M+H]^+$; 1H -NMR (400MHz, MeOD- d_4) δ : 8.01 (s, 1H), 7.70-7.69 (m, 1H), 7.60-7.54 (m, 1H), 7.54-7.50 (m, 1H), 7.71 (s, 1H), 6.99-6.97 (m, 1H), 6.62-6.56 (m, 1H), 6.56-6.52 (m, 1H), 4.52-4.50 (m, 1H), 4.52-4.43 (m, 4H), 4.28-3.90 (m, 6H), 3.71-3.69 (m, 1H), 3.50-3.48 (m, 1H), 2.97-2.83 (m, 5H), 2.83-2.73 (m, 1H), 2.17-2.12 (m, 2H), 1.89-1.85 (m, 1H), 1.89-1.53 (m, 2H), 1.30-1.25 (m, 1H), 1.17-1.01 (m, 6H), 0.95-0.84 (m, 6H).
99		A	ESI-MS m/z = 777.3 $[M+H]^+$; 1H NMR (400 MHz, MeOD) δ 8.51 (s, 1H), 7.54 (dd, J = 13.1, 8.6 Hz, 2H), 7.37-7.26 (m, 1H), 7.10 (d, J = 3.4 Hz, 1H), 6.97 (d, J = 9.4 Hz, 2H), 6.50 (s, 1H), 5.55 (ddd, J = 8.6, 6.7, 4.6 Hz, 1H), 4.72 (dd, J = 11.1, 7.5 Hz, 1H), 4.60-4.32 (m, 4H), 4.30-4.02 (m, 4H), 3.93 (dt, J = 14.6, 8.4 Hz, 1H), 3.80 (d, J = 14.8 Hz, 1H), 3.69-3.51 (m, 2H), 3.25 (dd, J = 11.2, 6.0 Hz, 1H), 2.99-2.63 (m, 8H), 2.23-2.08 (m, 2H), 1.94-1.83 (m, 1H), 1.71-1.48 (m, 2H), 1.33 (t, J = 7.5 Hz, 3H), 1.15-1.00 (m, 6H), 0.98-0.80 (m, 6H).
100		A	ESI-MS m/z : 763.3 $[M+H]^+$. 1H NMR (400 MHz, MeOD) δ 7.54 (dd, J = 18.4, 7.0 Hz, 2H), 7.32 (dd, J = 7.7, 3.9 Hz, 1H), 7.11 (s, 1H), 7.03-6.90 (m, 2H), 6.50 (s, 1H), 5.60-5.51 (m, 1H), 5.36-5.31 (m, 0H), 4.72 (dd, J = 11.1, 7.5 Hz, 1H), 4.60-4.32 (m, 2H), 4.31-4.02 (m, 2H), 3.98-3.90 (m, 1H), 3.81 (d, J = 14.9 Hz, 1H), 3.72-3.44 (m, 3H), 3.27-3.21 (m, 0H), 2.96 (s, 5H), 2.89-2.78 (m, 0H), 2.67 (d, J = 17.4 Hz, 0H), 2.31 (s, 0H), 2.24-2.08 (m, 2H), 2.03 (s, 1H), 1.94-1.84 (m, 1H), 1.69-1.50 (m, 3H), 1.31 (d, J = 18.1 Hz, 0H), 1.18-0.80 (m, 12H).
101		A	(ES, m/z): 476.4 $[M+H]^+$; 1H NMR (300 MHz, DMSO- d_6) δ 9.54-9.38 (m, 1H), 8.60 (m, 1H), 8.41 (s, 1H), 8.11 (m, 1H), 7.85 (s, 1H), 7.72 (d, J = 8.4 Hz, 1H), 7.53 (d, J = 8.9 Hz, 1H), 7.00 (d, J = 11.9 Hz, 2H), 6.77-6.49 (m, 1H), 5.39 (s, 1H), 5.10 (d, J = 12.6 Hz, 1H), 4.67 (d, J = 10.7 Hz, 2H), 4.43-4.08 (m, 7H), 3.91 (d, J = 12.4 Hz, 3H), 3.52 (d, J = 8.1 Hz, 1H), 2.83 (d, J = 13.9 Hz, 2H), 2.76 (d, J = 12.1 Hz, 2H), 2.68-2.57 (m, 3H), 2.24 (d, J = 23.4 Hz, 2H), 2.07 (d, J = 7.1 Hz, 2H), 1.82 (s, 1H), 1.55 (s, 2H), 0.91 (dd, J = 15.5, 6.3 Hz, 3H), 0.75 (dd, J = 14.5, 6.5 Hz, 3H).

FIG. 1 cont.





	Structure	Method	Analytic Data
102		A	ESI-MS m/z = 799.3 $[M+H]^+$; 1H NMR (300 MHz, DMSO- d_6) δ 9.54 – 9.40 (m, 1H), 8.61–8.11 (m, 1H), 8.24 (s, 1H), 7.92 – 7.78 (m, 2H), 7.55 (d, J = 8.5 Hz, 1H), 7.02 (d, J = 11.3 Hz, 2H), 6.77 – 6.51 (m, 1H), 5.40 (m, 1H), 5.19 – 5.06 (m, 1H), 4.70 (m, 1H), 4.36 (m, 3H), 4.28 – 4.09 (m, 4H), 3.93 (m, 3H), 3.55 (m, 2H), 3.24 (s, 3H), 2.80 (m, 5H), 2.63 (d, J = 1.6 Hz, 2H), 2.22 (m, 2H), 2.06 (m, 2H), 1.82 (m, 1H), 1.56 (m, 2H), 0.91 (dd, J = 15.9, 6.3 Hz, 3H), 0.82 – 0.68 (m, 3H).
103		A	ESI-MS m/z = 763.3 $[M+H]^+$; 1H NMR (400 MHz, MeOD) δ 7.60 (t, J = 13.8 Hz, 1H), 7.49 – 7.40 (m, 1H), 7.32 – 7.21 (m, 1H), 7.20 – 7.05 (m, 1H), 7.00 – 6.88 (m, 1H), 6.61 – 6.46 (m, 1H), 6.32 – 6.22 (m, 1H), 5.61 – 5.51 (m, 1H), 4.79 – 4.68 (m, 1H), 4.58 – 4.19 (m, 5H), 4.18 – 3.62 (m, 6H), 3.51 – 3.33 (m, 2H), 3.01 – 2.62 (m, 4H), 2.46 (s, 3H), 2.27 – 2.06 (m, 2H), 1.94 – 1.83 (m, 1H), 1.72 – 1.47 (m, 2H), 1.22 – 0.58 (m, 12H).
104		A	ESI-MS m/z : 783.3 $[M+H]^+$; 1H NMR (400 MHz, MeOD) δ 7.64 (d, J = 5.6 Hz, 1H), 7.55 (d, J = 8.3 Hz, 1H), 7.41 (dd, J = 18.4, 10.1 Hz, 1H), 7.29 (d, J = 1.7 Hz, 1H), 7.10 (s, 1H), 7.00 – 6.91 (m, 1H), 6.56 (d, J = 30.9 Hz, 1H), 5.55 (dd, J = 12.2, 7.0 Hz, 1H), 4.79 – 4.69 (m, 1H), 4.59 – 4.33 (m, 4H), 4.31 – 4.03 (m, 4H), 3.98 – 3.84 (m, 2H), 3.66 (t, J = 9.8 Hz, 1H), 3.52 (dd, J = 21.5, 12.9 Hz, 1H), 3.24 (dd, J = 11.5, 3.8 Hz, 1H), 3.04 – 2.76 (m, 5H), 2.74 – 2.63 (m, 1H), 2.24 – 2.09 (m, 2H), 1.94 – 1.84 (m, 1H), 1.59 (dd, J = 45.4, 10.6 Hz, 2H), 1.20 – 0.74 (m, 12H).
105		A	ESI-MS m/z = 760.3 $[M+H]^+$; 1H -NMR (400MHz, MeOD- d_4) δ 8.01 (s, 1H), 7.71-7.60 (m, 2H), 7.60-7.53 (m, 1H), 7.08-7.05 (m, 1H), 6.95-6.93 (m, 1H), 6.69-6.66 (m, 1H), 5.62-5.58 (m, 1H), 4.35-4.25 (m, 1H), 4.25-4.17 (m, 1H), 4.17-4.12 (m, 3H), 4.12-4.08 (m, 1H), 4.08-3.98 (m, 5H), 3.60-3.54 (m, 1H), 3.50-3.47 (m, 1H), 3.15-3.12 (m, 1H), 2.93-2.89 (m, 2H), 2.64-2.61 (m, 1H), 2.03-2.00 (m, 2H), 2.00-1.86 (m, 1H), 1.70-1.62 (m, 2H), 1.16-1.06 (m, 6H), 0.97-0.93 (m, 6H).

FIG. 1 cont.





	Structure	Method	Analytic Data
106		A	ESI-MS m/z : 788.3[M+H] ⁺ ; ¹ H NMR (400 MHz, MeOD) δ 7.78 – 7.40 (m, 3H), 7.16 – 6.85 (m, 2H), 6.66 – 6.49 (m, 1H), 5.55 (d, J = 5.8 Hz, 1H), 4.73 (dd, J = 11.1, 7.0 Hz, 1H), 4.63 – 3.86 (m, 11H), 3.79 (d, J = 11.2 Hz, 1H), 3.37 (d, J = 13.7 Hz, 1H), 3.01 – 2.79 (m, 5H), 2.77 – 2.60 (m, 4H), 2.18 (ddd, J = 39.4, 20.5, 13.9 Hz, 2H), 1.96 – 1.81 (m, 1H), 1.70 – 1.46 (m, 2H), 1.25 – 0.78 (m, 12H).
107		A	ESI-MS m/z = 760.2 [M+H] ⁺ ; ¹ H-NMR (400MHz, MeOD- <i>d</i> 4) δ 8.00-7.99 (m, 1H), 7.90-7.88 (m, 1H), 7.70-7.67 (m, 1H), 7.50-7.44 (m, 1H), 7.15-7.11 (m, 1H), 6.93-6.92 (m, 1H), 6.54-6.52 (m, 1H), 5.97 (s, 1H), 5.16 (s, 1H), 4.56-4.24 (m, 4H), 4.24-3.88 (m, 7H), 3.88-3.70 (m, 3H), 3.12-3.10 (m, 1H), 2.82-2.80 (m, 1H), 2.57-2.45 (m, 1H), 2.45 (s, 2H), 2.12-1.64 (m, 9H), 0.90-0.75 (m, 6H).
108		A	ESI-MS m/z : 806.3 [M+H] ⁺ ; ¹ H NMR (400 MHz, MeOD) δ 8.12 (dd, J = 8.4, 1.4 Hz, 1H), 7.82 (d, J = 1.3 Hz, 1H), 7.67 (d, J = 5.3 Hz, 1H), 7.52 – 7.40 (m, 1H), 7.10 (s, 1H), 6.98 (d, J = 7.0 Hz, 1H), 6.53 (s, 1H), 5.55 (dd, J = 13.5, 5.9 Hz, 1H), 4.83 – 4.65 (m, 2H), 4.61 – 4.37 (m, 4H), 4.21 (ddd, J = 28.7, 14.5, 6.6 Hz, 2H), 4.07 (dd, J = 13.6, 5.8 Hz, 2H), 4.00 – 3.84 (m, 2H), 3.67 (t, J = 11.1 Hz, 1H), 3.58 – 3.45 (m, 1H), 3.26 – 3.04 (m, 2H), 2.98 – 2.79 (m, 6H), 2.75 – 2.62 (m, 1H), 2.22 – 2.06 (m, 2H), 1.96 – 1.83 (m, 1H), 1.68 – 1.48 (m, 2H), 1.25 – 0.71 (m, 12H).
109		A	ESI-MS m/z : 820.3 [M+H] ⁺ ; ¹ H NMR (400 MHz, MeOD) δ 7.77 (d, J = 8.1 Hz, 1H), 7.73 – 7.53 (m, 2H), 7.52 – 7.37 (m, 1H), 7.11 (s, 1H), 6.98 (d, J = 7.6 Hz, 1H), 6.57 (d, J = 30.3 Hz, 2H), 5.54 (s, 1H), 4.84 – 4.66 (m, 3H), 4.59 – 4.36 (m, 3H), 4.21 (ddd, J = 33.1, 17.8, 9.5 Hz, 2H), 4.06 (d, J = 13.2 Hz, 1H), 3.95 (d, J = 14.3 Hz, 2H), 3.83 – 3.40 (m, 3H), 3.20 (s, 7H), 3.02 – 2.64 (m, 6H), 2.15 (d, J = 12.4 Hz, 2H), 1.91 (d, J = 12.6 Hz, 1H), 1.58 (dd, J = 27.9, 16.8 Hz, 2H), 1.36 – 0.73 (m, 12H).

FIG. 1 cont.





	Structure	Method	Analytic Data
110		A ²	ESI-MS m/z = 813.3 [M+H] ⁺ ; ¹ H NMR (300 MHz, DMSO-d ₆) δ 9.44 (d, J = 20.0 Hz, 1H), 8.61-8.51 (m, 0.5H), 8.13 (s, 1H), 8.11-8.05 (m, 0.5H), 7.92-7.79 (m, 2H), 7.58 (d, J = 8.5 Hz, 1H), 7.15 (d, J = 7.8 Hz, 1H), 7.01 (s, 1H), 6.72-6.53 (m, 1H), 5.41-5.30 (m, 2H), 4.70-4.07 (m, 9H), 4.03-3.47 (m, 5H), 3.24 (s, 3H), 3.02-2.57 (m, 6H), 2.37 (s, 1H), 2.18-2.02 (m, 2H), 1.82 (s, 1H), 1.57 (s, 2H), 1.07 (d, J = 7.0 Hz, 3H), 0.92 (dd, J = 16.0, 6.4 Hz, 3H), 0.82-0.70 (m, 3H).
111		A ²	ESI-MS m/z = 813.3 [M+H] ⁺ ; ¹ H NMR (300 MHz, DMSO-d ₆) δ 9.42 (s, 1H), 8.62-8.54 (m, 0.5H), 8.23 (s, 1H), 8.11-8.07 (m, 0.5H), 7.87 (d, J = 8.4 Hz, 1H), 7.78 (s, 1H), 7.54 (d, J = 8.5 Hz, 1H), 7.03-6.96 (m, 2H), 6.74-6.50 (m, 1H), 5.39 (s, 1H), 5.05 (d, J = 11.3 Hz, 1H), 4.74-4.05 (m, 9H), 3.99-3.76 (m, 3H), 3.49 (d, J = 14.5 Hz, 1H), 3.23 (s, 3H), 2.94-2.59 (m, 6H), 2.38 (s, 1H), 2.17-2.06 (m, 2H), 1.82 (s, 1H), 1.55 (s, 2H), 1.10 (d, J = 6.8 Hz, 3H), 0.91 (dd, J = 14.1, 6.3 Hz, 3H), 0.77 (d, J = 13.6 Hz, 3H).
112		A	ESI-MS m/z : 838.1[M+H] ⁺ , ¹ H NMR (400 MHz, DMSO) δ 9.45 (s, 1H), 8.43-8.08 (m, 3H), 7.82 (s, 1H), 7.71 (d, J = 8.3 Hz, 1H), 7.56 (d, J = 8.3 Hz, 1H), 7.30-6.94 (m, 4H), 6.89-6.57 (m, 3H), 5.39 (d, J = 6.4 Hz, 1H), 5.13 (d, J = 12.3 Hz, 1H), 4.58 (dd, J = 20.9, 11.8 Hz, 2H), 4.38-3.79 (m, 8H), 3.75-3.51 (m, 5H), 3.13 (d, J = 11.3 Hz, 1H), 2.99 (d, J = 13.1 Hz, 1H), 2.80-2.60 (m, 5H), 2.12-2.01 (m, 1H), 1.82 (d, J = 11.1 Hz, 1H), 1.51 (dd, J = 23.5, 12.9 Hz, 2H), 1.05 (d, J = 36.4 Hz, 6H).
113		A	ESI-MS m/z = 760.4 [M+H] ⁺ . ¹ H NMR (300 MHz, DMSO-d ₆) δ 9.52-9.41 (m, 1H), 8.60-8.50 (m, 1H), 8.10-8.03 (m, 1H), 7.77 (d, J = 8.5 Hz, 2H), 7.56-7.42 (m, 2H), 7.28-7.21 (m, 1H), 7.04-6.96 (m, 1H), 6.72-6.51 (m, 1H), 5.53-5.27 (m, 2H), 4.71-4.02 (m, 9H), 3.99-3.69 (m, 4H), 3.59-3.37 (m, 1H), 2.96-2.56 (m, 6H), 2.41-2.24 (m, 1H), 2.17-1.75 (m, 3H), 1.67-1.43 (m, 2H), 1.12 (t, J = 7.0 Hz, 3H), 1.00-0.84 (m, 3H), 0.81-0.67 (m, 3H).

FIG. 1 cont.





	Structure	Method	Analytic Data
114		A	ESI-MS m/z = 806.3 $[M+H]^+$; 1H -NMR (300 MHz, CD_3OD) δ 8.11-8.13 (m, 1H), 7.80 (s, 1H), 7.67 (d, J = 7.5 Hz, 1H), 7.40-7.50 (m, 1H), 7.31 (s, 1H), 7.01 (s, 1H), 6.83 (s, 1H), 6.54 (s, 1H), 5.71 (s, 1H), 4.74-4.62 (m, 2H), 4.20-4.56 (m, 6H), 4.03-4.18 (m, 3H), 3.72-3.88 (m, 2H), 3.56-3.70 (m, 2H), 2.87-2.94 (m, 2H), 2.72 (s, 3H), 1.49-1.80 (m, 2H), 1.04 (d, J = 5.7 Hz, 3H), 0.96 (d, J = 5.7 Hz, 3H), 0.83 (d, J = 6.0 Hz, 3H).
115		A	ESI-MS m/z = 792.3 $[M+H]^+$; 1H -NMR (300 MHz, CD_3OD) δ 7.81 (s, 1H), 7.67 (d, J = 8.5 Hz, 1H), 7.43-7.37 (m, 2H), 7.03 (d, J = 15.5 Hz, 2H), 6.54 (s, 1H), 5.70 (s, 1H), 4.65-4.40 (m, 2H), 4.60-4.40 (m, 3H), 4.40-4.20 (m, 2H), 4.08 (s, 3H), 3.91-3.80 (m, 2H), 3.71 (d, J = 11.2 Hz, 1H), 3.63-3.52 (m, 2H), 3.05-2.94 (m, 6H), 2.69 (s, 3H), 2.47-1.93 (m, 2H), 1.74-1.60 (m, 2H), 1.42-1.35 (m, 1H), 1.14 (d, J = 4.8 Hz, 3H), 1.05 (d, J = 6.0 Hz, 3H), 0.96 (d, J = 5.4 Hz, 3H).
116		A	ESI-MS m/z : 832.3 $[M+H]^+$. 1H NMR (400 MHz, MeOD) δ 6.87 (d, J = 8.9 Hz, 2H), 6.81 – 6.75 (m, 1H), 6.74 – 6.62 (m, 2H), 6.50 (d, J = 24.8 Hz, 1H), 5.60 (d, J = 6.9 Hz, 1H), 4.68 (dd, J = 11.1, 5.2 Hz, 1H), 4.59 (d, J = 38.5 Hz, 1H), 4.46 (dt, J = 14.9, 9.3 Hz, 2H), 4.33 (s, 1H), 4.30 – 4.03 (m, 4H), 4.03 – 3.84 (m, 3H), 3.82 – 3.73 (m, 1H), 3.69 – 3.54 (m, 1H), 3.44 (ddd, J = 12.0, 6.2, 3.0 Hz, 1H), 2.98 – 2.76 (m, 6H), 2.68 (s, 1H), 2.29 (s, 1H), 2.24 – 2.13 (m, 1H), 1.97 (d, J = 12.2 Hz, 1H), 1.83 (d, J = 11.7 Hz, 1H), 1.61 – 1.39 (m, 2H), 1.20 – 0.89 (m, 6H), 0.84 (t, J = 6.6 Hz, 3H).
117		A	ESI-MS m/z = 775.6 $[M+H]^+$. 1H NMR (300 MHz, Methanol- d_4) δ 8.19 (t, J = 8.2 Hz, 1H), 7.72 – 7.58 (m, 2H), 7.36 (d, J = 8.5 Hz, 1H), 7.23 (s, 1H), 7.01 (s, 1H), 6.95 (s, 1H), 6.51 (s, 1H), 5.63 (s, 1H), 4.72 (dd, J = 11.5, 5.1 Hz, 1H), 4.64 – 3.97 (m, 9H), 3.97 – 3.44 (m, 5H), 2.97 (d, J = 13.8 Hz, 2H), 2.89 – 2.64 (m, 5H), 2.41 – 2.03 (m, 3H), 1.94 (d, J = 12.2 Hz, 2H), 1.65 (q, J = 14.3, 12.1 Hz, 2H), 1.13 (d, J = 7.1 Hz, 3H), 0.94 (t, J = 6.6 Hz, 4H), 0.90 – 0.79 (m, 4H), 0.65 (d, J = 5.1 Hz, 2H).

FIG. 1 cont.





	Structure	Method	Analytic Data
118		A	ESI-MS m/z = 789.6 [M+H] ⁺ ; ¹ H-NMR (300 MHz, Methanol-d ₄) δ 7.65-7.56 (m, 2H), 7.33 (d, J = 8.5 Hz, 1H), 7.23 (s, 1H), 7.03 (d, J = 13.9 Hz, 2H), 6.50 (s, 1H), 5.64 (s, 1H), 4.73 (dt, J = 9.8, 3.3 Hz, 1H), 4.52-4.48 (m, 1H), 4.43-4.35 (m, 3H), 4.26-4.21 (m, 2H), 4.08 (s, 3H), 3.91-3.83 (m, 1H), 3.80-3.72 (m, 3H), 3.64 (t, J = 9.5 Hz, 1H), 2.98-2.94 (m, 1H), 2.82-2.79 (m, 1H), 2.73 (s, 4H), 2.48-2.42 (m, 2H), 2.33-2.20 (m, 3H), 2.17-2.08 (m, 3H), 1.99-1.92 (m, 2H), 1.66-1.62 (m, 2H), 1.15 (d, J = 7.1 Hz, 3H), 1.05-1.02 (m, 1H), 0.95 (d, J = 6.4 Hz, 3H), 0.83 (d, J = 6.8 Hz, 3H).
119		A	ESI-MS m/z = 811.4 [M+H] ⁺ ; ¹ H-NMR (300 MHz, Methanol-d ₄) δ 7.91 (d, J = 8.4 Hz, 1H), 7.68 (d, J = 8.7 Hz, 3H), 7.52-7.35 (m, 4H), 7.31-7.16 (m, 2H), 7.04 (s, 1H), 6.52 (s, 1H), 5.64 (dd, J = 10.0, 5.3 Hz, 1H), 4.94 (s, 1H), 4.71 (dd, J = 11.3, 5.1 Hz, 2H), 4.54-4.32 (m, 4H), 4.32-4.15 (m, 2H), 4.06 (s, 2H), 3.82 (d, J = 9.9 Hz, 2H), 3.67 (q, J = 10.9, 9.1 Hz, 2H), 2.92 (d, J = 11.9 Hz, 2H), 2.82-2.58 (m, 3H), 2.33 (s, 1H), 2.24-1.98 (m, 2H), 1.90 (d, J = 12.0 Hz, 1H), 1.61 (d, J = 11.0 Hz, 2H), 1.30 (s, 1H), 1.13 (d, J = 7.0 Hz, 3H), 0.95 (d, J = 6.4 Hz, 3H), 0.81 (d, J = 6.7 Hz, 3H).
120		A	ESI-MS m/z : 811.3[M+H] ⁺ , ¹ H NMR (400 MHz, MeOD) δ 7.76 (d, J = 12.1 Hz, 1H), 7.70-7.20 (m, 8H), 7.00 (s, 1H), 6.59-6.46 (m, 2H), 5.72 (d, J = 9.7 Hz, 1H), 4.75-3.73 (m, 12H), 3.67-3.50 (m, 2H), 3.08-2.75 (m, 3H), 2.67 (t, J = 8.9 Hz, 3H), 2.40-2.09 (m, 2H), 2.00-1.80 (m, 2H), 1.53 (t, J = 37.8 Hz, 2H), 0.97-0.57 (m, 9H).
121		A	ESI-MS m/z = 826.6 [M+H] ⁺ . ¹ H NMR (300 MHz, DMSO-d ₆) δ 9.34 (s, 1H), 8.69 (d, J = 5.5 Hz, 2H), 7.77 (s, 2H), 7.65 (s, 1H), 7.51 (d, J = 8.3 Hz, 1H), 7.39 (s, 1H), 7.29 (d, J = 8.2 Hz, 1H), 7.10 (s, 1H), 6.94 (s, 1H), 6.59 (d, J = 27.8 Hz, 1H), 5.57-5.11 (m, 2H), 4.78-4.52 (m, 1H), 4.43 (s, 2H), 4.32 (s, 3H), 4.18 (d, J = 13.9 Hz, 6H), 3.85 (s, 3H), 3.74 (d, J = 10.9 Hz, 2H), 2.79 (d, J = 13.5 Hz, 5H), 2.62 (s, 2H), 2.38-2.24 (m, 1H), 2.03 (s, 2H), 1.90-1.73 (m, 1H), 1.56 (s, 2H), 1.08 (d, J = 7.1 Hz, 3H), 1.01-0.85 (m, 3H), 0.75 (d, J = 14.7 Hz, 3H).

FIG. 1 cont.





	Structure	Method	Analytic Data
122		A	ESI-MS m/z = 828.7 $[M+H]^+$. 1H -NMR (300 MHz, CD_3OD) δ 7.78-7.72 (d, J = 8.4 Hz, 2H), 7.71 (d, J = 10.7 Hz, 1H), 7.52 – 7.39 (m, 2H), 7.32 – 7.22 (m, 1H), 5.73-5.69 (m, 1H), 5.67 – 5.50 (m, 1H), 4.74 – 4.51 (m, 1H), 4.37-4.24 (m, 6H), 4.22 – 4.08 (m, 2H), 3.82-3.34 (m, 4H), 2.95 (s, 1H), 2.94 – 2.72 (m, 5H), 2.52-2.48 (m, 2H), 2.36-2.33 (m, 3H), 2.25 – 1.98 (m, 7H), 1.96- 1.92(m, 2H), 1.16-1.13 (m, 3H), 0.97-0.95 (d, J = 7.2 Hz, 1H), 0.85 – 0.83 (m, 6H).
123		A	ESI-MS m/z : 866.3 $[M+H]^+$. 1H NMR (400 MHz, MeOD) δ 7.92 (d, J = 10.0 Hz, 1H), 7.76 – 7.55 (m, 3H), 7.48 (s, 1H), 7.23 (dt, J = 14.6, 13.6 Hz, 3H), 7.03 (d, J = 1.5 Hz, 1H), 6.59 (d, J = 40.0 Hz, 1H), 5.77 (s, 1H), 4.61 (dd, J = 30.5, 14.5 Hz, 2H), 4.53 – 4.38 (m, 2H), 4.37 – 4.12 (m, 3H), 4.11 – 4.03 (m, 2H), 4.04 – 3.78 (m, 5H), 3.75 – 3.33 (m, 3H), 3.08 – 2.83 (m, 3H), 2.66 (dd, J = 18.5, 14.1 Hz, 3H), 2.20 – 1.87 (m, 4H), 1.60 (s, 2H), 1.02 – 0.59 (m, 9H).
124		A	ESI-MS m/z : 841.3 $[M+H]^+$. 1H -NMR (400 MHz, MeOD) δ 7.75 (d, J = 11.7 Hz, 1H), 7.57 (dd, J = 8.2, 1.4 Hz, 1H), 7.46 (dd, J = 11.3, 4.5 Hz, 1H), 7.42 – 7.30 (m, 3H), 7.14 (d, J = 8.3 Hz, 1H), 7.07 (t, J = 7.5 Hz, 1H), 7.01 (s, 1H), 6.54 (d, J = 44.4 Hz, 1H), 6.41 (s, 1H), 5.74 (s, 1H), 4.67 (dd, J = 11.1, 5.2 Hz, 1H), 4.54 – 4.38 (m, 3H), 4.37 – 4.18 (m, 3H), 4.13 – 3.98 (m, 4H), 3.86 (s, 2H), 3.82 (s, 3H), 3.70 – 3.57 (m, 2H), 3.01 (d, J = 13.1 Hz, 1H), 2.96 – 2.80 (m, 2H), 2.64 (d, J = 5.5 Hz, 3H), 2.21 – 2.12 (m, 1H), 2.04 – 1.87 (m, 3H), 1.61 (d, J = 8.9 Hz, 2H), 0.94 (d, J = 6.4 Hz, 3H), 0.88 – 0.64 (m, 6H).
125		A	ESI-MS m/z = 785.5 $[M+H]^+$. 1H -NMR (300 MHz, $DMSO-d_6$) δ 9.45 (s, 1H), 8.53-8.49 (m, 0.5H), 8.17 (t, J = 6.0 Hz, 2H), 8.07 (d, J = 6.0 Hz, 0.5H), 7.77 (d, J = 9.0 Hz, 1H), 7.66 (d, J = 9.0 Hz, 1H), 7.53-7.50 (m, 2H), 7.46 (d, J = 8.1 Hz, 1H), 7.23 (t, J = 15.0 Hz, 1H), 7.07 (s, 1H), 6.70-6.60 (m, 1H), 5.70-5.30 (m, 2H), 4.70-4.15 (m, 9H), 3.90-3.70 (m, 5H), 3.01-2.68 (m, 5H), 2.54 (s, 1H), 2.45-2.44 (m, 1H), 2.09-2.05 (m, 1H), 2.04-1.98 (m, 1H), 1.91-1.88 (m, 1H), 1.75-1.65 (m, 2H), 1.15 (d, J = 6.6 Hz, 3H), 0.97-0.89 (m, 3H), 0.87-0.69 (m, 3H).

FIG. 1 cont.

	Structure	Method	Analytic Data
126		A	ESI-MS m/z = 803.3 $[M+H]^+$; 1H NMR (400 MHz, MeOD) δ 8.09 (d, J = 8.2 Hz, 1H), 7.82 (d, J = 9.9 Hz, 1H), 7.55 (dd, J = 8.3, 2.4 Hz, 1H), 7.34 (s, 1H), 7.02 (s, 1H), 6.51 (s, 1H), 5.73 (s, 1H), 5.25 (d, J = 6.4 Hz, 1H), 4.65 (dd, J = 11.1, 5.3 Hz, 1H), 4.61 – 4.11 (m, 8H), 4.10 – 4.00 (m, 2H), 3.93 – 3.77 (m, 2H), 3.69 (s, 1H), 3.17 – 2.93 (m, 4H), 2.62 (dt, J = 12.0, 9.0 Hz, 5H), 2.42 (s, 1H), 2.28 (d, J = 5.9 Hz, 2H), 2.23 – 2.11 (m, 1H), 2.03 (s, 1H), 1.95 (s, 1H), 1.67 (s, 2H), 1.17 (d, J = 7.0 Hz, 3H), 0.99 – 0.72 (m, 6H).
127		A	ESI-MS m/z : 814.3 $[M+H]^+$; 1H NMR (400 MHz, MeOD) δ 7.74 (s, 1H), 7.63-7.56 (m, 1H), 7.46-7.33 (m, 2H), 7.01 (s, 1H), 6.48 (s, 1H), 5.68 (s, 1H), 4.66 (m, 1H), 4.51-4.31 (m, 4H), 4.21 (m, 3H), 4.12-3.98 (m, 4H), 3.86-3.67 (m, 3H), 3.01 (d, 1H), 2.83 (m, 5H), 2.63-2.56 (m, 3H), 2.35-2.01 (m, 7H), 1.93 (s, 1H), 1.66 (s, 2H), 1.19-1.10 (m, 3H), 1.05-1.00 (m, 1H), 0.92 (t, 2.4H), 0.81 (m, 0.6H).
128		A	ESI-MS m/z : 814.3 $[M+H]^+$. 1H NMR (400 MHz, MeOD) δ 7.66 (dd, J = 22.2, 13.8 Hz, 2H), 7.42 (dd, J = 17.0, 8.4 Hz, 1H), 7.24 (s, 1H), 7.00 (d, J = 7.5 Hz, 1H), 6.69 – 6.47 (m, 1H), 5.59 (ddd, J = 28.1, 9.5, 4.5 Hz, 1H), 4.71 – 4.30 (m, 7H), 4.28 – 4.14 (m, 2H), 4.12 – 3.98 (m, 1H), 3.90 – 3.68 (m, 3H), 3.57 (ddd, J = 24.4, 17.0, 11.0 Hz, 1H), 2.96 – 2.80 (m, 2H), 2.70 – 2.61 (m, 3H), 2.27 (br, 1H), 2.20 – 1.95 (m, 3H), 1.89 (br, 1H), 1.69 – 1.53 (m, 5H), 1.12 – 0.72 (m, 13H).
129		A	ESI-MS m/z : 778.4 $[M+H]^+$; 1H -NMR (300 MHz, DMSO- d_6) δ 9.41 (d, J = 7.8 Hz, 1H), 8.31-8.21 (m, 1H), 7.73 (s, 1H), 7.57 (d, J = 8.4 Hz, 1H), 7.46 (d, J = 8.7 Hz, 1H), 7.12-6.89 (m, 3H), 6.57-6.18 (m, 2H), 5.39-5.30 (m, 1H), 5.25-5.12 (m, 1H), 4.40-3.70 (m, 12H), 2.77 (d, J = 30.9 Hz, 1H), 2.58 (s, 6H), 2.18-2.04 (s, 1H), 1.81-1.56 (m, 2H), 1.12 (s, 3H), 0.96-0.88 (m, 6H), 0.74 (d, J = 6.6 Hz, 3H).

FIG. 1 cont.





	Structure	Method	Analytic Data
130		A	ESI-MS m/z = 764.4 $[M+H]^+$; 1H -NMR (300 MHz, DMSO- d_6) δ 9.42 (s, 1H), 8.73-8.63 (m, 1H), 8.26-8.24 (m, 1H), 7.73 (s, 1H), 7.56 (d, J = 8.4 Hz, 1H), 7.47 (d, J = 8.4 Hz, 1H), 7.13 (s, 1H), 7.00 (s, 1H), 6.60-6.50 (m, 1H), 5.34-5.32 (m, 1H), 5.14 (s, 1H), 4.72-4.69 (m, 1H), 4.46-4.19 (m, 9H), 3.97-3.91 (m, 3H), 3.75 (d, J = 10.8 Hz, 1H), 3.60-3.58 (m, 1H), 2.84-2.73 (m, 6H), 2.60-2.58 (m, 3H), 2.08-2.05 (m, 2H), 1.85-1.82 (m, 1H), 1.65-1.60 (m, 2H), 1.31-1.29 (m, 1H), 1.11 (s, 3H), 1.01-0.90 (m, 6H), 0.79-0.75 (m, 3H).
131		A	ESI-MS m/z : 823.2 $[M+H]^+$; 1H -NMR (400 MHz, MeOD) δ 8.23 (s, 1H), 8.12 (s, 1H), 7.97 (d, 1H), 7.87-7.72 (m, 3H), 7.65 (m, 1H), 7.15 (s, 1H), 7.02 (d, 1H), 6.57 (s, 1H), 5.60 (d, 1H), 4.71 (m, 1H), 4.61 (d, 2H), 4.52 (m, 1H), 4.48-4.34 (m, 2H), 4.26 (m, 1H), 4.19-4.02 (m, 3H), 3.96-3.79 (m, 3H), 3.72-3.62 (m, 1H), 3.05-2.89 (m, 2H), 2.75 (m, 4H), 2.21-2.07 (m, 2H), 2.03 (s, 1H), 1.91 (d, 1H), 1.84 (s, 1H), 1.71-1.61 (m, 1H), 1.60-1.51 (m, 1H), 0.98-0.73 (m, 6H).
132		A	ESI-MS m/z : 799.2 $[M+H]^+$; 1H -NMR (400 MHz, MeOD) δ 8.76 (d, 1H), 8.31 (d, 1H), 8.00 (m, 1H), 7.84 (d, 2H), 7.77 (d, 1H), 7.65 (m, 1H), 7.56-7.48 (m, 1H), 7.18 (s, 1H), 7.02 (d, 1H), 6.56 (s, 1H), 5.63-5.54 (m, 1H), 5.34-5.25 (m, 1H), 4.82-4.68 (m, 2H), 4.48 (m, 3H), 4.32-4.21 (m, 1H), 4.20-4.03 (m, 3H), 3.93 (m, 2H), 3.88-3.79 (m, 1H), 3.76-3.66 (m, 1H), 3.05-2.90 (m, 2H), 2.76 (m, 4H), 2.31 (d, 1H), 2.16 (m, 1H), 1.92 (d, 2H), 1.68 (d, 1H), 1.63-1.54 (m, 1H), 0.99-0.74 (m, 6H).
133		B	ESI-MS m/z = 658.2 $[M+H]^+$; 1H -NMR (300 MHz, Methanol- d_4) δ 8.22 (s, 1H), 7.82 - 7.46 (m, 4H), 7.28 (s, 1H), 6.98 (s, 1H), 6.59 (s, 1H), 6.45 - 6.38 (m, 1H), 6.11 - 5.95 (m, 1H), 5.91 - 5.78 (m, 1H), 5.19 - 5.09 (m, 1H), 4.84 - 4.63 (m, 3H), 4.39 - 4.24 (m, 1H), 4.20 - 4.09 (m, 1H), 4.10 - 3.98 (m, 1H), 3.95 - 3.83 (m, 2H), 3.81 - 3.66 (m, 1H), 3.60 - 3.50 (m, 1H), 3.07 - 2.87 (m, 2H), 2.69 - 2.55 (m, 1H), 2.32 - 2.12 (m, 1H), 1.87 - 1.70 (m, 2H), 1.53 - 1.35 (m, 1H), 1.31 - 1.10 (m, 1H), 1.05 - 0.92 (m, 6H).

FIG. 1 cont.

	Structure	Method	Analytic Data
134		A	ESI-MS $m/z = 672.2 [M+H]^+$; 1H NMR (300 MHz, Methanol- d_4): δ 8.43 (s, 1H), 8.27 (s, 1H), 7.83 (s, 1H), 7.78–7.55 (m, 3H), 7.18 (s, 1H), 7.01 (s, 1H), 6.59 (s, 1H), 6.45–6.38 (d, 1H), 5.85–5.80 (dd, $J = 10.6, 2.1$ Hz, 1H), 5.70–5.68 (dd, $J = 9.9, 3.0$ Hz, 1H), 4.65–4.38 (m, 3H), 4.16–4.12 (d, 1H), 4.08–3.99 (m, 1H), 3.97–3.79 (m, 3H), 3.74–3.61 (m, 1H), 3.48–3.34 (m, 2H), 3.06–2.94 (m, 1H), 2.85–2.69 (m, 2H), 2.35–2.25 (m, 2H), 2.21–2.05 (m, 2H), 2.01–1.87 (m, 1H), 1.85–1.48 (m, 2H), 0.96–0.90 (dd, 6H).
135		A	ESI-MS $m/z = 700.5 [M+H]^+$; 1H NMR (300 MHz, DMSO- d_6) δ 8.61 (d, $J = 8.0$ Hz, 1H), 8.35 (s, 1H), 8.15 (d, $J = 8.1$ Hz, 1H), 7.78 (s, 1H), 7.71 (d, $J = 8.4$ Hz, 1H), 7.48 (d, $J = 8.5$ Hz, 1H), 7.08–6.95 (m, 2H), 6.64 (d, $J = 31.4$ Hz, 1H), 6.38 (dt, $J = 17.4, 10.3$ Hz, 1H), 6.14 (dt, $J = 17.0, 2.5$ Hz, 1H), 5.71 (dt, $J = 10.1, 3.3$ Hz, 1H), 5.49–5.28 (m, 1H), 5.10 (d, $J = 12.2$ Hz, 1H), 4.56 (ddd, $J = 67.7, 10.2, 5.1$ Hz, 4H), 4.28 (t, $J = 11.3$ Hz, 2H), 4.21–4.05 (m, 2H), 3.99–3.73 (m, 2H), 3.55 (dd, $J = 10.9, 6.5$ Hz, 1H), 2.78 (d, $J = 14.8$ Hz, 4H), 2.61 (d, $J = 1.9$ Hz, 2H), 2.24 (d, $J = 22.5$ Hz, 2H), 2.07 (d, $J = 10.9$ Hz, 2H), 1.84 (d, $J = 12.2$ Hz, 1H), 1.72–1.38 (m, 2H), 1.24 (s, 1H), 0.84 (ddd, $J = 47.3, 19.9, 6.2$ Hz, 6H).
136		A	ESI-MS $m/z = 736.6 [M+H]^+$; 1H NMR (300 MHz, DMSO- d_6) δ 9.47 (s, 1H), 8.63 (d, $J = 7.2$ Hz, 0.5H), 8.34 (s, 1H), 8.12 (d, $J = 9.0$ Hz, 0.5H), 7.78 (s, 1H), 7.71 (d, $J = 8.4$ Hz, 1H), 7.46 (d, $J = 8.4$ Hz, 1H), 7.00 (d, $J = 14.2$ Hz, 3H), 6.60 (d, $J = 31.8$ Hz, 1H), 6.29 (ddd, $J = 33.2, 17.4, 10.2$ Hz, 2H), 5.38 (s, 1H), 5.17–5.05 (m, 1H), 4.65 (d, $J = 10.5$ Hz, 1H), 4.44 (s, 2H), 4.25 (d, $J = 9.4$ Hz, 2H), 4.13–3.86 (m, 4H), 3.84 (s, 1H), 3.67 (s, 1H), 3.47 (d, $J = 10.7$ Hz, 2H), 2.76 (d, $J = 9.2$ Hz, 4H), 2.61 (s, 2H), 2.19 (s, 1H), 2.04 (s, 1H), 1.82 (s, 1H), 1.57 (s, 2H), 1.04–0.80 (m, 3H), 0.73 (t, $J = 6.2$ Hz, 3H).
137		A	ESI-MS $m/z = 722.6 [M+H]^+$; 1H NMR (300 MHz, DMSO- d_6) δ 9.46 (s, 1H), 8.46 (s, 1H), 8.30 (d, $J = 7.7$ Hz, 1H), 7.81 (s, 1H), 7.73 (d, $J = 8.4$ Hz, 1H), 7.51 (d, $J = 8.4$ Hz, 1H), 7.02 (d, $J = 12.9$ Hz, 2H), 6.99–6.76 (m, 1H), 6.64 (d, $J = 1.8$ Hz, 1H), 6.23–6.09 (m, 2H), 5.42–5.31 (m, 1H), 5.07 (d, $J = 12.1$ Hz, 1H), 4.74 (d, $J = 10.9$ Hz, 1H), 4.46 (m, 2H), 4.25 (d, $J = 12.6$ Hz, 1H), 4.02 (d, $J = 12.9$ Hz, 1H), 3.93 (d, $J = 11.8$ Hz, 1H), 3.84 (s, 2H), 3.41 (s, 1H), 3.19–3.09 (m, 1H), 2.75 (m, 2H), 2.21 (m, 2H), 2.06 (m, 2H), 1.84 (m, 1H), 1.55 (m, 4H), 1.03–0.88 (m, 6H), 0.78 (d, $J = 6.5$ Hz, 3H).

FIG. 1 cont.





	Structure	Method	Analytic Data
138		A	ESI-MS m/z = 656.4 $[M+H]^+$; 1H -NMR (300 MHz, DMSO- d_6) δ 8.54 (d, J = 8.2 Hz, 1H), 8.35 (s, 1H), 7.86 (s, 1H), 7.76-7.57 (m, 5H), 7.18 (dt, J = 15.4, 7.4 Hz, 2H), 6.38 (dd, J = 17.2, 2.2 Hz, 1H), 5.90 (dd, J = 10.4, 2.2 Hz, 1H), 5.39 (d, J = 9.3 Hz, 1H), 5.12 (d, J = 12.2 Hz, 1H), 4.45 (m, 2H), 4.27 (d, J = 13.1 Hz, 1H), 4.20-4.08 (m, 2H), 3.92 (m, 1H), 3.65 (m, 4H), 2.90-2.71 (m, 3H), 2.21 (m, 2H), 2.06 (m, 2H), 1.84 (m, 1H), 1.56 (d, J = 10.4 Hz, 2H), 0.88 (dd, J = 26.1, 6.5 Hz, 6H).
139		A	ESI-MS m/z : 750.3 $[M+H]^+$; 1H -NMR (400 MHz, MeOD) δ 8.22 (s, 1H), 7.78 (m, 2H), 7.64 (m, 1H), 7.19 (s, 1H), 7.04 (d, 1H), 6.63 (d, 1H), 5.56 (d, 1H), 4.95 (d, 1H), 4.81-4.68 (m, 1H), 4.59-4.04 (m, 7H), 4.04-3.82 (m, 2H), 3.82-3.61 (m, 2H), 3.40 (s, 1H), 3.25 (d, 1H), 3.02-2.62 (m, 5H), 2.29-2.10 (m, 2H), 1.95 (s, 1H), 1.79-1.56 (m, 2H), 1.50-0.58 (m, 12H).
140		A	ESI-MS m/z : 736.3 $[M+H]^+$; 1H -NMR (400 MHz, MeOD) δ 8.34 (dd, J = 13.9, 8.8 Hz, 1H), 8.31 – 8.07 (m, 1H), 7.89 – 7.33 (m, 3H), 7.22 – 6.94 (m, 1H), 6.61 (dd, J = 51.8, 11.1 Hz, 1H), 5.85 – 5.65 (m, 1H), 5.57 (s, 1H), 4.80 – 3.72 (m, 12H), 3.70 – 3.48 (m, 1H), 3.19 – 2.53 (m, 6H), 2.50 – 2.07 (m, 4H), 1.93 (s, 1H), 1.82 – 1.43 (m, 2H), 1.33 – 1.11 (m, 3H), 1.10 – 0.61 (m, 6H).
141		A	ESI-MS m/z : 700.3 $[M+H]^+$; 1H -NMR (400 MHz, MeOD) δ 8.36 (s, 1H), 7.72 – 7.59 (m, 3H), 7.52 (dd, J = 8.5, 1.5 Hz, 1H), 7.14 (s, 1H), 6.97 (s, 1H), 6.55 (s, 1H), 6.39 (dd, J = 17.2, 2.1 Hz, 1H), 5.80 (dd, J = 10.5, 2.0 Hz, 1H), 5.67 (dd, J = 9.6, 3.3 Hz, 1H), 4.54 – 4.45 (m, 1H), 4.40 (dd, J = 12.7, 7.4 Hz, 2H), 4.12 (d, J = 11.1 Hz, 1H), 4.06 – 3.99 (m, 1H), 3.87 – 3.79 (m, 2H), 3.74 (dd, J = 15.2, 8.6 Hz, 1H), 3.41 – 3.34 (m, 2H), 2.97 (ddd, J = 12.9, 9.3, 2.7 Hz, 3H), 2.74 (dd, J = 13.4, 9.5 Hz, 2H), 2.21 (s, 2H), 2.18 – 2.09 (m, 2H), 1.92 (d, J = 13.4 Hz, 1H), 1.75 – 1.53 (m, 3H), 1.46 (dd, J = 9.3, 5.7 Hz, 3H), 0.97 – 0.79 (m, 6H).

FIG. 1 cont.





	Structure	Method	Analytic Data
142		A	ESI-MS m/z : 689.3; $^1\text{H-NMR}$ (400 MHz, MeOD) δ 7.85 (s, 1H), 7.77 (d, J = 8.5 Hz, 1H), 7.66 (ddd, J = 10.6, 9.5, 7.4 Hz, 2H), 7.16 (dd, J = 56.4, 48.7 Hz, 2H), 7.00 (d, J = 1.7 Hz, 1H), 6.59 (s, 1H), 6.39 (dd, J = 17.2, 2.0 Hz, 1H), 5.80 (dd, J = 10.5, 2.0 Hz, 1H), 5.68 (dd, J = 9.4, 3.5 Hz, 1H), 4.64 (dd, J = 20.0, 14.9 Hz, 2H), 4.40 (d, J = 12.5 Hz, 1H), 4.12 (d, J = 11.1 Hz, 1H), 4.05 (dd, J = 7.8, 4.3 Hz, 1H), 3.94 – 3.70 (m, 4H), 3.43 – 3.34 (m, 2H), 2.96 (dd, J = 13.4, 3.4 Hz, 1H), 2.76 (dd, J = 13.4, 9.5 Hz, 2H), 2.30 (d, J = 13.9 Hz, 2H), 2.15 (td, J = 13.3, 6.4 Hz, 2H), 1.92 (d, J = 12.2 Hz, 1H), 1.72 – 1.52 (m, 2H), 1.05 – 0.71 (m, 6H).
143		A	ESI-MS m/z = 794.3 $[M+H]^+$; $^1\text{H-NMR}$ (400 MHz, MeOD) δ 8.34 (s, 1H), 7.88 (d, J = 4.1 Hz, 1H), 7.76 – 7.67 (m, 1H), 7.63 (d, J = 8.6 Hz, 1H), 7.20 (s, 1H), 7.03 (d, J = 8.1 Hz, 1H), 6.59 (s, 1H), 5.58 (dd, J = 13.5, 6.7 Hz, 1H), 4.97 (d, J = 13.2 Hz, 1H), 4.83 – 4.69 (m, 2H), 4.63 – 4.15 (m, 6H), 4.15 – 4.03 (m, 2H), 3.97 (d, J = 5.8 Hz, 1H), 3.89 (d, J = 11.8 Hz, 1H), 3.78 – 3.66 (m, 1H), 3.49 (d, J = 6.5 Hz, 1H), 3.47 – 3.41 (m, 2H), 2.98 (d, J = 19.5 Hz, 3H), 2.90 (d, J = 5.7 Hz, 3H), 2.81 – 2.72 (m, 1H), 2.30 – 2.13 (m, 2H), 1.94 (d, J = 10.4 Hz, 1H), 1.75 – 1.55 (m, 2H), 1.29 – 0.72 (m, 12H).
144		A	ESI-MS m/z = 728.6 $[M+H]^+$; $^1\text{H NMR}$ (300 MHz, DMSO- d_6) δ 9.48-9.30 (m, 1H), 8.73-8.67 (m, 1H), 8.20-8.10 (m, 1H), 7.76 (s, 1H), 7.50 – 7.47 (m, 2H), 7.38 (dd, J = 12.3, 5.8 Hz, 1H), 7.18-7.00 (m, 1H), 6.70-6.54 (m, 1H), 6.20 (dd, J = 12.8, 6.1 Hz, 1H), 5.35 (s, 1H), 5.15 (s, 1H), 4.66 (d, J = 10.7 Hz, 1H), 4.47 (s, 1H), 4.39 – 4.26 (m, 4H), 4.14 – 3.80 (m, 2H), 3.76 (s, 1H), 3.32 (s, 2H), 2.87 – 2.79 (m, 4H), 2.59 (s, 4H), 2.08 (s, 2H), 1.83 (s, 1H), 1.60 (s, 2H), 1.13 (s, 3H), 0.96 (d, J = 5.2 Hz, 4H), 0.88 (t, J = 5.6 Hz, 3H), 0.76 (d, J = 6.5 Hz, 2H).
145		A	ESI-MS m/z = 742.4 $[M+H]^+$; $^1\text{H NMR}$ (300 MHz, DMSO- d_6) δ 9.37 (s, 1H), 8.64 (m, 1H), 8.34 (m, 1H), 8.23 (m, 1H), 7.74 (s, 1H), 7.57 (d, J = 8.3 Hz, 1H), 7.47 (d, J = 8.8 Hz, 1H), 7.14 (s, 1H), 7.01 (s, 1H), 6.61-6.57 (m, 1H), 6.49 – 6.25 (m, 1H), 6.21 – 6.05 (m, 1H), 5.81 – 5.51 (m, 1H), 5.47 – 5.28 (m, 1H), 5.29 – 5.04 (m, 1H), 4.77 – 4.66 (m, 1H), 4.53 – 4.39 (m, 2H), 4.39 – 4.21 (m, 2H), 4.21 – 4.05 (m, 2H), 4.03 – 3.88 (m, 2H), 3.85 – 3.71 (m, 2H), 2.85 (s, 1H), 2.82 – 2.76 (m, 1H), 2.73 (s, 2H), 2.59 (s, 3H), 2.15 – 2.03 (m, 1H), 1.94 – 1.41 (m, 2H), 1.12 (s, 3H), 0.97 (s, 3H), 0.95 – 0.88 (m, 3H), 0.77 (m, 3H).

FIG. 1 cont.






	Structure	Method	Analytic Data
146		A	ESI-MS $m/z = 750.4$ $[M+H]^+$; 1H NMR (300 MHz, DMSO- d_6) δ 9.52 (s, 1H), 8.43 (dd, $J = 19.6, 7.6$ Hz, 1H), 8.01 (s, 1H), 7.83-7.78 (m, 2H), 7.12-7.06 (m, 1H), 7.01 (s, 1H), 6.63 (s, 1H), 5.35 (s, 1H), 5.08-4.95 (m, 1H), 4.76 (d, $J = 10.9$ Hz, 1H), 4.61 (d, $J = 15.1$ Hz, 1H), 4.53-4.2 (m, 5H), 4.13 (d, $J = 4.5$ Hz, 1H), 3.80-3.66 (m, 4H), 2.85 (s, 5H), 2.79-2.65 (m, 2H), 2.07 (s, 2H), 1.82 (s, 1H), 1.52 (s, 2H), 1.16 (s, 3H), 1.04 (s, 3H), 0.93 (d, $J = 6.4$ Hz, 3H), 0.81 (d, $J = 6.5$ Hz, 3H).
147		A	ESI-MS $m/z = 750.4$ $[M+H]^+$; 1H -NMR (300 MHz, DMSO- d_6) δ 9.41 (s, 1H), 8.58-8.45 (m, 1H), 8.09-8.04 (m, 1H), 7.67-7.65 (d, $J = 6$ Hz, 1H), 7.58-7.55 (d, $J = 9$ Hz, 1H), 7.48-7.43 (m, 1H), 7.31-7.26 (d, $J = 15$ Hz, 1H), 7.00 (s, 1H), 6.65-6.52 (m, 1H), 5.59-5.56 (d, $J = 12$ Hz, 1H), 5.37-5.25 (m, 1H), 4.66-4.63 (m, 1H), 4.38-4.09 (m, 8H), 3.84-3.70 (m, 4H), 3.51-3.42 (m, 1H), 2.94-2.78 (m, 5H), 2.74-2.71 (m, 3H), 2.65-2.58 (m, 1H), 2.33-1.97 (m, 2H), 1.81 (s, 1H), 1.59 (s, 2H), 1.14-1.12 (d, $J = 6.0$ Hz, 3H), 0.97-0.89 (m, 3H), 0.77-0.71 (m, 3H).
148		B	ESI-MS $m/z = 750.3$ $[M+H]^+$; 1H NMR (300 MHz, DMSO- d_6) δ 9.58 (d, $J = 18.9$ Hz, 1H), 8.67-8.18 (m, 0.5H), 8.17 (s, 0.5H), 8.05 (s, 1H), 7.83 (q, $J = 8.8$ Hz, 2H), 7.00 (s, 2H), 6.81-6.54 (m, 1H), 5.41 (t, $J = 9.2$ Hz, 1H), 5.08 (t, $J = 11.5$ Hz, 1H), 4.64 (q, $J = 13.4, 12.2$ Hz, 2H), 4.53-4.04 (m, 8H), 3.91 (dt, $J = 36.0, 9.7$ Hz, 4H), 2.98-2.60 (m, 10H), 2.06 (d, $J = 10.3$ Hz, 2H), 1.86 (d, $J = 10.5$ Hz, 1H), 1.55 (s, 2H), 1.18 (d, $J = 6.8$ Hz, 3H), 0.90 (dd, $J = 12.9, 6.4$ Hz, 3H), 0.76 (dd, $J = 12.8, 6.5$ Hz, 3H).
149		A	ESI-MS $m/z : 700.3$; 1H NMR (400 MHz, MeOD) δ 7.75 (d, $J = 6.2$ Hz, 1H), 7.64-7.54 (m, 2H), 7.15 (d, $J = 3.9$ Hz, 1H), 7.01 (d, $J = 8.5$ Hz, 1H), 6.55 (s, 1H), 5.58 (dt, $J = 8.9, 4.4$ Hz, 1H), 5.00 (dd, $J = 21.5, 10.2$ Hz, 1H), 4.71 (dd, $J = 11.1, 8.4$ Hz, 1H), 4.56-3.71 (m, 12H), 3.46-3.25 (m, 3H), 3.07-2.90 (m, 2H), 2.87-2.71 (m, 4H), 2.65 (s, 3H), 2.23-2.10 (m, 2H), 1.99-1.87 (m, 1H), 1.71-1.58 (m, 2H), 0.88 (dd, $J = 41.1, 6.6$ Hz, 6H).
150		A	ESI-MS $m/z = 738.3$ $[M+H]^+$; 1H NMR (300 MHz, DMSO- d_6) δ 9.45 (d, $J = 51.3$ Hz, 1H), 8.78-8.34 (m, 1H), 8.21 (d, $J = 8.0$ Hz, 1H), 7.9 (s, 1H), 7.80-7.56 (m, 2H), 7.18 (s, 1H), 7.06 (s, 1H), 6.64 (d, $J = 16.6$ Hz, 1H), 5.82 (s, 1H), 5.43 (s, 1H), 5.18 (s, 1H), 4.76 (d, $J = 10.7$ Hz, 1H), 4.59-4.08 (m, 8H), 4.06-3.73 (m, 3H), 2.90 (d, $J = 16.1$ Hz, 4H), 2.78-2.64 (m, 6H), 1.79-1.44 (m, 2H), 1.21 (d, $J = 8.0$ Hz, 6H), 1.10-0.92 (m, 3H), 0.85 (dd, $J = 21.6, 6.6$ Hz, 3H).

FIG. 1 cont.

	Structure	Method	Analytic Data
151		A	ESI-MS m/z : 762.3[M+H] ⁺ ; ¹ H-NMR (400 MHz, MeOD) δ 8.33 – 8.06 (m, 1H), 7.77 – 7.64 (m, 1H), 7.64 – 7.46 (m, 2H), 7.13 – 7.03 (m, 1H), 6.96 (dd, J = 6.7, 1.8 Hz, 1H), 6.56 (t, J = 16.9 Hz, 1H), 5.54 (dt, J = 9.1, 4.4 Hz, 1H), 4.78 – 4.63 (m, 2H), 4.57 – 4.34 (m, 3H), 4.25 (dd, J = 21.2, 9.6 Hz, 1H), 4.19 – 4.00 (m, 3H), 3.99 – 3.73 (m, 3H), 3.69 – 3.58 (m, 1H), 3.37 (d, J = 12.2 Hz, 1H), 3.01 – 2.84 (m, 2H), 2.84 – 2.60 (m, 7H), 2.27 – 2.05 (m, 2H), 1.97 – 1.81 (m, 1H), 1.55 (ddd, J = 22.1, 21.6, 10.9 Hz, 2H), 1.12 – 0.70 (m, 10H).
152		A	ESI, m/z : 750.4[M+H] ⁺ ; ¹ H-NMR (300 MHz, CD ₃ CN) δ 7.76 (s, 1H), 7.69-7.48 (m, 2H), 7.17 (s, 2H), 7.08 (s, 1H), 6.89 (dd, J = 16.6, 9.9 Hz, 1H), 6.69 (s, 1H), 6.37 (d, J = 16.5 Hz, 1H), 6.17 (d, J = 10.2 Hz, 1H), 5.47 (s, 1H), 4.43-4.36 (m, 2H), 4.30-4.26 (m, 1H), 4.02-3.97 (m, 2H), 3.85-3.76 (m, 4H), 3.73-3.68 (m, 2H), 3.55-3.46 (m, 2H), 2.81 (s, 2H), 2.60 (s, 4H), 1.65-1.57 (m, 2H), 1.16 (s, 3H), 1.12-0.77 (m, 12H).
153		A	ESI-MS m/z = 728.4 [M+H] ⁺ ; ¹ H-NMR (300 MHz, DMSO- <i>d</i> ₆) δ 8.34 (s, 1H), 7.86-7.67 (m, 3H), 7.48 (d, J = 8.5 Hz, 1H), 7.03 (s, 1H), 6.95 (d, J = 8.6 Hz, 1H), 6.60 (d, J = 13.0 Hz, 1H), 5.46 (t, J = 8.9 Hz, 1H), 5.10 (d, J = 12.2 Hz, 1H), 4.59-4.47 (m, 5H), 4.37 (d, J = 17.1 Hz, 1H), 3.91-4.08 (m, 3H), 3.1 (s, 2H), 2.91 (s, 3H), 2.76-2.83 (m, 1H), 2.72 (s, 2H), 2.68 (s, 1H), 2.20 (s, 2H), 2.06-2.00 (m, 1H), 1.95 (d, J = 1.6 Hz, 6H), 1.83 (d, J = 11.6 Hz, 1H), 1.58-1.44 (m, 2H), 0.71-0.93 (m, 6H).
154		A	ESI-MS m/z = 752.3 [M+H] ⁺ ; ¹ H-NMR (300 MHz, DMSO- <i>d</i> ₆) δ 9.57 (s, 1H), 8.70-8.61 (m, 0.5H), 8.25 – 8.00 (m, 1.5H), 7.88 (d, J = 6.0 Hz, 2H), 7.31 – 7.00 (m, 2H), 6.86 – 6.54 (m, 1H), 5.45 (s, 1H), 5.20 (d, J = 12.7 Hz, 1H), 4.94 – 4.55 (m, 2H), 4.53 – 4.33 (m, 2H), 4.32 – 4.06 (m, 9H), 4.06 – 3.66 (m, 8H), 3.59 – 3.31 (m, 1H), 3.03 – 2.71 (m, 8H), 2.65 – 1.75 – 2.56 (m, 2H), 2.29 – 2.10 (m, 2H), 1.99 – 1.79 (m, 1H), 1.75 – 1.39 (m, 2H), 1.05 – 0.90 (m, 3H), 0.82 – 0.68 (m, 3H).
155		A	ESI-MS m/z = 766.2 [M+H] ⁺ ; ¹ H-NMR (300 MHz, DMSO- <i>d</i> ₆) δ 9.53 – 9.23 (m, 1H), 8.67-5.59 (m, 0.5H), 8.15 – 8.08 (m, 0.5H), 7.65 (d, J = 7.1 Hz, 1H), 7.57 (dd, J = 8.4, 5.3 Hz, 1H), 7.45 (t, J = 9.7 Hz, 1H), 7.08 (s, 1H), 7.00 (s, 1H), 6.56 (d, J = 11.7 Hz, 1H), 5.52-5.43 (m, 1H), 5.25 – 5.09 (m, 1H), 4.74 – 4.54 (m, 1H), 4.52 – 4.33 (m, 3H), 4.32 – 4.02 (m, 6H), 4.01 – 3.70 (m, 4H), 3.60 – 3.48 (m, 1H), 2.84 – 2.71 (m, 5H), 2.60 (ddd, J = 9.6, 6.9, 2.1 Hz, 4H), 2.15 – 2.00 (m, 2H), 1.81 (dd, J = 7.4, 3.7 Hz, 1H), 1.62 – 1.48 (m, 2H), 0.97 – 0.85 (m, 3H), 0.75 (dd, J = 16.1, 6.5 Hz, 3H).

FIG. 1 cont.





	Structure	Method	Analytic Data
156		A	ESI-MS m/z : 782.1; $^1\text{H-NMR}$ (400 MHz, MeOD) δ 7.41 (d, J = 8.3 Hz, 1H), 7.31 (dd, J = 15.7, 8.3 Hz, 1H), 6.98 (s, 1H), 6.83 (d, J = 5.7 Hz, 1H), 6.60 (d, J = 17.2 Hz, 1H), 5.65 (d, J = 4.9 Hz, 1H), 4.81 – 4.65 (m, 2H), 4.56 – 4.44 (m, 2H), 4.44 – 4.23 (m, 3H), 4.22 – 4.02 (m, 4H), 3.89 (d, J = 4.5 Hz, 1H), 3.65 (d, J = 11.6 Hz, 1H), 3.18 – 2.97 (m, 3H), 2.88 (d, J = 6.5 Hz, 4H), 2.66 (s, 3H), 2.21 – 2.03 (m, 2H), 1.81 (s, 1H), 1.41 (s, 2H), 1.23 – 0.74 (m, 12H).
157		A	ESI-MS m/z = 754.3 $[\text{M}+\text{H}]^+$; $^1\text{H-NMR}$ (400MHz, MeOD- d^4) δ 7.79 (s, 1H), 7.59-7.57 (m, 2H), 7.30 (s, 1H), 6.96 (s, 1H), 6.64 (s, 1H), 5.47 (brs, 1H), 4.70-4.65 (m, 1H), 4.40-4.25 (m, 3H), 4.13-3.75 (m, 5H), 3.34-3.30 (m, 1H), 2.93-2.62 (m, 9H), 2.20-1.90 (m, 7H), 1.62-1.45 (m, 3H), 1.19-0.81 (m, 12H).
158		A	ESI-MS m/z : 750.3 $[\text{M}+\text{H}]^+$; $^1\text{H NMR}$ (400 MHz, MeOD) δ 8.43 (s, 1H), 7.90 – 7.37 (m, 3H), 7.21 – 6.88 (m, 2H), 6.59 (d, J = 47.2 Hz, 1H), 5.58 (dd, J = 32.4, 8.4 Hz, 1H), 4.69 (dd, J = 18.5, 9.9 Hz, 1H), 4.57 – 4.33 (m, 2H), 4.29 – 3.78 (m, 4H), 3.68 – 3.33 (m, 2H), 3.36 (m, 2H), 2.97 (m, 2H), 2.83 – 2.58 (m, 8H), 2.47 – 2.10 (m, 4H), 1.92 (dd, J = 32.4, 17.9 Hz, 2H), 1.81 – 1.32 (m, 5H), 1.11 – 0.58 (m, 6H).
159		A	ESI-MS m/z = 754.3 $[\text{M}+\text{H}]^+$; $^1\text{H-NMR}$ (400 MHz, MeOD) δ 7.88 – 7.67 (m, 1H), 7.65 – 7.51 (m, 2H), 7.15 (d, J = 26.7 Hz, 1H), 6.99 (d, J = 15.4 Hz, 1H), 6.63 (dd, J = 18.9, 12.5 Hz, 1H), 5.57 (dd, J = 12.8, 6.7 Hz, 1H), 5.43 – 5.27 (m, 1H), 4.74 (d, J = 11.1 Hz, 1H), 4.51 – 4.31 (m, 1H), 4.29 – 4.15 (m, 1H), 4.07 (d, J = 16.3 Hz, 1H), 4.04 – 3.92 (m, 1H), 3.88 – 3.73 (m, 1H), 3.73 – 3.57 (m, 1H), 3.57 – 3.36 (m, 2H), 3.08 – 2.54 (m, 9H), 2.30 – 1.80 (m, 7H), 1.62 (s, 2H), 1.42 – 1.24 (m, 3H), 1.09 – 0.74 (m, 9H).

FIG. 1 cont.





	Structure	Method	Analytic Data
160		A	ESI-MS m/z : 756.4; ¹ H-NMR (400 MHz, MeOD) δ 7.74 – 7.48 (m, 4H), 7.01 (ddd, J = 27.6, 20.5, 6.3 Hz, 2H), 6.62 (dd, J = 32.3, 8.0 Hz, 1H), 5.57 – 5.48 (m, 1H), 4.71 (ddd, J = 49.9, 27.0, 6.2 Hz, 1H), 4.43 – 4.20 (m, 3H), 4.11 – 3.96 (m, 2H), 3.87 (ddd, J = 29.7, 14.3, 6.3 Hz, 2H), 3.75 – 3.58 (m, 3H), 3.55 – 3.35 (m, 3H), 3.05 – 2.94 (m, 3H), 2.93 – 2.74 (m, 3H), 2.63 (t, J = 4.6 Hz, 3H), 2.33 – 2.07 (m, 4H), 2.06 – 1.98 (m, 4H), 1.92 (dd, J = 18.8, 11.5 Hz, 1H), 1.75 – 1.53 (m, 2H), 1.16 – 0.81 (m, 12H).
161		A	ESI-MS m/z : 768.3; ¹ H-NMR (400 MHz, MeOD) δ 7.74 – 7.48 (m, 4H), 7.01 (ddd, J = 27.6, 20.5, 6.3 Hz, 2H), 6.62 (dd, J = 32.3, 8.0 Hz, 1H), 5.57 – 5.48 (m, 1H), 4.71 (ddd, J = 49.9, 27.0, 6.2 Hz, 1H), 4.43 – 4.20 (m, 3H), 4.11 – 3.96 (m, 2H), 3.87 (ddd, J = 29.7, 14.3, 6.3 Hz, 2H), 3.75 – 3.58 (m, 3H), 3.55 – 3.35 (m, 3H), 3.05 – 2.94 (m, 3H), 2.93 – 2.74 (m, 3H), 2.63 (t, J = 4.6 Hz, 3H), 2.33 – 2.07 (m, 4H), 2.06 – 1.98 (m, 4H), 1.92 (dd, J = 18.8, 11.5 Hz, 1H), 1.75 – 1.53 (m, 2H), 1.16 – 0.81 (m, 12H).
162		A	ESI-MS m/z : 756.3; ¹ H-NMR (400 MHz, MeOD) δ 7.81 (s, 1H), 7.60 – 7.58 (m, 2H), 7.3-7.00 (m, 2H), 6.75 – 6.40 (m, 2H), 6.25 (d, J = 33.9 Hz, 1H), 5.76-5.74 (ddd, J = 14.0, 8.5, 4.7 Hz, 2H), 4.76 – 4.65 (m, 0H), 4.39 (dd, J = 30.1, 15.4 Hz, 0H), 3.90 – 3.76 (m, 0H), 3.68 – 3.55 (m, 0H), 3.17 (s, 0H), 3.09 – 2.92 (m, 0H), 2.88 – 2.72 (m, 0H), 2.63 (d, J = 2.9 Hz, 0H), 2.42 (dd, J = 12.4, 8.2 Hz, 0H), 2.20 (t, J = 12.3 Hz, 0H), 2.10 – 1.98 (m, 0H), 1.96 – 1.85 (m, 0H), 1.62 – 1.37 (m, 0H), 1.29 (dd, J = 13.9, 5.4 Hz, 0H), 1.19 – 0.76 (m, 12H).
163		A	ESI-MS m/z : 769.3; ¹ H NMR (400 MHz, MeOD) δ 7.69 (s, 1H), 7.60 – 7.49 (m, 2H), 7.46 (d, J = 8.3 Hz, 1H), 7.12 – 6.87 (m, 2H), 6.70 (d, J = 33.9 Hz, 1H), 5.46 (s, 1H), 5.00 (ddd, J = 14.0, 8.5, 4.7 Hz, 2H), 4.76 – 4.65 (m, 0H), 4.39 (dd, J = 30.1, 15.4 Hz, 0H), 3.90 – 3.76 (m, 0H), 3.68 – 3.55 (m, 0H), 3.17 (s, 0H), 3.09 – 2.92 (m, 0H), 2.88 – 2.72 (m, 0H), 2.63 (d, J = 2.9 Hz, 0H), 2.42 (dd, J = 12.4, 8.2 Hz, 0H), 2.20 (t, J = 12.3 Hz, 0H), 2.10 – 1.98 (m, 0H), 1.96 – 1.85 (m, 0H), 1.62 – 1.37 (m, 0H), 1.29 (dd, J = 13.9, 5.4 Hz, 0H), 1.19 – 0.76 (m, 12H).

FIG. 1 cont.





	Structure	Method	Analytic Data
164		A	ESI-MS m/z : 700.3; ¹ H NMR (400 MHz, MeOD) δ 8.43 (s, 1H), 7.81 – 7.62 (m, 2H), 7.57 (dd, J = 8.3, 1.7 Hz, 1H), 7.45 (t, J = 8.4 Hz, 1H), 7.07 (d, J = 69.2 Hz, 1H), 6.93 (s, 1H), 6.55 (s, 1H), 6.40 (d, J = 17.1 Hz, 1H), 5.81 (dd, J = 10.5, 2.0 Hz, 1H), 5.67 (ddd, J = 39.9, 9.4, 3.4 Hz, 1H), 5.00 (d, J = 38.6 Hz, 2H), 4.42 (s, 1H), 4.25 – 3.95 (m, 2H), 3.89 – 3.63 (m, 3H), 3.49 – 3.34 (m, 2H), 3.27 – 3.16 (m, 1H), 3.03 – 2.91 (m, 1H), 2.80 – 2.65 (m, 4H), 2.41 (ddd, J = 47.7, 20.0, 12.8 Hz, 2H), 2.05 (ddd, J = 84.3, 22.1, 11.5 Hz, 3H), 1.71 (dd, J = 17.5, 10.2 Hz, 3H), 1.66 – 1.46 (m, 2H), 1.01 – 0.75 (m, 6H).
165		A	ESI-MS m/z = 697.3 [M+H] ⁺ ; ¹ H-NMR (300 MHz, DMSO- <i>d</i> ₆) δ 9.48 (s, 1H), 8.62 (s, 1H), 8.49 (d, J = 7.9 Hz, 1H), 8.17 (d, J = 1.6 Hz, 1H), 7.94 (d, J = 1.4 Hz, 1H), 7.62 (dd, J = 17.1, 10.4 Hz, 1H), 7.06 – 6.96 (m, 2H), 6.69 (d, J = 1.8 Hz, 1H), 6.32 (dd, J = 17.2, 2.3 Hz, 1H), 5.83 (dd, J = 10.4, 2.3 Hz, 1H), 5.40 (t, J = 8.1 Hz, 1H), 5.08 (d, J = 12.2 Hz, 1H), 4.52 (m, 2H), 4.25 (d, J = 12.8 Hz, 1H), 4.13 (d, J = 10.5 Hz, 1H), 4.08 – 3.86 (m, 2H), 3.76 (t, J = 8.2 Hz, 2H), 3.43 (q, J = 13.2, 11.0 Hz, 2H), 2.73 (m, 3H), 2.22 (m, 2H), 2.07 (t, J = 11.9 Hz, 2H), 1.82 (s, 1H), 1.59 – 1.45 (m, 2H), 0.92 (d, J = 6.5 Hz, 3H), 0.82 (d, J = 6.5 Hz, 3H).
166		A	ESI-MS m/z: 828.3; ¹ H-NMR (400 MHz, MeOD) δ 7.73 – 7.71 (m, 2H), 7.64 – 7.61 (m, 2H), 7.59 – 7.49 (m, 2H), 7.17 – 7.14 (m, 2H), 7.01 (d, J = 1.8 Hz, 1H), 6.56 (s, 1H), 5.61 – 5.58 (m, 1H), 4.72 – 4.70 (m, 1H), 4.62 (d, J = 16.0 Hz, 2H), 4.56 – 4.41 (m, 3H), 4.31 – 4.29 (m, 1H), 4.12 – 4.08 (m, 3H), 3.83 – 3.68 (m, 5H), 3.61 – 3.50 (m, 1H), 2.83 – 2.78 (m, 1H), 2.71 – 2.65 (m, 4H), 1.93 – 1.92 (m, 2H), 1.68 – 1.67 (m, 1H), 1.58 – 1.57 (m, 2H), 1.57 – 1.56 (m, 1H), 1.53 – 1.52 (m, 1H), 0.94 – 0.82 (m, 6H).
167		A	ESI-MS m/z: 823.3; ¹ H-NMR (400 MHz, MeOD) δ 8.56 – 8.15 (m, 1H), 8.15 – 8.03 (m, 1H), 8.00 – 7.91 (m, 2H), 7.93 – 7.70 (m, 3H), 7.27 – 6.96 (m, 2H), 6.78 – 6.55 (m, 1H), 5.82 – 5.50 (m, 1H), 4.81 – 4.66 (m, 2H), 4.59 – 4.35 (m, 4H), 4.35 – 4.19 (m, 1H), 4.16 – 4.03 (m, 2H), 4.01 – 3.87 (m, 2H), 3.85 – 3.66 (m, 1H), 3.09 – 2.83 (m, 1H), 3.00 – 2.63 (m, 4H), 2.26 – 2.00 (m, 2H), 1.93 – 1.80 (m, 1H), 2.34 – 1.22 (m, 4H), 1.80 – 1.46 (m, 2H), 1.40 – 1.13 (m, 1H), 1.09 – 0.67 (m, 6H).

FIG. 1 cont.





	Structure	Method	Analytic Data
168		A	ESI-MS m/z: 828.3[M+H] ⁺ ; ¹ H NMR (400 MHz, MeOD) δ 7.79 (s, 1H), 7.71 (d, 1H), 7.61 (m, 2H), 7.49 (d, 1H), 7.23 (d, 1H), 7.16 (m, 2H), 7.02 (d, 1H), 6.55 (s, 1H), 5.59 (s, 1H), 4.72 (m, 1H), 4.56-4.36 (m, 4H), 4.27 (m, 2H), 4.19-4.05 (m, 3H), 3.99-3.79 (m, 6H), 3.71-3.63 (m, 1H), 3.04-2.90 (m, 2H), 2.74 (m, 4H), 2.20-2.08 (m, 2H), 1.91 (d, 2H), 1.80 (s, 1H), 1.68 (d, 1H), 1.59-1.50 (m, 1H), 1.30 (s, 1H), 0.88 (m, 5H).
169		A	ESI-MS m/z = 799.3 [M+H] ⁺ ; ¹ H-NMR (400MHz, MeOD-c4) δ 9.03 (s, 1H), 8.77 (d, J = 8 Hz, 1H), 8.32 (d, J = 8 Hz, 1H), 7.76-7.69 (m, 1H), 7.69-7.67 (m, 1H), 7.67-7.63 (m, 2H), 7.17 (s, 1H), 7.13 (d, J = 12 Hz, 1H), 6.60-6.57 (m, 1H), 5.62-5.60 (m, 1H), 4.87-4.55 (m, 3H), 4.45-4.30 (m, 3H), 4.30-4.25 (m, 1H), 4.25-4.15 (m, 3H), 3.91-3.74 (m, 4H), 2.94-2.76 (m, 6H), 2.14-1.89 (m, 5H), 1.66-1.54 (m, 2H), 0.94-0.82 (m, 6H).
170		A	ESI-MS m/z: 806.3 [M+H] ⁺ ; ¹ H-NMR (400 MHz, MeOD) δ 7.75-7.61 (m, 2H), 7.60-7.52 (m, 1H), 7.14 (s, 1H), 7.00 (d, 1H), 6.53 (s, 1H), 5.59 (s, 1H), 4.93 (s, 1H), 4.71 (m, 1H), 4.57-4.35 (m, 5H), 4.30-4.20 (m, 1H), 4.10 (m, 6H), 3.96-3.75 (m, 3H), 3.65 (m, 2H), 2.94 (d, 2H), 2.75 (d, 4H), 2.28-2.10 (m, 5H), 2.03 (m, 1H), 1.89 (m, 3H), 1.73-1.62 (m, 1H), 1.58 (d, 1H), 0.96-0.75 (m, 6H).
171		A	ESI-MS m/z = 770.4 [M+H] ⁺ ; ¹ H-NMR (300 MHz, DMSO-d ₆) δ 9.39 (s, 1H), 9.10 (s, 1H), 8.71-8.65 (m, 1H), 8.02-7.95 (m, 1H), 7.71-7.70 (m, 1H), 7.58-7.55 (m, 1H), 7.47-7.45 (m, 1H), 7.12-7.10 (m, 1H), 6.98-6.98 (m, 1H), 6.55-6.53 (d, J = 6 Hz, 1H), 5.42 (s, 1H), 5.14 (s, 1H), 4.66-4.24 (m, 5H), 4.13-4.08 (m, 1H), 3.97-3.94 (m, 1H), 3.85-3.81 (d, J = 12 Hz, 2H), 3.52-3.48 (m, 2H), 2.95 (s, 2H), 2.78 (s, 3H), 2.58 (s, 3H), 2.07-2.05 (m, 1H), 1.95 (s, 6H), 1.80 (s, 1H), 1.60 (s, 2H), 1.11 (s, 3H), 0.98-0.85 (m, 7H), 0.74-0.72 (d, J = 6 Hz, 2H).

FIG. 1 cont.





	Structure	Method	Analytic Data
172		A	ESI-MS m/z = 779.3 $[M+H]^+$; 1H -NMR (300 MHz, Acetonitrile- d_3) δ 8.07 – 7.86 (m, 1H), 7.75 (dd, J = 11.4, 6.2 Hz, 2H), 7.31 (d, J = 4.3 Hz, 1H), 7.00 (t, J = 9.9 Hz, 1H), 6.91 (s, 1H), 6.78 (dd, J = 21.4, 13.3 Hz, 1H), 6.62 (d, J = 6.4 Hz, 1H), 5.84 (s, 1H), 4.63 (t, J = 11.8 Hz, 2H), 4.44 (td, J = 15.5, 13.1, 5.6 Hz, 4H), 4.27 (dt, J = 18.0, 9.3 Hz, 4H), 4.12 – 3.90 (m, 3H), 3.89 – 3.39 (m, 3H), 3.08 – 2.84 (m, 3H), 2.74 (d, J = 30.9 Hz, 4H), 2.30 (s, 2H), 1.80 (d, J = 11.8 Hz, 1H), 1.49 (q, J = 12.2, 11.7 Hz, 2H), 0.95 (dd, J = 9.5, 6.3 Hz, 3H), 0.83 (q, J = 6.3 Hz, 3H).
173		A	ESI, m/z : 672.2 $[M+H]^+$; 1H -NMR (300 MHz, DMSO- d_6) δ 9.43 (s, 1H), 8.59 (s, 1H), 8.48 (d, J = 7.9 Hz, 1H), 8.59 (s, 1H), 7.77 (d, J = 3 Hz, 1H), 7.69-7.55 (m, 1H), 6.99 (d, J = 15.9 Hz, 2H), 6.66-6.64 (m, 2H), 6.31 (dd, J = 17.2, 2.2 Hz, 1H), 5.83 (dd, J = 10.4, 2.2 Hz, 1H), 5.45-5.35 (m, 1H), 5.04 (d, J = 8.7 Hz, 1H), 4.53-4.51 (m, 1H), 4.35-4.23 (m, 2H), 4.13 (d, J = 9 Hz, 1H), 4.07-4.06 (m, 1H), 3.91-3.86 (m, 1H), 3.78-3.73 (m, 2H), 3.54-3.44 (m, 2H), 2.78-2.68 (m, 4H), 2.27-2.05 (m, 4H), 1.85-1.81 (m, 1H), 1.65-1.45 (m, 2H), 1.24 (s, 2H), 0.92 (d, J = 6.5 Hz, 3H), 0.81 (d, J = 6.6 Hz, 3H).
174		A	ESI-MS m/z = 702.2 $[M+H]^+$; (300 MHz, CD_3OD) δ 7.81 (d, J = 8.2 Hz, 1H), 7.70 (dd, J = 17.1, 10.5 Hz, 1H), 7.60 (s, 1H), 7.42 (d, J = 8.2 Hz, 1H), 7.07 (s, 1H), 6.98 (d, J = 2.2 Hz, 1H), 6.65 (s, 1H), 6.42 (dd, J = 17.1, 2.0 Hz, 1H), 5.83 (dd, J = 10.6, 2.1 Hz, 1H), 5.69 (dd, J = 8.4, 5.5 Hz, 1H), 4.78 (d, J = 12.2 Hz, 1H), 4.44-4.38 (m, 2H), 4.14 (d, J = 11.0 Hz, 2H), 3.87-3.82 (m, 3H), 3.56 (s, 4H), 3.46 (t, J = 8.1 Hz, 2H), 2.94-2.85 (m, 2H), 2.67 (t, J = 11.9 Hz, 1H), 2.22-2.00 (m, 2H), 1.86-1.70 (m, 3H), 1.53-1.49 (m, 2H), 0.94 (dd, J = 9.3, 6.6 Hz, 6H).
175		A	ESI-MS m/z = 751.4 $[M+H]^+$; 1H -NMR (300 MHz, Methanol- d_4) δ 8.32 (dd, J = 14.0, 7.8 Hz, 1H), 8.05 (d, J = 8.7 Hz, 1H), 7.98 (d, J = 5.7 Hz, 1H), 7.80 (t, J = 8.5 Hz, 1H), 7.22 (d, J = 4.5 Hz, 1H), 7.08 (d, J = 9.2 Hz, 1H), 6.65 (s, 1H), 5.58 (d, J = 5.3 Hz, 1H), 4.75 (dd, J = 11.2, 6.7 Hz, 1H), 4.62-4.46 (m, 4H), 4.30-4.10 (m, 4H), 3.98-3.93 (m, 2H), 3.73 (d, J = 11.8 Hz, 1H), 3.16 (d, J = 11.8 Hz, 1H), 2.97-2.75 (m, 6H), 2.24-2.20 (m, 2H), 1.97 (d, J = 12.8 Hz, 1H), 1.76-1.58 (m, 2H), 1.29 (s, 3H), 1.16 (d, J = 2.4 Hz, 3H), 0.92 (dd, J = 31.3, 6.5 Hz, 6H).

FIG. 1 cont.

	Structure	Method	Analytic Data
176		A	ESI-MS m/z : 775.3[M+H] ⁺ ; ¹ H NMR (400 MHz, MeOD) δ 8.18 (d, <i>J</i> = 2.0 Hz, 1H), 8.07 (d, <i>J</i> = 8.3 Hz, 1H), 7.87 (d, <i>J</i> = 4.5 Hz, 1H), 7.77 (dd, <i>J</i> = 14.5, 8.4 Hz, 1H), 7.28 – 7.19 (m, 1H), 6.64 (d, <i>J</i> = 6.1 Hz, 1H), 5.66 (dd, <i>J</i> = 9.9, 3.8 Hz, 1H), 4.94 (s, 1H), 4.73 – 4.60 (m, 2H), 4.57 – 4.40 (m, 2H), 4.37 – 4.00 (m, 5H), 3.99 – 3.68 (m, 3H), 3.61 (d, <i>J</i> = 10.4 Hz, 1H), 3.05 – 2.61 (m, 6H), 2.23 – 2.02 (m, 2H), 1.90 (dd, <i>J</i> = 14.1, 10.5 Hz, 1H), 1.78 – 1.55 (m, 2H), 1.13 – 0.99 (m, 6H), 0.91 (d, <i>J</i> = 5.1 Hz, 3H), 0.80 (d, <i>J</i> = 10.8 Hz, 3H).
177		A	ESI-MS m/z : 765.3 [M+H] ⁺ ; ¹ H-NMR (400 MHz, MeOD) δ 7.29 (d, <i>J</i> = 20.0 Hz, 2H), 7.21 (dd, <i>J</i> = 24.7, 5.5 Hz, 1H), 7.04 (s, 1H), 6.90 (dd, <i>J</i> = 15.8, 8.4 Hz, 1H), 6.64 – 6.53 (m, 1H), 5.53 (dd, <i>J</i> = 12.7, 6.2 Hz, 1H), 4.81 – 4.67 (m, 2H), 4.48 (ddd, <i>J</i> = 38.5, 17.8, 11.4 Hz, 3H), 4.31 – 4.02 (m, 3H), 3.98 – 3.89 (m, 1H), 3.83 (dd, <i>J</i> = 13.0, 8.1 Hz, 2H), 3.63 (ddd, <i>J</i> = 54.9, 38.4, 22.5 Hz, 6H), 3.00 – 2.78 (m, 5H), 2.70 (t, <i>J</i> = 11.7 Hz, 1H), 2.26 – 2.14 (m, 1H), 2.10 (d, <i>J</i> = 12.4 Hz, 1H), 1.89 (d, <i>J</i> = 10.1 Hz, 1H), 1.58 (ddd, <i>J</i> = 35.0, 17.9, 7.2 Hz, 2H), 1.04 (t, <i>J</i> = 20.0 Hz, 6H), 0.90 (dd, <i>J</i> = 42.5, 6.5 Hz, 6H).
178		A	ESI-MS m/z : 750.3; ¹ H NMR (400 MHz, MeOD) δ 8.85 (d, <i>J</i> = 11.6 Hz, 1H), 7.92 (d, <i>J</i> = 10.4 Hz, 1H), 7.53 – 7.25 (m, 3H), 6.81 – 6.61 (m, 2H), 5.57 – 5.48 (m, 1H), 4.78 – 4.69 (m, 1H), 4.62 – 4.49 (m, 3H), 4.43 (dd, <i>J</i> = 8.8, 6.0 Hz, 1H), 4.31 – 4.22 (m, 1H), 4.20 – 4.03 (m, 3H), 4.01 – 3.88 (m, 3H), 3.73 (d, <i>J</i> = 11.4 Hz, 1H), 3.26 (s, 1H), 3.09 – 2.88 (m, 2H), 2.84 (t, <i>J</i> = 5.3 Hz, 3H), 2.76 (dd, <i>J</i> = 21.3, 9.1 Hz, 1H), 2.24 – 2.12 (m, 2H), 1.95 (d, <i>J</i> = 12.4 Hz, 1H), 1.64 (dd, <i>J</i> = 35.3, 22.7 Hz, 3H), 1.24 – 0.80 (m, 12H).
179		A	ESI-MS m/z = 779.4 [M+H] ⁺ ; ¹ H-NMR (300 MHz, DMSO- <i>d</i> ₆) δ 9.42-9.40 (m, 1H), 8.53-8.48 (m, 1H), 7.99-7.91 (m, 1H), 7.45-7.31 (m, 3H), 7.17-7.13 (m, 1H), 6.95 (s, 1H), 6.66-6.57 (m, 1H), 5.46-5.40 (m, 2H), 4.70-4.39 (m, 2H), 4.25-4.15 (m, 5H), 3.95-3.75 (m, 7H), 2.91-2.75 (m, 4H), 2.25-1.91 (m, 5H), 1.54 (s, 2H), 1.35-1.29 (m, 6H), 1.00-0.87 (m, 6H), 0.74-0.70 (m, 3H).

FIG. 1 cont.





	Structure	Method	Analytic Data
180		A	ESI-MS m/z = 821.4 $[M+H]^+$; 1H -NMR (300 MHz, $DMSO-d_6$) δ 9.47-9.25 (m, 1H), 8.55-8.47 (m, 0.5H), 7.99-7.96 (m, 0.5H), 7.63 (d, J = 7.8 Hz, 1H), 7.31-7.23 (m, 2H), 7.14-7.09 (m, 1H), 6.95 (s, 1H), 6.66-6.56 (m, 1H), 5.47-4.38 (m, 2H), 4.67-4.35 (m, 3H), 4.14-4.08 (m, 6H), 3.90-3.70 (m, 9H), 3.01-3.48 (m, 1H), 2.88-2.67 (m, 5H), 2.26 (s, 1H), 2.08-2.05 (m, 1H), 1.91-1.78 (m, 6H), 1.55 (s, 2H), 1.02-0.89 (m, 6H), 0.76-0.71 (m, 3H).
181		A	ESI-MS m/z = 669.2 $[M+H]^+$; 1H NMR (300 MHz, CD_3OD) δ 8.77 – 8.76 (d, J = 4.5 Hz, 1H), 8.53 (s, 2H), 8.42 (s, 1H), 8.13 – 8.07 (m, 2H), 7.66 (m, 1H), 7.47 – 7.46 (d, J = 4.5 Hz, 1H), 7.38 (s, 1H), 7.03 (s, 1H), 6.66 (s, 1H), 6.45 – 6.38 (m, 1H), 5.93-5.91 (t, J = 7.8 Hz, 1H), 5.84 – 5.80 (d, J = 10.5 Hz, 1H), 4.34-4.32 (d, J = 7.5 Hz, 1H), 4.12 (m, 2H), 3.90 – 3.84 (m, 3H), 3.62 – 3.60 (m, 1H), 3.55-3.49 (m, 1H), 3.14-3.11 (m, 1H), 2.98 – 2.96 (d, J = 7.5 Hz, 2H), 2.67 (m, 1H), 2.18 (m, 1H), 1.79-1.76 (d, J = 10.5 Hz, 2H), 1.47 (m, 1H), 1.30 (m, 4H), 0.99-0.95 (d, J = 11.1 Hz, 6H).
182		A	ESI-MS m/z : 689.3; 1H NMR (400 MHz, MeOD) δ 7.63 (dd, J = 17.1, 10.5 Hz, 1H), 6.96 (d, J = 9.1 Hz, 2H), 6.79 (s, 0H), 6.75 – 6.68 (m, 0H), 6.48 (s, 0H), 6.39 (dd, J = 17.2, 2.0 Hz, 0H), 5.79 (dd, J = 10.5, 2.0 Hz, 0H), 5.75 – 5.69 (m, 0H), 4.32 (d, J = 12.9 Hz, 0H), 4.22 (dd, J = 12.1, 6.9 Hz, 1H), 4.11 – 4.02 (m, 0H), 3.73 (dt, J = 14.9, 7.9 Hz, 1H), 3.43 – 3.33 (m, 1H), 3.11 (s, 0H), 2.93 (dd, J = 13.0, 6.0 Hz, 0H), 2.75 (dd, J = 12.9, 8.8 Hz, 0H), 2.22 – 1.95 (m, 1H), 1.86 (d, J = 10.6 Hz, 0H), 1.54 (dd, J = 18.8, 10.2 Hz, 0H), 0.90 (dd, J = 16.9, 6.6 Hz, 6H).
183		A ¹	ESI-MS m/z : 753.3; 1H NMR (400 MHz, MeOD) δ 6.87 (d, J = 8.9 Hz, 2H), 6.81 – 6.75 (m, 1H), 6.74 – 6.62 (m, 2H), 6.50 (d, J = 24.8 Hz, 1H), 5.60 (d, J = 6.9 Hz, 1H), 4.68 (dd, J = 11.1, 5.2 Hz, 1H), 4.59 (d, J = 38.5 Hz, 1H), 4.46 (dt, J = 14.9, 9.3 Hz, 2H), 4.33 (s, 1H), 4.30 – 4.03 (m, 4H), 4.03 – 3.84 (m, 3H), 3.82 – 3.73 (m, 1H), 3.69 – 3.54 (m, 1H), 3.44 (ddd, J = 12.0, 6.2, 3.0 Hz, 1H), 2.98 – 2.76 (m, 6H), 2.68 (s, 1H), 2.29 (s, 1H), 2.24 – 2.13 (m, 1H), 1.97 (d, J = 12.2 Hz, 1H), 1.83 (d, J = 11.7 Hz, 1H), 1.61 – 1.39 (m, 2H), 1.20 – 0.89 (m, 6H), 0.84 (t, J = 6.6 Hz, 3H).

FIG. 1 cont.





	Structure	Method	Analytic Data
184		A ¹	ESI-MS <i>m/z</i> : 753.3; ¹ H NMR (400 MHz, MeOD) δ 7.07 – 6.95 (m, 2H), 6.82 (d, <i>J</i> = 1.7 Hz, 1H), 6.78 – 6.67 (m, 2H), 6.44 (s, 1H), 5.79 – 5.67 (m, 1H), 4.59 (dd, <i>J</i> = 11.0, 3.3 Hz, 1H), 4.42 (dq, <i>J</i> = 15.1, 8.8 Hz, 2H), 4.29 – 4.09 (m, 5H), 4.09 – 3.92 (m, 4H), 3.74 (s, 2H), 3.51 – 3.37 (m, 2H), 3.18 (s, 1H), 3.09 (dd, <i>J</i> = 14.9, 7.4 Hz, 1H), 2.93 (d, <i>J</i> = 7.7 Hz, 1H), 2.92 – 2.48 (m, 5H), 2.32 (s, 1H), 2.20 – 2.09 (m, 1H), 1.99 – 1.84 (m, 2H), 1.56 (s, 2H), 1.11 (d, <i>J</i> = 6.9 Hz, 3H), 1.04 – 0.87 (m, 3H), 0.86 – 0.72 (m, 3H).
185		B	ESI-MS <i>m/z</i> : 773.4 [M+H] ⁺ ; ¹ H-NMR (300 MHz, DMSO- <i>d</i> ₆) δ 9.63 – 9.52 (m, 1H), 8.58 – 8.44 (m, 1H), 8.17 – 8.00 (m, 3H), 7.85 (d, <i>J</i> = 8.4 Hz, 1H), 7.19 (dd, <i>J</i> = 8.5, 3.7 Hz, 2H), 7.03 (d, <i>J</i> = 3.2 Hz, 1H), 6.77 (s, 1H), 6.65 (d, <i>J</i> = 6.1 Hz, 1H), 5.52 (s, 1H), 5.27 – 5.16 (m, 1H), 4.60 – 4.43 (m, 3H), 4.40 – 4.20 (m, 3H), 4.19 – 4.00 (m, 5H), 3.90 – 3.60 (m, 5H), 3.10 – 2.81 (m, 2H), 2.78 – 2.60 (m, 2H), 2.50 – 2.45 (m, 1H), 2.40 – 2.30 (m, 1H), 2.20 – 2.00 (m, 1H), 1.98 – 1.70 (m, 2H), 1.25 (s, 1H), 0.88 (dd, <i>J</i> = 16.5, 6.4 Hz, 3H), 0.78 – 0.64 (m, 3H).
186		A	(ES, <i>m/z</i>): 808.6 [M+H] ⁺ ; ¹ H-NMR (300 MHz, DMSO- <i>d</i> ₆) δ 9.51 – 9.42 (m, 1H), 7.56 – 7.34 (m, 2H), 7.16 (d, <i>J</i> = 8.3 Hz, 1H), 6.87 (d, <i>J</i> = 11.7 Hz, 2H), 6.52 (d, <i>J</i> = 22.6 Hz, 1H), 5.57 (s, 1H), 4.78 – 4.04 (m, 9H), 4.02 – 3.52 (m, 7H), 3.17 (s, 5H), 2.95 – 2.55 (m, 7H), 2.39 (s, 2H), 2.08 (s, 1H), 1.95 – 1.65 (s, 2H), 1.20 (d, <i>J</i> = 22.9 Hz, 3H), 1.05 (t, <i>J</i> = 7.0 Hz, 3H), 0.89 (t, <i>J</i> = 8.2 Hz, 6H), 0.76 (d, <i>J</i> = 7.3 Hz, 3H).
187		A	(ES, <i>m/z</i>): 794.5 [M+H] ⁺ ; ¹ H-NMR (300 MHz, Acetonitrile- <i>d</i> ₃) δ 7.96 (s, 1H), 7.70 – 7.05 (m, 3H), 7.05 – 6.40 (m, 3H), 5.75 (q, <i>J</i> = 8.0, 6.1 Hz, 1H), 4.78 – 4.32 (m, 5H), 4.32 – 3.79 (m, 9H), 3.81 – 3.48 (m, 2H), 3.44 – 2.88 (m, 4H), 2.84 (s, 1H), 2.54 (s, 3H), 2.40 (s, 1H), 2.15 (ddd, <i>J</i> = 17.4, 14.9, 8.4 Hz, 2H), 1.93 – 1.75 (m, 3H), 1.70 – 1.38 (m, 3H), 1.38 – 1.11 (m, 4H), 1.04 (s, 4H), 0.99 – 0.94 (m, 1H), 0.91 (dd, <i>J</i> = 6.4, 1.8 Hz, 3H), 0.81 (d, <i>J</i> = 6.6 Hz, 1H), 0.76 (t, <i>J</i> = 6.5 Hz, 3H).

FIG. 1 cont.





	Structure	Method	Analytic Data
188		A	ESI-MS m/z = 808.6 $[M+H]^+$; 1H -NMR: (300 MHz, Methanol- d_4) δ 7.56 – 7.44 (m, 1H), 7.40 (d, J = 8.3 Hz, 1H), 7.36 – 7.28 (m, 1H), 7.05 (s, 1H), 6.91 (s, 1H), 6.66 – 6.53 (m, 1H), 5.83 (t, J = 7.7 Hz, 1H), 4.63 (d, J = 11.0 Hz, 1H), 4.47 (td, J = 10.5, 9.7, 6.4 Hz, 2H), 4.35 – 3.91 (m, 7H), 3.89 – 3.46 (m, 5H), 3.39 – 3.35 (m, 1H), 3.32 – 3.29 (m, 1H), 2.98 (s, 2H), 2.74 (s, 4H), 2.60 – 2.10 (m, 4H), 2.02 – 1.69 (m, 3H), 1.47 (s, 2H), 1.12 (t, J = 7.1 Hz, 3H), 1.05 – 0.90 (m, 6H), 0.84 (d, J = 6.6 Hz, 3H).
189		A	(ES, m/z): 780.3 $[M+H]^+$; 1H -NMR (300 MHz, DMSO- d_6) δ 9.36 (d, J = 19.0 Hz, 1H), 8.21 (s, 1H), 7.40 (s, 2H), 7.22 (d, J = 8.4 Hz, 1H), 7.03 (d, J = 21.9 Hz, 2H), 6.69 – 6.43 (m, 1H), 5.34 (d, J = 8.7 Hz, 1H), 5.17–5.15 (m, 1H), 4.71 (d, J = 10.7 Hz, 1H), 4.54 – 4.36 (m, 1H), 4.34 – 4.09 (m, 5H), 4.09 – 3.71 (m, 6H), 3.54 (d, J = 11.5 Hz, 1H), 3.37 (s, 3H), 2.92 – 2.65 (m, 6H), 2.08 (s, 2H), 1.82 (s, 1H), 1.60 (s, 2H), 1.03 (d, J = 25.7 Hz, 6H), 0.96 – 0.84 (m, 3H), 0.85 – 0.66 (m, 3H).
190		A	ESI-MS m/z = 770.5 $[M+H]^+$; 1H NMR (300 MHz, DMSO- d_6) δ 9.45–9.24 (m, 1H), 8.63–8.53 (m, 1H), 8.23–8.16 (m, 1H), 7.41 (s, 2H), 7.21 (d, J = 8.3 Hz, 1H), 7.02 (d, J = 18.9 Hz, 2H), 6.56 (dd, J = 26.1, 7.4 Hz, 1H), 5.43–5.26 (m, 1H), 5.24–5.08 (m, 1H), 4.82–4.51 (m, 1H), 4.47–4.08 (m, 4H), 4.05–3.69 (m, 6H), 3.64–3.49 (m, 2H), 3.36 (s, 3H), 2.93–2.62 (m, 6H), 2.25–1.94 (m, 5H), 1.82 (s, 1H), 1.75–7.44 (m, 2H), 1.20–0.68 (m, 12H).
191		A	ESI-MS m/z = 806.5 $[M+H]^+$; 1H -NMR (300 MHz, DMSO- d_6) δ 9.49 – 9.35 (m, 1H), 8.60 – 8.55 (m, 0.5H), 8.10 – 8.03 (m, 0.5H), 7.47 – 7.36 (m, 3H), 7.13 (d, J = 10.4 Hz, 1H), 6.97 (s, 1H), 6.63 (s, 1H), 5.40 – 5.36 (m, 2H), 4.90 – 4.84 (m, 1H), 4.68 – 4.34 (m, 2H), 4.30 – 4.07 (m, 5H), 3.97 – 3.75 (m, 5H), 3.65 (s, 1H), 2.84 – 2.80 (m, 6H), 2.59 – 2.57 (m, 2H), 2.28 (s, 3H), 2.05 (s, 1H), 1.99 – 1.80 (m, 4H), 1.58 (s, 2H), 1.06 – 1.04 (d, J = 6.0 Hz, 3H), 0.94 – 0.90 (m, 3H), 0.81 – 0.67 (m, 3H).

FIG. 1 cont.





	Structure	Method	Analytic Data
192		A	ESI-MS $m/z = 792.5 [M+H]^+$; 1H NMR (300 MHz, DMSO- d_6) δ 9.46 – 9.33 (m, 1H), 8.60–8.51 (m, 0.5H), 8.13–8.09 (m, 0.5H), 7.45 – 7.21 (m, 3H), 7.12 (d, $J = 10.6$ Hz, 1H), 6.97 (s, 1H), 6.70 – 6.47 (m, 1H), 5.46 – 5.17 (m, 2H), 4.22 (d, $J = 31.6$ Hz, 7H), 3.99 – 3.45 (m, 7H), 3.03 – 2.55 (m, 7H), 2.27 (s, 1H), 1.99 (s, 2H), 1.81 (s, 1H), 1.58 (s, 2H), 1.05 (d, $J = 6.2$ Hz, 10H), 0.81 – 0.69 (m, 3H).
193		A	ESI-MS $m/z = 770.5 [M+H]^+$; 1H NMR (300 MHz, DMSO- d_6) δ = 9.56 – 9.23 (m, 1H), 8.60–8.54 (m, 0.5H), 8.15–8.10 (m, 0.5H), 7.30 (d, $J = 16.7$ Hz, 3H), 7.13 (d, $J = 9.5$ Hz, 1H), 6.97 (s, 1H), 6.59 (d, $J = 31.2$ Hz, 1H), 6.45 – 6.25 (m, 1H), 6.13 (d, $J = 16.9$ Hz, 1H), 5.70 (d, $J = 10.4$ Hz, 1H), 5.43 – 5.16 (m, 2H), 4.74 – 4.32 (m, 2H), 4.32 – 4.03 (m, 3H), 4.00 – 3.47 (m, 7H), 2.77 (dd, $J = 60.2, 46.3$ Hz, 7H), 2.28 (s, 1H), 2.10–1.90 (m, 2H), 1.81 (s, 1H), 1.58 (s, 2H), 1.18 – 0.83 (m, 10H), 0.75 (dd, $J = 19.0, 6.6$ Hz, 3H).
194		A	ESI-MS $m/z = 788.6 [M+H]^+$; 1H NMR (300 MHz, DMSO- d_6) δ 9.38 (s, 1H), 8.31 (d, $J = 8.2$ Hz, 1H), 7.46 – 7.24 (m, 3H), 7.14 (d, $J = 8.2$ Hz, 1H), 6.97 (s, 1H), 6.58 (s, 1H), 6.39 (d, $J = 10.0$ Hz, 1H), 6.25 – 6.13 (m, 1H), 5.76 (d, $J = 11.0$ Hz, 1H), 5.41 (s, 2H), 5.02 – 4.79 (m, 1H), 4.64 – 4.50 (m, 3H), 4.23 (d, $J = 12.3$ Hz, 2H), 3.99 – 3.72 (m, 4H), 3.67 – 3.40 (m, 1H), 2.92 (s, 2H), 2.76 (d, $J = 11.0$ Hz, 3H), 2.69 – 2.57 (m, 2H), 2.19 (d, $J = 46.2$ Hz, 2H), 1.98 (s, 1H), 1.81 (s, 1H), 1.57 (s, 2H), 1.06 (d, $J = 7.2$ Hz, 6H), 0.92 (d, $J = 6.3$ Hz, 5H), 0.81 (d, $J = 6.8$ Hz, 1H), 0.72 (s, 2H).
195		A	ESI-MS $m/z = 816.5 [M+H]^+$; 1H -NMR (300 MHz, DMSO- d_6) δ 9.41 (d, $J = 17.9$ Hz, 1H), 8.60–8.50 (m, 0.5H), 8.09 (d, $J = 8.2$ Hz, 0.5H), 7.48 – 7.22 (m, 3H), 7.13 (d, $J = 9.9$ Hz, 1H), 6.97 (s, 1H), 6.68 – 6.13 (m, 2H), 5.42–5.25 (m, 2H), 4.64 (t, $J = 11.9$ Hz, 1H), 4.50 – 4.06 (m, 9H), 4.02 – 3.70 (m, 7H), 2.85 – 2.76 (m, 5H), 2.58 – 2.50 (m, 2H), 2.30 – 2.28 (m, 1H), 2.07 – 1.99 (m, 2H), 1.81 (s, 1H), 1.58 (s, 2H), 1.07 (d, $J = 7.0$ Hz, 3H), 0.92 (dd, $J = 16.4, 6.4$ Hz, 3H), 0.83 – 0.62 (m, 3H).

FIG. 1 cont.





	Structure	Method	Analytic Data
196		A	ESI-MS m/z = 834.6 $[M+H]^+$; 1H -NMR (300 MHz, DMSO- d_6) δ 9.54 – 9.21 (m, 1H), 8.54 (t, J = 9.5 Hz, 0.5H), 8.24 – 8.00 (m, 0.5H), 7.48 – 7.29 (m, 3H), 7.12 (d, J = 10.2 Hz, 1H), 6.96 (s, 1H), 6.67 – 6.47 (m, 1H), 5.37 (d, J = 11.9 Hz, 2H), 4.63 (dd, J = 22.5, 9.6 Hz, 1H), 4.50 – 4.31 (m, 1H), 4.30 – 4.03 (m, 6H), 4.02 – 3.66 (m, 6H), 3.52 (d, J = 10.6 Hz, 1H), 2.83 (q, J = 13.1, 12.3 Hz, 4H), 2.59 (d, J = 6.0 Hz, 2H), 2.29 (d, J = 6.7 Hz, 1H), 2.21 – 1.92 (m, 4H), 1.92 – 1.64 (m, 6H), 1.58 (s, 1H), 1.38 (dq, J = 25.1, 13.6, 12.3 Hz, 3H), 1.05 (d, J = 6.6 Hz, 3H), 0.92 (dd, J = 16.3, 5.7 Hz, 3H), 0.83 – 0.64 (m, 3H).
197		A	(ES, m/z) = 836.6 $[M+H]^+$; 1H -NMR (300 MHz, DMSO- d_6) δ 9.39 (d, J = 17.7 Hz, 1H), 8.09 (d, J = 8.3 Hz, 1H), 7.38 (s, 3H), 7.13 (d, J = 9.9 Hz, 1H), 6.97 (s, 1H), 6.71 – 6.47 (m, 1H), 5.37 (d, J = 11.3 Hz, 2H), 4.66 (d, J = 10.8 Hz, 1H), 4.40 (dd, J = 28.8, 10.5 Hz, 3H), 4.31 – 4.09 (m, 6H), 4.09 – 3.64 (m, 11H), 3.51 (d, J = 12.2 Hz, 2H), 2.78 (d, J = 12.7 Hz, 4H), 2.59 (d, J = 5.9 Hz, 2H), 2.46 – 2.21 (m, 3H), 2.03 (d, J = 27.8 Hz, 2H), 1.82 (s, 1H), 1.70 (d, J = 11.9 Hz, 3H), 1.58 (s, 2H), 1.06 (d, J = 7.0 Hz, 3H), 0.92 (dd, J = 16.9, 6.3 Hz, 3H), 0.84 – 0.64 (m, 3H).
198		A	ESI-MS m/z = 829.3 $[M+H]^+$; 1H -NMR (400 MHz, MeOD- d_4) δ 8.74-8.72 (m, 2H), 7.83-7.82 (m, 2H), 7.60 (s, 1H), 7.55-7.42 (m, 2H), 7.25 (s, 1H), 6.99-6.98 (m, 1H), 6.55 (s, 1H), 5.62 (brs, 1H), 4.70-4.65 (m, 1H), 4.46-4.37 (m, 3H), 4.24-3.80 (m, 9H), 2.90-2.78 (m, 3H), 2.65-2.63 (m, 2H), 2.44 (brs, 1H), 2.11-1.67 (m, 4H), 1.67-1.26 (m, 3H), 1.19-1.01 (m, 3H), 1.01-0.79 (m, 6H).
199		A	ESI-MS m/z : 700.3 $[M+H]^+$; 1H -NMR (400 MHz, MeOD) δ 8.06 (s, 1H), 7.80 (d, 1H), 7.76-7.65 (m, 2H), 7.46 (d, 1H), 7.15 (s, 1H), 7.03-6.97 (m, 1H), 6.62 (s, 1H), 6.42 (m, 1H), 5.83 (m, 1H), 5.64 (m, 1H), 4.68 (d, 1H), 4.44 (d, 1H), 4.22-4.11 (m, 2H), 3.94-3.80 (m, 2H), 3.68 (d, 1H), 3.62-3.55 (m, 1H), 3.54-3.42 (m, 2H), 3.14 (m, 1H), 2.96 (m, 1H), 2.86 (m, 1H), 2.72 (d, 1H), 2.19 (m, 2H), 1.97-1.90 (m, 1H), 1.69-1.60 (m, 1H), 1.58-1.51 (m, 1H), 1.35 (s, 1H), 1.31 (s, 1H), 1.19 (s, 2H), 1.13 (s, 2H), 0.95 (m, 6H).

FIG. 1 cont.

	Structure	Method	Analytic Data
200		A	ESI-MS m/z : 734.3[M+H] ⁺ ; ¹ H NMR (400 MHz, MeOD) δ 8.57 (d, J = 7.9 Hz, 1H), 7.67 (dt, J = 17.2, 6.7 Hz, 3H), 7.49 (dd, J = 8.5, 1.1 Hz, 1H), 7.10 (s, 1H), 7.05 – 6.88 (m, 1H), 6.61 (s, 1H), 6.39 (dd, J = 17.1, 2.1 Hz, 1H), 5.80 (dd, J = 10.5, 2.1 Hz, 1H), 5.68 – 5.54 (m, 1H), 4.60 (d, J = 14.8 Hz, 1H), 4.41 (d, J = 12.6 Hz, 1H), 4.10 (dd, J = 19.3, 12.9 Hz, 2H), 3.94 – 3.74 (m, 2H), 3.65 (t, J = 9.6 Hz, 1H), 3.57 (dd, J = 8.3, 5.2 Hz, 1H), 3.53 – 3.37 (m, 2H), 3.14 (d, J = 11.6 Hz, 1H), 2.92 (dd, J = 13.2, 4.8 Hz, 1H), 2.82 (dd, J = 13.2, 8.5 Hz, 1H), 2.74 – 2.65 (m, 1H), 2.28 – 2.07 (m, 2H), 1.97 – 1.84 (m, 1H), 1.69 – 1.45 (m, 2H), 1.30 (d, J = 18.0 Hz, 2H), 1.17 – 1.07 (m, 4H), 0.97 – 0.76 (m, 6H).
201		A	ESI-MS m/z : 784.3[M+H] ⁺ ; ¹ H NMR (400 MHz, MeOD) δ 7.80 – 7.60 (m, 2H), 7.58 – 7.41 (m, 1H), 7.10 (t, J = 6.6 Hz, 1H), 7.00 (d, J = 10.3 Hz, 1H), 6.63 (dd, J = 26.2, 4.2 Hz, 1H), 5.53 (dt, J = 9.1, 4.6 Hz, 1H), 4.71 (dd, J = 11.1, 8.0 Hz, 1H), 4.66 – 4.02 (m, 10H), 4.00 – 3.84 (m, 1H), 3.74 – 3.59 (m, 2H), 3.19 (d, J = 11.6 Hz, 1H), 2.99 – 2.89 (m, 1H), 2.86 – 2.78 (m, 3H), 2.69 (td, J = 12.8, 2.8 Hz, 1H), 2.18 (ddd, J = 18.1, 11.2, 6.7 Hz, 2H), 1.91 (d, J = 14.5 Hz, 1H), 1.67 – 1.47 (m, 2H), 1.38 – 1.24 (m, 2H), 1.24 – 1.08 (m, 4H), 0.96 – 0.79 (m, 6H).
202		A	ESI-MS m/z : 786.1[M+H] ⁺ ; ¹ H NMR (400 MHz, MeOD) δ 7.89 (d, J = 8.5 Hz, 1H), 7.83 (d, J = 3.5 Hz, 1H), 7.58 (dd, J = 9.0, 8.1 Hz, 1H), 7.24 (s, 1H), 7.04 (ddd, J = 50.5, 47.0, 45.8 Hz, 2H), 6.59 (d, J = 1.3 Hz, 1H), 5.67 – 5.49 (m, 1H), 4.77 – 4.64 (m, 2H), 4.60 – 4.35 (m, 4H), 4.30 – 4.18 (m, 1H), 4.16 – 4.01 (m, 3H), 3.99 – 3.72 (m, 3H), 3.49 (dd, J = 11.4, 9.1 Hz, 1H), 3.01 – 2.88 (m, 1H), 2.84 – 2.72 (m, 5H), 2.45 (s, 1H), 2.22 – 2.06 (m, 2H), 1.92 (d, J = 13.5 Hz, 1H), 1.75 – 1.48 (m, 2H), 1.21 (dd, J = 13.2, 7.6 Hz, 3H), 0.99 – 0.71 (m, 6H).
203		A	ESI-MS m/z = 764.3[M+H] ⁺ . ¹ H NMR (400 MHz, MeOD) δ 7.87 (dd, J = 15.2, 8.1 Hz, 2H), 7.57 (t, J = 8.9 Hz, 1H), 7.26 (d, J = 13.1 Hz, 1H), 7.18 (s, 0.4H), 7.04 (d, J = 4.2 Hz, 1H), 6.91 (s, 0.3H), 6.76 (s, 0.6H), 6.58 (s, 0.4H), 6.39 (qd, J = 16.9, 6.0 Hz, 1.5H), 6.28 – 6.17 (m, 0.6H), 5.82 (dd, J = 9.8, 2.4 Hz, 0.6H), 5.71 – 5.56 (m, 1.5H), 5.40 (dd, J = 9.3, 5.5 Hz, 0.6H), 5.30 (dd, J = 18.8, 10.4 Hz, 0.8H), 5.08 (d, J = 12.4 Hz, 0.6H), 4.70 (dd, J = 13.8, 11.1 Hz, 1H), 4.54 (dd, J = 14.7, 4.9 Hz, 1H), 4.44 (d, J = 12.5 Hz, 1H), 4.39 – 4.25 (m, 1H), 4.09 – 3.87 (m, 1H), 3.83 – 3.70 (m, 1H), 3.60 – 3.49 (m, 1H), 3.48 – 3.37 (m, 1H), 3.15 – 3.07 (m, 0.3H), 3.05 – 2.91 (m, 1.5H), 2.87 – 2.72 (m, 6H), 2.46 (s, 1H), 2.26 – 2.08 (m, 3H), 2.02 (dd, J = 9.1, 4.2 Hz, 1H), 1.91 (dd, J = 24.9, 11.4 Hz, 2H), 1.79 – 1.53 (m, 2H), 1.20 (d, J = 7.3 Hz, 3H), 0.84 (dd, J = 34.4, 6.6 Hz, 6H).

FIG. 1 cont.





	Structure	Method	Analytic Data
204		A	ESI-MS m/z: 764.3 [M+H] ⁺ ; ¹ H NMR (400 MHz, MeOD) δ 7.92-7.83 (m, 2H), 7.59 (m, 1H), 7.25 (s, 1H), 7.19 (s, 0.3H), 7.07-7.01 (m, 1.3H), 6.92 (s, 0.3H), 6.70 (s, 1H), 6.44-6.35 (m, 1H), 6.31-6.18 (m, 1H), 6.03 (m, 0.65H), 5.80 (m, 1H), 5.63 (d, 1H), 5.51 (m, 1H), 5.46-5.39 (m, 0.52H), 5.23-5.16 (m, 0.64H), 5.00 (m, 1H), 4.72 (m, 1.7H), 4.42 (m, 3H), 4.18 (m, 1H), 4.00 (m, 1H), 3.82 (m, 2H), 3.47 (m, 1H), 2.98 (m, 1H), 2.87 (d, 1H), 2.83-2.67 (m, 4H), 2.61 (m, 1H), 2.45 (s, 1H), 2.17 (m, 2H), 1.93 (d, 2H), 1.75-1.56 (m, 2H), 1.19 (d, 3H), 1.00-0.84 (m, 5H), 0.80 (d, 1H).
205		A	ESI-MS m/z: 778.3; ¹ H NMR (400 MHz, MeOD) δ 7.94 – 7.81 (m, 2H), 7.59 (dd, J = 12.5, 8.6 Hz, 1H), 7.31 – 7.17 (m, 1H), 7.08 – 6.89 (m, 2H), 6.69 (ddd, J = 24.2, 16.8, 10.4 Hz, 2H), 6.39 (dd, J = 16.7, 2.1 Hz, 0H), 6.27 – 6.19 (m, 0H), 5.77 (ddd, J = 16.1, 10.4, 2.0 Hz, 1H), 5.63 – 5.47 (m, 1H), 5.36 – 5.25 (m, 0H), 5.01 (dd, J = 29.4, 12.3 Hz, 2H), 4.83 – 4.63 (m, 2H), 4.48 (ddd, J = 36.3, 20.2, 8.7 Hz, 0H), 3.84 (ddd, J = 39.8, 31.4, 29.3 Hz, 0H), 3.46 (ddd, J = 26.5, 18.1, 7.3 Hz, 0H), 3.13 – 2.95 (m, 0H), 2.84 – 2.71 (m, 0H), 2.52 (d, J = 51.2 Hz, 0H), 2.38 – 2.05 (m, 0H), 2.00 – 1.81 (m, 0H), 1.76 – 1.58 (m, 0H), 1.26 – 0.80 (m, 9H).
206		A	¹ H NMR (400 MHz, MeOD) δ 7.87 (dd, J = 21.8, 6.3 Hz, 2H), 7.58 (dd, J = 12.1, 8.7 Hz, 1H), 7.30 – 7.16 (m, 1H), 7.09 – 6.88 (m, 2H), 6.67 (d, J = 5.7 Hz, 1H), 5.53 (dd, J = 13.5, 7.1 Hz, 1H), 5.05 – 4.94 (m, 1H), 4.79 – 4.63 (m, 2H), 4.56 – 4.36 (m, 2H), 3.99 – 3.74 (m, 3H), 3.66 – 3.37 (m, 1H), 3.08 – 2.90 (m, 3H), 2.83 – 2.73 (m, 4H), 2.61 (s, 1H), 2.45 (s, 1H), 2.36 – 2.17 (m, 1H), 2.15 – 2.01 (m, 3H), 1.98 – 1.88 (m, 2H), 1.74 – 1.42 (m, 3H), 1.26 – 0.83 (m, 9H).
207		A	ESI-MS m/z = 790.4 [M+H] ⁺ ; ¹ H-NMR (300 MHz, DMSO- <i>d</i> ₆) δ 9.53-9.44 (m, 1H), 8.61-8.57 (m, 1H), 8.13-8.07 (m, 1H), 7.81 (d, J = 8.4 Hz, 1H), 7.67 (s, 1H), 7.36 (d, J = 8.6 Hz, 1H), 7.03 (d, J = 18.1 Hz, 2H), 6.58 (m, 1H), 5.43-5.32 (m, 1H), 5.10-5.00 (m, 1H), 4.66 (dd, J = 17.1, 9.6 Hz, 1H), 4.60-4.37 (m, 2H), 4.30 – 4.10 (m, 4H), 4.08 – 3.75 (m, 4H), 3.57-3.52 (m, 2H), 3.11 (d, J = 11.6 Hz, 1H), 2.91 – 2.61 (m, 7H), 2.35-2.30 (m, 1H), 2.10-2.00 (m, 2H), 1.81 (m, 1H), 1.64-1.41 (m, 2H), 1.10 (s, 3H), 1.03-1.00 (m, 4H), 0.98 – 0.95 (m, 3H), 0.92 – 0.88 (m, 2H), 0.79 – 0.74 (m, 3H).

FIG. 1 cont.





	Structure	Method	Analytic Data
208		A	ESI-MS m/z = 775.3 $[M+H]^+$; 1H -NMR (300 MHz, DMSO- d_6) δ 9.67 – 9.56 (m, 1H), 8.63–8.53 (m, 1H), 8.20–8.11 (m, 1H), 8.02 – 7.95 (m, 2H), 7.70 (d, J = 8.6 Hz, 1H), 7.06 (d, 2H), 6.71–6.59 (m, 1H), 5.36 (m, 1H), 5.08 (t, 1H), 4.88 (d, J = 14.6 Hz, 1H), 4.70–4.60 (m, 1H), 4.51 – 4.08 (m, 8H), 4.00 – 3.78 (m, 3H), 3.11 (d, J = 11.5 Hz, 1H), 2.83–2.65 (m, 6H), 2.11 – 2.01 (m, 2H), 1.82 (d, J = 10.1 Hz, 1H), 1.63–1.40 (m, 2H), 1.15 – 1.02 (m, 6H), 0.94 – 0.76 (m, 6H).
209		A	ESI-MS m/z = 764.4 $[M+H]^+$; 1H -NMR: (300 MHz, Methanol- d_4) δ 7.75 (d, J = 8.4 Hz, 1H), 7.67 (d, J = 5.3 Hz, 1H), 7.50–7.42 (m, 1H), 7.16 (s, 1H), 7.03 (d, J = 7.2 Hz, 1H), 6.60 (s, 1H), 5.58–5.55 (m, 1H), 4.89–4.72 (m, 2H), 4.56–4.46 (m, 4H), 4.30–4.26 (m, 1H), 4.18–4.06 (m, 4H), 3.99–3.91 (m, 1H), 3.68 (d, J = 11.3 Hz, 2H), 3.21 (d, J = 11.5 Hz, 1H), 2.98–2.84 (m, 5H), 2.73 (t, J = 11.8 Hz, 1H), 2.59 (s, 3H), 2.20–2.16 (m, 2H), 1.94 (d, J = 12.6 Hz, 1H), 1.71–1.51 (m, 2H), 1.15 (d, J = 17.6 Hz, 6H), 1.06–1.02 (m, 1H), 0.92 (dd, J = 31.1, 6.5 Hz, 6H).
210		A	ESI-MS m/z = 818.4 $[M+H]^+$; 1H NMR (300 MHz, DMSO- d_6) δ 9.70 – 9.40 (m, 1H), 8.63–8.58 (m, 0.5H), 8.19–8.10 (m, 0.5H), 8.04 – 7.81 (m, 2H), 7.65 (d, J = 8.7 Hz, 1H), 7.07 (d, J = 20.5 Hz, 2H), 6.82 – 6.50 (m, 1H), 5.38 (d, J = 8.7 Hz, 1H), 5.08 (d, J = 12.1 Hz, 1H), 4.83 (d, J = 14.6 Hz, 1H), 4.64 (dd, J = 28.0, 9.6 Hz, 1H), 4.54 – 4.02 (m, 7H), 4.02 – 3.72 (m, 2H), 3.59 (t, J = 12.6 Hz, 1H), 3.11 (d, J = 11.4 Hz, 1H), 2.98 – 2.61 (m, 6H), 2.08 (s, 2H), 1.83 (s, 1H), 1.54 (s, 2H), 1.29 – 0.99 (m, 6H), 0.99 – 0.67 (m, 6H).
211		A	ESI-MS m/z = 780.4 $[M+H]^+$; 1H -NMR (300 MHz, DMSO- d_6) δ 9.49 (s, 1H), 8.20–8.07 (m, 1H), 7.72–7.51 (m, 2H), 7.30 (d, J = 8.0 Hz, 1H), 7.01 (d, J = 18.3 Hz, 2H), 6.70–6.53 (m, 1H), 5.37 (d, J = 9.0 Hz, 1H), 5.18–5.00 (m, 1H), 4.76–4.59 (m, 1H), 4.55–4.10 (m, 7H), 4.01 (s, 3H), 3.93–3.74 (m, 4H), 3.65–3.50 (m, 1H), 3.26–3.10 (m, 1H), 2.97–2.63 (m, 6H), 2.19–1.98 (m, 2H), 1.92–1.75 (m, 1H), 1.65–1.41 (m, 2H), 1.10 (s, 6H), 0.91 (dd, J = 11.9, 6.4 Hz, 3H), 0.84–0.69 (m, 3H).

FIG. 1 cont.

	Structure	Method	Analytic Data
212		A	ESI-MS m/z : 780.3 $[M+H]^+$; 1H NMR (400 MHz, MeOD) δ 7.85 (d, J = 8.5 Hz, 1H), 7.77 (s, 1H), 7.54 – 7.43 (m, 1H), 7.25 (s, 1H), 7.02 (d, J = 6.9 Hz, 1H), 6.62 (d, J = 34.6 Hz, 1H), 5.61 (s, 1H), 5.01 (d, J = 11.5 Hz, 1H), 4.82 (s, 2H), 4.75 – 4.60 (m, 2H), 4.48 (dt, J = 15.4, 11.7 Hz, 3H), 4.26 (dd, J = 20.6, 9.7 Hz, 1H), 4.18 – 3.99 (m, 3H), 3.96 – 3.86 (m, 1H), 3.76 (d, J = 11.2 Hz, 2H), 3.54 – 3.47 (m, 1H), 3.42 (s, 3H), 3.14 – 2.91 (m, 1H), 2.86 – 2.65 (m, 3H), 2.43 (s, 1H), 2.16 (dd, J = 16.3, 10.4 Hz, 2H), 1.91 (s, 1H), 1.72 – 1.54 (m, 2H), 1.21 (d, J = 7.1 Hz, 3H), 1.06 – 0.73 (m, 6H).
213		A	ESI-MS m/z = 817.5 $[M+H]^+$; 1H NMR (400 MHz, DMSO- d_6) δ 9.61 – 9.46 (m, 1H), 8.01 (d, J = 8.6 Hz, 1H), 7.79 (s, 1H), 7.49 (d, J = 8.6 Hz, 1H), 7.08 (s, 1H), 7.02 (s, 1H), 6.71 – 6.57 (m, 1H), 5.37 (s, 1H), 5.05 (d, J = 13.2 Hz, 1H), 4.70 – 4.67 (m, 2H), 4.51 – 4.35 (m, 1H), 4.27 (d, J = 13.3 Hz, 1H), 4.18 – 4.16 (m, 3H), 4.13 – 4.11 (m, 2H), 3.91 (d, J = 49.1 Hz, 2H), 3.57 (d, J = 11.0 Hz, 1H), 3.10 (d, J = 11.1 Hz, 1H), 2.83 (s, 4H), 2.73 (d, J = 26.2 Hz, 4H), 2.07 (s, 2H), 1.88 (d, J = 4.5 Hz, 7H), 1.53 (s, 2H), 1.13 (s, 3H), 1.06 (d, J = 2.9 Hz, 3H), 0.92 (dd, J = 16.7, 6.4 Hz, 3H), 0.81 – 0.71 (m, 3H).
214		A	ESI-MS m/z = 823.7 $[M+H]^+$. 1H NMR (300 MHz, DMSO- d_6) δ 9.55 – 9.41 (m, 1H), 8.53-8.49 (m, 0.5H), 8.17-8.10 (m, 0.5H), 8.04 (d, J = 9 Hz, 1H), 7.74 (s, 1H), 7.43 (d, J = 9 Hz, 1H), 7.07(s, 1H), 7.01 (s, 1H), 6.60 – 6.57 (m, 2H), 6.45 – 6.28 (m, 1H), 6.16 – 6.08(m, 1H), 5.72 – 5.65(m, 1H), 5.41 – 5.34 (m, 1H), 5.11 – 5.05 (m, 1H), 4.74 – 4.56 (m, 2H), 4.52 – 4.38 (m, 2H), 4.30 – 4.22 (m, 2H), 4.19 – 4.05(m, 3H), 4.00 – 3.97(m, 4H), 3.11 (s, 2H), 2.82 (s, 2H), 2.68 – 2.61 (m, 7H), 2.31 (s, 3H), 2.07 (s, 2H), 1.84 – 1.81 (m, 1H), 1.54 (s, 2H), 1.09 (d, J = 18Hz, 6H), 0.97 – 0.84 (m, 3H), 0.79 – 0.72 (m, 3H).
215		A	ESI-MS m/z = 774.3 $[M+H]^+$ 1H NMR (300 MHz, DMSO- d_6) δ 9.48 (s, 1H), 8.61-8.51 (m, 0.5H), 8.09 – 8.07(m, 0.5H), 7.79–7.74 (m, 2H), 7.51 – 7.48 (m, 1H), 7.14 (s, 1H), 7.01 (s, 1H), 6.70 – 6.59 (m, 1H), 5.40 – 5.19 (m, 2H), 4.73 – 4.61 (m, 2H), 4.42 – 4.38 (d, J = 12 Hz, 2H), 4.28 – 3.92 (m, 6H), 3.88 (s, 3H), 3.72 – 3.68 (d, J = 12 Hz, 1H), 2.90 – 2.77 (m, 4H), 2.63 (s, 2H), 2.39 (s, 1H), 2.17 (s, 3H), 2.04 (s, 2H), 1.81 (s, 1H), 1.55 (s, 2H), 1.11 (d, J = 7.1 Hz, 3H), 0.95 – 0.88 (m, 3H), 0.78 – 0.74 (m, 3H).

FIG. 1 cont.

	Structure	Method	Analytic Data
216		A	ESI-MS m/z = 832.4 $[M+H]^+$; $^1\text{H-NMR}$ (300MHz, $\text{DMSO}-d_6$): δ 9.60-9.50 (m, 1H), 8.62-8.49 (m, 1H), 8.17-8.11 (m, 1H), 7.81-7.74 (m, 2H), 7.53-7.51 (d, J =6 Hz, 1H), 7.07-7.01 (d, J = 18 Hz, 2H), 6.65-6.53 (m, 1H), 5.65 (s, 1H), 5.40-5.36 (m, 1H), 5.12-5.04 (m, 1H), 4.70-4.31 (m, 3H), 4.28-4.08(m, 6H), 3.88 (s, 2H), 3.57-3.53 (d, J = 12 Hz, 1H), 3.12-3.08(m, 1H), 2.82 -2.68 (m, 6H), 2.05 (s, 2H), 1.82 (s, 1H), 1.55 (s, 8H), 1.13 (s, 3H), 1.04 (s, 3H), 0.93-0.87 (m, 3H), 0.78-0.73 (m, 3H).
217		A	ESI-MS m/z = 821.5 $[M+H]^+$; $^1\text{H-NMR}$ (400 MHz, $\text{CD}_3\text{OD}-d_4$): δ 8.30-8.20 (m, 1H), 7.07-7.04 (m, 1H), 7.03 (s, 1H), 6.95-6.90 (m, 2H), 6.70 (s, 1H), 6.53 (s, 1H), 5.57-4.48 (m, 1H), 4.77-4.75 (m, 1H), 4.47-4.35 (m, 3H), 4.24-4.18 (m, 2H), 4.04-4.01 (m, 2H), 3.90-3.85 (m, 5H), 3.80-3.70 (m, 3H), 3.50-3.47 (m, 1H), 3.40-3.37 (m, 1H), 3.31-3.28 (m, 1H), 2.98-2.87 (m, 2H), 2.80-2.67 (m, 5H), 2.18-2.05 (m, 3H), 1.91-1.78 (m, 2H), 1.67-1.55 (m, 4H), 1.12-1.05 (m, 7H), 0.94 (d, J = 3.9 Hz, 2H), 0.94-0.84 (m, 3H).
218		A	ESI-MS m/z = 763.6 $[M+H]^+$; $^1\text{H-NMR}$ (300 MHz, $\text{DMSO}-d_6$) δ 9.30 (s, 1H), 8.67-8.55 (m, 0.5H), 8.20-8.08 (m, 0.5H), 7.75 (d, J = 7.5 Hz, 1H), 7.48 (d, J = 8.1 Hz, 1H), 7.40 (d, J = 8.4 Hz, 1H), 7.38-7.26 (m, 1H), 7.05 (s, 1H), 6.95 (s, 1H), 6.71-6.50 (m, 1H), 5.51-5.31 (m, 1H), 5.20-5.00 (m, 1H), 4.70-3.60 (m, 15H), 3.15-2.70 (m, 8H), 2.35-1.95 (m, 3H), 1.88-1.77 (m, 1H), 1.75-1.55 (m, 2H), 1.45-1.41 (m, 3H), 1.09-1.07 (m, 1H), 0.99-0.93 (m, 4H), 0.89-0.87 (m, 3H).
219		A	ESI-MS m/z = 774.5 $[M+H]^+$; $^1\text{H-NMR}$ (300 MHz, $\text{CD}_3\text{OD}-d_4$) δ 7.89 (dd, J = 16.7, 5.1 Hz, 1H), 7.58 (d, J = 9.0 Hz, 1H), 7.51 (d, J = 8.5 Hz, 1H), 7.23-7.17 (m, 1H), 7.14 (d, J = 9.0 Hz, 1H), 7.05-6.96 (m, 1H), 6.89-6.50 (m, 1H), 5.68-5.58 (m, 1H), 5.33 (d, J = 5.5 Hz, 2H), 4.80-4.68 (m, 2H), 4.59-4.49 (m, 1H), 4.48-4.35 (m, 1H), 4.28 (q, J = 10.5 Hz, 1H), 4.22-4.03 (m, 3H), 4.04-3.78 (m, 3H), 3.72-3.61 (m, 1H), 3.20-2.90 (m, 3H), 2.88-2.65 (m, 6H), 2.32 (s, 1H), 2.23-2.08 (m, 2H), 1.96 (d, J = 13.1 Hz, 1H), 1.81-1.54 (m, 2H), 1.16 (d, J = 6.8 Hz, 1H), 1.08 (d, J = 6.4 Hz, 2H), 0.96 (d, J = 6.4 Hz, 2H), 0.85 (d, J = 6.6 Hz, 3H).

FIG. 1 cont.





	Structure	Method	Analytic Data
220		A	ESI-MS $m/z = 802.5 [M+H]^+$; 1H -NMR (300 MHz, CD_3OD-d_4) δ 7.89 (d, $J = 16.0$ Hz, 1H), 7.80-7.71 (m, 1H), 7.59 (t, $J = 8.2$ Hz, 1H), 7.32-7.14 (m, 2H), 7.02 (d, $J = 6.3$ Hz, 1H), 6.68-6.47 (m, 1H), 5.68-5.53 (m, 1H), 4.57-4.31 (m, 5H), 4.30-4.02 (m, 5H), 4.01-3.78 (m, 4H), 3.76-3.57 (m, 1H), 3.21-2.91 (m, 3H), 2.88-2.63 (m, 6H), 2.39-1.90 (m, 11H), 1.78-1.52 (m, 2H), 1.18-1.01 (m, 3H), 1.00-0.80 (m, 6H).
221*		A	ESI-MS m/z : 802.2 $[M+H]^+$; 1H -NMR (400 MHz, Methanol- d_4) δ 7.12 (d, $J = 6.5$ Hz, 2H), 7.03 – 6.89 (m, 9H), 6.77 (s, 2H), 6.51 (s, 2H), 5.67 – 5.58 (m, 2H), 5.55 (dd, $J = 16.4$, 1H), 5.37 (d, $J = 16.4$ Hz, 1H), 4.68 (ddd, $J = 11.5$, 8.6, 3.3 Hz, 2H), 4.53 – 4.36 (m, 5H), 4.23 (dt, $J = 14.2$, 9.4 Hz, 2H), 4.15 – 3.96 (m, 10H), 3.92 – 3.82 (m, 2H), 3.78 – 3.66 (m, 3H), 3.59 – 3.46 (m, 2H), 3.43 – 3.33 (m, 2H), 3.27 – 3.09 (m, 3H), 2.99 – 2.86 (m, 3H), 2.83 – 2.65 (m, 11H), 2.25 – 2.12 (m, 3H), 2.11 – 2.02 (m, 2H), 1.95 – 1.87 (m, 2H), 1.73 – 1.55 (m, 4H), 1.49 (s, 3H), 1.45 (s, 3H), 1.36 (d, $J = 6.6$ Hz, 6H), 0.93 (s, 3H), 0.91 (s, 3H), 0.82 (d, $J = 2.7$ Hz, 3H), 0.80 (d, $J = 2.7$ Hz, 3H).
222		A ²	ESI-MS $m/z = 802.9 [M+H]^+$
223		A ²	ESI-MS m/z : 802.9 $[M+H]^+$

FIG. 1 cont.





	Structure	Method	Analytic Data
224		A	ESI-MS m/z: 776.2 [M+H] ⁺ ; ¹ H-NMR (400 MHz, Methanol- <i>d</i> ₄) δ 7.27 (d, <i>J</i> = 1.9 Hz, 1H), 7.25 (d, <i>J</i> = 1.8 Hz, 1H), 7.14 – 7.09 (m, 2H), 7.06 (dd, <i>J</i> = 7.8, 1.4 Hz, 1H), 7.06 – 6.99 (m, 1H), 6.95 – 6.91 (m, 2H), 6.85 – 6.80 (m, 2H), 6.56 – 6.51 (m, 2H), 5.64 – 5.56 (m, 2H), 4.68 (dd, <i>J</i> = 11.1, 8.5 Hz, 2H), 4.57 – 4.35 (m, 6H), 4.31 – 4.17 (m, 2H), 4.17 – 3.97 (m, 10H), 3.97 – 3.81 (m, 4H), 3.78 – 3.70 (m, 2H), 3.66 – 3.57 (m, 2H), 3.50 – 3.35 (m, 3H), 3.21 (ddd, <i>J</i> = 14.1, 8.5, 4.7 Hz, 2H), 2.95 – 2.89 (m, 3H), 2.79 (t, <i>J</i> = 12.0 Hz, 2H), 2.73 – 2.64 (m, 7H), 2.28 – 2.11 (m, 4H), 2.11 – 2.02 (m, 2H), 1.95 – 1.86 (m, 2H), 1.73 (s, 3H), 1.67 (s, 3H), 1.66 – 1.52 (m, 4H), 1.16 (d, <i>J</i> = 7.5 Hz, 3H), 1.14 (d, <i>J</i> = 7.3 Hz, 3H), 0.92 (d, <i>J</i> = 6.4 Hz, 6H), 0.81 (d, <i>J</i> = 6.6 Hz, 6H).
225		A	ESI-MS m/z: 804.2 [M+H] ⁺ ; ¹ H NMR (400 MHz, Methanol- <i>d</i> ₄) δ 7.15 (s, 1H), 7.11 (s, 1H), 7.05 – 6.88 (m, 6H), 6.73 (s, 2H), 6.50 (d, <i>J</i> = 2.9 Hz, 2H), 5.65 – 5.55 (m, 2H), 4.73 – 4.62 (m, 2H), 4.54 – 4.36 (m, 6H), 4.28 – 4.18 (m, 2H), 4.14 – 4.03 (m, 6H), 4.04 – 3.94 (m, 2H), 3.87 (td, <i>J</i> = 15.6, 15.1, 6.9 Hz, 2H), 3.78 – 3.69 (m, 2H), 3.52 (d, <i>J</i> = 9.3 Hz, 1H), 3.48 (d, <i>J</i> = 9.2 Hz, 1H), 3.46 – 3.37 (m, 1H), 3.25 (ddd, <i>J</i> = 16.1, 9.4, 4.2 Hz, 3H), 3.16 – 3.09 (m, 1H), 2.96 – 2.88 (m, 3H), 2.84 – 2.73 (m, 3H), 2.74 – 2.63 (m, 7H), 2.51 – 2.35 (m, 2H), 2.34 – 2.11 (m, 7H), 2.11 – 1.86 (m, 8H), 1.72 – 1.53 (m, 5H), 1.39 – 1.34 (m, 6H), 1.14 (s, 3H), 1.13 (s, 3H), 0.93 (d, <i>J</i> = 3.3 Hz, 3H), 0.91 (d, <i>J</i> = 3.5 Hz, 3H), 0.81 (d, <i>J</i> = 5.0 Hz, 3H), 0.80 (d, <i>J</i> = 5.0 Hz, 3H).
226*		A	ESI-MS m/z = 805.4 [M+H] ⁺ . ¹ H NMR (300 MHz, CD ₃ OD- <i>d</i> ₄) δ 7.87-7.77 (m, 1H), 7.55-7.38 (m, 2H), 7.20-7.07 (m, 2H), 7.00 (s, 1H), 6.68-6.46 (m, 1H), 5.61 (s, 1H), 4.81-4.68 (m, 3H), 4.64-4.33 (m, 8H), 4.31-4.02 (m, 4H), 4.02-3.73 (m, 3H), 3.71-3.49 (m, 2H), 3.22-2.90 (m, 2H), 2.90-2.63 (m, 5H), 2.36-2.00 (m, 3H), 1.94 (d, <i>J</i> = 13.3 Hz, 1H), 1.85-1.52 (m, 2H), 1.14 (d, <i>J</i> = 6.8 Hz, 1H), 1.05 (d, <i>J</i> = 6.8 Hz, 2H), 0.95 (d, <i>J</i> = 6.4 Hz, 2H), 0.84 (d, <i>J</i> = 6.8 Hz, 3H).
227		A ²	ESI-MS m/z = 806.0

FIG. 1 cont.





	Structure	Method	Analytic Data
228		A ²	ESI-MS m/z = 806.0
229		Ex. 7	ESI-MS m/z = 755.5[M+H] ⁺ ; ¹ H NMR (300 MHz, DMSO-d ₆) δ = 9.28 (s, 1H), 8.43 (d, J = 8.1 Hz, 1H), 7.71 – 7.55 (m, 3H), 7.25 – 7.21 (m, 2H), 7.02 – 6.91 (m, 2H), 6.59 (s, 1H), 6.31 (dd, J = 17.2, 2.3 Hz, 1H), 5.42 – 5.36 (m, 1H), 5.07 (d, J = 12.2 Hz, 1H), 4.42 – 4.36 (m, 1H), 4.32 – 4.09 (m, 3H), 3.96 – 3.88 (m, 4H), 3.78 – 3.74 (m, 2H), 3.59 – 3.40 (m, 5H), 3.09 – 3.03 (m, 1H), 2.86 – 2.62 (m, 3H), 2.15 – 2.00 (m, 4H), 1.92 – 1.88 (m, 2H), 1.84 – 1.44 (m, 5H), 0.92 (d, J = 6.5 Hz, 3H), 0.82 (d, J = 6.6 Hz, 3H).
230		Ex. 8	ESI-MS m/z: 773.3 [M+H] ⁺ ; ¹ H NMR (400 MHz, MeOD) δ 8.00 (s, 1H), 7.77-7.64 (m, 2H), 7.54 (m, 1H), 6.88 (m, 2H), 6.53 (d, 2H), 5.53 (m, 1H), 4.75-4.65 (m, 2H), 4.59-4.34 (m, 4H), 4.27-4.19 (m, 1H), 4.17-4.10 (m, 1H), 4.09-3.94 (m, 3H), 3.92-3.83 (m, 1H), 3.68 (d, 1H), 3.12 (m, 1H), 2.92-2.75 (m, 4H), 2.67 (s, 1H), 2.24-1.99 (m, 3H), 1.88 (d, 1H), 1.70-1.56 (m, 1H), 1.55-1.44 (m, 1H), 1.21-0.80 (m, 12H).
231		Ex. 9	ESI-MS m/z : 788.3; ¹ H NMR (400 MHz, MeOD) δ 8.01 (d, J = 2.7 Hz, 1H), 7.81 (d, J = 3.8 Hz, 1H), 7.71 (d, J = 8.3 Hz, 1H), 7.67 – 7.57 (m, 1H), 7.21 (s, 1H), 7.10 (d, J = 6.3 Hz, 1H), 6.73 (t, J = 6.3 Hz, 1H), 5.50 (dt, J = 8.6, 4.3 Hz, 1H), 4.72 (dd, J = 11.2, 4.6 Hz, 1H), 4.57 (t, J = 11.0 Hz, 1H), 4.48 (dd, J = 16.0, 7.6 Hz, 1H), 4.44 – 4.31 (m, 2H), 4.28 – 4.12 (m, 2H), 4.07 (dd, J = 8.9, 6.0 Hz, 2H), 4.04 – 3.96 (m, 1H), 3.92 – 3.81 (m, 4H), 3.73 – 3.58 (m, 2H), 3.23 (d, J = 11.7 Hz, 1H), 3.00 – 2.89 (m, 2H), 2.85 (dd, J = 5.4, 1.5 Hz, 3H), 2.81 (s, 1H), 2.75 – 2.64 (m, 1H), 2.23 – 2.10 (m, 2H), 1.91 (d, J = 12.7 Hz, 1H), 1.55 (dt, J = 15.4, 12.1 Hz, 2H), 1.19 – 0.80 (m, 12H).

FIG. 1 cont.





	Structure	Method	Analytic Data
232		Ex. 10	ESI-MS $m/z = 825.5 [M+H]^+$; 1H -NMR: (300 MHz, DMSO) δ 9.50 (m, 1H), 8.63-8.59 (m, 1H), 8.15-8.10 (m, 1H), 7.85-7.83 (d, $J = 9$ Hz, 1H), 7.69 (s, 1H), 7.37-7.35 (d, $J = 6$ Hz, 1H), 7.06-6.99 (d, $J = 21$ Hz, 2H), 6.68-6.59 (m, 1H), 6.45-6.37 (m, 1H), 6.16-6.12 (m, 1H), 5.72 (s, 1H), 5.45 (s, 1H), 5.12-5.04 (m, 1H), 4.70-4.44 (m, 3H), 4.28-4.03 (m, 4H), 3.90-3.83 (m, 2H), 3.56-3.53 (d, $J = 9$ Hz, 2H), 3.12-2.82 (m, 6H), 2.73-2.68 (d, $J = 15$ Hz, 2H), 2.27-2.22 (d, $J = 15$ Hz, 3H), 2.11-2.04 (m, 4H), 2.00-1.93 (m, 5H), 1.53 (s, 2H), 1.24 (s, 1H), 1.11-1.05 (d, $J = 18$ Hz, 6H), 0.94-0.87 (m, 3H), 0.79-0.72 (m, 3H).
233		Ex. 11	ESI-MS $m/z = 774.3 [M+H]^+$; 1H NMR (300 MHz, DMSO- d_6) δ 9.54 (s, 1H), 8.70-8.15 (m, 1H), 7.85-7.78 (m, 2H), 7.53-7.51 (m, 1H), 7.07-7.01 (d, $J = 12$ Hz, 2H), 6.69-6.59 (m, 1H), 5.37 (s, 1H), 5.12-5.07 (d, $J = 10$ Hz, 1H), 4.73-4.60 (m, 3H), 4.45 (s, 1H), 4.31-4.11 (m, 6H), 3.86 (s, 3H), 3.61-3.52 (m, 1H), 3.14-3.10 (m, 1H), 2.87-2.63 (m, 6H), 2.08 (s, 2H), 1.81 (s, 1H), 1.54 (s, 2H), 1.13 (s, 3H), 1.05 (s, 3H), 0.93-0.88 (m, 3H), 0.78-0.73 (m, 3H).
234		Ex. 12	ESI-MS $m/z = 722.3 [M+H]^+$; 1H NMR (300 MHz, DMSO- d_6) δ 9.50 – 9.35 (m, 1H), 8.63-8.60 (m, 1H), 8.34 (s, 1H), 8.15-8.11 (m, 1H), 7.78 (s, 1H), 7.71 (d, $J = 7.6$ Hz, 1H), 7.46 (d, $J = 7.6$ Hz, 1H), 7.01 (d, $J = 16.2$ Hz, 2H), 6.68 (s, 1H), 6.57-6.52 (m, 1H), 5.48 – 5.30 (m, 1H), 5.10 (d, $J = 11.2$ Hz, 1H), 4.68 (d, $J = 6.0$ Hz, 1H), 4.44 (s, 3H), 4.33 – 4.02 (m, 6H), 3.94 – 3.82 (m, 3H), 3.09 (d, $J = 7.3$ Hz, 2H), 2.90 – 2.72 (m, 4H), 2.63 (s, 1H), 2.27 – 2.20 (m, 1H), 2.10 – 2.02 (m, 1H), 1.94 – 1.80 (m, 1H), 1.70 – 1.42 (m, 2H), 1.20 (q, $J = 9.5, 6.8$ Hz, 5H), 0.91 (dd, $J = 15.7, 6.3$ Hz, 3H), 0.75 (dd, $J = 15.0, 6.2$ Hz, 3H).
235			ESI-MS $m/z = 752.4 [M+H]^+$; 1H NMR (300 MHz, Methanol- d_6) δ 9.48 – 9.32 (m, 1H), 8.39 – 8.31 (m, 0.5H), 8.30 – 8.16 (m, 1H), 8.08 – 7.98 (m, 0.5H), 7.49 – 7.37 (m, 2H), 7.29 – 7.06 (m, 2H), 6.89 – 6.77 (m, 1H), 6.66 – 6.45 (m, 1H), 4.81 – 4.60 (m, 2H), 4.52 – 4.06 (m, 11H), 3.06 – 2.71 (m, 16H), 2.11 – 1.76 (m, 5H), 1.60 – 1.43 (m, 3H), 1.39 – 1.19 (m, 6H), 1.02 – 0.86 (m, 7H), 0.83 – 0.69 (m, 3H).

FIG. 1 cont.





	Structure	Method	Analytic Data
236		A	ESI-MS $m/z = 830.6 [M+H]^+$; 1H NMR (300 MHz, Methanol- d_4) δ 7.83 (d, $J = 8.4$ Hz, 1H), 7.64 (d, $J = 5.4$ Hz, 1H), 7.51 – 7.37 (m, 1H), 7.21 (d, $J = 2.0$ Hz, 1H), 7.12 (s, 1H), 7.02 (d, $J = 5.9$ Hz, 1H), 6.54 (t, $J = 1.8$ Hz, 1H), 5.57 (dt, $J = 8.4$, 4.1 Hz, 1H), 4.66 – 3.88 (m, 9H), 3.82 (d, $J = 15.0$ Hz, 1H), 3.74 – 3.50 (m, 2H), 3.07 – 2.60 (m, 6H), 2.25 – 1.82 (m, 9H), 1.81 – 1.36 (m, 3H), 1.11 (d, $J = 25.3$ Hz, 6H), 1.02 – 0.74 (m, 6H).
237		A	ESI-MS $m/z = 856.4 [M+H]^+$; 1H NMR (400 MHz, Methanol- d_4) δ 7.83 (d, $J = 8.4$ Hz, 1H), 7.63 (d, $J = 4.0$ Hz, 1H), 7.43 (dd, $J = 8.5$, 2.6 Hz, 1H), 7.22 (d, $J = 1.3$ Hz, 1H), 7.12 (s, 1H), 7.05 – 6.94 (m, 1H), 6.58 (s, 1H), 5.59 (dt, $J = 8.8$, 4.6 Hz, 1H), 5.19 (dt, $J = 9.0$, 6.6 Hz, 1H), 4.76 (d, $J = 12.2$ Hz, 1H), 4.62 – 4.40 (m, 3H), 4.37 (d, $J = 15.1$ Hz, 1H), 4.32 – 4.12 (m, 2H), 4.12 – 4.01 (m, 2H), 4.00 – 3.90 (m, 1H), 3.85 (d, $J = 14.8$ Hz, 1H), 3.68 (d, $J = 11.4$ Hz, 1H), 3.48 (d, $J = 13.7$ Hz, 1H), 3.24 (d, $J = 2.2$ Hz, 1H), 2.94 (s, 1H), 2.83 (t, $J = 6.1$ Hz, 1H), 2.83 (d, $J = 3.8$ Hz, 3H), 2.71 (t, $J = 12.5$ Hz, 1H), 2.15 (d, $J = 12.6$ Hz, 1H), 1.99 – 1.73 (m, 11H), 1.73 – 1.61 (m, 4H), 1.61 – 1.46 (m, 3H), 1.21 – 1.17 (m, 1H), 1.15 (s, 3H), 1.08 (s, 3H).
238		A	ESI-MS $m/z = 816.5 [M+H]^+$; 1H NMR (300 MHz, Methanol- d_4) δ 7.83 (d, $J = 8.4$ Hz, 1H), 7.63 (s, 1H), 7.43 (d, $J = 8.5$ Hz, 1H), 7.23 (s, 1H), 7.12 (s, 1H), 7.00 (s, 1H), 6.59 (s, 1H), 5.59 (s, 1H), 5.13 (d, $J = 6.2$ Hz, 1H), 4.56 – 4.17 (m, 6H), 4.06 (d, $J = 14.9$ Hz, 2H), 3.86 (d, $J = 14.8$ Hz, 2H), 3.68 (d, $J = 11.4$ Hz, 1H), 3.49 – 3.42 (m, 1H), 3.22 (d, $J = 11.4$ Hz, 1H), 3.00 – 2.81 (m, 5H), 2.72 (d, $J = 12.6$ Hz, 1H), 2.15 (d, $J = 12.7$ Hz, 1H), 1.87 (d, $J = 2.0$ Hz, 8H), 1.72 – 1.56 (m, 3H), 1.31 (d, $J = 7.1$ Hz, 2H), 1.12 (d, $J = 21.6$ Hz, 6H), 0.97 (t, $J = 7.2$ Hz, 3H).
239		E	ESI-MS $m/z = 829.3 [M+H]^+$; 1H NMR (300 MHz, Methanol- d_4) δ 7.79 – 7.60 (m, 3H), 7.56 (s, 1H), 7.49 (dd, $J = 8.6$, 4.7 Hz, 1H), 7.16 (s, 1H), 7.01 (d, $J = 6.0$ Hz, 1H), 6.56 (t, $J = 1.9$ Hz, 2H), 5.63 – 5.55 (m, 1H), 4.79 – 4.69 (m, 3H), 4.62 – 4.41 (m, 4H), 4.35 – 4.12 (m, 2H), 4.12 – 4.00 (m, 4H), 3.96 (d, $J = 0.8$ Hz, 4H), 3.74 (d, $J = 11.6$ Hz, 1H), 3.70 – 3.55 (m, 1H), 3.04 – 2.65 (m, 7H), 2.28 – 2.11 (m, 2H), 2.02 – 1.86 (m, 1H), 1.71 – 1.53 (m, 2H), 1.43 – 1.28 (m, 1H), 1.20 – 1.02 (m, 7H), 0.97 (d, $J = 6.4$ Hz, 3H), 0.87 (d, $J = 6.6$ Hz, 3H).

FIG. 1 cont.





	Structure	Method	Analytic Data
240		E	ESI-MS $m/z = 843.5 [M+H]^+$; 1H NMR (300 MHz, Methanol- d_4) $\delta = 7.78$ (d, $J = 4.1$ Hz, 1H), 7.51 (d, $J = 2.5$ Hz, 1H), 7.46 (d, $J = 4.1$ Hz, 2H), 7.38 (d, $J = 8.2$ Hz, 1H), 7.17 (s, 1H), 7.01 (d, $J = 6.0$ Hz, 1H), 6.56 (s, 1H), 5.63–5.55 (m, 1H), 4.78–4.70 (m, 2H), 4.65–4.40 (m, 5H), 4.35–4.13 (m, 2H), 4.11–3.89 (m, 4H), 3.83–3.67 (m, 3H), 3.65–3.53 (m, 2H), 3.02–2.90 (m, 2H), 2.86 (d, $J = 4.0$ Hz, 3H), 2.83–2.66 (m, 2H), 2.20 (dd, $J = 11.8, 6.4$ Hz, 2H), 2.05 (s, 3H), 1.94 (d, $J = 12.4$ Hz, 1H), 1.83–1.60 (m, 2H), 1.56–1.33 (m, 1H), 1.21 (s, 3H), 1.15 (s, 3H), 0.97 (d, $J = 6.4$ Hz, 3H), 0.87 (d, $J = 6.6$ Hz, 3H).
241		E	ESI-MS $m/z = 859.5 [M+H]^+$; 1H -NMR (300 MHz, CD_3CN) δ 7.88 (d, $J = 8.5, 4.1$ Hz, 1H), 7.75-7.62 (m, 3H), 7.62-7.34 (m, 4H), 7.34-7.23 (m, 1H), 7.23-7.10 (m, 1H), 7.10-7.03 (m, 1H), 6.58-6.47 (m, 1H), 5.66-5.49 (m, 1H), 4.64 (d, $J = 11.0$ Hz, 5H), 4.43–4.16 (m, 6H), 4.06–3.63 (m, 4H), 3.05-2.52 (m, 7H), 2.52-2.49 (m, 1H), 1.58-1.47 (m, 2H), 1.40-1.39 (m, 6H), 1.13-1.07 (m, 3H), 0.95–0.78 (m, 3H).
242		E	ESI-MS $m/z = 843.6 [M+H]^+$; 1H -NMR: (300 MHz, CD_3CN) δ 7.90–7.71 (m, 4H), 7.60–7.44 (m, 2H), 7.40–7.21 (m, 4H), 7.20–7.10 (m, 1H), 7.09–6.86 (m, 1H), 6.86–6.58 (m, 1H), 6.58-6.47 (m, 1H), 5.52–5.49 (m, 1H), 4.60–4.38 (m, 5H), 4.35–3.89 (m, 6H), 3.89–3.64 (m, 4H), 3.01–2.61 (m, 6H), 1.71–1.49 (m, 2H), 1.22–1.08 (m, 6H), 1.05–0.89 (m, 3H), 0.89–0.78 (m, 3H).
243		A	ESI-MS $m/z = 764.5 [M+H]^+$; 1H NMR (300 MHz, CD_3OD-d_4) δ 8.60-8.55 (m, 1H), 7.88 (d, $J = 13.9, 1H$), 7.67-7.45 (m, 2H), 7.29-7.10 (m, 2H), 7.03 (s, 1H), 6.62-6.48 (m, 1H), 6.46-6.21 (m, 2H), 5.85-5.73 (m, 1H), 5.68-5.55 (m, 1H), 5.32 (d, $J = 4.5$ Hz, 2H), 4.71-4.16 (m, 5H), 4.09-3.74 (m, 3H), 3.69-3.61 (m, 1H), 3.25-2.89 (m, 2H), 2.89-2.62 (m, 3H), 2.46-1.88 (m, 6H), 1.85-1.51 (m, 2H), 1.11 (dd, $J = 26.9, 6.9$ Hz, 3H), 1.00-0.80 (m, 6H).

FIG. 1 cont.

	Structure	Method	Analytic Data
244		A	ESI-MS m/z : 808.43; ¹ H NMR (400 MHz, MeOD) δ 7.81 (d, J = 8.4 Hz, 1H), 7.55 (d, J = 14.8 Hz, 1H), 7.41 (t, J = 9.8 Hz, 1H), 7.17 (t, J = 4.1 Hz, 1H), 7.01 (t, J = 20.4 Hz, 2H), 6.63 (ddd, J = 16.8, 10.5, 3.6 Hz, 1H), 6.55 (s, 1H), 6.28 (dd, J = 16.8, 1.9 Hz, 1H), 5.75 (ddd, J = 9.5, 5.9, 3.7 Hz, 1H), 5.52 (dd, J = 8.5, 4.4 Hz, 1H), 4.79 – 4.70 (m, 1H), 4.63 – 4.55 (m, 1H), 4.42 (d, J = 12.5 Hz, 1H), 4.24 (d, J = 14.7 Hz, 1H), 3.93 – 3.85 (m, 1H), 3.77 (ddd, J = 18.0, 14.6, 6.3 Hz, 3H), 3.66 (dd, J = 18.8, 9.0 Hz, 2H), 3.58 – 3.52 (m, 1H), 3.23 (d, J = 11.4 Hz, 1H), 3.00 (s, 3H), 2.88 – 2.77 (m, 2H), 2.76 – 2.66 (m, 1H), 2.30 – 2.13 (m, 3H), 2.08 – 1.89 (m, 2H), 1.84 (d, J = 2.1 Hz, 6H), 1.73 – 1.63 (m, 1H), 1.56 – 1.47 (m, 1H), 1.13 – 0.81 (m, 12H).
245		A	ESI-MS m/z = 820.4[M+H] ⁺ ; ¹ H NMR (400 MHz, MeOD) δ 7.81 (d, J = 8.4 Hz, 2H), 7.68 – 7.57 (m, 1H), 7.40 (dd, J = 15.8, 8.5 Hz, 1H), 7.23 (t, J = 8.9 Hz, 1H), 7.09 (d, J = 12.4 Hz, 1H), 6.98 (d, J = 1.7 Hz, 1H), 6.56 (d, J = 12.8 Hz, 2H), 5.54 (dd, J = 8.5, 4.7 Hz, 1H), 4.78 – 4.69 (m, 2H), 4.45 – 4.38 (m, 2H), 4.23 – 4.03 (m, 2H), 3.89 (dd, J = 17.3, 10.6 Hz, 3H), 3.75 – 3.52 (m, 7H), 3.24 (s, 1H), 2.98 (dd, J = 17.0, 5.1 Hz, 3H), 2.90 – 2.63 (m, 4H), 2.30 – 2.12 (m, 4H), 2.09 – 2.00 (m, 4H), 1.86 (t, J = 8.7 Hz, 5H), 1.69 – 1.45 (m, 3H), 1.43 – 1.21 (m, 3H), 1.17 – 1.03 (m, 5H), 0.94 (dt, J = 11.9, 6.0 Hz, 3H), 0.83 (t, J = 6.6 Hz, 2H).
246		A	ESI-MS m/z : 830.3[M+H] ⁺ ; ¹ H NMR (400 MHz, MeOD) δ 7.73-7.82(m,2H),7.40-7.22(m,1H),6.61-6.97(m,3H),6.51-6.60 (m, 1H), 5.51-5.66 (m, 1H), 4.86 – 4.60 (m, 2H), 4.46-4.33 (m, 3H), 4.32-4.24 (m, 2H), 4.14 – 4.05 (m, 2H), 3.82-3.60 (m, 3H), 3.60-3.31 (m, 2H), 2.94-2.86 (m, 4H), 2.76 – 2.63 (m, 2H), 2.20 – 2.03 (m, 2H), 1.64 – 1.60 (m, 9H), 1.60 – 1.51 (m, 2H), 1.01 – 0.79 (m, 9H), 0.79 – 0.70 (m, 3H).
247		A	ESI-MS m/z = 876.0[M+H] ⁺ ; ¹ H NMR (400 MHz, MeOD) δ 7.84 (d, J = 8.4 Hz, 1H), 7.60 (s, 1H), 7.41 (s, 1H), 7.24 (d, J = 2.3 Hz, 1H), 7.07 (s, 1H), 6.98 (d, J = 7.7 Hz, 1H), 6.52 (s, 1H), 5.58 – 5.46 (m, 1H), 4.73 (d, J = 11.1 Hz, 1H), 4.50 (d, J = 7.5 Hz, 4H), 4.27 (s, 2H), 4.22 – 4.11 (m, 1H), 4.10 – 4.02 (m, 2H), 3.96 (d, J = 6.0 Hz, 5H), 3.77 (d, J = 14.9 Hz, 1H), 3.63 (q, J = 9.0 Hz, 1H), 3.53 (dd, J = 11.3, 8.3 Hz, 1H), 3.42 (d, J = 4.1 Hz, 6H), 3.21 (dd, J = 11.5, 3.4 Hz, 1H), 2.92 (dd, J = 30.7, 2.8 Hz, 1H), 2.83 (d, J = 6.0 Hz, 4H), 2.69 (t, J = 11.5 Hz, 1H), 2.24 – 2.07 (m, 2H), 1.90 (d, J = 12.6 Hz, 1H), 1.58 (dt, J = 35.4, 11.3 Hz, 2H), 1.12 (s, 3H), 1.04 (s, 3H), 0.94 (d, J = 6.4 Hz, 3H), 0.84 (d, J = 6.6 Hz, 3H).

FIG. 1 cont.





	Structure	Method	Analytic Data
248		A	ESI-MS m/z: 804.3 [M+H] ⁺ ; ¹ H NMR (400 MHz, MeOD) δ 7.35 – 7.25 (m, 1H), 7.14 (d, J = 31.9 Hz, 1H), 7.02 – 6.86 (m, 2H), 6.76 (dd, J = 23.7, 9.9 Hz, 1H), 6.56 (dd, J = 38.8, 6.8 Hz, 1H), 5.65 – 5.54 (m, 1H), 4.68 (ddd, J = 15.3, 11.1, 8.5 Hz, 1H), 4.55 – 4.34 (m, 3H), 4.29 – 4.20 (m, 1H), 4.19 – 3.99 (m, 4H), 3.97 – 3.56 (m, 5H), 3.53 – 3.37 (m, 2H), 3.16 – 3.04 (m, 1H), 2.99 – 2.90 (m, 1H), 2.89 – 2.59 (m, 5H), 2.26 – 2.03 (m, 3H), 1.91 (d, J = 12.6 Hz, 1H), 1.74 – 1.57 (m, 2H), 1.45 – 1.27 (m, 6H), 1.20 – 0.75 (m, 9H).
249		A	ESI-MS m/z: 804.3 [M+H] ⁺ ; ¹ H NMR (400 MHz, MeOD) δ 7.29 (dd, J = 9.6, 7.9 Hz, 1H), 7.14 (d, J = 35.2 Hz, 1H), 7.02 – 6.84 (m, 2H), 6.73 (s, 1H), 6.67 – 6.57 (m, 1H), 5.75 – 5.58 (m, 1H), 4.72 – 4.60 (m, 1H), 4.60 – 4.35 (m, 3H), 4.35 – 4.16 (m, 2H), 4.15 – 3.98 (m, 3H), 3.96 – 3.75 (m, 2H), 3.72 – 3.32 (m, 5H), 3.14 – 3.05 (m, 1H), 3.03 – 2.95 (m, 1H), 2.94 – 2.59 (m, 5H), 2.24 – 2.00 (m, 3H), 1.84 (d, J = 12.4 Hz, 1H), 1.69 – 1.49 (m, 2H), 1.46 – 1.28 (m, 6H), 1.20 – 0.70 (m, 9H).
250			¹ H NMR (400 MHz, MeOD) δ 8.27 (s, 1H), 7.93 (d, J = 11.9 Hz, 1H), 7.67 (d, J = 5.0 Hz, 1H), 7.43 (d, J = 4.1 Hz, 1H), 7.10 (s, 1H), 6.97 (d, J = 18.0 Hz, 1H), 6.53 (s, 1H), 5.55 (d, J = 13.0 Hz, 1H), 4.80 – 4.69 (m, 2H), 4.61 – 4.36 (m, 5H), 4.29 – 4.06 (m, 4H), 4.06 – 3.87 (m, 3H), 3.67 (d, J = 15.4 Hz, 1H), 3.21 (dd, J = 12.5, 5.1 Hz, 2H), 2.97 – 2.79 (m, 4H), 2.70 (d, J = 14.9 Hz, 1H), 2.46 (s, 2H), 2.16 (dd, J = 28.9, 15.3 Hz, 2H), 1.90 (d, J = 12.1 Hz, 1H), 1.65 – 1.50 (m, 2H), 1.32 (dd, J = 10.7, 6.2 Hz, 6H), 1.13 (d, J = 28.4 Hz, 6H), 0.89 (dd, J = 40.9, 6.6 Hz, 6H).
251		A	ESI-MS m/z: 843.4; ¹ H NMR (400 MHz, MeOD) δ 7.81 (d, J = 8.4 Hz, 1H), 7.65 (s, 1H), 7.45 – 7.37 (m, 1H), 7.24 (t, J = 8.1 Hz, 1H), 7.11 (s, 1H), 6.98 (s, 1H), 6.55 (d, J = 2.1 Hz, 1H), 5.55 (s, 1H), 4.74 (ddd, J = 18.0, 8.9, 4.7 Hz, 2H), 4.59 (s, 1H), 4.43 (d, J = 13.9 Hz, 2H), 3.92 – 3.76 (m, 3H), 3.69 – 3.46 (m, 6H), 3.24 (d, J = 8.8 Hz, 1H), 3.01 (d, J = 1.5 Hz, 2H), 2.93 (d, J = 15.0 Hz, 1H), 2.81 (s, 3H), 2.74 – 2.64 (m, 2H), 2.32 – 2.13 (m, 4H), 1.85 (d, J = 3.6 Hz, 6H), 1.65 – 1.55 (m, 3H), 1.18 – 0.78 (m, 12H).

FIG. 1 cont.

	Structure	Method	Analytic Data
252		A	ESI-MS m/z: 844.4 [M+H] ⁺ ; ¹ H NMR (400 MHz, MeOD) δ 7.81 (d, J = 8.4 Hz, 1H), 7.64 (s, 1H), 7.41 (dt, J = 10.9, 5.4 Hz, 1H), 7.22 (d, J = 17.2 Hz, 1H), 7.11 (s, 1H), 7.00 (d, J = 10.5 Hz, 1H), 6.62 – 6.49 (m, 1H), 5.55 (d, J = 4.7 Hz, 1H), 4.81 – 4.62 (m, 2H), 4.48 – 4.29 (m, 2H), 4.23 – 3.93 (m, 2H), 3.84 – 3.74 (m, 2H), 3.67 – 3.41 (m, 4H), 3.16 (dd, J = 35.4, 12.1 Hz, 1H), 3.01 – 2.69 (m, 6H), 2.40 – 1.99 (m, 5H), 1.94 – 1.78 (m, 6H), 1.72 – 1.47 (m, 5H), 1.17 – 0.73 (m, 12H).
253			ESI-MS m/z: 846.3[M+H] ⁺ ; ¹ H NMR (400 MHz, MeOD) δ 9.28 – 7.76 (m, 2H), 7.65 (dd, J = 13.6, 5.9 Hz, 1H), 7.50 – 7.32 (m, 1H), 7.11 (s, 1H), 6.97 (d, J = 9.2 Hz, 1H), 6.52 (s, 1H), 5.66 – 5.43 (m, 1H), 4.72 (dd, J = 11.2, 7.3 Hz, 1H), 4.48 (dt, J = 28.1, 9.9 Hz, 4H), 4.38 – 4.11 (m, 3H), 4.06 (dd, J = 13.2, 6.6 Hz, 2H), 3.95 (s, 2H), 3.85 (s, 1H), 3.68 (d, J = 11.2 Hz, 1H), 3.25 (dd, J = 11.7, 4.1 Hz, 1H), 3.05 – 2.50 (m, 7H), 2.34 – 1.83 (m, 6H), 1.71 – 1.46 (m, 2H), 1.24 – 0.80 (m, 15H).
254		A	ESI-MS m/z : 808.43; ¹ H NMR (400 MHz, MeOD) δ 7.82 (s, 1H), 7.60 – 7.58 (m, 1H), 7.3–6.95 (m, 3H), 6.75 – 6.40 (m, 2H), 6.25 (d, J = 33.9 Hz, 1H), 5.76–5.54 (ddd, J = 14.0, 8.5, 4.7 Hz, 2H), 4.76 – 4.65 (m, 1H), 4.39 (dd, J = 30.1, 15.4 Hz, 2H), 4.38–4.10 (m, 1H), 3.90 – 3.76 (m, 2H), 3.68 – 3.45 (m, 5H), 3.13 (s, 1H), 3.09 – 2.92 (m, 4H), 2.88 – 2.72 (m, 2H), 2.30 – 1.98 (m, 4H), 1.96 – 1.85 (m, 6H), 1.62 – 1.37 (m, 3H), 1.19 – 0.76 (m, 12H).
255		A	ESI-MS m/z: 820.4 [M+H] ⁺ ; ¹ H NMR (400 MHz, MeOD) δ 7.81 (d, 1H), 7.66 (d, 1H), 7.47–7.39 (m, 1H), 7.22 (d, 1H), 7.11 (s, 1H), 6.99 (d, 1H), 6.50 (d, 1H), 5.61–5.50 (m, 1H), 4.81–4.68 (m, 1H), 4.43 (d, 1H), 4.06–3.93 (m, 1H), 3.66 (m, 8H), 2.98 (m, 3H), 2.89 (d, 2H), 2.74–2.66 (m, 1H), 2.38–1.98 (m, 7H), 1.86 (m, 6H), 1.72–1.49 (m, 3H), 1.10 (d, 6H), 0.97–0.78 (m, 6H).

FIG. 1 cont.





	Structure	Method	Analytic Data
256		A	ESI-MS m/z = 802.0 $[M+H]^+$; 1H NMR (400 MHz, Methanol- d_4) δ 7.65 – 7.51 (m, 2H), 7.42 – 7.34 (m, 1H), 7.21 (s, 1H), 7.11 (s, 1H), 6.99 (d, J = 7.5 Hz, 1H), 6.54 (s, 1H), 5.62 – 5.53 (m, 1H), 4.79 – 4.70 (m, 1H), 4.59 (s, 13H), 4.56 – 4.49 (m, 2H), 4.42 (t, J = 14.9 Hz, 3H), 4.31 – 4.13 (m, 2H), 4.13 – 4.05 (m, 2H), 3.99 – 3.81 (m, 2H), 3.66 (d, J = 11.2 Hz, 1H), 3.55 (d, J = 12.9 Hz, 1H), 3.24 (dd, J = 11.3, 5.8 Hz, 1H), 3.13 (dt, J = 8.1, 4.2 Hz, 2H), 2.91 (dd, J = 13.2, 4.9 Hz, 1H), 2.84 (dd, J = 9.7, 5.6 Hz, 6H), 2.71 (t, J = 13.0 Hz, 1H), 2.25 – 2.11 (m, 2H), 1.92 (d, J = 12.8 Hz, 1H), 1.57 (s, 2H), 1.13 (d, J = 21.0 Hz, 6H), 0.96 (d, J = 6.4 Hz, 3H), 0.86 (d, J = 6.6 Hz, 3H).
257		E	ESI-MS m/z = 829.5 $[M+H]^+$; 1H NMR (300 MHz, Acetonitrile- d_3) δ = 8.23 (d, J = 8.4 Hz, 1H), 7.89 – 7.39 (m, 4H), 7.31 – 6.99 (m, 2H), 6.57 (d, J = 2.2 Hz, 2H), 5.66 – 5.38 (m, 1H), 4.72 – 3.88 (m, 14H), 3.82 – 3.23 (m, 3H), 3.18 – 2.36 (m, 8H), 1.78 – 1.49 (m, 2H), 1.41 – 1.21 (m, 1H), 1.21 – 1.08 (m, 6H), 1.04 – 0.89 (m, 4H), 0.90 – 0.73 (m, 3H).
258		A	ESI-MS m/z = 842.6 $[M+H]^+$; 1H NMR (300 MHz, Methanol- d_4) δ 7.84 (dd, J = 8.4, 2.1 Hz, 1H), 7.68 (d, J = 6.2 Hz, 1H), 7.46 (d, J = 8.5 Hz, 1H), 7.24 (s, 1H), 7.14 (d, J = 6.2 Hz, 1H), 7.02 (d, J = 2.3 Hz, 1H), 6.57 (d, J = 12.6 Hz, 1H), 5.65 – 5.48 (m, 1H), 4.64 – 4.42 (m, 4H), 4.31 (dd, J = 10.4, 3.7 Hz, 2H), 4.20 (d, J = 10.0 Hz, 1H), 4.00 (d, J = 10.1 Hz, 1H), 3.89 (d, J = 14.6 Hz, 1H), 3.70 (d, J = 11.2 Hz, 2H), 3.61 – 3.42 (m, 2H), 2.92 – 2.64 (m, 4H), 2.43 – 2.35 (m, 2H), 2.25 – 2.17 (m, 2H), 1.88 (d, J = 2.6 Hz, 7H), 1.63 (dd, J = 12.4, 6.6 Hz, 5H), 1.13 (d, J = 25.9 Hz, 6H), 0.92 (ddd, J = 32.6, 6.6, 4.1 Hz, 6H).
259		A	ESI-MS m/z = 818.6 $[M+H]^+$; 1H NMR (300 MHz, Acetonitrile- d_3) δ 7.87 (d, J = 8.5 Hz, 1H), 7.74 (s, 1H), 7.51 (d, J = 8.3 Hz, 1H), 7.22 – 7.06 (m, 4H), 6.72 (s, 1H), 5.47 (s, 2H), 4.58 – 4.40 (m, 2H), 4.23 – 4.07 (m, 3H), 3.96 (s, 1H), 3.84 (d, J = 14.8 Hz, 1H), 3.69 (d, J = 10.7 Hz, 2H), 3.52 (s, 1H), 3.39 – 3.30 (m, 2H), 2.85 – 2.81 (m, 2H), 2.76 – 2.62 (m, 6H), 2.03 (s, 4H), 1.86 (d, J = 3.8 Hz, 6H), 1.67 – 1.51 (m, 2H), 1.11 (d, J = 26.4 Hz, 6H), 0.93 (dd, J = 30.0, 6.6 Hz, 6H).

FIG. 1 cont.

	Structure	Method	Analytic Data
260*		A	ESI-MS $m/z = 816.0$ $[M+H]^+$; 1H NMR (300 MHz, Methanol- d_4) δ 7.90 (d, $J = 15.7$ Hz, 1H), 7.77 (d, $J = 8.7$ Hz, 1H), 7.62 – 7.58 (m, 1H), 7.35 – 7.11 (m, 2H), 7.02 (d, $J = 8.1$ Hz, 1H), 6.53 (d, $J = 8.1$ Hz, 1H), 5.64 (s, 1H), 4.78 – 4.70 (m, 1H), 4.67 – 4.20 (m, 5H), 4.18 – 3.62 (m, 5H), 3.24 – 2.47 (m, 9H), 2.11 (d, $J = 4.7$ Hz, 10H), 1.96 (d, $J = 11.9$ Hz, 1H), 1.63 (td, $J = 6.6, 2.0$ Hz, 5H), 1.21 – 0.91 (m, 6H), 0.85 (dd, $J = 6.5, 2.4$ Hz, 3H).
261		A	ESI-MS $m/z = 844.3$ $[M+H]^+$; 1H NMR (400 MHz, MeOD) δ 7.81 (d, $J = 8.4$ Hz, 1H), 7.57 (d, $J = 16.1$ Hz, 1H), 7.48 – 7.36 (m, 1H), 7.19 (d, $J = 19.8$ Hz, 1H), 7.07 (s, 1H), 6.98 (d, $J = 14.7$ Hz, 1H), 6.56 (t, $J = 8.8$ Hz, 1H), 5.52 (s, 1H), 4.83 – 4.69 (m, 3H), 4.42 (d, $J = 12.2$ Hz, 1H), 3.96 – 3.80 (m, 2H), 3.80 (s, 1H), 3.70 – 3.49 (m, 5H), 3.22 (d, $J = 33.5$ Hz, 1H), 3.00 (s, 2H), 2.91 – 2.60 (m, 4H), 2.37 – 2.05 (m, 5H), 1.87 (d, $J = 17.7$ Hz, 6H), 1.68 – 1.57 (m, 5H), 1.07 (dd, $J = 21.5, 15.1$ Hz, 6H), 1.00 – 0.77 (m, 6H).
262		A	ESI-MS $m/z = 828.3$ $[M+H]^+$; 1H NMR (400 MHz, MeOD) δ 7.80-7.82(m,1H), 7.62-7.72(m,1H), 7.43-7.47(m,1H), 6.98-7.30 (m, 3H), 6.60 (s, 1H), 5.57-5.59 (m, 1H), 4.80-4.86 (m, 1H), 4.18-4.43 (m, 4H), 4.11 – 4.18 (m, 4H), 3.93-4.03 (m, 2H), 3.60-3.71 (m, 2H), 2.72-3.13 (m, 6H), 2.16 – 2.25 (m, 2H), 1.82 – 1.84 (m, 1H), 1.79 – 1.80 (m, 6H), 1.58 – 1.64 (m, 2H), 1.26 – 1.30 (m, 3H), 0.81 – 0.93 (m, 6H), 0.50 – 0.63 (m, 2H). 0.15 – 0.23 (m, 2H).
263		A	ESI-MS $m/z = 844.3$ $[M+H]^+$; 1H NMR (400 MHz, MeOD) δ 7.81 (d, 1H), 7.61 (s, 1H), 7.46-7.40 (m, 1H), 7.25-6.95 (m, 3H), 6.51 (d, 1H), 5.60-5.50 (m, 1H), 4.76 (m, 3H), 4.43 (d, 1H), 3.96-3.82 (m, 2H), 3.78 (m, 1H), 3.72-3.49 (m, 5H), 3.25-3.17 (m, 1H), 3.04-2.94 (m, 2H), 2.91-2.64 (m, 4H), 2.37-2.08 (m, 4H), 2.07-1.98 (m, 1H), 1.87 (d, 6H), 1.72-1.47 (m, 5H), 1.19-1.01 (m, 6H), 0.98-0.78 (m, 6H).

FIG. 1 cont.





	Structure	Method	Analytic Data
264		A	ESI-MS m/z: 814.3 [M+H] ⁺ ; ¹ H-NMR (400 MHz, MeOD) δ 7.74 (d, J = 8.5 Hz, 1H), 7.69 – 7.59 (m, 1H), 7.46 (dd, J = 16.0, 7.5 Hz, 1H), 7.12 (s, 1H), 6.99 (d, J = 7.9 Hz, 1H), 6.59 (d, J = 20.9 Hz, 1H), 5.53 (dd, J = 12.4, 6.2 Hz, 1H), 4.73 (dd, J = 11.1, 7.3 Hz, 2H), 4.48 (ddd, J = 38.6, 17.8, 11.5 Hz, 4H), 4.29 – 4.13 (m, 2H), 4.05 (dd, J = 14.3, 5.9 Hz, 2H), 4.01 – 3.86 (m, 2H), 3.77 (d, J = 11.8 Hz, 1H), 3.49 (d, J = 11.6 Hz, 1H), 2.99 – 2.80 (m, 5H), 2.76 – 2.66 (m, 1H), 2.24 – 2.07 (m, 3H), 1.91 (d, J = 11.6 Hz, 1H), 1.69 – 1.51 (m, 2H), 1.20 – 1.00 (m, 10H), 0.90 (dd, J = 42.7, 6.5 Hz, 6H).
265		A	ESI-MS m/z = 864.7 [M+H] ⁺ ; ¹ H-NMR (300 MHz, Methanol) δ = 7.94 (dt, J = 6.2, 3.2 Hz, 1H), 7.75 (ddd, J = 8.8, 7.1, 1.7 Hz, 1H), 7.54 (d, J = 8.8 Hz, 1H), 7.19 (dd, J = 3.2, 1.7 Hz, 1H), 7.00 (dt, J = 6.7, 1.9 Hz, 1H), 6.56 (q, J = 1.8 Hz, 1H), 5.64 – 5.55 (m, 1H), 4.61 (s, 21H), 4.39 (q, J = 5.9, 4.4 Hz, 3H), 4.31 – 4.01 (m, 2H), 3.98 – 3.79 (m, 2H), 3.70 (q, J = 9.2 Hz, 1H), 3.23 (ddd, J = 14.5, 5.0, 3.0 Hz, 1H), 2.95 (dddd, J = 34.8, 22.9, 8.4, 5.7 Hz, 3H), 2.80 – 2.66 (m, 3H), 2.41 (s, 1H), 2.28 – 2.09 (m, 2H), 1.96 (d, J = 11.9 Hz, 1H), 1.77 – 1.58 (m, 2H), 1.45 (t, J = 7.1 Hz, 3H), 1.17 – 1.00 (m, 3H), 0.96 (d, J = 6.4 Hz, 3H), 0.84 (d, J = 6.6 Hz, 3H).
266		E	ESI-MS m/z = 880.6 [M+H] ⁺ ; ¹ H NMR (400 MHz, Acetonitrile-d ₃) δ 7.80 – 7.74 (m, 2H), 7.71 – 7.67 (m, 2H), 7.50 (t, J = 7.6 Hz, 1H), 7.38 (d, J = 7.8 Hz, 1H), 7.15 – 7.09 (m, 2H), 7.05 – 7.03 (m, 1H), 6.88 – 6.81 (m, 1H), 6.58 (d, J = 6.1 Hz, 1H), 5.60 – 5.44 (m, 1H), 4.66 – 4.56 (m, 2H), 4.49 – 4.35 (m, 3H), 4.32 – 4.19 (m, 2H), 4.03 (d, J = 15.5 Hz, 7H), 3.86 – 3.76 (m, 1H), 3.69 (d, J = 11.3 Hz, 1H), 3.59 – 3.43 (m, 1H), 3.32 (dd, J = 22.9, 11.4 Hz, 1H), 2.98 – 2.83 (m, 3H), 2.77 – 2.64 (m, 3H), 1.90 (d, J = 12.3 Hz, 1H), 1.68 – 1.45 (m, 2H), 1.37 – 1.30 (m, 1H), 1.17 (q, J = 7.1 Hz, 6H), 1.02 – 0.92 (m, 3H), 0.84 (q, J = 6.6 Hz, 3H).
267		E	ESI-MS m/z = 884.5 [M+H] ⁺ ; ¹ H NMR (400 MHz, Acetonitrile-d ₃) δ 7.77 – 7.71 (m, 5H), 7.58 – 7.50 (m, 2H), 7.14 (t, J = 12.0 Hz, 1H), 7.05 (d, J = 8.1 Hz, 1H), 6.85 (dd, J = 22.5, 8.7 Hz, 1H), 6.70 – 6.55 (m, 1H), 5.56 – 5.49 (m, 1H), 4.66 – 4.57 (m, 3H), 4.47 – 4.39 (m, 3H), 4.30 – 4.19 (m, 2H), 4.11 – 3.97 (m, 4H), 3.88 – 3.68 (m, 3H), 3.58 – 3.27 (m, 4H), 2.90 (d, J = 7.7 Hz, 4H), 2.82 (s, 2H), 2.74 – 2.64 (m, 6H), 2.23 – 2.14 (m, 3H), 1.96 – 1.88 (m, 2H), 1.66 – 1.50 (m, 3H), 1.40 – 1.30 (m, 1H), 1.25 – 1.15 (m, 21H), 1.02 – 0.92 (m, 4H), 0.84 (q, J = 6.6 Hz, 4H).

FIG. 1 cont.





	Structure	Method	Analytic Data
268		E	ESI-MS m/z = 867.9 $[M+H]^+$; 1H -NMR (400 MHz, Methanol) δ 7.79 (dd, J = 8.8, 5.2 Hz, 1H), 7.68 – 7.61 (m, 4H), 7.56 – 7.39 (m, 2H), 7.11 (s, 1H), 7.01 (dd, J = 5.7, 3.7 Hz, 1H), 6.56 (d, J = 2.2 Hz, 1H), 5.59 – 5.52 (m, 1H), 4.76 – 4.72 (m, 1H), 4.55 – 4.40 (m, 4H), 4.32 – 4.14 (m, 2H), 4.09 – 4.04 (m, 2H), 3.91 (d, J = 14.3 Hz, 2H), 3.69 (d, J = 11.5 Hz, 1H), 3.53 (t, J = 11.8 Hz, 1H), 3.31 – 3.23 (m, 1H), 2.97 – 2.82 (m, 5H), 2.71 (t, J = 12.6 Hz, 1H), 2.25 – 2.11 (m, 2H), 1.92 (d, J = 13.1 Hz, 1H), 1.66 – 1.52 (m, 2H), 1.18 – 1.11 (m, 6H), 0.96 (dd, J = 6.4, 2.0 Hz, 3H), 0.85 (d, J = 6.6 Hz, 3H).
269		E	ESI-MS m/z = 884.9 $[M+H]^+$; 1H NMR (300 MHz, Methanol- d_4) δ = 7.76 – 7.69 (m, 2H), 7.63 – 7.54 (m, 3H), 7.48 – 7.45 (m, 2H), 7.15 (s, 2H), 7.03 (s, 1H), 6.56 (s, 1H), 5.57 (s, 1H), 4.77 – 4.73 (m, 1H), 4.53 – 4.47 (m, 3H), 4.30 – 3.97 (m, 5H), 3.73 (d, J = 11.4 Hz, 1H), 3.55 – 3.50 (m, 1H), 3.00 – 2.66 (m, 7H), 2.18 – 2.05 (m, 2H), 1.98 – 1.91 (m, 1H), 1.73 – 1.54 (m, 2H), 1.19 (d, J = 6.4 Hz, 6H), 0.97 (d, J = 6.4 Hz, 3H), 0.86 (d, J = 6.5 Hz, 4H).
270		E	ESI-MS m/z = 868.4 $[M+H]^+$; 1H NMR (300 MHz, Methanol- d_4) δ 7.76 – 7.68 (m, 2H), 7.63 – 7.45 (m, 5H), 7.15 (s, 2H), 7.03 (s, 1H), 6.56 (s, 1H), 5.57 (s, 1H), 4.77 – 4.71 (m, 1H), 4.51 (s, 3H), 4.48 – 4.24 (m, 1H), 4.12 – 3.94 (m, 3H), 3.73 (d, J = 11.4 Hz, 1H), 3.55 – 3.50 (m, 1H), 3.00 – 2.75 (m, 6H), 2.18 (d, J = 10.6 Hz, 2H), 2.06 (s, 1H), 1.72 – 1.53 (m, 2H), 1.19 (d, J = 6.4 Hz, 6H), 0.97 (d, J = 6.4 Hz, 3H), 0.86 (d, J = 6.5 Hz, 3H).
271		E	ESI-MS m/z = 863.9 $[M+H]^+$; 1H -NMR (300 MHz, DMSO) δ 9.44 (s, 1H), 8.61 – 8.13 (m, 1H), 7.74 (s, 1H), 7.59 – 7.37 (m, 7H), 7.08 – 6.99 (m, 2H), 6.63 – 6.51 (m, 1H), 5.37 – 5.34 (m, 1H), 5.09 – 5.05 (m, 1H), 4.70 – 4.66 (m, 1H), 4.52 – 4.44 (m, 2H), 4.31 – 4.25 (m, 1H), 4.18 – 4.11 (m, 5H), 4.03 (d, J = 2.9 Hz, 2H), 3.95 – 3.78 (m, 4H), 2.83 (s, 2H), 2.76 – 2.69 (m, 4H), 2.08 (s, 2H), 1.82 (s, 1H), 1.64 – 1.53 (m, 2H), 1.23 (s, 1H), 1.11 (d, J = 14.3 Hz, 6H), 0.91 (dd, J = 16.1, 6.5 Hz, 3H), 0.81 – 0.69 (m, 3H).

FIG. 1 cont.





	Structure	Method	Analytic Data
272		E	ESI-MS $m/z = 896.5 [M+H]^+$; 1H NMR (300 MHz, CD_3OD-d_4) δ 9.19 (s, 1H), 8.01-7.85 (m, 4H), 7.75-7.51 (m, 2H), 7.44 (t, $J = 8.8$ Hz, 1H), 7.14 (s, 1H), 7.02 (s, 1H), 6.71-6.46 (m, 1H), 5.60 (s, 1H), 4.79-4.39 (m, 6H), 4.37-3.82 (m, 4H), 3.83-3.35 (m, 3H), 3.05-2.62 (m, 6H), 2.32-2.07 (m, 2H), 1.97-1.84 (m, 1H), 1.76-1.43 (m, 5H), 1.41-1.08 (s, 6H), 1.07-0.75 (m, 6H).
273		E	ESI-MS $m/z = 905.5 [M+H]^+$; 1H NMR (400 MHz, Acetonitrile- d_3) δ 7.96 (dd, $J = 8.5, 2.5$ Hz, 1H), 7.77 (d, $J = 5.6$ Hz, 1H), 7.70-7.60 (m, 1H), 7.59-7.49 (m, 1H), 7.29 (t, $J = 8.1$ Hz, 1H), 7.14 (dd, $J = 9.5, 4.5$ Hz, 1H), 7.05 (dt, $J = 4.1, 2.1$ Hz, 2H), 6.95-6.76 (m, 1H), 6.71-6.51 (m, 1H), 5.61-5.42 (m, 1H), 4.61 (dd, $J = 32.7, 12.6$ Hz, 2H), 4.44 (td, $J = 13.2, 11.5, 5.2$ Hz, 3H), 4.32-4.15 (m, 2H), 4.13-3.94 (m, 4H), 3.89-3.75 (m, 1H), 3.68 (t, $J = 9.7$ Hz, 1H), 3.63-3.44 (m, 1H), 3.33 (dd, $J = 22.2, 11.4$ Hz, 1H), 3.00-2.79 (m, 3H), 2.76-2.58 (m, 3H), 1.99-1.83 (m, 2H), 1.58 (dq, $J = 24.4, 12.0$ Hz, 2H), 1.19 (d, $J = 6.6$ Hz, 3H), 1.13 (d, $J = 7.6$ Hz, 3H), 1.03-0.89 (m, 3H), 0.84 (q, $J = 6.6$ Hz, 3H).
274		E	ESI-MS $m/z = 925.6 [M+H]^+$; 1H NMR (300 MHz, CD_3OD-d_4) δ 7.74 (d, $J = 8.4$ Hz, 1H), 7.67 (d, $J = 4.3$ Hz, 1H), 7.59 (dd, $J = 7.5, 1.7$ Hz, 1H), 7.47 (s, 1H), 7.39 (dd, $J = 8.0, 4.5$ Hz, 1H), 7.31-7.23 (m, 1H), 7.21-6.98 (m, 4H), 6.64-6.51 (m, 1H), 5.68-5.52 (m, 1H), 4.78-4.70 (m, 2H), 4.55-4.40 (m, 5H), 4.34-4.06 (m, 3H), 4.06-3.90 (m, 2H), 3.80-6.65 (m, 3H), 3.59-3.38 (m, 3H), 3.02-2.66 (m, 7H), 2.26-2.10 (m, 2H), 1.99-1.86 (m, 3H), 1.73-1.50 (m, 4H), 1.17 (d, $J = 12.8$ Hz, 6H), 0.96 (d, $J = 6.4$ Hz, 3H), 0.86 (d, $J = 6.6$ Hz, 3H).
275		E	ESI-MS $m/z = 909.6 [M+H]^+$; 1H NMR (300 MHz, CD_3OD-d_4) δ 7.77 (d, $J = 8.4$ Hz, 1H), 7.69-7.57 (m, 2H), 7.48 (s, 1H), 7.45-7.33 (m, 1H), 7.28-6.98 (m, 5H), 6.65-6.49 (m, 1H), 5.64-5.53 (m, 1H), 4.80-4.71 (m, 1H), 4.55-4.38 (m, 5H), 4.36-4.04 (m, 3H), 4.01-3.50 (m, 3H), 3.38 (s, 2H), 3.06-2.60 (m, 7H), 2.28-2.10 (m, 2H), 2.01-1.75 (m, 5H), 1.78-1.50 (m, 6H), 1.25-1.11 (m, 6H), 1.07-0.79 (m, 6H).

FIG. 1 cont.

	Structure	Method	Analytic Data
276		A	ESI-MS m/z = 844.0 $[M+H]^+$; 1H NMR (300 MHz, Acetonitrile- d_3) δ 7.86 (d, J = 8.3 Hz, 1H), 7.66 (s, 1H), 7.57 – 7.41 (m, 1H), 7.27 – 7.14 (m, 1H), 7.13 – 7.01 (m, 2H), 6.96 (s, 1H), 6.58 (d, J = 15.2 Hz, 1H), 5.46 (d, J = 10.7 Hz, 1H), 4.62 (d, J = 11.1 Hz, 1H), 4.56 – 4.17 (m, 6H), 3.88 (dd, J = 36.0, 14.5 Hz, 2H), 3.58 (dt, J = 22.1, 10.7 Hz, 2H), 3.45 – 3.08 (m, 2H), 3.03 – 2.56 (m, 8H), 1.86 (d, J = 4.0 Hz, 7H), 1.81 – 1.41 (m, 5H), 1.39 – 1.26 (m, 1H), 1.14 (d, J = 3.3 Hz, 3H), 1.07 (s, 3H), 0.95 (dd, J = 6.6, 4.1 Hz, 3H), 0.90 – 0.79 (m, 3H).
277		A	1H NMR (300 MHz, Acetonitrile- d_3) δ 7.86 (d, J = 8.4 Hz, 1H), 7.76 – 7.36 (m, 2H), 7.27 – 6.99 (m, 3H), 6.86 (s, 1H), 6.58 (s, 1H), 5.57 – 5.32 (m, 1H), 4.71 – 4.13 (m, 5H), 4.05 – 3.46 (m, 3H), 3.45 – 3.03 (m, 2H), 2.98 (d, J = 10.8 Hz, 2H), 2.92 – 2.54 (m, 6H), 2.08 (s, 1H), 2.03 (s, 1H), 2.00 (s, 1H), 1.93 – 1.83 (m, 6H), 1.82 – 1.41 (m, 4H), 1.11 (d, J = 20.9 Hz, 6H), 0.99 – 0.77 (m, 6H).
278		A	ESI-MS m/z : 878.3 $[M+H]^+$; 1H NMR (400 MHz, MeOD) δ 8.51 (s, 1H), 7.87 – 7.69 (m, 1H), 7.58 (dd, J = 19.3, 7.4 Hz, 1H), 7.51 – 7.09 (m, 7H), 7.01 (dd, J = 17.6, 7.1 Hz, 1H), 6.58 (dd, J = 44.9, 9.3 Hz, 1H), 5.60 (ddd, J = 14.4, 12.0, 8.3 Hz, 1H), 4.82 – 4.64 (m, 1H), 4.58 – 4.29 (m, 4H), 4.29 – 3.99 (m, 4H), 3.99 – 3.80 (m, 1H), 3.69 (dt, J = 15.4, 10.6 Hz, 3H), 3.25 – 2.96 (m, 1H), 3.09 – 2.66 (m, 7H), 2.66 – 2.39 (m, 2H), 2.39 – 2.08 (m, 2H), 2.08 – 1.89 (m, 1H), 1.88 – 1.66 (m, 6H), 1.69 – 1.34 (m, 2H), 1.08 – 0.63 (m, 6H).
279		A	ESI-MS m/z : 889.3 $[M+H]^+$; 1H NMR (400 MHz, MeOD) δ 7.98 (d, J = 7.6 Hz, 1H), 7.85 (d, J = 7.6 Hz, 2H), 7.74 (d, J = 7.5 Hz, 1H), 7.68 (t, J = 7.8 Hz, 1H), 7.62 – 7.52 (m, 2H), 7.17 (s, 1H), 7.00 (s, 1H), 6.60 (t, J = 11.4 Hz, 1H), 5.57 (s, 1H), 4.74 (dd, J = 10.5, 6.8 Hz, 1H), 4.64 – 4.47 (m, 3H), 4.42 (d, J = 10.8 Hz, 1H), 4.25 (d, J = 10.1 Hz, 1H), 4.18 – 4.11 (m, 1H), 3.82 (ddd, J = 63.6, 46.8, 8.2 Hz, 3H), 3.48 (s, 1H), 2.97 (dd, J = 12.3, 9.8 Hz, 2H), 2.92 – 2.80 (m, 4H), 2.70 (s, 1H), 2.24 – 2.12 (m, 2H), 2.02 (d, J = 4.6 Hz, 1H), 1.91 (d, J = 13.1 Hz, 1H), 1.68 – 1.48 (m, 5H), 1.25 – 0.81 (m, 12H).

FIG. 1 cont.





	Structure	Method	Analytic Data
280		A	ESI-MS m/z : 855.3 $[M+H]^+$; 1H NMR (400 MHz, MeOD) δ 7.74 (d, J = 11.3 Hz, 1H), 7.56 (d, J = 8.2 Hz, 1H), 7.50 – 7.42 (m, 1H), 7.39 – 7.29 (m, 3H), 7.14 (s, 1H), 7.07 (t, 1H), 7.03 – 6.99 (m, 1H), 6.50 (dd, J = 23.7, 21.8 Hz, 1H), 6.41 (s, 1H), 5.73 (dt, J = 27.5, 14.9 Hz, 1H), 4.71 – 3.96 (m, 10H), 3.81 (s, 5H), 3.65 (dd, J = 8.6, 2.7 Hz, 1H), 3.57 (dd, J = 12.2, 9.5 Hz, 1H), 3.00 (dd, J = 13.3, 3.0 Hz, 1H), 2.92 (s, 1H), 2.63 (s, 3H), 2.16 (dt, J = 18.3, 6.1 Hz, 1H), 1.94 – 1.88 (m, 3H), 1.58 (dd, J = 6.7, 2.4 Hz, 5H), 0.93 (d, J = 6.4 Hz, 3H), 0.80 (d, J = 6.6 Hz, 3H), 0.68 (d, J = 7.1 Hz, 3H).
281		A	ESI-MS m/z : 814.3 $[M+H]^+$; 1H NMR (400 MHz, MeOD) δ 7.66 (dd, J = 22.2, 13.8 Hz, 2H), 7.42 (dd, J = 17.0, 8.4 Hz, 1H), 7.24 (s, 1H), 7.00 (d, J = 7.5 Hz, 1H), 6.69 – 6.47 (m, 1H), 5.59 (ddd, J = 28.1, 9.5, 4.5 Hz, 1H), 4.71 – 4.30 (m, 7H), 4.28 – 4.14 (m, 2H), 4.12 – 3.98 (m, 1H), 3.90 – 3.68 (m, 3H), 3.57 (ddd, J = 24.4, 17.0, 11.0 Hz, 1H), 2.96 – 2.80 (m, 2H), 2.70 – 2.61 (m, 3H), 2.27 (br, 1H), 2.20 – 1.95 (m, 3H), 1.89 (br, 1H), 1.69 – 1.53 (m, 5H), 1.12 – 0.72 (m, 13H).
282		E	ESI-MS m/z = 894.5 $[M+H]^+$; 1H NMR (300 MHz, CD_3OD-d_4) δ 7.83-7.60 (m, 4H), 7.52-7.43 (m, 1H), 7.30 (d, J = 2.5 Hz, 1H), 7.13 (s, 1H), 7.06-6.97 (m, 2H), 6.66-6.50 (m, 1H), 5.63-5.52 (m, 1H), 4.78-4.40 (m, 8H), 4.35-3.99 (m, 6H), 3.79-3.63 (m, 1H), 3.63-3.39 (m, 1H), 3.30-3.16 (m, 1H), 3.10-2.79 (m, 5H), 2.78-2.63 (m, 1H), 2.29-2.07 (m, 2H), 1.92 (d, J = 12.2 Hz, 1H), 1.62 (t, J = 6.5 Hz, 4H), 1.18 (d, J = 6.3 Hz, 6H), 0.97 (d, J = 6.5 Hz, 3H), 0.87 (d, J = 6.7 Hz, 3H).
283		E	ESI-MS m/z = 884.4 $[M+H]^+$; 1H NMR (300 MHz, Methanol- d_4) δ 7.94 – 7.79 (m, 2H), 7.75 (d, J = 8.3 Hz, 1H), 7.60 – 7.48 (m, 2H), 7.45 – 7.30 (m, 2H), 7.16 (d, J = 12.5 Hz, 1H), 7.02 (s, 1H), 6.56 (d, J = 2.1 Hz, 1H), 5.63 – 5.54 (m, 1H), 4.78 – 4.69 (m, 4H), 4.53 – 4.38 (m, 3H), 4.33 – 4.15 (m, 1H), 4.09 (d, J = 3.0 Hz, 2H), 4.06 – 3.87 (m, 2H), 3.79 – 3.63 (m, 2H), 3.60 – 3.41 (m, 1H), 3.29 – 3.05 (m, 1H), 3.02 – 2.78 (m, 5H), 2.70 – 2.34 (m, 1H), 2.26 – 2.09 (m, 2H), 2.00 – 1.86 (m, 1H), 1.71 – 1.48 (m, 2H), 1.24 – 1.09 (m, 6H), 1.09 – 0.93 (m, 3H), 0.86 (d, J = 6.6 Hz, 3H).

FIG. 1 cont.





	Structure	Method	Analytic Data
284		E	ESI-MS m/z = 896.3 $[M+H]^+$; 1H NMR (400 MHz, Methanol- d_4) δ = 9.28 (s, 1H), 8.04 (dd, J = 8.1, 1.1 Hz, 1H), 7.79 (t, J = 8.4 Hz, 3H), 7.73 – 7.69 (m, 2H), 7.48 (dd, J = 12.2, 8.5 Hz, 1H), 7.17 (s, 1H), 7.02 (d, J = 6.5 Hz, 1H), 6.55 (d, J = 6.4 Hz, 1H), 5.61 (s, 1H), 4.86 – 4.72 (m, 1H), 4.64 – 4.41 (m, 5H), 4.29 – 4.27 (m, 1H), 4.20 – 4.01 (m, 3H), 3.76 – 3.75 (m, 1H), 3.59 – 3.49 (m, 1H), 3.38 – 3.32 (m, 1H), 3.01 – 2.90 (m, 2H), 2.87 – 2.84 (d, J = 9.0 Hz, 4H), 2.73 (s, 2H), 2.25 – 2.12 (m, 2H), 1.94 (d, J = 12.5 Hz, 1H), 1.62 (t, J = 6.8 Hz, 5H), 1.23 (d, J = 4.1 Hz, 6H), 1.01 (dd, J = 28.8, 6.5 Hz, 3H), 0.87 (d, J = 6.6 Hz, 3H).
285		E	ESI-MS m/z = 869.5 $[M+H]^+$; 1H -NMR (300 MHz, DMSO- d_6) δ 9.42 (d, J = 16.3 Hz, 1H), 8.58 (q, J = 10.6, 9.7 Hz, 0.5H), 8.11 (t, J = 6.8 Hz, 0.5H), 7.93 (d, J = 8.4 Hz, 1H), 7.74 (s, 2H), 7.69 – 7.59 (m, 2H), 7.44 (dt, J = 8.0, 3.4 Hz, 2H), 7.22 (d, J = 7.5 Hz, 1H), 7.05 (d, J = 25.4 Hz, 2H), 6.72 – 6.49 (m, 1H), 5.38 (t, J = 9.2 Hz, 1H), 5.21 – 5.01 (m, 1H), 4.68 (p, J = 8.6 Hz, 1H), 4.48 (d, J = 14.8 Hz, 4H), 4.38 – 4.06 (m, 5H), 3.98 (d, J = 14.4 Hz, 4H), 3.58 (s, 2H), 3.30 (s, 1H), 2.96 – 2.64 (m, 6H), 2.06 (d, J = 8.2 Hz, 2H), 1.83 (d, J = 11.0 Hz, 1H), 1.57 (s, 2H), 1.10 (d, J = 16.2 Hz, 6H), 0.92 (dd, J = 14.5, 6.2 Hz, 3H), 0.81 – 0.70 (m, 3H).
286		A	ESI-MS m/z = 822.3 $[M+H]^+$; 1H NMR (400 MHz, Methanol- d_4) δ 7.84 (d, J = 8.4 Hz, 1H), 7.62 (d, J = 21.2 Hz, 1H), 7.44 (dt, J = 15.6, 7.4 Hz, 1H), 7.22 (d, J = 2.1 Hz, 1H), 7.12 (s, 1H), 7.03 (s, 1H), 6.82 (dt, J = 16.9, 10.6 Hz, 1H), 6.53 (s, 1H), 6.23 (d, J = 16.8 Hz, 1H), 5.78 (t, J = 9.1 Hz, 1H), 5.57 (dd, J = 8.7, 4.2 Hz, 1H), 4.75 (d, J = 11.1 Hz, 1H), 4.45 (d, J = 13.0 Hz, 1H), 4.35 (s, 1H), 4.21 (d, J = 13.5 Hz, 1H), 3.83 (d, J = 15.3 Hz, 1H), 3.69 (d, J = 11.3 Hz, 1H), 3.61 (d, J = 12.6 Hz, 1H), 3.32 (s, 2H), 3.14 (d, J = 12.6 Hz, 1H), 3.07 – 2.92 (m, 3H), 2.92 – 2.61 (m, 4H), 2.29 – 2.11 (m, 2H), 2.05 (s, 1H), 1.93 (d, J = 14.2 Hz, 2H), 1.87 (d, J = 3.1 Hz, 6H), 1.79 – 1.45 (m, 4H), 1.16 (d, J = 3.1 Hz, 2H), 1.08 (s, 3H), 0.95 (d, J = 6.6 Hz, 3H), 0.83 (d, J = 6.6 Hz, 2H).
287		A	ESI-MS m/z = 834.3 $[M+H]^+$; 1H NMR (400 MHz, Methanol- d_4) δ 7.84 (d, J = 8.4 Hz, 1H), 7.64 (s, 1H), 7.46 (ddd, J = 8.5, 4.1, 1.5 Hz, 1H), 7.21 (d, J = 3.5 Hz, 1H), 7.12 (s, 1H), 7.03 (d, J = 2.0 Hz, 1H), 6.54 (q, J = 1.9 Hz, 1H), 5.58 (dd, J = 8.6, 4.3 Hz, 1H), 4.75 (d, J = 11.1 Hz, 1H), 4.47 (t, J = 14.9 Hz, 2H), 4.33 (d, J = 8.8 Hz, 1H), 3.80 (d, J = 18.2 Hz, 1H), 3.65 (dd, J = 30.2, 11.5 Hz, 2H), 3.26 (d, J = 10.2 Hz, 3H), 3.11 (tt, J = 11.3, 4.4 Hz, 1H), 3.00 (s, 3H), 2.97 – 2.64 (m, 4H), 2.27 – 2.12 (m, 2H), 2.08 (d, J = 6.9 Hz, 3H), 1.93 (d, J = 11.9 Hz, 2H), 1.87 (d, J = 3.0 Hz, 7H), 1.80 – 1.47 (m, 4H), 1.16 (s, 3H), 1.08 (d, J = 7.3 Hz, 3H), 0.95 (d, J = 6.5 Hz, 3H), 0.83 (dd, J = 6.6, 1.6 Hz, 3H).

FIG. 1 cont.





	Structure	Method	Analytic Data
288		A	ESI-MS $m/z = 822.3 [M+H]^+$; 1H NMR (300 MHz, Methanol- d_4) δ 7.83 (d, $J = 8.4$ Hz, 1H), 7.65 (s, 1H), 7.47 – 7.40 (m, 1H), 7.23 (s, 1H), 7.13 (s, 1H), 7.01 (d, $J = 2.0$ Hz, 1H), 6.81 (dd, $J = 16.9$, 10.7 Hz, 1H), 6.56 (d, $J = 8.3$ Hz, 1H), 6.21 (dd, $J = 16.5$, 10.6 Hz, 1H), 5.77 (d, $J = 10.3$ Hz, 1H), 5.56 (dd, $J = 8.7$, 4.6 Hz, 1H), 4.85 – 4.67 (m, 2H), 4.60 (s, 2H), 4.39 (q, $J = 15.5$, 13.8 Hz, 2H), 4.25 – 4.01 (m, 1H), 3.86 (d, $J = 14.5$ Hz, 1H), 3.76 – 3.51 (m, 2H), 3.18 (d, $J = 14.3$ Hz, 1H), 3.08 – 2.64 (m, 8H), 2.30 – 2.10 (m, 2H), 1.87 (d, $J = 2.3$ Hz, 8H), 1.83 – 1.45 (m, 4H), 1.12 (d, $J = 23.9$ Hz, 6H), 0.92 (dd, $J = 27.1$, 6.5 Hz, 6H).
289		A	ESI-MS $m/z = 844.6 [M+H]^+$; 1H NMR (300 MHz, Acetonitrile- d_3) δ 7.87 (d, $J = 8.5$ Hz, 1H), 7.71 (d, $J = 1.5$ Hz, 1H), 7.50 (t, $J = 9.6$ Hz, 1H), 7.22 – 7.04 (m, 3H), 6.64 (d, $J = 7.0$ Hz, 1H), 4.62 (t, $J = 9.4$ Hz, 1H), 4.45 – 4.30 (m, 5H), 3.90 (d, $J = 14.2$ Hz, 2H), 3.67 (d, $J = 11.5$ Hz, 1H), 3.44 – 3.14 (m, 2H), 2.97 – 2.66 (m, 7H), 2.31 – 2.23 (m, 2H), 2.16 – 2.10 (m, 5H), 1.86 (d, $J = 4.3$ Hz, 6H), 1.80 – 1.48 (m, 4H), 1.15 – 1.08 (m, 6H), 0.99 – 0.75 (m, 6H).
290		A	ESI-MS $m/z = 822.6 [M+H]^+$; 1H NMR (300 MHz, Methanol- d_4) δ 7.83 (d, $J = 9.0$ Hz, 1H), 7.73 – 7.53 (m, 1H), 7.43 (dd, $J = 10.5$, 8.2 Hz, 1H), 7.31 – 6.94 (m, 3H), 6.80 (dd, $J = 16.8$, 10.7 Hz, 1H), 6.53 (d, $J = 23.8$ Hz, 1H), 6.19 (t, $J = 17.0$ Hz, 1H), 5.86 – 5.51 (m, 2H), 4.74 (d, $J = 11.1$ Hz, 1H), 4.64 – 4.27 (m, 3H), 4.09 (d, $J = 11.5$ Hz, 1H), 3.84 (d, $J = 14.8$ Hz, 1H), 3.67 (dd, $J = 21.0$, 9.8 Hz, 1H), 3.53 – 3.38 (m, 1H), 3.22 (d, $J = 9.9$ Hz, 1H), 3.10 – 2.59 (m, 9H), 2.33 – 2.01 (m, 3H), 1.87 (d, $J = 1.8$ Hz, 8H), 1.63 (dd, $J = 31.6$, 16.2 Hz, 4H), 1.27 – 1.02 (m, 6H), 0.89 (dd, $J = 35.4$, 6.6 Hz, 6H).
291		A	ESI-MS $m/z = 834.6 [M+H]^+$; 1H NMR (300 MHz, Methanol- d_4) δ 7.83 (dd, $J = 8.4$, 2.7 Hz, 1H), 7.70 – 7.56 (m, 1H), 7.49 – 7.40 (m, 1H), 7.23 – 6.98 (m, 3H), 6.59 – 6.55 (m, 1H), 5.63 – 5.54 (m, 1H), 4.79 – 4.70 (m, 1H), 4.45 – 4.37 (m, 4H), 3.93 – 3.58 (m, 3H), 3.49 – 3.36 (m, 1H), 3.28 – 3.15 (m, 1H), 3.02 – 2.70 (m, 8H), 2.30 – 1.98 (m, 4H), 1.92 – 1.50 (m, 14H), 1.12 (dd, $J = 24.3$, 4.2 Hz, 6H), 0.97 – 0.82 (m, 6H).

FIG. 1 cont.





	Structure	Method	Analytic Data
292		A	ESI-MS m/z = 816.6 $[M+H]^+$; 1H NMR (400 MHz, Methanol- d_4) δ = 8.20 (d, J = 6.2 Hz, 1H), 7.61 (d, J = 8.5 Hz, 2H), 7.44 – 7.30 (m, 1H), 7.21 (s, 1H), 7.11 (s, 1H), 6.98 (d, J = 6.0 Hz, 1H), 6.52 (d, J = 5.9 Hz, 1H), 5.60 (d, J = 3.9 Hz, 1H), 4.77 – 4.63 (m, 1H), 4.63 – 4.34 (m, 5H), 4.34 – 4.06 (m, 2H), 3.96 (s, 1H), 3.85 (d, J = 14.7 Hz, 1H), 3.66 (q, J = 11.9 Hz, 1H), 3.58 – 3.39 (m, 1H), 3.28 – 3.17 (m, 1H), 3.17 – 3.09 (m, 2H), 3.00 – 2.87 (m, 2H), 2.87 – 2.80 (m, 6H), 2.69 (d, J = 14.7 Hz, 2H), 2.27 – 2.11 (m, 2H), 1.91 (d, J = 12.9 Hz, 1H), 1.62 (t, J = 6.6 Hz, 5H), 1.41 – 1.18 (m, 1H), 1.15 (s, 3H), 1.10 (s, 3H), 0.96 (d, J = 6.5 Hz, 3H), 0.86 (d, J = 6.6 Hz, 3H).
293		E	ESI-MS m/z = 880.5 $[M+H]^+$; 1H NMR (300 MHz, CD_3OD-d_4) δ = 7.81-7.70 (m, 3H), 7.68 (s, 1H), 7.51-7.45 (m, 1H), 7.30 (d, J = 2.7 Hz, 1H), 7.15 (s, 1H), 7.07-6.95 (m, 2H), 6.66-6.54 (m, 1H), 5.65-5.53 (m, 1H), 4.60 (s, 6H), 4.57-4.40 (m, 3H), 4.33-4.08 (m, 3H), 4.04 (d, J = 6.8 Hz, 1H), 3.95 (s, 3H), 3.72 (d, J = 11.4 Hz, 1H), 3.53 (d, J = 9.2 Hz, 1H), 3.00-2.89 (m, 1H), 2.86 (d, J = 4.6 Hz, 3H), 2.83-2.65 (m, 1H), 2.28-2.10 (m, 2H), 1.93 (d, J = 12.7 Hz, 1H), 1.72-1.47 (m, 2H), 1.19 (d, J = 7.2 Hz, 6H), 0.97 (d, J = 6.4 Hz, 3H), 0.86 (d, J = 6.5 Hz, 3H).
294		E	ESI-MS m/z = 868.5 $[M+H]^+$; 1H NMR (400 MHz, Methanol- d_4) δ = 7.80 – 7.70 (m, 4H), 7.66 (d, J = 7.8 Hz, 1H), 7.49 (t, J = 7.5 Hz, 1H), 7.26 (t, J = 8.7 Hz, 1H), 7.17 – 7.07 (m, 1H), 7.05 – 6.96 (m, 1H), 6.57 (s, 1H), 5.67 – 5.50 (m, 1H), 5.06 – 4.90 (m, 1H), 4.78 – 4.66 (m, 2H), 4.61 – 4.37 (m, 4H), 4.34 – 4.07 (m, 2H), 4.06 – 3.87 (m, 4H), 3.78 – 3.63 (m, 1H), 3.61 – 3.44 (m, 1H), 3.30 – 3.21 (m, 1H), 3.03 – 2.89 (m, 2H), 2.88 – 2.79 (m, 3H), 2.77 – 2.60 (m, 1H), 2.28 – 2.10 (m, 2H), 2.05 – 1.86 (m, 1H), 1.75 – 1.49 (m, 2H), 1.39 – 1.27 (m, 1H), 1.18 (d, J = 10.5 Hz, 6H), 0.97 (d, J = 6.4 Hz, 3H), 0.86 (d, J = 6.7 Hz, 3H).
295		E	ESI-MS m/z = 883.6 $[M+H]^+$; 1H NMR (300 MHz, Methanol- d_4) δ = 7.71 (s, 1H), 7.55 (t, J = 6.8 Hz, 4H), 7.48 – 7.31 (m, 5H), 7.15 (s, 1H), 7.00 (s, 1H), 6.54 (s, 1H), 5.60 (s, 1H), 4.82 – 4.38 (m, 9H), 4.35 – 4.16 (m, 2H), 3.97 (d, J = 14.1 Hz, 2H), 3.74 (d, J = 11.5 Hz, 2H), 2.86 (d, J = 3.4 Hz, 8H), 2.17 (s, 2H), 1.91 (s, 1H), 1.61 (dd, J = 6.7, 5.0 Hz, 5H), 1.18 (d, J = 12.7 Hz, 6H), 1.00 (dd, J = 22.2, 6.4 Hz, 3H), 0.87 (d, J = 6.6 Hz, 3H).

FIG. 1 cont.





	Structure	Method	Analytic Data
296		E	ESI-MS m/z = 869.5 $[M+H]^+$; 1H NMR (300 MHz, Acetonitrile- d_3) δ 7.98 (d, J = 8.4 Hz, 1H), 7.74 (dd, J = 5.5, 3.4 Hz, 1H), 7.68 – 7.59 (m, 1H), 7.55 – 7.44 (m, 1H), 7.35 (dd, J = 8.0, 1.2 Hz, 1H), 7.15 (d, J = 9.4 Hz, 1H), 7.06 – 6.92 (m, 1H), 6.83 (dd, J = 7.7, 1.1 Hz, 2H), 6.62 (d, J = 31.2 Hz, 2H), 6.08 (s, 1H), 5.52 (d, J = 12.2 Hz, 2H), 4.69 – 4.36 (m, 1H), 4.25 (dt, J = 22.3, 7.4 Hz, 6H), 4.10 – 3.91 (m, 4H), 3.87 – 3.21 (m, 4H), 2.87 (d, J = 25.4 Hz, 6H), 1.80 – 1.65 (m, 3H), 1.62 – 1.51 (m, 4H), 1.48 – 1.37 (m, 3H), 1.30 (s, 14H), 1.20 – 1.06 (m, 8H), 1.04 – 0.77 (m, 17H).
297		A	ESI-MS m/z : 834.3 $[M+H]^+$; 1H NMR (400 MHz, MeOD) δ 7.80 (d, J = 8.3 Hz, 1H), 7.54 (d, J = 22.4 Hz, 1H), 7.34 – 7.19 (m, 2H), 6.83 – 6.75 (m, 1H), 6.55 (d, J = 14.2 Hz, 1H), 5.65 (dd, J = 14.7, 7.9 Hz, 1H), 4.69 (dd, J = 11.1, 3.9 Hz, 1H), 4.54 – 4.35 (m, 4H), 4.31 – 4.01 (m, 5H), 3.87 (dd, J = 20.6, 11.7 Hz, 2H), 3.65 (t, J = 9.6 Hz, 1H), 2.90 (d, J = 5.5 Hz, 6H), 2.62 – 2.51 (m, 1H), 2.22 – 2.05 (m, 2H), 1.86 (d, J = 4.5 Hz, 6H), 1.50 – 1.24 (m, 4H), 1.10 (d, J = 22.3 Hz, 5H), 1.00 – 0.91 (m, 3H), 0.84 (d, J = 6.5 Hz, 3H).
298		A	ESI-MS m/z = 804.0 $[M+H]^+$; 1H NMR (400 MHz, Methanol- d_4) δ 7.21 – 7.09 (m, 2H), 7.05 – 6.90 (m, 2H), 6.78 (d, J = 12.4 Hz, 1H), 6.71 – 6.49 (m, 1H), 5.72 – 5.53 (m, 1H), 4.76 – 4.63 (m, 1H), 4.63 – 4.46 (m, 3H), 4.55 – 4.36 (m, 1H), 4.34 – 4.20 (m, 1H), 4.18 – 3.97 (m, 3H), 3.96 – 3.84 (m, 1H), 3.83 – 3.69 (m, 1H), 3.61 – 3.36 (m, 3H), 3.01 – 2.90 (m, 2H), 2.84 – 2.80 (m, 3H), 2.80 – 2.66 (m, 5H), 2.23 (s, 2H), 2.10 (d, J = 11.7 Hz, 1H), 1.92 (s, 1H), 1.64 – 1.61 (m, 6H), 1.51 (d, J = 19.2 Hz, 3H), 1.17 (d, J = 7.1 Hz, 3H), 0.94 (dd, J = 6.4, 3.5 Hz, 2H), 0.84 (t, J = 6.1 Hz, 3H).
299		A	ESI-MS m/z = 844.7 $[M+H]^+$; 1H NMR (300 MHz, Methanol- d_4) δ 7.77 (d, J = 8.4 Hz, 1H), 7.59 (d, J = 17.0 Hz, 1H), 7.35 (q, J = 8.4 Hz, 1H), 7.12 (t, J = 3.1 Hz, 2H), 6.99 (d, J = 5.2 Hz, 1H), 6.53 (d, J = 4.9 Hz, 1H), 5.61 – 5.52 (m, 1H), 4.80 – 4.66 (m, 2H), 4.62 – 4.04 (m, 8H), 3.99 – 3.77 (m, 2H), 3.64 (t, J = 11.5 Hz, 1H), 3.48 (d, J = 24.6 Hz, 1H), 3.21 (t, J = 11.4 Hz, 1H), 2.98 (d, J = 1.9 Hz, 3H), 2.94 – 2.64 (m, 6H), 2.27 – 2.09 (m, 2H), 1.89 (s, 1H), 1.67 – 1.49 (m, 10H), 1.47 – 1.27 (m, 2H), 1.12 (d, J = 14.9 Hz, 6H), 0.96 (d, J = 6.4 Hz, 3H), 0.86 (d, J = 6.6 Hz, 3H).

FIG. 1 cont.





	Structure	Method	Analytic Data
300		E	ESI-MS $m/z = 879.9[M+H]^+$; 1H NMR (300 MHz, Methanol- d_4) δ 7.76 – 7.60 (m, 1H), 7.57 – 7.32 (m, 6H), 7.16 (s, 1H), 7.05 – 6.95 (m, 1H), 6.55 (s, 1H), 5.59 (dt, $J = 9.3, 4.9$ Hz, 1H), 4.61 – 4.38 (m, 4H), 4.34 – 3.89 (m, 6H), 3.84 (s, 3H), 3.78 – 3.64 (m, 1H), 3.63 – 3.48 (m, 1H), 3.42 – 3.35 (m, 1H), 3.11 – 2.63 (m, 7H), 2.30 – 2.09 (m, 2H), 1.99 – 1.82 (m, 1H), 1.79 – 1.47 (m, 2H), 1.44 – 1.28 (m, 1H), 1.20 (d, $J = 3.7$ Hz, 6H), 1.09 – 0.93 (m, 3H), 0.86 (d, $J = 6.6$ Hz, 3H).
301		E	ESI-MS $m/z = 868.8 [M+H]^+$; 1H NMR (400 MHz, Methanol- d_4) δ = 7.92 (dd, $J = 8.7, 5.6$ Hz, 1H), 7.77 (q, $J = 4.2$ Hz, 3H), 7.60 – 7.48 (m, 2H), 7.27 – 7.18 (m, 1H), 7.16 (s, 1H), 7.02 (d, $J = 7.9$ Hz, 1H), 6.56 (s, 1H), 5.58 (d, $J = 4.8$ Hz, 1H), 4.75 (dd, $J = 11.3, 7.5$ Hz, 3H), 4.59 – 4.42 (m, 4H), 4.36 – 3.91 (m, 6H), 3.73 (d, $J = 11.5$ Hz, 1H), 3.55 (d, $J = 10.4$ Hz, 1H), 3.01 – 2.89 (m, 1H), 2.86 (d, $J = 6.1$ Hz, 3H), 2.72 (t, $J = 12.2$ Hz, 2H), 2.18 (d, $J = 13.8$ Hz, 2H), 1.93 (d, $J = 12.9$ Hz, 1H), 1.77 – 1.46 (m, 2H), 1.33 (dd, $J = 22.2, 6.9$ Hz, 1H), 1.20 (d, $J = 10.1$ Hz, 6H), 0.97 (d, $J = 6.3$ Hz, 3H), 0.87 (d, $J = 6.6$ Hz, 3H).
302		E	ESI-MS $m/z = 864.6[M+H]^+$; 1H -NMR (300 MHz, DMSO) δ 9.44 (d, $J = 20.2$ Hz, 1H), 8.62 (t, $J = 9.5$ Hz, 0.4H), 8.19 – 8.11 (m, 0.5H), 7.97 (d, $J = 8.4$ Hz, 1H), 7.84 – 7.63 (m, 4H), 7.47 (q, $J = 7.9$ Hz, 2H), 7.25 (d, $J = 7.6$ Hz, 1H), 7.14 – 6.98 (m, 2H), 6.69 – 6.49 (m, 1H), 5.37 (d, $J = 8.8$ Hz, 1H), 5.11 (d, $J = 11.6$ Hz, 1H), 4.76 – 4.60 (m, 1H), 4.56 – 4.38 (m, 2H), 4.32 – 4.10 (m, 7H), 4.04 – 3.78 (m, 3H), 3.75 – 3.55 (m, 1H), 3.29 (s, 2H), 2.95 – 2.62 (m, 6H), 2.06 (d, $J = 11.3$ Hz, 2H), 1.84 (d, $J = 11.1$ Hz, 1H), 1.72 – 1.42 (m, 2H), 1.10 (d, $J = 16.8$ Hz, 6H), 0.92 (dd, $J = 14.3, 6.4$ Hz, 3H), 0.82 – 0.64 (m, 3H).
303		E	ESI-MS $m/z = 882.4 [M+H]^+$; 1H NMR (300 MHz, Methanol- d_4): δ = 9.20 (s, 1H), 8.36 (d, $J = 1.6$ Hz, 1H), 8.35 – 8.27 (m, 1H), 8.13 (d, $J = 8.5$ Hz, 1H), 7.99 (d, $J = 8.4$ Hz, 1H), 7.91 (dd, $J = 8.6, 1.7$ Hz, 1H), 7.72 – 7.56 (m, 2H), 7.59 – 7.49 (m, 1H), 7.14 (s, 1H), 7.04 (d, $J = 5.3$ Hz, 1H), 6.65 – 6.52 (m, 1H), 5.64 – 5.53 (m, 1H), 4.86 – 4.73 (m, 4H), 4.57 – 4.35 (m, 3H), 4.28 – 3.89 (m, 5H), 3.71 (d, $J = 11.5$ Hz, 1H), 3.56 (s, 1H), 3.34 – 3.31 (m, 1H), 3.24 – 3.18 (m, 1H), 3.01 – 2.63 (m, 6H), 2.20 – 2.14 (m, 2H), 1.93 (d, $J = 12.7$ Hz, 1H), 1.72 – 1.48 (m, 2H), 1.16 (d, $J = 16.0$ Hz, 6H), 1.07 – 0.94 (m, 3H), 0.86 (d, $J = 6.5$ Hz, 3H).

FIG. 1 cont.





	Structure	Method	Analytic Data
304		E	ESI-MS $m/z = 882.4 [M+H]^+$; 1H NMR (300 MHz, Methanol- d_4) $\delta = 9.28$ (s, 1H), 8.37 (s, 1H), 8.31 – 8.21 (m, 1H), 8.10 (d, $J = 8.4$ Hz, 1H), 7.99 (d, $J = 8.4$ Hz, 1H), 7.85 (dd, $J = 8.4$, 1.6 Hz, 1H), 7.69 (d, $J = 4.9$ Hz, 1H), 7.60 (d, $J = 2.2$ Hz, 1H), 7.52 – 7.40 (m, 1H), 7.15 (s, 1H), 7.07 – 6.99 (m, 1H), 6.59 – 6.55 (m, 1H), 5.65 – 5.53 (m, 1H), 4.87 – 4.72 (m, 2H), 4.60 – 4.39 (m, 4H), 4.35 – 3.88 (m, 6H), 3.72 (d, $J = 11.4$ Hz, 1H), 3.62 – 3.52 (m, 1H), 3.33 – 3.31 (m, 1H), 3.21 – 3.18 (m, 1H), 3.03 – 2.61 (m, 6H), 2.31 – 2.08 (m, 2H), 1.93 (d, $J = 12.6$ Hz, 1H), 1.72 – 1.48 (m, 2H), 1.16 (d, $J = 14.8$ Hz, 6H), 0.97 (d, $J = 6.4$ Hz, 3H), 0.86 (d, $J = 6.5$ Hz, 3H).
305		E	ESI-MS $m/z = 891.9 [M+H]^+$; 1H NMR (400 MHz, Methanol- d_4) δ 7.75 (d, $J = 8.5$ Hz, 2H), 7.70 (d, $J = 5.7$ Hz, 1H), 7.52 (s, 1H), 7.48 – 7.40 (m, 1H), 7.40 – 7.26 (m, 3H), 7.15 (s, 1H), 7.02 (d, $J = 7.0$ Hz, 1H), 6.78 (d, $J = 74.7$ Hz, 1H), 6.52 (d, $J = 19.4$ Hz, 1H), 5.62 – 5.54 (m, 1H), 4.74 (dd, $J = 11.1$, 7.2 Hz, 1H), 4.62 – 4.42 (m, 4H), 4.34 – 4.11 (m, 2H), 4.11 – 4.03 (m, 2H), 3.96 (d, $J = 14.2$ Hz, 2H), 3.72 (d, $J = 11.4$ Hz, 1H), 3.55 (s, 1H), 3.01 – 2.79 (m, 6H), 2.72 (t, $J = 12.5$ Hz, 2H), 2.19 (s, 2H), 1.93 (d, $J = 13.4$ Hz, 1H), 1.57 (d, $J = 12.5$ Hz, 2H), 1.19 (s, 3H), 1.15 (s, 3H), 1.00 – 0.94 (m, 3H), 0.86 (d, $J = 6.6$ Hz, 3H).
306		E	ESI-MS $m/z = 917.4 [M+H]^+$; 1H NMR (400 MHz, Methanol- d_4) δ 7.82 (d, $J = 8.4$ Hz, 1H), 7.77 – 7.69 (m, 1H), 7.59 (d, $J = 6.3$ Hz, 1H), 7.42 (t, $J = 7.3$ Hz, 1H), 7.33 (td, $J = 5.0$, 4.3, 2.4 Hz, 4H), 7.20 – 7.08 (m, 5H), 7.00 (d, $J = 7.7$ Hz, 1H), 6.91 (t, $J = 7.3$ Hz, 1H), 6.75 (d, $J = 8.1$ Hz, 2H), 6.53 (s, 1H), 5.57 (s, 1H), 4.74 (dd, $J = 11.1$, 6.6 Hz, 1H), 4.61 – 4.49 (m, 2H), 4.48 – 4.18 (m, 5H), 4.19 – 4.04 (m, 2H), 3.94 (s, 1H), 3.78 (d, $J = 14.6$ Hz, 1H), 3.52 (d, $J = 12.1$ Hz, 2H), 3.00 (d, $J = 10.5$ Hz, 1H), 2.95 – 2.83 (m, 6H), 2.70 (s, 1H), 2.15 (d, $J = 34.8$ Hz, 2H), 1.89 (s, 1H), 1.72 – 1.39 (m, 2H), 1.06 (s, 3H), 0.96 (d, $J = 6.5$ Hz, 3H), 0.86 (s, 6H).
307		A	ESI-MS $m/z = 843.9 [M+H]^+$; 1H NMR (300 MHz, Methanol- d_4) δ 7.84 (d, $J = 8.4$ Hz, 1H), 7.60 – 7.36 (m, 2H), 7.15 (s, 1H), 7.12 – 6.95 (m, 2H), 6.63 – 6.47 (m, 1H), 5.55 (dd, $J = 8.6$, 4.1 Hz, 1H), 4.75 (d, $J = 11.2$ Hz, 1H), 4.45 (d, $J = 12.9$ Hz, 2H), 4.38 – 4.24 (m, 2H), 4.24 – 4.11 (m, 1H), 4.04 (d, $J = 13.2$ Hz, 1H), 3.65 (q, $J = 12.2$, 10.9 Hz, 3H), 3.26 (d, $J = 11.5$ Hz, 1H), 3.18 – 3.04 (m, 1H), 2.99 (s, 3H), 2.91 – 2.65 (m, 4H), 2.18 (td, $J = 13.1$, 12.7, 6.6 Hz, 2H), 2.01 – 1.44 (m, 14H), 1.14 (s, 3H), 1.04 (s, 3H), 0.94 (d, $J = 6.5$ Hz, 3H), 0.83 (d, $J = 6.6$ Hz, 3H).

FIG. 1 cont.





	Structure	Method	Analytic Data
308		A	ESI-MS $m/z = 830.0$ $[M+H]^+$; 1H NMR (300 MHz, Acetonitrile- d_3) δ 7.87 (d, $J = 8.4$ Hz, 1H), 7.69 (s, 1H), 7.50 – 7.44 (m, 1H), 7.22 (s, 1H), 7.14 – 7.03 (m, 2H), 6.90 – 6.68 (m, 1H), 6.56 (s, 1H), 5.67 – 5.45 (m, 1H), 4.65 – 4.45 (m, 5H), 4.24 – 3.94 (m, 2H), 3.91 – 3.20 (m, 4H), 2.91 – 2.65 (m, 5H), 2.17 (s, 9H), 1.86 (d, $J = 4.3$ Hz, 4H), 1.63 – 1.56 (m, 4H), 1.17 – 1.07 (m, 6H), 0.96 – 0.82 (m, 6H).
309		E	1H NMR (300 MHz, DMSO- d_6) δ = 10.40 (s, 1H), 9.40 (d, $J = 15.2$ Hz, 1H), 7.89 (d, $J = 8.4$ Hz, 1H), 7.71 (s, 1H), 7.62 (s, 1H), 7.56 – 7.47 (m, 2H), 7.40 (d, $J = 6.1$ Hz, 1H), 7.08 (s, 1H), 7.00 (s, 1H), 6.91 (d, $J = 7.9$ Hz, 1H), 6.62 – 6.50 (m, 1H), 5.38 (s, 1H), 5.11 (d, $J = 11.9$ Hz, 1H), 4.75 – 4.61 (m, 2H), 4.59 – 4.40 (m, 3H), 4.38 – 4.03 (m, 4H), 3.96 – 3.76 (m, 5H), 3.60 (d, $J = 12$ Hz, 2H), 3.56 (s, 3H), 2.83 (s, 2H), 2.75 (d, $J = 3.7$ Hz, 2H), 2.70 (d, $J = 3.7$ Hz, 1H), 2.08 (s, 1H), 2.06 (s, 1H), 1.82 (s, 1H), 1.55 – 1.46 (m, 4H), 1.10 (d, $J = 15.4$ Hz, 6H), 0.91 (dd, $J = 12.3, 6.2$ Hz, 3H), 0.75 (d, $J = 7.9$ Hz, 3H).
310		A ²	ESI-MS $m/z = 816.3$ $[M+H]^+$
311		A ²	ESI-MS $m/z = 816.3$ $[M+H]^+$

FIG. 1 cont.





	Structure	Method	Analytic Data
312		A	ESI-MS m/z: 878.4 [M+H] ⁺ ; ¹ H NMR (400 MHz, MeOD) δ 7.85-7.79 (m, 1H), 7.66 (d, 1H), 7.39 (d, 1H), 7.28 (s, 1H), 7.12 (s, 1H), 6.97 (d, 1H), 6.68-6.56 (m, 1H), 6.51 (s, 1H), 6.29 (d, 1H), 5.74 (m, 1H), 5.55 (m, 1H), 4.82-4.68 (m, 2H), 4.42 (d, 2H), 4.01 (d, 1H), 3.92 (d, 2H), 3.82 (d, 1H), 3.72-3.50 (m, 4H), 3.49-3.36 (m, 2H), 3.21-3.11 (m, 1H), 3.00 (d, 3H), 2.93-2.62 (m, 4H), 2.44-1.99 (m, 6H), 1.86 (s, 4H), 1.55 (m, 5H), 1.11 (d, 6H), 0.98-0.77 (m, 6H).
313		A	ESI-MS m/z = 795.1 [M+H] ⁺ ; ¹ H NMR (400 MHz, Methanol-d ₄) δ = 7.17 – 7.08 (m, 1H), 7.03 (d, J = 7.6 Hz, 1H), 6.97 – 6.86 (m, 2H), 6.73 – 6.65 (m, 1H), 6.52 (d, J = 2.0 Hz, 1H), 5.61 (s, 1H), 4.76 – 4.66 (m, 1H), 4.60 (s, 1H), 4.55 – 4.39 (m, 3H), 4.30 – 4.10 (m, 2H), 4.12 – 3.97 (m, 4H), 3.90 (dq, J = 14.7, 7.2 Hz, 1H), 3.78 – 3.72 (m, 1H), 3.69 – 3.61 (m, 1H), 3.57 – 3.41 (m, 2H), 3.37 (d, J = 4.3 Hz, 3H), 3.33 – 3.20 (m, 1H), 3.15 – 3.07 (m, 1H), 2.99 – 2.89 (m, 1H), 2.83 – 2.78 (m, 1H), 2.79 – 2.64 (m, 3H), 2.21 (s, 2H), 2.11 (d, J = 11.4 Hz, 1H), 1.93 (d, J = 12.4 Hz, 1H), 1.64 (q, J = 11.6, 9.6 Hz, 1H), 1.37 (s, 3H), 1.38 – 1.29 (m, 3H), 1.15 (dd, J = 7.2, 2.9 Hz, 3H), 0.95 (dt, J = 6.5, 1.6 Hz, 3H), 0.94 – 0.80 (m, 3H).
314		E	¹ H NMR (300 MHz, DMSO-d ₆) δ 9.48 – 9.33 (m, 1H), 8.65 – 8.08 (m, 1H), 8.06 – 7.96 (m, 2H), 7.76 (s, 1H), 7.51 (dd, J = 17.2, 9.4 Hz, 3H), 7.09 (s, 1H), 7.01 (s, 1H), 6.69 – 6.48 (m, 1H), 5.37 (d, J = 9.4 Hz, 1H), 5.13 (t, J = 11.6 Hz, 1H), 4.77 – 4.62 (m, 2H), 4.58 – 4.42 (m, 2H), 4.37 – 4.10 (m, 3H), 3.92 – 3.77 (m, 3H), 3.66 – 3.53 (m, 1H), 3.51 (s, 2H), 3.21 – 3.18 (m, 2H), 2.84 (s, 2H), 2.79 – 2.68 (m, 4H), 2.12 – 2.00 (m, 2H), 1.97 – 1.79 (m, 5H), 1.56 – 1.45 (m, 4H), 1.10 (d, J = 18.5 Hz, 6H), 0.94 – 0.88 (m, 3H), 0.79 – 0.73 (m, 3H).
315		E	ESI-MS m/z = 894.6 [M+H] ⁺ ; ¹ H-NMR (300 MHz, CD ₃ OD) δ 7.94 (d, J = 7.6 Hz, 1H), 7.82 – 7.74 (m, 3H), 7.68 – 7.62 (m, 1H), 7.57 (d, J = 1.7 Hz, 1H), 7.52 – 7.38 (m, 1H), 7.16 (s, 1H), 7.01 (d, J = 4.8 Hz, 1H), 6.59 – 6.50 (m, 1H), 5.65 – 5.56 (m, 1H), 5.10 – 5.01 (m, 3H), 4.76 – 4.72 (m, 1H), 4.59 – 4.54 (m, 3H), 4.51 – 4.37 (m, 5H), 4.31 – 4.24 (m, 1H), 4.02 (d, J = 14.7 Hz, 1H), 3.60 – 3.49 (m, 1H), 3.28 – 3.06 (m, 2H), 2.99 – 2.86 (m, 5H), 2.80 – 2.69 (m, 2H), 2.28 – 2.15 (m, 2H), 1.94 (d, J = 12.5 Hz, 1H), 1.62 (dd, J = 6.7, 5.4 Hz, 5H), 1.18 (d, J = 14.2 Hz, 6H), 1.01 (dd, J = 21.8, 6.5 Hz, 3H), 0.87 (dd, J = 6.6, 3.3 Hz, 3H).

FIG. 1 cont.





	Structure	Method	Analytic Data
316		A	ESI-MS $m/z = 842.5 [M+H]^+$; 1H NMR (300 MHz, DMSO- d_6) $\delta = 9.38$ (d, $J = 12.3$ Hz, 1H), 8.43 (d, $J = 7.2$ Hz, 1H), 7.80 (d, $J = 8.4$ Hz, 1H), 7.69 (s, 1H), 7.39 (d, $J = 17.9$ Hz, 2H), 7.07 (s, 1H), 6.99 (s, 1H), 6.58 (d, $J = 7.7$ Hz, 1H), 5.41 – 5.25 (m, 1H), 5.07 (d, $J = 12.2$ Hz, 1H), 4.42 (d, $J = 14.6$ Hz, 1H), 4.35 – 4.21 (m, 4H), 3.91 (d, $J = 14.6$ Hz, 2H), 3.62 – 3.56 (m, 3H), 3.35 – 3.32 (m, 3H), 2.74 (q, $J = 12.9, 12.0$ Hz, 4H), 2.16 – 1.89 (m, 6H), 1.80 (d, $J = 4.4$ Hz, 8H), 1.61 – 1.46 (m, 2H), 1.09 (s, 3H), 1.01 (s, 3H), 0.91 (d, $J = 6.5$ Hz, 3H), 0.77 (d, $J = 6.6$ Hz, 3H).
317		A	ESI-MS $m/z = 820.5 [M+H]^+$; 1H NMR (300 MHz, DMSO- d_6) $\delta = 9.36$ (d, $J = 11.4$ Hz, 1H), 8.42 (s, 1H), 7.80 (d, $J = 8.4$ Hz, 1H), 7.69 (s, 1H), 7.42 – 7.36 (m, 2H), 7.08 (s, 1H), 6.99 (s, 1H), 6.56 (d, $J = 17.7$ Hz, 2H), 6.15 (d, $J = 16.3$ Hz, 1H), 5.69 (d, $J = 8.6$ Hz, 1H), 5.33 (s, 1H), 5.08 (d, $J = 12.5$ Hz, 1H), 4.42 (d, $J = 14.6$ Hz, 1H), 4.27 (d, $J = 10.7$ Hz, 2H), 3.95 – 3.77 (m, 2H), 3.63 – 3.59 (m, 2H), 3.42 (s, 2H), 3.26 – 3.24 (m, 2H), 2.81 – 2.72 (m, 4H), 2.06 – 1.95 (m, 2H), 1.81 – 1.95 (m, 3H), 1.80 (d, $J = 6$ Hz, 8H), 1.53 (s, 2H), 1.09 (s, 3H), 1.01 (s, 3H), 0.91 (d, $J = 6.5$ Hz, 3H), 0.77 (d, $J = 6.6$ Hz, 3H).
318		A	ESI-MS $m/z = 826.7 [M+H]^+$; 1H NMR (400 MHz, Methanol- d_4) $\delta = 8.30 - 8.06$ (m, 1H), 7.83 (dd, $J = 9.3, 2.8$ Hz, 1H), 7.61 (d, $J = 18.2$ Hz, 1H), 7.51 – 7.35 (m, 1H), 7.19 (s, 1H), 7.09 (s, 1H), 6.98 (d, $J = 17.6$ Hz, 1H), 6.74 – 6.47 (m, 2H), 6.40 – 6.26 (m, 1H), 5.88 – 5.71 (m, 1H), 5.53 (s, 1H), 4.78 – 4.55 (m, 1H), 4.53 – 4.18 (m, 3H), 4.13 – 3.75 (m, 4H), 3.70 – 3.46 (m, 2H), 3.30 – 3.09 (m, 3H), 3.05 – 2.37 (m, 6H), 2.27 (d, $J = 12.4$ Hz, 1H), 2.15 (s, 1H), 1.94 (d, $J = 14.8$ Hz, 1H), 1.87 (d, $J = 2.9$ Hz, 6H), 1.76 – 1.40 (m, 2H), 1.21 – 1.12 (m, 3H), 1.07 (s, 6H), 0.90 (d, $J = 6.5$ Hz, 3H).
319		A	ESI-MS $m/z = 828.6 [M+H]^+$; 1H NMR (400 MHz, Methanol- d_4) $\delta = 7.83$ (d, $J = 8.3$ Hz, 1H), 7.60 (s, 1H), 7.41 – 7.35 (m, 1H), 7.22 (t, $J = 2.5$ Hz, 1H), 7.11 (d, $J = 13.8$ Hz, 1H), 6.98 (s, 1H), 6.71 – 6.48 (m, 1H), 5.66 (t, $J = 6.6$ Hz, 1H), 4.87 – 4.16 (m, 8H), 4.01 – 3.82 (m, 2H), 3.66 (d, $J = 11.5$ Hz, 1H), 3.27 (s, 2H), 3.16 (q, $J = 10.5$ Hz, 3H), 3.03 (d, $J = 9.7$ Hz, 2H), 2.95 – 2.84 (m, 1H), 2.69 (t, $J = 12.8$ Hz, 1H), 2.22 – 2.01 (m, 7H), 1.87 (d, $J = 2.7$ Hz, 5H), 1.65 – 1.48 (m, 1H), 1.42 – 1.27 (m, 1H), 1.15 (s, 3H), 1.08 (d, $J = 5.1$ Hz, 3H), 0.87 – 0.73 (m, 1H), 0.64 (d, $J = 7.5$ Hz, 2H), 0.35 (dd, $J = 9.1, 4.6$ Hz, 1H).

FIG. 1 cont.

	Structure	Method	Analytic Data
320		E	ESI-MS m/z = 894.5 $[M+H]^+$; 1H NMR (300 MHz, DMSO- d_6) δ 9.42 (s, 1H), 8.59 (s, 1H), 8.38 (s, 1H), 7.96 (d, J = 10.8 Hz, 2H), 7.87 (s, 1H), 7.76 (s, 1H), 7.67 (d, J = 7.7 Hz, 1H), 7.48 (s, 1H), 7.10 (s, 1H), 7.02 (s, 1H), 6.58 (d, J = 21.2 Hz, 1H), 5.38 (s, 1H), 5.13 (s, 1H), 4.70 – 4.60 (m, 2H), 4.52 – 4.42 (m, 5H), 4.32 – 4.20 (m, 5H), 4.17 – 4.12 (m, 9H), 2.83 – 2.50 (m, 6H), 2.07 (s, 1H), 1.82 (s, 1H), 1.52 – 1.47 (m, 4H), 1.13 – 1.09 (d, J = 12 Hz, 6H), 0.96 – 0.86 (m, 3H), 0.76 (s, 3H).
321		A ²	ESI-MS m/z = 844.9 $[M+H]^+$; 1H NMR (400 MHz, Methanol- d_4) δ 7.50 (dd, J = 15.7, 2.1 Hz, 1H), 7.23 (d, J = 41.3 Hz, 1H), 7.13 – 7.02 (m, 1H), 7.02 – 6.89 (m, 2H), 6.82 (d, J = 21.6 Hz, 1H), 6.67 (d, J = 18.2 Hz, 1H), 6.58 – 6.48 (m, 1H), 6.23 (s, 1H), 5.81 – 5.48 (m, 1H), 4.73 – 4.41 (m, 5H), 4.38 – 4.17 (m, 3H), 4.15 – 3.83 (m, 4H), 3.79 – 3.45 (m, 3H), 3.28 – 3.18 (m, 2H), 3.17 – 2.89 (m, 3H), 2.89 – 2.55 (m, 5H), 2.27 – 2.00 (m, 2H), 1.91 (s, 1H), 1.62 (dt, J = 12.7, 5.8 Hz, 6H), 1.35 (s, 3H), 1.14 – 0.98 (m, 4H), 0.93 (d, J = 6.4 Hz, 2H), 0.86 – 0.76 (m, 4H).
322		A ²	ESI-MS m/z = 844.8 $[M+H]^+$; 1H NMR (400 MHz, Methanol- d_4) δ 7.52 (s, 1H), 7.17 – 7.04 (m, 2H), 7.04 – 6.90 (m, 3H), 6.69 – 6.47 (m, 2H), 6.26 (q, J = 2.3 Hz, 1H), 5.61 (s, 1H), 4.70 (td, J = 11.5, 6.2 Hz, 1H), 4.64 – 4.51 (m, 2H), 4.50 – 4.37 (m, 2H), 4.36 – 4.16 (m, 3H), 3.83 (dd, J = 22.9, 5.9 Hz, 5H), 3.37 (s, 2H), 3.16 (s, 1H), 3.03 – 2.89 (m, 3H), 2.88 – 2.65 (m, 5H), 2.12 (dd, J = 22.2, 10.6 Hz, 2H), 2.05 (s, 2H), 1.92 (d, J = 12.7 Hz, 1H), 1.74 – 1.53 (m, 5H), 1.42 (s, 3H), 1.39 – 1.27 (m, 1H), 1.14 – 1.02 (m, 3H), 0.98 – 0.91 (m, 2H), 0.91 – 0.79 (m, 4H).
323		A	ESI-MS m/z = 864.7 $[M+H]^+$; 1H -NMR (300 MHz, DMSO) δ 9.39 – 9.26 (m, 1H), 8.24 (d, J = 5.7 Hz, 1H), 8.09 – 7.96 (m, 1H), 7.06 (d, J = 7.6 Hz, 1H), 6.99 (d, J = 8.4 Hz, 1H), 6.88 – 6.81 (m, 2H), 6.65 – 6.48 (m, 2H), 5.26 (d, J = 12.9, 4.6 Hz, 1H), 5.26 – 5.08 (m, 1H), 4.66 (d, J = 15.2, 8.6 Hz, 2H), 4.49 (d, J = 6.8 Hz, 3H), 4.40 – 4.09 (m, 1H), 4.09 (d, J = 7.3 Hz, 4H), 3.94 – 3.82 (m, 2H), 2.78 – 2.67 (m, 2H), 2.55 – 2.49 (m, 2H), 2.49 – 2.42 (m, 2H), 2.42 – 2.32 (m, 2H), 2.32 – 2.02 (m, 1H), 1.89 – 1.78 (m, 1H), 1.60 (d, J = 13.0 Hz, 1H), 1.51 (d, J = 6.1 Hz, 4H), 1.42 – 1.22 (m, 2H), 1.22 – 1.12 (m, 2H), 1.12 – 1.03 (m, 4H), 0.99 (d, J = 6.7 Hz, 2H), 0.90 (d, J = 15.4, 7.2 Hz, 2H), 0.73 (d, J = 14.2, 6.7, 3.9 Hz, 3H).

FIG. 1 cont.





	Structure	Method	Analytic Data
324		A	ESI-MS m/z = 855.2 $[M+H]^+$
325		A	ESI-MS m/z = 822.4 $[M+H]^+$; 1H -NMR (400 MHz, MeOD) δ 7.83 (d, J = 8.4 Hz, 1H), 7.67 – 7.56 (m, 1H), 7.41 (t, J = 7.6 Hz, 1H), 7.29 (d, J = 4.2 Hz, 1H), 7.08 (s, 1H), 6.97 (d, J = 6.6 Hz, 1H), 6.71 – 6.49 (m, 2H), 6.29 (d, J = 16.8 Hz, 1H), 5.75 (d, J = 10.3 Hz, 1H), 5.62 – 5.48 (m, 1H), 5.06 – 4.97 (m, 1H), 4.76 – 4.58 (m, 4H), 4.52 – 4.24 (m, 4H), 4.05 – 3.46 (m, 7H), 3.02 – 2.93 (m, 3H), 2.92 – 2.66 (m, 3H), 2.39 – 1.87 (m, 5H), 1.84 (s, 6H), 1.68 – 1.50 (m, 2H), 1.34 – 1.25 (m, 1H), 1.07 – 0.77 (m, 6H).
326		A	ESI-MS m/z = 880.4 $[M+H]^+$; 1H -NMR (400 MHz, MeOD) δ = 7.97 – 7.83 (m, 2H), 7.61 – 7.50 (m, 1H), 7.43 – 7.33 (m, 2H), 7.24 – 7.12 (m, 3H), 7.00 (ddt, J = 9.6, 4.5, 2.0 Hz, 1H), 6.70 – 6.49 (m, 1H), 5.62 (q, J = 7.4, 5.6 Hz, 1H), 4.67 – 4.52 (m, 10H), 4.39 (d, J = 12.0 Hz, 1H), 4.31 – 4.19 (m, 1H), 4.09 (ddd, J = 27.3, 10.0, 6.7 Hz, 1H), 3.95 (s, 4H), 3.91 – 3.83 (m, 2H), 3.76 – 3.65 (m, 1H), 3.26 – 3.21 (m, 1H), 3.01 – 2.89 (m, 2H), 2.89 – 2.67 (m, 5H), 2.18 (dt, J = 13.1, 6.5 Hz, 3H), 1.95 (d, J = 13.0 Hz, 1H), 1.69 – 1.55 (m, 5H), 1.15 (ddd, J = 22.0, 7.0, 2.7 Hz, 3H), 0.95 (dd, J = 6.5, 2.2 Hz, 2H), 0.85 (ddd, J = 10.7, 6.5, 4.2 Hz, 4H).
327		A	ESI-MS m/z = 847.5 $[M+H]^+$; 1H -NMR (300 MHz, MeOD) δ 7.83 (dt, J = 11.8, 1.8 Hz, 1H), 7.55 – 7.36 (m, 2H), 7.17 (dd, J = 3.7, 1.9 Hz, 1H), 7.10 – 6.94 (m, 2H), 6.55 – 6.45 (m, 1H), 5.67 – 5.59 (m, 1H), 4.77 – 4.38 (m, 11H), 4.31 – 3.59 (m, 11H), 3.17 (dd, J = 14.4, 4.6 Hz, 1H), 2.98 (dt, J = 19.6, 7.4 Hz, 2H), 2.89 – 2.65 (m, 5H), 2.29 – 1.91 (m, 5H), 1.66 – 1.32 (m, 9H), 1.15 – 0.83 (m, 9H).

FIG. 1 cont.




	Structure	Method	Analytic Data
328		E	ESI-MS $m/z = 884.4 [M+H]^+$; 1H NMR (300 MHz, DMSO- d_6) $\delta = 9.46 - 9.34$ (m, 1H), $8.72 - 8.05$ (m, 1H), 7.98 (dd, $J = 8.2, 1.2$ Hz, 1H), $7.83 - 7.68$ (m, 3H), $7.65 - 7.47$ (m, 2H), $7.47 - 7.32$ (m, 2H), 7.07 (s, 1H), 6.97 (t, $J = 2.0$ Hz, 1H), $6.70 - 6.47$ (m, 1H), 5.37 (q, $J = 8.8$ Hz, 1H), 5.11 (t, $J = 12.4$ Hz, 1H), $4.79 - 4.61$ (m, 2H), 4.50 (dq, $J = 16.7, 9.7, 9.2$ Hz, 2H), 4.31 (dd, $J = 18.9, 10.9$ Hz, 1H), $4.22 - 4.09$ (m, 1H), $4.05 - 3.71$ (m, 3H), $3.68 - 3.53$ (m, 1H), $3.29 - 3.12$ (m, 1H), $2.97 - 2.61$ (m, 6H), $2.22 - 1.94$ (m, 2H), $1.83 - 1.78$ (m, 1H), 1.52 (ddt, $J = 10.7, 6.6, 3.8$ Hz, 5H), 1.08 (d, $J = 23.3$ Hz, 6H), 0.92 (dd, $J = 13.9, 6.5$ Hz, 3H), 0.77 (dq, $J = 9.3, 3.2$ Hz, 3H).
329		A	ESI-MS $m/z = 834.6 [M+H]^+$; 1H NMR (400 MHz, Methanol- d_4) $\delta = 7.84$ (d, $J = 8.4$ Hz, 1H), 7.60 (s, 1H), 7.44 (t, $J = 8.1$ Hz, 1H), 7.20 (d, $J = 3.5$ Hz, 1H), 7.09 (s, 1H), 7.01 (d, $J = 3.8$ Hz, 1H), 6.81 (ddd, $J = 16.8, 10.7, 6.1$ Hz, 1H), $6.63 - 6.57$ (m, 1H), 6.23 (dd, $J = 16.8, 2.0$ Hz, 1H), 5.78 (t, $J = 9.0$ Hz, 1H), $5.60 - 5.50$ (m, 1H), 4.42 (t, $J = 11.5$ Hz, 2H), $4.35 - 4.21$ (m, 2H), $4.15 - 4.00$ (m, 1H), 3.79 (t, $J = 12.4$ Hz, 1H), 3.66 (d, $J = 11.4$ Hz, 1H), 3.51 (d, $J = 11.2$ Hz, 1H), $3.47 - 3.36$ (m, 3H), 3.24 (d, $J = 11.4$ Hz, 1H), $3.14 - 2.99$ (m, 1H), 2.86 (qd, $J = 13.4, 6.6$ Hz, 2H), $2.77 - 2.65$ (m, 1H), $2.28 - 1.96$ (m, 4H), 1.87 (d, $J = 3.0$ Hz, 9H), $1.72 - 1.61$ (m, 1H), $1.59 - 1.47$ (m, 3H), 1.15 (s, 3H), 1.06 (s, 3H), 0.96 (d, $J = 6.5$ Hz, 3H), 0.86 (dd, $J = 6.7, 2.7$ Hz, 3H).
330		A	ESI-MS $m/z = 856.6 [M+H]^+$; 1H NMR (400 MHz, Methanol- d_4) $\delta = 7.84$ (d, $J = 8.4$ Hz, 1H), 7.58 (s, 1H), 7.44 (ddd, $J = 8.5, 6.8, 1.5$ Hz, 1H), 7.18 (d, $J = 3.1$ Hz, 1H), 7.08 (d, $J = 3.4$ Hz, 1H), 7.01 (q, $J = 1.8$ Hz, 1H), 6.60 (q, $J = 2.0$ Hz, 1H), 5.55 (ddd, $J = 7.9, 4.8, 2.7$ Hz, 1H), 4.44 (d, $J = 12.9$ Hz, 1H), $4.37 - 4.18$ (m, 5H), 3.93 (t, $J = 12.9$ Hz, 1H), 3.75 (dd, $J = 14.7, 6.5$ Hz, 1H), 3.65 (d, $J = 11.4$ Hz, 1H), 3.53 (d, $J = 11.4$ Hz, 1H), $3.47 - 3.35$ (m, 3H), 3.24 (d, $J = 11.4$ Hz, 1H), 3.05 (q, $J = 11.2, 10.7$ Hz, 1H), $2.94 - 2.78$ (m, 2H), $2.78 - 2.61$ (m, 1H), $2.28 - 2.12$ (m, 2H), $2.11 - 1.97$ (m, 2H), $1.97 - 1.89$ (m, 2H), 1.87 (d, $J = 2.6$ Hz, 8H), $1.62 - 1.45$ (m, 3H), 1.14 (s, 3H), 1.05 (s, 3H), $0.99 - 0.91$ (m, 3H), 0.86 (d, $J = 6.6$ Hz, 3H).

FIG. 1 cont.





	Structure	Method	Analytic Data
335		A ²	ESI-MS m/z = 856.4 [M+H] ⁺ ; ¹ H-NMR: (300 MHz, CD ₃ OD) δ 7.87 (d, J = 8.4 Hz, 1H), 7.81-7.75 (m, 1H), 7.50 (d, J = 7.2 Hz, 1H), 7.33-7.16 (m, 1H), 7.05 (s, 1H), 6.71 (d, J = 15.3 Hz, 1H), 6.65-6.56 (m, 1H), 5.64-5.49 (m, 1H), 4.56-4.43 (m, 6H), 4.13-3.97 (m, 2H), 3.82-3.70 (m, 4H), 3.18-3.10 (m, 2H), 2.95-2.74 (m, 2H), 2.35-2.21 (m, 1H), 2.21-2.09 (m, 2H), 1.98-1.93 (m, 11H), 1.93-1.86 (m, 4H), 1.86-1.69 (m, 1H), 1.69-1.61 (m, 6H), 1.06-0.76 (m, 6H).
336		E	ESI-MS m/z = 880.4 [M+H] ⁺ ; ¹ H NMR (300 MHz, DMSO- <i>d</i> ₆) δ 9.46-9.34 (m, 1H), 8.83 (s, 1H), 8.19-8.07 (m, 1H), 8.02 (d, J = 8.4 Hz, 2H), 7.87 (d, J = 7.6 Hz, 1H), 7.80 (s, 1H), 7.70 (dd, J = 8.0, 1.1 Hz, 1H), 7.57-7.42 (m, 2H), 7.11 (s, 1H), 7.02 (s, 1H), 6.59 (dd, J = 25.7, 6.1 Hz, 1H), 5.45-5.29 (m, 1H), 5.19-5.05 (m, 1H), 4.77-4.62 (m, 2H), 4.56 (d, J = 13.7 Hz, 2H), 4.50-4.24 (m, 2H), 4.23-4.04 (m, 2H), 4.00-3.73 (m, 3H), 3.72-3.49 (m, 2H), 2.87-2.68 (m, 6H), 2.20-2.02 (m, 2H), 1.91-1.79 (m, 1H), 1.67-1.45 (m, 5H), 1.18-1.08 (m, 6H), 0.92 (dd, J = 11.7, 6.4 Hz, 3H), 0.78 (q, J = 6.9, 5.4 Hz, 3H).
337		A	ESI-MS m/z = 856.4 [M+H] ⁺ ; ¹ H NMR (400 MHz, MeOD) δ 8.05-7.62 (m, 2H), 7.47 (d, J = 4.8 Hz, 1H), 7.30 (dt, J = 13.1, 7.1 Hz, 4H), 7.05 (ddd, J = 41.9, 36.8, 14.9 Hz, 3H), 6.75-6.46 (m, 2H), 6.39-6.07 (m, 2H), 5.92-5.52 (m, 2H), 4.67 (ddd, J = 20.7, 16.4, 10.8 Hz, 2H), 4.49-4.07 (m, 3H), 4.06-3.36 (m, 8H), 3.15-2.57 (m, 6H), 2.43-1.80 (m, 6H), 1.75 (d, J = 4.5 Hz, 3H), 1.70-1.48 (m, 4H), 1.01-0.68 (m, 6H).
338		A	ESI-MS m/z = 786.3 [M+H] ⁺ ; ¹ H NMR (400 MHz, MeOD) δ 8.07 (s, 1H), 7.93 (d, J = 20.5 Hz, 2H), 7.75 (s, 2H), 7.69 (d, J = 6.9 Hz, 1H), 7.35 (d, J = 7.6 Hz, 1H), 6.84 (t, J = 56.2 Hz, 1H), 6.66-6.45 (m, 1H), 6.27 (d, J = 16.8 Hz, 1H), 5.90-5.44 (m, 2H), 4.69 (d, J = 11.0 Hz, 1H), 4.57 (d, J = 20.2 Hz, 1H), 4.49-4.23 (m, 2H), 3.90-3.40 (m, 8H), 3.09 (d, J = 13.9 Hz, 1H), 3.01-2.86 (m, 3H), 2.83 (s, 1H), 2.41 (s, 1H), 2.34-2.13 (m, 2H), 2.09 (dd, J = 12.2, 7.0 Hz, 2H), 1.99-1.83 (m, 2H), 1.61 (s, 2H), 1.15 (d, J = 6.8 Hz, 3H), 1.07-0.91 (m, 3H), 0.89-0.70 (m, 3H).

FIG. 1 cont.





	Structure	Method	Analytic Data
339		D	ESI-MS $m/z = 817.3 [M+H]^+$; 1H -NMR (400 MHz, MeOD) δ 7.93 (d, $J = 8.4$ Hz, 1H), 7.80 (d, $J = 4.2$ Hz, 1H), 7.50 (dd, $J = 12.3, 9.6$ Hz, 1H), 7.38 (s, 1H), 6.67 (d, $J = 6.5$ Hz, 1H), 6.30 – 6.13 (m, 1H), 5.68 – 5.58 (m, 1H), 4.96 (dd, $J = 12.4, 4.8$ Hz, 1H), 4.70 (t, $J = 10.6$ Hz, 1H), 4.57 (dd, $J = 14.2, 7.8$ Hz, 1H), 4.52 – 4.39 (m, 3H), 4.27 (dt, $J = 14.6, 9.7$ Hz, 1H), 4.17 – 4.03 (m, 3H), 3.98 (dd, $J = 14.8, 9.6$ Hz, 2H), 3.89 – 3.80 (m, 1H), 3.66 (d, $J = 11.4$ Hz, 1H), 3.00 – 2.80 (m, 4H), 2.74 (t, $J = 11.0$ Hz, 2H), 2.18 (d, $J = 11.4$ Hz, 2H), 1.93 (t, $J = 11.3$ Hz, 1H), 1.86 (d, $J = 4.1$ Hz, 6H), 1.75 – 1.67 (m, 1H), 1.65 – 1.54 (m, 1H), 1.21 – 1.00 (m, 6H), 0.98 – 0.76 (m, 6H).
340		A	ESI-MS $m/z = 856.6 [M+H]^+$; 1H NMR (300 MHz, DMSO- d_6) δ = 9.53 – 9.32 (m, 1H), 8.14 – 7.98 (m, 1H), 7.80 (d, $J = 8.4$ Hz, 1H), 7.74 – 7.64 (m, 1H), 7.39 (d, $J = 20.4$ Hz, 2H), 7.14 – 6.95 (m, 2H), 6.66 – 6.48 (m, 1H), 5.40 (d, $J = 8.5$ Hz, 1H), 5.11 (d, $J = 12.0$ Hz, 1H), 4.84 – 4.09 (m, 7H), 3.90 (d, $J = 9.9$ Hz, 5H), 3.28 – 3.20 (m, 1H), 2.92 – 2.64 (m, 6H), 2.33 (s, 1H), 2.04 (d, $J = 11.2$ Hz, 1H), 1.80 (d, $J = 4.7$ Hz, 7H), 1.50 (ddd, $J = 6.6, 4.7, 3.6$ Hz, 11H), 1.24 (s, 1H), 1.09 (s, 3H), 1.02 (s, 3H).
341		A	ESI-MS $m/z = 872.5 [M+H]^+$; 1H NMR (300 MHz, DMSO- d_6) δ 9.41 (d, $J = 17.5$ Hz, 1H), 8.68–8.58 (m, 0.5H), 8.30–8.25 (m, 0.5H), 7.80 (d, $J = 8.4$ Hz, 1H), 7.69 (s, 1H), 7.42 – 7.36 (m, 2H), 7.03 (d, $J = 22.8$ Hz, 2H), 6.63 – 6.51 (m, 1H), 5.35 (s, 1H), 5.10 (d, $J = 13.4$ Hz, 1H), 4.86 – 4.62 (m, 2H), 4.57 – 4.06 (m, 6H), 3.93 – 3.81 (m, 6H), 3.62 (d, $J = 11.3$ Hz, 1H), 3.25 (d, $J = 10.1$ Hz, 3H), 2.86 (s, 2H), 2.72 (d, $J = 4.1$ Hz, 4H), 2.04 (d, $J = 11.2$ Hz, 2H), 1.80 (d, $J = 4.6$ Hz, 6H), 1.51 (d, $J = 5.9$ Hz, 6H), 1.39 – 1.22 (m, 3H), 1.09 (s, 3H), 1.02 (s, 3H).
342		A	ESI-MS $m/z = 864.6 [M+H]^+$; 1H NMR (300 MHz, Methanol- d_4) δ 7.84 (dd, $J = 8.4, 6.2$ Hz, 1H), 7.60 (s, 1H), 7.52 – 6.92 (m, 9H), 6.39 (s, 2H), 5.69 (s, 1H), 4.72 – 4.11 (m, 7H), 3.78 (dd, $J = 72.7, 10.4$ Hz, 3H), 3.14 (d, $J = 11.4$ Hz, 2H), 2.88 (d, $J = 6.6$ Hz, 2H), 2.76 – 2.66 (m, 4H), 2.14 (s, 1H), 1.88 (d, $J = 2.5$ Hz, 7H), 1.66 – 1.51 (m, 5H), 1.18 – 1.05 (m, 6H).

FIG. 1 cont.





	Structure	Method	Analytic Data
343		A	ESI-MS $m/z = 835.4$ $[M+H]^+$; 1H NMR (400 MHz, MeOD) δ 7.81 (d, $J = 8.4$ Hz, 1H), 7.60 (s, 1H), 7.42 (d, $J = 8.2$ Hz, 1H), 7.14 (d, $J = 36.1$ Hz, 2H), 6.99 (s, 1H), 6.48 (s, 1H), 5.61 (d, $J = 4.9$ Hz, 1H), 4.82 (s, 1H), 4.45 (d, $J = 12.5$ Hz, 1H), 4.30 (s, 2H), 3.99 (d, $J = 11.3$ Hz, 1H), 3.87 (s, 2H), 3.78 – 3.56 (m, 4H), 3.36 (d, $J = 11.0$ Hz, 2H), 3.26 (s, 2H), 2.95 – 2.63 (m, 6H), 2.27 – 2.07 (m, 2H), 2.07 (s, 3H), 1.96 – 1.79 (m, 7H), 1.70 (d, $J = 12.1$ Hz, 1H), 1.56 (dd, $J = 24.1$, 11.4 Hz, 1H), 1.09 (d, $J = 32.4$ Hz, 6H), 0.90 (t, $J = 7.0$ Hz, 6H).
344		A	ESI-MS $m/z = 823.4$ $[M+H]^+$; 1H NMR (400 MHz, MeOD) δ 7.81 (d, $J = 8.4$ Hz, 1H), 7.51 (s, 1H), 7.42 (d, $J = 8.4$ Hz, 1H), 7.08 (d, $J = 31.9$ Hz, 2H), 6.99 (s, 1H), 6.80 (dd, $J = 16.7$, 10.6 Hz, 1H), 6.43 (s, 1H), 6.25 (dd, $J = 16.8$, 1.7 Hz, 1H), 5.78 (dd, $J = 10.7$, 1.7 Hz, 1H), 5.60 (d, $J = 6.0$ Hz, 1H), 4.44 (d, $J = 12.6$ Hz, 1H), 4.11 (s, 1H), 3.99 (d, $J = 11.2$ Hz, 1H), 3.81 – 3.55 (m, 7H), 3.48 – 3.34 (m, 4H), 3.24 (d, $J = 11.1$ Hz, 1H), 2.96 – 2.62 (m, 6H), 2.27 – 2.07 (m, 2H), 1.97 – 1.77 (m, 7H), 1.77 – 1.47 (m, 2H), 1.07 (d, $J = 36.3$ Hz, 6H), 0.96 – 0.80 (m, 6H).
345		A	ESI-MS $m/z = 833.3$ $[M+H]^+$; 1H -NMR (400 MHz, MeOD) δ 7.89 – 7.80 (m, 1H), 7.73 – 7.58 (m, 1H), 7.45 (d, $J = 9.9$ Hz, 1H), 7.36 (dd, $J = 14.2$, 7.4 Hz, 1H), 7.10 (s, 1H), 6.99 (d, $J = 10.1$ Hz, 1H), 6.63 (dt, $J = 16.5$, 10.9 Hz, 1H), 6.53 (s, 1H), 6.29 (d, $J = 16.8$ Hz, 1H), 5.75 (dd, $J = 10.3$, 2.4 Hz, 1H), 5.55 (d, $J = 14.8$ Hz, 1H), 4.85 – 4.67 (m, 2H), 4.42 (d, $J = 12.7$ Hz, 2H), 4.04 – 3.79 (m, 3H), 3.77 – 3.54 (m, 4H), 3.53 – 3.33 (m, 3H), 3.26 – 3.12 (m, 1H), 2.98 (dd, $J = 10.1$, 7.9 Hz, 3H), 2.81 (dd, $J = 23.3$, 14.7 Hz, 2H), 2.70 (dd, $J = 22.2$, 11.5 Hz, 1H), 2.31 (ddd, $J = 17.8$, 12.7, 6.3 Hz, 1H), 2.18 (ddd, $J = 22.7$, 12.5, 5.7 Hz, 2H), 2.03 (dd, $J = 15.4$, 6.4 Hz, 3H), 1.90 (s, 1H), 1.72 – 1.49 (m, 2H), 1.10 (d, $J = 27.9$ Hz, 6H), 0.99 – 0.72 (m, 6H).
346		A	ESI-MS $m/z = 864.4$ $[M+H]^+$; 1H NMR (400 MHz, MeOD) δ 7.66 (dd, $J = 29.2$, 16.3 Hz, 2H), 7.37 (dd, $J = 31.4$, 21.7 Hz, 2H), 7.10 (d, $J = 13.5$ Hz, 1H), 7.04 – 6.87 (m, 1H), 6.62 (dd, $J = 18.4$, 8.9 Hz, 1H), 6.51 (s, 1H), 6.28 (d, $J = 21.2$ Hz, 1H), 5.75 (d, $J = 12.6$ Hz, 1H), 5.55 (d, $J = 28.7$ Hz, 1H), 4.73 (ddd, $J = 24.2$, 17.5, 7.3 Hz, 2H), 4.44 (d, $J = 19.2$ Hz, 2H), 4.20 (dd, $J = 15.9$, 7.4 Hz, 1H), 4.09 – 3.85 (m, 4H), 3.86 – 3.49 (m, 6H), 3.48 – 3.33 (m, 2H), 3.08 – 2.60 (m, 6H), 2.43 – 2.02 (m, 5H), 1.98 – 1.73 (m, 2H), 1.75 – 1.33 (m, 5H), 1.29 – 0.68 (m, 12H).

FIG. 1 cont.





	Structure	Method	Analytic Data
347		A	ESI-MS $m/z = 858.5$ $[M+H]^+$; 1H NMR (300 MHz, Acetonitrile- d_3) δ 7.87 (d, $J = 8.4$ Hz, 1H), 7.72 (d, $J = 12.3$ Hz, 1H), 7.48 (dd, $J = 8.4, 1.7$ Hz, 1H), 7.22 (s, 1H), 7.17 – 6.99 (m, 2H), 6.82 (s, 1H), 6.71 – 6.52 (m, 1H), 5.56 – 5.40 (m, 1H), 4.87 (dd, $J = 11.7, 6.0$ Hz, 1H), 4.70 – 4.34 (m, 4H), 4.21 (d, $J = 12.4$ Hz, 1H), 4.05 (d, $J = 10.6$ Hz, 1H), 3.85 (d, $J = 14.9$ Hz, 1H), 3.71 – 3.49 (m, 2H), 3.42 – 3.17 (m, 2H), 3.06 – 2.90 (m, 3H), 2.86 – 2.52 (m, 5H), 1.86 (d, $J = 4.5$ Hz, 9H), 1.71 – 1.44 (m, 6H), 1.25 – 1.05 (m, 7H), 0.87 (ddd, $J = 36.9, 6.7, 2.9$ Hz, 6H).
348		A	ESI-MS $m/z = 858.5$ $[M+H]^+$; 1H NMR (400 MHz, Acetonitrile- d_3) δ 7.87 (d, $J = 8.4$ Hz, 1H), 7.71 (d, $J = 16.3$ Hz, 1H), 7.57 – 7.39 (m, 1H), 7.18 (d, $J = 23.7$ Hz, 2H), 7.04 (s, 2H), 6.80 (t, $J = 9.3$ Hz, 1H), 6.63 – 6.36 (m, 1H), 5.48 (td, $J = 8.5, 4.5$ Hz, 1H), 4.86 (p, $J = 6.4$ Hz, 1H), 4.63 (d, $J = 11.1$ Hz, 1H), 4.52 – 4.30 (m, 3H), 4.19 (dd, $J = 12.6, 3.3$ Hz, 1H), 4.05 (d, $J = 10.6$ Hz, 1H), 3.84 (d, $J = 14.8$ Hz, 1H), 3.66 (d, $J = 11.0$ Hz, 1H), 3.54 (s, 1H), 3.40 – 3.12 (m, 2H), 2.99 (d, $J = 7.9$ Hz, 3H), 2.85 – 2.51 (m, 4H), 1.86 (d, $J = 5.9$ Hz, 8H), 1.67 – 1.50 (m, 6H), 1.31 (d, $J = 4.9$ Hz, 3H), 1.15 (d, $J = 5.1$ Hz, 3H), 1.07 (s, 3H), 1.01 – 0.87 (m, 5H), 0.85 – 0.79 (m, 2H).
349		A	ESI-MS $m/z = 832.5$ $[M+H]^+$; 1H NMR (300 MHz, DMSO- d_6) δ 9.40 – 9.32 (m, 1H), 8.44 (d, $J = 7.3$ Hz, 1H), 7.80 (d, $J = 8.4$ Hz, 1H), 7.69 (s, 1H), 7.39 (d, $J = 15.6$ Hz, 2H), 7.03 (d, $J = 24.0$ Hz, 2H), 6.57 (d, $J = 7.1$ Hz, 1H), 5.33 (d, $J = 8.7$ Hz, 1H), 5.09 (d, $J = 12.2$ Hz, 1H), 4.42 (d, $J = 14.6$ Hz, 1H), 4.32 – 4.20 (m, 2H), 3.97 – 3.74 (m, 3H), 3.67 – 3.51 (m, 3H), 3.42 – 3.40 (m, 2H), 3.24 (d, $J = 11.0$ Hz, 2H), 2.78 (d, $J = 15.9$ Hz, 3H), 2.19 – 1.88 (m, 9H), 1.80 (d, $J = 4.3$ Hz, 7H), 1.64 – 1.45 (m, 2H), 1.09 (s, 3H), 1.01 (s, 3H), 0.91 (d, $J = 6.4$ Hz, 3H), 0.82 – 0.71 (m, 3H).
350		A ²	ESI-MS $m/z = 834.5$ $[M+H]^+$; 1H NMR (400 MHz, Methanol- d_4) δ 8.21 (s, 1H), 7.84 (dd, $J = 8.4, 3.5$ Hz, 1H), 7.65 (d, $J = 3.9$ Hz, 1H), 7.48 – 7.41 (m, 1H), 7.23 (d, $J = 4.0$ Hz, 1H), 7.14 (d, $J = 3.5$ Hz, 1H), 7.01 (s, 1H), 6.65 – 6.60 (m, 2H), 6.30 (dd, $J = 16.5, 4.3$ Hz, 1H), 5.83 – 5.72 (m, 1H), 5.59 (s, 1H), 4.75 (d, $J = 3.3$ Hz, 1H), 4.44 – 4.37 (dd, $J = 15.1, 6.9$ Hz, 2H), 3.96 (d, $J = 9.9$ Hz, 1H), 3.84 – 3.69 (m, 5H), 3.56 (d, $J = 12.2$ Hz, 1H), 3.31 (d, $J = 11.1$ Hz, 2H), 2.92 – 2.74 (m, 3H), 2.54 (s, 1H), 2.25 – 2.16 (m, 2H), 2.06 – 1.98 (m, 1H), 1.97 – 1.75 (m, 10H), 1.70 – 1.59 (m, 2H), 1.16 (d, $J = 3.6$ Hz, 3H), 1.09 (d, $J = 3.7$ Hz, 3H), 0.96 (dt, $J = 7.1, 3.5$ Hz, 3H), 0.87 (dd, $J = 6.7, 3.3$ Hz, 3H).

FIG. 1 cont.





	Structure	Method	Analytic Data
351		A ²	ESI-MS m/z = 856.5 [M+H] ⁺ ; ¹ H NMR (400 MHz, Methanol-d ₄) δ 7.84 (d, J = 8.4 Hz, 1H), 7.67 (s, 1H), 7.44 (d, J = 8.4 Hz, 1H), 7.25 (s, 1H), 7.15 (s, 1H), 7.03 – 6.98 (m, 1H), 6.60 (s, 1H), 5.62 – 5.56 (m, 1H), 4.79 – 4.71 (m, 2H), 4.43 (d, J = 14.5 Hz, 2H), 4.33 – 4.19 (m, 2H), 3.89 (s, 1H), 3.84 – 3.66 (m, 3H), 3.56 (d, J = 10.5 Hz, 2H), 3.43 (d, J = 12.2 Hz, 2H), 3.29 – 3.27 (m, 1H), 2.97 – 2.79 (m, 2H), 2.72 (dd, J = 24.4, 12.1 Hz, 1H), 2.50 (ddd, J = 30.4, 14.0, 7.0 Hz, 1H), 2.24 (s, 2H), 2.16 (d, J = 12.4 Hz, 2H), 2.08 – 1.88 (m, 10H), 1.69 – 1.57 (m, 2H), 1.17 (s, 3H), 1.09 (s, 3H), 0.96 (dd, J = 6.6, 2.7 Hz, 3H), 0.87 (dd, J = 6.8, 3.3 Hz, 3H).
352		A ²	ESI-MS m/z = 856.5 [M+H] ⁺ ; ¹ H NMR (300 MHz, Methanol-d ₄) δ 7.84 (dd, J = 8.5, 1.7 Hz, 1H), 7.61 (d, J = 8.9 Hz, 1H), 7.45 (ddd, J = 8.1, 6.3, 1.5 Hz, 1H), 7.19 (d, J = 0.9 Hz, 1H), 7.15 – 6.98 (m, 2H), 6.68 – 6.56 (m, 1H), 5.59 – 5.50 (m, 1H), 4.59 (s, 5H), 4.44 (d, J = 13.1 Hz, 1H), 4.32 – 4.18 (m, 3H), 4.08 – 3.71 (m, 5H), 3.71 – 3.56 (m, 1H), 3.28 (s, 2H), 2.95 – 2.76 (m, 3H), 2.40 (dt, J = 21.4, 7.3 Hz, 1H), 2.15 (s, 2H), 1.93 (s, 3H), 1.87 (d, J = 1.8 Hz, 10H), 1.82 – 1.77 (m, 2H), 1.15 (d, J = 2.5 Hz, 3H), 1.06 (d, J = 3.3 Hz, 3H), 1.00 – 0.92 (m, 3H), 0.89 – 0.84 (m, 3H).
353*		A	ESI-MS m/z = 847.4 [M+H] ⁺
354		E	ESI-MS m/z = 876.5 [M+H] ⁺ ; ¹ H NMR (300 MHz, DMSO-d ₆) δ = 9.44 (s, 1H), 8.13 (d, J = 2.1 Hz, 1H), 7.90 – 7.67 (m, 5H), 7.47 (d, J = 8.6 Hz, 1H), 7.10 (d, J = 4.7 Hz, 1H), 7.00 (d, J = 5.6 Hz, 1H), 6.70 – 6.52 (m, 2H), 6.16 (ddt, J = 16.8, 5.3, 2.6 Hz, 1H), 5.69 (tdd, J = 10.2, 4.9, 2.5 Hz, 1H), 5.38 (d, J = 8.6 Hz, 1H), 5.23 – 5.05 (m, 1H), 4.53 (dd, J = 14.6, 7.2 Hz, 1H), 4.28 (d, J = 12.2 Hz, 1H), 4.06 – 3.98 (m, 2H), 3.82 – 3.78 (m, 2H), 3.68 – 3.62 (m, 4H), 3.30 – 3.16 (m, 3H), 2.91 – 2.70 (m, 7H), 2.08 (s, 4H), 1.98 – 1.77 (m, 2H), 1.55 (d, J = 13.2 Hz, 2H), 1.12 (d, J = 8.8 Hz, 6H), 1.01 – 0.84 (m, 3H), 0.82 – 0.68 (m, 3H).

FIG. 1 cont.





	Structure	Method	Analytic Data
355		E	ESI-MS $m/z = 964.2[M+H]^+$; 1H NMR (300 MHz, DMSO- d_6) δ 9.39 (s, 1H), 8.09 – 7.93 (m, 2H), 7.87 – 7.60 (m, 5H), 7.59 – 7.41 (m, 2H), 7.35 (d, $J = 7.6$ Hz, 1H), 7.25 (s, 1H), 7.09 (d, $J = 6.2$ Hz, 1H), 6.99 (d, $J = 9.6$ Hz, 1H), 6.91 (s, 1H), 6.86 – 6.31 (m, 2H), 6.26 – 6.11 (m, 1H), 6.09 – 5.86 (m, 1H), 5.76 – 5.62 (m, 1H), 5.50 – 5.25 (m, 1H), 5.22 – 5.04 (m, 1H), 4.68 (s, 1H), 4.59 – 4.40 (m, 1H), 4.35 – 4.12 (m, 2H), 4.02 – 3.97 (m, 2H), 3.90 – 3.82 (m, 2H), 3.74 – 3.58 (m, 8H), 2.98 – 2.80 (m, 5H), 2.75 (d, $J = 11.2$ Hz, 3H), 2.32 – 1.98 (m, 4H), 1.94 – 1.77 (m, 1H), 1.74 – 1.41 (m, 2H), 1.30 – 1.21 (m, 3H), 1.16 (d, $J = 11.9$ Hz, 3H), 1.09 (d, $J = 3.8$ Hz, 3H), 1.01 – 0.85 (m, 3H), 0.84 – 0.69 (m, 3H).
356		A	ESI-MS $m/z = 820.4 [M+H]^+$; 1H NMR (300 MHz, DMSO- d_6) δ 9.84 – 9.24 (m, 1H), 8.78 – 8.06 (m, 1H), 7.80 (dd, $J = 8.5, 2.5$ Hz, 1H), 7.71 (s, 1H), 7.55 – 7.31 (m, 2H), 7.08 (s, 1H), 6.98 (d, $J = 5.6$ Hz, 1H), 6.93 – 6.41 (m, 1H), 6.35 (d, $J = 16.5$ Hz, 1H), 6.25 – 6.12 (m, 1H), 5.89 – 5.60 (m, 1H), 5.52 – 5.28 (m, 1H), 5.15 (dd, $J = 20.9, 12.3$ Hz, 1H), 4.84 – 4.55 (m, 2H), 4.34 (dd, $J = 44.3, 13.2$ Hz, 3H), 4.16 – 3.72 (m, 3H), 3.72 – 3.52 (m, 2H), 2.96 – 2.60 (m, 3H), 2.38 – 2.18 (m, 2H), 2.09 (d, $J = 10.1$ Hz, 3H), 1.80 (d, $J = 4.8$ Hz, 9H), 1.68 – 1.42 (m, 2H), 1.14 – 0.94 (m, 8H), 0.93 – 0.70 (m, 5H).
357		A	ESI-MS $m/z = 822.7 [M+H]^+$; 1H -NMR (400 MHz, Methanol) δ = 7.77 (d, $J = 8.8$ Hz, 1H), 7.63 – 7.52 (m, 1H), 7.40 – 7.28 (m, 1H), 7.10 (s, 2H), 7.01 (d, $J = 9.2$ Hz, 1H), 6.75 – 6.57 (m, 1H), 6.53 (s, 1H), 6.31 (d, $J = 16.7$ Hz, 1H), 5.81 – 5.72 (m, 1H), 5.63 – 5.50 (m, 1H), 4.75 (dd, $J = 11.1, 4.6$ Hz, 1H), 4.62 (s, 4H), 4.43 (d, $J = 13.0$ Hz, 1H), 4.29 (d, $J = 15.1$ Hz, 1H), 3.92 – 3.83 (m, 2H), 3.79 – 3.51 (m, 6H), 3.21 (dd, $J = 23.8, 11.2$ Hz, 1H), 3.02 – 2.91 (m, 5H), 2.90 – 2.69 (m, 3H), 2.38 – 2.02 (m, 4H), 1.92 – 1.89 (m, 1H), 1.69 – 1.54 (m, 8H), 1.12 (s, 3H), 1.07 (d, $J = 2.7$ Hz, 3H), 0.89 (dt, $J = 43.7, 6.0$ Hz, 6H).
358		A	ESI-MS $m/z = 794.4 [M+H]^+$; 1H NMR (400 MHz, Methanol- d_4) δ 7.97 – 7.82 (m, 1H), 7.75 (d, $J = 8.9$ Hz, 1H), 7.55 (d, $J = 8.6$ Hz, 1H), 7.16 (s, 1H), 7.01 (d, $J = 11.8$ Hz, 1H), 6.70 – 6.59 (m, 1H), 6.54 (s, 1H), 6.31 (d, $J = 16.8$ Hz, 1H), 5.76 (d, $J = 9.5$ Hz, 1H), 5.59 – 5.44 (m, 1H), 4.45 – 4.35 (m, 3H), 3.95 – 3.59 (m, 7H), 3.38 (d, $J = 11.7$ Hz, 1H), 3.21 (s, 1H), 3.05 – 2.94 (m, 3H), 2.89 – 2.66 (m, 4H), 2.24 (d, $J = 37.3$ Hz, 3H), 1.87 (d, $J = 63.4$ Hz, 5H), 1.45 (t, $J = 6.3$ Hz, 3H), 1.23 (d, $J = 3.3$ Hz, 3H), 1.03 (s, 3H), 0.96 (dt, $J = 8.8, 4.2$ Hz, 3H), 0.86 (dd, $J = 9.3, 3.7$ Hz, 3H).

FIG. 1 cont.





	Structure	Method	Analytic Data
359		E	ESI-MS m/z = 875.6 $[M+H]^+$; 1H NMR (300 MHz, DMSO- d_6) δ 9.41 (d, J = 22.9 Hz, 1H), 7.73 (dd, J = 7.6, 1.3 Hz, 2H), 7.67 – 7.55 (m, 2H), 7.45 (dd, J = 7.4, 1.7 Hz, 2H), 7.39 (d, J = 6.1 Hz, 2H), 7.14 – 7.04 (m, 1H), 7.02 – 6.93 (m, 1H), 6.59 (ddt, J = 22.2, 11.1, 7.0 Hz, 2H), 6.16 (dtd, J = 16.8, 5.9, 5.3, 2.6 Hz, 1H), 5.78 – 5.61 (m, 1H), 5.54 – 5.29 (m, 1H), 5.11 (d, J = 13.4 Hz, 1H), 4.47 (d, J = 14.5 Hz, 1H), 4.27 (d, J = 12.6 Hz, 1H), 4.08 – 3.93 (m, 2H), 3.91 – 3.78 (m, 1H), 3.72 – 3.65 (m, 2H), 3.62 (s, 5H), 3.34 – 3.12 (m, 2H), 2.95 (s, 1H), 2.93 – 2.65 (m, 6H), 2.34 – 1.77 (m, 6H), 1.53 (d, J = 22.2 Hz, 2H), 1.09 (d, J = 19.4 Hz, 7H), 1.01 – 0.67 (m, 7H).
360		A ²	ESI-MS m/z = 834.6 $[M+H]^+$; 1H NMR (300 MHz, methanol- d_4) δ = 7.88 – 7.79 (m, 1H), 7.62 (d, J = 13.2 Hz, 1H), 7.45 (t, J = 7.2 Hz, 1H), 7.21 (d, J = 1.3 Hz, 1H), 7.13 (s, 1H), 7.04 (d, J = 11.4 Hz, 1H), 6.74 – 6.57 (m, 2H), 6.32 (d, J = 16.9 Hz, 1H), 5.79 (d, J = 10.1 Hz, 1H), 5.63 – 5.53 (m, 1H), 4.47 – 4.41 (m, 1H), 4.36 – 4.26 (m, 1H), 4.03 (dd, J = 24.3, 11.8 Hz, 1H), 3.91 – 3.62 (m, 5H), 3.50 (d, J = 12.4 Hz, 1H), 3.27 (d, J = 6.9 Hz, 4H), 2.96 – 2.72 (m, 2H), 2.40 – 2.23 (m, 2H), 2.03 – 1.92 (m, 3H), 1.87 (d, J = 2.2 Hz, 6H), 1.83 – 1.66 (m, 4H), 1.62 – 1.55 (m, 1H), 1.31 (s, 1H), 1.16 (d, J = 3.2 Hz, 3H), 1.07 (d, J = 4.2 Hz, 3H), 0.94 (t, J = 6.0 Hz, 3H), 0.86 (dd, J = 6.6, 3.9 Hz, 3H).
361		A	ESI-MS m/z = 886.3 $[M+H]^+$; 1H -NMR (400 MHz, MeOD) δ 7.88 (dd, J = 33.4, 25.5 Hz, 1H), 7.64 (d, J = 7.5 Hz, 1H), 7.60 – 7.30 (m, 5H), 7.21 (s, 1H), 7.00 (d, J = 10.8 Hz, 1H), 6.69 – 6.55 (m, 2H), 6.27 (dd, J = 16.8, 2.4 Hz, 1H), 5.74 (dd, J = 15.2, 6.2 Hz, 1H), 5.55 (dd, J = 15.9, 9.3 Hz, 1H), 4.83 – 4.64 (m, 2H), 4.62 – 4.03 (m, 4H), 3.96 – 3.75 (m, 3H), 3.72 – 3.39 (m, 4H), 3.20 – 3.12 (m, 3H), 3.07 – 2.64 (m, 7H), 2.38 – 1.85 (m, 5H), 1.70 – 1.38 (m, 2H), 1.26 – 1.12 (m, 6H), 1.07 – 0.81 (m, 6H).
362		A	ESI-MS m/z = 892.0 $[M+H]^+$; 1H NMR (400 MHz, MeOD) δ 7.83 – 7.70 (m, 1H), 7.62 (s, 1H), 7.44 – 7.18 (m, 2H), 7.14 – 6.91 (m, 2H), 6.71 – 6.47 (m, 2H), 6.28 (d, J = 16.8 Hz, 1H), 5.79 – 5.49 (m, 2H), 4.77 – 4.67 (m, 1H), 4.42 (d, J = 12.6 Hz, 2H), 4.06 – 3.70 (m, 6H), 3.68 – 3.40 (m, 4H), 3.27 – 3.06 (m, 3H), 3.03 – 2.90 (m, 3H), 2.84 (d, J = 16.4 Hz, 2H), 2.65 (s, 1H), 2.37 – 1.98 (m, 6H), 1.88 (s, 4H), 1.76 – 1.58 (m, 3H), 1.55 – 1.22 (m, 4H), 1.09 (d, J = 31.4 Hz, 6H), 1.02 – 0.68 (m, 6H).

FIG. 1 cont.

	Structure	Method	Analytic Data
363		A	ESI-MS $m/z = 860.1 [M+Na]^+$; 1H NMR (400 MHz, MeOD) δ 7.64 (dd, $J = 22.4, 8.8$ Hz, 2H), 7.58 – 7.50 (m, 1H), 7.46 (s, 1H), 7.31 (dd, $J = 21.6, 9.7$ Hz, 2H), 7.08 (dd, $J = 19.8, 8.2$ Hz, 2H), 6.99 – 6.89 (m, 1H), 6.70 – 6.47 (m, 2H), 6.36 – 6.22 (m, 1H), 5.74 (dd, $J = 10.4, 2.0$ Hz, 1H), 5.66 (s, 1H), 5.56 (ddd, $J = 19.9, 11.6, 5.5$ Hz, 1H), 4.83 – 4.64 (m, 2H), 4.50 – 4.33 (m, 2H), 4.02 – 3.77 (m, 5H), 3.68 (dd, $J = 23.0, 11.1$ Hz, 4H), 3.06 – 2.93 (m, 2H), 2.92 – 2.55 (m, 4H), 2.37 – 2.02 (m, 5H), 1.97 – 1.83 (m, 2H), 1.61 – 1.42 (m, 2H), 1.25 – 0.75 (m, 12H).
364		A	ESI-MS $m/z = 813.5 [M+H]^+$
365		A	ESI-MS $m/z = 834.4 [M+H]^+$
366		A	ESI-MS $m/z: 883.3 [M+H]^+$. 1H NMR (400 MHz, MeOD) δ 8.52 (s, 1H), 7.83 (s, 1H), 7.65 (d, $J = 8.0$ Hz, 1H), 7.42– 7.29 (m, 4H), 7.01 (s, 1H), 6.66 (s, 1H), 6.64– 6.60 (m, 1H), 6.57 (s, 1H), 6.28– 6.24 (m, 1H), 5.80– 5.68 (m, 2H), 4.64 (d, $J = 16.0$ Hz, 1H), 4.62– 4.59 (m, 1H), 4.29– 4.24 (m, 2H), 3.84– 3.45 (m, 9H), 3.20– 2.99 (m, 3H), 2.92 (s, 1H), 2.84 (s, 1H), 2.70– 2.59 (m, 1H), 2.21– 2.08 (m, 2H), 2.08– 1.90 (m, 4H), 1.63– 1.60 (m, 2H), 1.08 (t, $J = 4.0$ Hz, 1H), 0.89 (t, $J = 4.0$ Hz, 3H), 0.79 (t, $J = 4.0$ Hz, 2H), 0.70 (d, $J = 8.0$ Hz, 3H).

FIG. 1 cont.

	Structure	Method	Analytic Data
367		A	ESI-MS m/z = 852.0 $[M+H]^+$; 1H -NMR (400 MHz, MeOD) δ 7.82-7.80 (d, J = 8.4 Hz, 1H), 7.56-7.54 (m, J = 7.0 Hz, 1H), 7.46-7.41 (m, 1H), 7.16-7.14 (d, J = 6.3 Hz, 1H), 7.05-7.04 (d, J = 4.0 Hz, 1H), 6.99 (s, 1H), 6.65-6.56 (d, 1H), 5.53-5.51 (m, J = 8.0 Hz, 1H), 4.65-4.59 (m, 1H), 4.44-4.28 (m, 4H), 3.75-3.47 (m, 4H), 3.22-3.19 (m, 1H), 3.11-3.08 (m, 3H), 2.82-2.79 (m, J = 5.9 Hz, 2H), 2.73-2.66 (t, J = 12.7 Hz, 1H), 2.31-2.11 (m, J = 46.2, 31.0, 10.3 Hz, 5H), 2.06-2.01 (m, J = 6.0 Hz, 4H), 1.84 (s, 6H), 1.70-1.48 (m, 3H), 1.37 (s, 1H), 1.12 (s, 3H), 1.03 (s, 3H), 0.95-0.93 (d, J = 6.4 Hz, 3H), 0.85-0.84 (d, J = 6.5 Hz, 3H).
368		A	ESI-MS m/z = 892.0 $[M+H]^+$; 1H NMR (400 MHz, MeOD) δ 7.84 – 7.74 (m, 1H), 7.66 – 7.55 (m, 1H), 7.43 – 7.21 (m, 2H), 7.13 – 6.88 (m, 2H), 6.62 (dd, J = 19.3, 8.0 Hz, 2H), 6.27 (d, J = 16.8 Hz, 1H), 5.78 – 5.52 (m, 2H), 4.66 (dd, J = 28.2, 17.0 Hz, 1H), 4.49 – 4.27 (m, 3H), 4.09 – 3.44 (m, 8H), 3.27 – 2.72 (m, 9H), 2.64 – 2.52 (m, 1H), 2.24 (dd, J = 22.5, 5.3 Hz, 3H), 2.11 – 2.02 (m, 3H), 1.92 – 1.77 (m, 4H), 1.76 – 1.42 (m, 4H), 1.32 (dd, J = 35.6, 7.8 Hz, 3H), 1.20 – 1.01 (m, 6H), 1.00 – 0.74 (m, 6H).
369		A	ESI-MS m/z = 808.5 $[M+H]^+$; 1H NMR (300 MHz, Acetonitrile- d_3) δ = 7.85 (dd, J = 29.7, 8.0 Hz, 2H), 7.64 (d, J = 9.5 Hz, 1H), 7.20 – 7.01 (m, 3H), 6.87 – 6.45 (m, 3H), 6.36 – 6.13 (m, 1H), 5.78 – 5.49 (m, 2H), 4.66 (d, J = 10.7 Hz, 1H), 4.42 (d, J = 13.2 Hz, 2H), 4.06 – 3.97 (m, 1H), 3.95 – 3.46 (m, 7H), 3.11 (t, J = 13.6 Hz, 1H), 2.98 – 2.85 (m, 2H), 2.77 – 2.55 (m, 6H), 1.99 – 1.90 (m, 7H), 1.75 – 1.49 (m, 4H), 1.18 (s, 3H), 1.05 – 0.77 (m, 9H).
370		E	ESI-MS m/z = 942.5 $[M+H]^+$; 1H NMR (300 MHz, Acetonitrile- d_3) δ = 8.74 (s, 1H), 7.76 (s, 1H), 7.48 – 7.43 (m, 6H), 7.19 – 7.02 (m, 3H), 6.62 – 6.52 (m, 3H), 6.35 – 6.19 (m, 1H), 5.77 – 5.73 (m, 1H), 5.67 – 5.60 (m, 1H), 4.68 – 4.20 (m, 6H), 4.06 – 3.36 (m, 15H), 2.99 – 2.86 (m, 3H), 2.77 – 2.60 (m, 5H), 1.90 – 1.81 (m, 2H), 1.73 – 1.43 (m, 3H), 1.19 (d, J = 2.1 Hz, 6H), 0.94 – 0.77 (m, 6H).

FIG. 1 cont.





	Structure	Method	Analytic Data
371		E	ESI-MS m/z = 875.6 $[M+H]^+$; 1H NMR (400 MHz, DMSO- d_6) δ = 9.47 (s, 1H), 8.73 – 8.47 (m, 1H), 8.26 (s, 1H), 8.12 – 7.83 (m, 5H), 7.80 – 7.43 (m, 3H), 7.11 (d, J = 5.5 Hz, 1H), 7.05 – 7.00 (m, 1H), 6.68 – 6.48 (m, 2H), 6.25 – 6.07 (m, 1H), 5.69 (dd, J = 18.7, 12.3 Hz, 1H), 5.36 (d, J = 9.5 Hz, 1H), 5.25 – 5.09 (m, 1H), 4.77 – 4.63 (m, 1H), 4.49 (s, 1H), 4.28 (d, J = 12.6 Hz, 1H), 4.00 (d, J = 12.0 Hz, 2H), 3.91 (s, 4H), 3.84 (s, 2H), 3.72 – 3.62 (m, 2H), 2.91 – 2.80 (m, 2H), 2.80 – 2.70 (m, 4H), 2.13 (d, J = 44.2 Hz, 2H), 1.83 (s, 1H), 1.54 (s, 2H), 1.24 (s, 1H), 1.13 (s, 3H), 1.09 (s, 3H), 0.98 (d, J = 6.4 Hz, 2H), 0.88 (d, J = 5.7 Hz, 2H), 0.81 (d, J = 6.4 Hz, 2H), 0.76 – 0.70 (m, 2H).
372		A ²	ESI-MS m/z = 780.5 $[M+H]^+$; 1H -NMR (400 MHz, MeOD) δ 7.97 (s, 1H), 7.74 (d, J = 8.7 Hz, 1H), 7.59 – 7.52 (m, 1H), 7.21 (d, J = 3.3 Hz, 1H), 7.03 – 6.98 (m, 1H), 6.64 (s, 1H), 6.54 (s, 1H), 6.36 – 6.26 (m, 1H), 5.82 – 5.71 (m, 1H), 5.67 – 5.57 (m, 1H), 4.43 – 4.36 (m, 3H), 3.90 – 3.60 (m, 10H), 3.24 (s, 1H), 3.06 (s, 1H), 2.98 – 2.87 (m, 5H), 2.73 (t, J = 12.4 Hz, 1H), 2.42 – 2.16 (m, 5H), 1.95 (s, 1H), 1.71 – 1.66 (m, 2H), 1.45 (tt, J = 6.9, 3.1 Hz, 3H), 1.12 (dt, J = 7.5, 3.8 Hz, 3H), 0.99 – 0.89 (m, 3H), 0.83 (td, J = 6.4, 3.4 Hz, 3H).
373		A ²	ESI-MS m/z = 780.6 $[M+H]^+$; 1H -NMR (400 MHz, MeOD) δ = 7.90 – 7.67 (m, 2H), 7.55 (d, J = 8.7 Hz, 1H), 7.13 (s, 1H), 7.07 – 6.97 (m, 1H), 6.74 – 6.57 (m, 1H), 6.55 (s, 1H), 6.32 (dd, J = 16.8, 2.3 Hz, 1H), 5.79 (ddd, J = 10.5, 3.8, 1.9 Hz, 1H), 5.68 – 5.45 (m, 1H), 4.40 (dq, J = 14.6, 7.3, 5.9 Hz, 3H), 4.10 – 3.52 (m, 10H), 3.21 – 3.09 (m, 1H), 3.00 – 2.86 (m, 5H), 2.78 (dd, J = 8.6, 4.8 Hz, 3H), 2.42 – 2.13 (m, 5H), 1.94 (s, 2H), 1.87 – 1.68 (m, 1H), 1.61 (dd, J = 12.4, 3.9 Hz, 1H), 1.44 (q, J = 6.2, 5.3 Hz, 3H), 1.30 (s, 1H), 1.21 (d, J = 6.9 Hz, 3H), 1.11 (dd, J = 27.8, 6.7 Hz, 1H), 0.93 (t, J = 6.2 Hz, 3H), 0.89 (d, J = 5.1 Hz, 1H), 0.83 (t, J = 6.1 Hz, 3H).
374		A ²	ESI-MS m/z = 858.7 $[M+H]^+$; 1H NMR (300 MHz, Acetonitrile- d_3) δ 8.67 – 8.45 (m, 2H), 7.75 (dq, J = 5.9, 2.0 Hz, 1H), 7.40 – 7.24 (m, 2H), 7.20 – 6.93 (m, 3H), 6.78 (d, J = 1.6 Hz, 1H), 6.70 – 6.53 (m, 2H), 6.27 (ddd, J = 31.0, 16.8, 2.3 Hz, 1H), 5.82 – 5.39 (m, 2H), 4.63 (dd, J = 11.0, 5.0 Hz, 1H), 4.51 – 4.27 (m, 2H), 4.16 – 3.93 (m, 2H), 3.92 – 3.60 (m, 5H), 3.54 – 3.28 (m, 3H), 2.99 – 2.78 (m, 3H), 2.65 (s, 3H), 2.55 (dd, J = 13.9, 10.4 Hz, 1H), 2.44 – 2.27 (m, 1H), 2.10 (d, J = 6.6 Hz, 4H), 1.88 (s, 1H), 1.72 (d, J = 2.7 Hz, 3H), 1.69 – 1.46 (m, 2H), 1.30 (s, 1H), 1.11 (dd, J = 24.0, 4.8 Hz, 6H), 0.99 (d, J = 6.7 Hz, 1H), 0.96 – 0.79 (m, 4H), 0.75 (d, J = 6.7 Hz, 2H).

FIG. 1 cont.




	Structure	Method	Analytic Data
375		A ²	ESI-MS m/z = 858.6 $[M+H]^+$; ¹ H NMR (300 MHz, Acetonitrile- <i>d</i> ₃) δ 8.65 (dd, J = 2.2, 0.9 Hz, 1H), 8.54 (dd, J = 4.9, 1.7 Hz, 1H), 7.80 (dt, J = 7.9, 1.9 Hz, 1H), 7.39 – 7.30 (m, 2H), 7.12 – 6.92 (m, 3H), 6.87 – 6.73 (m, 1H), 6.70 – 6.46 (m, 3H), 6.27 (ddd, J = 28.0, 16.8, 2.3 Hz, 1H), 5.81 – 5.40 (m, 2H), 4.64 (dd, J = 11.0, 3.8 Hz, 1H), 4.50 – 4.25 (m, 2H), 4.20 – 3.94 (m, 2H), 3.92 – 3.80 (m, 2H), 3.80 – 3.60 (m, 4H), 3.48 (qd, J = 15.0, 14.0, 6.7 Hz, 2H), 2.98 – 2.79 (m, 2H), 2.77 – 2.59 (m, 4H), 2.59 – 2.46 (m, 1H), 1.65 (d, J = 4.1 Hz, 4H), 1.30 (s, 1H), 1.09 (dd, J = 10.6, 4.7 Hz, 6H), 0.84 (ddd, J = 32.9, 16.4, 6.6 Hz, 6H).
376		A	ESI-MS m/z = 853.9 $[M+H]^+$; ¹ H NMR (400 MHz, Methanol- <i>d</i> ₄) δ 7.89 – 7.73 (m, 1H), 7.47 (d, J = 8.9 Hz, 1H), 7.40 (d, J = 8.5 Hz, 1H), 7.16 (d, J = 5.8 Hz, 1H), 7.07 (s, 1H), 6.98 (d, J = 9.1 Hz, 1H), 6.64 (ddd, J = 23.5, 16.5, 11.2 Hz, 1H), 6.52 – 6.46 (m, 1H), 6.31 (dt, J = 16.8, 2.3 Hz, 1H), 5.83 – 5.72 (m, 1H), 5.58 (ddd, J = 22.6, 9.4, 3.2 Hz, 1H), 4.76 (dd, J = 11.1, 4.9 Hz, 1H), 4.45 (d, J = 13.1 Hz, 1H), 4.24 (t, J = 7.3 Hz, 2H), 3.90 (ddt, J = 21.6, 16.1, 7.2 Hz, 4H), 3.83 – 3.50 (m, 5H), 3.41 (dd, J = 15.6, 11.0 Hz, 1H), 3.30 (d, J = 2.0 Hz, 1H), 3.12 (d, J = 14.1 Hz, 1H), 2.93 (d, J = 8.8 Hz, 3H), 2.92 (d, J = 13.5 Hz, 1H), 2.77 (dd, J = 13.4, 9.2 Hz, 2H), 2.55 (d, J = 14.4 Hz, 1H), 2.30 (ddd, J = 18.1, 12.9, 6.6 Hz, 1H), 2.19 (dq, J = 19.4, 6.8 Hz, 3H), 1.92 (s, 1H), 1.87 – 1.53 (m, 6H), 1.46 (s, 1H), 1.31 (q, J = 12.7 Hz, 2H), 1.19 (d, J = 2.3 Hz, 3H), 1.11 – 0.88 (m, 7H), 0.84 (t, J = 6.2 Hz, 3H).
377		A	ESI-MS m/z = 822.6 $[M+H]^+$; ¹ H NMR (300 MHz, Acetonitrile- <i>d</i> ₃) δ 7.92 – 7.89 (m, 1H), 7.80 (d, J = 8.7 Hz, 1H), 7.64 (d, J = 9.5 Hz, 1H), 7.21 – 7.17 (m, 2H), 7.02 (d, J = 7.4 Hz, 1H), 6.68 – 6.57 (m, 2H), 6.35 – 6.22 (m, 1H), 5.76 (dd, J = 10.3, 2.2 Hz, 1H), 5.63 (q, J = 9.6 Hz, 1H), 4.74 (d, J = 11.0 Hz, 1H), 4.44 – 4.24 (m, 2H), 4.05 (t, J = 11.4 Hz, 1H), 3.89 – 3.84 (m, 2H), 3.77 – 3.66 (m, 2H), 3.59 – 3.42 (m, 4H), 3.12 (t, J = 13.2 Hz, 1H), 2.97 – 2.84 (m, 2H), 2.77 (s, 2H), 2.71 – 2.67 (m, 1H), 2.60 – 2.54 (m, 2H), 2.10 (d, J = 8.9 Hz, 6H), 1.96 – 1.90 (m, 4H), 1.75 – 1.52 (m, 3H), 1.33 (dd, J = 12.6, 7.1 Hz, 2H), 1.18 (s, 3H), 1.03 (d, J = 14.2 Hz, 3H), 0.96 – 0.92 (m, 1H), 0.90 – 0.83 (m, 5H).

FIG. 1 cont.





	Structure	Method	Analytic Data
378		A	ESI-MS $m/z = 844.6 [M+H]^+$; 1H NMR (400 MHz, Acetonitrile- d_3) $\delta = 7.95 - 7.86$ (m, 1H), 7.79 (dd, $J = 8.6, 1.9$ Hz, 1H), 7.61 (td, $J = 9.0, 1.7$ Hz, 1H), 7.20 (s, 1H), 7.14 (d, $J = 13.7$ Hz, 1H), 7.04 (d, $J = 15.1$ Hz, 1H), 6.78 (d, $J = 53.1$ Hz, 1H), 6.53 - 6.42 (m, 1H), 5.54 (dt, $J = 33.8, 9.1$ Hz, 1H), 4.77 - 4.59 (m, 2H), 4.42 (d, $J = 13.0$ Hz, 1H), 4.30 (dd, $J = 29.2, 12.5$ Hz, 1H), 4.00 - 3.66 (m, 5H), 3.63 - 3.35 (m, 6H), 3.18 - 3.06 (m, 2H), 2.95 (d, $J = 18.4$ Hz, 4H), 2.84 (s, 3H), 2.72 - 2.47 (m, 6H), 2.29 - 2.17 (m, 4H), 2.10 (d, $J = 11.7$ Hz, 3H), 1.65 - 1.55 (m, 4H), 1.30 - 1.22 (m, 10H), 1.18 (s, 3H), 1.07 - 0.97 (m, 3H), 0.95 - 0.89 (m, 3H), 0.80 (dd, $J = 12.1, 6.6$ Hz, 3H).
379		A	ESI-MS $m/z = 858.6 [M+H]^+$; 1H NMR (400 MHz, Acetonitrile- d_3) $\delta = 7.91 - 7.85$ (m, 1H), 7.80 (d, $J = 8.7$ Hz, 1H), 7.68 - 7.57 (m, 1H), 7.21 (s, 1H), 7.13 (s, 1H), 7.07 - 6.99 (m, 1H), 6.74 (d, $J = 53.4$ Hz, 1H), 6.53 - 6.40 (m, 1H), 5.64 - 5.44 (m, 1H), 4.74 (td, $J = 10.3, 9.7, 3.0$ Hz, 2H), 4.42 (d, $J = 13.1$ Hz, 1H), 4.33 - 4.21 (m, 1H), 4.06 - 3.66 (m, 5H), 3.62 - 3.53 (m, 2H), 3.51 - 3.36 (m, 2H), 3.19 - 3.07 (m, 1H), 2.98 (s, 1H), 2.84 (s, 3H), 2.72 - 2.50 (m, 3H), 2.24 (q, $J = 7.0$ Hz, 1H), 2.10 (d, $J = 11.8$ Hz, 7H), 1.91 (d, $J = 12.5$ Hz, 1H), 1.70 - 1.53 (m, 6H), 1.39 - 1.27 (m, 2H), 1.18 (s, 3H), 1.07 - 0.96 (m, 5H), 0.95 - 0.79 (m, 6H).
380		A	ESI-MS $m/z = 858.6 [M+H]^+$; 1H NMR (300 MHz, Methanol- d_4) $\delta = 7.14 - 7.03$ (m, 2H), 6.99 - 6.87 (m, 2H), 6.78 - 6.58 (m, 2H), 6.53 (s, 1H), 6.30 (d, $J = 16.7$ Hz, 1H), 5.81 - 5.73 (m, 1H), 5.66 - 5.52 (m, 1H), 4.80 - 4.60 (m, 2H), 4.46 (d, $J = 13.0$ Hz, 1H), 4.19 (s, 1H), 4.14 - 3.90 (m, 3H), 3.87 - 3.78 (m, 2H), 3.80 - 3.51 (m, 4H), 3.44 (s, 2H), 3.15 - 3.01 (m, 1H), 3.01 - 2.86 (m, 9H), 2.85 - 2.54 (m, 4H), 2.47 - 2.02 (m, 4H), 1.99 - 1.85 (m, 1H), 1.77 - 1.54 (m, 2H), 1.46 - 1.27 (m, 4H), 1.15 - 1.01 (m, 7H), 0.98 - 0.77 (m, 6H).
381		A	ESI-MS $m/z = 808.8 [M+H]^+$; 1H NMR (400 MHz, Methanol) $\delta = 7.96$ (d, $J = 12.7$ Hz, 1H), 7.79 - 7.70 (m, 1H), 7.56 (dd, $J = 8.9, 2.4$ Hz, 1H), 7.18 (d, $J = 6.9$ Hz, 1H), 7.00 (dd, $J = 11.3, 2.0$ Hz, 1H), 6.71 - 6.50 (m, 2H), 6.31 (dt, $J = 16.8, 2.3$ Hz, 1H), 5.77 (ddd, $J = 10.3, 8.2, 2.0$ Hz, 1H), 5.62 - 5.49 (m, 1H), 4.88 - 4.82 (m, 2H), 4.49 - 4.37 (m, 3H), 4.00 - 3.52 (m, 7H), 3.41 (dd, $J = 15.9, 11.2$ Hz, 1H), 3.27 (d, $J = 4.9$ Hz, 1H), 3.03 (d, $J = 6.4$ Hz, 3H), 2.98 - 2.75 (m, 4H), 2.33 (ddt, $J = 25.1, 12.3, 6.7$ Hz, 1H), 2.21 (s, 1H), 2.11 - 1.95 (m, 3H), 1.81 - 1.61 (m, 2H), 1.46 (t, $J = 7.2$ Hz, 3H), 1.39 - 1.32 (m, 1H), 1.24 (d, $J = 2.4$ Hz, 3H), 1.13 - 1.02 (m, 3H), 1.02 - 0.86 (m, 6H).

FIG. 1 cont.





	Structure	Method	Analytic Data
382		A ²	ESI-MS m/z = 906.2 [M+H] ⁺ ; ¹ H NMR (400 MHz, Acetonitrile-d ₃) δ 8.14 (ddd, J = 8.3, 3.4, 1.4 Hz, 1H), 8.03 – 7.91 (m, 2H), 7.68 – 7.49 (m, 2H), 7.27 – 7.13 (m, 2H), 7.07 (dd, J = 8.6, 1.9 Hz, 1H), 7.01 (ddt, J = 5.5, 3.8, 2.1 Hz, 1H), 6.92 – 6.44 (m, 3H), 6.28 (ddt, J = 40.0, 16.8, 1.6 Hz, 1H), 5.82 – 5.43 (m, 2H), 4.65 (dt, J = 11.0, 3.1 Hz, 1H), 4.48 – 4.27 (m, 2H), 4.17 – 3.93 (m, 2H), 3.86 (td, J = 8.5, 7.5, 5.2 Hz, 3H), 3.78 – 3.37 (m, 4H), 3.35 – 3.09 (m, 1H), 3.00 – 2.70 (m, 4H), 2.68 (t, J = 1.4 Hz, 2H), 2.58 (ddd, J = 13.9, 10.5, 5.3 Hz, 1H), 2.34 (tt, J = 13.4, 6.9 Hz, 1H), 2.14 – 2.03 (m, 3H), 1.93 – 1.49 (m, 3H), 1.22 – 1.05 (m, 3H), 1.03 – 0.84 (m, 4H), 0.78 (ddd, J = 20.8, 6.7, 1.5 Hz, 3H).
383		A ²	ESI-MS m/z = 906.2 [M+H] ⁺ ; ¹ H NMR (400 MHz, Acetonitrile-d ₃) δ 8.15 (dd, J = 8.2, 1.4 Hz, 1H), 8.02 – 7.92 (m, 3H), 7.68 – 7.50 (m, 2H), 7.22 (s, 2H), 7.10 – 6.96 (m, 2H), 6.86 (dd, J = 43.0, 9.0 Hz, 1H), 6.68 – 6.51 (m, 2H), 6.28 (ddd, J = 36.6, 16.7, 2.2 Hz, 1H), 5.79 – 5.62 (m, 1H), 4.53 – 4.29 (m, 1H), 4.05 – 3.37 (m, 6H), 3.35 – 3.16 (m, 1H), 2.99 – 2.82 (m, 4H), 2.80 (s, 2H), 2.71 (s, 4H), 2.22 – 2.07 (m, 6H), 1.83 – 1.49 (m, 4H), 1.41 (s, 1H), 1.29 (s, 8H), 1.11 (dd, J = 12.1, 6.9 Hz, 4H), 1.04 – 0.83 (m, 6H), 0.79 (dd, J = 19.1, 6.6 Hz, 3H).
384		A ²	ESI-MS m/z = 801.7 [M+H] ⁺ ; ¹ H NMR (300 MHz, DMSO-d ₆) δ 8.58 (dd, J = 17.2, 7.9 Hz, 1H), 8.00 (t, J = 7.8 Hz, 1H), 7.05 (d, J = 7.6 Hz, 1H), 6.88 (dd, J = 21.9, 10.3 Hz, 3H), 6.69 – 6.45 (m, 3H), 6.25 – 6.07 (m, 1H), 5.76 – 5.62 (m, 1H), 5.45 – 5.29 (m, 1H), 5.14 (t, J = 11.7 Hz, 1H), 4.26 (d, J = 12.5 Hz, 1H), 4.05 – 3.77 (m, 1H), 3.70 – 3.57 (m, 2H), 3.32 (s, 1H), 3.28 (s, 3H), 2.90 – 2.62 (m, 6H), 2.07 (s, 5H), 1.98 (d, J = 11.2 Hz, 2H), 1.80 (d, J = 12.6 Hz, 2H), 1.53 (d, J = 11.9 Hz, 3H), 1.23 (d, J = 1.9 Hz, 3H), 1.01 (d, J = 12.3 Hz, 6H), 0.95 (d, J = 6.4 Hz, 2H), 0.85 (dd, J = 6.5, 2.5 Hz, 2H), 0.79 (d, J = 6.5 Hz, 2H), 0.70 (dd, J = 6.6, 3.3 Hz, 2H).
385		A ²	ESI-MS m/z = 801.7 [M+H] ⁺ ; ¹ H NMR (300 MHz, DMSO-d ₆) δ 8.59 (dd, J = 17.0, 7.8 Hz, 1H), 7.04 (dd, J = 7.7, 2.5 Hz, 1H), 6.95 – 6.81 (m, 3H), 6.70 – 6.44 (m, 3H), 6.18 (s, 1H), 5.69 (dd, J = 8.1, 2.4 Hz, 1H), 5.34 (s, 1H), 5.11 (d, J = 11.9 Hz, 1H), 4.65 (dd, J = 10.6, 3.9 Hz, 1H), 4.25 (d, J = 12.6 Hz, 2H), 4.05 – 3.73 (m, 4H), 3.25 (d, J = 12.9 Hz, 3H), 3.21 – 3.05 (m, 1H), 2.96 (dd, J = 12.6, 9.5 Hz, 2H), 2.85 – 2.68 (m, 7H), 2.58 (d, J = 15.3 Hz, 2H), 2.26 – 1.93 (m, 5H), 1.79 (d, J = 12.2 Hz, 2H), 1.68 – 1.45 (m, 3H), 1.30 (s, 3H), 1.23 (s, 1H), 1.00 (d, J = 8.4 Hz, 7H), 0.94 (d, J = 6.4 Hz, 2H), 0.85 (dd, J = 6.4, 2.2 Hz, 2H), 0.78 (d, J = 6.5 Hz, 2H), 0.73 – 0.67 (m, 2H).

FIG. 1 cont.





	Structure	Method	Analytic Data
386		A	ESI-MS $m/z = 840.0 [M+H]^+$; 1H -NMR (400 MHz, MeOD) δ 7.82-7.80 (d, $J = 8.4$ Hz, 1H), 7.52 (s, 1H), 7.47-7.39 (m, 1H), 7.13 (s, 1H), 7.06-6.99 (d, 2H), 6.87-6.79 (m, 1H), 6.56 (s, 1H), 6.27-6.22 (dd, $J = 16.8, 1.8$ Hz, 1H), 5.80-5.78 (d, $J = 10.1$ Hz, 1H), 5.53-5.49 (dd, $J = 8.3, 4.6$ Hz, 1H), 4.65-4.60 (m, 1H), 4.50-4.40 (m, 2H), 4.18-4.03 (m, 2H), 3.69-3.60 (m, 2H), 3.47-3.45 (m, 2H), 3.21-3.09 (m, 5H), 2.87-2.66 (m, 3H), 2.24-2.11 (m, 5H), 2.02-1.99 (m, 1H), 1.91-1.88 (d, 1H), 1.84 (s, 6H), 1.70-1.67 (d, $J = 10.2$ Hz, 1H), 1.57-1.48 (dd, $J = 26.1, 11.1$ Hz, 1H), 1.11 (s, 3H), 1.02 (s, 3H), 0.95-0.93 (d, $J = 8.3$ Hz, 3H), 0.84-0.85 (d, $J = 6.6$ Hz, 3H).
387		A	ESI-MS $m/z = 786.3 [M+H]^+$; 1H -NMR (400 MHz, MeOD) δ 8.07 (s, 1H), 7.93 (d, $J = 20.5$ Hz, 2H), 7.75 (s, 2H), 7.69 (d, $J = 6.9$ Hz, 1H), 7.35 (d, $J = 7.6$ Hz, 1H), 6.84 (t, $J = 56.2$ Hz, 1H), 6.66-6.45 (m, 1H), 6.27 (d, $J = 16.8$ Hz, 1H), 5.90-5.44 (m, 2H), 4.69 (d, $J = 11.0$ Hz, 1H), 4.57 (d, $J = 20.2$ Hz, 1H), 4.49-4.23 (m, 2H), 3.90-3.40 (m, 8H), 3.09 (d, $J = 13.9$ Hz, 1H), 3.01-2.86 (m, 3H), 2.83 (s, 1H), 2.41 (s, 1H), 2.34-2.13 (m, 2H), 2.09 (dd, $J = 12.2, 7.0$ Hz, 2H), 1.99-1.83 (m, 2H), 1.61 (s, 2H), 1.15 (d, $J = 6.8$ Hz, 3H), 1.07-0.91 (m, 3H), 0.89-0.70 (m, 3H).
388		A	ESI-MS $m/z = 831.5 [M+H]^+$
389		A	ESI-MS $m/z = 848.4 [M+H]^+$

FIG. 1 cont.





	Structure	Method	Analytic Data
390		E	ESI-MS $m/z = 610.3 [M+H]^+$; 1H NMR (400 MHz, DMSO- d_6) $\delta = 9.55$ (s, 1H), 8.47 – 8.38 (m, 2H), 8.30 (d, $J = 2.2$ Hz, 1H), 8.08 (d, $J = 7.8$ Hz, 1H), 8.00 (d, $J = 8.1$ Hz, 1H), 7.82 (s, 1H), 7.61 (d, $J = 8.6$ Hz, 1H), 7.54 – 7.47 (m, 1H), 7.39 (t, $J = 7.6$ Hz, 1H), 7.08 (d, $J = 24.5$ Hz, 2H), 6.66 – 6.52 (m, 2H), 6.21 – 6.09 (m, 1H), 5.77 – 5.63 (m, 2H), 5.36 (s, 1H), 4.55 – 4.52 (m, 1H), 4.27 (d, $J = 12.3$ Hz, 1H), 4.04 (dd, $J = 35.2, 12.8$ Hz, 3H), 3.86 – 3.78 (m, 5H), 2.91 – 2.79 (m, 5H), 2.74 (d, $J = 12.2$ Hz, 2H), 2.10 (d, $J = 15.7$ Hz, 4H), 1.84 (d, $J = 12.0$ Hz, 2H), 1.62 – 1.52 (m, 2H), 1.22 (s, 1H), 1.16 – 1.06 (m, 7H), 0.97 (d, $J = 6.5$ Hz, 2H), 0.87 (d, $J = 6.4$ Hz, 2H), 0.80 (d, $J = 6.5$ Hz, 2H), 0.72 (d, $J = 5.9$ Hz, 2H).
391		A	ESI-MS $m/z = 785.6 [M+H]^+$; 1H NMR (300 MHz, DMSO- d_6) $\delta = 9.43$ (d, $J = 10.3$ Hz, 1H), 8.61 – 8.42 (m, 0.5H), 8.01 – 7.87 (m, 0.5H), 7.23 – 7.02 (m, 1H), 6.98 – 6.84 (m, 2H), 6.71 – 6.47 (m, 3H), 6.23 – 6.03 (m, 1H), 5.78 – 5.59 (m, 1H), 5.49 – 5.14 (m, 2H), 4.64 (ddd, $J = 10.5, 5.7, 3.0$ Hz, 1H), 4.28 (d, $J = 12.6$ Hz, 1H), 4.13 – 3.91 (m, 3H), 3.90 – 3.76 (m, 2H), 3.74 – 3.59 (m, 2H), 3.29 – 3.11 (m, 2H), 3.08 – 2.95 (m, 1H), 2.96 – 2.83 (m, 1H), 2.82 – 2.58 (m, 5H), 2.32 – 2.07 (m, 6H), 2.02 – 1.89 (m, 2H), 1.88 – 1.72 (m, 1H), 1.71 – 1.54 (m, 2H), 1.47 – 1.36 (m, 3H), 1.09 (dd, $J = 7.4, 2.5$ Hz, 3H), 1.01 – 0.91 (m, 2H), 0.89 – 0.75 (m, 3H), 0.69 (dt, $J = 6.6, 3.3$ Hz, 1H).
392		A	ESI-MS $m/z = 864.5 [M+H]^+$; 1H NMR (400 MHz, Methanol- d_4) $\delta = 8.04$ – 7.86 (m, 3H), 7.74 (t, $J = 7.8$ Hz, 1H), 7.48 (d, $J = 20.1$ Hz, 1H), 7.20 (d, $J = 9.3$ Hz, 2H), 7.02 – 6.91 (m, 2H), 6.72 – 6.58 (m, 1H), 6.52 (s, 1H), 6.35 – 6.26 (m, 1H), 5.82 – 5.72 (m, 1H), 5.67 – 5.52 (m, 1H), 4.76 (dd, $J = 11.2, 4.8$ Hz, 1H), 4.46 (d, $J = 13.2$ Hz, 1H), 4.25 – 4.07 (m, 2H), 4.04 – 3.44 (m, 8H), 3.26 (s, 1H), 3.21 (d, $J = 3.7$ Hz, 4H), 3.07 – 2.89 (m, 4H), 2.85 – 2.62 (m, 3H), 2.42 – 2.01 (m, 4H), 1.99 – 1.89 (m, 1H), 1.83 – 1.52 (m, 2H), 1.24 (s, 3H), 1.08 (d, $J = 6.1$ Hz, 3H), 0.98 – 0.90 (m, 3H), 0.85 (t, $J = 6.2$ Hz, 2H).
393		A	ESI-MS $m/z = 886.6 [M+H]^+$; 1H NMR (300 MHz, DMSO- d_6) $\delta = 9.41$ (d, $J = 9.8$ Hz, 1H), 8.08 (d, $J = 8.0$ Hz, 2H), 7.88 (s, 1H), 7.71 (s, 1H), 7.64 – 7.54 (m, 2H), 7.49 (s, 1H), 7.36 (d, $J = 8.9$ Hz, 1H), 7.03 (d, $J = 35.5$ Hz, 2H), 6.72 – 6.43 (m, 2H), 6.17 (ddt, $J = 16.7, 6.0, 2.8$ Hz, 1H), 5.77 – 5.63 (m, 1H), 5.42 – 5.32 (m, 1H), 5.12 (t, $J = 12.3$ Hz, 1H), 4.62 (s, 3H), 4.28 (d, $J = 12.1$ Hz, 1H), 4.16 – 3.95 (m, 2H), 3.90 – 3.73 (m, 2H), 3.73 – 3.44 (m, 8H), 3.21 – 3.05 (m, 1H), 2.97 – 2.64 (m, 5H), 2.60 (s, 1H), 2.30 – 2.01 (m, 4H), 1.98 – 1.78 (m, 1H), 1.74 – 1.41 (m, 2H), 1.18 (s, 3H), 1.06 – 0.94 (m, 4H), 0.80 (td, $J = 24.2, 22.5, 5.6$ Hz, 5H).

FIG. 1 cont.




	Structure	Method	Analytic Data
394		E	ESI-MS $m/z = 866.5 [M+H]^+$; 1H NMR (400 MHz, DMSO- d_6) $\delta = 9.49 - 9.29$ (m, 1H), 8.78 - 7.98 (m, 1H), 7.73 (d, $J = 2.2$ Hz, 1H), 7.53 - 7.45 (m, 2H), 7.37 (d, $J = 7.9$ Hz, 1H), 7.11 - 7.02 (m, 1H), 7.01 - 6.92 (m, 1H), 6.67 - 6.56 (m, 2H), 6.22 - 6.09 (m, 1H), 5.75 - 5.63 (m, 1H), 5.38 (dd, $J = 27.2, 8.5$ Hz, 1H), 5.22 - 5.06 (m, 1H), 4.49 (d, $J = 14.3$ Hz, 1H), 4.42 (s, 2H), 4.33 - 4.21 (m, 1H), 4.08 - 3.92 (m, 1H), 3.82 (ddd, $J = 26.5, 9.6, 6.9$ Hz, 1H), 3.74 - 3.56 (m, 6H), 3.31 - 3.13 (m, 6H), 2.95 (d, $J = 1.6$ Hz, 1H), 2.86 (d, $J = 13.5$ Hz, 1H), 2.84 - 2.66 (m, 5H), 2.43 (s, 4H), 2.35 - 1.76 (m, 6H), 1.57 (dq, $J = 25.7, 13.2$ Hz, 2H), 1.12 (s, 3H), 1.07 (d, $J = 4.4$ Hz, 3H), 0.97 (d, $J = 6.4$ Hz, 1H), 0.93 - 0.84 (m, 1H), 0.80 (t, $J = 6.8$ Hz, 2H), 0.73 (dd, $J = 6.6, 3.0$ Hz, 1H).
395		A	ESI-MS $m/z = 834.9 [M+H]^+$; 1H NMR (300 MHz, DMSO- d_6) $\delta = 9.42$ (s, 1H), 8.00 (t, $J = 7.5$ Hz, 1H), 7.88 - 7.73 (m, 2H), 7.60 - 7.46 (m, 1H), 7.30 (s, 1H), 7.14 - 6.92 (m, 2H), 6.73 - 6.35 (m, 2H), 6.25 - 6.08 (m, 1H), 5.70 (ddt, $J = 10.5, 8.3, 2.9$ Hz, 1H), 5.39 (q, $J = 8.6, 7.0$ Hz, 1H), 5.12 (t, $J = 10.4$ Hz, 1H), 4.80 (d, $J = 11.1$ Hz, 1H), 4.27 (d, $J = 12.5$ Hz, 1H), 4.16 - 3.94 (m, 2H), 3.90 - 3.69 (m, 2H), 3.68 - 3.45 (m, 6H), 3.33 (d, $J = 4.8$ Hz, 1H), 3.22 - 2.97 (m, 1H), 2.93 - 2.59 (m, 5H), 2.41 - 2.26 (m, 1H), 2.25 - 2.14 (m, 1H), 2.07 (d, $J = 10.4$ Hz, 6H), 1.97 - 1.77 (m, 2H), 1.75 - 1.39 (m, 8H), 1.13 (s, 4H), 0.95 (d, $J = 4.0$ Hz, 3H).
396		A	ESI-MS $m/z = 848.9 [M+H]^+$; 1H -NMR (400 MHz, Methanol) $\delta = 7.90 - 7.78$ (m, 1H), 7.78 - 7.72 (m, 1H), 7.60 - 7.50 (m, 1H), 7.20 (s, 1H), 7.15 (d, $J = 5.2$ Hz, 1H), 7.01 (dt, $J = 9.3, 1.9$ Hz, 1H), 6.72 - 6.58 (m, 1H), 6.52 (dt, $J = 5.0, 1.7$ Hz, 1H), 6.31 (dt, $J = 16.9, 1.8$ Hz, 1H), 5.77 (dt, $J = 10.4, 2.6$ Hz, 1H), 5.56 (ddd, $J = 21.4, 9.2, 3.4$ Hz, 1H), 4.89 - 4.86 (m, 1H), 4.48 - 4.40 (m, 1H), 3.98 - 3.51 (m, 7H), 3.39 (dd, $J = 14.4, 11.0$ Hz, 1H), 3.09 (dd, $J = 14.3, 3.3$ Hz, 1H), 3.05 - 2.94 (m, 3H), 2.90 (dt, $J = 13.4, 2.8$ Hz, 1H), 2.86 - 2.66 (m, 2H), 2.53 (d, $J = 14.1$ Hz, 1H), 2.41 - 2.23 (m, 1H), 2.21 - 2.14 (m, 1H), 2.12 - 1.98 (m, 7H), 1.98 - 1.88 (m, 2H), 1.77 - 1.64 (m, 5H), 1.57 (ddd, $J = 20.9, 10.5, 6.6$ Hz, 2H), 1.32 - 1.21 (m, 3H), 1.18 (d, $J = 2.0$ Hz, 3H), 1.09 - 0.92 (m, 5H).

FIG. 1 cont.





	Structure	Method	Analytic Data
397		A	ESI-MS $m/z = 820.8 [M+H]^+$; 1H NMR (300 MHz, DMSO- d_6) δ 9.40 (s, 1H), 8.65 – 8.37 (m, 0.5H), 7.93 (t, $J = 8.7$ Hz, 0.5H), 7.05 (d, $J = 7.6$ Hz, 1H), 6.88 (q, $J = 9.7, 8.7$ Hz, 3H), 6.70 – 6.50 (m, 3H), 6.23 – 6.09 (m, 1H), 5.78 – 5.63 (m, 1H), 5.49 – 5.33 (m, 1H), 5.23 – 5.08 (m, 1H), 4.77 (d, $J = 11.1$ Hz, 1H), 4.26 (d, $J = 12.6$ Hz, 1H), 4.07 (t, $J = 9.9$ Hz, 1H), 3.92 (d, $J = 12.3$ Hz, 3H), 3.74 – 3.60 (m, 3H), 3.28 (d, $J = 3.2$ Hz, 6H), 2.92 (d, $J = 9.3$ Hz, 1H), 2.81 (d, $J = 4.7$ Hz, 3H), 2.74 (q, $J = 6.1, 4.7$ Hz, 3H), 2.63 (d, $J = 12.7$ Hz, 1H), 2.43 – 2.18 (m, 1H), 2.08 (s, 3H), 1.98 (d, $J = 10.6$ Hz, 1H), 1.80 (d, $J = 11.9$ Hz, 1H), 1.54 (d, $J = 6.1$ Hz, 9H), 1.31 (s, 1H), 1.24 (s, 2H), 1.01 (d, $J = 8.5$ Hz, 6H).
398		A	ESI-MS $m/z = 827.5 [M+H]^+$; 1H NMR (300 MHz, DMSO- d_6) δ 9.49 (s, 1H), 8.04 (d, $J = 7.96$ Hz, 1H), 7.92 (d, $J = 5.9$ Hz, 1H), 7.82 – 7.65 (m, 2H), 7.11 (s, 1H), 7.00 (dd, $J = 4.2, 2.1$ Hz, 1H), 6.73 – 6.46 (m, 2H), 6.16 (ddt, $J = 16.8, 4.3, 2.1$ Hz, 1H), 5.70 (tdd, $J = 10.5, 4.8, 2.6$ Hz, 1H), 5.38 (q, $J = 8.3$ Hz, 1H), 5.14 (t, $J = 11.1$ Hz, 1H), 4.80 (d, $J = 11.1$ Hz, 1H), 4.39 (p, $J = 8.1$ Hz, 2H), 4.26 (d, $J = 12.5$ Hz, 1H), 4.09 (s, 2H), 3.83 (s, 2H), 3.70 – 3.58 (m, 3H), 3.37 – 3.12 (m, 4H), 2.93 – 2.59 (m, 7H), 2.07 (s, 5H), 2.01 – 1.78 (m, 2H), 1.77 – 1.44 (m, 9H), 1.36 (t, $J = 7.2$ Hz, 3H), 1.17 (s, 4H), 1.09 – 0.92 (m, 4H).
399		A	ESI-MS $m/z = 864.4 [M+H]^+$; 1H NMR (400 MHz, MeOD) δ 7.86 – 7.84 (m, 1H), 7.84 – 7.80 (d, $J = 16.0$ Hz, 1H), 7.42 (s, 1H), 6.97-6.95 (d, $J = 8$ Hz, 1H), 6.80-6.70 (m, 1H), 6.51 (s, 1H), 6.30 – 6.26 (d, $J = 16$ Hz, 1H), 5.73-5.57 (m, 1H), 5.52 – 5.40 (m, 1H), 4.78 – 4.71 (m, 1H), 4.44- 4.42 (m, 2H), 4.10 – 3.40 (m, 11H), 3.22-3.15 (m, 2H), 3.00-2.65 (m, 5H), 2.30 – 2.06 (m, 4H), 2.06 – 1.82 (m, 5H), 1.57 – 1.33 (m, 2H), 1.33 – 1.07 (m, 3H), 1.22 (s, 3H), 1.07 (s, 3H), 0.90 – 0.88 (t, $J = 8$ Hz, 3H), 0.83-0.81 (t, $J = 8$ Hz, 3H).
400		A	ESI-MS $m/z = 824.4 [M+H]^+$; 1H -NMR (400 MHz, MeOD) δ 8.49 (s, 1H), 7.93 (d, $J = 12.3$ Hz, 1H), 7.71 (dt, $J = 12.1, 6.0$ Hz, 1H), 7.57 – 7.52 (m, 1H), 7.17 (d, $J = 6.0$ Hz, 1H), 6.98 (d, $J = 10.7$ Hz, 1H), 6.68 – 6.58 (m, 1H), 6.52 (s, 1H), 6.29 (ddd, $J = 16.8, 3.2, 2.0$ Hz, 1H), 5.74 (ddd, $J = 10.3, 8.1, 2.0$ Hz, 1H), 5.54 (ddd, $J = 20.1, 9.0, 3.4$ Hz, 1H), 4.75 (dd, $J = 11.1, 4.3$ Hz, 1H), 4.53 – 4.38 (m, 3H), 3.96 – 3.87 (m, 1H), 3.82 (d, $J = 7.5$ Hz, 1H), 3.73 (t, $J = 10.0, 5.3$ Hz, 3H), 3.68 – 3.54 (m, 2H), 3.40 (dd, $J = 14.8, 11.3$ Hz, 1H), 3.27 (s, 3H), 2.98 (dd, $J = 18.9, 5.2$ Hz, 3H), 2.91 – 2.69 (m, 4H), 2.35 – 1.90 (m, 6H), 1.83 – 1.46 (m, 4H), 1.22 (d, $J = 2.2$ Hz, 3H), 1.03 (q, $J = 9.8$ Hz, 3H), 0.94 (t, $J = 6.4$ Hz, 3H), 0.83 (t, $J = 6.2$ Hz, 3H).

FIG. 1 cont.





	Structure	Method	Analytic Data
401		A ²	ESI-MS m/z = 847.4 [M+H] ⁺
402		A ²	ESI-MS m/z = 847.4 [M+H] ⁺
403		A ²	ESI-MS m/z = 727.4 [M+H] ⁺ ; ¹ H-NMR: (300 MHz, DMSO- <i>d</i> ₆) δ 9.40 (s, 1H), 8.06-8.01 (m, 1H), 7.88-7.80 (m, 1H), 7.75 (s, 1H), 7.58-7.55 (d, <i>J</i> = 9 Hz, 1H), 7.47 (d, <i>J</i> = 8.6 Hz, 1H), 7.15 (s, 1H), 7.01 (s, 1H), 6.59-6.48 (d, <i>J</i> = 9 Hz, 1H), 6.23-6.21 (m, 1H), 5.38-5.32 (m, 1H), 5.12 (s, 1H), 4.72-4.68 (d, <i>J</i> = 12 Hz, 1H), 4.40-4.22 (m, 2H), 4.19- 4.06 (m, 1H), 4.06-3.92 (m, 1H), 3.78-3.75 (d, <i>J</i> = 9 Hz, 1H), 2.90-2.85 (m, 3H), 2.83-2.80 (m, 1H), 2.78 (s, 3H), 2.55-2.50 (m, 4H), 2.35-2.28 (m, 2H), 2.08-2.06 (m, 2H), 1.85-1.82 (m, 1H), 1.52 (s, 2H), 1.24 (s, 1H), 1.10 (s, 3H), 0.96 (s, 3H), 0.93-0.91 (d, <i>J</i> = 12 Hz, 3H), 0.87-0.85 (d, <i>J</i> = 12 Hz, 3H).
404		A	ESI-MS m/z = 838.5 [M+H] ⁺

FIG. 1 cont.




	Structure	Method	Analytic Data
405		A	ESI-MS m/z = 850.7 $[M+H]^+$; 1H NMR (400 MHz, Methanol- d_4) δ 7.92 – 7.80 (m, 1H), 7.75 (dd, J = 8.8, 2.7 Hz, 1H), 7.51 (d, J = 9.3 Hz, 1H), 7.28 (s, 1H), 7.16 (d, J = 7.1 Hz, 1H), 6.99 (d, J = 10.2 Hz, 1H), 6.66 (dt, J = 16.9, 10.1 Hz, 1H), 6.52 (d, J = 6.0 Hz, 1H), 6.31 (dt, J = 16.8, 2.4 Hz, 1H), 5.77 (ddd, J = 10.5, 5.3, 2.0 Hz, 1H), 5.57 (ddd, J = 22.7, 9.0, 3.6 Hz, 1H), 4.86 – 4.81 (m, 3H), 4.45 (d, J = 13.1 Hz, 1H), 3.99 – 3.47 (m, 7H), 3.39 (d, J = 11.0 Hz, 1H), 3.13 (d, J = 14.9 Hz, 1H), 3.04 – 2.88 (m, 4H), 2.86 – 2.67 (m, 2H), 2.59 (dd, J = 14.7, 7.0 Hz, 3H), 2.34 (dtd, J = 25.0, 12.1, 6.3 Hz, 3H), 2.24 – 1.87 (m, 4H), 1.80 – 1.48 (m, 2H), 1.33 (d, J = 20.3 Hz, 2H), 1.20 (d, J = 2.7 Hz, 3H), 1.12 – 0.84 (m, 17H).
406		A	ESI-MS m/z = 852.5 $[M+H]^+$; 1H NMR (400 MHz, Methanol- d_4) δ 7.90 – 7.81 (m, 1H), 7.77 (dd, J = 8.7, 2.2 Hz, 1H), 7.55 (d, J = 9.1 Hz, 1H), 7.26 (d, J = 3.8 Hz, 1H), 7.16 (t, J = 6.3 Hz, 1H), 7.01 – 6.98 (m, 1H), 6.71 – 6.61 (m, 1H), 6.52 (s, 1H), 6.31 (dt, J = 16.8, 2.2 Hz, 1H), 5.80 – 5.75 (m, 1H), 5.63 – 5.54 (m, 1H), 4.76 (dd, J = 11.1, 4.8 Hz, 1H), 4.45 (d, J = 13.0 Hz, 1H), 3.97 – 3.54 (m, 8H), 3.41 (t, J = 10.8 Hz, 2H), 3.26 – 3.24 (m, 3H), 3.15 – 3.11 (m, 1H), 3.01 – 2.92 (m, 4H), 2.82 – 2.55 (m, 5H), 2.39 – 2.27 (m, 1H), 2.21 (d, J = 2.7 Hz, 5H), 2.11 – 2.04 (m, 1H), 1.93 (s, 1H), 1.66 (dt, J = 55.0, 12.3 Hz, 2H), 1.20 (d, J = 3.1 Hz, 3H), 1.02 (dd, J = 4.6, 2.0 Hz, 3H), 0.95 (t, J = 6.4 Hz, 3H), 0.85 (t, J = 6.0 Hz, 3H).
407		A	ESI-MS m/z = 820.7 $[M+H]^+$; 1H NMR (400 MHz, Methanol- d_4) δ 7.81 (dd, J = 38.3, 9.3 Hz, 2H), 7.55 (d, J = 8.6 Hz, 1H), 7.22 (s, 1H), 7.16 (s, 1H), 7.00 (d, J = 7.3 Hz, 1H), 6.74 – 6.58 (m, 1H), 6.56 (s, 1H), 6.35 – 6.27 (m, 1H), 5.77 (dd, J = 10.5, 2.0 Hz, 1H), 5.59 (s, 1H), 5.13 (d, J = 11.0 Hz, 1H), 4.44 (d, J = 13.0 Hz, 1H), 4.00 – 3.82 (m, 2H), 3.83 – 3.49 (m, 6H), 3.38 (t, J = 10.5 Hz, 1H), 3.12 (dd, J = 14.0, 5.1 Hz, 1H), 2.95 (s, 2H), 2.92 – 2.78 (m, 5H), 2.73 (t, J = 12.4 Hz, 1H), 2.57 (d, J = 14.5 Hz, 1H), 2.31 (ddd, J = 23.7, 12.6, 5.5 Hz, 1H), 2.11 (d, J = 6.7 Hz, 10H), 2.05 – 1.87 (m, 6H), 1.79 – 1.47 (m, 3H), 1.19 (d, J = 1.8 Hz, 3H), 1.05 – 0.98 (m, 3H).

FIG. 1 cont.




	Structure	Method	Analytic Data
408		A	ESI-MS $m/z = 864.5 [M+H]^+$; 1H NMR (300 MHz, Methanol- d_4); 1H NMR (400 MHz, Methanol- d_4) δ 8.11 (dd, $J = 12.2, 1.9$ Hz, 1H), 7.74 – 7.65 (m, 1H), 7.16 – 7.09 (m, 1H), 7.10 – 7.02 (d, $J = 15.2$ Hz, 1H), 6.99 – 6.89 (m, 3H), 6.84 (dd, $J = 8.4, 3.7$ Hz, 1H), 6.76 – 6.68 (m, 1H), 6.67 – 6.58 (m, 1H), 6.54 – 6.50 (m, 1H), 6.30 (d, $J = 16.9$ Hz, 1H), 5.81 – 5.73 (m, 1H), 5.66 – 5.54 (m, 1H), 4.74 (dd, $J = 11.1, 4.7$ Hz, 1H), 4.61 (s, 1H), 4.49 – 4.40 (m, 1H), 4.41 – 4.34 (m, 1H), 4.31 – 4.16 (m, 1H), 4.02 (t, $J = 11.4$ Hz, 1H), 3.97 – 3.44 (m, 9H), 3.20 – 3.08 (m, 1H), 3.03 – 2.86 (m, 4H), 2.86 – 2.56 (m, 3H), 2.40 – 1.99 (m, 4H), 1.92 (d, $J = 13.0$ Hz, 1H), 1.76 – 1.55 (m, 2H), 1.49 (d, $J = 21.6$ Hz, 3H), 1.16 – 1.03 (m, 5H), 1.00 (s, 1H), 0.94 (t, $J = 6.4$ Hz, 3H), 0.83 (t, $J = 6.0$ Hz, 2H).
409		A	ESI-MS $m/z = 858.6 [M+H]^+$; 1H NMR (400 MHz, Methanol- d_4) δ 7.83 (dd, $J = 8.4, 1.4$ Hz, 1H), 7.54 (d, $J = 7.5$ Hz, 1H), 7.42 (dd, $J = 8.4, 1.5$ Hz, 1H), 7.26 – 7.19 (m, 1H), 7.06 (s, 1H), 7.00 (d, $J = 7.0$ Hz, 1H), 6.72 – 6.59 (m, 1H), 6.53 (s, 1H), 6.32 (dd, $J = 16.8, 2.0$ Hz, 1H), 5.77 (dd, $J = 10.5, 1.9$ Hz, 1H), 5.62 – 5.50 (m, 1H), 4.75 (dd, $J = 11.1, 3.5$ Hz, 1H), 4.44 (d, $J = 13.0$ Hz, 1H), 4.29 (d, $J = 14.8$ Hz, 1H), 4.13 – 3.99 (m, 2H), 3.93 (dd, $J = 7.2, 5.5$ Hz, 1H), 3.85 (d, $J = 6.9$ Hz, 1H), 3.81 – 3.47 (m, 4H), 3.29 – 3.18 (m, 1H), 2.98 (d, $J = 7.3$ Hz, 3H), 2.94 – 2.66 (m, 3H), 2.42 – 2.09 (m, 4H), 2.08 – 1.99 (m, 4H), 1.93 – 1.88 (s, 2H), 1.85 (s, 6H), 1.78 – 1.49 (m, 3H), 0.94 (t, $J = 6.2$ Hz, 3H), 0.84 (dd, $J = 6.6$ Hz, 3H).
410		A	ESI-MS $m/z = 822.7 [M+H]^+$; 1H NMR (400 MHz, Acetonitrile- d_3) δ 8.01 – 7.90 (m, 1H), 7.87 – 7.72 (m, 1H), 7.56 (dd, $J = 8.8, 1.8$ Hz, 1H), 7.23 – 7.11 (m, 1H), 7.11 – 6.90 (m, 2H), 6.80 – 6.64 (m, 1H), 6.60 (s, 1H), 6.15 (td, $J = 17.5, 16.8, 2.3$ Hz, 1H), 5.65 (ddd, $J = 14.9, 10.5, 2.3$ Hz, 1H), 5.46 (dt, $J = 10.0, 5.6$ Hz, 1H), 4.60 (dd, $J = 65.7, 12.1$ Hz, 2H), 4.38 (q, $J = 7.1$ Hz, 3H), 4.28 (d, $J = 12.4$ Hz, 1H), 3.97 (dd, $J = 29.5, 12.4$ Hz, 1H), 3.84 (td, $J = 12.0, 3.2$ Hz, 1H), 3.72 (dd, $J = 11.2, 6.6$ Hz, 1H), 3.44 (dd, $J = 23.4, 11.1$ Hz, 1H), 3.29 (dd, $J = 14.4, 6.1$ Hz, 1H), 3.18 – 3.01 (m, 1H), 2.89 (d, $J = 20.2$ Hz, 3H), 2.81 – 2.59 (m, 5H), 2.50 – 2.33 (m, 2H), 1.94 – 1.75 (m, 3H), 1.74 – 1.48 (m, 2H), 1.44 (t, $J = 7.2$ Hz, 3H), 1.23 (s, 5H), 1.04 (d, $J = 6.5$ Hz, 3H), 0.94 (t, $J = 6.0$ Hz, 3H), 0.90 – 0.76 (m, 3H).

FIG. 1 cont.




	Structure	Method	Analytic Data
411		A	ESI-MS m/z = 846.4 $[M+H]^+$; 1H NMR (400 MHz, MeOD) δ 8.41 (d, J = 24.2 Hz, 1H), 8.35 (t, J = 4.4, 1H), 7.37 (dd, J = 22.1, 5.0 Hz, 1H), 7.04 (s, 1H), 6.92 (dd, J = 16.1, 8.0 Hz, 3H), 6.75 (d, J = 7.1 Hz, 1H), 6.62 (ddd, J = 16.9, 10.4, 8.3 Hz, 1H), 6.50 (s, 1H), 6.32 – 6.22 (m, 1H), 5.74 (ddd, J = 10.5, 6.1, 1.9 Hz, 1H), 5.57 (ddd, J = 23.1, 9.6, 3.1 Hz, 1H), 4.72 (dd, J = 11.1, 4.5 Hz, 1H), 4.44 (d, J = 12.3 Hz, 1H), 4.05 (d, J = 10.3 Hz, 1H), 3.95 – 3.86 (m, 1H), 3.85 – 3.74 (m, 3H), 3.70 – 3.41 (m, 6H), 3.39 – 3.34 (m, 1H), 3.20 – 3.09 (m, 2H), 2.98 – 2.85 (m, 4H), 2.81 – 2.63 (m, 3H), 2.37 – 1.98 (m, 5H), 1.94 – 1.87 (m, 1H), 1.72 – 1.56 (m, 2H), 1.06 (d, J = 7.4 Hz, 6H), 0.92 (t, J = 6.1 Hz, 3H), 0.82 (t, J = 6.4 Hz, 3H).
412		A	ESI-MS m/z = 850.4 $[M+H]^+$; 1H NMR (400 MHz, MeOD) δ 7.79 – 7.59 (m, 2H), 7.49 – 7.38 (m, 2H), 7.34 (s, 1H), 7.12 (s, 1H), 6.98 (d, J = 9.8 Hz, 1H), 6.70 – 6.55 (m, 2H), 6.51 (s, 1H), 6.36 – 6.22 (m, 1H), 5.81 – 5.69 (m, 1H), 5.56 (ddd, J = 20.9, 8.4, 4.3 Hz, 1H), 4.85 – 4.68 (m, 2H), 4.44 (t, J = 11.2 Hz, 2H), 4.30 (dd, J = 20.2, 10.9 Hz, 1H), 4.03 – 3.87 (m, 3H), 3.87 – 3.77 (m, 2H), 3.64 (m, 5H), 3.22 (dd, J = 26.3, 11.2 Hz, 1H), 3.10 – 2.95 (m, 3H), 2.94 – 2.85 (m, 1H), 2.84 – 2.65 (m, 2H), 2.40 – 2.11 (m, 4H), 2.09 – 1.96 (m, 2H), 1.92 (d, J = 12.3 Hz, 1H), 1.84 – 1.70 (m, 1H), 1.70–1.50 (m, 2H), 1.15 (d, J = 2.8 Hz, 3H), 1.06 (d, J = 8.0 Hz, 3H), 0.92 (dd, J = 12.4, 6.2 Hz, 3H), 0.84 (dd, J = 17.9, 11.5 Hz, 3H).
413		A	ESI-MS m/z = 819.4 $[M+H]^+$; 1H NMR (400 MHz, CD_3OD) δ 7.87 (d, J = 11.1 Hz, 1H), 7.72 – 7.63 (m, 1H), 7.55 (dd, J = 8.8, 5.2 Hz, 1H), 7.11 (d, J = 4.8 Hz, 1H), 6.95 (d, J = 10.6 Hz, 1H), 6.66 – 6.57 (m, 1H), 6.52 (s, 1H), 6.28 (ddd, J = 16.8, 3.6, 1.9 Hz, 1H), 5.75 – 5.71 (m, 1H), 5.52 (ddd, J = 18.9, 8.9, 3.5 Hz, 1H), 4.73 (dd, J = 11.1, 4.1 Hz, 1H), 4.66 – 4.50 (m, 2H), 4.41 (d, J = 12.1 Hz, 1H), 3.96 – 3.47 (m, 7H), 3.40 – 3.31 (m, 1H), 3.16 (dd, J = 14.3, 4.4 Hz, 1H), 3.07 – 2.90 (m, 5H), 2.88 – 2.61 (m, 4H), 2.36 – 1.85 (m, 5H), 1.62 (m, 2H), 1.20 – 1.13 (m, 3H), 1.07 – 1.00 (m, 3H), 0.93 (t, J = 6.7 Hz, 1H), 0.82 (t, J = 6.3 Hz, 1H).

FIG. 1 cont.





	Structure	Method	Analytic Data
414		A	ESI-MS m/z : 738.3; ^1H NMR (400 MHz, MeOD) δ 8.02 (s, 1H), 7.79 (d, J = 6.1 Hz, 1H), 7.70 (d, J = 8.4 Hz, 1H), 7.58 (dd, J = 7.5, 3.1 Hz, 1H), 7.17 – 7.06 (m, 1H), 6.97 (d, J = 16.8 Hz, 1H), 6.62 (s, 1H), 5.57 (dd, J = 34.1, 6.3 Hz, 2H), 5.27 (dd, J = 24.5, 6.1 Hz, 1H), 4.68 (d, J = 11.0 Hz, 1H), 4.57 (dd, J = 15.6, 8.5 Hz, 1H), 4.49 – 4.34 (m, 2H), 4.12 (dd, J = 17.0, 14.5 Hz, 1H), 4.01 (dd, J = 14.4, 8.6 Hz, 1H), 3.69 (d, J = 12.3 Hz, 1H), 3.19 (d, J = 11.7 Hz, 1H), 2.99 (d, J = 5.3 Hz, 1H), 2.97 – 2.81 (m, 3H), 2.75 – 2.60 (m, 2H), 2.46 (dd, J = 31.2, 21.0 Hz, 2H), 2.15 (d, J = 8.2 Hz, 2H), 1.99 – 1.84 (m, 2H), 1.59 (d, J = 42.1 Hz, 2H), 1.32 – 1.02 (m, 6H), 1.00 – 0.68 (m, 6H).
415		A	ESI-MS m/z = 709.6 $[\text{M}+\text{H}]^+$; ^1H NMR (300 MHz, DMSO- d_6) δ 9.47 (s, 1H), 9.30 (s, 1H), 8.34 (s, 1H), 8.31 (s, 1H), 8.01 (d, J = 8.1 Hz, 1H), 7.77 (s, 1H), 7.71 (d, J = 8.4 Hz, 1H), 7.47 (d, J = 8.5 Hz, 1H), 7.00 (d, J = 16.8 Hz, 2H), 6.86 – 6.72 (m, 2H), 6.56 (d, J = 14.8 Hz, 1H), 5.41 (s, 1H), 5.19 – 5.06 (m, 1H), 4.71 – 4.62 (m, 1H), 4.44 (m, 2H), 4.34 (m, 1H), 4.26 (d, J = 17.9 Hz, 1H), 4.11-3.90 (m, 2H), 2.89 (d, J = 28.0 Hz, 3H), 2.74 (d, J = 3.2 Hz, 3H), 2.31 – 2.16 (m, 2H), 2.06 (d, J = 10.9 Hz, 2H), 1.99 – 1.89 (m, 3H), 1.82 (s, 1H), 1.56 (s, 2H), 0.93 (dd, J = 27.1, 6.5 Hz, 3H), 0.75 (d, J = 6.5 Hz, 3H).
416		A ²	ESI-MS m/z = 709.6 $[\text{M}+\text{H}]^+$; ^1H NMR (300 MHz, CD ₃ OD) δ 8.33 (s, 1H), 8.13-8.12 (d, J = 3 Hz, 1H), 7.96-7.86 (m, 2H), 7.75-7.72 (d, J = 8.4 Hz, 1H), 7.64-7.61 (d, J = 7.5 Hz, 1H), 7.18 (s, 1H), 7.04 (s, 1H), 6.58 (s, 1H), 6.25-6.23 (d, J = 6 Hz, 1H), 5.70-5.60 (m, 1H), 4.72-4.51 (m, 2H), 4.50-4.40 (m, 1H), 4.08-3.95 (m, 2H), 3.72-3.65 (m, 1H), 3.10-2.90 (m, 3H), 2.86 (s, 3H), 2.83-2.50 (m, 6H), 2.35-2.27 (m, 2H), 2.23-2.10 (m, 2H), 2.00-1.89 (m, 1H), 1.79-1.53 (m, 2H), 0.93 (d, J = 6.3Hz, 3H), 0.80 (d, J = 6.3Hz, 3H).
417		A ²	ESI-MS m/z = 685.5 $[\text{M}+\text{H}]^+$; ^1H -NMR (300 MHz, CD ₃ OD) δ 8.28 (s, 1H), 7.95-7.79 (m, 2H), 7.72 (d, J = 8.7 Hz, 1H), 7.62 (t, J = 5.4 Hz, 1H), 7.19 (d, J = 5.7 Hz, 1H), 7.03 (d, J = 8.4 Hz, 1H), 6.72-6.60 (m, 1H), 6.31- 6.20 (m, 1H), 5.65-5.60 (m, 1H), 4.70-4.40 (m, 4H), 4.10-3.95 (m, 2H), 3.76-3.60 (m, 1H), 3.10-2.89 (m, 5H), 2.86-2.73 (m, 4H), 2.65-2.55 (m, 1H), 2.35-2.25 (m, 2H), 2.20-2.10 (m, 2H), 2.00-1.90 (m, 1H), 1.80-1.55 (m, 2H), 0.91 (d, J = 6.3Hz, 3H), 0.83 (d, J = 6.3Hz, 3H).

FIG. 1 cont.






	Structure	Method	Analytic Data
418		A ²	ESI-MS m/z = 727.4 [M+H] ⁺ ; ¹ H-NMR: (300 MHz, DMSO- <i>d</i> ₆) δ 9.40-9.25 (m, 1H), 8.11-8.08 (m, 1H), 7.89-7.80 (m, 1H), 7.75-7.70 (m, 1H), 7.58-7.55 (d, <i>J</i> = 9 Hz, 1H), 7.47 (d, <i>J</i> = 8.6 Hz, 1H), 7.11 (s, 1H), 7.01 (s, 1H), 6.71-6.70 (m, 1H), 6.51-6.16 (m, 1H), 5.37-5.12 (m, 2H), 4.73-4.68 (m, 1H), 4.36-4.19 (m, 2H), 4.19-4.06 (m, 1H), 3.95-3.92 (m, 1H), 3.78-3.75 (d, <i>J</i> = 9 Hz, 1H), 2.84-2.65 (m, 7H), 2.50 (s, 3H), 2.15-1.95 (m, 2H), 1.85-1.81 (m, 1H), 1.58 (s, 2H), 1.23 (s, 1H), 1.13 (s, 3H), 0.96 (s, 3H), 0.90-0.80 (m, 3H), 0.73-0.71 (d, <i>J</i> = 6 Hz, 3H).
419			
420			
421			
422			

FIG. 1 cont.






	Structure	Method	Analytic Data
423			
424			
425			
426			
427			

FIG. 1 cont.





	Structure	Method	Analytic Data
428			
429			
430			
431			

FIG. 1 cont.





	Structure	Method	Analytic Data
432			
433			
434			
435			

FIG. 1 cont.

	Structure	Method	Analytic Data
436			
437			
438			
439			

FIG. 1 cont.






	Structure	Method	Analytic Data
440			
441			
442			
443			
444			

FIG. 1 cont.





	Structure	Method	Analytic Data
445			
446			
447			
448			

FIG. 1 cont.

	Structure	Method	Analytic Data
449			
450			
451			
452			
453			

FIG. 1 cont.






	Structure	Method	Analytic Data
454			
455			
456			
457			
458			

FIG. 1 cont.

	Structure	Method	Analytic Data
459			
460			
461			

¹Diastereomers separated after Step C of Method A

²Diastereomers separated after Step F of Method A

³Diastereomers separated after Step D of Method A

The absolute configuration of the undefined stereocenter of the diastereomer pairs indicated by "1", "2", or "3" was not determined and therefore each member of the pair is depicted as having the same structure in the table without an indication of absolute configuration at the relevant stereocenter.

*Epimeric mixture of separated diastereomers listed elsewhere in the table. The indicated epimeric mixtures and their corresponding diastereomer pairs are each depicted as having the same structure in the table.

= Compound number

Ex. = Example number