





FIG. 1

Communication system 200

AP MLD: Access point multi-link device;
STA MLD: Station multi-link device;
AP: Access point;
link: Link;
STA: Station;
radio: Radio

FIG. 2




FIG. 3


Multi-link establishment method 100

FIG. 4




FIG. 5


Multi-link establishment method 200

FIG. 6




FIG. 7

Multi-link establishment method 300




FIG. 8






FIG. 9



status code: Status code;
multi-link element: Multi-link element;
element ID: Element identifier;
length: Length;
MLD-level info: Multi-link device information;
non-transmitted link profile info: Non-transmitted link configuration information;
link: Link

FIG. 10

Multi-link
association
response frame



status code: Status code;
multi-link element: Multi-link element;
element ID: Element identifier;
length: Length;
MLD-level info: Multi-link device information;
non-transmitted link profile info: Non-transmitted link configuration information

FIG. 11




FIG. 12


Multi-link establishment method 400

FIG. 13


Multi-link establishment method 500

FIG. 14




FIG. 15




FIG. 16





FIG. 17



status code: Status code;
 multi-link element: Multi-link element;
 element ID: Element identifier;
 length: Length;
 MLD-level info: Multi-link device information;
 non-transmitted link profile info: Non-transmitted link configuration information;
 MSDU: Media access control service data unit

FIG. 18




FIG. 19




FIG. 20




FIG. 21