

4927341\_1  
SEQUENCE LISTING

<110> Kagoshima University  
 <120> Site-specific RI labelled antibody with an IgG binding peptide  
 <130> PH-6993-PCT  
 <150> JP 2016-117395  
 <151> 2016-06-13  
 <150> JP 2016-227025  
 <151> 2016-11-22  
 <160> 37  
 <170> PatentIn version 3.5  
 <210> 1  
 <211> 13  
 <212> PRT  
 <213> Artificial

<220>  
 <223> IgG-binding peptide

<220>  
 <221> misc\_feature  
 <222> (6)..(6)  
 <223> Xaa is lysine, cystein, aspartic acid, glutamic acid, 2-amino  
 suberic acid, or diaminopropionic acid

<400> 1

|     |     |     |     |     |     |     |     |     |     |     |     |     |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Asp | Cys | Ala | Tyr | His | Xaa | Gly | Glu | Leu | Val | Trp | Cys | Thr |
| 1   |     |     |     | 5   |     |     |     |     | 10  |     |     |     |

<210> 2  
 <211> 17  
 <212> PRT  
 <213> Artificial

<220>  
 <223> IgG-binding peptide

<220>  
 <221> misc\_feature  
 <222> (8)..(8)  
 <223> Xaa is lysine, cystein, aspartic acid, glutamic acid, 2-amino  
 suberic acid, or diaminopropionic acid

<400> 2

|     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Gly | Pro | Asp | Cys | Ala | Tyr | His | Xaa | Gly | Glu | Leu | Val | Trp | Cys | Thr | Phe |
| 1   |     |     |     | 5   |     |     |     |     | 10  |     |     |     |     | 15  |     |

His

<210> 3  
 <211> 13  
 <212> PRT  
 <213> Artificial

4927341\_1

<220>  
<223> IgG-binding peptide

<220>  
<221> misc\_feature  
<222> (6)..(6)  
<223> Xaa is lysine, cystein, aspartic acid, glutamic acid, 2-amino  
suberic acid, or diaminopropionic acid

<400> 3

Arg Cys Ala Tyr His Xaa Gly Glu Leu Val Trp Cys Ser  
1 5 10

<210> 4  
<211> 17  
<212> PRT  
<213> Artificial

<220>  
<223> IgG-binding peptide

<220>  
<221> misc\_feature  
<222> (8)..(8)  
<223> Xaa is lysine, cystein, aspartic acid, glutamic acid, 2-amino  
suberic acid, or diaminopropionic acid

<400> 4

Gly Pro Arg Cys Ala Tyr His Xaa Gly Glu Leu Val Trp Cys Ser Phe  
1 5 10 15

His

<210> 5  
<211> 17  
<212> PRT  
<213> Artificial

<220>  
<223> IgG-binding peptide

<220>  
<221> misc\_feature  
<222> (8)..(8)  
<223> Xaa is lysine, cystein, aspartic acid, glutamic acid, 2-amino  
suberic acid, or diaminopropionic acid

<400> 5

Ser Pro Asp Cys Ala Tyr His Xaa Gly Glu Leu Val Trp Cys Thr Phe  
1 5 10 15

His

<210> 6

4927341\_1

<211> 17  
<212> PRT  
<213> Artificial

<220>  
<223> IgG-binding peptide

<220>  
<221> misc\_feature  
<222> (8)..(8)  
<223> Xaa is lysine, cystein, aspartic acid, glutamic acid, 2-amino  
suberic acid, or diaminopropionic acid

<400> 6

Gly Asp Asp Cys Ala Tyr His Xaa Gly Glu Leu Val Trp Cys Thr Phe  
1 5 10 15

His

<210> 7  
<211> 17  
<212> PRT  
<213> Artificial

<220>  
<223> IgG-binding peptide

<220>  
<221> misc\_feature  
<222> (8)..(8)  
<223> Xaa is lysine, cystein, aspartic acid, glutamic acid, 2-amino  
suberic acid, or diaminopropionic acid

<400> 7

Gly Pro Ser Cys Ala Tyr His Xaa Gly Glu Leu Val Trp Cys Thr Phe  
1 5 10 15

His

<210> 8  
<211> 17  
<212> PRT  
<213> Artificial

<220>  
<223> IgG-binding peptide

<220>  
<221> misc\_feature  
<222> (8)..(8)  
<223> Xaa is lysine, cystein, aspartic acid, glutamic acid, 2-amino  
suberic acid, or diaminopropionic acid

<400> 8

Gly Pro Asp Cys Ala Tyr His Xaa Gly Glu Leu Val Trp Cys Ser Phe  
1 5 10 15

4927341\_1

His

<210> 9  
 <211> 17  
 <212> PRT  
 <213> Artificial  
 <220>  
 <223> IgG-binding peptide  
 <220>  
 <221> misc\_feature  
 <222> (8)..(8)  
 <223> Xaa is lysine, cystein, aspartic acid, glutamic acid, 2-amino  
 suberic acid, or diaminopropionic acid  
 <400> 9

Gly Pro Asp Cys Ala Tyr His Xaa Gly Glu Leu Val Trp Cys Thr His  
 1 5 10 15

His

<210> 10  
 <211> 17  
 <212> PRT  
 <213> Artificial  
 <220>  
 <223> IgG-binding peptide  
 <220>  
 <221> misc\_feature  
 <222> (8)..(8)  
 <223> Xaa is lysine, cystein, aspartic acid, glutamic acid, 2-amino  
 suberic acid, or diaminopropionic acid  
 <400> 10

Gly Pro Asp Cys Ala Tyr His Xaa Gly Glu Leu Val Trp Cys Thr Phe  
 1 5 10 15

Tyr

<210> 11  
 <211> 17  
 <212> PRT  
 <213> Artificial  
 <220>  
 <223> IgG-binding peptide  
 <220>  
 <221> misc\_feature  
 <222> (8)..(8)

4927341\_1

<223> Xaa is lysine, cystein, aspartic acid, glutamic acid, 2-amino suberic acid, or diaminopropionic acid

<400> 11

Ser Pro Asp Cys Ala Tyr His Xaa Gly Glu Leu Val Trp Cys Thr Phe  
1 5 10 15

Tyr

<210> 12

<211> 17

<212> PRT

<213> Artificial

<220>

<223> IgG-binding peptide

<220>

<221> misc\_feature

<222> (8)..(8)

<223> Xaa is lysine, cystein, aspartic acid, glutamic acid, 2-amino suberic acid, or diaminopropionic acid

<400> 12

Ser Asp Asp Cys Ala Tyr His Xaa Gly Glu Leu Val Trp Cys Thr Phe  
1 5 10 15

Tyr

<210> 13

<211> 17

<212> PRT

<213> Artificial

<220>

<223> IgG-binding peptide

<220>

<221> misc\_feature

<222> (8)..(8)

<223> Xaa is lysine, cystein, aspartic acid, glutamic acid, 2-amino suberic acid, or diaminopropionic acid

<400> 13

Arg Gly Asn Cys Ala Tyr His Xaa Gly Gln Leu Val Trp Cys Thr Tyr  
1 5 10 15

His

<210> 14

<211> 13

<212> PRT

<213> Artificial

4927341\_1

<220>  
<223> IgG-binding peptide

<220>  
<221> misc\_feature  
<222> (6)..(6)  
<223> Xaa is lysine, cystein, aspartic acid, glutamic acid, 2-amino  
suberic acid, or diaminopropionic acid

<400> 14

Asp Cys Thr Tyr His Xaa Gly Asn Leu Val Trp Cys Thr  
1 5 10

<210> 15  
<211> 13  
<212> PRT  
<213> Artificial

<220>  
<223> IgG-binding peptide

<220>  
<221> misc\_feature  
<222> (6)..(6)  
<223> Xaa is lysine, cystein, aspartic acid, glutamic acid, 2-amino  
suberic acid, or diaminopropionic acid

<400> 15

Asp Cys Ala Tyr His Xaa Gly Asn Leu Val Trp Cys Thr  
1 5 10

<210> 16  
<211> 13  
<212> PRT  
<213> Artificial

<220>  
<223> IgG-binding peptide

<220>  
<221> misc\_feature  
<222> (6)..(6)  
<223> Xaa is lysine, cystein, aspartic acid, glutamic acid, 2-amino  
suberic acid, or diaminopropionic acid

<400> 16

Asp Cys Thr Tyr His Xaa Gly Glu Leu Val Trp Cys Thr  
1 5 10

<210> 17  
<211> 13  
<212> PRT  
<213> Artificial

<220>  
<223> IgG-binding peptide

<220>

## 4927341\_1

<221> misc\_feature  
 <222> (6)..(6)  
 <223> Xaa is lysine, cystein, aspartic acid, glutamic acid, 2-amino  
 suberic acid, or diaminopropionic acid

<400> 17

Asp Cys Ala Trp His Xaa Gly Glu Leu Val Trp Cys Thr  
 1 5 10

<210> 18  
 <211> 13  
 <212> PRT  
 <213> Artificial

<220>  
 <223> IgG-binding peptide

<220>  
 <221> misc\_feature  
 <222> (6)..(6)  
 <223> Xaa is lysine, cystein, aspartic acid, glutamic acid, 2-amino  
 suberic acid, or diaminopropionic acid

<400> 18

Asp Cys Thr Tyr Thr Xaa Gly Asn Leu Val Trp Cys Thr  
 1 5 10

<210> 19  
 <211> 13  
 <212> PRT  
 <213> Artificial

<220>  
 <223> IgG-binding peptide

<220>  
 <221> misc\_feature  
 <222> (6)..(6)  
 <223> Xaa is lysine, cystein, aspartic acid, glutamic acid, 2-amino  
 suberic acid, or diaminopropionic acid

<400> 19

Asp Cys Ala Tyr Thr Xaa Gly Asn Leu Val Trp Cys Thr  
 1 5 10

<210> 20  
 <211> 13  
 <212> PRT  
 <213> Artificial

<220>  
 <223> IgG-binding peptide

<220>  
 <221> misc\_feature  
 <222> (6)..(6)  
 <223> Xaa is lysine, cystein, aspartic acid, glutamic acid, 2-amino  
 suberic acid, or diaminopropionic acid

## 4927341\_1

&lt;400&gt; 20

Asp Cys Ser Tyr Thr Xaa Gly Asn Leu Val Trp Cys Thr  
 1 5 10

&lt;210&gt; 21

&lt;211&gt; 13

&lt;212&gt; PRT

&lt;213&gt; Artificial

&lt;220&gt;

&lt;223&gt; IgG-binding peptide

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (6)..(6)

&lt;223&gt; Xaa is lysine, cysteine, aspartic acid, glutamic acid, 2-amino suberic acid, or diaminopropionic acid

&lt;400&gt; 21

Asp Cys Thr Trp Thr Xaa Gly Asn Leu Val Trp Cys Thr  
 1 5 10

&lt;210&gt; 22

&lt;211&gt; 13

&lt;212&gt; PRT

&lt;213&gt; Artificial

&lt;220&gt;

&lt;223&gt; IgG-binding peptide

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (6)..(6)

&lt;223&gt; Xaa is lysine, cysteine, aspartic acid, glutamic acid, 2-amino suberic acid, or diaminopropionic acid

&lt;400&gt; 22

Asp Cys Thr Tyr His Xaa Gly Asn Leu Val Trp Cys Thr  
 1 5 10

&lt;210&gt; 23

&lt;211&gt; 13

&lt;212&gt; PRT

&lt;213&gt; Artificial

&lt;220&gt;

&lt;223&gt; IgG-binding peptide

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (6)..(6)

&lt;223&gt; Xaa is lysine, cysteine, aspartic acid, glutamic acid, 2-amino suberic acid, or diaminopropionic acid

&lt;400&gt; 23

Asp Cys Thr Tyr Arg Xaa Gly Asn Leu Val Trp Cys Thr  
 1 5 10

## 4927341\_1

<210> 24  
 <211> 13  
 <212> PRT  
 <213> Artificial

<220>  
 <223> IgG-binding peptide

<220>  
 <221> misc\_feature  
 <222> (6)..(6)  
 <223> Xaa is lysine, cystein, aspartic acid, glutamic acid, 2-amino  
 suberic acid, or diaminopropionic acid

<400> 24

Asp Cys Thr Tyr Ser Xaa Gly Asn Leu Val Trp Cys Thr  
 1 5 10

<210> 25  
 <211> 13  
 <212> PRT  
 <213> Artificial

<220>  
 <223> IgG-binding peptide

<220>  
 <221> misc\_feature  
 <222> (6)..(6)  
 <223> Xaa is lysine, cystein, aspartic acid, glutamic acid, 2-amino  
 suberic acid, or diaminopropionic acid

<400> 25

Asp Cys Thr Tyr Thr Xaa Gly Asn Leu Val Trp Cys Thr  
 1 5 10

<210> 26  
 <211> 13  
 <212> PRT  
 <213> Artificial

<220>  
 <223> IgG-binding peptide

<220>  
 <221> misc\_feature  
 <222> (6)..(6)  
 <223> Xaa is lysine, cystein, aspartic acid, glutamic acid, 2-amino  
 suberic acid, or diaminopropionic acid

<400> 26

Asp Cys Thr Tyr Thr Xaa Gly Glu Leu Val Trp Cys Thr  
 1 5 10

<210> 27  
 <211> 13  
 <212> PRT  
 <213> Artificial

4927341\_1

<220>  
<223> IgG-binding peptide

<220>  
<221> misc\_feature  
<222> (6)..(6)  
<223> Xaa is lysine, cystein, aspartic acid, glutamic acid, 2-amino  
suberic acid, or diaminopropionic acid

<400> 27

Asp Cys Thr Tyr Thr Xaa Gly Arg Leu Val Trp Cys Thr  
1 5 10

<210> 28  
<211> 13  
<212> PRT  
<213> Artificial

<220>  
<223> IgG-binding peptide

<220>  
<221> misc\_feature  
<222> (6)..(6)  
<223> Xaa is lysine, cystein, aspartic acid, glutamic acid, 2-amino  
suberic acid, or diaminopropionic acid

<400> 28

Asp Cys Thr Tyr Thr Xaa Gly Asp Leu Val Trp Cys Thr  
1 5 10

<210> 29  
<211> 13  
<212> PRT  
<213> Artificial

<220>  
<223> IgG-binding peptide

<220>  
<221> misc\_feature  
<222> (6)..(6)  
<223> Xaa is lysine, cystein, aspartic acid, glutamic acid, 2-amino  
suberic acid, or diaminopropionic acid

<400> 29

Asp Cys Thr Tyr Thr Xaa Gly Asn Leu Ile Trp Cys Thr  
1 5 10

<210> 30  
<211> 110  
<212> PRT  
<213> Homo Sapiens

<400> 30

Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys  
1 5 10 15

4927341\_1

Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val  
20 25 30

Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr  
35 40 45

Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu  
50 55 60

Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His  
65 70 75 80

Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys  
85 90 95

Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys  
100 105 110

<210> 31  
<211> 17  
<212> PRT  
<213> Artificial

<220>  
<223> IgG-binding peptide

<220>  
<221> misc\_feature  
<222> (2)..(2)  
<223> Xaa is homocysteine

<220>  
<221> misc\_feature  
<222> (16)..(16)  
<223> Xaa is homocysteine

<400> 31

Gly Xaa Asp Cys Ala Tyr His Arg Gly Glu Leu Val Trp Cys Thr Xaa  
1 5 10 15

His

<210> 32  
<211> 17  
<212> PRT  
<213> Artificial

<220>  
<223> IgG-binding peptide

<220>  
<221> misc\_feature  
<222> (8)..(8)  
<223> Xaa is lysine, cystein, aspartic acid, glutamic acid, 2-amino

4927341\_1  
suberic acid, or diaminopropionic acid

<400> 32

Gly Pro Asp Cys Ala Tyr His Xaa Gly Glu Leu Val Trp Cys Thr Phe  
1 5 10 15

His

<210> 33

<211> 13

<212> PRT

<213> Artificial

<220>

<223> IgG-binding peptide

<400> 33

Asp Cys Ala Tyr His Arg Gly Glu Leu Val Trp Cys Thr  
1 5 10

<210> 34

<211> 13

<212> PRT

<213> Artificial

<220>

<223> IgG-binding peptide

<400> 34

Asp Cys Ala Tyr His Lys Gly Glu Leu Val Trp Cys Thr  
1 5 10

<210> 35

<211> 17

<212> PRT

<213> Artificial

<220>

<223> IgG-binding peptide

<220>

<221> misc\_feature

<222> (8)..(8)

<223> Xaa is lysine, cysteine, aspartic acid, glutamic acid, 2-amino  
suberic acid, or diaminopropionic acid

<400> 35

Arg Gly Asn Cys Ala Tyr His Xaa Gly Gln Leu Val Trp Cys Thr Tyr  
1 5 10 15

His

<210> 36

<211> 17

<212> PRT

4927341\_1

<213> Artificial

<220>

<223> IgG-binding peptide

<220>

<221> misc\_feature

<222> (2)..(2)

<223> Xaa is homocysteine

<220>

<221> misc\_feature

<222> (8)..(8)

<223> Xaa is lysine, cysteine, aspartic acid, glutamic acid, 2-amino  
suberic acid, or diaminopropionic acid

<220>

<221> misc\_feature

<222> (16)..(16)

<223> Xaa is homocysteine

<400> 36

Gly Xaa Asp Cys Ala Tyr His Xaa Gly Glu Leu Val Trp Cys Thr Xaa  
1 5 10 15

His

<210> 37

<211> 17

<212> PRT

<213> Artificial

<220>

<223> IgG-binding peptide

<400> 37

Gly Pro Asp Cys Ala Tyr His Lys Gly Glu Leu Val Trp Cys Thr Phe  
1 5 10 15

His