

KEY WITH ORNAMENTAL BOW DEVICE

Background of the Invention

1. Field of the Invention

The present invention relates to a key with an ornamental bow device.

2. Description of the Related Art

A wide variety of locks have heretofore been provided for protecting property, privacy, etc. Except for number locks, a lock is used with a key. Thus, keys become a daily necessity. A typical key includes a bow and a blade, wherein the blade is processed to have a particular shape for locking/unlocking purposes. A plastic protective layer may be coated on the bow to provide a place for a trade name or advertisements without providing any ornamental effect. The present invention is intended to provide a key with an ornamental bow device.

Summary of the Invention

In accordance with an aspect of the present invention, a key includes a blade, a bow formed on an end of the blade, an ornamental member mounted in a hole of the bow, and a transparent casing for housing the blade and thus retaining the ornamental member in the hole of the bow.

The transparent casing may be formed on and cover the bow by means of injection molding. In an embodiment, the transparent casing includes a removable transparent lid covering the hole of the bow, allowing easy replacement of the ornamental member.

In another embodiment, the hole extends along a periphery of the bow.

The key may be used as an ornament in addition to its original utility. A user can replace the ornamental member with a desired one at any time.

Other objects, advantages, and novel features of the invention will become more apparent from the following detailed description when taken in conjunction with the accompanying drawings.

Brief Description of the Drawings

5 Fig. 1 is an exploded perspective view of a key in accordance with the present invention.

 Fig. 2 is a perspective view of the key in accordance with the present invention.

 Fig. 3 is a sectional view of a portion of the key in accordance with the
10 present invention.

 Fig. 4 is a top view of a portion of a modified embodiment of the key in accordance with the present invention.

 Fig. 5 is a top view of a portion of another modified embodiment of the key in accordance with the present invention.

15 Fig. 6 is a top view of a portion of a further modified embodiment of the key in accordance with the present invention.

 Fig. 7 is a perspective view illustrating an ornamental use of the key in accordance with the present invention.

 Fig. 8 is an exploded perspective view of still another modified
20 embodiment of the key in accordance with the present invention.

Detailed Description of the Preferred Embodiments

Referring to Figs. 1 through 3, a key in accordance with the present invention is designated by "1" and includes a blade 11 and a bow 12 formed on an end of the blade 11. The bow 12 includes a hole 121 for receiving an ornamental
25 member 122 with a picture, photograph, letters, patterns, etc formed thereon. After the ornamental member 122 is placed in the hole 121 of the bow 12, a

transparent casing 123 is mounted to the bow 12 and to fix the ornamental member 122 in the hole 121 of the bow 12. Namely, the bow 12 is accommodated in a compartment 126 of the transparent casing 123. The bow 12, the ornamental member 122, and the transparent casing 123 constitute an ornamental device of the key in accordance with the present invention. Alternatively, the transparent casing 13 may be formed on and cover the bow 12 by means of injection molding.

The hole 121 of the bow 12 may be a through-hole. The bow 12 further includes a hole 120, and the transparent casing 123 includes a hole 125 that is at least partially aligned with the hole 120 of the bow 12. Referring to Fig. 7, a string or the like (not labeled) may be extended through the hole 125 of the transparent casing 123 and the hole 120 of the bow 12. The user may put the string around his or her neck, providing an ornamental effect. Thus, the key may be used as an ornament in addition to its original utility. The ornamental member 122 can be replaced by the user with a desired one at any time when desired.

Figs. 4 through 6 show modified embodiments of the key, wherein the bow 12 of the key 1A, 1B, 1C has a different shape, and the hole 121A, 121B, 121C of the bow 12 of the key 1A, 1B, 1C has a different shape corresponding to the shape of the bow 12. It is noted that the hole 121A, 121B, 121C extends along a periphery of the bow 12 of the key 1A, 1B, 1C. Further, the ornamental member 122A, 122B, 122C has a different picture (or pattern, letters, etc). Thus, various ornamental effects can be provided and optionally selected.

Fig. 8 illustrates another modified embodiment of the key. In this embodiment, the key 1D includes a blade 11 and a bow 12 formed on an end of the blade 11. The bow 12 defines a hole 121D delimited by a non-transparent

bottom wall 127. An ornamental member 122D is received in the hole 121D. The transparent casing 123D housing the bow 12 includes a portion formed on the bow 12, with the hole 121D exposed. Further, the transparent casing 123D includes a transparent lid 124 that covers the hole 121D of the bow 12 and thus
5 retains the ornamental member 122D in the hole 121D. Thus, the key may be used as an ornament in addition to its original utility. Further, a user can replace the ornamental member with a desired one at any time. The transparent lid 124 may extend into the hole 121D of the bow 12.

Although the invention has been explained in relation to its preferred
10 embodiments, it is to be understood that many other possible modifications and variations can be made without departing from the scope of the invention as hereinafter claimed.

Claims:

1. A key comprising a blade (11) and a bow (12) formed on an end of the blade,
characterized in that:
 - the bow includes a hole (121; 121A; 121B; 121C; 121D);
 - 5 an ornamental member (122; 122A; 122B; 122C; 122D) is
mounted in the hole of the bow; and
 - a transparent casing (123; 123D) houses the bow and retains the
ornamental member in place.
2. The key as claimed in claim 1 wherein the transparent casing (123D)
10 includes a removable transparent lid (124) that covers the hole (121D) of the
bow (12).
3. The key as claimed in claim 1 wherein the transparent casing (123) is formed
on and covers the bow by means of injection molding.
4. The key as claimed in claim 1 wherein the hole (121A; 121B; 121C) extends
15 along a periphery of the bow (12).
5. The key substantially as hereinbefore described with reference to and as
shown in the accompanying drawings.