TITLE

COMPOSITIONS, REAGENTS AND KITS FOR AND METHODS OF DIAGNOSING, MONITORING AND TREATING OBESITY AND/OR DIABETES

CROSS-REFERENCE TO RELATED APPLICATION

This application claims the benefit of U.S. Patent Application Serial No. 10/659,782 filed on September 11, 2003, which is hereby incorporated by reference in its entirety.

FIELD OF THE INVENTION

The present invention relates to obesity and diabetes markers, to reagents which can detect, obesity and diabetes marker transcripts and translation products, to kits and methods for detecting obesity and diabetes marker transcripts and translation products, to methods and kits for screening and diagnosing obesity and diabetes in individuals and monitoring response to treatment, disease progression and disease recurrence in patients diagnosed with obesity and diabetes, to compounds which specifically bind to translation products of obesity and/or diabetes marker transcripts, to treating obesity and/or diabetes using one or a composition of several of the obesity and diabetes markers or their translation products as therapeutic agents, to compositions for and methods of treating obesity and/or diabetes.

BACKGROUND OF THE INVENTION

Obesity is the second most important cause of preventable death in the United States, exceeded only by cigarette smoking. Obesity is estimated to afflict 58,000,000 people and contribute to 300,000 deaths annually in the United States and its prevalence is increasing. Individuals suffering from the disease are at increased risk of illness from hypertension, lipid disorders, coronary heart disease, type II diabetes,

stroke, gall bladder disease, osteoarthritis, sleep apnea, respiratory problems and certain cancers.

Obesity develops when there is an excess of energy intake over energy usage. The causes of this excess may vary from patient to patient and are believed to stem from various genetic, social and environmental factors. Current research supports the view that under identical environmental conditions, different people gain weight at different rates and the amount they gain seems to be genetically determined. It has been proposed that natural selection caused our distant ancestors to acquire 'thrifty genes' which boosted the ability to store fat from each feast in order to sustain the body through the next famine. In today's environment of a surfeit of high fat, high calorie 'western style' food, 'thrifty genes' have become a liability.

More and more scientists and physicians are coming to reject the traditional belief that poor diet and lack of exercise are solely to blame for obesity and are increasingly tending to view it as a medical condition. Health economists, using prospective studies and national health statistics, have calculated the costs of obesity in the US in 1995 at $99.2 billion. By 2005 it is estimated that more than 120 million people in the world will be obese. The economic impact of obesity in the US is now comparable to that of diabetes and ranks alongside expenditure on heart disease and hypertension. Medical researchers calculate that at least 88% of all cases of type II diabetes, 57% of coronary heart disease cases, 11% of breast cancers, and 10% of colon cancers diagnosed in overweight Americans are attributable to obesity.

The World Health Organization has classified the obesity condition as an epidemic and has set up a special task force to tackle one of the greatest risks to human health and well-being.

There remains a need for obesity and/or diabetes specific markers. There remains a need for reagents and kits which can be used to detect the presence of obesity and/or diabetes markers in samples from patients. There remains a need for reagents and kits which can be used to detect the future

propensity of developing obesity and/or diabetes in samples from patients. There remains a need for methods of screening and diagnosing individuals who have obesity and/or diabetes and methods of monitoring response to treatment, disease progression and disease recurrence in patients diagnosed with obesity and/or diabetes.

There remains a need for reagents, kits and methods for determining the type of obesity and/or diabetes that an individual who is obese has. There remains a need for compositions which can specifically target obesity and/or diabetes related cells. There remains a need for improved methods of treating individuals who are suspected of suffering from obesity and/or diabetes.

GLOSSARY

In the following description and claims use will be made, at times, with a variety of terms, and the meaning of such terms as they should be construed in accordance with the invention is as follows:

"Obesity and/or diabetes nucleic acid sequences" – the sequence shown in any one of SEQ ID NO:1 to SEQ ID NO:4 and of SEQ ID NO:22 to SEQ ID NO:25 sequences having at least *90% identity* (see below, Table 2) to said sequences and *fragments* (see below, Table 2) of the above sequences of least 15 b.p. long. These sequences are sequences coding for naturally occurring, alternative splice variants of the native and known Adiponectin, depicted in Locus Link as locus Hs. 9370 under Accession Number NM_004797 which is the sequence coding for the human 30kDa glycoprotein of 244 amino acids. It should be emphasized that the novel variants of the present invention are naturally occurring sequences resulting from alternative splicing of Adiponectin and not merely truncated, mutated or fragmented forms of the gene.

– the sequence shown in any one of SEQ ID NO:5 to SEQ ID NO:9 and of SEQ ID NO:26 to SEQ ID NO:30 sequences having at least *90% identity* (see below) to said sequences and *fragments* (see below, Table 2)

of the above sequences of least 15 b.p. long. These sequences are sequences coding for naturally occurring, alternative splice variants of the native and known Adiponectin, depicted in Locus Link as locus Mm. 11450 under Accession Number NM_009605 which is the sequence coding for the mouse 30kDa glycoprotein of 247 amino acids. It should be emphasized that the novel variants of the present invention are naturally occurring sequences resulting from alternative splicing of Adiponectin and not merely truncated, mutated or fragmented forms of the gene.

– the sequence shown in any one of SEQ ID NO:10 to SEQ ID NO:11 and of SEQ ID NO:31 to SEQ ID NO:32 sequences having at least *90% identity* (see below, Table 2) to said sequences and *fragments* (see below, Table 2) of the above sequences of least 15 b.p. long. These sequences are sequences coding for naturally occurring, alternative splice variants of the native and known Ghrelin, depicted in Locus Link as locus Hs. 51738 under Accession Number NM_016362 which is the sequence coding for the human 13kDa glycoprotein of 117 amino acids. It should be emphasized that the novel variants of the present invention are naturally occurring sequences resulting from alternative splicing of Ghrelin and not merely truncated, mutated or fragmented forms of the gene.

– the sequence shown in any one of SEQ ID NO:12 to SEQ ID NO:18 and of SEQ ID NO:33 to SEQ ID NO:39 sequences having at least *90% identity* (see below, Table 2) to said sequences and *fragments* (see below, Table 2) of the above sequences of least 15 b.p. long. These sequences are sequences coding for naturally occurring, alternative splice variants of the native and known 11-beta-HSD, depicted in Locus Link as locus Hs. 3290 under Accession Number NM_005525 which is the sequence coding for the human 32kDa glycoprotein of 292 amino acids. It should be emphasized that the novel variants of the present invention are naturally occurring sequences resulting from alternative splicing of 11-beta-HSD and not merely truncated, mutated or fragmented forms of the gene.

– the sequence shown in any one of SEQ ID NO:19 to SEQ ID NO:21 and of SEQ ID NO:40 to SEQ ID NO:42 sequences having at least *90%*

identity (see below, Table 2) to said sequences and *fragments* (see below, Table 2) of the above sequences of least 15 b.p. long. These sequences are sequences coding for naturally occurring, alternative splice variants of the native and known 11-beta-HSD, depicted in Locus Link as locus Mm. 15483 under Accession Number NM_008288 which is the sequence coding for the mouse 32kDa glycoprotein of 292 amino acids. It should be emphasized that the novel variants of the present invention are naturally occurring sequences resulting from alternative splicing of 11-beta-HSD and not merely truncated, mutated or fragmented forms of the gene.

The description of the obesity and/or diabetes related gene variants and their difference from the original sequence are summarized in Table 1 as follows:

Table 1

SEQ ID NO:	Obesity and Diabetes related genes	GenBank Human Locus ID	GenBank Mouse Locus ID	Gene Symbol	Variation description
1	Adiponectin -WT (Variant 1)	9370	(11450)	APM	Nucleotide sequence of the human wild type protein (human)
2	Adiponectin Variant 2				Nucleotide sequence of variant 2 (human)
3	Adiponectin Variant 3				Nucleotide sequence of variant 3 (human)
4	Adiponectin Variant 4				Nucleotide sequence of variant 4 (human)
5	Adiponectin -WT (Variant 1)	(9370)	11450	APM	Nucleotide sequence of the mouse wild type protein (mouse)
6	Adiponectin Variant 2				Nucleotide sequence of variant 2 (mouse)
7	Adiponectin Variant 3				Nucleotide sequence of variant 3 (mouse)
8	Adiponectin				Nucleotide

	Variant 4				sequence of variant 4 (mouse)
9	Adiponectin Variant 5				Nucleotide sequence of variant 5 (mouse)
10	Ghrelin- WT (variant 1)	51738	(58991)	GHRL	Nucleotide sequence of the human wild type protein
11	Ghrelin Variant 2				Nucleotide sequence of variant 2 (human)
12	11-beta-HSD – WT (Variant 1)	3290	(15483)	HSD11 B1	Nucleotide sequence of the wild type human protein
13	11-beta-HSD Variant 2				Nucleotide sequence of variant 2 (human)
14	11-beta-HSD Variant 3				Nucleotide sequence of variant 3 (human)
15	11-beta-HSD Variant 4				Nucleotide sequence of variant 4 (human)
16	11-beta-HSD Variant 5				Nucleotide sequence of variant 5 (human)
17	11-beta-HSD Variant 6				Nucleotide sequence of variant 6 (human)
18	11-beta-HSD Variant 7				Nucleotide sequence of variant 7 (human)
19	11-beta-HSD– WT (Variant 1)				Nucleotide sequence of the mouse wild type protein
20	11-beta-HSD Variant 8				Nucleotide sequence of variant 8 (mouse)
21	11-beta-HSD Variant 9				Nucleotide sequence of variant 9 (mouse)
22	Adiponectin-WT (Variant 1)	9370	(11450)	APM	Wild type human protein sequence

23	Adiponectin Variant 2				Alternative initiation (human)
24	Adiponectin Variant 3				
25	Adiponectin Variant 4				
26	Adiponectin-WT (Variant 1)	(9370)	11450	APM	Wild type mouse protein sequence
27	Adiponectin Variant 2				Alternative initiation (mouse)
28	Adiponectin Variant 3				Alternative 45 amino acids from position 111 in the wild type protein creating a variant with 156 amino acids (mouse)
29	Adiponectin Variant 4				Alternative 58 amino acids from position 111 in the wild type protein creating a variant with 169 amino acids (mouse)
30	Adiponectin Variant 5				Short variant 76 amino acids long (mouse)
31	Ghrelin- WT (variant 1)	51738	(58991)	GHRL	Wild type human protein sequence
32	Ghrelin Variant 2				Alternative 70 amino acids from position 35 in the wild type protein creating a variant with 117 amino acids (human)
33	11-beta-HSD – WT (Variant 1)	3290	(15483)	HSD11 B1	Wild type human protein sequence
34	11-beta-HSD Variant 2				Deletion of 18 amino acids from amino acid 64 in the wild type protein and an alternative exon of 16 amino acids replacing the rest

					of the amino acids from amino acid 165 in the wild type protein (human)
35	11-beta-HSD Variant 3				Alternative 9 amino acids from amino acid 286 creating a variant with 295 amino acids (human)
36	11-beta-HSD Variant 4				Deletion of 18 amino acids from amino acid 137 till amino acid 155 in the wild type protein (human)
37	11-beta-HSD Variant 5				Deletion of 20 amino acids from amino acid 64 till amino acid 84 in the wild type protein (human)
38	11-beta-HSD Variant 6				Alternative initiation at amino acid no. 31 in the wild type protein (human)
39	11-beta-HSD Variant 7				Deletion of 48 amino acids from amino acid 173 till amino acid 221 in the wild type protein (human)
40	11-beta-HSD – WT (Variant 1)				Wild type mouse protein sequence
41	11-beta-HSD Variant 8				Deletion of 32 amino acids from amino acid 29 till amino acid 71 in the wild type protein
42	11-beta-HSD Variant 9				Alternative 19 amino acids from amino acid 173 creating a variant with 192 amino

					acids (mouse)

SEQ ID NOS: 1-21 are nucleotide sequences.

SEQ ID NOS: 22-42 are protein sequences encoded by SEQ ID NOS 1-21.

Table 2

SEQ ID NO:1-9 Adiponectin variants:

SEQ ID NO:1: NM_004797_T1 | Length 4517

CTGATTCCATACCAGAGGGGCTCAGGATGCTGTTGCTGGGAGCTGTTC
TACTGCTATTAGCTCTGCCCGGGCATGACCAGGAAACCACGACTCAAG
GGCCCGGAGTCCTGCTTCCCCTGCCCAAGGGGGCCTGCACAGGTTG
GATGGCGGGCATCCCAGGGCATCCGGGCCATAATGGGGCCCCAGGC
CGTGATGGCAGAGATGGCACCCCTGGTGAGAAGGGTGAGAAAGGAGA
TCCAGGTCTTATTGGTCCTAAGGGAGACATCGGTGAAACCGGAGTACC
CGGGGCTGAAGGTCCCCGAGGCTTTCCGGGAATCCAAGGCAGGAAAG
GAGAACCTGGAGAAGGTGCCTATGTATACCGCTCAGCATTCAGTGTGG
GATTGGAGACTTACGTTACTATCCCCAACATGCCCATTCGCTTTACCAA
GATCTTCTACAATCAGCAAAACCACTATGATGGCTCCACTGGTAAATTC
CACTGCAACATTCCTGGGCTGTACTACTTTGCCTACCACATCACAGTCT
ATATGAAGGATGTGAAGGTCAGCCTCTTCAAGAAGGACAAGGCTATGC
TCTTCACCTATGATCAGTACCAGGAAAATAATGTGGACCAGGCCTCCG
GCTCTGTGCTCCTGCATCTGGAGGTGGGCGACCAAGTCTGGCTCCAG
GTGTATGGGGAAGGAGAGCGTAATGGACTCTATGCTGATAATGACAAT
GACTCCACCTTCACAGGCTTTCTTCTCTACCATGACACCAACTGATCAC
CACTAACTCAGAGCCTCCTCCAGGCCAAACAGCCCCAAAGTCAATTAA
AGGCTTTCAGTACGGTTAGGAAGTTGATTATTATTTAGTTGGAGGCCTT
TAGATATTATTCATTCATTTACTCATTCATTTATTCATTCATTCATCAAGT
AACTTTAAAAAAATCATATGCTATGTTCCCAGTCCTGGGGAGCTTCACA
AACATGACCAGATAACTGACTAGAAAGAAGTAGTTGACAGTGCTATTTT
GTGCCCACTGTCTCTCCTGATGCTCATATCAATCCTATAAGGCACAGG
GAACAAGCATTCTCCTGTTTTTACAGATTGTATCCTGAGGCTGAGAGAG

TTAAGTGAATGTCTAAGGTCACACAGTATTAAGTGACAGTGCTAGAAAT
CAAACCCAGAGCTGTGGACTTTGTTCACTAGACTGTGCCCTTTTATAGA
GGTACATGTTCTCTTTGGAGTGTTGGTAGGTGTCTGTTTCCCACCTCAC
CTGAGAGCCATTGAATTTGCCTTCCTCATGAATTAAAACCTCCCCCAAG
CAGAGCTTCCTCAGAGAAAGTGGTTCTATGATGAAGTCCTGTCTTGGA
AGGACTACTACTCAATGGCCCCTGCACTACTCTACTTCCTCTTACCTAT
GTCCCTTCTCATGCCTTTCCCTCCAACGGGGAAAGCCAACTCCATCTC
TAAGTGCTGAACTCATCCCTGTTCCTCAAGGCCACCTGGCCAGGAGCT
TCTCTGATGTGATATCCACTTTTTTTTTTTTTGAGATGGAGTCTCACTC
TGTCACCCAGGCTGGAGTACAGTGACACGACCTCGGCTCACTGCAGC
CTCCTTCTCCTGGGTCCAAGCAATTATTGTGCCTCAGCCTCCCGAGTA
GCTGAGACTTCAGGTGCATTCCACCACACATGGCTAATTTTTGTATTTT
TAGTAGAAATGGGGTTTCGTCATGTTGGCCAGGCTGGTCTCGAACTCC
TGGCCTAGGTGATCCACCCGCCTCGACCTCCCAAAGTGCTGGGATTA
CAGGCATGAGCCACCATGCCCAGTCGATATCTCACTTTTTATTTTGCCA
TGGATGAGAGTCCTGGGTGTGAGGAACACCTCCCACCAGGCTAGAGG
CAACTGCCCAGGAAGGACTGTGCTTCCGTCACCTCTAAATCCCTTGCA
GATCCTTGATAAATGCCTCATGAAGACCAATCTCTTGAATCCCATATCT
ACCCAGAATTAACTCCATTCCAGTCTCTGCATGTAATCAGTTTTATCCA
CAGAAACATTTTCATTTTAGGAAATCCCTGGTTTAAGTATCAATCCTTGT
TCAGCTGGACAATATGAATCTTTTCCACTGAAGTTAGGGATGACTGTGA
TTTTCAGAACACGTCCAGAATTTTTCATCAAGAAGGTAGCTTGAGCCTG
AAATGCAAAACCCATGGAGGAATTCTGAAGCCATTGTCTCCTTGAGTA
CCAACAGGGTCAGGGAAGACTGGGCCTCCTGAATTTATTATTGTTCTTT
AAGAATTACAGGTTGAGGTAGTTGATGGTGGTAAACATTCTCTCAGGA
GACAATAACTCCAGTGATGTTTTTCAAAGATTTTAGCAAAAACAGAGTA
AATAGCATTCTCTATCAATATATAAATTTAAAAAACTATCTTTTTGCTTAC
AGTTTTAAATTCTGAACAATTTCTCTTATATGTGTATTGCTAATCATTAAG
GTATTATTTTTTCCACATATAAAGCTTTGTCTTTTTGTTGTTGTTGTTGTT
TTTAAGATGGAGTTTCCCTCTGTTGCCAGGCTAGAGTGCAGTGGCATG
ATCTCGGCTTACTGCAACCTTTGCCTCCCAGGTTTAAGCGATTCTTCTG
CCTCAGCCTCCCGAGTAGCTGGGACCACAGGTGCCTACCACCATGCC

AGGCTAATTTTTGTATTTTTAGTAAAGACAGGGTTTCACCATATTGGCC
AGGCTGGTCTCGAACTCCTGACCTTGTGATCTGCCCGCCTCCATTGTG
TTGTTATTTGTGAGAAAGATAGATATGAGGTTTAGAGAGGGATGAAGA
GGTGAGAGTAAGCCTTGTGTTAGTCAGAACTCTGTGTTGTGAATGTCA
TTCACAACAGAAAACCCAAAATATTATGCAAACTACTGTAAGCAAGAAA
AATAAAGGAAAAATGGAAACATTTATTCCTTTGCATAATAGAAATTACCA
GAGTTGTTCTGTCTTTAGATAAGGTTTGAACCAAAGCTCAAAACAATCA
AGACCCTTTTCTGTATGTCCTTCTGTTCTGCCTTCCGCAGTGTAGGCTT
TACCCTCAGGTGCTACACAGTATAGTTCTAGGGTTTCCCTCCCGATATC
AAAAAGACTGTGGCCTGCCCAGCTCTCGTATCCCCAAGCCACACCATC
TGGCTAAATGGACATCATGTTTTCTGGTGATGCCCAAAGAGGAGAGAG
GAAGCTCTCTTTCCCAGATGCCCCAGCAAGTGTAACCTTGCATCTCATT
GCTCTGGCTGAGTTGTGTGCCTGTTTCTGACCAATCACTGAGTCAGGA
GGATGAAATATTCATATTGACTTAATTGCAGCTTAAGTTAGGGGTATGT
AGAGGTATTTTCCCTAAAGCAAAATTGGGACACTGTTATCAGAAATAGG
AGAGTGGATGATAGATGCAAAATAATACCTGTCCACAACAAACTCTTAA
TGCTGTGTTTGAGCTTTCATGAGTTTCCCAGAGAGACATAGCTGGAAA
ATTCCTATTGATTTTCTCTAAAATTTCAACAAGTAGCTAAAGTCTGGCTA
TGCTCACAGTCTCACATCTGGTGGGGGTGGGCTCCTTACAGAACACG
CTTTCACAGTTACCCTAAACTCTCTGGGGCAGGGTTATTCCTTTGTGGA
ACCAGAGGCACAGAGACAGTCAACTGAGGCCCAACAGAGGCCTGAGA
GAAACTGAGGTCAAGATTTCAGGATTAATGGTCCTGTGATGCTTTGAA
GTACAATTGTGGATTTGTCCAATTCTCTTTAGTTCTGTCAGCTTTTGCTT
CATATATTTTAGCGCTCTATTATTAGATATATACATGTTTAGTATTATGTC
TTATTGGTGCATTTACTCTCTTATCATTATGTAATGTCCTTCTTTATCTGT
GATAATTTTCTGTGTTCTGAAGTCTACTTTGTCTAAAAATAACATACGCA
CTCAACTTCCTTTTCTTTCTTCCTTCCTTTCTTTCTTCCTTCCTTTCTTTC
TCTCTCTCTCTTTCCTTCCTTCCTTCCTCCTTTTCTCTCTCTCTCTCT
CTCTCTCTTTTCTTGACAGACTCTCGTTCTGTGGCCCTGGCTGGAGTTC
AGTGGTGTGATCTTGGCTCACTGCTACCTCTACCATGAGCAATTCTCCT
GCCTCAGCCTCCCAAGTAGCTGGAACTACAGGCTCATGCCACTGCGC
CCAGCTAATTTTTGTATTTTTCGTAGAGACGGGGTTTCACCACATTCGT

CAGGTTGGTTTCAAACTCCTGACTTTGTGATCCACCCGCCTCGGCCTC
CCAAAGTGCTGGGATTACAGGCATGAGCCATCACACCTGGTCAACTTT
CTTTTGATTAGTGTTTTTGTGGTATATCTTTTTCCATCATGTTACTTTAAA
TATATCTATATTATTGTATTTAAAATGTGTTTCTTACAGACTGCATGTAGT
TGGGTATAATTTTTATCCAGTCTAAAAATATCTGTCTTTTAATTGGTGTT
TAGACAATTTATATTTAATAAAATGGTGGAATTTAAA

SEQ ID NO:2: NM_004797_T2 | Length 484

ATGACCCGGGGCTGAAGGTCCCCGAGGCTTTCCGGGAATCCAAGGC
AGGAAAGGAGAACCTGGAGAAGGTGCCTATGTATACCGCTCAGCATT
CAGTGTGGGATTGGAGACTTACGTTACTATCCCCAACATGCCCATTC
GCTTTACCAAGATCTTCTACAATCAGCAAAACCACTATGATGGCTCCA
CTGGTAAATTCCACTGCAACATTCCTGGGCTGTACTACTTTGCCTACC
ACATCACAGTCTATATGAAGGATGTGAAGGTCAGCCTCTTCAAGAAG
GACAAGGCTATGCTCTTCACCTATGATCAGTACCAGGAAAATAATGTG
GACCAGGCCTCCGGCTCTGTGCTCCTGCATCTGGAGGTGGGCGACC
AAGTCTGGCTCCAGGTGTATGGGGAAGGAGAGCGTAATGGACTCTAT
GCTGATAATGACAATGACTCCACCTTCACAGGCTTTCTTCTCTACCAT
GACACCAACTGA

SEQ ID NO:3: NM_004797_T3 | Length 718

CTGATTCCATACCAGAGGGGCTCAGGATGCTGTTGCTGGGAGCTGTTC
TACTGCTATTAGCTCTGCCCGGGCATGACCAGGAAACCACGACTCAAG
GGCCCGGAGTCCTGCTTCCCCTGCCCAAGGGGGCCTGCACAGGTTG
GATGGCGGGCATCCCAGGGCATCCGGGCCATAATGGGGCCCCAGGC
CGTGATGGCAGAGATGGCACCCCTGGTGAGAAGGGTGAGAAAGGAGA
TCCAGGTCTTATTGGTCCTAAGGGAGACATCGGTGAAACCGGAGTACC
CGGGGCTGAAGGTCCCCGAGGCTTTCCGGGAATCCAAGGCAGGAAAG
GAGAACCTGGAGAAGGTGCGTTACTATCCCCAACATGCCCATTCGCTT
TACCAAGATCTTCTACAATCAGCAAAACCACTATGATGGCTCCACTGGT
AAATTCCACTGCAACATTCCTGGGCTGTACTACTTTGCCTACCACATCA
CAGTCTATATGAAGGATGTGAAGGTCAGCCTCTTCAAGAAGGACAAGG

CTATGCTCTTCACCTATGATCAGTACCAGGAAAATAATGTGGACCAGG
CCTCCGGCTCTGTGCTCCTGCATCTGGAGGTGGGCGACCAAGTCTGG
CTCCAGGTGTATGGGGAAGGAGAGCGTAATGGACTCTATGCTGATAAT
GACAATGACTCCACCTTCACAGGCTTTCTTCTCTACCATGACACCAACT
GA

SEQ ID NO:4: NM_004797_T4 | Length 537

CTGATTCCATACCAGAGGGGCTCAGGATGCTGTTGCTGGGAGCTGTTC
TACTGCTATTAGCTCTGCCCGGGCATGACCAGGAAACCACGACTCAAG
GGCCCGGAGTCCTGCTTCCCCTGCCCAAGGGGGCCTGCACAGGTTG
GATGGCGGGCATCCCAGGGCATCCGGGCCATAATGGGGCCCCAGGC
CGTGATGGCAGAGATGGCACCCCTGGTGAGAAGGGTGAGAAAGGAGA
TCCAGGTCTTATTGGTCCTAAGGGAGACATCGGTGAAACCGGAGTACC
CGGGGCTGAAGGTCCCCGAGGCTTTCCGGGAATCCAAGGCAGGAAAG
GAGAACCTGGAGAAGGTGCCTATGTATACCGCTCAGCATTCAGTGTGG
GATTGGAGACTTACGTTACTATCCCCAACATGCCCATTCGCTTTACCAA
GATCTTCTACAATCAGCAAAACCACTATGATGGCTCCACTGGTAAATTC
CACTGCAACATTCCTGGGCTGTACCTTCACAGGCTTTCTTCTCTACCAT
GACACCAACTGA

SEQ ID NO:5: U37222_T1 | Length: 1306 WT

ATGAGACCTGGCCACTTTCTCCTCATTTCTGTCTGTACGATTGTCAGTG
GATCTGACGACACCAAAAGGGCTCAGGATGCTACTGTTGCAAGCTCTC
CTGTTCCTCTTAATCCTGCCCAGTCATGCCGAAGATGACGTTACTACAA
CTGAAGAGCTAGCTCCTGCTTTGGTCCCTCCACCCAAGGGAACTTGTG
CAGGTTGGATGGCAGGCATCCCAGGACATCCTGGCCACAATGGCACA
CCAGGCCGTGATGGCAGAGATGGCACTCCTGGAGAGAAGGGAGAGAA
AGGAGATGCAGGTCTTCTTGGTCCTAAGGGTGAGACAGGAGATGTTG
GAATGACAGGAGCTGAAGGGCCACGGGGCTTCCCCGGAACCCCTGG
CAGGAAAGGAGAGCCTGGAGAAGCCGCTTATGTGTATCGCTCAGCGT
TCAGTGTGGGGCTGGAGACCCGCGTCACTGTTCCCAATGTACCCATTC
GCTTTACTAAGATCTTCTACAACCAACAGAATCATTATGACGGCAGCAC

TGGCAAGTTCTACTGCAACATTCCGGGACTCTACTACTTCTCTTACCAC
ATCACGGTGTACATGAAAGATGTGAAGGTGAGCCTCTTCAAGAAGGAC
AAGGCCGTTCTCTTCACCTACGACCAGTATCAGGAAAAGAATGTGGAC
CAGGCCTCTGGCTCTGTGCTCCTCCATCTGGAGGTGGGAGACCAAGT
CTGGCTCCAGGTGTATGGGGATGGGGACCACAATGGACTCTATGCAG
ATAACGTCAACGACTCTACATTTACTGGCTTTCTTCTCTACCATGATAC
CAACTGACTGCAACTACCCATAGCCCATACACCAGGAGAATCATGGAA
CAGTCGACACACTTTCAGCTTAGTTTGAGAGATTGATTTTATTGCTTAG
TTTGAGAGTCCTGAGTATTATCCACACGTGTACTCACTTGTTCATTAAA
CGACTTTATAAAAAATAATTTGTGTTCCTAGTCCAGAAAAAAAGGCACT
CCCTGGTCTCCACGACTCTTACATGGTAGCAATAACAGAATGAAAATCA
CATTTGGTATGGGGGCTTCACAATATTCGCATGACTGTCTGGAAGTAG
ACCATGCTATTTTTCTGCTCACTGTACACAAATATTGTTCACATAAACCC
TATAATGTAAATATGAAATACAGTGATTACTCTTCTCACAGGCTGASTGT
ATGAATTCTAAAGACCCATAAGTATTAAAGTGGTAGGGATAAATTGGAA
AAAAAAAAAAAAAAAAAGAAAAACTTTAGAGCACACTGGCGGCCGTTAC
TAG

SEQ ID NO:6: U37222_T2 | LENGTH: 1184

GCTCATTCATCTTTTAATTCACCCATAAAGGCTTTGAAAACTAAGGCTG
GAGATGAACTTATAGGAGCCTGCCAGGCCGTGGAGAGTGAGGAAGCA
GAGATGACGGAGATGATGTCTTTCCTTGTCCTGTGAAATGGATTGTGG
GTAGAGGTTCCGGAGATAATGCCTCTTGCTGGAAACAGTCTGGGCAGT
TCTGTTCCCGCCATTCACAGAATTCTTCTCACTTTCTAGGTCTTCTTGG
TCCTAAGGGTGAGACAGGAGATGTTGGAATGACAGGAGCTGAAGGGC
CACGGGGCTTCCCCGGAACCCCTGGCAGGAAAGGAGAGCCTGGAGA
AGCCGCTTATGTGTATCGCTCAGCGTTCAGTGTGGGGCTGGAGACCC
GCGTCACTGTTCCCAATGTACCCATTCGCTTTACTAAGATCTTCTACAA
CCAACAGAATCATTATGACGGCAGCACTGGCAAGTTCTACTGCAACAT
TCCGGGACTCTACTACTTCTCTTACCACATCACGGTGTACATGAAAGAT
GTGAAGGTGAGCCTCTTCAAGAAGGACAAGGCCGTTCTCTTCACCTAC
GACCAGTATCAGGAAAAGAATGTGGACCAGGCCTCTGGCTCTGTGCTC

CTCCATCTGGAGGTGGGAGACCAAGTCTGGCTCCAGGTGTATGGGGA
TGGGGACCACAATGGACTCTATGCAGATAACGTCAACGACTCTACATT
TACTGGCTTTCTTCTCTACCATGATACCAACTGACTGCAACTACCCATA
GCCCATACACCAGGAGAATCATGGAACAGTCGACACACTTTCAGCTTA
GTTTGAGAGATTGATTTTATTGCTTAGTTTGAGAGTCCTGAGTATTATCC
ACACGTGTACTCACTTGTTCATTAAACGACTTTATAAAAAATAATTTGTG
TTCCTAGTCCAGAAAAAAAGGCACTCCCTGGTCTCCACGACTCTTACAT
GGTAGCAATAACAGAATGAAAATCACATTTGGTATGGGGGCTTCACAA
TATTCGCATGACTGTCTGGAAGTAGACCATGCTATTTTTCTGCTCACTG
TACACAAATATTGTTCACATAAACCCTATAATGTAAATATGAAATACAGT
GATTACTCTTCTCACAGGCTGAGTGTATGAATTCTAAAGACCCATAAGT
ATTAAAGTGGTAGGGATAAATTGG

SEQ ID NO:7: U37222_T3 | LENGTH: 1209

ATGAGACGTGGCCACTTTCTCCTCATTTCTGTCTGTACGATTGTCAGTG
GATCTGACGACACCAAAAGGGCTCAGGATGCTACTGTTGCAAGCTCTC
CTGTTCCTCTTAATCCTGCCCAGTCATGCCGAAGATGACGTTACTACAA
CTGAAGAGCTAGCTCCTGCTTTGGTCCCTCCACCCAAGGGAACTTGTG
CAGGTTGGATGGCAGGCATCCCAGGACATCCTGGCCACAATGGCACA
CCAGGCCGTGATGGCAGAGATGGCACTCCTGGAGAGAAGGGAGAGAA
AGGAGATGCAGGTCTTCTTGGTCCTAAGGGTGAGACAGGAGATGTTG
GAATGACAGGAGCTGAAGGGCCACGGGGCTTCCCCGGAACCCCTGG
CAGGAAAGGAGAGCCTGGAGAAGCCGCGTCACTGTTCCCAATGTACC
CATTCGCTTTACTAAGATCTTCTACAACCAACAGAATCATTATGACGGC
AGCACTGGCAAGTTCTACTGCAACATTCCGGGACTCTACTACTTCTCTT
ACCACATCACGGTGTACATGAAAGATGTGAAGGTGAGCCTCTTCAAGA
AGGACAAGGCCGTTCTCTTCACCTACGACCAGTATCAGGAAAAGAATG
TGGACCAGGCCTCTGGCTCTGTGCTCCTCCATCTGGAGGTGGGAGAC
CAAGTCTGGCTCCAGGTGTATGGGGATGGGGACCACAATGGACTCTA
TGCAGATAACGTCAACGACTCTACATTTACTGGCTTTCTTCTCTACCAT
GATACCAACTGACTGCAACTACCCATAGCCCATACACCAGGAGAATCA
TGGAACAGTCGACACACTTTCAGCTTAGTTTGAGAGATTGATTTTATTG

CTTAGTTTGAGAGTCCTGAGTATTATCCACACGTGTACTCACTTGTTCA
TTAAACGACTTTATAAAAAATAATTTGTGTTCCTAGTCCAGAAAAAAAGG
CACTCCCTGGTCTCCACGACTCTTACATGGTAGCAATAACAGAATGAA
AATCACATTTGGTATGGGGGCTTCACAATATTCGCATGACTGTCTGGAA
GTAGACCATGCTATTTTTCTGCTCACTGTACACAAATATTGTTCACATAA
ACCCTATAATGTAAATATGAAATACAGTGATTACTCTTCTCACAGGCTG
AGTGTATGAATTCTAAAGACCCATAAGTATTAAAGTGGTAGGGATAAAT
TGG

SEQ ID NO:8: U37222_T4 | LENGTH: 1028

ATGAGACCTGGCCACTTTCTCCTCATTTCTGTCTGTACGATTGTCAGTG
GATCTGACGACACCAAAAGGGCTCAGGATGCTACTGTTGCAAGCTCTC
CTGTTCCTCTTAATCCTGCCCAGTCATGCCGAAGATGACGTTACTACAA
CTGAAGAGCTAGCTCCTGCTTTGGTCCCTCCACCCAAGGGAACTTGTG
CAGGTTGGATGGCAGGCATCCCAGGACATCCTGGCCACAATGGCACA
CCAGGCCGTGATGGCAGAGATGGCACTCCTGGAGAGAAGGGAGAGAA
AGGAGATGCAGGTCTTCTTGGTCCTAAGGGTGAGACAGGAGATGTTG
GAATGACAGGAGCTGAAGGGCCACGGGGCTTCCCCGGAACCCCTGG
CAGGAAAGGAGAGCCTGGAGAAGCCGCTTATGTGTATCGCTCAGCGT
TCAGTGTGGGGCTGGAGACCCGCGTCACTGTTCCCAATGTACCCATTC
GCTTTACTAAGATCTTCTACAACCAACAGAATCATTATGACGGCAGCAC
TGGCAAGTTCTACTGCAACATTCCGGGACTCTACATTTACTGGCTTTCT
TCTCTACCATGATACCAACTGACTGCAACTACCCATAGCCCATACACCA
GGAGAATCATGGAACAGTCGACACACTTTCAGCTTAGTTTGAGAGATT
GATTTTATTGCTTAGTTTGAGAGTCCTGAGTATTATCCACACGTGTACT
CACTTGTTCATTAAACGACTTTATAAAAAATAATTTGTGTTCCTAGTCCA
GAAAAAAAGGCACTCCCTGGTCTCCACGACTCTTACATGGTAGCAATA
ACAGAATGAAAATCACATTTGGTATGGGGGCTTCACAATATTCGCATGA
CTGTCTGGAAGTAGACCATGCTATTTTTCTGCTCACTGTACACAAATAT
TGTTCACATAAACCCTATAATGTAAATATGAAATACAGTGATTACTCTTC
TCACAGGCTGAGTGTATGAATTCTAAAGACCCATAAGTATTAAAGTGGT
AGGGATAAATTGG

SEQ ID NO:9: U37222_T5 | LENGTH: 306

ATGAGACCTGGCCACTTTCTCCTCATTTCTGTCTGTACGATTGTCAGTG
GATCTGACGACACCAAAAGGGCTCAGGATGCTACTGTTGCAAGCTCTC
CTGTTCCTCTTAATCCTGCCCAGTCATGCCGAAGATGACGTTACTACAA
CTGAAGAGCTAGCTCCTGCTTTGGTCCCTCCACCCAAGGGAACTTGTG
CAGGTTGGATGGCAGGCATCCCAGGACATCCTGGCCACATAAAAATAT
AATTCGAGGGGCATCCACCAGGCCGGCTGAATTGTGCCAAAATATGG
CACTTCCTGCAAGATAA

SEQ ID NO:10-11 Ghrelin variants:

SEQ ID NO:10: NM_016362_T1 | Length: 665

ACTCTGGATGGGTGCTGTTTAGACAAACGCCGTCTCCTATATAAGACC
TGACAGCACAGGCACCACTCCGCCAGGACTGCAGGCCCACCTGTCTG
CAACCCAGCTGAGGCCATGCCCTCCCCAGGGACCGTCTGCAGCCTCC
TGCTCCTCGGCATGCTCTGGCTGGACTTGGCCATGGCAGGCTCCAGC
TTCCTGAGCCCTGAACACCAGAGAGTCCAGCAGAGAAAGGAGTCGAA
GAAGCCACCAGCCAAGCTGCAGCCCCGAGCTCTAGCAGGCTGGCTCC
GCCCGGAAGATGGAGGTCAAGCAGAAGGGGCAGAGGATGAACTGGA
AGTCCGGTTCAACGCCCCCTTTGATGTTGGAATCAAGCTGTCAGGGGT
TCAGTACCAGCAGCACAGCCAGGCCCTGGGGAAGTTTCTTCAGGACA
TCCTCTGGGAAGAGGCCAAAGAGGCCCCAGCCGACAAGTGATCGCCC
ACAAGCCTTACTCACCTCTCTCTAAGTTTAGAAGCGCTCATCTGGCTTT
TCGCTTGCTTCTGCAGCAACTCCCACGACTGTTGTACAAGCTCAGGAG
GCGAATAAATGTTCAAACTGTATGCTGATGTTCCAAATGGGAATTTATT
TCAAAGAGGAAAAGTTAATATTTTACTTTAAAAAAATCAAAATAATAC

SEQ ID NO:11: NM_016362_T2 | Length: 579

ACTCTGGATGGGTGCTGTTTAGACAAACGCCGTCTCCTATATAAGACC 48
TGACAGCACAGGCACCACTCCGCCAGGACTGCAGGCCCACCTGTCTG 96
CAACCCAGCTGAGGCCATGCCCTCCCCAGGGACCGTCTGCAGCCTCC 144
TGCTCCTCGGCATGCTCTGGCTGGACTTGGCCATGGCAGGCTCCAGC 192

TTCCTGAGCCCTGAACACCAGAGAGTCCAGGTGAGACCTCCCCACAAA
GCCCCACATGTTGTTCCAGCCCTGCCACTTAGCAACCAGCTCTGTGAC
CTGGAGCAGCAGCGCCATCTCTGGGCTTCAGTCTTCTCCCAGAGCAC
AAAGGACTCTGGGTCTGACCTCACTGTTTCTGGAAGGACATGGGGGCT
TAGAGTCCTAAACAGACTGTTTCCCCCTTCCAGCAGAGAAAGGAGTCG
AAGAAGCCACCAGCCAAGCTGCAGCCCCGAGCTCTAGCAGGCTGGCT
CCGCCCGGAAGATGGAGGTCAAGCAGAAGGGGCAGAGGATGAACTG
GAAGTCCGGGTCGGTACCTCTGCAGTTTTATGCTTCTGTGGCAGCGAG
GAGGGTGGGG

SEQ ID NO:12-21 HSD11B variants:

SEQ ID NO:12: NM_005525_T1 WT| Length: 1448

GCACTGCCTGAGACTACTCCAGCCTCCCCCGTCCCTGATGTCACAATT
CAGAGGCTGCTGCCTGCTTAGGAGGTTGTAGAAAGCTCTGTAGGTTCT
CTCTGTGTGTCCTACAGGAGTCTTCAGGCCAGCTCCCTGTCGGATGGC
TTTTATGAAAAAATATCTCCTCCCCATTCTGGGGCTCTTCATGGCCTAC
TACTACTATTCTGCAAACGAGGAATTCAGACCAGAGATGCTCCAAGGA
AAGAAAGTGATTGTCACAGGGGCCAGCAAAGGGATCGGAAGAGAGAT
GGCTTATCATCTGGCGAAGATGGGAGCCCATGTGGTGGTGACAGCGA
GGTCAAAAGAAACTCTACAGAAGGTGGTATCCCACTGCCTGGAGCTTG
GAGCAGCCTCAGCACACTACATTGCTGGCACCATGGAAGACATGACCT
TCGCAGAGCAATTTGTTGCCCAAGCAGGAAAGCTCATGGGAGGACTA
GACATGCTCATTCTCAACCACATCACCAACACTTCTTTGAATCTTTTTCA
TGATGATATTCACCATGTGCGCAAAAGCATGGAAGTCAACTTCCTCAGT
TACGTGGTCCTGACTGTAGCTGCCTTGCCCATGCTGAAGCAGAGCAAT
GGAAGCATTGTTGTCGTCTCCTCTCTGGCTGGGAAAGTGGCTTATCCA
ATGGTTGCTGCCTATTCTGCAAGCAAGTTTGCTTTGGATGGGTTCTTCT
CCTCCATCAGAAAGGAATATTCAGTGTCCAGGGTCAATGTATCAATCAC
TCTCTGTGTTCTTGGCCTCATAGACACAGAAACAGCCATGAAGGCAGT
TTCTGGGATAGTCCATATGCAAGCAGCTCCAAAGGAGGAATGTGCCCT
GGAGATCATCAAAGGGGGAGCTCTGCGCCAAGAAGAAGTGTATTATGA
CAGCTCACTCTGGACCACTCTTCTGATCAGAAATCCATGCAGGAAGAT

CCTGGAATTTCTCTACTCAACGAGCTATAATATGGACAGATTCATAAAC
AAGTAGGAACTCCCTGAGGGCTGGGCATGCTGAGGGATTTTGGGACT
GTTCTGTCTCATGTTTATCTGAGCTCTTATCTATGAAGACATCTTCCCA
GAGTGTCCCCAGAGACATGCAAGTCATGGGTCACACCTGACAAATGGA
AGGAGTTCCTCTAACATTTGCAAAATGGAAATGTAATAATAATGAATGT
CATGCACCGCTGCAGCCAGCAGTTGTAAAATTGTTAGTAAACATAGGT
ATAATTACCAGATAGTTATATTAAATTTATATCTTATATATAATAATATGT
GATGATTAATACAATATTAATTATAATAAAGGTCACATAAACTTTATAAAT
TCATAACTGGTAGCTATAACTTGAGCTTATTCAGGATGGTTTCTTTAAAA
CCATAAACTGTACAAATGAAATTTTTCAATATTTGTTTCTTAT

SEQ ID NO:13: NM_005525_T2 | LENGTH: 708

GCACTGCCTGAGACTACTCCAGCCTCCCCCGTCCCTGATGTCACAATT
CAGAGGCTGCTGCCTGCTTAGGAGGTTGTAGAAAGCTCTGTAGGTTCT
CTCTGTGTGTCCTACAGGAGTCTTCAGGCCAGCTCCCTGTCGGATGGC
TTTTATGAAAAAATATCTCCTCCCCATTCTGGGGCTCTTCATGGCCTAC
TACTACTATTCTGCAAACGAGGAATTCAGACCAGAGATGCTCCAAGGA
AAGAAAGTGATTGTCACAGGGGCCAGCAAAGGGATCGGAAGAGAGAT
GGCTTATCATCTGGCGAAGATGGGAGCCCATGTGGTGGTGACAGCGA
GCTCAGCACACTACATTGCTGGCACCATGGAAGACATGACCTTCGCAG
AGCAATTTGTTGCCCAAGCAGGAAAGCTCATGGGAGGACTAGACATGC
TCATTCTCAACCACATCACCAACACTTCTTTGAATCTTTTTCATGATGAT
ATTCACCATGTGCGCAAAAGCATGGAAGTCAACTTCCTCAGTTACGTG
GTCCTGACTGTAGCTGCCTTGCCCATGCTGAAGCAGAGCAATGGAAG
CATGTGCGCTCTTCTGCTGGAATGCTATCATGTTGTGCATCTGAGCAG
TNGTTGATGGTCTCTCTCATAGAAGATATCAGGCAGGCATGATATACTT
TGGTCTGCTATACCAGACGCTAGGCGTCTGATGCA

SEQ ID NO:14: NM_005525_T3 | LENGTH: 1394

GCACTGCCTGAGACTACTCCAGCCTCCCCCGTCCCTGATGTCACAATT
CAGAGGCTGCTGCCTGCTTAGGAGGTTGTAGAAAGCTCTGTAGGTTCT
CTCTGTGTGTCCTACAGGAGTCTTCAGGCCAGCTCCCTGTCGGATGGC

TTTTATGAAAAAATATCTCCTCCCCATTCTGGGGCTCTTCATGGCCTAC
TACTACTATTCTGCAAACGAGGAATTCAGACCAGAGATGCTCCAAGGA
AAGAAAGTGATTGTCACAGGGGCCAGCAAAGGGATCGGAAGAGAGAT
GGCTTATCATCTGGCGAAGATGGGAGCCCATGTGGTGGTGACAGCGA
GGTCAAAAGAAACTCTACAGAAGGTGGTATCCCACTGCCTGGAGCTTG
GAGCAGCCTCAGCACACTACATTGCTGGCACCATGGAAGACATGACCT
TCGCAGAGCAATTTGTTGCCCAAGCAGGAAAGCTCATGGGAGGACTA
GACATGCTCATTCTCAACCACATCACCAACACTTCTTTGAATCTTTTTCA
TGATGATATTCACCATGTGCGCAAAAGCATGGAAGTCAACTTCCTCAGT
TACGTGGTCCTGACTGTAGCTGCCTTGCCCATGCTGAAGCAGAGCAAT
GGAAGCATTGTTGTCGTCTCCTCTCTGGCTGGGAAAGTGGCTTATCCA
ATGGTTGCTGCCTATTCTGCAAGCAAGTTTGCTTTGGATGGGTTCTTCT
CCTCCATCAGAAAGGAATATTCAGTGTCCAGGGTCAATGTATCAATCAC
TCTCTGTGTTCTTGGCCTCATAGACACAGAAACAGCCATGAAGGCAGT
TTCTGGGATAGTCCATATGCAAGCAGCTCCAAAGGAGGAATGTGCCCT
GGAGATCATCAAAGGGGGAGCTCTGCGCCAAGAAGAAGTGTATTATGA
CAGCTCACTCTGGACCACTCTTCTGATCAGAAATCCATGCAGGAAGAT
CCTGGAATTTCTCTACTCAACGAGCTATAATATGGAGGGACTGTTCTGT
CTCATGTTTATCTGAGCTCTTATCTATGAAGACATCTTCCCAGAGTGTC
CCCAGAGACATGCAAGTCATGGGTCACACCTGACAAATGGAAGGAGTT
CCTCTAACATTTGCAAAATGGAAATGTAATAATAATGAATGTCATGCAC
CGCTGCAGCCAGCAGTTGTAAAATTGTTAGTAAACATAGGTATAATTAC
CAGATAGTTATATTAAATTTATATCTTATATATAATAATATGTGATGATTA
ATACAATATTAATTATAATAAAGGTCACATAAACTTTATAAATTCATAACT
GGTAGCTATAACTTGAGCTTATTCAGGATGGTTTCTTTAAAACCATAAA
CTGTACAAATGAAATTTTTCAATATTTGTTTCTTAT

SEQ ID NO:15: NM_005525_T4 | LENGTH: 1394

GCACTGCCTGAGACTACTCCAGCCTCCCCCGTCCCTGATGTCACAATT
CAGAGGCTGCTGCCTGCTTAGGAGGTTGTAGAAAGCTCTGTAGGTTCT
CTCTGTGTGTCCTACAGGAGTCTTCAGGCCAGCTCCCTGTCGGATGGC
TTTTATGAAAAAATATCTCCTCCCCATTCTGGGGCTCTTCATGGCCTAC

TACTACTATTCTGCAAACGAGGAATTCAGACCAGAGATGCTCCAAGGA
AAGAAAGTGATTGTCACAGGGGCCAGCAAAGGGATCGGAAGAGAGAT
GGCTTATCATCTGGCGAAGATGGGAGCCCATGTGGTGGTGACAGCGA
GGTCAAAAGAAACTCTACAGAAGGTGGTATCCCACTGCCTGGAGCTTG
GAGCAGCCTCAGCACACTACATTGCTGGCACCATGGAAGACATGACCT
TCGCAGAGCAATTTGTTGCCCAAGCAGGAAAGCTCATGGGAGGACTA
GACATGCTCATTCTCAACCACATCACCAACACTTCTTTGAATCTTTTTCA
TGATGATATTCACCATGTGCGCCCCATGCTGAAGCAGAGCAATGGAAG
CATTGTTGTCGTCTCCTCTCTGGCTGGGAAAGTGGCTTATCCAATGGTT
GCTGCCTATTCTGCAAGCAAGTTTGCTTTGGATGGGTTCTTCTCCTCCA
TCAGAAAGGAATATTCAGTGTCCAGGGTCAATGTATCAATCACTCTCTG
TGTTCTTGGCCTCATAGACACAGAAACAGCCATGAAGGCAGTTTCTGG
GATAGTCCATATGCAAGCAGCTCCAAAGGAGGAATGTGCCCTGGAGAT
CATCAAAGGGGGAGCTCTGCGCCAAGAAGAAGTGTATTATGACAGCTC
ACTCTGGACCACTCTTCTGATCAGAAATCCATGCAGGAAGATCCTGGA
ATTTCTCTACTCAACGAGCTATAATATGGACAGATTCATAAACAAGTAG
GAACTCCCTGAGGGCTGGGCATGCTGAGGGATTTTGGGACTGTTCTG
TCTCATGTTTATCTGAGCTCTTATCTATGAAGACATCTTCCCAGAGTGT
CCCCAGAGACATGCAAGTCATGGGTCACACCTGACAAATGGAAGGAG
TTCCTCTAACATTTGCAAAATGGAAATGTAATAATAATGAATGTCATGCA
CCGCTGCAGCCAGCAGTTGTAAAATTGTTAGTAAACATAGGTATAATTA
CCAGATAGTTATATTAAATTTATATCTTATATATAATAATATGTGATGATT
AATACAATATTAATTATAATAAAGGTCACATAAACTTTATAAATTCATAAC
TGGTAGCTATAACTTGAGCTTATTCAGGATGGTTTCTTTAAAACCATAAA
CTGTACAAATGAAATTTTTCAATATTTGTTTCTTAT

SEQ ID NO:16: NM_005525_T5 | LENGTH: 1394

GCACTGCCTGAGACTACTCCAGCCTCCCCCGTCCCTGATGTCACAATT
CAGAGGCTGCTGCCTGCTTAGGAGGTTGTAGAAAGCTCTGTAGGTTCT
CTCTGTGTGTCCTACAGGAGTCTTCAGGCCAGCTCCCTGTCGGATGGC
TTTTATGAAAAAATATCTCCTCCCCATTCTGGGGCTCTTCATGGCCTAC
TACTACTATTCTGCAAACGAGGAATTCAGACCAGAGATGCTCCAAGGA

AAGAAAGTGATTGTCACAGGGGCCAGCAAAGGGATCGGAAGAGAGAT
GGCTTATCATCTGGCGAAGATGGGAGCCCATGTGGTGGTGACAGCGA
GCTCAGCACACTACATTGCTGGCACCATGGAAGACATGACCTTCGCAG
AGCAATTTGTTGCCCAAGCAGGAAAGCTCATGGGAGGACTAGACATGC
TCATTCTCAACCACATCACCAACACTTCTTTGAATCTTTTTCATGATGAT
ATTCACCATGTGCGCAAAAGCATGGAAGTCAACTTCCTCAGTTACGTG
GTCCTGACTGTAGCTGCCTTGCCCATGCTGAAGCAGAGCAATGGAAG
CATTGTTGTCGTCTCCTCTCTGGCTGGGAAAGTGGCTTATCCAATGGTT
GCTGCCTATTCTGCAAGCAAGTTTGCTTTGGATGGGTTCTTCTCCTCCA
TCAGAAAGGAATATTCAGTGTCCAGGGTCAATGTATCAATCACTCTCTG
TGTTCTTGGCCTCATAGACACAGAAACAGCCATGAAGGCAGTTTCTGG
GATAGTCCATATGCAAGCAGCTCCAAAGGAGGAATGTGCCCTGGAGAT
CATCAAAGGGGGAGCTCTGCGCCAAGAAGAAGTGTATTATGACAGCTC
ACTCTGGACCACTCTTCTGATCAGAAATCCATGCAGGAAGATCCTGGA
ATTTCTCTACTCAACGAGCTATAATATGGACAGATTCATAAACAAGTAG
GAACTCCCTGAGGGCTGGGCATGCTGAGGGATTTTGGGACTGTTCTG
TCTCATGTTTATCTGAGCTCTTATCTATGAAGACATCTTCCCAGAGTGT
CCCCAGAGACATGCAAGTCATGGGTCACACCTGACAAATGGAAGGAG
TTCCTCTAACATTTGCAAAATGGAAATGTAATAATAATGAATGTCATGCA
CCGCTGCAGCCAGCAGTTGTAAAATTGTTAGTAAACATAGGTATAATTA
CCAGATAGTTATATTAAATTTATATCTTATATATAATAATATGTGATGATT
AATACAATATTAATTATAATAAAGGTCACATAAACTTTATAAATTCATAAC
TGGTAGCTATAACTTGAGCTTATTCAGGATGGTTTCTTTAAAACCATAAA
CTGTACAAATGAAATTTTTCAATATTTGTTTCTTAT

SEQ ID NO:17: NM_005525_T6 | LENGTH: 1821

GGTGAAAAGGGAAAACCTGCCCAAATCCAGTTTTTGTTTCAGTAACTTC
CTTTGAGACAAAGTCAGGAATCTGAGAGTAAGCACCTGCTAAGGGTGG
GACAGGGGCTCTGTCTGGTATGCCTCTCCCATGTTAAGAGCTAACAAT
AGTAATGGATAAGTCTCCAGGGCAACCAGGACCACTTCCAAGCATTCC
TGTCTTGGGCTGCCTCGAGGGCTCCTCTGTCCTTTGGGGAGTACTGAT
TGATGCCTGATGCCCAGAACTGGCCCACTCTGGCTTCTCTTTGGAGCT

GTCTCTGCAGGCGCCTTCTGGCTGCCAGCTCGGTCCTAGCATAAGGG
ACTTCTTCCTTGGCCTGGGTTTCACCTTCTTGTATCAGGTGGCAGACCA
GCTGGTTTCAGTCCCAAATCAGGTCTTCTGACTCCTCCCAGAAACCAA
CCAACTTCTGAGCAGGAAATCCTGCCCCTCCCCAAAGAGTGGGAAACC
GCAAAGGAAGAGAGAGATGAAACAGAAGGAAAGGCAGAGGAGGAGG
GAGAGAGAGAGAAGAGAAGAAAAAGAAAAAAGAACATCAATAAAAAGA
AGTCAGATTTGTTCGAAATCTTGAGAGATGCTCCAAGGAAAGAAAGTG
ATTGTCACAGGGGCCAGCAAAGGGATCGGAAGAGAGATGGCTTATCA
TCTGGCGAAGATGGGAGCCCATGTGGTGGTGACAGCGAGGTCAAAAG
AAACTCTACAGAAGGTGGTATCCCACTGCCTGGAGCTTGGAGCAGCCT
CAGCACACTACATTGCTGGCACCATGGAAGACATGACCTTCGCAGAGC
AATTTGTTGCCCAAGCAGGAAAGCTCATGGGAGGACTAGACATGCTCA
TTCTCAACCACATCACCAACACTTCTTTGAATCTTTTTCATGATGATATT
CACCATGTGCGCAAAAGCATGGAAGTCAACTTCCTCAGTTACGTGGTC
CTGACTGTAGCTGCCTTGCCCATGCTGAAGCAGAGCAATGGAAGCATT
GTTGTCGTCTCCTCTCTGGCTGGGAAAGTGGCTTATCCAATGGTTGCT
GCCTATTCTGCAAGCAAGTTTGCTTTGGATGGGTTCTTCTCCTCCATCA
GAAAGGAATATTCAGTGTCCAGGGTCAATGTATCAATCACTCTCTGTGT
TCTTGGCCTCATAGACACAGAAACAGCCATGAAGGCAGTTTCTGGGAT
AGTCCATATGCAAGCAGCTCCAAAGGAGGAATGTGCCCTGGAGATCAT
CAAAGGGGGAGCTCTGCGCCAAGAAGAAGTGTATTATGACAGCTCACT
CTGGACCACTCTTCTGATCAGAAATCCATGCAGGAAGATCCTGGAATT
TCTCTACTCAACGAGCTATAATATGGACAGATTCATAAACAAGTAGGAA
CTCCCTGAGGGCTGGGCATGCTGAGGGATTTTGGGACTGTTCTGTCTC
ATGTTTATCTGAGCTCTTATCTATGAAGACATCTTCCCAGAGTGTCCCC
AGAGACATGCAAGTCATGGGTCACACCTGACAAATGGAAGGAGTTCCT
CTAACATTTGCAAAATGGAAATGTAATAATAATGAATGTCATGCACCGC
TGCAGCCAGCAGTTGTAAAATTGTTAGTAAACATAGGTATAATTACCAG
ATAGTTATATTAAATTTATATCTTATATATAATAATATGTGATGATTAATA
CAATATTAATTATAATAAAGGTCACATAAACTTTATAAATTCATAACTGG
TAGCTATAACTTGAGCTTATTCAGGATGGTTTCTTTAAAACCATAAACTG
TACAAATGAAATTTTTCAATATTTGTTTCTTAT

SEQ ID NO:18: NM_005525_T7 | LENGTH: 1304

GCACTGCCTGAGACTACTCCAGCCTCCCCCGTCCCTGATGTCACAATT
CAGAGGCTGCTGCCTGCTTAGGAGGTTGTAGAAAGCTCTGTAGGTTCT
CTCTGTGTGTCCTACAGGAGTCTTCAGGCCAGCTCCCTGTCGGATGGC
TTTTATGAAAAAATATCTCCTCCCCATTCTGGGGCTCTTCATGGCCTAC
TACTACTATTCTGCAAACGAGGAATTCAGACCAGAGATGCTCCAAGGA
AAGAAAGTGATTGTCACAGGGGCCAGCAAAGGGATCGGAAGAGAGAT
GGCTTATCATCTGGCGAAGATGGGAGCCCATGTGGTGGTGACAGCGA
GGTCAAAAGAAACTCTACAGAAGGTGGTATCCCACTGCCTGGAGCTTG
GAGCAGCCTCAGCACACTACATTGCTGGCACCATGGAAGACATGACCT
TCGCAGAGCAATTTGTTGCCCAAGCAGGAAAGCTCATGGGAGGACTA
GACATGCTCATTCTCAACCACATCACCAACACTTCTTTGAATCTTTTTCA
TGATGATATTCACCATGTGCGCAAAAGCATGGAAGTCAACTTCCTCAGT
TACGTGGTCCTGACTGTAGCTGCCTTGCCCATGCTGAAGCAGAGCAAT
GGAAGCATTGTTGTCGTCTCCTCTCTGGCTGAAACAGCCATGAAGGCA
GTTTCTGGGATAGTCCATATGCAAGCAGCTCCAAAGGAGGAATGTGCC
CTGGAGATCATCAAAGGGGGAGCTCTGCGCCAAGAAGAAGTGTATTAT
GACAGCTCACTCTGGACCACTCTTCTGATCAGAAATCCATGCAGGAAG
ATCCTGGAATTTCTCTACTCAACGAGCTATAATATGGACAGATTCATAA
ACAAGTAGGAACTCCCTGAGGGCTGGGCATGCTGAGGGATTTTGGGA
CTGTTCTGTCTCATGTTTATCTGAGCTCTTATCTATGAAGACATCTTCCC
AGAGTGTCCCCAGAGACATGCAAGTCATGGGTCACACCTGACAAATGG
AAGGAGTTCCTCTAACATTTGCAAAATGGAAATGTAATAATAATGAATG
TCATGCACCGCTGCAGCCAGCAGTTGTAAAATTGTTAGTAAACATAGG
TATAATTACCAGATAGTTATATTAAATTTATATCTTATATATAATAATATG
TGATGATTAATACAATATTAATTATAATAAAGGTCACATAAACTTTATAAA
TTCATAACTGGTAGCTATAACTTGAGCTTATTCAGGATGGTTTCTTTAAA
ACCATAAACTGTACAAATGAAATTTTTCAATATTTGTTTCTTAT

SEQ ID NO:19: XM_110304_T1 | Length: 1307 WT

ACTGTTGGCCTCTGGAWTCAGAGGCTGCTGCCTGCCTGGGAGGTTGT
AGAAAGCTCTGCAGGTTTTCTTCGTGTGTCCTACAGGGCGCCCTGAGC
CAGGTCCCTGTTTGATGGCAGTTATGAAAAATTACCTCCTCCCGATCCT
GGTGCTCTTCCTGGCCTACTACTACTATTCTACAAATGAAGAGTTCAGA
CCAGAAATGCTCCAGGGAAAGAAAGTGATTGTCACTGGGGCCAGCAA
AGGGATTGGAAGAGAAATGGCATATCATCTGTCAAAAATGGGAGCCCA
TGTGGTATTGACTGCCAGGTCGGAGGAAGGTCTCCAGAAGGTAGTGT
CTCGCTGCCTTGAACTCGGAGCAGCCTCTGCTCACTACATTGCTGGCA
CTATGGAAGACATGACATTTGCGGAGCAATTTATTGTCAAGGCGGGAA
AGCTCATGGGCGGACTGGACATGCTTATTCTAAACCACATCACTCAGA
CCTCGCTGTCTCTCTTCCATGACGACATCCACTCTGTGCGAAGAGTCA
TGGAGGTCAACTTCCTCAGCTACGTGGTCATGAGCACAGCCGCCTTGC
CCATGCTGAAGCAGAGCAATGGCAGCATTGCCGTCATCTCCTCCTTGG
CTGGGAAAATGACCCAGCCTATGATTGCTCCCTACTCTGCAAGGAAGT
TTGCTCTGGATGGGTTCTTTTCCACCATTAGAACAGAACTCTACATAAC
CAAGGTCAACGTGTCCATCACTCTCTGTGTCCTTGGCCTCATAGACAC
AGAAACAGCTATGAAGGAAATCTCTGGGATAATTAACGCCCAAGCTTC
TCCCAAGGAGGAGTGCGCCCTGGAGATCATCAAAGGCACAGCTCTAC
GCAAAAGCGAGGTGTACTATGACAAATCGCCTTTGACTCCAATCCTGC
TTGGGAACCCAGGAAGGAAGATCATGGAATTTTTTTCATTACGATATTA
TAATAAGGACATGTTTGTAAGTAACTAGGAACTCCTGAGCCCTGGTGA
GTGGTCTTAGAACAGTCCTGCCTGATACTTCTGTAAGCCCTACCCACA
AAAGTATCTTTCCAGAGATACACAAATTTTGGGGTACACCTCATCATGA
GAAATTCTTGCAACACTTGCACAGTGAAAATGTAATTGTAATAAATGTC
ACAAACCACTTTGGGGCCTGCAGTTGTGAACTTGATTGTAACTATGGAT
ATAAACACATAGTGGTTGTATCGGCTTTACCTCACACTGAATGAAACAA
TGATAACTAATGTAACATTAAATATAATAAAGGTAATATCAACTTTGTAA
ATGCA

SEQ ID NO:20: XM_110304_T3 | Length: 1181

ACTGTTGGCCTCTGGAWTCAGAGGCTGCTGCCTGCCTGGGAGGTTGT
AGAAAGCTCTGCAGGTTTTCTTCGTGTGTCCTACAGGGCGCCCTGAGC
CAGGTCCCTGTTTGATGGCAGTTATGAAAAATTACCTCCTCCCGATCCT
GGTGCTCTTCCTGGCCTACTACTACTATTCTACAAATGAAGAGTTCAGA
CTCCAGAAGGTAGTGTCTCGCTGCCTTGAACTCGGAGCAGCCTCTGCT
CACTACATTGCTGGCACTATGGAAGACATGACATTTGCGGAGCAATTT
ATTGTCAAGGCGGGAAAGCTCATGGGCGGACTGGACATGCTTATTCTA
AACCACATCACTCAGACCTCGCTGTCTCTCTTCCATGACGACATCCACT
CTGTGCGAAGAGTCATGGAGGTCAACTTCCTCAGCTACGTGGTCATGA
GCACAGCCGCCTTGCCCATGCTGAAGCAGAGCAATGGCAGCATTGCC
GTCATCTCCTCCTTGGCTGGGAAAATGACCCAGCCTATGATTGCTCCC
TACTCTGCAAGCAAGTTTGCTCTGGATGGGTTCTTTTCCACCATTAGAA
CAGAACTCTACATAACCAAGGTCAACGTGTCCATCACTCTCTGTGTCCT
TGGCCTCATAGACACAGAAACAGCTATGAAGGAAATCTCTGGGATAAT
TAACGCCCAAGCTTCTCCCAAGGAGGAGTGCGCCCTGGAGATCATCA
AAGGCACAGCTCTACGCAAAAGCGAGGTGTACTATGACAAATCGCCTT
TGACTCCAATCCTGCTTGGGAACCCAGGAAGGAAGATCATGGAATTTT
TTTCATTACGATATTATAATAAGGACATGTTTGTAAGTAACTAGGAACTC
CTGAGCCCTGGTGAGTGGTCTTAGAACAGTCCTGCCTGATACTTCTGT
AAGCCCTACCCACAAAAGTATCTTTCCAGAGATACACAAATTTTGGGGT
ACACCTCATCATGAGAAATTCTTGCAACACTTGCACAGTGAAAATGTAA
TTGTAATAAATGTCACAAACCACTTTGGGGCCTGCAGTTGTGAACTTGA
TTGTAACTATGGATATAAACACATAGTGGTTGTATCGGCTTTACCTCAC
ACTGAATGAAACAATGATAACTAATGTAACATTAAATATAATAAAGGTAA
TATCAACTTTGTAAATGCA

SEQ ID NO:21: XM_110304_T4 | Length: 845

ACTGTTGGCCTCTGGAWTCAGAGGCTGCTGCCTGCCTGGGAGGTTGT
AGAAAGCTCTGCAGGTTTTCTTCGTGTGTCCTACAGGGCGCCCTGAGC
CAGGTCCCTGTTTGATGGCAGTTATGAAAAATTACCTCCTCCCGATCCT
GGTGCTCTTCCTGGCCTACTACTACTATTCTACAAATGAAGAGTTCAGA

CCAGAAATGCTCCAGGGAAAGAAAGTGATTGTCACTGGGGCCAGCAA
AGGGATTGGAAGAGAAATGGCATATCATCTGTCAAAAATGGGAGCCCA
TGTGGTATTGACTGCCAGGTCGGAGGAAGGTCTCCAGAAGGTAGTGT
CTCGCTGCCTTGAACTCGGAGCAGCCTCTGCTCACTACATTGCTGGCA
CTATGGAAGACATGACATTTGCGGAGCAATTTATTGTCAAGGCGGGAA
AGCTCATGGGCGGACTGGACATGCTTATTCTAAACCACATCACTCAGA
CCTCGCTGTCTCTCTTCCATGACGACATCCACTCTGTGCGAAGAGTCA
TGGAGGTCAACTTCCTCAGCTACGTGGTCATGAGCACAGCCGCCTTGC
CCATGCTGAAGCAGAGCAATGGCAGCATTGCCGTCATCTCCTCCTTGG
CTGGGGGAAGAACAGTTCCACAACAGAGAAGTCGCAGTGTTACTCCTG
ACTCCCGCGGCCCGTGATTAATATCACCAGCCACAGAATGGACTGGAA
CCCTGTATCGATCTGGTGGGATTGGATATAACGAACATAGAATTACTCC
TGAGACTACCAGAACTGAATAGTTCAAATCAAATCATGCCAGAATATCA
GACAAATCCAAATGGCAAAACAGTTGCA

SEQ ID NO:22-30 Adiponectin variants products:

SEQ ID NO:22: NP_004788_P1 | Length: 244 | Transcript: 1 WT

MLLLGAVLLLLALPGHDQETTTQGPGVLLPLPKGACTGWMAGIPGHPGHN
GAPGRDGRDGTPGEKGEKGDPGLIGPKGDIGETGVPGAEGPRGFPGIQG
RKGEPGEGAYVYRSAFSVGLETYVTIPNMPIRFTKIFYNQQNHYDGSTGK
FHCNIPGLYYFAYHITVYMKDVKVSLFKKDKAMLFTYDQYQENNVDQASG
SVLLHLEVGDQVWLQVYGEGERNGLYADNDNDSTFTGFLLYHDTN

SEQ ID NO:23: NP_004788_P2 | Length: 160 | Transcript: 2

MPGAEGPRGFPGIQGRKGEPGEGAYVYRSAFSVGLETYVTIPNMPIRFTKI
FYNQQNHYDGSTGKFHCNIPGLYYFAYHITVYMKDVKVSLFKKDKAMLFT
YDQYQENNVDQASGSVLLHLEVGDQVWLQVYGEGERNGLYADNDNDST
FTGFLLYHDTN

SEQ ID NO:24: NP_004788_P3 | Length: 153 | Transcript: 3

MLLLGAVLLLLALPGHDQETTTQGPGVLLPLPKGACTGWMAGIPGHPGHN
GAPGRDGRDGTPGEKGEKGDPGLIGPKGDIGETGVPGAEGPRGFPGIQG

RKGEPGEGALLSPTCPFALPRSSTISKTTMMAPLVNSTATFLGCTTLPTTS
QSI

SEQ ID NO:25: NP_004788_P4 | Length: 166 | Transcript: 4

MLLLGAVLLLLALPGHDQETTTQGPGVLLPLPKGACTGWMAGIPGHPGHN
GAPGRDGRDGTPGEKGEKGDPGLIGPKGDIGETGVPGAEGPRGFPGIQG
RKGEPGEGAYVYRSAFSVGLETYVTIPNMPIRFTKIFYNQQNHYDGSTGK
FHCNIPGLYLHRLSSLP

SEQ ID NO:26: NP_033735_P1 | Length: 247 | Transcript: 1 WT

MLLLQALLFLLILPSHAEDDVTTTEELAPALVPPPKGTCAGWMAGIPGHPG
HNGTPGRDGRDGTPGEKGEKGDAGLLGPKGETGDVGMTGAEGPRGFP
GTPGRKGEPGEAAYMYRSAFSVGLETRVTVPNVPIRFTKIFYNQQNHYDG
STGKFYCNIPGLYYFSYHITVYMKDVKVSLFKKDKAVLFTYDQYQEKNVDQ
ASGSVLLHLEVGDQVWLQVYGDGDHNGLYADNVNDSTFTGFLLYHDTN

SEQ ID NO:27: NP_033735_P2 | Length: 160 | Transcript: 2

MTGAEGPRGFPGTPGRKGEPGEAAYVYRSAFSVGLETRVTVPNVPIRFT
KIFYNQQNHYDGSTGKFYCNIPGLYYFSYHITVYMKDVKVSLFKKDKAVLF
TYDQYQEKNVDQASGSVLLHLEVGDQVWLQVYGDGDHNGLYADNVNDS
TFTGFLLYHDTN

SEQ ID NO:28: NP_033735_P3 | Length: 156 | Transcript: 3

MLLLQALLFLLILPSHAEDDVTTTEELAPALVPPPKGTCAGWMAGIPGHPG
HNGTPGRDGRDGTPGEKGEKGDAGLLGPKGETGDVGMTGAEGPRGFP
GTPGRKGEPGEAASLFPMYPFALLRSSTTNRIIMTAALASSTATFRDSTTS
LTTSRCT

SEQ ID NO:29: NP_033735_P4 | Length: 169 | Transcript: 4

MLLLQALLFLLILPSHAEDDVTTTEELAPALVPPPKGTCAGWMAGIPGHPG
HNGTPGRDGRDGTPGEKGEKGDAGLLGPKGETGDVGMTGAEGPRGFP

GTPGRKGEPGEAAYVYRSAFSVGLETRVTVPNVPIRFTKIFYNQQNHYDG
STGKFYCNIPGLYIYWLSSLP

SEQ ID NO:30: NP_033735_P5 | Length: 76 | Transcript: 5

MLLLQALLFLLILPSHAEDDVTTTEELAPALVPPPKGTCAGWMAGIPGHPG
HIKIKFEGHPPGRLNCAKIWHFLQD

SEQ ID NO:31-32 Ghrelin variants :

SEQ ID NO:31: NP_057446 | Length: 117 | Transcript: 1 WT

MPSPGTVCSLLLLGMLWLDLAMAGSSFLSPEHQRVQQRKESKKPPAKLQ
PRALAGWLRPEDGGQAEGAEDELEVRFNAPFDVGIKLSGVQYQQHSQAL
GKFLQDILWEEAKEAPADK

SEQ ID NO:32: NP_057446 | Length: 117 | Transcript: 2

MPSPGTVCSLLLLGMLWLDLAMAGSSFLSPEHQRVQVRPPHKAPHVVPA
LPLSNQLCDLEQQRHLWASVFSQSTKDSGSDLTVSGRTWGLRVLNRLFP
PSSRERSRRSHQPSCSPEL

SEQ ID NO:33-42 HSD11B variants:

SEQ ID NO:33: NP_005516 | Length: 292 | Transcript: 1 WT

MAFMKKYLLPILGLFMAYYYYSANEEFRPEMLQGKKVIVTGASKGIGREMA
YHLAKMGAHVVVTARSKETLQKVVSHCLELGAASAHYIAGTMEDMTFAEQ
FVAQAGKLMGGLDMLILNHITNTSLNLFHDDIHHVRKSMEVNFLSYVVLTV
AALPMLKQSNGSIVVVSSLAGKVAYPMVAAYSASKFALDGFFSSIRKEYSV
SRVNVSITLCVLGLIDTETAMKAVSGIVHMQAAPKEECALEIIKGGALRQEE
VYYDSSLWTTLLIRNPCRKILEFLYSTSYNMDRFINK

SEQ ID NO:34: NP_005516 | Length: 163 | Transcript: 2

MAFMKKYLLPILGLFMAYYYYSANEEFRPEMLQGKKVIVTGASKGIGREMA
YHLAKMGAHVVVTASSAHYIAGTMEDMTFAEQFVAQAGKLMGGLDMLILN
HITNTSLNLFHDDIHHVRKSMEVNFLSYVVLTVAALPMLKQSNGSMCALLL
ECYHVVHLSSX

SEQ ID NO:35: NP_005516 | Length: 295 | Transcript: 3

MAFMKKYLLPILGLFMAYYYYSANEEFRPEMLQGKKVIVTGASKGIGREMA
YHLAKMGAHVVVTARSKETLQKVVSHCLELGAASAHYIAGTMEDMTFAEQ
FVAQAGKLMGGLDMLILNHITNTSLNLFHDDIHHVRKSMEVNFLSYVVLTV
AALPMLKQSNGSIVVVSSLAGKVAYPMVAAYSASKFALDGFFSSIRKEYSV
SRVNVSITLCVLGLIDTETAMKAVSGIVHMQAAPKEECALEIIKGGALRQEE
VYYDSSLWTTLLIRNPCRKILEFLYSTSYNMEGLFCLMFI

SEQ ID NO:36: NP_005516 | Length: 274 | Transcript: 4

MAFMKKYLLPILGLFMAYYYYSANEEFRPEMLQGKKVIVTGASKGIGREMA
YHLAKMGAHVVVTARSKETLQKVVSHCLELGAASAHYIAGTMEDMTFAEQ
FVAQAGKLMGGLDMLILNHITNTSLNLFHDDIHHVRPMLKQSNGSIVVVSS
LAGKVAYPMVAAYSASKFALDGFFSSIRKEYSVSRVNVSITLCVLGLIDTET
AMKAVSGIVHMQAAPKEECALEIIKGGALRQEEVYYDSSLWTTLLIRNPCR
KILEFLYSTSYNMDRFINK

SEQ ID NO:37: NP_005516 | Length: 274 | Transcript: 5

MAFMKKYLLPILGLFMAYYYYSANEEFRPEMLQGKKVIVTGASKGIGREMA
YHLAKMGAHVVVTASSAHYIAGTMEDMTFAEQFVAQAGKLMGGLDMLILN
HITNTSLNLFHDDIHHVRKSMEVNFLSYVVLTVAALPMLKQSNGSIVVVSSL
AGKVAYPMVAAYSASKFALDGFFSSIRKEYSVSRVNVSITLCVLGLIDTETA
MKAVSGIVHMQAAPKEECALEIIKGGALRQEEVYYDSSLWTTLLIRNPCRKI
LEFLYSTSYNMDRFINK

SEQ ID NO:38: NP_005516 | Length: 262 | Transcript: 6

MLQGKKVIVTGASKGIGREMAYHLAKMGAHVVVTARSKETLQKVVSHCLE
LGAASAHYIAGTMEDMTFAEQFVAQAGKLMGGLDMLILNHITNTSLNLFHD
DIHHVRKSMEVNFLSYVVLTVAALPMLKQSNGSIVVVSSLAGKVAYPMVAA
YSASKFALDGFFSSIRKEYSVSRVNVSITLCVLGLIDTETAMKAVSGIVHMQ
AAPKEECALEIIKGGALRQEEVYYDSSLWTTLLIRNPCRKILEFLYSTSYNM
DRFINK

SEQ ID NO:39: NP_005516 | Length: 244 | Transcript: 7

MAFMKKYLLPILGLFMAYYYYSANEEFRPEMLQGKKVIVTGASKGIGREMA
YHLAKMGAHVVVTARSKETLQKVVSHCLELGAASAHYIAGTMEDMTFAEQ
FVAQAGKLMGGLDMLILNHITNTSLNLFHDDIHHVRKSMEVNFLSYVVLTV
AALPMLKQSNGSIVVVSSLAETAMKAVSGIVHMQAAPKEECALEIIKGGAL
RQEEVYYDSSLWTTLLIRNPCRKILEFLYSTSYNMDRFINK

SEQ ID NO:40: XP_110304| Length: 292 | Transcript: 1 WT

MAVMKNYLLPILVLFLAYYYYSTNEEFRPEMLQGKKVIVTGASKGIGREMA
YHLSKMGAHVVLTARSEEGLQKVVSRCLELGAASAHYIAGTMEDMTFAEQ
FIVKAGKLMGGLDMLILNHITQTSLSLFHDDIHSVRRVMEVNFLSYVVMSTA
ALPMLKQSNGSIAVISSLAGKMTQPMIAPYSASKFALDGFFSTIRTELYITKV
NVSITLCVLGLIDTETAMKEISGIINAQASPKEECALEIIKGTALRKSEVYYDK
SPLTPILLGNPGRKIMEFFSLRYYNKDMFVSN

SEQ ID NO:41: XP_110304| Length: 250 | Transcript: 8

MAVMKNYLLPILVLFLAYYYYSTNEEFRLQKVVSRCLELGAASAHYIAGTM
EDMTFAEQFIVKAGKLMGGLDMLILNHITQTSLSLFHDDIHSVRRVMEVNF
LSYVVMSTAALPMLKQSNGSIAVISSLAGKMTQPMIAPYSASKFALDGFFS
TIRTELYITKVNVSITLCVLGLIDTETAMKEISGIINAQASPKEECALEIIKGTAL
RKSEVYYDKSPLTPILLGNPGRKIMEFFSLRYYNKDMFVSN

SEQ ID NO:42: XP_110304| Length: 192 | Transcript: 9

MAVMKNYLLPILVLFLAYYYYSTNEEFRPEMLQGKKVIVTGASKGIGREMA
YHLSKMGAHVVLTARSEEGLQKVVSRCLELGAASAHYIAGTMEDMTFAEQ
FIVKAGKLMGGLDMLILNHITQTSLSLFHDDIHSVRRVMEVNFLSYVVMSTA
ALPMLKQSNGSIAVISSLAGGRTVPQQRSRSVTPDSRGP

"Obesity and/or diabetes Variants products", also referred at times as the ***"obesity and/or diabetes variants proteins"*** or ***"obesity and/or diabetes variants polypeptides"*** – are amino acid sequences encoded by

the obesity and/or diabetes variants nucleic acid sequences which are naturally occurring mRNA sequences obtained as a result of alternative splicing. The amino acid sequences may be a peptide, a protein, as well as peptides or proteins having *chemically modified* amino acids (see below) such as a glycopeptide or glycoprotein. The obesity and/or diabetes variants products are shown in any one of SEQ ID NO:22 to SEQ ID NO:42. The term also includes *homologs* (see below) of said sequences in which one or more amino acids has been added, deleted, *substituted* (see below) or *chemically modified* (see below) as well as *fragments* (see below) of this sequence having at least 10 amino acids.

"Fragments of obesity and/or diabetes related variants nucleic acid sequences" – a partial sequence of any one of SEQ ID NO:1 to SEQ ID NO:21 which includes the regions which contain the variation in nucleotides between the variant and the original sequences. These regions (in the amino acid level) are as depicted in the above Table 1.

"Fragments of obesity and/or diabetes related variant product" – amino acid sequences coded by the above nucleic acid fragment, containing regions by which the variant differs from the original sequence as indicated in Table 1.

"Nucleic acid sequence" – a sequence composed of DNA nucleotides, RNA nucleotides or a combination of both types and may includes natural nucleotides, chemically modified nucleotides and synthetic nucleotides.

"Amino acid sequence" – a sequence composed of any one of the 20 naturally appearing amino acids, amino acids which have been *chemically modified* (see below), or composed of synthetic amino acids.

"Homologues of variants/products" – amino acid sequences of variants in which one or more amino acids has been added, deleted or replaced.

The altered amino acid shall be in regions where the variant differs from the original sequence, for example, according to the explanation in Table 1.

"Conservative substitution"- refers to the substitution of an amino acid in one class by an amino acid of the same class, where a class is defined by common physicochemical amino acid side chain properties and high substitution frequencies in homologous proteins found in nature, as determined, for example, by a standard Dayhoff frequency exchange matrix or BLOSUM matrix. Six general classes of amino acid side chains have been categorized and include: Class I (Cys); Class II (Ser, Thr, Pro, Ala, Gly); Class III (Asn, Asp, Gln, Glu); Class IV (His, Arg, Lys); Class V (Ile, Leu, Val, Met); and Class VI (Phe, Tyr, Trp). For example, substitution of an Asp for another class III residue such as Asn, Gln, or Glu, is a conservative substitution.

"Non-conservative substitution" - refers to the substitution of an amino acid in one class with an amino acid from another class; for example, substitution of an Ala, a class II residue, with a class III residue such as Asp, Asn, Glu, or Gln.

"Chemically modified" - when referring to the product of the invention, means a product (protein) where at least one of its amino acid residues is modified either by natural processes, such as processing or other post-translational modifications, or by chemical modification techniques which are well known in the art. Among the numerous known modifications typical, but not exclusive examples include: acetylation, acylation, octanoylation, amidation, ADP-ribosylation, glycosylation, GPI anchor formation, covalent attachment of a lipid or lipid derivative, methylation, myristlyation, pegylation, prenylation, phosphorylation, ubiqutination, or any similar process.

"Biologically active" - refers to the variant product having some sort of biological activity, for example, capability of binding to the obesity and/or diabetes related gene or to other agonists of the original obesity and/or diabetes related gene as known.

"Immunologically active" - defines the capability of a natural, recombinant or synthetic variant product, or any fragment thereof, to induce a specific immune response in appropriate animals or cells and to bind with specific antibodies. Thus, for example, an immunologically active fragment of variant product denotes a fragment which retains some or all of the immunological properties of the variant product, e.g., can bind specific anti-variant product antibodies or which can elicit an immune response which will generate such antibodies or cause proliferation of specific immune cells which produce variant.

"Optimal alignment" - is defined as an alignment giving the highest percent identity score. Such alignment can be performed using a variety of commercially available sequence analysis programs, such as the local alignment program LALIGN using a ktup of 1, default parameters and the default PAM. A preferred alignment is the one performed using the CLUSTAL-W program from MacVector™, operated with an open gap penalty of 10.0, an extended gap penalty of 0.1, and a BLOSUM similarity matrix. If a gap needs to be inserted into a first sequence to optimally align it with a second sequence, the percent identity is calculated using only the residues that are paired with a corresponding amino acid residue (i.e., the calculation does not consider residues in the second sequences that are in the *"gap"* of the first sequence). In case of alignments of known gene sequences with that of the new variant, the optimal alignment invariably included aligning the identical parts of both sequences together, then keeping apart and unaligned the sections of the sequences that differ one from the other.

"Having at least 90% identity" - with respect to two amino acid or nucleic acid sequence sequences, refers to the percentage of residues that are identical in the two sequences when the sequences are optimally aligned. Thus, 90% amino acid sequence identity means that 90% of the amino acids in two or more optimally aligned polypeptide sequences are identical.

"Isolated nucleic acid molecule having a variant nucleic acid sequence" - is a nucleic acid molecule that includes the obesity and/or diabetes related variant nucleic acid coding sequence. Said isolated nucleic acid molecule may include the obesity and/or diabetes related variant nucleic acid sequence as an independent insert; may include the obesity and/or diabetes related variant nucleic acid sequence fused to an additional coding sequences, encoding together a fusion protein in which the variant coding sequence is the dominant coding sequence (for example, the additional coding sequence may code for a signal peptide); the obesity and/or diabetes related variant nucleic acid sequence may be in combination with non-coding sequences, e.g., introns or control elements, such as promoter and terminator elements or 5' and/or 3' untranslated regions, effective for expression of the coding sequence in a suitable host; or may be a vector in which the obesity and/or diabetes related variant protein coding sequence is heterologous.

"Expression vector" - refers to vectors that have the ability to incorporate and express heterologous DNA fragments in a foreign cell. Many prokaryotic and eukaryotic expression vectors are known and/or commercially available. Selection of appropriate expression vectors is within the knowledge of those having skill in the art.

"Deletion" - is a change in either nucleotide or amino acid sequence in which one or more nucleotides or amino acid residues, respectively, are absent.

"Insertion" or "addition" - is that change in a nucleotide or amino acid sequence which has resulted in the addition of one or more nucleotides or amino acid residues, respectively, as compared to the naturally occurring sequence.

"Substitution" - replacement of one or more nucleotides or amino acids by different nucleotides or amino acids, respectively. As regards amino acid sequences, the substitution may be conservative or non-conservative.

"Antibody" – refers to IgG, IgM, IgD, IgA, and IgG antibody. The definition includes polyclonal antibodies or monoclonal antibodies. This term refers to whole antibodies or fragments of the antibodies comprising the antigen-binding domain of the anti-variant product antibodies, e.g. antibodies without the Fc portion, single chain antibodies, fragments consisting of essentially only the variable, antigen-binding domain of the antibody, etc.

"Treating a disease" - refers to administering a therapeutic substance effective to ameliorate symptoms associated with a disease, to lessen the severity or cure the disease, or to prevent the disease from occurring.

"Detection" – refers to a method of detection of a disease, disorder, pathological or normal condition. This term may refer to detection of a predisposition to a disease as well as for establishing the prognosis of the patient by determining the severity of the disease.

"Probe" – the obesity and/or diabetes variant nucleic acid sequence, or a sequence complementary therewith, when used to detect presence of other similar sequences in a sample or of sequences having some homology with this sequence. The detection is carried out by identification

of hybridization complexes between the probe and the assayed sequence. The probe may be attached to a solid support or to a detectable label.

"Original obesity and/or diabetes related genes" – the amino acid or nucleic acid sequence from which the obesity and/or diabetes related variants of the invention have been varied as a result of alternative splicing. The original nucleic sequence is the sequence of the human obesity and/or diabetes related gene depicted as SEQ ID NO:1 for human Adiponectin and the original amino acid sequence is the sequence encoded by it; SEQ ID NO:5 for mouse Adiponectin and the original amino acid sequence is the sequence encoded by it; SEQ ID NO:10 for Ghrelin and the original amino acid sequence is the sequence encoded by it; SEQ ID NO:12 for human 11-beta-HSD and the original amino acid sequence is the sequence encoded by it; SEQ ID NO:19 for mouse 11-beta-HSD and the original amino acid sequence is the sequence encoded by it.

SUMMARY OF THE INVENTION

In an aspect, there is provided an isolated amino acid sequence coded by nucleotides 112 to 462 of SEQ ID NO:11

In one embodiment, there is provided an isolated nucleic acid sequence selected from SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:7, SEQ ID NO:8, SEQ ID NO:9, SEQ ID NO:11, SEQ ID NO:13, SEQ ID NO:14, SEQ ID NO:15, SEQ ID NO:16, SEQ ID NO:17, SEQ ID NO:18, SEQ ID NO:20, SEQ ID NO:21, and a complement thereof.

In another embodiment, there is provided a probe comprising the isolated nucleic acid fragment of the invention.

In another embodiment, there is provided an isolated amino acid sequence coded by the isolated nucleic acid sequence of the invention.

In another embodiment, there is provided an isolated peptide comprising at least a 5 contiguous amino acid segment of the amino acid sequence of the invention.

In another embodiment, there is provided an isolated amino acid sequence coded by nucleotides 112 to 462 of SEQ ID NO:11.

In another embodiment, there is provided an isolated peptide comprising at least a 10 contiguous amino acid segment of the isolated amino acid sequence of the invention, wherein said contiguous amino acid segment comprises at least one contiguous amino acid from amino acids 37-117 of SEQ ID NO:32.

Also disclosed are isolated nucleic acid molecules having a sequence selected from the group consisting of: SEQ ID NO:2-4; 6-9; 11; 13-18; 20-21 and fragments thereof comprising at least 15 nucleotides. Also disclosed are isolated nucleic acid molecules comprising SEQ ID NO:2-4; 6-9; 11; 13-18; 20-21 and isolated nucleic acid molecules comprising fragments of SEQ ID NO:2-4; 6-9; 11; 13-18; 20-21 comprising at least 15 nucleotides.

Also disclosed are PCR primers which can amplify products using sequences of SEQ ID NO:2-4; 6-9; 11; 13-18; 20-21 as templates.

Also disclosed are methods of screening, diagnosing and monitoring individuals for obesity and/or diabetes. The methods comprise detecting the presence, absence, or quantity of a transcription product that comprises a sequence selected from the group consisting of: SEQ ID NO:2-4; 6-9; 11; 13-18; 20-21 in a sample. The presence or

quantity of said transcription product is indicative of obesity and/or diabetes.

In another embodiment, there is provided a method for detecting the presence of at least one variant nucleic acid sequence of obesity and/or diabetes related genes in a biological sample comprising the steps of:

(a) hybridizing to nucleic acid material of the biological sample an isolated nucleic acid sequence selected from SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:7, SEQ ID NO:8, SEQ ID NO:9, SEQ ID NO:11, SEQ ID NO:13, SEQ ID NO:14, SEQ ID NO:15, SEQ ID NO:16, SEQ ID NO:17, SEQ ID NO:18, SEQ ID NO:20, SEQ ID NO:21, or a complement thereof; and

(b) detecting a hybridization complex produced by step (a);

wherein the presence of the hybridization complex correlates with the presence of at least one variant nucleic acid sequence in the biological sample.

In another embodiment, there is provided a method for determining the level of variant nucleic acid sequences in a biological sample comprising the steps of:

(a) hybridizing to nucleic acid material of the biological sample an isolated nucleic acid sequence selected from SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:7, SEQ ID NO:8, SEQ ID NO:9, SEQ ID NO:11, SEQ ID NO:13, SEQ ID NO:14, SEQ ID NO:15, SEQ ID NO:16, SEQ ID NO:17, SEQ ID NO:18, SEQ ID NO:20, SEQ ID NO:21, or a complement thereof;

(b) determining the amount of hybridization complexes produced by step (a); and

(c) normalizing the amount of hybridization complexes to provide a level of variant nucleic acid sequences in the biological sample.

In another embodiment, there is provided a method for determining the ratio between the level of a nucleic acid sequence of an obesity and/or diabetes related gene variant in a first biological sample and a variant produced by alternative splicing in a second biological sample comprising the steps of:

(a) determining the level of a first nucleic acid sequence of an obesity and/or diabetes related gene variant in a first biological sample;

(b) determining the level of a second nucleic acid sequence of an alternative splicing form of the variant in a second biological sample; and

(c) comparing the levels obtained in step (a) and step (b) to give a ratio.

In another embodiment, there is provided a method for the identification of compounds capable of affecting the binding affinity of obesity and/or diabetes related proteins to the receptors of said proteins comprising the steps of:

(a) providing an isolated amino acid sequence selected from SEQ ID NO:24, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:28, SEQ ID NO:29, SEQ ID NO:30, SEQ ID NO:32, SEQ ID NO:34, SEQ ID NO:35, SEQ ID NO:36, SEQ ID NO:37, SEQ ID NO:38, SEQ ID NO:39, SEQ ID NO:41, and SEQ ID NO:42;

(b) contacting a candidate compound with the isolated amino acid sequence in the presence of at least one receptor of an obesity and/or diabetes related gene;

(c) determining the effect of the candidate compound on the binding of the isolated amino acid sequence to the at least one receptor; and

(d) selecting a compound capable of affecting the binding affinity of obesity and/or diabetes related proteins to the receptors of said proteins.

In another embodiment, there is provided a method for determining the ratio between the level of an obesity and/or diabetes related protein variant in a first biological sample and a variant produced by alternative splicing in a second biological sample comprising the steps of:

(a) determining the level of a first amino acid sequence of an obesity and/or diabetes related gene variant in a first biological sample;

(b) determining the level of a second amino acid sequence of an alternative splicing form of the variant in a second biological sample; and

(c) comparing the levels obtained in step (a) and step (b) to give a ratio.

In another embodiment, there is provided a method of detecting a specific obesity and/or diabetes related nucleic acid sequence by polymerase chain reaction comprising the steps of:

(a) amplifying a specific obesity and/or diabetes related nucleic acid sequence with a primer pair, wherein at least one of the primers comprises an at least 15 contiguous base pair segment of an isolated nucleic acid sequence selected from SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:7, SEQ ID NO:8, SEQ ID NO:9, SEQ ID NO:11, SEQ ID NO:13, SEQ ID NO:14, SEQ ID NO:15, SEQ ID NO:16, SEQ ID NO:17, SEQ ID NO:18, SEQ ID NO:20, SEQ ID NO:21, and a complement thereof; and

(b) detecting the nucleic acid product of step (a).

Also disclosed are methods of treating individuals suffering from obesity and/or diabetes comprising the step of administering the translation product of a transcript having a sequence selected from the group consisting of: SEQ ID NO:2-4;6-9;11;13-18;20-21.

Also disclosed are kits for screening, diagnosing and monitoring an individual for obesity and/or diabetes.

Also disclosed are proteins encoded by a nucleic acid sequence selected from the group consisting of: SEQ ID NO:2-4; 6-9; 11; 13-18; 20-21 and immunogenic fragments thereof.

Also disclosed are antibodies which specifically bind to an epitope on a protein encoded by a nucleic acid sequence selected from the group consisting of: SEQ ID NO:2-4; 6-9; 11; 13-18; 20-21.

Also disclosed are antibodies which specifically bind to an epitope on a protein encoded by a nucleic acid sequence selected from the group consisting of: SEQ ID NO:2-4; 6-9; 11; 13-18; 20-21 that are linked to detectable labels or active agents.

Also disclosed are pharmaceutical composition comprising antibodies which specifically bind to an epitope on a protein encoded by a nucleic acid sequence selected from the group consisting of: SEQ ID NO:2-4; 6-9; 11; 13-18; 20-21 that are linked to active agents.

Also disclosed are methods of treating an individual suspected of suffering from obesity and/or diabetes. The methods comprise the step of administering to individuals antibodies which specifically bind to an epitope on a protein encoded by a nucleic acid sequence selected from the group consisting of: SEQ ID NO:2-4; 6-9; 11; 13-18; 20-21 that are linked to active agents.

Also disclosed are methods of delivering a nucleic acid molecule to obesity and/or diabetic cell of an individual. The methods comprise the step of administering to said individual a pharmaceutical composition comprising antibodies which specifically bind to an epitope on

a protein encoded by a nucleic acid sequence selected from the group consisting of SEQ ID NO:2-4; 6-9; 11; 13-18; 20-21 and a nucleic acid molecules.

In another embodiment, there is provided an expression vector comprising the isolated nucleic acid sequence of the invention, said sequence operably-linked to control elements for the expression of said sequence in a host cell.

In another embodiment, there is provided a host cell transfected with the expression vector of the invention.

In another embodiment, there is provided an antisense oligonucleotide comprising a 10-40 contiguous base pair segment of a reverse complement of a nucleic acid sequence selected from SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:7, SEQ ID NO:8, SEQ ID NO:9, SEQ ID NO:11, SEQ ID NO:13, SEQ ID NO:14, SEQ ID NO:15, SEQ ID NO:16, SEQ ID NO:17, SEQ ID NO:18, SEQ ID NO:20, and SEQ ID NO:21.

BRIEF DESCRIPTION OF THE DRAWING

Fig. 1 shows multiple alignment of four amino acid sequences of human origin (depicted in SEQ ID NO:22 to SEQ ID NO:25) to each other and to the original sequence;

Fig. 2 shows multiple alignment of five amino acid sequences of mouse origin (depicted in SEQ ID NO:26 to SEQ ID NO:30) to each other and to the original sequence;

Fig. 3 shows alignment of two amino acid sequences of human origin (depicted in SEQ ID NO:31 to SEQ ID NO:32) to the original sequence;

Fig. 4 shows multiple alignment of seven amino acid sequences of human origin (depicted in SEQ ID NO:33 to SEQ ID NO:39) to each other and to the original sequence;

Fig. 5 shows multiple alignment of three amino acid sequences of human origin (depicted in SEQ ID NO:40 to SEQ ID NO:42) to each other and to the original sequence;

Fig. 6 shows multiple alignment of four nucleic acid sequences of human origin (depicted in SEQ ID NO:1 to SEQ ID NO:4) to each other and to the original sequence;

Fig. 7 shows multiple alignment of five nucleic acid sequences of mouse origin (depicted in SEQ ID NO:5 to SEQ ID NO:9) to each other and to the original sequence;

Fig. 8 shows alignment of two nucleic acid sequences of human origin (depicted in SEQ ID NO:10 to SEQ ID NO:11) to the original sequence;

Fig. 9 shows multiple alignment of seven nucleic acid sequences of human origin (depicted in SEQ ID NO:12 to SEQ ID NO:18) to each other and to the original sequence;

Fig. 10 shows multiple alignment of three amino acid sequences of human origin (depicted in SEQ ID NO:19 to SEQ ID NO:21) to each other and to the original sequence.

DETAILED DESCRIPTION OF PREFERRED EMBODIMENTS

Applicants specifically incorporate the entire content of all cited references in this disclosure. Further, when an amount, concentration, or other value or parameter is given as either a range, preferred range, or a list of upper preferable values and lower preferable values, this is to be understood as specifically disclosing all ranges formed from any pair of any upper range limit or preferred value and any lower range limit or preferred value, regardless of whether ranges are separately disclosed. Where a range of numerical values is recited herein, unless otherwise stated, the range is intended to include the endpoints thereof, and all integers and fractions within the range. It is not intended that the scope of the invention be limited to the specific values recited when defining a range.

Obesity and/or diabetes variants nucleic acid sequence

The nucleic acid sequences of the invention include nucleic acid sequences which encode Obesity and/or diabetes variants products and fragments and analogs thereof. The nucleic acid sequences may alternatively be sequences complementary to the above coding sequences, or to regions of said coding sequence. The length of the complementary sequences is sufficient to avoid the expression of the coding sequence. The nucleic acid sequences may be in the form of RNA or in the form of DNA, and include messenger RNA, synthetic RNA and DNA, cDNA, and genomic DNA. The DNA may be double-stranded or single-stranded, and if single-stranded may be the coding strand or the non-coding (anti-sense, complementary) strand. The nucleic acid sequences may also both include dNTPs, rNTPs as well as non-naturally occurring sequences. The sequence may also be a part of a hybrid between an amino acid sequence and a nucleic acid sequence.

In a general embodiment, the nucleic acid sequence has at least 90% identity with any one of the sequence identified as SEQ ID NO:2 to SEQ ID NO:4 or SEQ ID NO:6 to SEQ ID NO:9 or SEQ ID NO:11 or SEQ ID NO:13 to SEQ ID NO:18 or SEQ ID NO:20 to SEQ ID NO:21.

The nucleic acid sequences may include the coding sequence by itself. By another alternative the coding region may be in combination with additional coding sequences, such as those coding for fusion protein or signal peptides, in combination with non-coding sequences, such as introns and control elements, promoter and terminator elements or 5' and/or 3' untranslated regions, effective for expression of the coding sequence in a suitable host, and/or in a vector or host environment in which the variant nucleic acid sequences is introduced as a heterologous sequence.

The nucleic acid sequences of the present invention may also have the obesity and/or diabetes variants products coding sequences fused in-frame to a marker sequence which allows for purification of the variant product. The marker sequence may be, for example, a hexahistidine tag to provide for purification of the mature polypeptide fused to the marker in the case of a bacterial host, or the marker sequence may be a hemagglutinin (HA) tag when a mammalian host, e.g. COS-7 cells, is used. The HA tag corresponds to an epitope derived from the influenza hemagglutinin protein (Wilson, I., *et al. Cell* **37**:767 (1984)).

Also included in the scope of the invention are fragments as defined above also referred to herein as oligonucleotides, typically having at least 17 bases, preferably 17-30 bases corresponding to a region of the coding-sequence nucleic acid sequence. The fragments may be used as probes, primers, and when complementary also as antisense agents, and the like, according to known methods.

As indicated above, the nucleic acid sequence may be substantially as depicted in SEQ ID NO:2 to SEQ ID NO:4 or SEQ ID NO:6 to SEQ ID NO:9 or SEQ ID NO:11 or SEQ ID NO:13 to SEQ ID NO:18 or SEQ ID NO:20 to SEQ ID NO:21 or fragments thereof or sequences having at

least 90% identity to the above sequence as explained above. Alternatively, due to the degenerative nature of the genetic code, the sequence may be a sequence coding for any one of the amino acid sequences of SEQ ID NO:23 to SEQ ID NO:25 or SEQ ID NO:27 to SEQ ID NO:30 or SEQ ID NO:32 or SEQ ID NO:34 to SEQ ID NO:39 or SEQ ID NO:41 to SEQ ID NO:42, or fragments or analogs of said amino acid sequence.

A. Preparation of nucleic acid sequences

The nucleic acid sequences may be obtained by screening cDNA libraries using oligonucleotide probes which can hybridize to or PCR-amplify nucleic acid sequences which encode the Obesity and/or diabetes variants products disclosed above. cDNA libraries prepared from a variety of tissues are commercially available and procedures for screening and isolating cDNA clones are well-known to those of skill in the art. Such techniques are described in, for example, Sambrook *et al.* (1989) Molecular Cloning: A Laboratory Manual (2nd Edition), Cold Spring Harbor Press, Plainview, N.Y. and Ausubel FM *et al.* (1989) Current Protocols in Molecular Biology, John Wiley & Sons, New York, N.Y.

The nucleic acid sequences may be extended to obtain upstream and downstream sequences such as promoters, regulatory elements, and 5' and 3' untranslated regions (UTRs). Extension of the available transcript sequence may be performed by numerous methods known to those of skill in the art, such as PCR or primer extension (Sambrook *et al., supra*), or by the RACE method using, for example, the Marathon RACE kit (Clontech, Cat. # K1802-1).

Alternatively, the technique of *"restriction-site"* PCR (Gobinda *et al. PCR Methods Appl.* **2**:318-22 (1993)), which uses universal primers to retrieve flanking sequence adjacent a known locus, may be employed. First, genomic DNA is amplified in the presence of primer to a linker sequence and a primer specific to the known region. The amplified sequences are subjected to a second round of PCR with the same linker

primer and another specific primer internal to the first one. Products of each round of PCR are transcribed with an appropriate RNA polymerase and sequenced using reverse transcriptase.

Inverse PCR can be used to amplify or extend sequences using divergent primers based on a known region (Triglia, T. *et al.*, *Nucleic Acids Res.* **16**:8186 (1988)). The primers may be designed using OLIGO® 4.06 Primer Analysis Software (1992; National Biosciences Inc, Plymouth, Minn.), or another appropriate program, to be 22-30 nucleotides in length, to have a GC content of 50% or more, and to anneal to the target sequence at temperatures about 68-72 °C. The method uses several restriction enzymes to generate a suitable fragment in the known region of a gene. The fragment is then circularized by intramolecular ligation and used as a PCR template.

Capture PCR (Lagerstrom, M. *et al., PCR Methods Appl.* **1**:111-19 (1991)) is a method for PCR amplification of DNA fragments adjacent to a known sequence in human and yeast artificial chromosome DNA. Capture PCR also requires multiple restriction enzyme digestions and ligations to place an engineered double-stranded sequence into a flanking part of the DNA molecule before PCR.

Another method which may be used to retrieve flanking sequences is that of Parker, J.D., *et al., Nucleic Acids Res.* **19**:3055-60 (1991). Additionally, one can use PCR, nested primers and PromoterFinder™ libraries to *"walk in"* genomic DNA (PromoterFinder™; Clontech, Palo Alto, CA). This process avoids the need to screen libraries and is useful in finding intron/exon junctions. Preferred libraries for screening for full length cDNAs are ones that have been size-selected to include larger cDNAs. Also, random primed libraries are preferred in that they will contain more sequences which contain the 5' and upstream regions of genes.

A randomly primed library may be particularly useful if an oligo d(T) library does not yield a full-length cDNA. Genomic libraries are useful for extension into the 5' nontranslated regulatory region.

The nucleic acid sequences and oligonucleotides of the invention can also be prepared by solid-phase methods, according to known synthetic methods. Typically, fragments of up to about 100 bases are individually synthesized, then joined to form continuous sequences up to several hundred bases.

B. Use of Obesity and/or diabetes variants nucleic acid sequences for the production of Obesity and/or diabetes variants products

In accordance with the present invention, nucleic acid sequences specified above may be used as recombinant DNA molecules that direct the expression of Obesity and/or diabetes variant products.

As will be understood by those of skill in the art, it may be advantageous to produce Obesity and/or diabetes variants product-encoding nucleotide sequences possessing codons other than those which appear in SEQ ID NO:2 to SEQ ID NO:4 or SEQ ID NO:6 to SEQ ID NO:9 or SEQ ID NO:11 or SEQ ID NO:13 to SEQ ID NO:18 or SEQ ID NO:20 to SEQ ID NO:21 which are those which naturally occur in the human genome. Codons preferred by a particular prokaryotic or eukaryotic host (Murray, E. *et al. Nucleic Acids Res.* **17**:477-508 (1989)) can be selected, for example, to increase the rate of variant product expression or to produce recombinant RNA transcripts having desirable properties, such as a longer half-life, than transcripts produced from naturally occurring sequences.

The nucleic acid sequences of the present invention can be engineered in order to alter Obesity and/or diabetes variants products coding sequences for a variety of reasons, including but not limited to, alterations which modify the cloning, processing and/or expression of the product. For example, alterations may be introduced using techniques which are well known in the art, e.g., site-directed mutagenesis, to insert new restriction sites, to alter glycosylation patterns, to change codon preference, etc.

The present invention also includes recombinant constructs comprising one or more of the sequences as broadly described above. The constructs comprise a vector, such as a plasmid or viral vector, into which nucleic acid sequences of the invention have been inserted, in a forward or reverse orientation. In a preferred aspect of this embodiment, the constructs further comprise regulatory sequences, including, for example, a promoter, operably linked to the sequence. Large numbers of suitable vectors and promoters are known to those of skill in the art, and are commercially available. Appropriate cloning and expression vectors for use with prokaryotic and eukaryotic hosts are also described in Sambrook, *et al. (supra)*.

The present invention also relates to host cells which are genetically engineered with vectors of the invention and the production of the product of the invention by recombinant techniques. Host cells are genetically engineered (i.e., transducer, transformed or transfected) with the vectors of this invention which may be, for example, a cloning vector or an expression vector. The vector may be, for example, in the form of a plasmid, a viral particle, a phage, etc. The engineered host cells can be cultured in conventional nutrient media modified as appropriate for activating promoters, selecting transformants or amplifying the expression of the variant nucleic acid sequence. The culture conditions, such as temperature, pH and the like, are those previously used with the host cell selected for expression, and will be apparent to those skilled in the art.

The nucleic acid sequences of the present invention may be included in any one of a variety of expression vectors for expressing a product. Such vectors include chromosomal, nonchromosomal and synthetic DNA sequences, e.g., derivatives of SV40; bacterial plasmids; phage DNA; baculovirus; yeast plasmids; vectors derived from combinations of plasmids and phage DNA, viral DNA such as vaccinia, adenovirus, fowl pox virus, and pseudorabies. However, any other vector may be used as long as it is replicable and viable in the host. The appropriate DNA sequence may be inserted into the vector by a variety of

procedures. In general, the DNA sequence is inserted into an appropriate restriction endonuclease site(s) by procedures known in the art. Such procedures and related sub-cloning procedures are deemed to be within the scope of those skilled in the art.

The DNA sequence in the expression vector is operatively linked to an appropriate transcription control sequence (promoter) to direct mRNA synthesis. Examples of such promoters include: LTR or SV40 promoter, the *E.coli lac* or *trp* promoter, the phage lambda *PL* promoter, and other promoters known to control expression of genes in prokaryotic or eukaryotic cells or their viruses. The expression vectors also contain a ribosome binding site for translation initiation, and a transcription terminator. The vector may also include appropriate sequences for amplifying expression. In addition, the expression vectors preferably contain one or more selectable marker genes to provide a phenotypic trait for selection of transformed host cells such as dihydrofolate reductase or neomycin resistance for eukaryotic cell culture, or such as tetracycline or ampicillin resistance in *E.coli.*

The vectors containing the appropriate DNA sequence as described above, as well as an appropriate promoter or control sequence, may be employed to transform an appropriate host to permit the host to express the protein. Examples of appropriate expression hosts include: bacterial cells, such as *E.coli*, *Streptomyces, Salmonella typhimurium*; fungal cells, such as yeast; insect cells such as *Drosophila* and *Spodoptera* Sf9; animal cells such as CHO, COS, HEK 293 or Bowes melanoma; adenoviruses; plant cells, etc. The selection of an appropriate host is deemed to be within the scope of those skilled in the art from the teachings herein. The invention is not limited by the host cells employed.

In bacterial systems, a number of expression vectors may be selected depending upon the use intended for the Obesity and/or diabetes variant product. For example, when large quantities of Obesity and/or diabetes variant product are needed for the induction of antibodies, vectors which direct high level expression of fusion proteins that are

readily purified may be desirable. Such vectors include, but are not limited to, multifunctional *E.coli* cloning and expression vectors such as *Bluescript*® (Stratagene), in which the Obesity and/or diabetes variants polypeptides coding sequence may be ligated into the vector in-frame with sequences for the amino-terminal Met and the subsequent 7 residues of beta-galactosidase so that a hybrid protein is produced; *pIN* vectors (Van Heeke & Schuster *J. Biol. Chem.* **264**:5503-5509 (1989)); *pET* vectors (Novagen, Madison WI); and the like.

In the yeast *Saccharomyces cerevisiae*, a number of vectors containing constitutive or inducible promoters such as alpha factor, alcohol oxidase and PGH may be used. For reviews, see Ausubel *et al. (supra)* and Grant *et al.* (*Methods in Enzymology* **153**:516-544 (1987)).

In cases where plant expression vectors are used, the expression of a sequence encoding variant products may be driven by any of a number of promoters. For example, viral promoters such as the 35S and 19S promoters of *CaMV* (Brisson *et al., Nature* **310**:511-514 (1984)) may be used alone or in combination with the omega leader sequence from TMV (Takamatsu *et al., EMBO J.* **6**:307-311 (1987)). Alternatively, plant promoters such as the small subunit of RUBISCO (Coruzzi *et al., EMBO J.* **3**:1671-1680 (1984); Broglie *et al., Science* **224**:838-843 (1984)); or heat shock promoters (Winter J and Sinibaldi R.M., *Results Probl. Cell Differ.* **17**:85-105 (1991)) may be used. These constructs can be introduced into plant cells by direct DNA transformation or pathogen-mediated transfection. For reviews of such techniques, see Hobbs S. or Murry L.E. (1992) in McGraw Hill Yearbook of Science and Technology, McGraw Hill, New York, N.Y., pp 191-196; or Weissbach and Weissbach (1988) *Methods for Plant Molecular Biology*, Academic Press, New York, N.Y., pp 421-463.

Obesity and/or diabetes variants products may also be expressed in an insect system. In one such system, Autographa californica nuclear polyhedrosis virus (AcNPV) is used as a vector to express foreign genes in *Spodoptera frugiperda* cells or in *Trichoplusia* larvae. The Obesity and/or

diabetes variants products coding sequence may be cloned into a nonessential region of the virus, such as the polyhedrin gene, and placed under control of the polyhedrin promoter. Successful insertion of Obesity and/or diabetes coding sequences will render the polyhedrin gene inactive and produce recombinant virus lacking coat protein coat. The recombinant viruses are then used to infect *S. frugiperda* cells or *Trichoplusia* larvae in which variant protein is expressed (Smith *et al., J. Virol.* **46**:584 (1983); Engelhard, E.K. *et al., Proc. Nat. Acad. Sci. USA* **91**:3224-7 (1994)).

In mammalian host cells, a number of viral-based expression systems may be utilized. In cases where an adenovirus is used as an expression vector, Obesity and/or diabetes variants products coding sequences may be ligated into an adenovirus transcription/translation complex consisting of the late promoter and tripartite leader sequence. Insertion in a nonessential E1 or E3 region of the viral genome will result in a viable virus capable of expressing variant protein in infected host cells (Logan and Shenk, *Proc. Natl. Acad. Sci. USA* **81**:3655-59 (1984). In addition, transcription enhancers, such as the Rous sarcoma virus (RSV) enhancer, may be used to increase expression in mammalian host cells.

Specific initiation signals may also be required for efficient translation of variants products coding sequences. These signals include the ATG initiation codon and adjacent sequences. In cases where Obesity and/or diabetes variants products coding sequence, its initiation codon and upstream sequences are inserted into the appropriate expression vector, no additional translational control signals may be needed. However, in cases where only coding sequence, or a portion thereof, is inserted, exogenous transcriptional control signals including the ATG initiation codon must be provided. Furthermore, the initiation codon must be in the correct reading frame to ensure transcription of the entire insert. Exogenous transcriptional elements and initiation codons can be of various origins, both natural and synthetic. The efficiency of expression may be enhanced by the inclusion of enhancers appropriate to the cell

system in use (Scharf, D. *et al., Results Probl. Cell Differ.* **20**:125-62 (1994); Bittner et al., *Meth. Enzymol.* **153**:516-544 (1987)).

In a further embodiment, the present invention relates to host cells containing the above-described constructs. The host cell can be a higher eukaryotic cell, such as a mammalian cell, or a lower eukaryotic cell, such as a yeast cell, or the host cell can be a prokaryotic cell, such as a bacterial cell. Introduction of the construct into the host cell can be effected by calcium phosphate transfection, DEAE-Dextran mediated transfection, or electroporation (Davis, L., Dibner, M., and Battey, I. (1986) Basic Methods in Molecular Biology). Cell-free translation systems can also be employed to produce polypeptides using RNAs derived from the DNA constructs of the present invention.

A host cell strain may be chosen for its ability to modulate the expression of the inserted sequences or to process the expressed protein in the desired fashion. Such modifications of the protein include, but are not limited to, acetylation, carboxylation, glycosylation, phosphorylation, lipidation and acylation. Post-translational processing which cleaves a *"pre-pro"* form of the protein may also be important for correct insertion, folding and/or function. Different host cells such as CHO, HeLa, MDCK, 293, WI38, etc. have specific cellular machinery and characteristic mechanisms for such post-translational activities and may be chosen to ensure the correct modification and processing of the introduced, foreign protein.

For long-term, high-yield production of recombinant proteins, stable expression is preferred. For example, cell lines which stably express variant products may be transformed using expression vectors which contain viral origins of replication or endogenous expression elements and a selectable marker gene. Following the introduction of the vector, cells may be allowed to grow for 1-2 days in an enriched media before they are switched to selective media. The purpose of the selectable marker is to confer resistance to selection, and its presence allows growth and recovery of cells which successfully express the introduced sequences.

Resistant clumps of stably transformed cells can be proliferated using tissue culture techniques appropriate to the cell type.

Any number of selection systems may be used to recover transformed cell lines. These include, but are not limited to, the herpes simplex virus thymidine kinase (Wigler M., *et al.*, *Cell* **11**:223-32 (1977)) and adenine phosphoribosyltransferase (Lowy I., *et al.*, *Cell* **22**:817-23 (1980)) genes which can be employed in *tk-* or *aprt*-cells, respectively. Also, antimetabolite, antibiotic or herbicide resistance can be used as the basis for selection, for example, *dhfr* which confers resistance to methotrexate (Wigler M., *et al., Proc. Natl. Acad. Sci. USA* **77**:3567-70, (1980)); *npt*, which confers resistance to the aminoglycosides neomycin and G-418 (Colbere-Garapin, F. *et al., J. Mol. Biol.* **150**:1-14 (1981)); and *als* or *pat*, which confer resistance to chlorsulfuron and phosphinotricin acetyltransferase, respectively (Murry, *supra*). Additional selectable genes have been described, for example, *trpB*, which allows cells to utilize indole in place of tryptophan, or *hisD*, which allows cells to utilize histinol in place of histidine (Hartman S.C. and R.C. Mulligan, *Proc. Natl. Acad. Sci.* **85**:8047-51, (1988)). The use of visible markers has gained popularity with such markers as anthocyanins, beta-glucuronidase and its substrate, GUS, and luciferase and its substrates, luciferin and ATP, being widely used not only to identify transformants, but also to quantify the amount of transient or stable protein expression attributable to a specific vector system (Rhodes, C.A. *et. al., Methods Mol. Biol.* **55**:121-131 (1995)).

Host cells transformed with nucleotide sequences encoding Obesity and/or diabetes variants products may be cultured under conditions suitable for the expression and recovery of the encoded protein from cell culture. The product produced by a recombinant cell may be secreted or contained intracellularly depending on the sequence and/or the vector used. As will be understood by those of skill in the art, expression vectors containing nucleic acid sequences encoding Obesity and/or diabetes variants products can be designed with signal sequences which direct

secretion of Obesity and/or diabetes variants products through a prokaryotic or eukaryotic cell membrane.

The Obesity and/or diabetes variants products may also be expressed as recombinant proteins with one or more additional polypeptide domains added to facilitate protein purification. Such purification facilitating domains include, but are not limited to, metal chelating peptides such as histidine-tryptophan modules that allow purification on immobilized metals, protein A domains that allow purification on immobilized immunoglobulin, and the domain utilized in the FLAGS extension/affinity purification system (Immunex Corp., Seattle, Wash.). The inclusion of a protease-cleavable polypeptide linker sequence between the purification domain and Obesity and/or diabetes variants products is useful to facilitate purification. One such expression vector provides for expression of a fusion protein compromising a variant polypeptide fused to a polyhistidine region separated by an enterokinase cleavage site. The histidine residues facilitate purification on IMIAC (immobilized metal ion affinity chromatography, as described in Porath, *et al.*, *Protein Expr. Purif.* 3:263-281 (1992)) while the enterokinase cleavage site provides a means for isolating variant polypeptide from the fusion protein. *pGEX* vectors (Promega, Madison, Wis.) may also be used to express foreign polypeptides as fusion proteins with glutathione S-transferase (GST). In general, such fusion proteins are soluble and can easily be purified from lysed cells by adsorption to ligand-agarose beads (e.g., glutathione-agarose in the case of GST-fusions) followed by elution in the presence of free ligand.

Following transformation of a suitable host strain and growth of the host strain to an appropriate cell density, the selected promoter is induced by appropriate means (e.g., temperature shift or chemical induction) and cells are cultured for an additional period. Cells are typically harvested by centrifugation, disrupted by physical or chemical means, and the resulting crude extract retained for further purification. Microbial cells employed in expression of proteins can be disrupted by any convenient method,

including freeze-thaw cycling, sonication, mechanical disruption, or use of cell lysing agents, or other methods, which are well know to those skilled in the art.

The Obesity and/or diabetes variants products can be recovered and purified from recombinant cell cultures by any of a number of methods well known in the art, including ammonium sulfate or ethanol precipitation, acid extraction, anion or cation exchange chromatography, phosphocellulose chromatography, hydrophobic interaction chromatography, affinity chromatography, hydroxylapatite chromatography, and lectin chromatography. Protein refolding steps can be used, as necessary, in completing configuration of the mature protein. Finally, high performance liquid chromatography (HPLC) can be employed for final purification steps.

C. Diagnostic applications utilizing nucleic acid sequences

The nucleic acid sequences of the present invention may be used for a variety of diagnostic purposes. The nucleic acid sequences may be used to detect and quantitate expression of the Obesity and/or diabetes variant in patient's cells, e.g. biopsied tissues, by detecting the presence of mRNA coding for the Obesity and/or diabetes variants products. Alternatively, the assay may be used to detect the soluble variants in the serum or blood. This assay typically involves obtaining total mRNA from the tissue or serum and contacting the mRNA with a nucleic acid probe. The probe is a nucleic acid molecule of at least 20 nucleotides, preferably 20-30 nucleotides, capable of specifically hybridizing with a sequence included within the sequence of a nucleic acid molecule encoding the Obesity and/or diabetes variant product under hybridizing conditions, detecting the presence of mRNA hybridized to the probe, and thereby detecting the expression of variant. This assay can be used to distinguish between absence, presence, and excess expression of Obesity and/or diabetes variants products and to monitor levels of Obesity and/or

diabetes variants expression during therapeutic intervention. In addition, the assay may be used to compare the levels of the Obesity and/or diabetes variant of the invention to the levels of the original Obesity and/or diabetes sequence from which it has been varied or to levels of each other, which comparison may have some physiological meaning.

The invention also contemplates the use of the nucleic acid sequences as a diagnostic for diseases resulting from inherited defective variants sequences, or diseases in which the ratio of the amount of the original Obesity and/or diabetes sequence from which the Obesity and/or diabetes variants were varied to the novel Obesity and/or diabetes variants of the invention is altered. These sequences can be detected by comparing the sequences of the defective (i.e., mutant) Obesity and/or diabetes variants coding region with that of a normal coding region. Association of the sequence coding for mutant Obesity and/or diabetes variants products with abnormal variants products activity may be verified. In addition, sequences encoding mutant Obesity and/or diabetes variants products can be inserted into a suitable vector for expression in a functional assay system (e.g., colorimetric assay, complementation experiments in a variant protein deficient strain of HEK293 cells) as yet another means to verify or identify mutations. Once mutant genes have been identified, one can then screen populations of interest for carriers of the mutant gene.

Individuals carrying mutations in the nucleic acid sequences of the present invention may be detected at the DNA level by a variety of techniques. Nucleic acids used for diagnosis may be obtained from a patient's cells, including but not limited to such as from blood, urine, saliva, placenta, tissue biopsy and autopsy material. Genomic DNA may be used directly for detection or may be amplified enzymatically by using PCR (Saiki, *et al.*, *Nature* **324**:163-166 (1986)) prior to analysis. RNA or cDNA may also be used for the same purpose. As an example, PCR primers complementary to the nucleic acid of the present invention can be used to identify and analyze mutations in the gene of the present invention.

Deletions and insertions can be detected by a change in size of the amplified product in comparison to the normal genotype.

Point mutations can be identified by hybridizing amplified DNA to radiolabeled RNA of the invention or alternatively, radiolabeled antisense DNA sequences of the invention. Sequence changes at specific locations may also be revealed by nuclease protection assays, such RNase and S1 protection or the chemical cleavage method (e.g. Cotton, *et al. Proc. Natl. Acad. Sci. USA* **85**:4397-4401 (1985)), or by differences in melting temperatures. *"Molecular beacons"* (Kostrikis L.G. *et al.*, Science **279**:1228-1229 (1998)), hairpin-shaped, single-stranded synthetic oligonucleotides containing probe sequences which are complementary to the nucleic acid of the present invention, may also be used to detect point mutations or other sequence changes as well as monitor expression levels of variant product. Such diagnostics would be particularly useful for prenatal testing.

Another method for detecting mutations uses two DNA probes which are designed to hybridize to adjacent regions of a target, with abutting bases, where the region of known or suspected mutation(s) is at or near the abutting bases. The two probes may be joined at the abutting bases, e.g., in the presence of a ligase enzyme, but only if both probes are correctly base paired in the region of probe junction. The presence or absence of mutations is then detectable by the presence or absence of ligated probe.

Also suitable for detecting mutations in the Obesity and/or diabetes variants products coding sequences are oligonucleotide array methods based on sequencing by hybridization (SBH), as described, for example, in U.S. Patent No. 5,547,839. In a typical method, the DNA target analyte is hybridized with an array of oligonucleotides formed on a microchip. The sequence of the target can then be *"read"* from the pattern of target binding to the array.

D. Therapeutic applications of nucleic acid sequences

Nucleic acid sequences of the invention may also be used for therapeutic purposes. Referring to a second aspect of the invention (i.e. inhibition of expression of Obesity and/or diabetes variants), expression of Obesity and/or diabetes variants products may be modulated through antisense technology, which controls gene expression through hybridization of complementary nucleic acid sequences, i.e. antisense DNA or RNA, to the control, 5' or regulatory regions of the gene encoding variant product. For example, the 5' coding portion of the nucleic acid sequence which codes for the product of the present invention is used to design an antisense oligonucleotide of from about 10 to 40 base pairs in length. Oligonucleotides derived from the transcription start site, e.g. between positions -10 and +10 from the start site, are preferred. An antisense DNA oligonucleotide is designed to be complementary to a region of the nucleic acid sequence involved in transcription (Lee *et al., Nucl. Acids Res.* **6**:3073 (1979); Cooney et al., Science **241**:456 (1988); and Dervan *et al., Science* **251**:1360 (1991)), thereby preventing transcription and the production of the variant products. An antisense RNA oligonucleotide hybridizes to the mRNA *in vivo* and blocks translation of the mRNA molecule into the variant products (Okano, *J. Neurochem.* **56**:560 (1991)). The antisense constructs can be delivered to cells by procedures known in the art such that the antisense RNA or DNA may be expressed *in vivo*. The antisense may be antisense mRNA or DNA sequence capable of coding such antisense mRNA. The antisense mRNA or the DNA coding thereof can be complementary to the full sequence of nucleic acid sequences coding for the Obesity and/or diabetes variant protein or to a fragment of such a sequence which is sufficient to inhibit production of a protein product. Antisense technologies can also be used for inhibiting expression of one variant as compared to the other, or inhibiting the expression of the variant/s as compared to the original sequence.

Turning now to the first aspect of the invention, i.e. expression of Obesity and/or diabetes variants, expression of Obesity and/or diabetes variants products may be increased by providing coding sequences for coding for said Obesity and/or diabetes variants products under the control of suitable control elements ending its expression in the desired host.

The nucleic acid sequences of the invention may be employed in combination with a suitable pharmaceutical carrier. Such compositions comprise a therapeutically effective amount of the compound, and a pharmaceutically acceptable carrier or excipient. Such a carrier includes but is not limited to saline, buffered saline, dextrose, water, glycerol, ethanol, and combinations thereof. The formulation should suit the mode of administration.

The products of the invention may also be employed in accordance with the present invention by expression of such polypeptides *in vivo*, which is often referred to as *"gene therapy."* Cells from a patient may be engineered with a nucleic acid sequence (DNA or RNA) encoding a polypeptide *ex vivo*, with the engineered cells then being provided to a patient to be treated with the polypeptide. Such methods are well-known in the art. For example, cells may be engineered by procedures known in the art by use of a retroviral particle containing RNA encoding a polypeptide of the present invention.

Similarly, cells may be engineered *in vivo* for expression of a polypeptide *in vivo* by procedures known in the art. As known in the art, a producer cell for producing a retroviral particle containing RNA encoding the polypeptides of the present invention may be administered to a patient for engineering cells *in vivo* and expression of the polypeptide *in vivo*. These and other methods for administering products of the present invention by such method should be apparent to those skilled in the art from the teachings of the present invention. For example, the expression vehicle for engineering cells may be other than a retrovirus, for example, an adenovirus which may be used to engineer cells *in vivo* after combination with a suitable delivery vehicle.

Retroviruses from which the retroviral plasmid vectors mentioned above may be derived include, but are not limited to, Moloney Murine Leukemia Virus, spleen necrosis virus, retroviruses such as Rous Sarcoma Virus, Harvey Sarcoma Virus, avian leukosis virus, gibbon ape leukemia virus, human immunodeficiency virus, adenovirus, Myeloproliferative Sarcoma Virus, and mammary tumor virus.

The retroviral plasmid vector is employed to transduce packaging cell lines to form producer cell lines. Examples of packaging cells which may be transfected include, but are not limited to, the *PE501*, *PA317*, *psi-2*, *psi-AM*, *PA12*, *T19-14X*, *VT-19-17-H2*, *psi-CRE*, *psi-CRIP*, *GP+E-86*, *GP+envAm12*, and *DAN* cell lines as described in Miller (*Human Gene Therapy*, Vol. 1, pg. 5-14, (1990)). The vector may transduce the packaging cells through any means known in the art. Such means include, but are not limited to, electroporation, the use of liposomes, and $CaPO_4$ precipitation. In one alternative, the retroviral plasmid vector may be encapsulated into a liposome, or coupled to a lipid, and then administered to a host.

The producer cell line generates infectious retroviral vector particles which include the nucleic acid sequence(s) encoding the polypeptides. Such retroviral vector particles then may be employed, to transduce eukaryotic cells, either *in vitro* or *in vivo*. The transduced eukaryotic cells will express the nucleic acid sequence(s) encoding the polypeptide. Eukaryotic cells which may be transduced include, but are not limited to, embryonic stem cells, embryonic carcinoma cells, as well as hematopoietic stem cells, hepatocytes, fibroblasts, myoblasts, keratinocytes, endothelial cells, and bronchial epithelial cells.

The genes introduced into cells may be placed under the control of inducible promoters, such as the radiation-inducible Egr-1 promoter, (Maceri, H.J., *et al., Cancer Res.* **56**(19):4311 (1996)), to stimulate variant production or antisense inhibition in response to radiation, e.g., radiation therapy for treating tumors.

Obesity and/or diabetes Variants products

The substantially purified Obesity and/or diabetes variant product of the invention has been defined above as the product coded from the nucleic acid sequence of the invention. Preferably the amino acid sequence is an amino acid sequence having at least 90% identity to a sequence identified as SEQ ID NO:23 to SEQ ID NO:25 or SEQ ID NO:27 to SEQ ID NO:30 or SEQ ID NO:32 or SEQ ID NO:34 to SEQ ID NO:39 or SEQ ID NO:41 to SEQ ID NO:42. The protein or polypeptide may be in mature and/or modified form, also as defined above, for example, modified by cleavage of the leader sequence. Also contemplated are protein fragments having at least 5 contiguous amino acid residues, preferably at least 5-20 residues, derived from the Obesity and/or diabetes variant products, as well as homologues as explained above.

The sequence variations are preferably those that are considered conserved substitutions, as defined above. Thus, for example, a protein with a sequence having at least 90% sequence identity with the products identified as SEQ ID NO:23 to SEQ ID NO:25 or SEQ ID NO:27 to SEQ ID NO:30 or SEQ ID NO:32 or SEQ ID NO:34 to SEQ ID NO:39 or SEQ ID NO:41 to SEQ ID NO:42, preferably by utilizing conserved substitutions as defined above is also part of the invention, and provided that it is not identical to the original peptide from which it has been varied (typically the substitutions are in regions where the variant differs from the original sequence as for example in Table 1). In a more specific embodiment, the protein has or contains the sequence identified SEQ ID NO:23 to SEQ ID NO:25 or SEQ ID NO:27 to SEQ ID NO:30 or SEQ ID NO:32 or SEQ ID NO:34 to SEQ ID NO: 39 or SEQ ID NO:41 to SEQ ID NO:42. The Obesity and/or diabetes variants products may be (i) one in which one or more of the amino acid residues in a sequence listed above are substituted with a conserved or non-conserved amino acid residue (preferably a conserved amino acid residue), or (ii) one in which one or more of the amino acid residues includes a substituent group, or (iii) one in which the Obesity and/or diabetes variants products is fused with another compound, such

as a compound to increase the half-life of the protein (for example, polyethylene glycol (PEG)), or a moiety which serves as targeting means to direct the protein to its target tissue or target cell population (such as an antibody), or (iv) one in which additional amino acids are fused to the Obesity and/or diabetes variant product. Such fragments, variants and derivatives are deemed to be within the scope of those skilled in the art from the teachings herein.

A. Preparation of Obesity and/or diabetes variants products

Recombinant methods for producing and isolating the Obesity and/or diabetes variant products, and fragments of the protein are described above.

In addition to recombinant production, fragments and portions of variant products may be produced by direct peptide synthesis using solid-phase techniques (cf. Stewart *et al.*, (1969) Solid-Phase Peptide Synthesis, WH Freeman Co, San Francisco; Merrifield J., *J. Am. Chem. Soc.* **85**:2149-2154 (1963)). *In vitro* peptide synthesis may be performed using manual techniques or by automation. Automated synthesis may be achieved, for example, using Applied Biosystems 431A Peptide Synthesizer (Perkin Elmer, Foster City, Calif.) in accordance with the instructions provided by the manufacturer. Fragments of Obesity and/or diabetes variants products may be chemically synthesized separately and combined using chemical methods to produce the full length molecule.

B. Therapeutic uses and compositions utilizing the Obesity and/or diabetes variants products

The Obesity and/or diabetes variants products of the invention are generally useful in treating obesity and/or diabetes.

Obesity and/or diabetes variant products or fragments may be administered by any of a number of routes and methods designed to provide a consistent and predictable concentration of compound at the target organ or tissue. The product-containing compositions may be

administered alone or in combination with other agents, such as stabilizing compounds, and/or in combination with other pharmaceutical agents such as drugs or hormones.

Obesity and/or diabetes variants product-containing compositions may be administered by a number of routes including, but not limited to oral, intravenous, intramuscular, transdermal, subcutaneous, topical, sublingual, or rectal means as well as by nasal application. Obesity and/or diabetes variant product-containing compositions may also be administered via liposomes. Such administration routes and appropriate formulations are generally known to those of skill in the art.

The Obesity and/or diabetes variants products can be given via intravenous or intraperitoneal injection. Similarly, the product may be injected to other localized regions of the body. The product may also be administered via nasal insufflation. Enteral administration is also possible. For such administration, the product should be formulated into an appropriate capsule or elixir for oral administration, or into a suppository for rectal administration.

The foregoing exemplary administration modes will likely require that the product be formulated into an appropriate carrier, including, e.g. ointments, gels, or suppositories. Appropriate formulations are well known to persons skilled in the art.

Dosage of the product will vary, depending upon the potency and therapeutic index of the particular polypeptide selected.

A therapeutic composition for use in the treatment method can include the product in a sterile injectable solution, the polypeptide in an oral delivery vehicle, the product in an aerosol suitable for nasal administration, or the product in a nebulized form, all prepared according to well known methods. Such compositions comprise a therapeutically effective amount of the compound, and a pharmaceutically acceptable carrier or excipient. Such a carrier includes but is not limited to saline, buffered saline, dextrose, water, glycerol, ethanol, and combinations thereof. The product of the invention may also be used to modulate

endothelial differentiation and proliferation as well as to modulate apoptosis either *ex vivo* or *in vitro*, for example, in cell cultures.

Anti-variant antibodies

A. Synthesis

In still another aspect of the invention, the purified variants products are used to produce anti-variant antibodies which have diagnostic and therapeutic uses related to the activity, distribution, and expression of the Obesity and/or diabetes variants products.

Antibodies to the Obesity and/or diabetes variant may be generated by methods well known in the art. Such antibodies may include, but are not limited to, polyclonal, monoclonal, chimeric, humanized, single chain, Fab fragments and fragments produced by an Fab expression library. Antibodies, i.e., those which inhibit dimer formation, are especially preferred for therapeutic use.

A fragment of the Obesity and/or diabetes variants products for antibody induction is not required to feature biological activity but has to feature immunological activity; however, the protein fragment or oligopeptide must be antigenic. Peptides used to induce specific antibodies may have an amino acid sequence consisting of at least five amino acids, preferably at least 10 amino acids of the sequences specified in SEQ ID NO:23 to SEQ ID NO:25 or SEQ ID NO:27 to SEQ ID NO:30 or SEQ ID NO:32 or SEQ ID NO:34 to SEQ ID NO:39 or SEQ ID NO: 41 to SEQ ID NO:42. Preferably they should mimic a portion of the amino acid sequence of the natural protein and may contain the entire amino acid sequence of a small, naturally occurring molecule. Short stretches of Obesity and/or diabetes variants proteins amino acids may be fused with those of another protein such as keyhole limpet hemocyanin and antibody produced against the chimeric molecule. Procedures well known in the art can be used for the production of antibodies to Obesity and/or diabetes variants products.

For the production of antibodies, various hosts including goats, rabbits, rats, mice, etc may be immunized by injection with Obesity and/or diabetes variants products or any portion, fragment or oligopeptide which retains immunogenic properties. Depending on the host species, various adjuvants may be used to increase immunological response. Such adjuvants include but are not limited to Freund's, mineral gels such as aluminum hydroxide, and surface active substances such as lysolecithin, pluronic polyols, polyanions, peptides, oil emulsions, keyhole limpet hemocyanin, and dinitrophenol. BCG (bacilli Calmette-Guerin) and Corynebacterium parvum are potentially useful human adjuvants.

Monoclonal antibodies to Obesity and/or diabetes variants protein may be prepared using any technique which provides for the production of antibody molecules by continuous cell lines in culture. These include, but are not limited, to the hybridoma technique originally described by Koehler and Milstein (*Nature* **256**:495-497 (1975)), the human B-cell hybridoma technique (Kosbor *et al., Immunol. Today* **4**:72 (1983); Cote *et al., Proc. Natl. Acad. Sci. USA* **80**:2026-2030 (1983)) and the EBV-hybridoma technique (Cole, *et al., Mol. Cell Biol.* 62:109-120 (1984)).

Techniques developed for the production of *"chimeric antibodies"*, the splicing of mouse antibody genes to human antibody genes to obtain a molecule with appropriate antigen specificity and biological activity can also be used (Morrison *et al., Proc. Natl. Acad. Sci. USA* **81**:6851-6855 (1984); Neuberger *et al., Nature* **312**:604-608 (1984); Takeda *et al., Nature* **314**:452-454 (1985)). Alternatively, techniques described for the production of single chain antibodies (U.S. Pat. No. 4,946,778) can be adapted to produce single-chain antibodies specific for the variant protein.

Antibodies may also be produced by inducing *in vivo* production in the lymphocyte population or by screening recombinant immunoglobulin libraries or panels of highly specific binding reagents as disclosed in Orlandi *et al.* (*Proc. Natl. Acad. Sci. USA* **86**:3833-3837 (1989)), and Winter G and Milstein C. (*Nature* **349**:293-299 (1991)).

Antibody fragments which contain specific binding sites for the Obesity and/or diabetes variant protein may also be generated. For example, such fragments include, but are not limited to, the $F(ab')_2$ fragments which can be produced by pepsin digestion of the antibody molecule and the Fab fragments which can be generated by reducing the disulfide bridges of the $F(ab')_2$ fragments. Alternatively, Fab expression libraries may be constructed to allow rapid and easy identification of monoclonal Fab fragments with the desired specificity (Huse W.D. *et al., Science* 256:1275-1281 (1989)).

B. Diagnostic applications of antibodies

A variety of protocols for competitive binding or immunoradiometric assays using either polyclonal or monoclonal antibodies with established specificities are well known in the art. Such immunoassays typically involve the formation of complexes between the Obesity and/or diabetes variants products and its specific antibody and the measurement of complex formation. A two-site, monoclonal-based immunoassay utilizing monoclonal antibodies reactive to two noninterfering epitopes on a specific variant product is preferred, but a competitive binding assay may also be employed. These assays are described in Maddox D.E., *et al.* (*J. Exp. Med.* **158**:1211 (1983)).

Antibodies which specifically bind the Obesity and/or diabetes variant product are useful for the diagnosis of conditions or diseases characterized by expression of the novel Obesity and/or diabetes variants of the invention (where normally it is not expressed) by over or under expression of Obesity and/or diabetes variants as well as for detection of diseases in which the proportion between the amount of the Obesity and/or diabetes variants of the invention and the original Obesity and/or diabetes sequence from which it varied is altered. Alternatively, such antibodies may be used in assays to monitor patients being treated with Obesity and/or diabetes variants products. Diagnostic assays for variants proteins include methods utilizing the antibody and a label to detect

variants products in human body fluids or extracts of cells or tissues. The products and antibodies of the present invention may be used with or without modification. Frequently, the proteins and antibodies will be labeled by joining them, either covalently or noncovalently, with a reporter molecule. A wide variety of reporter molecules are known in the art.

A variety of protocols for measuring the Obesity and/or diabetes variants products, using either polyclonal or monoclonal antibodies specific for the respective protein are known in the art. Examples include enzyme-linked immunosorbent assay (ELISA), radioimmunoassay (RIA), and fluorescent activated cell sorting (FACS). As noted above, a two-site, monoclonal-based immunoassay utilizing monoclonal antibodies reactive to two non-interfering epitopes on Obesity and/or diabetes variants products is preferred, but a competitive binding assay may be employed. These assays are described, among other places, in Maddox, *et al. (supra).* Such protocols provide a basis for diagnosing altered or abnormal levels of Obesity and/or diabetes variants products expression. Normal or standard values for Obesity and/or diabetes variants products expression are established by combining body fluids or cell extracts taken from normal subjects, preferably human, with antibodies to Obesity and/or diabetes variants products under conditions suitable for complex formation which are well known in the art. The amount of standard complex formation may be quantified by various methods, preferably by photometric methods. Then, standard values obtained from normal samples may be compared with values obtained from samples from subjects potentially affected by disease. Deviation between standard and subject values establishes the presence of disease state.

The antibody assays are useful to determine the level of Obesity and/or diabetes variants products present in a body fluid sample, in order to determine whether it is being expressed at all, whether it is being overexpressed or underexpressed in the tissue, or as an indication of how Obesity and/or diabetes variants levels of variable products are responding to drug treatment.

C. Therapeutic uses of antibodies

In addition to their diagnostic use the antibodies may have a therapeutical utility in blocking or decreasing the activity of the obesity and/or diabetes variants products in pathological conditions where beneficial effect can be achieved by such a decrease.

The antibody employed is preferably a humanized monoclonal antibody, or a human Mab produced by known globulin-gene library methods. The antibody is administered typically as a sterile solution by IV injection, although other parenteral routes may be suitable. Typically, the antibody is administered in an amount between about 1-15 mg/kg body weight of the subject. Treatment is continued, e.g., with dosing every 1-7 days, until a therapeutic improvement is seen.

Although the invention has been described with reference to specific methods and embodiments, it is appreciated that various modifications and changes may be made without departing from the invention.

EXAMPLE 1 - Separation

Sf-9 cells are infected with Obesity and/or diabetes variants expressing baculovirus (AC-obesity and/or diabetes variant) comprising the amino acid sequence of SEQ ID NO:23 to SEQ ID NO:25 or SEQ ID NO:27 to SEQ ID NO:30 or SEQ ID NO:32 or SEQ ID NO:34 to SEQ ID NO:39 or SEQ ID NO:41 to SEQ ID NO:42 at MOI of 2. The cells are grown in 28 °C at continuous shaking (90 rpm). At 60 hours post-infection (hpi), the medium is collected and cells are separated from the medium by centrifugation at 5000 rpm for 5 minutes. 10 mL medium is separated using cation exchange chromatography with a SP-Sepharose column. The column is equilibrated with PBS pH 6.5, and, following loading of the sample on the column, the column is washed with PBS to elute the unbound proteins (flow through fraction). Elution is done with increasing concentration of NaCl at a flow rate of 2 mL/min (5% NaCl/min).

The different fractions are subjected to SDS-PAGE electrophoresis and to western blotting using anti-Obesity and/or diabetes variant antibody.

EXAMPLE 2- Secretion

Sf-9 cells are infected with Obesity and/or diabetes variants expressing baculovirus (Ac-obesity and/or diabetes variant) at MOI of 2. The cells are grown at 28 °C at continuous shaking (90 rpm), and 1 mL samples are collected at 24, 48, and 60 hours post-infection (hpi). Following centrifugation, cell pellets are lysed with lysis buffer (50 mM Tris pH 7.5, 1% triton X100, and protease inhibitor cocktail) at 4 °C for 30 min and sonicated for 30 seconds. The sample is centrifuged for 10 minutes at 14000 rpm and the supernatant is designated Pellet. 40 µL of the Pellet preparation and of the medium (Designated Medium) are supplemented with sample buffer and are electrophoresed on a 15% SDS-PAGE. Following electrophoresis, the gel is subjected to a semi-dry protein transfer onto a nitrocellulose membrane. The membrane is incubated with anti-Obesity and/or diabetes variants antibody for 2 hours and with secondary anti-rabbit antibody for an additional 1 hour.

Detection of the signal is done using a commercial western blot detection kit.

CLAIMS:

1. An isolated amino acid sequence coded by nucleotides 112 to 462 of SEQ ID NO:11.

2. The isolated amino acid sequence of claim 1, wherein said isolated amino acid sequence is SEQ ID NO:32.

28238-001 sequence listing.txt
SEQUENCE LISTING

<110> Mintz, Liat

<120> Compositions, Reagents and Kits for and Methods of Diagnosing, Monitoring and Treating Obesity and/or Diabetes

<130> 28238-001

<150> US 10/659,782
<151> 2003-09-11

<160> 42

<170> PatentIn version 3.3

<210> 1
<211> 4517
<212> DNA
<213> Homo sapiens

<400> 1
ctgattccat accagagggg ctcaggatgc tgttgctggg agctgttcta ctgctattag 60

ctctgcccgg gcatgaccag gaaaccacga ctcaagggcc cggagtcctg cttcccctgc 120

ccaaggggc ctgcacaggt tggatggcgg gcatcccagg gcatccgggc cataatgggg 180

ccccaggccg tgatggcaga gatggcaccc ctggtgagaa gggtgagaaa ggagatccag 240

gtcttattgg tcctaaggga gacatcggtg aaaccggagt acccggggct gaaggtcccc 300

gaggctttcc gggaatccaa ggcaggaaag gagaacctgg agaaggtgcc tatgtatacc 360

gctcagcatt cagtgtggga ttggagactt acgttactat ccccaacatg cccattcgct 420

ttaccaagat cttctacaat cagcaaaacc actatgatgg ctccactggt aaattccact 480

gcaacattcc tgggctgtac tactttgcct accacatcac agtctatatg aaggatgtga 540

aggtcagcct cttcaagaag gacaaggcta tgctcttcac ctatgatcag taccaggaaa 600

ataatgtgga ccaggcctcc ggctctgtgc tcctgcatct ggaggtgggc gaccaagtct 660

ggctccaggt gtatggggaa ggagagcgta atggactcta tgctgataat gacaatgact 720

ccaccttcac aggctttctt ctctaccatg acaccaactg atcaccacta actcagagcc 780

tcctccaggc caaacagccc caaagtcaat taaaggcttt cagtacggtt aggaagttga 840

ttattattta gttggaggcc tttagatatt attcattcat ttactcattc atttattcat 900

tcattcatca agtaacttta aaaaaatcat atgctatgtt cccagtcctg gggagcttca 960

caaacatgac cagataactg actagaaaga agtagttgac agtgctattt tgtgcccact 1020

gtctctcctg atgctcatat caatcctata aggcacaggg aacaagcatt ctcctgtttt 1080

tacagattgt atcctgaggc tgagagagtt aagtgaatgt ctaaggtcac acagtattaa 1140

gtgacagtgc tagaaatcaa acccagagct gtggactttg ttcactagac tgtgcccttt 1200

tatagaggta catgttctct ttggagtgtt ggtaggtgtc tgtttcccac ctcacctgag 1260

agccattgaa tttgccttcc tcatgaatta aaacctcccc caagcagagc ttcctcagag 1320

aaagtggttc tatgatgaag tcctgtcttg gaaggactac tactcaatgg cccctgcact 1380

actctacttc ctcttaccta tgtcccttct catgcctttc cctccaacgg ggaaagccaa 1440

ctccatctct aagtgctgaa ctcatccctg ttcctcaagg ccacctggcc aggagcttct 1500

ctgatgtgat atccactttt ttttttttt gagatggagt ctcactctgt cacccaggct 1560

ggagtacagt gacacgacct cggctcactg cagcctcctt ctcctgggtc caagcaatta 1620

ttgtgcctca gcctcccgag tagctgagac ttcaggtgca ttccaccaca catggctaat 1680

ttttgtattt ttagtagaaa tggggtttcg tcatgttggc caggctggtc tcgaactcct 1740

ggcctaggtg atccacccgc ctcgacctcc caaagtgctg ggattacagg catgagccac 1800

catgcccagt cgatatctca ctttttattt tgccatggat gagagtcctg ggtgtgagga 1860

acacctccca ccaggctaga ggcaactgcc caggaaggac tgtgcttccg tcacctctaa 1920

atcccttgca gatccttgat aaatgcctca tgaagaccaa tctcttgaat cccatatcta 1980

cccagaatta actccattcc agtctctgca tgtaatcagt tttatccaca gaaacatttt 2040

cattttagga aatccctggt ttaagtatca atccttgttc agctggacaa tatgaatctt 2100

ttccactgaa gttagggatg actgtgattt tcagaacacg tccagaattt ttcatcaaga 2160

aggtagcttg agcctgaaat gcaaaaccca tggaggaatt ctgaagccat tgtctccttg 2220

agtaccaaca gggtcaggga agactgggcc tcctgaattt attattgttc tttaagaatt 2280

acaggttgag gtagttgatg gtggtaaaca ttctctcagg agacaataac tccagtgatg 2340

tttttcaaag attttagcaa aaacagagta aatagcattc tctatcaata tataaattta 2400

aaaaactatc tttttgctta cagttttaaa ttctgaacaa tttctcttat atgtgtattg 2460

ctaatcatta aggtattatt ttttccacat ataaagcttt gtctttttgt tgttgttgtt 2520

gtttttaaga tggagtttcc ctctgttgcc aggctagagt gcagtggcat gatctcggct 2580

tactgcaacc tttgcctccc aggtttaagc gattcttctg cctcagcctc ccgagtagct 2640

gggaccacag gtgcctacca ccatgccagg ctaatttttg tatttttagt aaagacaggg 2700

tttcaccata ttggccaggc tggtctcgaa ctcctgacct tgtgatctgc ccgcctccat 2760

tgtgttgtta tttgtgagaa agatagatat gaggtttaga gagggatgaa gaggtgagag 2820

taagccttgt gttagtcaga actctgtgtt gtgaatgtca ttcacaacag aaaacccaaa 2880

atattatgca aactactgta agcaagaaaa ataaaggaaa aatggaaaca tttattcctt 2940

tgcataatag aaattaccag agttgttctg tctttagata aggtttgaac caaagctcaa 3000

aacaatcaag acccttttct gtatgtcctt ctgttctgcc ttccgcagtg taggctttac 3060

cctcaggtgc tacacagtat agttctaggg tttccctccc gatatcaaaa agactgtggc 3120

ctgcccagct ctcgtatccc caagccacac catctggcta aatggacatc atgttttctg 3180

gtgatgccca aagaggagag aggaagctct ctttcccaga tgccccagca agtgtaacct 3240

tgcatctcat tgctctggct gagttgtgtg cctgtttctg accaatcact gagtcaggag 3300

gatgaaatat tcatattgac ttaattgcag cttaagttag gggtatgtag aggtattttc 3360

cctaaagcaa aattgggaca ctgttatcag aaataggaga gtggatgata gatgcaaaat 3420

aatacctgtc cacaacaaac tcttaatgct gtgtttgagc tttcatgagt ttcccagaga 3480

gacatagctg gaaaattcct attgattttc tctaaaattt caacaagtag ctaaagtctg 3540

gctatgctca cagtctcaca tctggtgggg gtgggctcct tacagaacac gctttcacag 3600

ttaccctaaa ctctctgggg cagggttatt cctttgtgga accagaggca cagagacagt 3660

caactgaggc ccaacagagg cctgagagaa actgaggtca agatttcagg attaatggtc 3720

ctgtgatgct ttgaagtaca attgtggatt tgtccaattc tctttagttc tgtcagcttt 3780

tgcttcatat attttagcgc tctattatta gatatataca tgtttagtat tatgtcttat 3840

tggtgcattt actctcttat cattatgtaa tgtccttctt tatctgtgat aattttctgt 3900

gttctgaagt ctactttgtc taaaaataac atacgcactc aacttccttt tctttcttcc 3960

ttcctttctt tcttccttcc tttctttctc tctctctctt tccttccttc cttcctcctt 4020

ttctctctct ctctctctct ctctcttttc ttgacagact ctcgttctgt ggccctggct 4080

ggagttcagt ggtgtgatct tggctcactg ctacctctac catgagcaat tctcctgcct 4140

cagcctccca agtagctgga actacaggct catgccactg cgcccagcta atttttgtat 4200

ttttcgtaga gacggggttt caccacattc gtcaggttgg tttcaaactc ctgactttgt 4260

gatccacccg cctcggcctc ccaaagtgct gggattacag gcatgagcca tcacacctgg 4320

tcaactttct tttgattagt gtttttgtgg tatatctttt tccatcatgt tactttaaat 4380

atatctatat tattgtattt aaaatgtgtt tcttacagac tgcatgtagt tgggtataat 4440

ttttatccag tctaaaaata tctgtctttt aattggtgtt tagacaattt atatttaata 4500

aaatggtgga atttaaa 4517

<210> 2
<211> 484
<212> DNA
<213> Homo sapiens

<400> 2
atgacccggg gctgaaggtc cccgaggctt tccgggaatc caaggcagga aaggagaacc 60

tggagaaggt gcctatgtat accgctcagc attcagtgtg ggattggaga cttacgttac 120

tatccccaac atgcccattc gctttaccaa gatcttctac aatcagcaaa accactatga 180

tggctccact ggtaaattcc actgcaacat tcctgggctg tactactttg cctaccacat 240

cacagtctat atgaaggatg tgaaggtcag cctcttcaag aaggacaagg ctatgctctt 300

cacctatgat cagtaccagg aaaataatgt ggaccaggcc tccggctctg tgctcctgca 360

tctggaggtg ggcgaccaag tctggctcca ggtgtatggg gaaggagagc gtaatggact 420

ctatgctgat aatgacaatg actccacctt cacaggcttt cttctctacc atgacaccaa 480

ctga 484

<210> 3

<211> 718
<212> DNA
<213> Homo sapiens

<400> 3
ctgattccat accagagggg ctcaggatgc tgttgctggg agctgttcta ctgctattag 60
ctctgcccgg gcatgaccag gaaaccacga ctcaagggcc cggagtcctg cttcccctgc 120
ccaaggggc ctgcacaggt tggatggcgg gcatcccagg gcatccgggc cataatgggg 180
ccccaggccg tgatggcaga gatggcaccc ctggtgagaa gggtgagaaa ggagatccag 240
gtcttattgg tcctaaggga gacatcggtg aaaccggagt acccggggct gaaggtcccc 300
gaggctttcc gggaatccaa ggcaggaaag gagaacctgg agaaggtgcg ttactatccc 360
caacatgccc attcgcttta ccaagatctt ctacaatcag caaaaccact atgatggctc 420
cactggtaaa ttccactgca acattcctgg gctgtactac tttgcctacc acatcacagt 480
ctatatgaag gatgtgaagg tcagcctctt caagaaggac aaggctatgc tcttcaccta 540
tgatcagtac caggaaaata atgtggacca ggcctccggc tctgtgctcc tgcatctgga 600
ggtgggcgac caagtctggc tccaggtgta tggggaagga gagcgtaatg gactctatgc 660
tgataatgac aatgactcca ccttcacagg ctttcttctc taccatgaca ccaactga 718

<210> 4
<211> 537
<212> DNA
<213> Homo sapiens

<400> 4
ctgattccat accagagggg ctcaggatgc tgttgctggg agctgttcta ctgctattag 60
ctctgcccgg gcatgaccag gaaaccacga ctcaagggcc cggagtcctg cttcccctgc 120
ccaaggggc ctgcacaggt tggatggcgg gcatcccagg gcatccgggc cataatgggg 180
ccccaggccg tgatggcaga gatggcaccc ctggtgagaa gggtgagaaa ggagatccag 240
gtcttattgg tcctaaggga gacatcggtg aaaccggagt acccggggct gaaggtcccc 300
gaggctttcc gggaatccaa ggcaggaaag gagaacctgg agaaggtgcc tatgtatacc 360
gctcagcatt cagtgtggga ttggagactt acgttactat ccccaacatg cccattcgct 420
ttaccaagat cttctacaat cagcaaaacc actatgatgg ctccactggt aaattccact 480
gcaacattcc tgggctgtac cttcacaggc tttcttctct accatgacac caactga 537

<210> 5
<211> 1306
<212> DNA
<213> Mus musculus

<400> 5
atgagacctg gccactttct cctcatttct gtctgtacga ttgtcagtgg atctgacgac 60
accaaaaggg ctcaggatgc tactgttgca agctctcctg ttcctcttaa tcctgcccag 120
tcatgccgaa gatgacgtta ctacaactga agagctagct cctgctttgg tccctccacc 180

caagggaact tgtgcaggtt ggatggcagg catcccagga catcctggcc acaatggcac 240

accaggccgt gatggcagag atggcactcc tggagagaag ggagagaaag gagatgcagg 300

tcttcttggt cctaagggtg agacaggaga tgttggaatg acaggagctg aagggccacg 360

gggcttcccc ggaacccctg gcaggaaagg agagcctgga gaagccgctt atgtgtatcg 420

ctcagcgttc agtgtggggc tggagacccg cgtcactgtt cccaatgtac ccattcgctt 480

tactaagatc ttctacaacc aacagaatca ttatgacggc agcactggca agttctactg 540

caacattccg ggactctact acttctctta ccacatcacg gtgtacatga aagatgtgaa 600

ggtgagcctc ttcaagaagg acaaggccgt tctcttcacc tacgaccagt atcaggaaaa 660

gaatgtggac caggcctctg gctctgtgct cctccatctg gaggtgggag accaagtctg 720

gctccaggtg tatggggatg gggaccacaa tggactctat gcagataacg tcaacgactc 780

tacatttact ggctttcttc tctaccatga taccaactga ctgcaactac ccatagccca 840

tacaccagga gaatcatgga acagtcgaca cactttcagc ttagtttgag agattgattt 900

tattgcttag tttgagagtc ctgagtatta tccacacgtg tactcacttg ttcattaaac 960

gactttataa aaaataattt gtgttcctag tccagaaaaa aaggcactcc ctggtctcca 1020

cgactcttac atggtagcaa taacagaatg aaaatcacat ttggtatggg ggcttcacaa 1080

tattcgcatg actgtctgga agtagaccat gctatttttc tgctcactgt acacaaatat 1140

tgttcacata aaccctataa tgtaaatatg aaatacagtg attactcttc tcacaggctg 1200

astgtatgaa ttctaaagac ccataagtat taaagtggta gggataaatt ggaaaaaaaa 1260

aaaaaaaaaa agaaaaactt tagagcacac tggcggccgt tactag 1306

<210> 6
<211> 1184
<212> DNA
<213> Mus musculus

<400> 6
gctcattcat cttttaattc acccataaag gctttgaaaa ctaaggctgg agatgaactt 60

ataggagcct gccaggccgt ggagagtgag gaagcagaga tgacggagat gatgtctttc 120

cttgtcctgt gaaatggatt gtgggtagag gttccggaga taatgcctct tgctggaaac 180

agtctgggca gttctgttcc cgccattcac agaattcttc tcactttcta ggtcttcttg 240

gtcctaaggg tgagacagga gatgttggaa tgacaggagc tgaagggcca cggggcttcc 300

ccggaacccc tggcaggaaa ggagagcctg gagaagccgc ttatgtgtat cgctcagcgt 360

tcagtgtggg gctggagacc cgcgtcactg ttcccaatgt acccattcgc tttactaaga 420

tcttctacaa ccaacagaat cattatgacg gcagcactgg caagttctac tgcaacattc 480

cgggactcta ctacttctct taccacatca cggtgtacat gaaagatgtg aaggtgagcc 540

tcttcaagaa ggacaaggcc gttctcttca cctacgacca gtatcaggaa aagaatgtgg 600

accaggcctc tggctctgtg ctcctccatc tggaggtggg agaccaagtc tggctccagg 660

tgtatgggga tggggaccac aatggactct atgcagataa cgtcaacgac tctacattta 720

ctggctttct tctctaccat gataccaact gactgcaact acccatagcc catacaccag 780

gagaatcatg gaacagtcga cacactttca gcttagtttg agagattgat tttattgctt 840

agtttgagag tcctgagtat tatccacacg tgtactcact tgttcattaa acgactttat 900

aaaaaataat ttgtgttcct agtccagaaa aaaaggcact ccctggtctc cacgactctt 960

acatggtagc aataacagaa tgaaaatcac atttggtatg ggggcttcac aatattcgca 1020

tgactgtctg gaagtagacc atgctatttt tctgctcact gtacacaaat attgttcaca 1080

taaaccctat aatgtaaata tgaaatacag tgattactct tctcacaggc tgagtgtatg 1140

aattctaaag acccataagt attaaagtgg tagggataaa ttgg 1184

<210> 7
<211> 1209
<212> DNA
<213> Mus musculus

<400> 7
atgagacctg gccactttct cctcatttct gtctgtacga ttgtcagtgg atctgacgac 60

accaaaaggg ctcaggatgc tactgttgca agctctcctg ttcctcttaa tcctgcccag 120

tcatgccgaa gatgacgtta ctacaactga agagctagct cctgctttgg tccctccacc 180

caagggaact tgtgcaggtt ggatggcagg catcccagga catcctggcc acaatggcac 240

accaggccgt gatggcagag atggcactcc tggagagaag ggagagaaag gagatgcagg 300

tcttcttggt cctaagggtg agacaggaga tgttggaatg acaggagctg aagggccacg 360

gggcttcccc ggaacccctg gcaggaaagg agagcctgga gaagccgcgt cactgttccc 420

aatgtaccca ttcgctttac taagatcttc tacaaccaac agaatcatta tgacggcagc 480

actggcaagt tctactgcaa cattccggga ctctactact tctcttacca catcacggtg 540

tacatgaaag atgtgaaggt gagcctcttc aagaaggaca aggccgttct cttcacctac 600

gaccagtatc aggaaaagaa tgtggaccag gcctctggct ctgtgctcct ccatctggag 660

gtgggagacc aagtctggct ccaggtgtat ggggatgggg accacaatgg actctatgca 720

gataacgtca acgactctac atttactggc tttcttctct accatgatac caactgactg 780

caactaccca tagcccatac accaggagaa tcatggaaca gtcgacacac tttcagctta 840

gtttgagaga ttgattttat tgcttagttt gagagtcctg agtattatcc acacgtgtac 900

tcacttgttc attaaacgac tttataaaaa ataatttgtg ttcctagtcc agaaaaaaag 960

gcactccctg gtctccacga ctcttacatg gtagcaataa cagaatgaaa atcacatttg 1020

gtatgggggc ttcacaatat tcgcatgact gtctggaagt agaccatgct atttttctgc 1080

tcactgtaca caaatattgt tcacataaac cctataatgt aaatatgaaa tacagtgatt 1140

actcttctca caggctgagt gtatgaattc taaagaccca taagtattaa agtggtaggg 1200

ataaattgg 1209

<210> 8
<211> 1028
<212> DNA
<213> Mus musculus

<400> 8
atgagacctg gccactttct cctcatttct gtctgtacga ttgtcagtgg atctgacgac 60
accaaaaggg ctcaggatgc tactgttgca agctctcctg ttcctcttaa tcctgcccag 120
tcatgccgaa gatgacgtta ctacaactga agagctagct cctgctttgg tccctccacc 180
caagggaact tgtgcaggtt ggatggcagg catcccagga catcctggcc acaatggcac 240
accaggccgt gatggcagag atggcactcc tggagagaag ggagagaaag gagatgcagg 300
tcttcttggt cctaagggtg agacaggaga tgttggaatg acaggagctg aagggccacg 360
gggcttcccc ggaacccctg gcaggaaagg agagcctgga gaagccgctt atgtgtatcg 420
ctcagcgttc agtgtggggc tggagacccg cgtcactgtt cccaatgtac ccattcgctt 480
tactaagatc ttctacaacc aacagaatca ttatgacggc agcactggca agttctactg 540
caacattccg ggactctaca tttactggct ttcttctcta ccatgatacc aactgactgc 600
aactacccat agcccataca ccaggagaat catggaacag tcgacacact ttcagcttag 660
tttgagagat tgattttatt gcttagtttg agagtcctga gtattatcca cacgtgtact 720
cacttgttca ttaaacgact ttataaaaaa taatttgtgt tcctagtcca gaaaaaaagg 780
cactccctgg tctccacgac tcttacatgg tagcaataac agaatgaaaa tcacatttgg 840
tatgggggct tcacaatatt cgcatgactg tctggaagta gaccatgcta tttttctgct 900
cactgtacac aaatattgtt cacataaacc ctataatgta aatatgaaat acagtgatta 960
ctcttctcac aggctgagtg tatgaattct aaagacccat aagtattaaa gtggtaggga 1020
taaattgg 1028

<210> 9
<211> 306
<212> DNA
<213> Mus musculus

<400> 9
atgagacctg gccactttct cctcatttct gtctgtacga ttgtcagtgg atctgacgac 60
accaaaaggg ctcaggatgc tactgttgca agctctcctg ttcctcttaa tcctgcccag 120
tcatgccgaa gatgacgtta ctacaactga agagctagct cctgctttgg tccctccacc 180
caagggaact tgtgcaggtt ggatggcagg catcccagga catcctggcc acataaaaat 240
ataattcgag gggcatccac caggccggct gaattgtgcc aaaatatggc acttcctgca 300
agataa 306

<210> 10
<211> 665
<212> DNA
<213> Homo sapiens

<400> 10
actctggatg ggtgctgttt agacaaacgc cgtctcctat ataagacctg acagcacagg 60

caccactccg ccaggactgc aggcccacct gtctgcaacc cagctgaggc catgccctcc 120

ccagggaccg tctgcagcct cctgctcctc ggcatgctct ggctggactt ggccatggca 180

ggctccagct tcctgagccc tgaacaccag agagtccagc agagaaagga gtcgaagaag 240

ccaccagcca agctgcagcc ccgagctcta gcaggctggc tccgcccgga agatggaggt 300

caagcagaag gggcagagga tgaactggaa gtccggttca acgccccctt tgatgttgga 360

atcaagctgt caggggttca gtaccagcag cacagccagg ccctggggaa gtttcttcag 420

gacatcctct gggaagaggc caaagaggcc ccagccgaca agtgatcgcc cacaagcctt 480

actcacctct ctctaagttt agaagcgctc atctggcttt tcgcttgctt ctgcagcaac 540

tccacgact gttgtacaag ctcaggaggc gaataaatgt tcaaactgta tgctgatgtt 600

ccaaatggga atttatttca aagaggaaaa gttaatattt tactttaaaa aaatcaaaat 660

aatac 665

<210> 11
<211> 579
<212> DNA
<213> Homo sapiens

<400> 11
actctggatg ggtgctgttt agacaaacgc cgtctcctat ataagacctg acagcacagg 60

caccactccg ccaggactgc aggcccacct gtctgcaacc cagctgaggc catgccctcc 120

ccagggaccg tctgcagcct cctgctcctc ggcatgctct ggctggactt ggccatggca 180

ggctccagct tcctgagccc tgaacaccag agagtccagg tgagacctcc ccacaaagcc 240

ccacatgttg ttccagccct gccacttagc aaccagctct gtgacctgga gcagcagcgc 300

catctctggg cttcagtctt ctcccagagc acaaaggact ctgggtctga cctcactgtt 360

tctggaagga catgggggct tagagtccta aacagactgt ttccccccttc cagcagagaa 420

aggagtcgaa gaagccacca gccaagctgc agccccgagc tctagcaggc tggctccgcc 480

cggaagatgg aggtcaagca gaaggggcag aggatgaact ggaagtccgg gtcggtacct 540

ctgcagtttt atgcttctgt ggcagcgagg agggtgggg 579

<210> 12
<211> 1448
<212> DNA
<213> Homo sapiens

<400> 12
gcactgcctg agactactcc agcctccccc gtccctgatg tcacaattca gaggctgctg 60

cctgcttagg aggttgtaga aagctctgta ggttctctct gtgtgtccta caggagtctt 120

caggccagct ccctgtcgga tggcttttat gaaaaaatat ctcctcccca ttctggggct 180

cttcatggcc tactactact attctgcaaa cgaggaattc agaccagaga tgctccaagg 240

aaagaaagtg attgtcacag gggccagcaa agggatcgga agagagatgg cttatcatct 300

ggcgaagatg ggagcccatg tggtggtgac agcgaggtca aaagaaactc tacagaaggt 360

ggtatcccac tgcctggagc ttggagcagc ctcagcacac tacattgctg gcaccatgga 420

agacatgacc ttcgcagagc aatttgttgc ccaagcagga aagctcatgg gaggactaga 480

catgctcatt ctcaaccaca tcaccaacac ttctttgaat ctttttcatg atgatattca 540

ccatgtgcgc aaaagcatgg aagtcaactt cctcagttac gtggtcctga ctgtagctgc 600

cttgcccatg ctgaagcaga gcaatggaag cattgttgtc gtctcctctc tggctgggaa 660

agtggcttat ccaatggttg ctgcctattc tgcaagcaag tttgctttgg atgggttctt 720

ctcctccatc agaaaggaat attcagtgtc cagggtcaat gtatcaatca ctctctgtgt 780

tcttggcctc atagacacag aaacagccat gaaggcagtt tctgggatag tccatatgca 840

agcagctcca aaggaggaat gtgccctgga gatcatcaaa gggggagctc tgcgccaaga 900

agaagtgtat tatgacagct cactctggac cactcttctg atcagaaatc catgcaggaa 960

gatcctggaa tttctctact caacgagcta taatatggac agattcataa acaagtagga 1020

actccctgag ggctgggcat gctgagggat tttgggactg ttctgtctca tgtttatctg 1080

agctcttatc tatgaagaca tcttcccaga gtgtccccag agacatgcaa gtcatgggtc 1140

acacctgaca aatggaagga gttcctctaa catttgcaaa atggaaatgt aataataatg 1200

aatgtcatgc accgctgcag ccagcagttg taaaattgtt agtaaacata ggtataatta 1260

ccagatagtt atattaaatt tatatcttat atataataat atgtgatgat taatacaata 1320

ttaattataa taaaggtcac ataaacttta taaattcata actggtagct ataacttgag 1380

cttattcagg atggtttctt taaaaccata aactgtacaa atgaaatttt tcaatatttg 1440

tttcttat 1448

<210> 13
<211> 708
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (626)..(626)
<223> n is a, g, c, or t

<400> 13
gcactgcctg agactactcc agcctccccc gtccctgatg tcacaattca gaggctgctg 60

cctgcttagg aggttgtaga aagctctgta ggttctctct gtgtgtccta caggagtctt 120

caggccagct ccctgtcgga tggcttttat gaaaaaatat ctcctcccca ttctggggct 180

cttcatggcc tactactact attctgcaaa cgaggaattc agaccagaga tgctccaagg 240

aaagaaagtg attgtcacag gggccagcaa agggatcgga agagagatgg cttatcatct 300

ggcgaagatg ggagcccatg tggtggtgac agcgagctca gcacactaca ttgctggcac 360

catggaagac atgaccttcg cagagcaatt tgttgcccaa gcaggaaagc tcatgggagg 420

actagacatg ctcattctca accacatcac caacacttct ttgaatcttt ttcatgatga 480

tattcaccat gtgcgcaaaa gcatggaagt caacttcctc agttacgtgg tcctgactgt 540

agctgccttg cccatgctga agcagagcaa tggaagcatg tgcgctcttc tgctggaatg 600

ctatcatgtt gtgcatctga gcagtngttg atggtctctc tcatagaaga tatcaggcag 660

gcatgatata ctttggtctg ctataccaga cgctaggcgt ctgatgca 708

<210> 14
<211> 1394
<212> DNA
<213> Homo sapiens

<400> 14
gcactgcctg agactactcc agcctccccc gtccctgatg tcacaattca gaggctgctg 60

cctgcttagg aggttgtaga aagctctgta ggttctctct gtgtgtccta caggagtctt 120

caggccagct ccctgtcgga tggcttttat gaaaaaatat ctcctcccca ttctggggct 180

cttcatggcc tactactact attctgcaaa cgaggaattc agaccagaga tgctccaagg 240

aaagaaagtg attgtcacag gggccagcaa agggatcgga agagagatgg cttatcatct 300

ggcgaagatg ggagcccatg tggtggtgac agcgaggtca aaagaaactc tacagaaggt 360

ggtatcccac tgcctggagc ttggagcagc ctcagcacac tacattgctg gcaccatgga 420

agacatgacc ttcgcagagc aatttgttgc ccaagcagga aagctcatgg gaggactaga 480

catgctcatt ctcaaccaca tcaccaacac ttctttgaat ctttttcatg atgatattca 540

ccatgtgcgc aaaagcatgg aagtcaactt cctcagttac gtggtcctga ctgtagctgc 600

cttgcccatg ctgaagcaga gcaatggaag cattgttgtc gtctcctctc tggctgggaa 660

agtggcttat ccaatggttg ctgcctattc tgcaagcaag tttgctttgg atgggttctt 720

ctcctccatc agaaaggaat attcagtgtc cagggtcaat gtatcaatca ctctctgtgt 780

tcttggcctc atagacacag aaacagccat gaaggcagtt tctgggatag tccatatgca 840

agcagctcca aaggaggaat gtgccctgga gatcatcaaa gggggagctc tgcgccaaga 900

agaagtgtat tatgacagct cactctggac cactcttctg atcagaaatc catgcaggaa 960

gatcctggaa tttctctact caacgagcta taatatggag ggactgttct gtctcatgtt 1020

tatctgagct cttatctatg aagacatctt cccagagtgt ccccagagac atgcaagtca 1080

tgggtcacac ctgacaaatg gaaggagttc ctctaacatt tgcaaaatgg aaatgtaata 1140

ataatgaatg tcatgcaccg ctgcagccag cagttgtaaa attgttagta aacataggta 1200

taattaccag atagttatat taaatttata tcttatatat aataatatgt gatgattaat 1260

acaatattaa ttataataaa ggtcacataa actttataaa ttcataactg gtagctataa 1320

cttgagctta ttcaggatgg tttctttaaa accataaact gtacaaatga aatttttcaa 1380

tatttgtttc ttat 1394

<210> 15
<211> 1394
<212> DNA
<213> Homo sapiens

<400> 15
gcactgcctg agactactcc agcctccccc gtccctgatg tcacaattca gaggctgctg 60

cctgcttagg aggttgtaga aagctctgta ggttctctct gtgtgtccta caggagtctt 120

caggccagct ccctgtcgga tggcttttat gaaaaaatat ctcctcccca ttctggggct 180

cttcatggcc tactactact attctgcaaa cgaggaattc agaccagaga tgctccaagg 240

aaagaaagtg attgtcacag gggccagcaa agggatcgga agagagatgg cttatcatct 300

ggcgaagatg ggagcccatg tggtggtgac agcgaggtca aaagaaactc tacagaaggt 360

ggtatcccac tgcctggagc ttggagcagc ctcagcacac tacattgctg gcaccatgga 420

agacatgacc ttcgcagagc aatttgttgc ccaagcagga aagctcatgg gaggactaga 480

catgctcatt ctcaaccaca tcaccaacac ttctttgaat ctttttcatg atgatattca 540

ccatgtgcgc cccatgctga agcagagcaa tggaagcatt gttgtcgtct cctctctggc 600

tgggaaagtg gcttatccaa tggttgctgc ctattctgca agcaagtttg ctttggatgg 660

gttcttctcc tccatcagaa aggaatattc agtgtccagg gtcaatgtat caatcactct 720

ctgtgttctt ggcctcatag acacagaaac agccatgaag gcagtttctg ggatagtcca 780

tatgcaagca gctccaaagg aggaatgtgc cctggagatc atcaaagggg gagctctgcg 840

ccaagaagaa gtgtattatg acagctcact ctggaccact cttctgatca gaaatccatg 900

caggaagatc ctggaatttc tctactcaac gagctataat atggacagat tcataaacaa 960

gtaggaactc cctgagggct gggcatgctg agggattttg ggactgttct gtctcatgtt 1020

tatctgagct cttatctatg aagacatctt cccagagtgt ccccagagac atgcaagtca 1080

tgggtcacac ctgacaaatg gaaggagttc ctctaacatt tgcaaaatgg aaatgtaata 1140

ataatgaatg tcatgcaccg ctgcagccag cagttgtaaa attgttagta aacataggta 1200

taattaccag atagttatat taaatttata tcttatatat aataatatgt gatgattaat 1260

acaatattaa ttataataaa ggtcacataa actttataaa ttcataactg gtagctataa 1320

cttgagctta ttcaggatgg tttctttaaa accataaact gtacaaatga aatttttcaa 1380

tatttgtttc ttat 1394

<210> 16
<211> 1394
<212> DNA
<213> Homo sapiens

<400> 16
gcactgcctg agactactcc agcctccccc gtccctgatg tcacaattca gaggctgctg 60

cctgcttagg aggttgtaga aagctctgta ggttctctct gtgtgtccta caggagtctt 120

caggccagct ccctgtcgga tggcttttat gaaaaaatat ctcctcccca ttctggggct 180

cttcatggcc tactactact attctgcaaa cgaggaattc agaccagaga tgctccaagg 240

aaagaaagtg attgtcacag gggccagcaa agggatcgga agagagatgg cttatcatct 300

ggcgaagatg ggagcccatg tggtggtgac agcgagctca gcacactaca ttgctggcac 360

catggaagac atgaccttcg cagagcaatt tgttgcccaa gcaggaaagc tcatgggagg 420

actagacatg ctcattctca accacatcac caacacttct ttgaatcttt ttcatgatga 480

tattcaccat gtgcgcaaaa gcatggaagt caacttcctc agttacgtgg tcctgactgt 540

agctgccttg cccatgctga agcagagcaa tggaagcatt gttgtcgtct cctctctggc 600

tgggaaagtg gcttatccaa tggttgctgc ctattctgca agcaagtttg ctttggatgg 660

gttcttctcc tccatcagaa aggaatattc agtgtccagg gtcaatgtat caatcactct 720

ctgtgttctt ggcctcatag acacagaaac agccatgaag gcagtttctg ggatagtcca 780

tatgcaagca gctccaaagg aggaatgtgc cctggagatc atcaaagggg gagctctgcg 840

ccaagaagaa gtgtattatg acagctcact ctggaccact cttctgatca gaaatccatg 900

caggaagatc ctggaatttc tctactcaac gagctataat atggacagat tcataaacaa 960

gtaggaactc cctgagggct gggcatgctg agggattttg ggactgttct gtctcatgtt 1020

tatctgagct cttatctatg aagacatctt cccagagtgt ccccagagac atgcaagtca 1080

tgggtcacac ctgacaaatg gaaggagttc ctctaacatt tgcaaaatgg aaatgtaata 1140

ataatgaatg tcatgcaccg ctgcagccag cagttgtaaa attgttagta aacataggta 1200

taattaccag atagttatat taaatttata tcttatatat aataatatgt gatgattaat 1260

acaatattaa ttataataaa ggtcacataa actttataaa ttcataactg gtagctataa 1320

cttgagctta ttcaggatgg tttctttaaa accataaact gtacaaatga aatttttcaa 1380

tatttgtttc ttat 1394

<210> 17
<211> 1821
<212> DNA
<213> Homo sapiens

<400> 17
ggtgaaaagg gaaaacctgc ccaaatccag tttttgtttc agtaacttcc tttgagacaa 60

agtcaggaat ctgagagtaa gcacctgcta agggtgggac aggggctctg tctggtatgc 120

ctctcccatg ttaagagcta acaatagtaa tggataagtc tccagggcaa ccaggaccac 180

ttccaagcat tcctgtcttg ggctgcctcg agggctcctc tgtcctttgg ggagtactga 240

ttgatgcctg atgcccagaa ctggcccact ctggcttctc tttggagctg tctctgcagg 300

cgccttctgg ctgccagctc ggtcctagca taagggactt cttccttggc ctgggtttca 360

ccttcttgta tcaggtggca gaccagctgg tttcagtccc aaatcaggtc ttctgactcc 420

tcccagaaac caaccaactt ctgagcagga aatcctgccc ctccccaaag agtgggaaac 480

cgcaaaggaa gagagagatg aaacagaagg aaaggcagag gaggagggag agagagagaa 540

gagaagaaaa agaaaaaaga acatcaataa aaagaagtca gatttgttcg aaatcttgag 600

agatgctcca aggaaagaaa gtgattgtca caggggccag caaagggatc ggaagagaga 660

tggcttatca tctggcgaag atgggagccc atgtggtggt gacagcgagg tcaaaagaaa 720

ctctacagaa ggtggtatcc cactgcctgg agcttggagc agcctcagca cactacattg 780

ctggcaccat ggaagacatg accttcgcag agcaatttgt tgcccaagca ggaaagctca 840

tgggaggact agacatgctc attctcaacc acatcaccaa cacttctttg aatctttttc 900

atgatgatat tcaccatgtg cgcaaaagca tggaagtcaa cttcctcagt tacgtggtcc 960

tgactgtagc tgccttgccc atgctgaagc agagcaatgg aagcattgtt gtcgtctcct 1020

ctctggctgg gaaagtggct tatccaatgg ttgctgccta ttctgcaagc aagtttgctt 1080

tggatgggtt cttctcctcc atcagaaagg aatattcagt gtccagggtc aatgtatcaa 1140

tcactctctg tgttcttggc ctcatagaca cagaaacagc catgaaggca gtttctggga 1200

tagtccatat gcaagcagct ccaaaggagg aatgtgccct ggagatcatc aaaggggggag 1260

ctctgcgcca agaagaagtg tattatgaca gctcactctg gaccactctt ctgatcagaa 1320

atccatgcag gaagatcctg gaatttctct actcaacgag ctataatatg gacagattca 1380

taaacaagta ggaactccct gagggctggg catgctgagg gattttggga ctgttctgtc 1440

tcatgtttat ctgagctctt atctatgaag acatcttccc agagtgtccc cagagacatg 1500

caagtcatgg gtcacacctg acaaatggaa ggagttcctc taacatttgc aaaatggaaa 1560

tgtaataata atgaatgtca tgcaccgctg cagccagcag ttgtaaaatt gttagtaaac 1620

ataggtataa ttaccagata gttatattaa atttatatct tatatataat aatatgtgat 1680

gattaataca atattaatta taataaaggt cacataaact ttataaattc ataactggta 1740

gctataactt gagcttattc aggatggttt ctttaaaacc ataaactgta caaatgaaat 1800

ttttcaatat ttgtttctta t 1821

<210> 18
<211> 1304
<212> DNA
<213> Homo sapiens

<400> 18
gcactgcctg agactactcc agcctccccc gtccctgatg tcacaattca gaggctgctg 60

cctgcttagg aggttgtaga aagctctgta ggttctctct gtgtgtccta caggagtctt 120

caggccagct ccctgtcgga tggcttttat gaaaaaatat ctcctcccca ttctggggct 180

cttcatggcc tactactact attctgcaaa cgaggaattc agaccagaga tgctccaagg 240

aaagaaagtg attgtcacag gggccagcaa agggatcgga agagagatgg cttatcatct 300

ggcgaagatg ggagcccatg tggtggtgac agcgaggtca aaagaaactc tacagaaggt 360

ggtatcccac tgcctggagc ttggagcagc ctcagcacac tacattgctg gcaccatgga 420

agacatgacc ttcgcagagc aatttgttgc ccaagcagga aagctcatgg gaggactaga 480

catgctcatt ctcaaccaca tcaccaacac ttctttgaat ctttttcatg atgatattca 540

ccatgtgcgc aaaagcatgg aagtcaactt cctcagttac gtggtcctga ctgtagctgc 600

cttgcccatg ctgaagcaga gcaatggaag cattgttgtc gtctcctctc tggctgaaac 660

agccatgaag gcagtttctg ggatagtcca tatgcaagca gctccaaagg aggaatgtgc 720

cctggagatc atcaaagggg gagctctgcg ccaagaagaa gtgtattatg acagctcact 780

ctggaccact cttctgatca gaaatccatg caggaagatc ctggaatttc tctactcaac 840

gagctataat atggacagat tcataaacaa gtaggaactc cctgagggct gggcatgctg 900

agggattttg ggactgttct gtctcatgtt tatctgagct cttatctatg aagacatctt 960

cccagagtgt ccccagagac atgcaagtca tgggtcacac ctgacaaatg gaaggagttc 1020

ctctaacatt tgcaaaatgg aaatgtaata ataatgaatg tcatgcaccg ctgcagccag 1080

cagttgtaaa attgttagta aacataggta taattaccag atagttatat taaatttata 1140

tcttatatat aataatatgt gatgattaat acaatattaa ttataataaa ggtcacataa 1200

actttataaa ttcataactg gtagctataa cttgagctta ttcaggatgg tttctttaaa 1260

accataaact gtacaaatga aatttttcaa tatttgtttc ttat 1304

<210> 19
<211> 1307
<212> DNA
<213> Mus musculus

<400> 19
actgttggcc tctggawtca gaggctgctg cctgcctggg aggttgtaga aagctctgca 60

ggttttcttc gtgtgtccta cagggcgccc tgagccaggt ccctgtttga tggcagttat 120

gaaaaattac ctcctcccga tcctggtgct cttcctggcc tactactact attctacaaa 180

tgaagagttc agaccagaaa tgctccaggg aaagaaagtg attgtcactg gggccagcaa 240

agggattgga agagaaatgg catatcatct gtcaaaaatg ggagcccatg tggtattgac 300

tgccaggtcg gaggaaggtc tccagaaggt agtgtctcgc tgccttgaac tcggagcagc 360

ctctgctcac tacattgctg gcactatgga agacatgaca tttgcggagc aatttattgt 420

caaggcggga aagctcatgg gcggactgga catgcttatt ctaaaccaca tcactcagac 480

ctcgctgtct ctcttccatg acgacatcca ctctgtgcga agagtcatgg aggtcaactt 540

cctcagctac gtggtcatga gcacagccgc cttgcccatg ctgaagcaga gcaatggcag 600

cattgccgtc atctcctcct tggctgggaa aatgacccag cctatgattg ctccctactc 660

tgcaagcaag tttgctctgg atgggttctt ttccaccatt agaacagaac tctacataac 720

caaggtcaac gtgtccatca ctctctgtgt ccttggcctc atagacacag aaacagctat 780

gaaggaaatc tctgggataa ttaacgccca agcttctccc aaggaggagt gcgccctgga 840

gatcatcaaa ggcacagctc tacgcaaaag cgaggtgtac tatgacaaat cgcctttgac 900

tccaatcctg cttgggaacc caggaaggaa gatcatggaa ttttttcat tacgatatta 960

taataaggac atgtttgtaa gtaactagga actcctgagc cctggtgagt ggtcttagaa 1020

cagtcctgcc tgatacttct gtaagcccta cccacaaaag tatctttcca gagatacaca 1080

aattttgggg tacacctcat catgagaaat tcttgcaaca cttgcacagt gaaaatgtaa 1140

ttgtaataaa tgtcacaaac cactttgggg cctgcagttg tgaacttgat tgtaactatg 1200

gatataaaca catagtggtt gtatcggctt tacctcacac tgaatgaaac aatgataact 1260

aatgtaacat taaatataat aaaggtaata tcaactttgt aaatgca 1307

<210> 20
<211> 1181
<212> DNA
<213> Mus musculus

<400> 20
actgttggcc tctggawtca gaggctgctg cctgcctggg aggttgtaga aagctctgca 60

ggttttcttc gtgtgtccta cagggcgccc tgagccaggt ccctgtttga tggcagttat 120

gaaaaattac ctcctcccga tcctggtgct cttcctggcc tactactact attctacaaa 180

tgaagagttc agactccaga aggtagtgtc tcgctgcctt gaactcggag cagcctctgc 240

tcactacatt gctggcacta tggaagacat gacatttgcg gagcaattta ttgtcaaggc 300

gggaaagctc atgggcggac tggacatgct tattctaaac cacatcactc agacctcgct 360

gtctctcttc catgacgaca tccactctgt gcgaagagtc atggaggtca acttcctcag 420

ctacgtggtc atgagcacag ccgccttgcc catgctgaag cagagcaatg gcagcattgc 480

cgtcatctcc tccttggctg ggaaaatgac ccagcctatg attgctccct actctgcaag 540

caagtttgct ctggatgggt tcttttccac cattagaaca gaactctaca taaccaaggt 600

caacgtgtcc atcactctct gtgtccttgg cctcatagac acagaaacag ctatgaagga 660

aatctctggg ataattaacg cccaagcttc tcccaaggag gagtgcgccc tggagatcat 720

caaaggcaca gctctacgca aaagcgaggt gtactatgac aaatcgcctt tgactccaat 780

cctgcttggg aacccaggaa ggaagatcat ggaatttttt tcattacgat attataataa 840

ggacatgttt gtaagtaact aggaactcct gagccctggt gagtggtctt agaacagtcc 900

tgcctgatac ttctgtaagc cctacccaca aaagtatctt tccagagata cacaaatttt 960

ggggtacacc tcatcatgag aaattcttgc aacacttgca cagtgaaaat gtaattgtaa 1020

taaatgtcac aaaccacttt ggggcctgca gttgtgaact tgattgtaac tatggatata 1080

aacacatagt ggttgtatcg gctttacctc acactgaatg aaacaatgat aactaatgta 1140

acattaaata taataaaggt aatatcaact ttgtaaatgc a 1181

<210> 21
<211> 845
<212> DNA
<213> Mus musculus

<400> 21
actgttggcc tctggawtca gaggctgctg cctgcctggg aggttgtaga aagctctgca 60

ggttttcttc gtgtgtccta cagggcgccc tgagccaggt ccctgtttga tggcagttat 120

gaaaaattac ctcctcccga tcctggtgct cttcctggcc tactactact attctacaaa 180

tgaagagttc agaccagaaa tgctccaggg aaagaaagtg attgtcactg gggccagcaa 240

agggattgga agagaaatgg catatcatct gtcaaaaatg ggagcccatg tggtattgac 300

tgccaggtcg gaggaaggtc tccagaaggt agtgtctcgc tgccttgaac tcggagcagc 360

ctctgctcac tacattgctg gcactatgga agacatgaca tttgcggagc aatttattgt 420

caaggcggga aagctcatgg gcggactgga catgcttatt ctaaaccaca tcactcagac 480

ctcgctgtct ctcttccatg acgacatcca ctctgtgcga agagtcatgg aggtcaactt 540

cctcagctac gtggtcatga gcacagccgc cttgcccatg ctgaagcaga gcaatggcag 600

cattgccgtc atctcctcct tggctggggg aagaacagtt ccacaacaga gaagtcgcag 660

tgttactcct gactcccgcg gcccgtgatt aatatcacca gccacagaat ggactggaac 720

cctgtatcga tctggtggga ttggatataa cgaacataga attactcctg agactaccag 780

aactgaatag ttcaaatcaa atcatgccag aatatcagac aaatccaaat ggcaaaacag 840

ttgca 845

<210> 22
<211> 244
<212> PRT
<213> Homo sapiens

<400> 22

Met Leu Leu Leu Gly Ala Val Leu Leu Leu Ala Leu Pro Gly His
1 5 10 15

Asp Gln Glu Thr Thr Thr Gln Gly Pro Gly Val Leu Leu Pro Leu Pro
20 25 30

Lys Gly Ala Cys Thr Gly Trp Met Ala Gly Ile Pro Gly His Pro Gly
35 40 45

His Asn Gly Ala Pro Gly Arg Asp Gly Arg Asp Gly Thr Pro Gly Glu
50 55 60

Lys Gly Glu Lys Gly Asp Pro Gly Leu Ile Gly Pro Lys Gly Asp Ile
65 70 75 80

Gly Glu Thr Gly Val Pro Gly Ala Glu Gly Pro Arg Gly Phe Pro Gly
85 90 95

Ile Gln Gly Arg Lys Gly Glu Pro Gly Glu Gly Ala Tyr Val Tyr Arg
100 105 110

Ser Ala Phe Ser Val Gly Leu Glu Thr Tyr Val Thr Ile Pro Asn Met
115 120 125

Pro Ile Arg Phe Thr Lys Ile Phe Tyr Asn Gln Gln Asn His Tyr Asp
130 135 140

Gly Ser Thr Gly Lys Phe His Cys Asn Ile Pro Gly Leu Tyr Tyr Phe
145 150 155 160

Ala Tyr His Ile Thr Val Tyr Met Lys Asp Val Lys Val Ser Leu Phe
165 170 175

Lys Lys Asp Lys Ala Met Leu Phe Thr Tyr Asp Gln Tyr Gln Glu Asn
180 185 190

Asn Val Asp Gln Ala Ser Gly Ser Val Leu Leu His Leu Glu Val Gly
195 200 205

Asp Gln Val Trp Leu Gln Val Tyr Gly Glu Gly Glu Arg Asn Gly Leu
210 215 220

Tyr Ala Asp Asn Asp Asn Asp Ser Thr Phe Thr Gly Phe Leu Leu Tyr
225 230 235 240

His Asp Thr Asn

<210> 23
<211> 160
<212> PRT
<213> Homo sapiens

<400> 23

Met Pro Gly Ala Glu Gly Pro Arg Gly Phe Pro Gly Ile Gln Gly Arg
1 5 10 15

Lys Gly Glu Pro Gly Glu Gly Ala Tyr Val Tyr Arg Ser Ala Phe Ser
20 25 30

Val Gly Leu Glu Thr Tyr Val Thr Ile Pro Asn Met Pro Ile Arg Phe
35 40 45

Thr Lys Ile Phe Tyr Asn Gln Gln Asn His Tyr Asp Gly Ser Thr Gly
50 55 60

Lys Phe His Cys Asn Ile Pro Gly Leu Tyr Tyr Phe Ala Tyr His Ile
65 70 75 80

Thr Val Tyr Met Lys Asp Val Lys Val Ser Leu Phe Lys Lys Asp Lys
85 90 95

Ala Met Leu Phe Thr Tyr Asp Gln Tyr Gln Glu Asn Asn Val Asp Gln
100 105 110

Ala Ser Gly Ser Val Leu Leu His Leu Glu Val Gly Asp Gln Val Trp
115 120 125

Leu Gln Val Tyr Gly Glu Gly Glu Arg Asn Gly Leu Tyr Ala Asp Asn
130 135 140

Asp Asn Asp Ser Thr Phe Thr Gly Phe Leu Leu Tyr His Asp Thr Asn
145 150 155 160

<210> 24
<211> 153
<212> PRT
<213> Homo sapiens

<400> 24

Met Leu Leu Leu Gly Ala Val Leu Leu Leu Leu Ala Leu Pro Gly His
1 5 10 15

Asp Gln Glu Thr Thr Thr Gln Gly Pro Gly Val Leu Leu Pro Leu Pro
20 25 30

Lys Gly Ala Cys Thr Gly Trp Met Ala Gly Ile Pro Gly His Pro Gly
35 40 45

His Asn Gly Ala Pro Gly Arg Asp Gly Arg Asp Gly Thr Pro Gly Glu
50 55 60

Lys Gly Glu Lys Gly Asp Pro Gly Leu Ile Gly Pro Lys Gly Asp Ile
65 70 75 80

Gly Glu Thr Gly Val Pro Gly Ala Glu Gly Pro Arg Gly Phe Pro Gly
85 90 95

Ile Gln Gly Arg Lys Gly Glu Pro Gly Glu Gly Ala Leu Leu Ser Pro
100 105 110

Thr Cys Pro Phe Ala Leu Pro Arg Ser Ser Thr Ile Ser Lys Thr Thr
115 120 125

Met Met Ala Pro Leu Val Asn Ser Thr Ala Thr Phe Leu Gly Cys Thr
130 135 140

Thr Leu Pro Thr Thr Ser Gln Ser Ile
145 150

<210> 25
<211> 166
<212> PRT
<213> Homo sapiens

<400> 25

Met Leu Leu Leu Gly Ala Val Leu Leu Leu Ala Leu Pro Gly His
1 5 10 15

Asp Gln Glu Thr Thr Thr Gln Gly Pro Gly Val Leu Leu Pro Leu Pro
20 25 30

Lys Gly Ala Cys Thr Gly Trp Met Ala Gly Ile Pro Gly His Pro Gly
35 40 45

His Asn Gly Ala Pro Gly Arg Asp Gly Arg Asp Gly Thr Pro Gly Glu
50 55 60

Lys Gly Glu Lys Gly Asp Pro Gly Leu Ile Gly Pro Lys Gly Asp Ile
65 70 75 80

Gly Glu Thr Gly Val Pro Gly Ala Glu Gly Pro Arg Gly Phe Pro Gly
85 90 95

Ile Gln Gly Arg Lys Gly Glu Pro Gly Glu Gly Ala Tyr Val Tyr Arg
100 105 110

Ser Ala Phe Ser Val Gly Leu Glu Thr Tyr Val Thr Ile Pro Asn Met
115 120 125

Pro Ile Arg Phe Thr Lys Ile Phe Tyr Asn Gln Gln Asn His Tyr Asp
130 135 140

Gly Ser Thr Gly Lys Phe His Cys Asn Ile Pro Gly Leu Tyr Leu His
145 150 155 160

Arg Leu Ser Ser Leu Pro
165

<210> 26
<211> 247
<212> PRT
<213> Mus musculus

<400> 26

Met Leu Leu Leu Gln Ala Leu Leu Phe Leu Leu Ile Leu Pro Ser His
1 5 10 15

Ala Glu Asp Asp Val Thr Thr Thr Glu Glu Leu Ala Pro Ala Leu Val
20 25 30

Pro Pro Pro Lys Gly Thr Cys Ala Gly Trp Met Ala Gly Ile Pro Gly
35 40 45

His Pro Gly His Asn Gly Thr Pro Gly Arg Asp Gly Arg Asp Gly Thr

50 55 60

Pro Gly Glu Lys Gly Glu Lys Gly Asp Ala Gly Leu Leu Gly Pro Lys
65 70 75 80

Gly Glu Thr Gly Asp Val Gly Met Thr Gly Ala Glu Gly Pro Arg Gly
85 90 95

Phe Pro Gly Thr Pro Gly Arg Lys Gly Glu Pro Gly Glu Ala Ala Tyr
100 105 110

Met Tyr Arg Ser Ala Phe Ser Val Gly Leu Glu Thr Arg Val Thr Val
115 120 125

Pro Asn Val Pro Ile Arg Phe Thr Lys Ile Phe Tyr Asn Gln Gln Asn
130 135 140

His Tyr Asp Gly Ser Thr Gly Lys Phe Tyr Cys Asn Ile Pro Gly Leu
145 150 155 160

Tyr Tyr Phe Ser Tyr His Ile Thr Val Tyr Met Lys Asp Val Lys Val
165 170 175

Ser Leu Phe Lys Lys Asp Lys Ala Val Leu Phe Thr Tyr Asp Gln Tyr
180 185 190

Gln Glu Lys Asn Val Asp Gln Ala Ser Gly Ser Val Leu Leu His Leu
195 200 205

Glu Val Gly Asp Gln Val Trp Leu Gln Val Tyr Gly Asp Gly Asp His
210 215 220

Asn Gly Leu Tyr Ala Asp Asn Val Asn Asp Ser Thr Phe Thr Gly Phe
225 230 235 240

Leu Leu Tyr His Asp Thr Asn
245

<210> 27
<211> 160
<212> PRT
<213> Mus musculus

<400> 27

Met Thr Gly Ala Glu Gly Pro Arg Gly Phe Pro Gly Thr Pro Gly Arg
1 5 10 15

Lys Gly Glu Pro Gly Glu Ala Ala Tyr Val Tyr Arg Ser Ala Phe Ser
20 25 30

Val Gly Leu Glu Thr Arg Val Thr Val Pro Asn Val Pro Ile Arg Phe

35 40 45

Thr Lys Ile Phe Tyr Asn Gln Gln Asn His Tyr Asp Gly Ser Thr Gly
50 55 60

Lys Phe Tyr Cys Asn Ile Pro Gly Leu Tyr Tyr Phe Ser Tyr His Ile
65 70 75 80

Thr Val Tyr Met Lys Asp Val Lys Val Ser Leu Phe Lys Lys Asp Lys
85 90 95

Ala Val Leu Phe Thr Tyr Asp Gln Tyr Gln Glu Lys Asn Val Asp Gln
100 105 110

Ala Ser Gly Ser Val Leu Leu His Leu Glu Val Gly Asp Gln Val Trp
115 120 125

Leu Gln Val Tyr Gly Asp Gly Asp His Asn Gly Leu Tyr Ala Asp Asn
130 135 140

Val Asn Asp Ser Thr Phe Thr Gly Phe Leu Leu Tyr His Asp Thr Asn
145 150 155 160

<210> 28
<211> 156
<212> PRT
<213> Mus musculus

<400> 28

Met Leu Leu Leu Gln Ala Leu Leu Phe Leu Leu Ile Leu Pro Ser His
1 5 10 15

Ala Glu Asp Asp Val Thr Thr Thr Glu Glu Leu Ala Pro Ala Leu Val
20 25 30

Pro Pro Pro Lys Gly Thr Cys Ala Gly Trp Met Ala Gly Ile Pro Gly
35 40 45

His Pro Gly His Asn Gly Thr Pro Gly Arg Asp Gly Arg Asp Gly Thr
50 55 60

Pro Gly Glu Lys Gly Glu Lys Gly Asp Ala Gly Leu Leu Gly Pro Lys
65 70 75 80

Gly Glu Thr Gly Asp Val Gly Met Thr Gly Ala Glu Gly Pro Arg Gly
85 90 95

Phe Pro Gly Thr Pro Gly Arg Lys Gly Glu Pro Gly Glu Ala Ala Ser
100 105 110

Leu Phe Pro Met Tyr Pro Phe Ala Leu Leu Arg Ser Ser Thr Thr Asn

115 120 125

Arg Ile Ile Met Thr Ala Ala Leu Ala Ser Ser Thr Ala Thr Phe Arg
130 135 140

Asp Ser Thr Thr Ser Leu Thr Thr Ser Arg Cys Thr
145 150 155

<210> 29
<211> 169
<212> PRT
<213> Mus musculus

<400> 29

Met Leu Leu Leu Gln Ala Leu Leu Phe Leu Leu Ile Leu Pro Ser His
1 5 10 15

Ala Glu Asp Asp Val Thr Thr Thr Glu Glu Leu Ala Pro Ala Leu Val
20 25 30

Pro Pro Pro Lys Gly Thr Cys Ala Gly Trp Met Ala Gly Ile Pro Gly
35 40 45

His Pro Gly His Asn Gly Thr Pro Gly Arg Asp Gly Arg Asp Gly Thr
50 55 60

Pro Gly Glu Lys Gly Glu Lys Gly Asp Ala Gly Leu Leu Gly Pro Lys
65 70 75 80

Gly Glu Thr Gly Asp Val Gly Met Thr Gly Ala Glu Gly Pro Arg Gly
85 90 95

Phe Pro Gly Thr Pro Gly Arg Lys Gly Glu Pro Gly Glu Ala Ala Tyr
100 105 110

Val Tyr Arg Ser Ala Phe Ser Val Gly Leu Glu Thr Arg Val Thr Val
115 120 125

Pro Asn Val Pro Ile Arg Phe Thr Lys Ile Phe Tyr Asn Gln Gln Asn
130 135 140

His Tyr Asp Gly Ser Thr Gly Lys Phe Tyr Cys Asn Ile Pro Gly Leu
145 150 155 160

Tyr Ile Tyr Trp Leu Ser Ser Leu Pro
165

<210> 30
<211> 76
<212> PRT
<213> Mus musculus

<400> 30

Met Leu Leu Leu Gln Ala Leu Leu Phe Leu Leu Ile Leu Pro Ser His
1 5 10 15

Ala Glu Asp Asp Val Thr Thr Thr Glu Glu Leu Ala Pro Ala Leu Val
20 25 30

Pro Pro Pro Lys Gly Thr Cys Ala Gly Trp Met Ala Gly Ile Pro Gly
35 40 45

His Pro Gly His Ile Lys Ile Lys Phe Glu Gly His Pro Pro Gly Arg
50 55 60

Leu Asn Cys Ala Lys Ile Trp His Phe Leu Gln Asp
65 70 75

<210> 31
<211> 117
<212> PRT
<213> Homo sapiens

<400> 31

Met Pro Ser Pro Gly Thr Val Cys Ser Leu Leu Leu Leu Gly Met Leu
1 5 10 15

Trp Leu Asp Leu Ala Met Ala Gly Ser Ser Phe Leu Ser Pro Glu His
20 25 30

Gln Arg Val Gln Gln Arg Lys Glu Ser Lys Lys Pro Pro Ala Lys Leu
35 40 45

Gln Pro Arg Ala Leu Ala Gly Trp Leu Arg Pro Glu Asp Gly Gly Gln
50 55 60

Ala Glu Gly Ala Glu Asp Glu Leu Glu Val Arg Phe Asn Ala Pro Phe
65 70 75 80

Asp Val Gly Ile Lys Leu Ser Gly Val Gln Tyr Gln Gln His Ser Gln
85 90 95

Ala Leu Gly Lys Phe Leu Gln Asp Ile Leu Trp Glu Glu Ala Lys Glu
100 105 110

Ala Pro Ala Asp Lys
115

<210> 32
<211> 116
<212> PRT
<213> Homo sapiens

<400> 32

```
Met Pro Ser Pro Gly Thr Val Cys Ser Leu Leu Leu Gly Met Leu
1               5                  10                  15

Trp Leu Asp Leu Ala Met Ala Gly Ser Ser Phe Leu Ser Pro Glu His
            20                  25                  30

Gln Arg Val Gln Val Arg Pro Pro His Lys Ala Pro His Val Val Pro
        35                  40                  45

Ala Leu Pro Leu Ser Asn Gln Leu Cys Asp Leu Glu Gln Gln Arg His
    50                  55                  60

Trp Ala Ser Val Phe Ser Gln Ser Thr Lys Asp Ser Gly Ser Asp Leu
65                  70                  75                  80

Thr Val Ser Gly Arg Thr Trp Gly Leu Arg Val Leu Asn Arg Leu Phe
                85                  90                  95

Pro Pro Ser Ser Arg Glu Arg Ser Arg Arg Ser His Gln Pro Ser Cys
            100                 105                 110

Ser Pro Glu Leu
        115


<210>  33
<211>  292
<212>  PRT
<213>  Homo sapiens

<400>  33

Met Ala Phe Met Lys Lys Tyr Leu Leu Pro Ile Leu Gly Leu Phe Met
1               5                  10                  15

Ala Tyr Tyr Tyr Tyr Ser Ala Asn Glu Glu Phe Arg Pro Glu Met Leu
            20                  25                  30

Gln Gly Lys Lys Val Ile Val Thr Gly Ala Ser Lys Gly Ile Gly Arg
        35                  40                  45

Glu Met Ala Tyr His Leu Ala Lys Met Gly Ala His Val Val Val Thr
    50                  55                  60

Ala Arg Ser Lys Glu Thr Leu Gln Lys Val Val Ser His Cys Leu Glu
65                  70                  75                  80

Leu Gly Ala Ala Ser Ala His Tyr Ile Ala Gly Thr Met Glu Asp Met
                85                  90                  95

Thr Phe Ala Glu Gln Phe Val Ala Gln Ala Gly Lys Leu Met Gly Gly
            100                 105                 110
```

Leu Asp Met Leu Ile Leu Asn His Ile Thr Asn Thr Ser Leu Asn Leu
115 120 125

Phe His Asp Asp Ile His His Val Arg Lys Ser Met Glu Val Asn Phe
130 135 140

Leu Ser Tyr Val Val Leu Thr Val Ala Ala Leu Pro Met Leu Lys Gln
145 150 155 160

Ser Asn Gly Ser Ile Val Val Val Ser Ser Leu Ala Gly Lys Val Ala
165 170 175

Tyr Pro Met Val Ala Ala Tyr Ser Ala Ser Lys Phe Ala Leu Asp Gly
180 185 190

Phe Phe Ser Ser Ile Arg Lys Glu Tyr Ser Val Ser Arg Val Asn Val
195 200 205

Ser Ile Thr Leu Cys Val Leu Gly Leu Ile Asp Thr Glu Thr Ala Met
210 215 220

Lys Ala Val Ser Gly Ile Val His Met Gln Ala Ala Pro Lys Glu Glu
225 230 235 240

Cys Ala Leu Glu Ile Ile Lys Gly Gly Ala Leu Arg Gln Glu Glu Val
245 250 255

Tyr Tyr Asp Ser Ser Leu Trp Thr Thr Leu Leu Ile Arg Asn Pro Cys
260 265 270

Arg Lys Ile Leu Glu Phe Leu Tyr Ser Thr Ser Tyr Asn Met Asp Arg
275 280 285

Phe Ile Asn Lys
290

<210> 34
<211> 163
<212> PRT
<213> Homo sapiens

<220>
<221> MISC_FEATURE
<222> (163)..(163)
<223> Xaa can be any naturally occuring amino acid

<400> 34

Met Ala Phe Met Lys Lys Tyr Leu Leu Pro Ile Leu Gly Leu Phe Met
1 5 10 15

Ala Tyr Tyr Tyr Tyr Ser Ala Asn Glu Glu Phe Arg Pro Glu Met Leu

20 25 30

Gln Gly Lys Lys Val Ile Val Thr Gly Ala Ser Lys Gly Ile Gly Arg
35 40 45

Glu Met Ala Tyr His Leu Ala Lys Met Gly Ala His Val Val Val Thr
50 55 60

Ala Ser Ser Ala His Tyr Ile Ala Gly Thr Met Glu Asp Met Thr Phe
65 70 75 80

Ala Glu Gln Phe Val Ala Gln Ala Gly Lys Leu Met Gly Gly Leu Asp
85 90 95

Met Leu Ile Leu Asn His Ile Thr Asn Thr Ser Leu Asn Leu Phe His
100 105 110

Asp Asp Ile His His Val Arg Lys Ser Met Glu Val Asn Phe Leu Ser
115 120 125

Tyr Val Val Leu Thr Val Ala Ala Leu Pro Met Leu Lys Gln Ser Asn
130 135 140

Gly Ser Met Cys Ala Leu Leu Leu Glu Cys Tyr His Val Val His Leu
145 150 155 160

Ser Ser Xaa

<210> 35
<211> 295
<212> PRT
<213> Homo sapiens

<400> 35

Met Ala Phe Met Lys Lys Tyr Leu Leu Pro Ile Leu Gly Leu Phe Met
1 5 10 15

Ala Tyr Tyr Tyr Tyr Ser Ala Asn Glu Glu Phe Arg Pro Glu Met Leu
20 25 30

Gln Gly Lys Lys Val Ile Val Thr Gly Ala Ser Lys Gly Ile Gly Arg
35 40 45

Glu Met Ala Tyr His Leu Ala Lys Met Gly Ala His Val Val Val Thr
50 55 60

Ala Arg Ser Lys Glu Thr Leu Gln Lys Val Val Ser His Cys Leu Glu
65 70 75 80

Leu Gly Ala Ala Ser Ala His Tyr Ile Ala Gly Thr Met Glu Asp Met

85 90 95

Thr Phe Ala Glu Gln Phe Val Ala Gln Ala Gly Lys Leu Met Gly Gly
100 105 110

Leu Asp Met Leu Ile Leu Asn His Ile Thr Asn Thr Ser Leu Asn Leu
115 120 125

Phe His Asp Asp Ile His His Val Arg Lys Ser Met Glu Val Asn Phe
130 135 140

Leu Ser Tyr Val Val Leu Thr Val Ala Ala Leu Pro Met Leu Lys Gln
145 150 155 160

Ser Asn Gly Ser Ile Val Val Val Ser Ser Leu Ala Gly Lys Val Ala
165 170 175

Tyr Pro Met Val Ala Ala Tyr Ser Ala Ser Lys Phe Ala Leu Asp Gly
180 185 190

Phe Phe Ser Ser Ile Arg Lys Glu Tyr Ser Val Ser Arg Val Asn Val
195 200 205

Ser Ile Thr Leu Cys Val Leu Gly Leu Ile Asp Thr Glu Thr Ala Met
210 215 220

Lys Ala Val Ser Gly Ile Val His Met Gln Ala Ala Pro Lys Glu Glu
225 230 235 240

Cys Ala Leu Glu Ile Ile Lys Gly Gly Ala Leu Arg Gln Glu Glu Val
245 250 255

Tyr Tyr Asp Ser Ser Leu Trp Thr Thr Leu Leu Ile Arg Asn Pro Cys
260 265 270

Arg Lys Ile Leu Glu Phe Leu Tyr Ser Thr Ser Tyr Asn Met Glu Gly
275 280 285

Leu Phe Cys Leu Met Phe Ile
290 295

<210> 36
<211> 274
<212> PRT
<213> Homo sapiens

<400> 36

Met Ala Phe Met Lys Lys Tyr Leu Leu Pro Ile Leu Gly Leu Phe Met
1 5 10 15

Ala Tyr Tyr Tyr Tyr Ser Ala Asn Glu Glu Phe Arg Pro Glu Met Leu

20 25 30

Gln Gly Lys Lys Val Ile Val Thr Gly Ala Ser Lys Gly Ile Gly Arg
35 40 45

Glu Met Ala Tyr His Leu Ala Lys Met Gly Ala His Val Val Val Thr
50 55 60

Ala Arg Ser Lys Glu Thr Leu Gln Lys Val Val Ser His Cys Leu Glu
65 70 75 80

Leu Gly Ala Ala Ser Ala His Tyr Ile Ala Gly Thr Met Glu Asp Met
85 90 95

Thr Phe Ala Glu Gln Phe Val Ala Gln Ala Gly Lys Leu Met Gly Gly
100 105 110

Leu Asp Met Leu Ile Leu Asn His Ile Thr Asn Thr Ser Leu Asn Leu
115 120 125

Phe His Asp Asp Ile His His Val Arg Pro Met Leu Lys Gln Ser Asn
130 135 140

Gly Ser Ile Val Val Val Ser Ser Leu Ala Gly Lys Val Ala Tyr Pro
145 150 155 160

Met Val Ala Ala Tyr Ser Ala Ser Lys Phe Ala Leu Asp Gly Phe Phe
165 170 175

Ser Ser Ile Arg Lys Glu Tyr Ser Val Ser Arg Val Asn Val Ser Ile
180 185 190

Thr Leu Cys Val Leu Gly Leu Ile Asp Thr Glu Thr Ala Met Lys Ala
195 200 205

Val Ser Gly Ile Val His Met Gln Ala Ala Pro Lys Glu Glu Cys Ala
210 215 220

Leu Glu Ile Ile Lys Gly Gly Ala Leu Arg Gln Glu Glu Val Tyr Tyr
225 230 235 240

Asp Ser Ser Leu Trp Thr Thr Leu Leu Ile Arg Asn Pro Cys Arg Lys
245 250 255

Ile Leu Glu Phe Leu Tyr Ser Thr Ser Tyr Asn Met Asp Arg Phe Ile
260 265 270

Asn Lys

<210> 37
<211> 274
<212> PRT
<213> Homo sapiens

<400> 37

Met Ala Phe Met Lys Lys Tyr Leu Leu Pro Ile Leu Gly Leu Phe Met
1 5 10 15

Ala Tyr Tyr Tyr Tyr Ser Ala Asn Glu Glu Phe Arg Pro Glu Met Leu
20 25 30

Gln Gly Lys Lys Val Ile Val Thr Gly Ala Ser Lys Gly Ile Gly Arg
35 40 45

Glu Met Ala Tyr His Leu Ala Lys Met Gly Ala His Val Val Val Thr
50 55 60

Ala Ser Ser Ala His Tyr Ile Ala Gly Thr Met Glu Asp Met Thr Phe
65 70 75 80

Ala Glu Gln Phe Val Ala Gln Ala Gly Lys Leu Met Gly Gly Leu Asp
85 90 95

Met Leu Ile Leu Asn His Ile Thr Asn Thr Ser Leu Asn Leu Phe His
100 105 110

Asp Asp Ile His His Val Arg Lys Ser Met Glu Val Asn Phe Leu Ser
115 120 125

Tyr Val Val Leu Thr Val Ala Ala Leu Pro Met Leu Lys Gln Ser Asn
130 135 140

Gly Ser Ile Val Val Val Ser Ser Leu Ala Gly Lys Val Ala Tyr Pro
145 150 155 160

Met Val Ala Ala Tyr Ser Ala Ser Lys Phe Ala Leu Asp Gly Phe Phe
165 170 175

Ser Ser Ile Arg Lys Glu Tyr Ser Val Ser Arg Val Asn Val Ser Ile
180 185 190

Thr Leu Cys Val Leu Gly Leu Ile Asp Thr Glu Thr Ala Met Lys Ala
195 200 205

Val Ser Gly Ile Val His Met Gln Ala Ala Pro Lys Glu Glu Cys Ala
210 215 220

Leu Glu Ile Ile Lys Gly Gly Ala Leu Arg Gln Glu Glu Val Tyr Tyr
225 230 235 240

Asp Ser Ser Leu Trp Thr Thr Leu Leu Ile Arg Asn Pro Cys Arg Lys
245 250 255

Ile Leu Glu Phe Leu Tyr Ser Thr Ser Tyr Asn Met Asp Arg Phe Ile
260 265 270

Asn Lys

<210> 38
<211> 262
<212> PRT
<213> Homo sapiens

<400> 38

Met Leu Gln Gly Lys Lys Val Ile Val Thr Gly Ala Ser Lys Gly Ile
1 5 10 15

Gly Arg Glu Met Ala Tyr His Leu Ala Lys Met Gly Ala His Val Val
20 25 30

Val Thr Ala Arg Ser Lys Glu Thr Leu Gln Lys Val Val Ser His Cys
35 40 45

Leu Glu Leu Gly Ala Ala Ser Ala His Tyr Ile Ala Gly Thr Met Glu
50 55 60

Asp Met Thr Phe Ala Glu Gln Phe Val Ala Gln Ala Gly Lys Leu Met
65 70 75 80

Gly Gly Leu Asp Met Leu Ile Leu Asn His Ile Thr Asn Thr Ser Leu
85 90 95

Asn Leu Phe His Asp Asp Ile His His Val Arg Lys Ser Met Glu Val
100 105 110

Asn Phe Leu Ser Tyr Val Val Leu Thr Val Ala Ala Leu Pro Met Leu
115 120 125

Lys Gln Ser Asn Gly Ser Ile Val Val Val Ser Ser Leu Ala Gly Lys
130 135 140

Val Ala Tyr Pro Met Val Ala Ala Tyr Ser Ala Ser Lys Phe Ala Leu
145 150 155 160

Asp Gly Phe Phe Ser Ser Ile Arg Lys Glu Tyr Ser Val Ser Arg Val
165 170 175

Asn Val Ser Ile Thr Leu Cys Val Leu Gly Leu Ile Asp Thr Glu Thr
180 185 190

Ala Met Lys Ala Val Ser Gly Ile Val His Met Gln Ala Ala Pro Lys
195 200 205

Glu Glu Cys Ala Leu Glu Ile Ile Lys Gly Gly Ala Leu Arg Gln Glu
210 215 220

Glu Val Tyr Tyr Asp Ser Ser Leu Trp Thr Thr Leu Leu Ile Arg Asn
225 230 235 240

Pro Cys Arg Lys Ile Leu Glu Phe Leu Tyr Ser Thr Ser Tyr Asn Met
245 250 255

Asp Arg Phe Ile Asn Lys
260

<210> 39
<211> 244
<212> PRT
<213> Homo sapiens

<400> 39

Met Ala Phe Met Lys Lys Tyr Leu Leu Pro Ile Leu Gly Leu Phe Met
1 5 10 15

Ala Tyr Tyr Tyr Tyr Ser Ala Asn Glu Glu Phe Arg Pro Glu Met Leu
20 25 30

Gln Gly Lys Lys Val Ile Val Thr Gly Ala Ser Lys Gly Ile Gly Arg
35 40 45

Glu Met Ala Tyr His Leu Ala Lys Met Gly Ala His Val Val Val Thr
50 55 60

Ala Arg Ser Lys Glu Thr Leu Gln Lys Val Val Ser His Cys Leu Glu
65 70 75 80

Leu Gly Ala Ala Ser Ala His Tyr Ile Ala Gly Thr Met Glu Asp Met
85 90 95

Thr Phe Ala Glu Gln Phe Val Ala Gln Ala Gly Lys Leu Met Gly Gly
100 105 110

Leu Asp Met Leu Ile Leu Asn His Ile Thr Asn Thr Ser Leu Asn Leu
115 120 125

Phe His Asp Asp Ile His His Val Arg Lys Ser Met Glu Val Asn Phe
130 135 140

Leu Ser Tyr Val Val Leu Thr Val Ala Ala Leu Pro Met Leu Lys Gln
145 150 155 160

Ser Asn Gly Ser Ile Val Val Val Ser Ser Leu Ala Glu Thr Ala Met
165 170 175

Lys Ala Val Ser Gly Ile Val His Met Gln Ala Ala Pro Lys Glu Glu
180 185 190

Cys Ala Leu Glu Ile Ile Lys Gly Gly Ala Leu Arg Gln Glu Glu Val
195 200 205

Tyr Tyr Asp Ser Ser Leu Trp Thr Thr Leu Leu Ile Arg Asn Pro Cys
210 215 220

Arg Lys Ile Leu Glu Phe Leu Tyr Ser Thr Ser Tyr Asn Met Asp Arg
225 230 235 240

Phe Ile Asn Lys

<210> 40
<211> 292
<212> PRT
<213> Mus musculus

<400> 40

Met Ala Val Met Lys Asn Tyr Leu Leu Pro Ile Leu Val Leu Phe Leu
1 5 10 15

Ala Tyr Tyr Tyr Tyr Ser Thr Asn Glu Glu Phe Arg Pro Glu Met Leu
20 25 30

Gln Gly Lys Lys Val Ile Val Thr Gly Ala Ser Lys Gly Ile Gly Arg
35 40 45

Glu Met Ala Tyr His Leu Ser Lys Met Gly Ala His Val Val Leu Thr
50 55 60

Ala Arg Ser Glu Glu Gly Leu Gln Lys Val Val Ser Arg Cys Leu Glu
65 70 75 80

Leu Gly Ala Ala Ser Ala His Tyr Ile Ala Gly Thr Met Glu Asp Met
85 90 95

Thr Phe Ala Glu Gln Phe Ile Val Lys Ala Gly Lys Leu Met Gly Gly
100 105 110

Leu Asp Met Leu Ile Leu Asn His Ile Thr Gln Thr Ser Leu Ser Leu
115 120 125

Phe His Asp Asp Ile His Ser Val Arg Arg Val Met Glu Val Asn Phe
130 135 140

Leu Ser Tyr Val Val Met Ser Thr Ala Ala Leu Pro Met Leu Lys Gln
145 150 155 160

Ser Asn Gly Ser Ile Ala Val Ile Ser Ser Leu Ala Gly Lys Met Thr
165 170 175

Gln Pro Met Ile Ala Pro Tyr Ser Ala Ser Lys Phe Ala Leu Asp Gly
180 185 190

Phe Phe Ser Thr Ile Arg Thr Glu Leu Tyr Ile Thr Lys Val Asn Val
195 200 205

Ser Ile Thr Leu Cys Val Leu Gly Leu Ile Asp Thr Glu Thr Ala Met
210 215 220

Lys Glu Ile Ser Gly Ile Ile Asn Ala Gln Ala Ser Pro Lys Glu Glu
225 230 235 240

Cys Ala Leu Glu Ile Ile Lys Gly Thr Ala Leu Arg Lys Ser Glu Val
245 250 255

Tyr Tyr Asp Lys Ser Pro Leu Thr Pro Ile Leu Leu Gly Asn Pro Gly
260 265 270

Arg Lys Ile Met Glu Phe Phe Ser Leu Arg Tyr Tyr Asn Lys Asp Met
275 280 285

Phe Val Ser Asn
290

<210> 41
<211> 250
<212> PRT
<213> Mus musculus

<400> 41

Met Ala Val Met Lys Asn Tyr Leu Leu Pro Ile Leu Val Leu Phe Leu
1 5 10 15

Ala Tyr Tyr Tyr Tyr Ser Thr Asn Glu Glu Phe Arg Leu Gln Lys Val
20 25 30

Val Ser Arg Cys Leu Glu Leu Gly Ala Ala Ser Ala His Tyr Ile Ala
35 40 45

Gly Thr Met Glu Asp Met Thr Phe Ala Glu Gln Phe Ile Val Lys Ala
50 55 60

Gly Lys Leu Met Gly Gly Leu Asp Met Leu Ile Leu Asn His Ile Thr
65 70 75 80

Gln Thr Ser Leu Ser Leu Phe His Asp Asp Ile His Ser Val Arg Arg
85 90 95

Val Met Glu Val Asn Phe Leu Ser Tyr Val Val Met Ser Thr Ala Ala
100 105 110

Leu Pro Met Leu Lys Gln Ser Asn Gly Ser Ile Ala Val Ile Ser Ser
115 120 125

Leu Ala Gly Lys Met Thr Gln Pro Met Ile Ala Pro Tyr Ser Ala Ser
130 135 140

Lys Phe Ala Leu Asp Gly Phe Phe Ser Thr Ile Arg Thr Glu Leu Tyr
145 150 155 160

Ile Thr Lys Val Asn Val Ser Ile Thr Leu Cys Val Leu Gly Leu Ile
165 170 175

Asp Thr Glu Thr Ala Met Lys Glu Ile Ser Gly Ile Ile Asn Ala Gln
180 185 190

Ala Ser Pro Lys Glu Glu Cys Ala Leu Glu Ile Ile Lys Gly Thr Ala
195 200 205

Leu Arg Lys Ser Glu Val Tyr Tyr Asp Lys Ser Pro Leu Thr Pro Ile
210 215 220

Leu Leu Gly Asn Pro Gly Arg Lys Ile Met Glu Phe Phe Ser Leu Arg
225 230 235 240

Tyr Tyr Asn Lys Asp Met Phe Val Ser Asn
245 250

<210> 42
<211> 192
<212> PRT
<213> Mus musculus

<400> 42

Met Ala Val Met Lys Asn Tyr Leu Leu Pro Ile Leu Val Leu Phe Leu
1 5 10 15

Ala Tyr Tyr Tyr Tyr Ser Thr Asn Glu Glu Phe Arg Pro Glu Met Leu
20 25 30

Gln Gly Lys Lys Val Ile Val Thr Gly Ala Ser Lys Gly Ile Gly Arg
35 40 45

Glu Met Ala Tyr His Leu Ser Lys Met Gly Ala His Val Val Leu Thr
50 55 60

```
Ala Arg Ser Glu Glu Gly Leu Gln Lys Val Val Ser Arg Cys Leu Glu
65                  70                  75                  80

Leu Gly Ala Ala Ser Ala His Tyr Ile Ala Gly Thr Met Glu Asp Met
                85                  90                  95

Thr Phe Ala Glu Gln Phe Ile Val Lys Ala Gly Lys Leu Met Gly Gly
            100                 105                 110

Leu Asp Met Leu Ile Leu Asn His Ile Thr Gln Thr Ser Leu Ser Leu
        115                 120                 125

Phe His Asp Asp Ile His Ser Val Arg Arg Val Met Glu Val Asn Phe
    130                 135                 140

Leu Ser Tyr Val Val Met Ser Thr Ala Ala Leu Pro Met Leu Lys Gln
145                 150                 155                 160

Ser Asn Gly Ser Ile Ala Val Ile Ser Ser Leu Ala Gly Gly Arg Thr
                165                 170                 175

Val Pro Gln Gln Arg Ser Arg Ser Val Thr Pro Asp Ser Arg Gly Pro
            180                 185                 190
```