

substituted lower alkyl is chosen from -CF₃, -CF₂H, -CH₂NH₂, -CH₂CH₂NH₂, -CH₂OH, -CH₂CH₂OH, -CH₂OCH₃, -CH₂CH₂OCH₃.

30. A compound chosen from compounds 1 to 323 and/or its racemic mixture, enantiomers, diastereomers, tautomers, or mixtures of optional ratio, or at least one pharmaceutically acceptable salt, or solvate thereof.

31. A composition comprising at least one compound of any one of claims 1 to 30, and/or its racemic mixture, enantiomers, diastereomers, tautomers, or mixtures of optional ratio, or at least one pharmaceutically acceptable salt, or solvate thereof and at least one pharmaceutically acceptable carrier.

32. A pharmaceutical composition comprising a therapeutically effective amount of a compound of Formula (I) of claims 1 to 30 and a pharmaceutically acceptable excipient for use in the treatment of a Syk kinase mediated disease.

33. A medicament comprising a therapeutically effective amount of a compound of Formula (I) of claims 1 to 30 for use in the treatment of a Syk kinase mediated disease.

34. Use of a compound of Formula (I) of claims 1 to 30 in the manufacture of a medicament for treating a Syk- mediated disease in a subject in need thereof, wherein the disease is ~~an inflammatory disease, an allergic disease, a cell-proliferative disease, an autoimmune disease or cytopenia~~allergic asthma, allergic rhinitis, rheumatoid arthritis, multiple sclerosis, lupus, systemic lupus erythematosus, lymphoma, B cell lymphoma, T cell lymphoma, leukemia, myelodysplastic syndrome, anemia, leucopenia, neutropenia, thrombocytopenia, granulocytopenia, pancytopenia or idiopathic thrombocytopenic purpura.

~~35. The use of claim 34, wherein the disease is allergic asthma, allergic rhinitis, rheumatoid arthritis, multiple sclerosis, lupus, systemic lupus erythematosus, lymphoma, B cell lymphoma, T cell lymphoma, leukemia, myelodysplastic syndrome, anemia, leucopenia, neutropenia, thrombocytopenia, granulocytopenia, pancytopenia or idiopathic thrombocytopenic purpura.~~

~~36~~35. A compound of Formula (I) of claims 1 to 30 for use in the treatment of a Syk kinase mediated disease selected from allergic asthma, allergic rhinitis, rheumatoid arthritis, multiple sclerosis, lupus, systemic lupus erythematosus,

lymphoma, B cell lymphoma, T cell lymphoma, leukemia, myelodysplastic syndrome, anemia, leucopenia, neutropenia, thrombocytopenia, granulocytopenia, pancytopenia and idiopathic thrombocytopenic purpura.

substituted lower alkyl is chosen from -CF₃, -CF₂H, -CH₂NH₂, -CH₂CH₂NH₂, -CH₂OH, -CH₂CH₂OH, -CH₂OCH₃, -CH₂CH₂OCH₃.

30. A compound chosen from compounds 1 to 323 and/or its racemic mixture, enantiomers, diastereomers, tautomers, or mixtures of optional ratio, or at least one pharmaceutically acceptable salt, or solvate thereof.

31. A composition comprising at least one compound of any one of claims 1 to 30, and/or its racemic mixture, enantiomers, diastereomers, tautomers, or mixtures of optional ratio, or at least one pharmaceutically acceptable salt, or solvate thereof and at least one pharmaceutically acceptable carrier.

32. A pharmaceutical composition comprising a therapeutically effective amount of a compound of Formula (I) of claims 1 to 30 and a pharmaceutically acceptable excipient for use in the treatment of a Syk kinase mediated disease.

33. A medicament comprising a therapeutically effective amount of a compound of Formula (I) of claims 1 to 30 for use in the treatment of a Syk kinase mediated disease.

34. Use of a compound of Formula (I) of claims 1 to 30 in the manufacture of a medicament for treating a Syk- mediated disease in a subject in need thereof, wherein the disease is allergic asthma, allergic rhinitis, rheumatoid arthritis, multiple sclerosis, lupus, systemic lupus erythematosus, lymphoma, B cell lymphoma, T cell lymphoma, leukemia, myelodysplastic syndrome, anemia, leucopenia, neutropenia, thrombocytopenia, granulocytopenia, pancytopenia or idiopathic thrombocytopenic purpura.

35. A compound of Formula (I) of claims 1 to 30 for use in the treatment of a Syk kinase mediated disease selected from allergic asthma, allergic rhinitis, rheumatoid arthritis, multiple sclerosis, lupus, systemic lupus erythematosus, lymphoma, B cell lymphoma, T cell lymphoma, leukemia, myelodysplastic syndrome, anemia, leucopenia, neutropenia, thrombocytopenia, granulocytopenia, pancytopenia and idiopathic thrombocytopenic purpura.