

IMMUNE COMPATIBLE CELLS FOR ALLOGENEIC CELL THERAPIES TO COVER
GLOBAL, ETHNIC, OR DISEASE-SPECIFIC POPULATIONS

5

PRIORITY

This Application claims priority to, and the benefit of, U.S. provisional application no. 63/413,331 filed October 5, 2022, which is hereby incorporated by reference in its entirety.

10

SEQUENCE LISTING

The instant application contains a Sequence Listing which has been submitted in XML format via EFS-Web and is hereby incorporated by reference in its entirety. Said XML copy, created on September 25, 2023, is named GRU-009/121145-
15 5009_Sequence_Listing.xml and is 1,298,736 bytes in size.

BACKGROUND

Cellular therapies, based on cells derived from allogeneic (derived from healthy donor), autologous (derived from patients), and/or induced pluripotent stem cells (iPSCs),
20 have enormous potential for medical applications to regenerate cells and tissues. However, the use of allogeneic or autologous cells (generated from cells of an intended recipient) will not be practical in most instances. Meanwhile, transplant of cells or tissues produced from allogeneic cells face issues of immune rejection and/or Graft Versus Host Disease (GVHD), for example, caused by significant HLA mismatching. Likewise, transplant of autologous or
25 allogeneic cells faces concerns about consistency, scalability, durability and affordability. Further, it is not feasible to prepare iPSC stocks representing enough HLA haplotypes to cover a significant portion of the population, based on current HLA matching standards. Cell banks that are HLA modified to provide “off-the-shelf” cell therapies, and which provide an ease of matching with a substantial portion of the population, and which are consistent,
30 scalable, and of lower cost are of great need. In various aspects and embodiments, the present disclosure provides HLA-modified cells and collections thereof to meet these and other objectives.

SUMMARY OF THE DISCLOSURE

In the various aspects and embodiments, the present disclosure provides cell populations or cell “banks” thereof (e.g., cell collections) to provide immune compatible, allogeneic cell therapies covering global, ethnic, and disease-specific populations. In the various aspects and embodiments, the cell banks and progeny thereof maintain sufficient HLA Class I and HLA Class II functionalities, while facilitating patient matching to prevent or reduce graft versus host disease (GVHD) or graft rejection. The disclosure further provides methods for creating the cell banks by gene editing, and methods for cell therapy involving cells or tissues derived from the cell banks (including but not limited to hematopoietic stem cells, or “HSCs”, progenitors, or progenies thereof).

In the various aspects and embodiments, the present disclosure provides an HLA-modified cell population that is HLA-A^{neg}, and is (1) HLA-DPA1^{neg} and/or HLA-DPB1^{neg}, and/or (2) HLA-DQA1^{neg} and/or HLA-DQB1^{neg}, the cell population being homozygous for or comprising a single gene for HLA-C, HLA-DRB1, and optionally HLA-B. In some embodiments, the cell population is HLA-A^{neg}, HLA-DPB1^{neg}, and HLA-DQB1^{neg}, and homozygous at one or more (or all) of HLA-B, HLA-C and HLA-DRB1. In various embodiments, the cell population has a haplotype described herein.

In the various aspects and embodiments, the cell population is a human stem cell or human progenitor cell population. In some embodiments, the stem cell is a pluripotent stem cell, which may be a human induced pluripotent stem cell (hiPSC). In various embodiments the iPSCs are derived from peripheral blood CD34⁺ cells. In some embodiments, the stem cell population is a hematopoietic stem cell (HSC) population (e.g., differentiated from the iPSCs), or a cell population derived therefrom. In some embodiments, the cell population comprises cells that are a hematopoietic cell lineage, such as a hematopoietic lineage selected from common lymphoid precursor (CLP) cells, granulocyte-monocyte progenitor (GMP) cells, progenitor-T cells, T lymphocytes, B lymphocytes, Natural Killer cells, neutrophils, monocyte, macrophages, red cells, megakaryocytes, and platelets. In still other embodiments, the cell population is a non-hematopoietic cell population, e.g., differentiated from the iPSCs ex vivo. Exemplary cells include, but are not limited to, mesenchymal stem cell, neural stem cell, or epithelial stem cell. In some embodiments, the non-hematopoietic

cell is selected from neurons, astrocytes, oligodendrocytes, cardiomyocytes, skeletal muscle cells, hepatocytes, pancreatic β cells, and lung epithelial cells, or progenitors thereof.

In other aspects, the present disclosure provides a method for cell therapy, comprising, administering to a recipient in need thereof a cell population or tissue derived
5 from the cell population disclosed herein. In the various embodiments, the cell population is matched for the retained classical HLA. For example, in embodiments where the cell population retains HLA-B, HLA-C, and HLA-DRB1, the administered cell population or tissue is matched with the recipient at one or more (or all) of HLA-B, HLA-C and HLA-DRB1.

10 In other aspects, the invention provides a method for cell therapy (or uses of the cell compositions for cell therapy), comprising administering a cell population described herein, or pharmaceutically acceptable composition thereof, to a human subject in need thereof. In various embodiments, the methods described herein are used to treat blood (malignant and non-malignant), bone marrow, and immune diseases. In various embodiments, the human
15 subject has a condition comprising one or more of lymphopenia, a cancer, infectious disease (e.g., viral disease such as HPV or HIV) an immune deficiency, an autoimmune disease, a skeletal dysplasia, hemoglobinopathies, an anemia, a bone marrow failure syndrome, and a genetic disorder (e.g., a genetic disorder impacting the immune system).

In various embodiments an HSC population is administered to the recipient, or in
20 other embodiments, the cell population is a hematopoietic cell lineage differentiated (e.g., ex vivo) from the HSC population. In other embodiments, the cell population is a non-hematopoietic lineage differentiated from the iPSCs described herein. In the various embodiments, the subject has a condition selected from a hematological malignancy, aplastic anemia, hemoglobinopathy, inborn error of metabolism, and severe immunodeficiency.
25 Other conditions and disorders to be treated are disclosed herein and include lymphopenia, cancer, immune deficiency, autoimmune disease, skeletal dysplasia, a bone marrow failure syndrome, and genetic disorder impacting the immune system.

In some embodiments, the subject is a tissue or organ transplant recipient. In some
30 embodiments, the subject is experiencing or is at risk for GVHD. Organs that can be transplanted, for example, include the heart, kidneys, liver, lungs, pancreas, intestine, and thymus, among others. Tissues for transplant can include, for example, bones, tendons (both

referred to as musculoskeletal grafts), bone marrow or HSCs, cornea, skin, heart valves, nerves and/or veins.

In one aspect, the present disclosure provides a method for making a cell population of the present disclosure, where the method comprises providing an iPSC population and
5 modifying the iPSC population to prepare an HLA-modified iPSC population that is HLA-A^{neg}, and is (1) HLA-DPA1^{neg} and/or HLA-DPB1^{neg} and/or (2) HLA-DQA1^{neg} and/or HLA-DQB1^{neg}. In various embodiments, the iPSC population is homozygous for or comprises a single gene for one or more (or all) of HLA-B, HLA-C, HLA-DRB1. The method further comprises preparing embryoid bodies (EBs) from the iPSC population; dissociating the EBs
10 and enriching for CD34+ cells to prepare a CD34+-enriched cell population; and inducing endothelial-to-hematopoietic transition (EHT) of the CD34+-enriched cell population to prepare a population comprising hematopoietic stem cells (HSCs) and/or hematopoietic stem progenitor cells (HSPCs). In some embodiments, the method may further comprise harvesting CD34+ cells from the population comprising HSCs and/or HSPCs to enrich for a
15 population undergoing EHT. In some embodiments, the method further comprises differentiating the cell population undergoing EHT to a hematopoietic lineage.

In the various embodiments, the iPSC is HLA-modified using CRISPR-Cas9, CRISPR-Cas12, STAR-CRISPR, CRISPR-CasX, CRISPR-associated transposase, zinc-finger nuclease, RNA editor, insulated genomic domain-platform editing, or combinations
20 thereof. In the various embodiments, the iPSC is HLA-modified by electroporation with a CRISPR-Cas9 endonuclease and one or more guide RNAs (gRNAs) as ribonucleoprotein.

In various embodiments, the CD34+ enrichment and endothelial-to-hematopoietic transition is induced at Day 7 to Day 15 of iPSC differentiation. In embodiments the induction of endothelial-to-hematopoietic transition comprises increasing the expression or
25 activity of dnmt3b, such as, but not limited to, by Piezo1 activation. Other methods for inducing EHT are described herein. In the various embodiments, the CD34+-enriched cells undergoing EHT are differentiated to one or more of common lymphoid precursor (CLP) cells, granulocyte-monocyte progenitor (GMP) cells, progenitor-T cells, T lymphocytes, B lymphocytes, Natural Killer cells, neutrophils, monocyte, macrophages, red cells,
30 megakaryocytes, and platelets. In the various embodiments the CD34+-enriched cells undergoing EHT are differentiated *ex vivo* to progenitor T cells, T cells, or NK cells.

In various aspects, the present disclosure provides a method for making an HLA-modified cell of the present disclosure, where the method comprises contacting a cell with a Cas endonuclease and one or more guide RNAs (gRNAs) targeting the Cas endonuclease to one or more HLA-specific or HLA allele-specific regions. In the various embodiments the
5 Cas endonuclease comprises Cas9. In the various embodiments each gRNA is a single guide RNA (sgRNA). In various embodiments, the contacting comprises electroporating the Cas endonuclease and the one or more gRNAs as ribonucleoprotein. Exemplary gRNA to target certain HLA haplotypes are described herein.

Other aspects and embodiments of this disclosure will be apparent from the following
10 detailed disclosure and working examples.

DESCRIPTION OF THE FIGURES

FIG. 1 shows the coverage for most frequent haplotypes (based on HLA-C, HLA-B, and DRB1) in the U.S. Two haplotypes provide cumulative coverage of about 22%, while
15 about 50 haplotypes provide cumulative coverage of about 70% of the U.S. population.

FIG. 2 illustrates an HSC cell bank differentiated from iPSCs that are gene edited to knockout HLA genes.

FIG. 3 shows that ETV2 over-expression (OE) does not affect pluripotency. **FIG. 3** shows FACS plots representative of transduction efficiency of iPSC with an adenoviral vector to overexpress ETV2 and GFP sequences. ETV2 overexpression does not affect the
20 iPSC stemness as shown by the expression of the TRA-1-60 stemness marker.

FIG. 4 shows that ETV2 over-expression (OE) increases the yield of hemogenic endothelial cells. Representative flow cytometric analysis of hemogenic endothelial cells (described as CD235a-CD34+CD31+) and relative quantification demonstrates that ETV2-
25 OE enhances the formation of hemogenic endothelial cells.

FIG. 5 shows that ETV2 over-expression (OE) enhances CD34+ cell formation during iPSC differentiation. Representative flow cytometric analysis of CD34+ cells and relative quantification demonstrates that ETV2-OE enhances the CD34+ cell formation.

FIG. 6A and **FIG. 6B** show that iPSC-derived HSCs that are derived with Piezo1
30 activation undergo pro-T cell differentiation similar to bone marrow (BM)-HSCs. **FIG. 6A** is a FACS plot of differentiation efficiency to CD34+CD7+ pro T cells of Bone Marrow

(BM) HSCs and iPSC-HSCs derived with Piezo1 activation. **FIG. 6B** is a quantification of CD34+CD7+ cells (%) derived with (1) BM-HSCs and (2) iPSC-HSCs (Piezo1 Activation). **FIG. 6B** shows the average of three experiments.

FIG. 7A and **FIG. 7B** show that iPSC-derived HSCs generated with Piezo1 activation undergo T cell differentiation and such T cells can be activated with CD3/CD28 beads similar to T cells derived from BM-HSCs. **FIG. 7A** is a FACS plot of activation efficiency (CD3+CD69+ expression) of T cells differentiated from BM-HSCs and iPSC-derived HSCs generated with Piezo1 activation. **FIG. 7B** is a quantification of CD3+CD69+ cells (%) derived with (1) BM-HSCs and (2) iPSC-HSCs (Piezo1 Activation). **FIG. 7B** shows the average of three experiments.

FIG. 8 shows that iPSC-derived HSCs can differentiate to functional T cells. IFN γ expression is a consequence of T cell activation after T cell receptor (TCR) stimulation via CD3/CD28 beads. IFN γ expression in T cells differentiated from iPSC-derived HSCs, generated upon Piezo1 activation, enhances HSC ability to further differentiate to functional cells (e.g., cells). **FIG. 8** shows the average of three experiments.

FIG. 9A-C show: generation of three CCR5-knockout (KO) iPSC clones (A), that CCR5-KO does not affect the iPSC pluripotency (B), and that CCR5-KO does not affect the ability of cells to undergo the endothelial-to hematopoietic transition (C).

FIG. 10A-C show: generation of three CD33-KO iPSC clones (A), that CD33-KO does not affect the ability of cells to undergo the endothelial-to hematopoietic transition (B), and that CD33-KO does not affect the ability of cells to generate self-renewing HSCs (C).

FIG. 11A shows the presence of HLA genes located on the short arm of chromosome 6. **FIG. 11B** shows a schematic representation of targeting the HLA-A, HLA-DQB1, and HLA-DPB1 genes using gRNAs. Exons are illustrated by horizontal arrows; vertical arrows denote locations of gRNA targeting. Genomic coordinates are shown in parentheses.

FIGS. 12A and **12B** show the phenotype analysis of triple knockout (HLA edited) cells performed by FACS and immunofluorescence. **FIG. 12A** shows the overall expression of HLA class-I molecules (HLA-A, HLA-B, and HLA-C) on the cell surface, where the HLA edited cells are positive for overall HLA class-I expression to a similar degree as wild-type cells. **FIG. 12B** shows cell expression of HLA-A via immunofluorescence, where HLA-A is not expressed in the HLA edited clone.

FIG. 13 shows that the HLA edited clones preserve their pluripotency (maintain trilineage differentiation), as illustrated by immunofluorescence, with ectoderm differentiation indicated by NESTIN-488 and PAX6-594 staining, mesoderm differentiation indicated by GATA-488 staining, and endoderm differentiation indicated by CXCR4-488 and FOX2A-594 staining.

FIG. 14 shows the immune compatibility of the HLA edited HSCs. HLA edited HSCs and control HSCs (WT, B2M KO, and HLA Class II null) were co-cultured with peripheral blood mononuclear cells (PBMCs) matching HLA-B and HLA-C, but with mismatched HLA-A. The PBMC-CD8⁺, and NK cell-mediated cytotoxicity was measured by an annexin V staining assay.

FIG. 15 shows *in vivo* engrafting potential of HLA edited HSCs. Equal proportions of mCherry HLA edited HSCs and wild-type HSCs were mixed for a competitive transplant into mice, where bone marrow (BM) and peripheral blood samples were evaluated by FACS to compare the relative amounts of each cell type present in the samples.

FIGS. 16A and 16B show that WT and HLA-edited HSCs can differentiate to Pro-T Cells (FIG. 16A), as identified by a combination of CD34-CD7⁺ and CD34⁺ CD7⁺ markers. FIG. 16B graphically represents the results shown in FIG. 16A.

FIG. 17 shows that WT and HLA-edited HSCs can differentiate to the NK cell lineage, as identified by CD3-CD56⁺ markers.

FIGS. 18A and 18B show that WT and HLA-edited HSCs can differentiate to the monocyte/macrophage lineage, which also preserves the overall expression of both class I and class II molecules as identified by CD11b+CD14⁺ markers (FIG. 18A). FIG. 18B shows analysis of HLA-I and HLA-II on cells gated on CD11b+CD14⁺.

FIGS. 19A to 19C show that HLA-DQB1 and HLA-DPB1 deletion does not affect the expression of other HLA Class II molecules. FIG. 19A is a schematic showing differentiation of HLA-edited iPSCs to macrophages. FIG. 19B is an immunofluorescence experiment confirming the specific deletion of the DPB1 and DQB1 molecules. FIG. 19C shows that the same cells preserve the class II DRB1 expression.

FIGS. 20A and 20B show that deletion of HLA-A does not impact Class I peptide presentation. FIG. 20A shows a schematic representation of immunopeptidome analysis. FIG. 20B shows results of the immunopeptidome analysis, which reveals that little

difference exists in the numbers of peptides and representative proteins presented by class I molecules of WT and HLA-edited cells.

FIGS. 21A and 21B show that deletion of HLA-DP and DQ does not impact Class II peptide presentation. FIG. 21A shows immunopeptidome analysis scheme. FIG. 21B shows that despite the deletion of HLA-DP and DQ, the cells preserve their ability to present a broad spectrum of peptide through HLA Class II.

FIG. 22 is a schematic representation of *in vivo* testing of antigen-mediated immune response: Delayed Type Hypersensitivity Assay (DTH), sensitizing stage and elimination stage respectively.

FIGS. 23A and 23B show that HLA-edited HSCs reconstitute a functional immune system as demonstrated by DTH reaction in immune deficient mice. FIG. 23A shows a delayed-type hypersensitivity assay on transplanted mice were performed, which is an assay that involves the cross-talk of different types of immune cells. Specifically, mice were sensitized by subcutaneous injection of sheep Red blood cells (antigen). A functional immune system results in the swelling of the left paw that was measured with a micro caliper. As can be seen in FIG. 23A, the non-transplant mice did not show any left paw swelling as they are immunodeficient. Conversely, the mice transplanted with Cord Blood CD34+ cells show tissue swelling and doubled the diameter of their left paw. FIG. 23B is a graphical evaluation of the results shown in FIG 23A.

FIG. 24 shows HSC-derived T cells can be activated *in vitro*. Top panel shows FACS analysis of activated T cells from different sources, including from HSCs prepared according to the present disclosure. T cells of the present disclosure demonstrate comparable or superior activation as measured by increased CD107 expression. The lower panel shows Dynabeads activation, where activated T cells express inflammatory cytokines. HSC-derived T cells express higher levels of inflammatory cytokines as exemplified by TNF-alpha and interferon gamma expression levels.

FIG. 25 shows that CCR5-knocked out HSCs can comparably differentiate into pro-T cells, compared to their wild type (gHSC) counterpart HSC (CCR5 retained).

FIG. 26 shows CCR5-knocked out HSCs can comparably differentiate into double positive (CD4+CD8+) T cells when compared to their wild type (gHSC) counterpart HSCs (CCR5 retained).

FIG. 27 shows that HSCs generated according to this disclosure (D8+7 iPSC-CD34+ cells, with and without Yoda 1, “Y”) successfully differentiate into CD4+CD8+ (“double positive”) T cells as well as TCR α/β T cells. The methods of the present disclosure substantially outperform T cell maturation from bone marrow CD34+ cells.

5 **FIG. 28** shows that HSCs generated according to this disclosure (D8+7 iPSC-CD34+ cells, with or without Y) successfully rearrange TCR, and outperform bone marrow CD34+ cells.

10 **FIG. 29** shows the HSC differentiation potential into T cell subtypes. After a 35-day differentiation period pro-T cells were evaluated by cell sorting for the presence of CD4+, CD8+, and AB+ T cell populations. **FIG. 29** (right) compares the differentiation potential of bone marrow-derived CD34+ cells, embryoid body CD34+ cells, and HSCs prepared according to the present disclosure (e.g., using Piezo1 activation).

15 **FIG. 30** shows the degree of T-cell mediated cytotoxicity measured from a co-culture of HSC-derived T cells with CD19+ lymphoma cells in the presence of an anti-CD3/CD-19 bispecific antibody. T cells prepared from HSCs according to the present disclosure demonstrate a high level of cytotoxicity against the target cells.

20 **FIG. 31** shows that HSC-derived T cells (pro-T cells) can be transduced with high efficiency. Pro-T cells underwent lentiviral (LV) transduction with an anti-CD-19 chimeric antigen receptor (CAR) transgene (left), where the efficiency of LV transduction was measured by cell sorting based on anti-CD19 scFv staining (right). Results indicate that HSC-derived T cells achieved approx. 85% transduction efficiency.

FIG. 32 shows that LV-transduced HSC-derived T cells (pro-T cells) can effectively mature into CD4+/CD8+ T cells via CAR transduction.

25 **FIG. 33** shows the ability of anti-CD19 CAR-transduced HSC-derived T cells (CAR pro-T cells) to function via receptor-mediated cytotoxicity. Luc+ NALM6 leukemia cells were co-cultured with CAR pro-T cells and cell-mediated cytotoxicity was measured by luciferase assay.

FIG. 34 shows the ability of the HSCs to develop into pro-T cells as measured by their CD34-CD7+ markers.

30 **FIGS. 35A and 35B** demonstrates increased expression of T cell-specific transcription factors and Thymus engrafting molecules with the pro-T cells derived from

HSCs according to the instant disclosure. **FIG. 35A** shows TCF7 mRNA expression and **FIG. 35B** shows CCR7 mRNA expression.

FIGS. 36A and **36B** shows that HSC-derived Pro-T Cells engraft and differentiate in thymus. **FIG. 36A** illustrates the engraftment and analysis procedure. **FIG. 36B** shows FACS analysis of CD3 cell population of cells gated on CD45⁺ cell population, which shows the superior engraftment and differentiation potential of the HSC-derived Pro-T Cells in the thymus.

The term “gHSC” is used herein to refer to the iPSC-derived hematopoietic stem cells of the present disclosure.

The terms “wild type” (WT), “unedited”, “non-HLA-edited” are used interchangeability herein to refer to the non-gene edited cells of the present disclosure.

EB34⁺ cells refer to Embryonic body derived CD34⁺ cells. These comprise hemogenic endothelial cells.

DETAILED DESCRIPTION

In the various aspects and embodiments, the present disclosure provides cell populations or cell “banks” and collections thereof to provide immune compatible, allogeneic cell therapies covering global, ethnic, and disease-specific populations. In the various aspects and embodiments, the cell banks and progeny thereof maintain sufficient HLA Class I and HLA Class II functionalities, while facilitating patient matching to prevent or reduce graft versus host disease (GVHD) or graft rejection. The disclosure further provides methods for creating the cell banks by gene editing, and methods for cell therapy involving cells or tissues derived from the cell banks (including but not limited to hematopoietic stem cells, or “HSCs”, as well as progenitors and progenies thereof).

In an aspect, the disclosure provides an HLA-modified cell population that is HLA-A^{neg}, and is (1) HLA-DPA1^{neg} and/or HLA-DPB1^{neg} and/or (2) HLA-DQA1^{neg} and/or HLA-DQB1^{neg}. Further, the cell population is homozygous for, or comprises a single gene for, HLA-C, HLA-DRB1, and optionally HLA-B.

In some embodiments, the cell population is HLA-DPB1^{neg} and HLA-DQB1^{neg}. In some embodiments, the cell population comprises a deletion or inactivation of both DPB1 genes and both DQB1 genes.

In some embodiments, one or both DQB1 genes are deleted or are retained. In some embodiments, one or both DQA1 genes are retained. In some embodiments, the cell population retains DQB1 unmodified. In other embodiments, the cell population comprises a deletion or inactivation of both DQB1 genes, and optionally of both DQA1 genes. In these
5 embodiments, the cell population is HLA-DQ^{neg}.

In some embodiments, one or both DPB1 genes are deleted or are retained. In some embodiments, one or both DPA1 genes are retained. Thus, the cell population may lack both copies or retain HLA-DP, and which can be a single copy (one copy deleted or inactivated), or can retain HLA-DP as unmodified.

10 In some embodiments, the cell population comprises a deletion or inactivation of both DPB1 genes and both DQB1 genes. In these embodiments, DRB1 is retained, and is either homozygous or single copy, to support HLA-Class II function.

In various embodiments, the cell population is homozygous or comprises a single copy of HLA-B. Alternatively, the cell population may comprise a deletion or inactivation
15 of both HLA-B genes. In these embodiments, Class I antigen presentation may be predominately supported by HLA-C.

In various embodiments, the cell population retains one copy of HLA-DRB1, and another copy of HLA-DRB1 is deleted or inactivated. In some embodiments, the cell population is homozygous or has only a single copy of one, two, three, or four of DRB2,
20 DRB3, DRB4, and DRB5. Optionally, DRB2, DRB3, DRB4, and DRB5 are retained and unmodified.

In some embodiments, the cell population is homozygous at HLA-E or one HLA-E gene is deleted or inactivated. In some embodiments, HLA-E is unmodified, and may be homozygous or heterozygous.

25 In some embodiments, the cell population is homozygous at HLA-F or one HLA-F gene is deleted or inactivated. In some embodiments, HLA-F is unmodified, and may be homozygous or heterozygous.

In some embodiments, the cell population is homozygous at HLA-G or one HLA-G gene is deleted or inactivated. In some embodiments, HLA-G is unmodified, and may be
30 homozygous or heterozygous.

In certain embodiments, the cell population is HLA-A^{neg}, homozygous for both HLA-B and HLA-C, and is HLA-DPB1^{neg} and HLA-DQB1^{neg}. In some embodiments, the cell population is further homozygous for HLA-DRB1.

In various embodiments, the cell population is a stem cell population, such as a pluripotent stem cell. In some embodiments, the cell population is a human induced pluripotent stem cell (hiPSC). As described in further detail herein, iPSCs may be derived from cord blood, bone marrow biopsy, mobilized peripheral blood derived hCD34+ cells, human CD34+ cells, immune cells, immune progenitor cells, hematopoietic cells, non-hematopoietic cells (e.g., cells that can differentiate into cells such as fibroblasts, osteoblasts, chondrocytes, myocytes, endothelial cells, and neurons), and banked organ derived cells. In various embodiments, as described further below, primary cells are reprogrammed to generate human iPSC cell bank(s), which can be HLA-modified to generate off-the-shelf therapeutics containing immune compatible, allogeneic human cells.

In some embodiments, the stem cell population is a hematopoietic stem cell (HSC) population or a hematopoietic stem progenitor cell (HSPC) population, or a cell population derived therefrom. As described in further detail herein, the cell population may be, or may be used to derive, a hematopoietic cell lineage. For example, the hematopoietic lineage may be selected from common lymphoid precursor (CLP) cells, granulocyte-monocyte progenitor (GMP) cells, progenitor-T cells, T lymphocytes, B lymphocytes, Natural Killer cells, neutrophils, monocyte, macrophages, dendritic cells, red cells, megakaryocytes, and platelets.

In some embodiments, the cell population may be human donor- or patient-derived cells, including but not limited to donor- or patient-derived HSCs, hematopoietic progenitors, and hematopoietic lineages (e.g., selected from CLP cells, GMP cells, progenitor-T cells, T lymphocytes, B lymphocytes, Natural Killer cells, neutrophils, monocyte, macrophages, dendritic cells red cells, megakaryocytes, and platelets).

In still other embodiments, the cell population is a non-hematopoietic stem cell population. The population can be derived from iPSCs, or may be donor or patient derived. Exemplary non-hematopoietic stem cells include mesenchymal stem cell, neural stem cell, or epithelial stem cell. In still other embodiments, the cell population is, or is used to derive, a non-hematopoietic cell, such as a cell selected from fibroblasts, osteoclasts, chondrocytes,

myocytes, cardiomyocytes, endothelial cells, neurons, astrocytes, oligodendrocytes, hepatocytes, pancreatic β cells, and lung epithelial cells, or progenitors thereof.

In some embodiments, the cell population(s) are stem cells or progenitor cells used to generate hCD34⁺ HSCs, hematopoietic progenitors, immune cells, platelets, red cells, 5 other hematopoietic precursors, and lineages, as well as non-hematopoietic cells, including but not limited to neurons, astrocytes, oligodendrocytes, myocytes, cardiomyocytes, hepatocytes, pancreatic β cells, lung epithelial cells, etc.

According to aspects and embodiments of this disclosure, the cell population is a pluripotent stem cell (e.g., iPSC)-derived hematopoietic progenitor, such as hematopoietic 10 stem cells (HSCs), common myeloid progenitors (CMPs) or common lymphoid progenitors (CLP), which can give rise to progenies, such as, red blood cells/erythrocytes, platelets, mast cells, osteoclasts, granulocytes, monocyte-macrophages, dendritic cells, T-cells/T-lymphocytes, B-cells/B-lymphocytes, NK-cells/natural killer cells, and dendritic cells.

In various aspects and embodiment of this disclosure, the cell populations and cell 15 banks (whether allogeneic, autologous, or iPSC-derived cells) are developed according to HLA haplotype or polymorph distributions based on region, ethnicity, and/or target disease. In embodiments, cell populations or cell lines are developed using suitable primary cell donors according to rank orders of common or uncommon HLA haplotypes to cover a target population. For example, the cumulative addition of cell lines to the bank can be based on 20 HLA haplotypes and/or polymorphs to cover heterogenous US population, heterogenous Caucasian population, heterogenous Beta-Thalassemia population, or heterogenous global population (or other population). In various embodiments, the cumulative addition of cell lines to the bank covers core HLA haplotypes and/or polymorphs in a heterogeneous Asian population, heterogeneous European population, heterogeneous African population, 25 heterogeneous South American population, or heterogeneous North American population.

In various embodiments, the cell population has a DRB1 haplotype selected from DRB1*03:01, DRB1*15:01, DRB1*01:02, DRB1*07:01, DRB1*04:01, DRB1*07:01, DRB1*01:01, DRB1*01:02, DRB1*04:04, DRB1*13:02, DRB1*13:01, DRB1*11:04, and/or DRB1*15:02, DRB1*03:02, DRB1*11:01, DRB1*15:03, DRB1*04:07, 30 DRB1*08:04, DRB1*04:02, DRB1*14:01, and DRB1*10:01.

In some embodiments, the cell population has an HLA-C haplotype selected from C*07:01, C*04:01, C*07:02, C*06:02, C*03:04, C*05:01, C*02:02, C*12:03, C*03:03, and C*16:01.

In some embodiments, the cell population has an HLA-B haplotype selected from B*08:01 and B*07:02. For example, the cell population has an HLA-B haplotype selected from B*08:01, B*07:02, B*44:02, B*44:03, B*35:01, B*57:01, B*15:01, B*14:02, B*40:01, B*53:01, B*49:01, B*51:01, B*13:02, and B*38:01.

In some embodiments, the cell population comprises an HLA-C~HLA-B~DRB1 haplotype selected from:

- | | | |
|----|---|---|
| 10 | C*07:01~B*08:01~DRB1*03:01,
C*05:01~B*44:02~DRB1*04:01,
C*04:01~B*35:01~DRB1*01:01,
C*06:02~B*13:02~DRB1*07:01,
C*3:04~B*40:01~DRB1*04:04, | C*07:02~B*07:02~DRB1*15:01,
C*16:01~B*44:03~DRB1*07:01,
C*06:02~B*57:01~DRB1*07:01,
C*08:02~B*14:02~DRB1*01:02,
C*04:01~B*44:03~DRB1*07:01, |
| 15 | C*03:04~B*40:01~DRB1*13:02,
C*05:01~B*18:01~DRB1*03:01,
C*07:02~B*07:02~DRB1*01:01,
C*12:02~B*52:01~DRB1*15:02,
C*07:02~B*07:02~DRB1*07:01, | C*03:04~B*15:01~DRB1*04:01,
C*05:01~B*44:02~DRB1*13:01,
C*04:01~B*35:02~DRB1*11:04,
C*03:03~B*15:01~DRB1*13:01,
C*05:01~B*44:02~DRB1*15:01, |
| 20 | C*12:03~B*38:01~DRB1*13:01,
C*08:02~B*14:01~DRB1*07:01,
C*04:01~B*35:01~DRB1*11:01,
C*07:01~B*18:01~DRB1*11:04,
C*12:03~B*18:01~DRB1*15:01, | C*17:01~B*42:01~DRB1*03:02,
C*01:02~B*27:05~DRB1*01:01,
C*06:02~B*50:01~DRB1*07:01,
C*04:01~B*53:01~DRB1*13:02,
C*07:02~B*07:02~DRB1*11:01, |
| 25 | C*05:01~B*44:02~DRB1*01:01,
C*07:02~B*07:02~DRB1*04:01,
C*04:01~B*35:01~DRB1*07:01,
C*07:02~B*39:05~DRB1*04:07,
C*07:02~B*07:02~DRB1*13:01, | C*04:01~B*53:01~DRB1*15:03,
C*08:02~B*14:02~DRB1*13:02,
C*07:01~B*08:01~DRB1*15:01,
C*04:01~B*53:01~DRB1*08:04,
C*12:03~B*38:01~DRB1*04:02, |
| 30 | C*03:03~B*15:01~DRB1*04:01,
C*06:02~B*37:01~DRB1*10:01, | C*04:01~B*35:01~DRB1*14:01,
C*07:01~B*49:01~DRB1*11:01, |

C*03:04~B*40:01~DRB1*04:01, C*15:02~B*51:01~DRB1*11:01,
 C*03:02~B*58:01~DRB1*03:01, C*03:03~B*55:01~DRB1*14:01, and
 C*04:01~B*35:01~DRB1*13:01.

In accordance with the various embodiments, the cell line is immune compatible at
 5 two, four, six, eight, ten, or twelve HLA loci by either matching at certain HLA haplotypes
 or not mismatching at certain HLA haplotypes.

For example, the cell line is immune compatible at HLA-C by virtue that the cell line
 is homozygous at HLA-C (and HLA-C is matched), or one copy of HLA-C is matched and
 another copy of HLA-C is deleted or inactivated. The cell line is immune compatible at
 10 HLA-A by virtue that both HLA-A genes are deleted or inactivated (i.e., the cell line is HLA-
 A^{neg}). The cell line is also immune compatible at HLA-DRB1 by virtue that the cell line is
 homozygous at HLA-DRB1 (and thus HLA-DRB1 is matched), or one copy of HLA-DRB1
 is matched and another copy of HLA-DRB1 is deleted or inactivated.

In various embodiments, the cell lines is immune compatible at HLA-B by virtue that
 15 the cell line is homozygous at HLA-B, or one copy of HLA-B is matched and another copy
 of HLA-B is deleted or inactivated. In some embodiments, the cell line entirely lacks HLA-
 B.

In some embodiments the cell lines is immune compatible at HLA-DPB1, because
 both copies of DPB1 are deleted or inactivated (HLA-DPB1^{neg}). Alternatively, the cell line
 20 is homozygous at HLA-DPB1 (and DPB1 is matched or unmatched), or one copy of HLA-
 DPB1 is matched and another copy of HLA-DPB1 is deleted or inactivated.

In some embodiments the cell lines is immune compatible at HLA-DQB1, because
 both copies of DQB1 are deleted or inactivated (HLA-DQB1^{neg}). Alternatively, the cell line
 is homozygous at HLA-DQB1 (and DQB1 is matched or unmatched), or one copy of HLA-
 25 DQB1 is matched and another copy of HLA-DQB1 is deleted or inactivated.

The cell line can be immune compatible at HLA-E by virtue that the cell line is
 homozygous at HLA-E, or one copy of HLA-E is matched and another copy of HLA-E is
 deleted or inactivated. However, in some embodiments HLA-E is retained as unmodified,
 and is either matched or not matched.

30 In some embodiments, the cell line is developed by deleting or inactivating specific
 HLA haplotypes using gene editing techniques, including but not limited to CRISPR-Cas9,

while preserving other HLA haplotypes. For example, cell lines can be derived from human primary cells from a homozygous donor (at one or more loci), and/or by deleting one copy of mismatched haplotype. Non limiting examples of sgRNA for use with CRISPR-Cas9 gene editing systems are described herein. The sgRNAs can be used singly, or in combinations to induce gene edits, such as double strand breaks, in exon 1 and/or exon 2 of the target HLA, leading to inactivation, mutagenesis, or deletions of one base or more, such as 5 bases or more, or 10 bases or more, or 50 bases or more, or 100 bases or more, or 500 bases or more, sufficient to functionally inactivate the target gene or eliminate its functional expression. In some embodiments, the gRNA targeting domains are 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26 or more nucleotides in length. In some embodiments, the gRNAs comprise a modification at or near the 5' end (e.g., within 1-10, 1-5, or 1-2 nucleotides of the 5' end) and/or a modification at or near the 3' end (e.g., within 1-10, 1-5, or 1-2 nucleotides of the 3' end). In some embodiments, the modified gRNAs exhibit increased resistance to nucleases. In some embodiments, a gRNA comprises two separate RNA molecules (i.e., a "dual gRNA"). A dual gRNA comprises two separate RNA molecules: a "crispr RNA" (or "crRNA") and a "tracr RNA" and is well known to one of skill in the art.

The cell lines comprise one or more HLA modifications (e.g., one or more HLA gene deletions) to facilitate HLA matching with a recipient, to make cell therapies available to a diverse population with a universal collection of HLA matching cell lines (i.e., as compared to a non-HLA-modified collection encumbered by enormous diversity of HLA haplotypes in a population). In an aspect, the disclosure provides a collection of cell lines (or "cell populations") comprising at least two cell lines, where the cell lines in the collection represent at least two different HLA haplotypes. For example, each cell line comprises a deletion or inactivation of HLA-A gene in addition to one or more of (1) HLA-DQA1 and/or HLA-DQB1 and (2) HLA-DPA1 and/or HLA-DPB1. Other HLA modifications to Class I and/or Class II genes are made according to the present disclosure to facilitate immune-compatibility matching with a recipient without compromising the safety or efficacy of the cell therapy.

The Major Histocompatibility complex (MHC) system, also referred to herein as human leukocyte antigen (HLA), is comprised of a polymorphic gene cluster located on the short arm of chromosome 6 (6p21.3). HLA includes regions designated as class I and class

II. The main function of HLA class I gene products is to present endogenous (i.e., intracellular) peptides to cognate CD8⁺ (cytotoxic) T Cells. The main function of HLA class II molecules is to present peptide antigens from exogenous proteins to CD4⁺ helper T Cells. HLA class I gene products are critical for detecting and targeting cells that develop deleterious mutations and/or cancers, as well as for detecting and targeting cells harboring intracellular pathogens including viruses. HLA class II gene products are critical for detecting the presence of pathogens in a tissue environment and coordinating an immune response against the pathogen. While HLA class I gene products are expressed on most cells, HLA class II genes are largely expressed by professional antigen presenting cells such as dendritic cells, macrophages, and B cells. HLA class II molecules are also known to be expressed by some T cells as well as subsets of epithelial and endothelial cells, for example. Kambayashi and Laufer, Atypical MHC class II-expressing antigen-presenting cells: can anything replace a dendritic cell? *Nature Reviews Immunology* vol. 14:719–730 (2014).

HLA class I molecules comprise HLA-A, HLA-B, HLA-C, HLA-E, HLA-F, and HLA-G, which differ substantially in their level of polymorphism. HLA class I molecules are comprised of a single polypeptide complexed with β 2-microglobulin (B2M). Indeed, knock out of B2M can abolish functional expression of HLA-class I gene products. There are about 7,453 identified HLA-A alleles, about 8,849 identified HLA-B alleles, about 7,393 identified HLA-C alleles, about 310 identified HLA-E alleles, about 50 identified HLA-F alleles, and about 102 identified HLA-G alleles. See hla.alleles.org. Natural killer (NK) cells recognize cells lacking HLA class I expression, a phenomenon often observed in a wide spectrum of tumor types. Malmberg K., Immune selection during tumor checkpoint inhibition therapy paves way for NK-cell “missing self” recognition, *Immunogenetics* vol. 69, pages 547–556 (2017). Generally, HLA-A and HLA-B exhibit the highest expression among class I molecules.

HLA class II molecules comprise two transmembrane polypeptide chains (α and β) forming the antigen binding cleft. HLA molecules corresponding to class II include HLA-DP, HLA-DM, HLA-DOA, HLA-DOB, HLA-DQ, and HLA-DR, and which have highly varying levels of polymorphism (see hla.alleles.org). HLA class II genes include those with “classical” class II alpha and beta chain genes of HLA-DP, -DQ and -DR, and “non-

classical” loci such as HLA-DM and -DO. DRB1 shows the highest diversity among class II genes and is highly expressed.

Table 1 below summarizes HLA class I and class II genes.

HGNC ID	Symbol	Name	Chromosome
HGNC:4931	HLA-A	major histocompatibility complex, class I, A	6p22.1
HGNC:4932	HLA-B	major histocompatibility complex, class I, B	6p21.33
HGNC:4933	HLA-C	major histocompatibility complex, class I, C	6p21.33
HGNC:4934	HLA-DMA	major histocompatibility complex, class II, DM alpha	6p21.32
HGNC:4935	HLA-DMB	major histocompatibility complex, class II, DM beta	6p21.32
HGNC:4936	HLA-DOA	major histocompatibility complex, class II, DO alpha	6p21.32
HGNC:4937	HLA-DOB	major histocompatibility complex, class II, DO beta	6p21.32
HGNC:4938	HLA-DPA1	major histocompatibility complex, class II, DP alpha 1	6p21.32
HGNC:4939	HLA-DPA2	major histocompatibility complex, class II, DP alpha 2 (pseudogene)	6p21.32
HGNC:19393	HLA-DPA3	major histocompatibility complex, class II, DP alpha 3 (pseudogene)	6p21.32
HGNC:4940	HLA-DPB1	major histocompatibility complex, class II, DP beta 1	6p21.32
HGNC:4941	HLA-DPB2	major histocompatibility complex, class II, DP beta 2 (pseudogene)	6p21.32
HGNC:4942	HLA-DQA1	major histocompatibility complex, class II, DQ alpha 1	6p21.32

HGNC ID	Symbol	Name	Chromosome
HGNC:4943	HLA-DQA2	major histocompatibility complex, class II, DQ alpha 2	6p21.32
HGNC:4944	HLA-DQB1	major histocompatibility complex, class II, DQ beta 1	6p21.32
HGNC:4945	HLA-DQB2	major histocompatibility complex, class II, DQ beta 2	6p21.32
HGNC:4946	HLA-DQB3	major histocompatibility complex, class II, DQ beta 3	6p21.3
HGNC:4947	HLA-DRA	major histocompatibility complex, class II, DR alpha	6p21.32
HGNC:4948	HLA-DRB1	major histocompatibility complex, class II, DR beta 1	6p21.32
HGNC:4950	HLA-DRB2	major histocompatibility complex, class II, DR beta 2 (pseudogene)	6p21.3 alternate reference locus
HGNC:4951	HLA-DRB3	major histocompatibility complex, class II, DR beta 3	6p21.3 alternate reference locus
HGNC:4952	HLA-DRB4	major histocompatibility complex, class II, DR beta 4	6p21.3 alternate reference locus
HGNC:4953	HLA-DRB5	major histocompatibility complex, class II, DR beta 5	6p21.32
HGNC:4954	HLA-DRB6	major histocompatibility complex, class II, DR beta 6 (pseudogene)	6p21.32
HGNC:4955	HLA-DRB7	major histocompatibility complex, class II, DR beta 7 (pseudogene)	6p21.3 alternate reference locus

HGNC ID	Symbol	Name	Chromosome
HGNC:4956	HLA-DRB8	major histocompatibility complex, class II, DR beta 8 (pseudogene)	6p21.3 alternate reference locus
HGNC:4957	HLA-DRB9	major histocompatibility complex, class II, DR beta 9 (pseudogene)	6p21.32
HGNC:4962	HLA-E	major histocompatibility complex, class I, E	6p22.1
HGNC:4963	HLA-F	major histocompatibility complex, class I, F	6p22.1
HGNC:4964	HLA-G	major histocompatibility complex, class I, G	6p22.1
HGNC:4965	HLA-H	major histocompatibility complex, class I, H (pseudogene)	6p22.1
HGNC:4967	HLA-J	major histocompatibility complex, class I, J (pseudogene)	6p22.1
HGNC:4969	HLA-K	major histocompatibility complex, class I, K (pseudogene)	6p22.1
HGNC:4970	HLA-L	major histocompatibility complex, class I, L (pseudogene)	6p22.1
HGNC:19406	HLA-N	major histocompatibility complex, class I, N (pseudogene)	6p22.1
HGNC:21196	HLA-P	major histocompatibility complex, class I, P (pseudogene)	6p22.1
HGNC:19395	HLA-S	major histocompatibility complex, class I, S (pseudogene)	6p21.33
HGNC:23478	HLA-T	major histocompatibility complex, class I, T (pseudogene)	6p22.1

HGNC ID	Symbol	Name	Chromosome
HGNC:23477	HLA-U	major histocompatibility complex, class I, U (pseudogene)	6p22.1
HGNC:23482	HLA-V	major histocompatibility complex, class I, V (pseudogene)	6p22.1
HGNC:23425	HLA-W	major histocompatibility complex, class I, W (pseudogene)	6p22.1
HGNC:19385	HLA-X	major histocompatibility complex, class I, X (pseudogene)	6p21.3
HGNC:33913	HLA-Y	major histocompatibility complex, class I, Y (pseudogene)	6p21.33
HGNC:19394	HLA-Z	major histocompatibility complex, class I, Z (pseudogene)	6p21.32

For transplantation of organs and tissues (including hematopoietic stem cells) from allogeneic donors, the main criterion for donor selection is HLA compatibility. Particularly for HSC transplantation, a new lympho-hematopoietic system must develop in the recipient to replace the recipient's diseased lympho-hematopoietic system. Immunological reactions are substantially driven by T cells and include host-versus-graft (HVG) responses, which refers to patient cell reactivity against donor cells, and graft-versus-host (GVH) responses, which refers to donor lymphocyte reactivity against host tissues. The immunotherapeutic effect on neoplastic cells is often referred to as graft-versus-leukemia (GVL). GVH (or GVHD) can be associated with severe side effects in transplant recipients (e.g., HSCT) and is largely responsible for HSC transplant-related morbidity and mortality.

Molecular HLA typing conventionally involves typing the $\alpha 1$ and $\alpha 2$ domains for class I and the $\alpha 1$ domain for class II. Donors are generally selected based on typing of the classical HLA genes HLA-A, HLA-B, HLA-C, HLA-DRB1, HLA-DQB1, and HLA-DPB1. For example, US standards conventionally attempt to match 8 loci (both alleles for HLA-A,

HLA-B, HLA-C, and HLA-DRB1), while European standards involve matching 10 loci (both alleles for HLA-A, HLA-B, HLA-C, HLA-DRB1, and HLA-DQB1).

In an aspect, the present disclosure provides a method of generating off-the-shelf cell populations or “banks” of cells. The method comprises: (i) providing donor or patient-derived cells and/or pluripotent stem cells (e.g., iPSCs); and (ii) modifying in vitro one or more endogenous coding sequences in the cell (e.g., iPSCs) genome, thereby knocking out one or more genes or mutating one or more genes to encode a nonfunctional protein in the cell population (e.g., iPSCs). The modified cells in various embodiments are identified as one of: (i) HLA-A⁺B⁺C⁺DP⁺DR⁺DQ⁺, (ii) HLA-A⁺B⁺C⁺DP⁺DR⁺DQ⁻, (iii) HLA-A⁺B⁺C⁺DP⁻DR⁺DQ⁻, (iv) HLA-A⁺B⁺C⁺DP⁻DR⁺DQ⁺, (v) HLA-A⁺B⁺C⁺DP⁺DR⁺DQ⁻, (vi) HLA-A⁺B⁻C⁺DP⁻DR⁺DQ⁻. For retained HLA (for example, HLA-B, HLA-C, and HLA-DR), cells can be homozygous or retain only a single copy of the gene. For example, the modified cells are identified at least as (a) HLA-C⁺ and HLA-DR⁺, and optionally identified as one or more of (b) HLA-B⁻, (c) HLA-DP⁻, and (d) HLA-DQ⁻. In exemplary embodiments, the modified cells are HLA-B⁺, HLA-DP⁻, and HLA-DQ⁻.

As used herein, the term “neg” or (-) with respect to a particular HLA Class I or Class II gene indicates that both copies of the gene have been disrupted in the cell line or population, and thus the cell line or population does not display significant functional expression of the gene. Such cells can be generated by full or partial gene deletions, or alternatively with other technologies such as siRNA.

In accordance with aspects and embodiments of this disclosure, cell populations or cell banks are provided to allow for harvest from allogeneic donor or patient or for the generation (e.g., by ex vivo expansion or differentiation) of hematopoietic stem cells (HSCs) and progenitors or progenies thereof for off-the shelf cell and tissue therapies. The cells are gene edited to delete particular HLA genes (as described), to thereby facilitate immune compatible matching for an intended recipient. As used herein, the term “delete” in this context refers to a genetic modification of the target gene (i.e., gene edit) that abrogates functional expression of the corresponding gene product (i.e., the corresponding polypeptide). Such gene edits include full or partial gene deletions, or deletions of critical cis-acting expression control sequences. In accordance with embodiments of this disclosure, expression of B2M is not altered, and expression of class II major histocompatibility

complex transactivator (CIITA) is not altered, since these modifications would abolish HLA expression. B2M expression is critical for functional expression of HLA class I, and CIITA is critical for HLA class II expression. For example, alteration of B2M risks a response by natural killer (NK) cells and is potentially harmful for the proliferation of cells that are infected by pathogens or are oncogenic. Alteration of CIITA risks lack of antigen-presentation abilities through class II HLAs. For HSC transplantation (for example), functional class I and class II expression is required to reconstitute immunological surveillance.

In various aspects and embodiments the present disclosure provides HLA class I and/or HLA class II modified cells in which certain HLA gene(s) (as described) have been altered or deleted to make the cells immune compatible for the cell-based therapy, in a subject in need of such therapy, without being encumbered by concerns of the harmful effects of HLA incompatibility or donor matching. Advantageously, these alterations in the class I and class II molecules enhance the biocompatibility of these cells in diverse populations originating from Asia, Europe, Africa, South America, and North America as they manifest all of the characteristics of unmodified cells, except that they advantageously eliminate or ameliorate harmful or toxic functions in therapeutical applications of their HLA-unmodified counterpart cells.

In various aspects and embodiments, this disclosure minimizes the HLA loci required for haplotype matching, including for HSC transplantation. In various aspects and embodiments, the cells, or cells or tissues derived therefrom, exhibit functional class II antigen presentation (i.e., class II antigen presentation is not substantially impaired by lower class II expression and/or class II diversity in comparison to non-HLA modified cells or tissues). In various aspects and embodiments, the cells, or cells or tissues derived therefrom, do not show substantial susceptibility to oncogenesis or viral infection (i.e., due to loss of class I expression or class I diversity). In various aspects and embodiments, the cells, or cells or tissues derived therefrom, are not substantially targeted by the innate immune system of the recipient (e.g., NK cells) due to loss of HLA expression or diversity (i.e., as compared to non-HLA modified cells or tissues).

HLA haplotypes are indicated herein according to convention. HLA alleles can be named by indicating the locus, antigenic specificity, and molecularly typed allele group. The

asterisk “*” sign indicates that typing is performed by a molecular method and the colon “:” is a field separator. For example, where A*03:01 is an allele of interest, the first field (A*03) refers to a group of alleles that encode for the A3 antigen, and the second field (:01) refers to a particular allele that encodes the unique HLA protein A*03:01. Homozygous alleles can include one or more polymorphisms in one or both copies in some embodiments (that is, need not be identical).

The cell populations or banks can be modified for one or more additional functionalities (as described in more detail herein), including deletion or insertion of additional genes. For example, the cell lines can be modified to express or overexpress certain cytokines, suicide genes, T-cell receptor, one or more chimeric antigen receptors (CARs), and/or combinations thereof. In some embodiments, cell populations or banks, or progeny thereof, are modified such that certain endogenously expressed genes are deleted, inactivated, or reduced in expression, such as but not limited to genes encoding CCR5 or miR-155, or genes encoding cell surface markers including but not limited to CD33, CLL, CD19, CD7, and/or CD38.

In various embodiments, cells are inserted with a nucleic acid encoding a CAR specific to myeloma, leukemia or lymphoma targets, including but not limited to CD19, CD33, and BCMA. In various embodiments, the cells are introduced with nucleic acid encoding tandem CARs, including but not limited CD38/IL3 and CD20/CD19. In various embodiments, the cells are introduced with nucleic acid encoding disease specific dual CAR, Quad CAR, or tandem-CARs,

Thus, non-limiting examples include but are not limited to: (i) cells deleted for CCR5 to generate CCR5-deleted cellular therapies of HIV-AIDS patients; (ii) cells deleted for CD33 to generate CD33-deleted cellular therapies for treating leukemia and/or lymphoma patients; (iii) cells deleted for CD33 to generate CD33-deleted cellular therapies for use in connection with CAR-T, CAR-NK, CAR-T progenitor cells, or CAR-macrophage cells for treating leukemia and/or lymphoma patients.

The cell populations, or cells derived therefrom (e.g., progeny) can be used with FDA approved CAR-T therapy, such as, Tisagenlecleucel, also known as tisa-cel (Kymriah), Axicabtagene ciloleucel, also known as axi-cel (Yescarta), Brexucabtagene autoleucel, also known as brexu-cel (Tecartus), Lisocabtagene maraleucel, also known as liso-cel

(Breyanzi), Idecabtagene vicleucel, also known as ide-cel (Abecma), Ciltacabtagene autoleucel, also known as cilta-cel (Carvykti) or any other CAR-T therapy which damage the normal cells during their therapeutic applications.

In one aspect, the disclosure provides a collection of cell populations (i.e., cell banks
5 comprising at least two populations of cells) of expanded primary cells, derivatives of iPSC cells, or stem cell lines, where the cell lines in the collection represent at least two different HLA-C haplotypes. Each cell population comprises a deletion or inactivation of both HLA-A genes. In various embodiments, the cell populations in the collection represent at least four, or at least six, or at least eight, or at least ten different HLA-C haplotypes. In some
10 embodiments, the cell populations in the collection represent at least twelve different HLA-C haplotypes or at least fifteen or at least twenty different HLA-C haplotypes. In various embodiments, the cell populations are either homozygous for the HLA-C gene or are edited to have only a single HLA-C gene (e.g., by deletion of one HLA-C gene).

In certain embodiments, the cell populations or banks are represented by at least an
15 (i) HLA-C allele and (ii) a class II DRB allele.

In some embodiments, the collection comprises cell populations or banks comprising one or more of the following HLA-C alleles selected from: C*01, C*02, C*03, C*04, C*05, C*06, C*07, C*08, C*12, C*14, C*15, C*16, C*17, C*18. In some embodiments, these HLA-C alleles are matched with DRB alleles selected from DRB 1*01, DRB 1*03,
20 DRB 1*04, DRB 1*07, DRB 1*08, DRB 1*09, DRB1*10, DRB1*11, DRB 1*12, DRB 1*13, DRB 1*14, DRB 1*15, DRB1*16, DRB2*01, DRB3*01, DRB3*02, DRB3*03, DRB4*01, DRB4*02, DRB4*03, DRB5*01, DRB5*02, DRB6*01, DRB6*02, DRB7*01, DRB8*01, and DRB9*01.

In some embodiments, these alleles are matched with HLA-B alleles selected from
25 B*07, B*08, B*13, B*14, B*15, B*18, B*27, B*35, B*37, B*38, B*39, B*40, B*41, B*42, B*44, B*45, B*46, B*47, B*48, B*49, B*50, B*51, B*52, B*53, B*54, B*55, B*56, B*57, B*58, B*59, B*67, B*73, B*78, B*81, B*82, and B*83 (or HLA-B is deleted).

In some embodiments, these alleles are matched with class II alleles are selected from DRA*01, DQA1*01, DQA1*02, DQA1*03, DQA1*04, DQA1*05, DQA1*06,
30 DQB1*02, DQB1*03, DQB1*04, DQB1*05, DQB1*06, DPA1*01, DPA1*02, DPA1*03, DPA1*04, DPA2*01, and DPA2*02.

In some embodiments, these alleles are matched with DPB1 alleles selected from DPB1*01, DPB1*02, DPB1*03, DPB1*04, DPB1*05, DPB1*06, DPB1*08, DPB1*09, DPB1*10, DPB1*100, DPB1*101, DPB1*102, DPB1*103, DPB1*104, DPB1*105, DPB1*106, DPB1*107, DPB1*108, DPB1*109, DPB1*11, DPB1*110, DPB1*111, 5 DPB1*112, DPB1*113, DPB1*114, DPB1*115, DPB1*116, DPB1*117, DPB1*118, DPB1*119, DPB1*120, DPB1*121, DPB1*122, DPB1*123, DPB1*124, DPB1*125, DPB1*126, DPB1*127, DPB1*128, DPB1*129, DPB1*13, DPB1*130, DPB1*131, DPB1*132, DPB1*133, DPB1*134, DPB1*135, DPB1*136, DPB1*137, DPB1*138, DPB1*139, DPB1*14, DPB1*140, DPB1*141, DPB1*142, DPB1*143, DPB1*144, 10 DPB1*145, DPB1*146, DPB1*147, DPB1*148, DPB1*149, DPB1*15, DPB1*150, DPB1*151, DPB1*152, DPB1*153, DPB1*154, DPB1*155, DPB1*156, DPB1*157, DPB1*158, DPB1*159, DPB1*16, DPB1*160, DPB1*161, DPB1*162, DPB1*163, DPB1*164, DPB1*165, DPB1*166, DPB1*167, DPB1*168, DPB1*169, DPB1*17, DPB1*170, DPB1*171, DPB1*172, DPB1*173, DPB1*174, DPB1*175, DPB1*176, 15 DPB1*177, DPB1*178, DPB1*179, DPB1*18, DPB1*180, DPB1*181, DPB1*182, DPB1*183, DPB1*184, DPB1*185, DPB1*186, DPB1*187, DPB1*188, DPB1*189, DPB1*19, DPB1*190, DPB1*191, DPB1*192, DPB1*193, DPB1*194, DPB1*195, DPB1*196, DPB1*197, DPB1*198, DPB1*199, DPB1*20, DPB1*200, DPB1*201, DPB1*202, DPB1*203, DPB1*204, DPB1*205, DPB1*206, DPB1*207, DPB1*208, 20 DPB1*209, DPB1*21, DPB1*210, DPB1*211, DPB1*212, DPB1*213, DPB1*214, DPB1*215, DPB1*216, DPB1*217, DPB1*218, DPB1*219, DPB1*22, DPB1*220, DPB1*221, DPB1*222, DPB1*223, DPB1*224, DPB1*225, DPB1*226, DPB1*227, DPB1*228, DPB1*229, DPB1*23, DPB1*230, DPB1*231, DPB1*232, DPB1*233, DPB1*234, DPB1*235, DPB1*236, DPB1*237, DPB1*238, DPB1*239, DPB1*24, 25 DPB1*240, DPB1*241, DPB1*242, DPB1*243, DPB1*244, DPB1*245, DPB1*246, DPB1*247, DPB1*248, DPB1*249, DPB1*25, DPB1*250, DPB1*251, DPB1*252, DPB1*253, DPB1*254, DPB1*255, DPB1*256, DPB1*257, DPB1*258, DPB1*259, DPB1*26, DPB1*260, DPB1*261, DPB1*262, DPB1*263, DPB1*264, DPB1*265, DPB1*266, DPB1*267, DPB1*268, DPB1*269, DPB1*27, DPB1*270, DPB1*271, 30 DPB1*272, DPB1*273, DPB1*274, DPB1*275, DPB1*276, DPB1*277, DPB1*278, DPB1*279, DPB1*28, DPB1*280, DPB1*281, DPB1*282, DPB1*283, DPB1*284,

DPB1*285, DPB1*286, DPB1*287, DPB1*288, DPB1*289, DPB1*29, DPB1*290,
DPB1*291, DPB1*292, DPB1*293, DPB1*294, DPB1*295, DPB1*296, DPB1*297,
DPB1*298, DPB1*299, DPB1*30, DPB1*300, DPB1*301, DPB1*302, DPB1*303,
DPB1*304, DPB1*305, DPB1*306, DPB1*307, DPB1*308, DPB1*309, DPB1*31,
5 DPB1*310, DPB1*311, DPB1*312, DPB1*313, DPB1*314, DPB1*315, DPB1*316,
DPB1*317, DPB1*318, DPB1*319, DPB1*32, DPB1*320, DPB1*321, DPB1*322,
DPB1*323, DPB1*324, DPB1*325, DPB1*326, DPB1*327, DPB1*328, DPB1*329,
DPB1*33, DPB1*330, DPB1*331, DPB1*332, DPB1*333, DPB1*334, DPB1*335,
DPB1*336, DPB1*337, DPB1*338, DPB1*339, DPB1*34, DPB1*340, DPB1*341,
10 DPB1*342, DPB1*343, DPB1*344, DPB1*345, DPB1*346, DPB1*347, DPB1*348,
DPB1*349, DPB1*35, DPB1*350, DPB1*351, DPB1*352, DPB1*353, DPB1*354,
DPB1*355, DPB1*356, DPB1*357, DPB1*358, DPB1*359, DPB1*36, DPB1*360,
DPB1*361, DPB1*362, DPB1*363, DPB1*364, DPB1*365, DPB1*366, DPB1*367,
DPB1*368, DPB1*369, DPB1*37, DPB1*370, DPB1*371, DPB1*372, DPB1*373,
15 DPB1*374, DPB1*375, DPB1*376, DPB1*377, DPB1*378, DPB1*379, DPB1*38,
DPB1*380, DPB1*381, DPB1*382, DPB1*383, DPB1*384, DPB1*385, DPB1*386,
DPB1*387, DPB1*388, DPB1*389, DPB1*39, DPB1*390, DPB1*391, DPB1*392,
DPB1*393, DPB1*394, DPB1*395, DPB1*396, DPB1*397, DPB1*398, DPB1*399,
DPB1*40, DPB1*400, DPB1*401, DPB1*402, DPB1*403, DPB1*404, DPB1*405,
20 DPB1*406, DPB1*407, DPB1*408, DPB1*409, DPB1*41, DPB1*410, DPB1*411,
DPB1*412, DPB1*413, DPB1*414, DPB1*415, DPB1*416, DPB1*417, DPB1*418,
DPB1*419, DPB1*420, DPB1*421, DPB1*422, DPB1*423, DPB1*424, DPB1*425,
DPB1*426, DPB1*427, DPB1*428, DPB1*429, DPB1*430, DPB1*431, DPB1*432,
DPB1*433, DPB1*434, DPB1*435, DPB1*436, DPB1*437, DPB1*438, DPB1*439,
25 DPB1*44, DPB1*440, DPB1*441, DPB1*442, DPB1*443, DPB1*444, DPB1*445,
DPB1*446, DPB1*447, DPB1*448, DPB1*449, DPB1*45, DPB1*450, DPB1*451,
DPB1*452, DPB1*453, DPB1*454, DPB1*455, DPB1*456, DPB1*457, DPB1*458,
DPB1*459, DPB1*46, DPB1*460, DPB1*461, DPB1*462, DPB1*463, DPB1*464,
DPB1*465, DPB1*466, DPB1*467, DPB1*468, DPB1*469, DPB1*47, DPB1*470,
30 DPB1*471, DPB1*472, DPB1*473, DPB1*474, DPB1*475, DPB1*476, DPB1*477,
DPB1*478, DPB1*479, DPB1*48, DPB1*480, DPB1*481, DPB1*482, DPB1*483,

DPB1*484, DPB1*485, DPB1*486, DPB1*487, DPB1*488, DPB1*489, DPB1*49,
DPB1*490, DPB1*491, DPB1*492, DPB1*493, DPB1*494, DPB1*495, DPB1*496,
DPB1*497, DPB1*498, DPB1*499, DPB1*50, DPB1*500, DPB1*501, DPB1*502,
DPB1*503, DPB1*504, DPB1*505, DPB1*506, DPB1*507, DPB1*508, DPB1*509,
5 DPB1*51, DPB1*510, DPB1*511, DPB1*512, DPB1*513, DPB1*514, DPB1*515,
DPB1*516, DPB1*517, DPB1*518, DPB1*519, DPB1*52, DPB1*520, DPB1*521,
DPB1*522, DPB1*523, DPB1*524, DPB1*525, DPB1*526, DPB1*527, DPB1*528,
DPB1*529, DPB1*53, DPB1*530, DPB1*531, DPB1*532, DPB1*533, DPB1*534,
DPB1*535, DPB1*536, DPB1*537, DPB1*538, DPB1*539, DPB1*54, DPB1*540,
10 DPB1*541, DPB1*542, DPB1*543, DPB1*544, DPB1*545, DPB1*546, DPB1*547,
DPB1*548, DPB1*549, DPB1*55, DPB1*550, DPB1*551, DPB1*552, DPB1*553,
DPB1*554, DPB1*555, DPB1*556, DPB1*557, DPB1*558, DPB1*559, DPB1*56,
DPB1*560, DPB1*561, DPB1*562, DPB1*563, DPB1*564, DPB1*565, DPB1*566,
DPB1*567, DPB1*568, DPB1*569, DPB1*57, DPB1*570, DPB1*571, DPB1*572,
15 DPB1*573, DPB1*574, DPB1*575, DPB1*576, DPB1*577, DPB1*578, DPB1*579,
DPB1*58, DPB1*580, DPB1*581, DPB1*582, DPB1*583, DPB1*584, DPB1*585,
DPB1*586, DPB1*587, DPB1*588, DPB1*589, DPB1*59, DPB1*590, DPB1*591,
DPB1*592, DPB1*593, DPB1*594, DPB1*595, DPB1*596, DPB1*597, DPB1*598,
DPB1*599, DPB1*60, DPB1*600, DPB1*601, DPB1*602, DPB1*603, DPB1*604,
20 DPB1*605, DPB1*606, DPB1*607, DPB1*608, DPB1*609, DPB1*61, DPB1*610,
DPB1*611, DPB1*612, DPB1*613, DPB1*614, DPB1*615, DPB1*616, DPB1*617,
DPB1*618, DPB1*619, DPB1*62, DPB1*620, DPB1*621, DPB1*622, DPB1*623,
DPB1*624, DPB1*625, DPB1*626, DPB1*627, DPB1*628, DPB1*629, DPB1*63,
DPB1*630, DPB1*631, DPB1*632, DPB1*633, DPB1*634, DPB1*635, DPB1*636,
25 DPB1*637, DPB1*638, DPB1*639, DPB1*64, DPB1*640, DPB1*641, DPB1*642,
DPB1*643, DPB1*644, DPB1*645, DPB1*646, DPB1*647, DPB1*648, DPB1*649,
DPB1*65, DPB1*650, DPB1*651, DPB1*652, DPB1*653, DPB1*654, DPB1*655,
DPB1*656, DPB1*657, DPB1*658, DPB1*659, DPB1*66, DPB1*660, DPB1*661,
DPB1*662, DPB1*663, DPB1*664, DPB1*665, DPB1*666, DPB1*667, DPB1*668,
30 DPB1*669, DPB1*67, DPB1*670, DPB1*671, DPB1*672, DPB1*673, DPB1*674,
DPB1*675, DPB1*676, DPB1*677, DPB1*678, DPB1*679, DPB1*68, DPB1*680,

DPB1*681, DPB1*682, DPB1*683, DPB1*684, DPB1*685, DPB1*686, DPB1*687, DPB1*688, DPB1*689, DPB1*69, DPB1*690, DPB1*691, DPB1*692, DPB1*693, DPB1*694, DPB1*695, DPB1*696, DPB1*697, DPB1*698, DPB1*699, DPB1*70, DPB1*700, DPB1*701, DPB1*702, DPB1*703, DPB1*704, DPB1*705, DPB1*706, 5 DPB1*707, DPB1*708, DPB1*709, DPB1*71, DPB1*710, DPB1*711, DPB1*712, DPB1*713, DPB1*714, DPB1*715, DPB1*716, DPB1*717, DPB1*718, DPB1*719, DPB1*72, DPB1*720, DPB1*721, DPB1*722, DPB1*723, DPB1*724, DPB1*725, DPB1*726, DPB1*727, DPB1*728, DPB1*729, DPB1*73, DPB1*730, DPB1*731, DPB1*732, DPB1*733, DPB1*734, DPB1*735, DPB1*736, DPB1*737, DPB1*738, 10 DPB1*739, DPB1*74, DPB1*740, DPB1*741, DPB1*742, DPB1*743, DPB1*744, DPB1*745, DPB1*746, DPB1*747, DPB1*748, DPB1*749, DPB1*75, DPB1*750, DPB1*751, DPB1*752, DPB1*753, DPB1*754, DPB1*755, DPB1*756, DPB1*757, DPB1*758, DPB1*759, DPB1*76, DPB1*760, DPB1*761, DPB1*762, DPB1*763, DPB1*77, DPB1*78, DPB1*79, DPB1*80, DPB1*81, DPB1*82, DPB1*83, DPB1*84, 15 DPB1*85, DPB1*86, DPB1*87, DPB1*88, DPB1*89, DPB1*90, DPB1*91, DPB1*92, DPB1*93, DPB1*94, DPB1*95, DPB1*96, DPB1*97, DPB1*98, DPB1*99, DPB2*01, DPB2*02, and DPB2*03. In some embodiments, DPB1 is deleted.

In some embodiments, the alleles are matched with DMA*01, DMB*01, DOA*01, DOB*01, HFE*001, MICA*002, MICA*007, MICA*008, MICA*009, MICA*010, 20 MICA*012, MICA*018, MICA*019, MICB*002, MICB*004, MICB*005, TAP1*01, TAP1*02, TAP1*03, TAP1*04, TAP1*05, TAP1*06, TAP2*01, or TAP2*02.

In some embodiments, the collection comprises cell populations or banks having at least the following HLA-C haplotypes: C*07:01 and C*04:01. It is believed that these HLA-C haplotypes are sufficient for about 46% of the US population.

25 In some embodiments, the collection comprises cell populations or banks having one or more of the following HLA-C haplotypes: C*07:01, C*04:01, C*07:02, C*06:02, C*03:04, and C*05:01. It is believed that these HLA-C haplotypes are sufficient for about 85% of the US population.

In some embodiments, the collection comprises cell populations or banks having one 30 or more of the following HLA-C haplotypes: C*07:01, C*04:01, C*07:02, C*06:02,

C*03:04, C*05:01, C*02:02, C*12:03, C*03:03, or C*16:01. It is believed that these HLA-C haplotypes are sufficient for about 95% of the US population.

In some embodiments, the collection comprises cell populations or banks having one or more of the following HLA-C alleles C*01:02:01:01; C*01:02:01:02; C*01:02:01:03;

5 C*01:02:01:04; C*01:02:01:05; C*01:02:01:06; C*01:02:01:07; C*01:02:01:08;
C*01:02:01:09; C*01:02:01:10; C*01:02:01:11; C*01:02:01:12; C*01:02:01:13;
C*01:02:01:14; C*01:02:01:15; C*01:02:01:16; C*01:02:01:17; C*01:02:01:18;
C*01:02:01:19; C*01:02:01:20; C*01:02:01:21; C*01:02:01:22; C*01:02:01:23;
C*01:02:01:24; C*01:02:01:25; C*01:02:01:26; C*01:02:01:27; C*01:02:01:28;
10 C*01:02:01:29; C*01:02:01:30; C*01:02:01:31; C*01:02:01:32; C*01:02:01:33;
C*01:02:01:34; C*01:02:01:35; C*01:02:01:36; C*01:02:01:37; C*01:02:01:38;
C*01:02:01:39; C*01:02:01:40; C*01:02:01:41; C*01:02:01:42; C*01:02:01:43;
C*01:02:01:44; C*01:02:01:45; C*01:02:01:47; C*01:02:01:48; or C*01:02:01:50.

In some embodiments, the collection comprises cell populations or banks having one

15 or more of the following HLA-DRB1 alleles DRB1*01:01:01:01; DRB1*01:01:01:02;
DRB1*01:01:01:03; DRB1*01:01:01:04; DRB1*01:01:01:05; DRB1*01:01:02;
DRB1*01:01:03; DRB1*01:01:04; DRB1*01:01:05; DRB1*01:01:06; DRB1*01:01:07;
DRB1*01:01:08; DRB1*01:01:09; DRB1*01:01:10; DRB1*01:01:10; DRB1*01:01:11;
DRB1*01:01:12; DRB1*01:01:13; DRB1*01:01:14; DRB1*01:01:15; DRB1*01:01:16;
20 DRB1*01:01:17; DRB1*01:01:18; DRB1*01:01:19; DRB1*01:01:20; DRB1*01:01:21;
DRB1*01:01:22; DRB1*01:01:23; DRB1*01:01:24; DRB1*01:01:25; DRB1*01:01:26;
DRB1*01:01:27; DRB1*01:01:28; DRB1*01:01:29; DRB1*01:01:30; DRB1*01:01:31;
DRB1*01:01:32; DRB1*01:01:33; DRB1*01:01:34; DRB1*01:01:35; DRB1*01:01:36;
DRB1*01:01:37; DRB1*01:01:38; DRB1*01:01:39; DRB1*01:01:40; DRB1*01:02:01:01;
25 DRB1*01:02:01:02; DRB1*01:02:01:03; DRB1*01:02:02; DRB1*01:02:03; or
DRB1*01:02:04.

In some embodiments, the cell population in the collection retain at least one HLA-B gene, and represent at least two different HLA-B haplotypes. For example, the cell lines in the collection may represent at least four, or at least six, or at least eight, or at least ten, or
30 at least twelve different HLA-B haplotypes. In some embodiments, the cell lines in the collection represent at least fifteen or at least twenty HLA-B haplotypes. In such

embodiments, the cell lines are either homozygous for an HLA-B gene or are edited to have only a single HLA-B gene.

In some embodiments, the collection comprises cell populations or banks having at least the following HLA-B haplotypes: B*08:01 and B*07:02.

5 In some embodiments, the collection comprises cell populations or banks having one or more of the following HLA-B haplotypes: B*08:01, B*07:02, B*44:02, B*35:01, B*14:02, or B*40:01.

In some embodiments, the collection comprises cell populations or banks having one or more of the following HLA-B haplotypes: B*08:01, B*07:02, B*44:02, B*44:03,
10 B*35:01, B*57:01, B*15:01, B*14:02, B*40:01, or B*53:01.

In some embodiments, the collection comprises cell populations or banks having one or more of the following HLA-B haplotypes: B*08:01, B*07:02, B*44:02, B*44:03, B*35:01, B*57:01, B*15:01, B*14:02, B*40:01, B*53:01, B*49:01, B*51:01, B*13:02, or B*38:01.

15 In certain embodiments, the cell populations or banks represent at least two, at least four, at least six, at least eight, or at least ten different HLA-C~HLA-B haplotypes. In some embodiments, the cell populations in the collection represent at least twelve different HLA-C~HLA-B haplotypes. In some embodiments, the cell populations in the collection represent at least twenty or at least twenty-five different HLA-C~HLA-B haplotypes.

20 In some embodiments, the collection comprises cell populations or banks with the following haplotypes: C*07:01~B*08:01 and C*07:02~B*7:02. It is believed that these haplotypes are sufficient to cover about 32% of the US population.

In some embodiments, the collection comprises cell populations or banks with the following haplotypes: C*07:01~B*08:01, C*07:02~B*7:02, C*05:01~B*44:02,
25 C*16:01~B*44:03, C*04:01~B*35:01, C*03:04~B*40:01, and C*08:02~B*14:02. It is believed that these haplotypes are sufficient to cover about 61% of the US population.

In some embodiments, the collection comprises cell populations or banks with the following haplotypes: C*07:01~B*08:01, C*07:02~B*7:02, C*05:01~B*44:02, C*16:01~B*44:03, C*04:01~B*35:01, C*03:04~B*40:01, C*08:02~B*14:02,
30 C*06:02~B*57:01, C*3:03~B*15:01, and C*04:01~B*53:01. It is believed that these haplotypes are sufficient to cover about 69% of the US population.

In some embodiments, the collection comprises cell populations or banks with the following haplotypes: C*07:01~B*08:01, C*07:02~B*7:02, C*05:01~B*44:02, C*16:01~B*44:03, C*04:01~B*35:01, C*03:04~B*40:01, C*08:02~B*14:02, C*06:02~B*57:01, C*3:03~B*15:01, C*04:01~B*53:01, C*07:01~B*49:01, 5 C*15:02~B*51:01, C*06:02~B*13:02, and C*12:03~B*38:01. It is believed that these haplotypes are sufficient to cover about 76% of the US population.

In some embodiments, the cell populations or banks in the collection represent at least two, or at least four, or at least six, or at least eight, or at least ten different DRB1 haplotypes. In some embodiments, the cell populations in the collection represent at least 10 twelve or at least fifteen different DRB1 haplotypes. The cell lines are either homozygous for the DRB1 gene or are edited to have only a single DRB1 gene. In various embodiments, the cell populations are also homozygous for one or more isoforms of the DR Gene, such as but not limited to, DRB2, DRB3, DRB4, and DRB5 genes, or are edited to have only a single copy of one or more of DRB2, DRB3, DRB4, and DRB5 genes. In still other embodiments, 15 DRB2, DRB3, DRB4, and DRB5 are retained and unmodified (and may be homozygous or heterozygous across the cell lines in some embodiments).

In various embodiments, the collection comprises cell populations or banks with at least the following DRB1 haplotypes: DRB1*03:01 and DRB1*15:01.

In embodiments, the collection comprises cell populations or banks with at least the 20 following DRB1 haplotypes: DRB1*03:01, DRB1*15:01, DRB1*04:01, DRB1*07:01, and DRB1*01:01.

In some embodiments, the collection comprises cell populations or banks with at least the following DRB1 haplotypes: DRB1*03:01, DRB1*15:01, DRB1*04:01, DRB1*07:01, DRB1*01:01, DRB1*01:02, DRB1*04:04, DRB1*13:02, DRB1*13:01, and 25 DRB1*11:04.

In some embodiments, the collection comprises cell populations or banks with at least the following DRB1 haplotypes: DRB1*03:01, DRB1*15:01, DRB1*04:01, DRB1*07:01, DRB1*01:01, DRB1*01:02, DRB1*04:04, DRB1*13:02, DRB1*13:01, DRB1*11:04, DRB1*15:02, DRB1*03:02, and DRB1*11:01.

30 In some embodiments, the collection comprises cell populations or banks with at least one of the following DRB1 haplotypes: DRB1*03:01, DRB1*15:01, DRB1*04:01,

DRB1*07:01, DRB1*01:01, DRB1*01:02, DRB1*04:04, DRB1*13:02, DRB1*13:01, DRB1*11:04, DRB1*15:02, DRB1*03:02, DRB1*11:01, DRB1*15:03, DRB1*04:07, DRB1*08:01, DRB1*08:03, DRB1*08:04, DRB1*08:06, DRB1*08:07, DRB1*08:11, DRB1*04:02, DRB1*14:01, DRB1*10:01.

5 In some embodiments, the collection comprises cell populations or banks with at least the following DRB1 haplotypes: DRB1*08:02:01 (Asian), DRB1*08:04:01 (African), DRB1*08:04:02 (North Americans), DRB1*08:04:04 (south American), and DRB1*16:01:01 (multiethnic).

10 In some embodiments, the cell populations or banks in the collection represent at least two, or at least four, or at least six, or at least eight, or at least ten different HLA-C~DRB1 haplotypes. In some embodiments, the cell populations or banks in the collection represent at least twelve different HLA-C~DRB1 haplotypes. In various embodiments, the cell populations or banks in the collection represent at least twenty or at least twenty-five different HLA-C~DRB1 haplotypes.

15 In embodiments, the cell populations or banks represent at least two, or at least four, or at least six, or at least eight, or at least ten different HLA-C~HLA-B~DRB1 haplotypes. In some embodiments, the cell populations or banks in the collection represent at least twelve different HLA-C~HLA-B~DRB1 haplotypes. In various embodiments, the cell populations in the collection represent at least twenty or at least twenty-five different HLA-C~HLA-B~DRB1 haplotypes.

20 In various embodiments, the collection comprises cell populations or banks with at least the following haplotypes: C*07:01~B*08:01~DRB1*03:01 and C*07:02~B*07:02~DRB1*15:01. It is believed that these haplotypes are sufficient to cover about 22% of the US population. See **FIG. 2**.

25 In some embodiments, the collection comprises cell populations or banks with at least the following haplotypes: C*07:01~B*08:01~DRB1*03:01, C*07:02~B*07:02~DRB1*15:01, C*05:01~B*44:02~DRB1*04:01, C*16:01~B*44:03~DRB1*07:01, C*04:01~B*35:01~DRB1*01:01, C*06:02~B*57:01~DRB1*07:01, C*06:02~B*13:02~DRB1*07:01, and C*08:02~B*14:02~DRB1*01:02. It is believed that these haplotypes are sufficient to cover about 40% of the US population.

In some embodiments, the collection comprises cell populations or banks with at least the following haplotypes: C*07:01~B*08:01~DRB1*03:01, C*07:02~B*07:02~DRB1*15:01, C*05:01~B*44:02~DRB1*04:01, C*16:01~B*44:03~DRB1*07:01, C*04:01~B*35:01~DRB1*01:01, C*06:02~B*13:02~DRB1*07:01, C*08:02~B*14:02~DRB1*01:02, C*3:04~B*40:01~DRB1*04:04, C*04:01~B*44:03~DRB1*07:01, C*03:04~B*40:01~DRB1*13:02, C*03:04~B*15:01~DRB1*04:01, C*05:01~B*18:01~DRB1*03:01, C*05:01~B*44:02~DRB1*13:01, C*07:02~B*07:02~DRB1*01:01, and C*04:01~B*35:02~DRB1*11:04. It is believed that these haplotypes are sufficient to cover about 51% of the US population.

In some embodiments, the collection comprises cell populations or banks with at least the following haplotypes: C*07:01~B*08:01~DRB1*03:01, C*07:02~B*07:02~DRB1*15:01, C*05:01~B*44:02~DRB1*04:01, C*16:01~B*44:03~DRB1*07:01, C*04:01~B*35:01~DRB1*01:01, C*06:02~B*13:02~DRB1*07:01, C*08:02~B*14:02~DRB1*01:02, C*3:04~B*40:01~DRB1*04:04, C*04:01~B*44:03~DRB1*07:01, C*03:04~B*40:01~DRB1*13:02, C*03:04~B*15:01~DRB1*04:01, C*05:01~B*18:01~DRB1*03:01, C*05:01~B*44:02~DRB1*13:01, C*07:02~B*07:02~DRB1*01:01, C*04:01~B*35:02~DRB1*11:04, C*12:02~B*52:01~DRB1*15:02, C*03:03~B*15:01~DRB1*13:01, C*07:02~B*07:02~DRB1*07:01, C*05:01~B*44:02~DRB1*15:01, C*12:03~B*38:01~DRB1*13:01, C*17:01~B*42:01~DRB1*03:02, C*08:02~B*14:01~DRB1*07:01, C*01:02~B*27:05~DRB1*01:01, C*04:01~B*35:01~DRB1*11:01, C*06:02~B*50:01~DRB1*07:01, C*07:01~B*18:01~DRB1*11:04, and C*04:01~B*53:01~DRB1*13:02. It is believed that these haplotypes are sufficient to cover about 60% of the US population.

In some embodiments, the collection comprises cell populations or banks with at least the following haplotypes: C*07:01~B*08:01~DRB1*03:01, C*07:02~B*07:02~DRB1*15:01, C*05:01~B*44:02~DRB1*04:01,

C*16:01~B*44:03~DRB1*07:01,
 C*06:02~B*57:01~DRB1*07:01,
 C*08:02~B*14:02~DRB1*01:02,
 C*04:01~B*44:03~DRB1*07:01,
 5 C*03:04~B*15:01~DRB1*04:01,
 C*05:01~B*44:02~DRB1*13:01,
 C*04:01~B*35:02~DRB1*11:04,
 C*03:03~B*15:01~DRB1*13:01,
 C*05:01~B*44:02~DRB1*15:01,
 10 C*17:01~B*42:01~DRB1*03:02,
 C*01:02~B*27:05~DRB1*01:01,
 C*06:02~B*50:01~DRB1*07:01,
 C*04:01~B*53:01~DRB1*13:02,
 C*07:02~B*07:02~DRB1*11:01,
 15 C*04:01~B*53:01~DRB1*15:03,
 C*08:02~B*14:02~DRB1*13:02,
 C*07:01~B*08:01~DRB1*15:01,
 C*04:01~B*53:01~DRB1*08:04,
 C*12:03~B*38:01~DRB1*04:02,
 20 C*04:01~B*35:01~DRB1*14:01,
 C*07:01~B*49:01~DRB1*11:01,
 C*15:02~B*51:01~DRB1*11:01,
 C*03:03~B*55:01~DRB1*14:01, and C*04:01~B*35:01~DRB1*13:01. It is believed that

these haplotypes are sufficient to cover about 70% of the US population.

25 In various embodiments, the cell populations or banks retain HLA-E, HLA-F, and HLA-G genes, which can be homozygous or heterozygous across the collection (e.g., are unmodified).

In some embodiments, the cell populations or banks have a deletion, inactivation, or
 mutagenesis of one or more HLA-DP genes, which may be selected from DPA1, DPA2,
 30 DPA3, DPB1, and DPB2. In some embodiments, the cell populations or banks have a
 deletion or inactivation of one or both HLA-DPA1 genes and/or one or both HLA-DPB1

genes. In some embodiments, the cell populations or banks are homozygous for or retain at least one HLA-DPA1 gene and at least one HLA-DPB1 gene. In some embodiments, the cell lines or banks retain DPA2, DPA3, and DPB2 (and which are unmodified, and may be homozygous or heterozygous across the cell populations or banks).

5 In some embodiments, the cell populations or banks have a deletion, inactivation, or mutagenesis of one or more HLA-DQ genes, which can be selected from DQA1, DQA2, DQB1, DQB2, and DQB3. In some embodiments, one or both HLA-DQA1 genes are deleted. In these or other embodiments, one or both HLA-DQB1 genes are deleted. In some embodiments, DQA2, DQB2, and DQB3 are retained.

10 In some embodiments, the cell populations or banks have a deletion or inactivation of both HLA-DQA1 and both HLA-DQB1 genes. Alternatively, the cell populations or banks are homozygous for or retain at least one copy of HLA-DQA1 and HLA-DQB1 genes. In some embodiments, the cell populations or banks are unmodified at HLA-DQA1 and HLA-DQB1 loci (and may be homozygous and heterozygous across the cell lines).

15 In exemplary embodiments, the cell populations or banks have both HLA-A genes deleted, and both DPB1 genes and/or both DQB1 genes are deleted. In such embodiments, the cell lines are homozygous for or retain only single copies of HLA-B, HLA-C, HLA-DRB1. Both copies of all other HLA genes (particularly those not annotated as pseudogenes) are retained, and these genes may be homozygous or heterozygous. In some embodiments,
20 both copies of HLA-B are deleted.

 In various embodiments, the cell populations are induced pluripotent stem cell (iPSC) lines. In some embodiments, the cell populations are hematopoietic stem cell (HSC) lines. For example, HSC populations may be prepared from iPSCs (having the desired gene deletions or inactivations) by a method described herein. In various embodiments, the iPSC
25 population is a human iPSC population derived from lymphocytes, cord blood cells, peripheral blood mononuclear cells, CD34+ cells, or human primary tissues, as described herein.

 In some embodiments, cells are derived from the HSCs for administration to a recipient, and the cells may be any of the hematopoietic lineages. For example, the
30 hematopoietic lineage may be selected from common lymphoid precursor (CLP) cells, granulocyte-monocyte progenitor (GMP) cells, progenitor-T cells, T lymphocytes, B

lymphocytes, Natural Killer cells, neutrophils, monocyte, macrophages, dendritic cells, red cells, megakaryocytes, and platelets. T cells may be CD4+ helper T cells, CD8+ cytotoxic T cells, or regulatory T cells (Tregs).

5 In some embodiments, cells, including but not limited to HSCs, hematopoietic progenitors, and/or hematopoietic lineages (as described above), are derived from a allogeneic donor, patient, or banked tissues or cells.

In some embodiments, the cells are non-hematopoietic stem cells or precursor cells, or cells differentiated therefrom. Exemplary stem cells include mesenchymal stem cells, neural stem cells, and epithelial stem cells. In various embodiments, iPSC lines are used to
10 produce various non-hematopoietic cells and tissues, including those selected from neurons (including cortical, dopaminergic, and motor neurons), astrocytes, oligodendrocytes, **cardiomyocytes, cornea, chondrons, skeletal muscle cells, hepatocytes, pancreatic β cells,** and lung epithelial cells. Protocols for deriving such cells and tissues are known in the art.

In various embodiments, the cell populations in the bank are each contained within
15 separate containers suitable for maintaining viability of the cell lines or cell compositions for expansion, differentiation, or administrations. The cell composition of this disclosure may further comprise a pharmaceutically acceptable carrier or vehicle suitable for intravenous infusion or other administration route, and the composition may include a suitable cryoprotectant. An exemplary, non-limiting, carrier is DMSO (e.g., about 10%
20 DMSO).

In other aspects, this disclosure provides a method for cell therapy. The method comprises administering to a recipient in need thereof a cell population derived from a cell population within the collection or bank of this disclosure. In various embodiments, the administered cell population or tissue is matched with the recipient for HLA-C. In
25 embodiments where the administered cell population or tissue retains at least one HLA-B gene, the cell population or tissue is further matched with the recipient for HLA-B. In some embodiments, where the administered cell population or tissue retains at least one DRB1 gene, the cell population or tissue is further matched with the recipient for DRB1. In some
30 embodiments, where the administered cell population or tissue retains at least one HLA-C and DRB1 genes, the cell population or tissue is further matched with the recipient for HLA-C and DRB1. In some embodiments, where the administered cell population or tissue retains

at least one DQB1 gene, the cell population or tissue is further matched with the recipient for DQB1. In still other embodiments, the cell population is not matched to the recipient for DQB1. In various embodiments, all other loci are unmatched.

In some embodiments, a method for treating a subject according to the present disclosure comprises: (a) expanding a population of pluripotent stem cells (e.g., iPSCs) according to the methods described herein; (b) preparing HSCs or progenies thereof (as described herein); and (c) introducing the population of hematopoietic stem cells or progenies thereof into the subject. Optionally, the hematopoietic stem cells may be differentiated into common megakaryocyte-erythroid progenitor cells, lymphoid progenitor cells, progenitor T and/or B cells, common myeloid progenitor cells, granulocytes, granulocyte-megakaryocyte progenitor cells, promyelocytes, basophils, eosinophils, neutrophils, erythrocytes, reticulocytes, thrombocytes, megakaryoblasts, platelet-producing megakaryocytes, platelets, monocytes, macrophages, dendritic cells, microglia, osteoclasts, lymphocytes, NK cells, B-cells and/or T-cells prior to their administration.

In some embodiments a cell composition is provided comprising: (a) a culture medium optionally comprising cytokines and/or growth factors; and (b) one or more hematopoietic lineage cells or populations thereof derived from the cells of the present disclosure, wherein the hematopoietic lineage cells are: (i) derivatives of cell line(s) or banks of expanded primary cells (e.g., iPSCs), such as endothelial or hemogenic endothelium (HE), wherein the endothelial or HE cells are CD34⁺ and at least identified as CD43⁻ or CD93⁻ or CXCR4⁻ or CD73⁻ or CXCR4-CD73⁻ or CD34⁺CD45⁺; CD34⁺CD31⁺, CD34⁺CD144⁺; (ii) hematopoietic stem cells identified as CD34⁺CD90⁺CD38⁻; (iii) pluripotent stem cell-derived T cell progenitors, wherein the T cell progenitors are CD34⁺CD45⁺CD7⁺ or CD34⁻CD45⁺CD7⁺ or CD34⁻CD7⁺CD5⁻CD1a⁻, optionally including thymus engrafting receptors like CCR7; (iv) pluripotent stem cell-derived T cells, wherein the T cells are CD45⁺CD3⁺CD4⁺ or CD45⁺CD3⁺CD8⁺; (v) pluripotent stem cell-derived NK cell progenitors, wherein the NK cell progenitors are CD45⁺CD56⁺CD7⁺; (vi) pluripotent stem cell-derived NK cells, wherein the NK cells are CD3⁻CD45⁺CD56⁺, and optionally further defined by NKp46⁺, CD57⁺, and CD16⁺, (vii) pluripotent stem cell-derived NKT cells, wherein the NKT cells are CD45⁺Valpha 24J alpha 18⁺CD3⁺; (viii) pluripotent stem cell-derived B cells, wherein the B cells are CD45⁺CD19⁺; (ix) pluripotent stem cell-derived

megakaryocytes, wherein the megakaryocytes are CD41 and/or CXCR4, optionally they are CXCR4⁺ or Glycoprotein V/CD42d⁺ or CXCR1/IL-8RA⁺ or CXCR2/IL-8RB⁺ or integrin alpha 2b/CD41⁺ or LIFR alpha or Thrombopoietin R/Tpo R⁺; (x) pluripotent stem cell-derived platelets, wherein the platelets are CD41⁺ (GP IIb/IIIa), or CD42a⁺ (GPIX), or CD42b⁺ (GPIb), or CD61⁺ (xi); pluripotent stem cell derived erythrocytes, wherein the erythrocytes are CD235a⁺; (xii) pluripotent stem cell derived neutrophils, wherein the neutrophils are CD15⁺, CD16⁺, CD49d(-); and (xiii) pluripotent stem cell derived granulocyte monocyte progenitors (GMPs).

In some embodiments, the cell populations are used to generate cell therapies to treat human diseases including but not limited to, a hematological malignancy, aplastic anemia, hemoglobinopathy, inborn error of metabolism, and severe immunodeficiency. For example, the subject may have a condition selected from acute myeloid leukemia; acute lymphoblastic leukemia; chronic myeloid leukemia; chronic lymphocytic leukemia; acute lymphatic leukemia, aplastic anemia, Krabbe Disease, bone marrow failure syndromes, Hurler Syndrome, Leukodystrophies, Myelodysplastic syndromes, POEMS syndrome, Primary amyloidosis, myeloproliferative disorder; myelodysplastic syndrome; multiple myeloma; Non-Hodgkin lymphoma; Hodgkin disease; aplastic anemia; pure red-cell aplasia; paroxysmal nocturnal hemoglobinuria; Fanconi anemia; thalassemia major; sickle cell anemia; severe combined immunodeficiency (SCID); acquired immune deficiency syndrome (AIDS); Wiskott-Aldrich syndrome; hemophagocytic lymphohistiocytosis; inborn errors of metabolism; epidermolysis bullosa; severe congenital neutropenia; Shwachman-Diamond syndrome; Diamond-Blackfan anemia; leukocyte adhesion deficiency; X-linked forms of SCID, Sickle cell anemia, Alpha thalassemia, Beta thalassemia, Delta thalassemia, Hemoglobin E/thalassemia, Hemoglobin S/thalassemia, Hemoglobin C/thalassemia, Hemoglobin D/thalassemia, Chronic granulomatous disease, X-linked Chronic granulomatous disease, autosomal recessive (AR) chronic granulomatous disease, chronic granulomatous disease AR I NCF1, Chronic granulomatous disease AR CYBA, Chronic granulomatous disease AR II NCF2, Chronic granulomatous disease AR III NCF4, X-linked Severe Combined Immune Deficiency (SCID), IL7-RA SCID, CD3 SCID, Rag1/Rag2 SCID, ADA SCID, Artemis SCID, CD45 SCID, Jak3 SCID, Congenital agranulocytosis, Congenital agranulocytosis-congenital neutropenia-SCN1, Congenital

agranulocytosis-congenital neutropenia-SCN2, Familial hemophagocytic
 lymphohistiocytosis (FHL), Familial hemophagocytic lymphohistiocytosis type 2 (FHL2,
 perforin mutation), Agammaglobulinemia (X-linked Agammaglobulinemia), Wiskott-
 Aldrich syndrome, Chediak-Higashi syndrome, Hemolytic anemia due to red cell pyruvate
 5 kinase deficiency, Paroxysmal nocturnal hemoglobinuria, X-linked Adrenoleukodystrophy
 (X-ALD), X-linked lymphoproliferative disease, Acquired idiopathic sideroblastic anemia,
 Systemic mastocytosis, Von willebrand disease (VWD), Congenital dyserythropoietic
 anemia type 2, Cartilage-hair hypoplasia syndrome, Unicentric Castleman's Disease,
 Multicentric Castleman's Disease, Congenital amegakaryocytic thrombocytopenia (CAMT)
 10 type I, Reticular dysgenesis, Hereditary spherocytosis, Blackfan-Diamond syndrome,
 Shwachman-Diamond syndrome, Mucopolysaccharidoses, Lesch-Nyhan syndrome,
 Glycogen storage disease, Congenital mastocytosis, Omenn syndrome, X-linked
 Immunodysregulation, polyendocrinopathy, Thrombocytopenia-absent radius syndrome,
 Osteopetrosis, Infantile osteopetrosis, , and enteropathy (IPEX), IPEX characterized by
 15 mutations in FOXP3, X-linked syndrome of polyendocrinopathy, immune dysfunction, and
 diarrhea (XPID), X-Linked Autoimmunity-Allergic Dysregulation Syndrome (XLAAD),
 IPEX-like syndrome, Hyper IgM type 1, Hyper IgM type 2, Hyper IgM type 3, Hyper IgM
 type 4, Hyper IgM type 5, X linked hyperimmunoglobulin M, Bare lymphocyte Syndrome
 type I, or Bare lymphocyte Syndrome type II, myasthenia gravis, rheumatoid arthritis,
 20 multiple sclerosis, type I diabetes mellitus, idiopathic inflammatory myopathy, systemic
 lupus erythematosus (SLE), myasthenia gravis, Grave's disease, dermatomyositis,
 polymyositis, Crohn's disease, ulcerative colitis, gastritis, Hashimoto's thyroiditis, asthma,
 psoriasis, psoriatic arthritis, dermatitis, systemic scleroderma and sclerosis, inflammatory
 bowel disease (IBD), respiratory distress syndrome, meningitis, encephalitis, uveitis,
 25 glomerulonephritis, eczema, atherosclerosis, leukocyte adhesion deficiency, Raynaud's
 syndrome, Sjorgen's syndrome, Reiter's disease, Beheet's disease, immune complex
 nephritis, IgA nephropathy, IgM polyneuropathies, immune-mediated thrombocytopenias
 e.g., ITP), acute idiopathic thrombocytopenic purpura, chronic idiopathic thrombocytopenic
 purpura, hemolytic anemia, lupus nephritis, atopic dermatitis, pemphigus vulgaris,
 30 opsoclonus-myoclonus syndrome, pure red cell aplasia, mixed cryoglobulinemia,
 ankylosing spondylitis, hepatitis C-associated cryoglobulinemic vasculitis, chronic focal

encephalitis, bullous pemphigoid, hemophilia A, membranoproliferative glomerulonephritis, adult and juvenile dermatomyositis, adult polymyositis, chronic urticaria, primary biliary cirrhosis, neuromyelitis optica, Graves' dysthyroid disease, bullous pemphigoid, membranoproliferative glomerulonephritis, Churg-Strauss syndrome, juvenile
5 onset diabetes, hemolytic anemia, atopic dermatitis, systemic sclerosis, Sjorgen's syndrome and glomerulonephritis, dermatomyositis, ANCA, aplastic anemia, autoimmune hemolytic anemia (AIHA), factor VIII deficiency, hemophilia A, autoimmune neutropenia, Castleman's syndrome, Goodpasture's syndrome, solid organ transplant rejection, graft versus host disease (GVHD), autoimmune hepatitis, lymphoid interstitial pneumonitis, HIV,
10 bronchiolitis obliterans (non-transplant), Guillain-Barre Syndrome, large vessel vasculitis, giant cell (Takayasu's) arteritis, medium vessel vasculitis, Kawasaki's Disease, polyarteritis nodosa, Wegener's granulomatosis, microscopic polyangiitis (MPA), Omenn's syndrome, Alzheimer, chronic renal failure, acute infectious mononucleosis, or HIV and herpes virus associated diseases.

15 In some embodiments, the cell populations are used to generate cell therapies to treat cancer, including but not limited to, solid and liquid cancers, acquired diseases, congenital diseases, and non-hematopoietic diseases, including but not limited to diseases affecting neurons, astrocytes, oligodendrocytes, cardiomyocytes, skeletal muscle cells, hepatocytes, **pancreatic β cells, lung epithelial cells, etc.**

20 In some embodiments, an immune cell lineage (derived from cell populations or banks described herein) is administered to a patient in need thereof. For example, the immune cell lineage may be a T cell, NK cell, B-cell, or macrophage. In some embodiments, the T cell lineage is a T-regulatory cell or cytotoxic T cell. In some embodiments, the T cell expresses a heterologous TCR or a chimeric antigen receptor (CAR). In various
25 embodiments, the recipient (patient) has a condition selected from one or more of lymphopenia, cancer, immune deficiency, autoimmune disease, skeletal dysplasia, a bone marrow failure syndrome, genetic disorder impacting the immune system, cardiac failure, neural disorders, immunodeficiency, blood disorders (e.g., Thalassemia, Anemias, sickle cell disease), heart disease, liver disease, multiple sclerosis, muscular dystrophy, skin and
30 tissue regeneration, spinal cord degeneration, trauma, stroke, neurodegenerative diseases (e.g., Alzheimer, dementia, down's syndrome or Parkinson), metabolic disorder,

hematopoietic stem cell transplant (HP SCT), i.e., administration of healthy hematopoietic stem cells to patients with dysfunctional or depleted bone marrow, thrombocytopenia, or cancer.

In various embodiments, the recipient has undergone lympho-deleting therapy, cyto-
5 reductive therapy, or immunomodulatory therapy prior to administration of the cell therapy. In some embodiments, derivatives of the cell line(s) or banks of expanded primary cells (e.g., HSCs and/or progenies derived therefrom) disclosed herein are administered to reconstitute the recipient's hematopoietic system. Cell lineages generated using the methods described herein are administered to the subject e.g., by intravenous infusion. In some embodiments,
10 the methods can be performed following myeloablative, non-myeloablative, or immunotoxin-based (e.g., anti-c-Kit, anti-CD45, etc.) conditioning regimes.

In still other embodiments, a cell or tissue derived from the cell population is administered to a recipient in need thereof. Exemplary cells include mesenchymal stem cells, neural stem cells, corneal epithelium/endothelium and RPE, epithelial stem cells, neuronal
15 cells (or precursors thereof) (including cortical, dopaminergic, and motor neurons, or precursors thereof), astrocytes (or precursors thereof), oligodendrocytes (or precursors thereof), cardiomyocytes (or precursors thereof), skeletal muscle cells (or precursors thereof), **hepatocytes (or precursors thereof), pancreatic β cells (or precursors thereof), and** lung epithelial cells (or precursors thereof). Such cells can be administered to treat or
20 ameliorate any disease or condition (including genetic or acquired condition) afflicting the relevant tissue or organ. Such tissues or organs include but are not limited to the central nervous system, skeletal muscle, heart, liver, pancreas, or lung.

In other aspects, this disclosure provides a method for making a cell population of the disclosure. The method can comprise providing an iPSC population that is HLA-
25 modified according to this disclosure; enriching for CD34⁺ cells from a differentiated iPSC population (e.g., embryoid bodies, or EBs) to prepare a CD34⁺-enriched population; and inducing endothelial-to-hematopoietic transition of the CD34⁺-enriched population (e.g., for at least two days but no more than 12 days), to prepare a population comprising hematopoietic stem cells (HSCs) and/or hematopoietic stem progenitor cells (HSPCs). In
30 some embodiments, the method further comprises harvesting a CD34⁺-enriched population that are undergoing endothelial-to-hematopoietic transition. For example, this can include

harvesting of CD34+ floater and/or adherent cells, but generally will comprise at least non-adherent cells.

Conventionally, hematopoietic lineages are prepared by differentiation of iPSCs to embryoid bodies up to day 8 to harvest CD34+ cells. CD34 is commonly used as a marker of hemogenic endothelial cells, hematopoietic stem cells, and hematopoietic progenitor cells. In accordance with embodiments of this disclosure, endothelial-to-hematopoietic transition (EHT) is induced in a CD34+ cell population, and which can be derived from iPSC-embryoid bodies, and optionally used for the *ex vivo* generation of hematopoietic lineages.

10 In various embodiments, iPSCs are prepared by reprogramming somatic cells. The term “induced pluripotent stem cell” or “iPSC” refers to cells derived from somatic cells, such as skin, bone marrow, umbilical cord blood or peripheral blood cells that have been reprogrammed back into an embryonic-like pluripotent state. In some embodiments, iPSCs are generated from somatic cells such as (but not limited to) fibroblasts or PBMCs (or cells
15 isolated therefrom). In some embodiments, the iPSCs are derived from lymphocytes (e.g., T-cells, B-cells, NK-cells, etc.), cord blood cells (including from CD3+ or CD8+ cells from cord blood), PBMCs, CD34+ cells, or other human primary tissues. In some embodiments, iPSCs are derived from CD34+ cells isolated from peripheral blood.

Somatic cells may be reprogrammed by expression of reprogramming factors
20 selected from Sox2, Oct3/4, c-Myc, Nanog, Lin28, and klf4. In some embodiments, the reprogramming factors are Sox2, Oct3/4, c-Myc, Nanog, Lin28, and klf4. In some embodiments, the reprogramming factors are Sox2, Oct3/4, c-Myc, and klf4. Methods for preparing iPSCs are described, for example, in US Patent 10,676,165; US Patent 9,580,689; and US Patent 9,376,664, which are hereby incorporated by reference in their entireties. In
25 various embodiments, reprogramming factors are expressed using well known viral vector systems, such as lentiviral, Sendai, or measles viral systems. Alternatively, reprogramming factors can be expressed by introducing mRNA(s) encoding the reprogramming factors into the somatic cells. Further still, iPSCs may be created by introducing a non-integrating episomal plasmid expressing the reprogramming factors, i.e., for the creation of transgene-free and virus-free iPSCs. Known episomal plasmids can be employed with limited
30

replication capabilities and which are therefore lost over several cell generations. Alternative methods include minicircle vectors, PiggyBac transposons, and exosome incorporation.

In some embodiments, the iPSC population is gene edited to delete or inactivate one or more HLA genes. The selection of HLA genes for deletion or inactivation is as already
5 described. The deletion or inactivation refers to a genetic modification of the target gene (i.e., gene edit) that abrogates functional expression of the corresponding gene product (i.e., the corresponding polypeptide). Such gene edits include full or partial gene deletions, as well as deletions of critical cis-acting expression control sequences. For example, with respect to HLA class I genes, deletions can include deletions of one or more extracellular
10 domains such as $\alpha 1$, $\alpha 2$, and $\alpha 3$ domains. In some embodiments, HLA class I deletions include deletions of the transmembrane domain. With respect to HLA class II genes, deletions can include deletions of one or more extracellular domains such as $\alpha 1$ and/or $\alpha 2$, or $\beta 1$ and/or $\beta 2$. In some embodiments, HLA class II deletions include deletions of the transmembrane domain. In some embodiments, the HLA deletions comprise deletions of the
15 entire coding sequence or substantially the entire coding sequence. In some embodiments, deletions are targeted toward exon 1 and/or exon 2 of HLA genes, and includes in various embodiments a deletion of at least 50 base pairs, at least 100 base pairs, at least 250 base pairs, or at least 500 base pairs. In still other embodiments, gene deletions or inactivations alter critical expression control sequences such as promoters, cis-acting sequences bound by
20 transcriptional activators, or ribosomal binding sequences, to thereby substantially reduce or eliminate expression.

In various embodiments, a sgRNA targeting HLA-A can target a region of chromosome 6 defined as 29942532-29942626. In various embodiments, a sgRNA targeting HLA-DQB1 can target a region of chromosome 6 defined as 32665067-32664798. In
25 various embodiments, a sgRNA targeting HLA-DPB1 can target a region of chromosome 6 defined as 33080672-33080935. See FIG. 11B.

The target HLA loci is deleted or inactivated using one or more gene modifying tools such as CRISPR-Cas (e.g., CRISPR-Cas9, CRISPR-Cas12, STAR-CRISPR, CRISPR-CasX, CRISPR-associated transposases), RNA-editors, insulated genomic domain-platform
30 editing, and combinations thereof. In some embodiments, the target HLA loci can also be deleted or inactivated using siRNAs, oligonucleotides, and/or zinc finger nucleases. In some

embodiments, the HLA modifications are conducted by CRISPR-Cas9, and which may employ one or a combination of gRNAs (e.g., sgRNAs) comprising a spacer sequence listed in Tables 2A-17 for the particular HLA gene and haplotype.

Generally, various editing technologies are known, which can be applied according to various embodiments of this disclosure. Gene editing technologies include but are not limited to zinc fingers (ZFs), and transcription activator-like effectors (TALEs), etc. Fusion proteins containing one or more of these DNA-binding domains and the cleavage domain of FokI endonuclease can be used to create a double-strand break in a desired region of DNA in a cell (See, e.g., US Patent Appl. Pub. No. US 2012/0064620, US Patent Appl. Pub. No. US 2011/0239315, U.S. Pat. No. 8,470,973, US Patent Appl. Pub. No. US 2013/0217119, U.S. Pat. No. 8,420,782, US Patent Appl. Pub. No. US 2011/0301073, US Patent Appl. Pub. No. US 2011/0145940, U.S. Pat. No. 8,450,471, U.S. Pat. No. 8,440,431, U.S. Pat. No. 8,440,432, and US Patent Appl. Pub. No. 2013/0122581, the contents of all of which are hereby incorporated by reference). In some embodiments, gene editing is conducted using CRISPR associated Cas system (e.g., CRISPR-Cas9), as known in the art. See, for example, US 8,697,359, US 8,906,616, and US 8,999,641, each of which is hereby incorporated by reference in its entirety. In various embodiments, the gene editing employs a Type II Cas endonuclease (such as Cas9) or employs a Type V Cas endonuclease (such as Cas12a). Type II and Type V Cas endonucleases are guide RNA directed. Design of gRNAs to guide the desired gene edit (while limiting or avoiding off target edits) is known in the art. See, for example, Mohr SE, et al., CRISPR guide RNA design for research applications, *FEBS J.* 2016 Sep; 283(17): 3232–3238. In still other embodiments, non-canonical Type II or Type V Cas endonucleases having homology (albeit low primary sequence homology) to *S. pyogenes* Cas9 or Prevotella and Francisella 1 (Cpf1 or Cas12a) can be employed. Numerous such non-canonical Cas endonucleases are known in the art. Nidhi S, et al. Novel CRISPR–Cas Systems: An Updated Review of the Current Achievements, Applications, and Future Research Perspectives, *Int J Mol Sci.* 2021 Apr; 22(7): 3327. In still other embodiments, the gene editing employs base editing or prime editing to incorporate mutations without instituting double strand breaks. See, for example, Antoniou P, et al., Base and Prime Editing Technologies for Blood Disorders, *Front. Genome Ed.*, 28 January 2021; Matsuoka IG, Prime Editing: Genome Editing for Rare Genetic Diseases Without Double-Strand Breaks

or Donor DNA, *Front. Genet.*, 09 June 2020. Various other gene editing processes are known, including use of dead Cas (dCas) systems (e.g., Cas fusion proteins) to target DNA modifying enzymes to desired targets using the dCas as a guide RNA-directed system. Brezgin S, Dead Cas Systems: Types, Principles, and Applications, *Int.J Mol Sci.* 2019 Dec; 5 20(23): 6041.

Base editors that can install precise genomic alterations without creating double-strand DNA breaks can also be used in gene editing (e.g., designing gene therapy vectors) in the cells (e.g., iPSCs). Base editors essentially comprise a catalytically disabled nuclease, such as Cas9 nickase (nCas9), which is incapable of making DSBs and is fused to a nucleobase deaminase enzyme and, in some cases, a DNA glycosylase inhibitor. Currently, 10 there are 2 major categories of base editors, cytidine base editors (CBEs) and adenine base editors (ABEs), which catalyze C>T and A>G transitions. Base editors can be delivered, for example, via HDAd5/35++ vectors to efficiently edit promoters and enhancer to active or inactivate a gene. Exemplary methods are described in U.S. Patent Nos. 9,840,699; 15 10,167,457; 10,113,163; 11,306,324; 11,268,082; 11,319,532; and 11,155,803. Also contemplated are prime editors that comprise a reverse transcriptase conjugated to (e.g., fused with) a Cas endonuclease and a polynucleotide useful as a DNA synthesis template conjugated to (e.g., fused with) a guide RNA, as described in WO2020191153A2.

Exemplary vectors that can be used for the genome editing applications include, but 20 are not limited to, plasmids, retroviral vectors, lentiviral vectors, adenovirus vectors (e.g., Ad5/35, Ad5, Ad26, Ad34, Ad35, Ad48, parvovirus (e.g., adeno-associated virus (AAV) vectors, herpes simplex virus vectors, baculoviral vectors, coronavirus, negative strand RNA viruses such as orthomyxovirus (e.g., influenza virus), rhabdovirus (e.g., rabies and vesicular stomatitis virus), paramyxovirus (e.g. measles and Sendai), positive strand RNA viruses, 25 such as picornavirus and alphavirus, and double stranded DNA viruses including herpes virus (e.g., Herpes Simplex virus types 1 and 2, Epstein-Barr virus, cytomegalovirus), and poxvirus (e.g., canarypox, vaccinia or modified vaccinia virus. The vector comprising the nucleic acid molecule of interest may be delivered to the cell (e.g., iPS cells, endothelial cells, hemogenic endothelial cells, HSCs (ST-HSCs or LT-HSCs) via any method known in 30 the art, including but not limited to transduction, transfection, infection, and electroporation. Any of these vectors may include transposable element (such as a piggyback transposon or

sleeping beauty transposon). Transposons insert specific sequences of DNA into genomes of vertebrate animals. The gene of interest can be integrated into the genome of a mammalian cell by transposase-catalyzed cleavage of similar excision sites that exist within the nuclear genome of the cell.

5 For increased efficiency, in some embodiments, the Cas and the gRNA are combined before being delivered into cells. The Cas-gRNA complex is known as a ribonucleoprotein (RNP). A number of methods have been developed for direct delivery of RNPs to cells. For example, RNP can be delivered into cells in culture by lipofection or electroporation. Electroporation using a nucleofection protocol is often preferred, as this allows the RNP to
10 enter the nucleus of cells quickly, so it can immediately start cutting the genome. See, for example, Zhang S, Shen J, Li D, Cheng Y. Strategies in the delivery of Cas9 ribonucleoprotein for CRISPR/Cas9 genome editing. *Theranostics*. 2021 Jan 1;11(2):614-648, hereby incorporated by reference in its entirety. In some embodiments, Cas9 and gRNA are electroporated as RNP into the donor PBMC-derived iPSCs and/or HSCs.

15 Generally, a protospacer adjacent motif (PAM) is required for a Cas nuclease to cut and is generally found 3-4 nucleotides downstream from the cut site. The PAM is a short DNA sequence (usually 2-6 base pairs in length) that follows the DNA region targeted for cleavage by the CRISPR system, such as CRISPR-Cas9.

In some embodiments, the PAM sequences, sgRNAs, or base editing tools targeting
20 haplotypes or polymorphs of HLA loci does not include four Gs, four Cs, GC repeats, or combinations thereof.

In some embodiments, a CRISPR/Cas9 system specific to a donor's unique HLA haplotype can be developed by designing singular gRNAs targeting each of the donor-specific HLA-A, HLA-DPB1, and HLA-DQB1 genes (for example), using the gRNAs as
25 described herein. To perform genetic knockout, the gRNA targets the Cas9 protein to the appropriate site to edit. Next, the Cas9 protein can perform a double strand break (DSB), where the DNA repairs through a non-homologous end joining (NHEJ) mechanism which generates indels resulting in a frameshift mutation and terminates the resulting protein's function. However, off-target genetic modifications can occur and alter the function of
30 otherwise intact genes. For example, the Cas9 endonuclease can create DSBs at undesired off-target locations, even in the presence of some degree of mismatch. This off-target activity

can create genome instability events, such as point mutations and genomic structural variations.

gRNAs can be used to develop clonal iPSCs from donor PBMCs. Such iPSC lines can be evaluated for (i) ON-target edit, (ii) OFF-target edits, and (iii) Translocation edits, for example using sequencing as described herein. Specifically, such assays can be performed by multiplex PCR with primers designed to target and enrich regions of interest followed by next-generation sequencing (e.g., Amplicon sequencing, AMP-seq). The ON-target panel and the translocation panel can amplify the intended edited region, allowing for selection of iPSC clones with the expected edits which are free from chromosomal translocation arising from unintended DSB cut-site fusion. The OFF-target panel can enrich any potential off-target regions identified via sequencing and allows for selection of iPSC clones with negligible off-target mutations. Together, these assays enable a screen of the iPSC clones to select the clones with the desired edits, while excluding potential CRISPR/Cas9-related genome integrity issues.

Although the differentiation potential of iPSCs has been demonstrated, some tissue-specific epigenetic memory from the starting material can interfere with iPSC differentiation. Therefore, in some embodiments, CD34⁺ cells can be selected for iPSC reprogramming, for example as described in Tobin SC and Kim K, “Generating pluripotent stem cells: differential epigenetic changes during cellular reprogramming,” FEBS Lett. 2012 Aug 31;586(18):2874-81, hereby incorporated by reference in its entirety. In some embodiments, to create transgene and virus-free iPSCs, the CD34⁺ cells are electroporated with episomal vectors to reprogram them into iPSCs. For example, using oriP/EBNA1 vectors, the episomal vectors can contain 5 reprogramming factors (e.g., Oct4, Sox2, Lin28, Klf4, and L-Myc) and replicate extra-chromosomally only once per cell cycle and are completely cleared out once the iPSC reach approx. passage 5-10. These embodiments do not include transient p53 suppression to maintain important safeguard checkpoints and reduces the risk of selecting clones with genomic instability. To further ensure the genomic stability and integrity of reprogrammed iPSCs, genetic and genomic assays can be performed to select for clones which, for example, did not undergo translocation and mutation events, and that did not integrate the episomal vectors.

In some embodiments, whole-genome sequencing (WGS) is performed on CD34+ cells and on iPSC clones after reprogramming, where the genomes are compared for differences arising from editing. These analyses provide an assessment of which iPSC clone genomes differ from the CD34+ starting material, enabling informed selection of iPSC clones which did not accrue mutations during the reprogramming.

In some embodiments, karyotyping analyses using systems such as KARYOSTAT assays is used to select iPSC clones which did not accrue indels and translocation during the reprogramming, for example as described in Ramme AP, et al, "Supporting dataset of two integration-free induced pluripotent stem cell lines from related human donors," Data Brief. 2021 May 15;37:107140, hereby incorporated by reference in its entirety. KARYOSTAT assays allow for visualization of chromosome aberrations with a resolution similar to G-banding karyotyping. The size of structural aberration that can be detected is >2 Mb for chromosomal gains and >1 Mb for chromosomal losses. The KARYOSTAT array is functionalized for balanced whole-genome coverage with a low-resolution DNA copy number analysis, where the assay covers all 36,000 RefSeq genes, including 14,000 OMIM targets. The assay enables the detection of aneuploidies, submicroscopic aberrations, and mosaic events.

In some embodiments, Array Comparative Genomic Hybridization (aCGH) analyses is used to select iPSC clones which did not accrue copy number aberrations (CNA) during reprogramming, for example as described in Wiesner et al. "Molecular Techniques," Editor(s): Klaus J. Busam, Pedram Gerami, Richard A. Scolyer, "Pathology of Melanocytic Tumors," Elsevier, 2019, pp. 364-373, ISBN 9780323374576; and Hussein SM, et al. "Copy number variation and selection during reprogramming to pluripotency," Nature. 2011 Mar 3;471(7336):58-62, hereby incorporated by reference in its entirety. aCGH is a technique that analyzes the entire genome for CNA by comparing the sample DNA to reference DNA.

In some embodiments, targeted heme malignancy NGS panel analyses is used to select iPSC clones which did not accrue hematologic malignancy mutations during reprogramming. For example, targeted heme malignancy NGS panels can focus on myeloid leukemia, lymphoma, and/or other hematologic malignancy-associated genes to generate a smaller, more manageable data set than broader methods. Targeted heme malignancy NGS

panel analysis includes the use of highly multiplexed PCR to amplify regions associated with hematologic malignancies followed by next-generation sequencing.

In some embodiments, Droplet Digital PCR (ddPCR) is used to select iPSC clones which did not integrate episomal vectors and that have been passaged enough for episomal vector clearance. As discussed herein, iPSC reprogramming of CD34+ cells can be achieved by delivering episomal vectors encoding reprogramming factors. However, episomal vectors can, albeit rarely, randomly integrate into the cellular genome, which could disrupt developmental processes, homeostasis, etc. Therefore, ddPCR methods can be used to detect residual episomal vector in the iPSC cultures and enable selection of iPSC clones which did not integrate episomal vectors.

In some embodiments, iPSCs which have undergone one or more of these analyses, and have indicated successful reprogramming, are used to build a pre-edited iPSC seed bank.

In some embodiments, gene editing is performed on the pre-edited iPSC seed bank, as described herein. Specifically, in embodiments, the Cas9 and gRNA which target each donor-specific HLA (e.g., HLA-A, HLA-DPB1, and HLA-DQB1) genes are electroporated into the iPSCs, allowing a recovery period of about 1 day to about 1 week. To ensure clonality (e.g., genetic homogeneity due to the cellular population arising from a single modified cell), a single-cell printer can be used to seed single cells into individual wells, for example in a 384-well plate. Such systems can be automated, require minimum-user interface, and ensure proof-of-clonality via imaging of each cell seeded in each well. After expanding the population from a single cell into a cellular colony, the subculture can be further expanded in culture trays with larger surface areas, e.g., into a 96-well plate, 12-well plate, etc., where a portion of the original clonal population of cells can be analyzed via on-target AMP-seq. Such analyses can guide the selection of clones bearing the desired edits. In some embodiments, a portion of cells with each expansion are used for Off-target AMP-seq and/or Translocation AMP-seq analyses to confirm genomic integrity throughout manipulation.

In some embodiments, after assessing that the selected clones are free from genomic aberrations related to the gRNA, the clones can be additionally tested for spontaneous mutations that might arise during expansion. For example, mutations affecting hematologic malignancy genes, indel, translocations, and CNA, e.g., as described for the pre-edited

reprogrammed clones. Analyses for spontaneous mutations can include whole-genome sequencing (WGS), KARYOSTAT analysis, Array Comparative Genomic Hybridization (aCGH) analysis, targeted heme malignancy NGS panel AMP-Seq analysis, and/or Droplet Digital PCR (ddPCR).

5 In some embodiments, clones that are demonstrated to have preserved their genomic integrity are banked as a gene-edited iPSC seed bank.

In some embodiments, the cell line(s) are modified to express cytokines, suicide gene(s), T-cell receptor, single, dual, quad, and/or tandem chimeric antigen receptor (CAR), and/or combinations thereof.

10 In some embodiments, the cells (e.g., iPSCs or HSCs or progenitors or progenies thereof) of the present disclosure may be modified in a manner such that certain endogenously expressed genes, such as but not limited to genes encoding CCR5 or miR-155, or such that one or more genes encoding cell surface markers including but not limited to CD33, CLL, CD19, CD7, and/or CD38, are deleted or mutated to null their expression or
15 such that they express non-functional proteins or are poorly expressed. Cell surface molecules that can be genetically modified according to this disclosure can be selected from any one of the cell surface molecules known to one of skill in the art, for example from CD1 through CD371, provided that genetic modification of the selected molecule or molecules provide the advantage of eliminating or ameliorating a harmful or toxic function in
20 therapeutical applications of their wildtype counterpart (i.e., unmodified cells).

In various embodiments, the cell line(s) is inserted with CAR specific to myeloma, leukemia or lymphoma targets, including but not limited to CD19, CD33, BCMA, etc.

In various embodiments, the cell line(s) is inserted with tandem CARs, including but not limited CD38/IL3, CD20/CD19, etc.

25 In various embodiments, the cell line(s) is inserted with disease specific dual CAR, Quad CAR, tandem-CARs, etc.

In various embodiments, the cell line(s) is inserted with leucine-zipper system to incorporate multiple disease-modifying materials, including but not limited to dual CAR, Quad CAR, tandem-CAR, etc.

30 In various embodiments, the cell line(s) is inserted with leucine-zipper system to incorporate multiple disease-modifying materials.

Non-limiting examples include but are not limited to: (i) cell line(s) deleted for CCR5 to generate CCR5-deleted cellular therapies of HIV-AIDS patients; (2) cell line(s) deleted for CD33 to generate CD33-deleted cellular therapies for treating leukemia and/or lymphoma patients; (3) cell line(s) deleted for CD33 to generate CD33-deleted cellular therapies along with CAR-T, CAR-NK, CAR-T progenitor cells, or CAR-macrophage cells for treating leukemia and/or lymphoma patients.

In various embodiments, the cell line(s) is administered to mitigate the killing of normal cells or adverse effects caused by therapeutical applications of CAR-T therapy with CD33-specific CAR-T cells, with CD7-specific CAR-T cells, with CD8-specific CAR-T cells, with CD19-specific CAR-T cells, with CD20-specific CAR-T cells, with CD22-specific CAR-T cells, with CD123-specific CAR-T cells, with CD125-specific CAR-T cells, with CD133-specific CAR-T cells, with CD371-specific CAR-T cells or any CAR-NK, CAR-T or CAR-macrophage cells targeting the following tumor antigens:

- (i) Human epidermal growth factor receptor 2 (HER2) - ovarian cancer, breast cancer, glioblastoma, colon cancer, osteosarcoma, and medulloblastoma;
- (ii) Epidermal growth factor receptor (EGFR) positive malignancies, such as - non-small cell lung cancer, epithelial carcinoma, cholangiocarcinoma and glioma;
- (iii) Mesothelin - mesothelioma, ovarian cancer, and pancreatic adenocarcinoma;
- (iv) Prostate-specific membrane antigen (PSMA) - prostate cancer;
- (v) Carcinoembryonic antigen (CEA) - pancreatic adenocarcinoma, breast cancer, and colorectal carcinoma;
- (vi) Glypican-3 - hepatocellular carcinoma;
- (vii) Variant III of the epidermal growth factor receptor (EGFRvIII) – glioblastoma;
- (viii) Disialoganglioside 2 (GD2) - neuroblastoma and melanoma;
- (ix) Carbonic anhydrase IX (CAIX) - renal cell carcinoma;
- (x) Interleukin-13Ra2 – glioma;
- (xi) Fibroblast activation protein (FAP) - malignant pleural mesothelioma;
- (xii) L1 cell adhesion molecule(L1-CAM) - neuroblastoma, melanoma, and ovarian;
- (xiii) Cancer antigen 125 (CA 125) - epithelial ovarian cancer;
- (xiv) Cluster of differentiation 133 (CD 133) - glioblastoma and cholangiocarcinoma, adenocarcinoma;

(xv) Cancer/testis antigen 1B (CTAG1B) - melanoma and ovarian cancer;

(xvi) Mucin 1 - seminal vesicle cancer; and

(xvii) Folate receptor-a (FR-a) - ovarian cancer.

(xviii) EGFRvIII - Glioblastoma.

5 (xix) Claudin 18.2-solid tumors, advanced gastric adenocarcinoma, pancreatic adenocarcinoma.

(xx) Mesothelin- mesothelioma, metastatic pancreatic, ovarian, cervical, lung.

See, for example, Zhou Z et al., Chimeric antigen receptor T cells applied to solid tumors, *Front Immunol.* 2022 Oct 31; or Pooria et al, Novel antigens of CAR T cell therapy: New roads, old destination, *Translational Oncology, Volume 14, Issue 7, 2021*, each of
10 which is incorporated herein by reference.

Alternatively, the cell populations can be used to generate cell therapies (e.g., HSCs or immune lineages) to be used with FDA approved CAR-T therapy, such as, Tisagenlecleucel, also known as tisa-cel (Kymriah), Axicabtagene ciloleucel, also known as
15 axi-cel (Yescarta), Brexucabtagene autoleucel, also known as brexu-cel (Tecartus), Lisocabtagene maraleucel, also known as liso-cel (Breyanzi), Idecabtagene vicleucel, also known as ide-cel (Abecma), Ciltacabtagene autoleucel, also known as cilta-cel (Carvykti) or any other CAR-T therapy which damage the normal cells during their therapeutic applications.

20 In some embodiments, the pluripotent cells (e.g., iPSCs or HSCs or progenitors or progenies thereof) of the present disclosure can be further engineered by inserting at least one sequence encoding a transgene operatively linked to an endogenous or exogenous promoter, wherein the transgene is inserted within a genomic safe harbor locus. A genomic safe harbor (GSH) locus refers to a genetic locus that accommodates the insertion of
25 exogenous DNA with either constitutive or conditional expression activity without significantly affecting the viability of somatic cells, progenitor cells, or germ line cells and ontogeny. Well known safe harbor loci include the AAVS1 adeno-associated virus insertion site on chromosome 19, the human homolog of the murine Rosa26 locus, and the CCR5 chemokine receptor gene. Tools and techniques for the insertion of transgene (i.e., the
30 exogenous DNA) into safe harbor locus are well known to one of skill in the art, see for

example Papapetrou EP et al. Gene Insertion Into Genomic Safe Harbors for Human Gene Therapy. *Mol Ther.* (2016) 678-84.

According to aspects and embodiments of this disclosure, a method is provided for making an HLA-modified cell of the disclosure using CRISPR-Cas9 gene editing.

5 Exemplary sgRNAs are disclosed herein that can be used singly, or in some embodiments in combination to produce a plurality of edits (*e.g.*, double strand breaks) in the target gene. The exemplary sgRNA are disclosed herein for generating deletions in exon 1 and/or exon 2 of various HLA genes (including within genomic coordinates shown in FIG. 11B). In the various embodiments, the method comprises contacting a cell with a Cas9 endonuclease

10 (which can be delivered to the cell using any of the known processes) and one or more gRNAs (*e.g.*, sgRNAs) targeting the Cas9 endonuclease to the HLA-specific or HLA allele-specific regions.

Tables 2A to 17 list spacer sequences useful for targeting HLA alleles as indicated, which can be incorporated into a gRNA (*e.g.*, sgRNA) of a CRISPR-Cas9 system. In some

15 embodiments, a sgRNA further comprises a scaffold sequence fused to the 3' end of a spacer sequence. In some embodiments, a gRNA further comprises a tracr mate sequence fused to the 3' end of a spacer sequence.

In some embodiments, the cell is homozygous or heterozygous for HLA-A*01:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence

20 independently selected from Table 2A or Table 6.

In some embodiments, the cell is homozygous or heterozygous for HLA-A*02:05, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 2B.

In some embodiments, the cell is homozygous or heterozygous for HLA-A*03:01,

25 and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 2B or Table 6.

In some embodiments, the cell is homozygous or heterozygous for HLA-A*23:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 2C.

In some embodiments, the cell is homozygous or heterozygous for HLA-A*29:02, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 2E or Table 6.

5 In some embodiments, the cell is homozygous or heterozygous for HLA-A*25:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 2D.

In some embodiments, the cell is homozygous or heterozygous for HLA-A*33:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 2G or Table 6.

10 In some embodiments, the cell is homozygous or heterozygous for HLA-A*11:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 2C or Table 7.

In some embodiments, the cell is homozygous or heterozygous for HLA-A*26:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 2D or Table 7.

15 In some embodiments, the cell is homozygous or heterozygous for HLA-A*30:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 2E.

In some embodiments, the cell is homozygous or heterozygous for HLA-A*30:02, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 2F.

In some embodiments, the cell is homozygous or heterozygous for HLA-A*31:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 2F.

25 In some embodiments, the cell is homozygous or heterozygous for HLA-A*24:02, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 10.

In some embodiments, the cell is homozygous or heterozygous for DQB1*02:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 4A and Table 8.

In some embodiments, the cell is homozygous or heterozygous for DQB1*06:02, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 8.

5 In some embodiments, the cell is homozygous or heterozygous for DQB1*03:03, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 4B or Table 8.

In some embodiments, the cell is homozygous or heterozygous for DQB1*05:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 4C or Table 8.

10 In some embodiments, the cell is homozygous or heterozygous for DQB1*06:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 4D or Table 9.

In some embodiments, the cell is homozygous or heterozygous for DQB1*06:03, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence
15 independently selected from Table 9.

In some embodiments, the cell is homozygous or heterozygous for DQB1*02:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 4A.

20 In some embodiments, the cell is homozygous or heterozygous for DQB1*03:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 4A.

In some embodiments, the cell is homozygous or heterozygous for DQB1*03:02, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 4B.

25 In some embodiments, the cell is homozygous or heterozygous for DQB1*05:03, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 4C.

In some embodiments, the cell is homozygous or heterozygous for DQB1*06:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence
30 independently selected from Table 4D.

In some embodiments, the cell is homozygous or heterozygous for DQB1*06:04, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 4E.

5 In some embodiments, the cell is homozygous or heterozygous for HLA-B*07:02, and the cell is contacted with one or two sgRNAs comprising a nucleotide independently sequence selected from Table 3A or Table 11.

In some embodiments, the cell is homozygous or heterozygous for HLA-B*13:02, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 3B.

10 In some embodiments, the cell is homozygous or heterozygous for HLA-B*44:03, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 3F or Table 11.

In some embodiments, the cell is homozygous or heterozygous for HLA-B*18:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence
15 independently selected from Table 3C.

In some embodiments, the cell is homozygous or heterozygous for HLA-B*57:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 3G or Table 11.

20 In some embodiments, the cell is homozygous or heterozygous for HLA-B*08:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 3A or Table 11.

In some embodiments, the cell is homozygous or heterozygous for HLA-B*40:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 3E.

25 In some embodiments, the cell is homozygous or heterozygous for HLA-B*14:02, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 3B or Table 12.

In some embodiments, the cell is homozygous or heterozygous for HLA-B*50:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence
30 independently selected from Table 3F or Table 12.

In some embodiments, the cell is homozygous or heterozygous for HLA-B*37:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 12.

5 In some embodiments, the cell is homozygous or heterozygous for HLA-B*52:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 3G or Table 12.

In some embodiments, the cell is homozygous or heterozygous for HLA-B*38:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 3D or Table 13.

10 In some embodiments, the cell is homozygous or heterozygous for HLA-B*35:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 3D or Table 13.

In some embodiments, the cell is homozygous or heterozygous for DRB1*03:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence
15 independently selected from Table 5A or Table 14.

In some embodiments, the cell is homozygous or heterozygous for DRB1*15:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 5F or Table 14.

20 In some embodiments, the cell is homozygous or heterozygous for DRB1*07:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 5C or Table 14.

In some embodiments, the cell is homozygous or heterozygous for DRB1*01:02, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 5A or Table 14.

25 In some embodiments, the cell is homozygous or heterozygous for DRB1*10:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 15.

In some embodiments, the cell is homozygous or heterozygous for DRB1*15:02, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence
30 independently selected from Table 5F or Table 15.

In some embodiments, the cell is homozygous or heterozygous for DRB1*13:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 5D or Table 15.

5 In some embodiments, the cell is homozygous or heterozygous for DRB1*01:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 5A or Table 15.

In some embodiments, the cell is homozygous or heterozygous for DRB1*04:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 5B.

10 In some embodiments, the cell is homozygous or heterozygous for DRB1*04:02, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 5B.

In some embodiments, the cell is homozygous or heterozygous for DRB1*04:04, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 5C.

15 In some embodiments, the cell is homozygous or heterozygous for DRB1*11:04, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 5D.

In some embodiments, the cell is homozygous or heterozygous for DRB1*13:02, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 5E.

In some embodiments, the cell is homozygous or heterozygous for DRB1*14:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 5E.

25 In some embodiments, the cell is homozygous or heterozygous for HLA-DPB1*01:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 16.

In some embodiments, the cell is homozygous or heterozygous for HLA-DPB1*02:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 16.

In some embodiments, the cell is homozygous or heterozygous for HLA-DPB1*03:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 16.

5 In some embodiments, the cell is homozygous or heterozygous for HLA-DPB1*04:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 16.

In some embodiments, the cell is homozygous or heterozygous for HLA-DPB1*04:02, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 17.

10 In some embodiments, the cell is homozygous or heterozygous for HLA-DPB1*11:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 17.

In some embodiments, the cell is homozygous or heterozygous for HLA-DPB1*17:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide
15 sequence independently selected from Table 17.

In some embodiments, the cell is homozygous or heterozygous for HLA-DPB1*34:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 17.

In some embodiments, hiPSCs are used to generate embryoid bodies (EB), which
20 can be used for generation of (i.e., isolation or enrichment of) CD34⁺ cells. For example, EBs can be dissociated, and the CD34⁺ hematopoietic precursors isolated or enriched. In some embodiments, human iPSC aggregates are expanded in a bioreactor as described, for example, in Abecasis B. et al., Expansion of 3D human induced pluripotent stem cell aggregates in bioreactors: Bioprocess intensification and scaling-up approaches. *J. of Biotechnol.* 246 (2017) 81-93.
25

Other bioreactors could include, but are not limited to, shear stress, mechanical strain and pulsed electromagnetic field bioreactors, large-scale stirred tank bioreactors, automated bioreactors, rotating wall bioreactors (RWBs), and rocking motions as seen with wave bioreactors, organ-on-chip bioreactors. Other bioreactor configurations can be employed
30 that enable continuous, perfusion operation such as packed bed bioreactors (PBBs), fluidized bed bioreactors (FBBs), or PBBs and/or FBBs including the use of microcarriers, CultiBag

bioreactors, and membrane bioreactors such as hollow fiber bioreactors (HFBs). Such bioreactors are contemplated for generating the pluripotent cells or progenitors or progenies derived therefrom of the present disclosure. Operation of the bioreactors may require coupling with an internal or external cell retention device on a recycle line, by centrifugation, sedimentation, ultrasonic separation or microfiltration with spin-filters, alternating tangential flow (ATF) filtration or tangential flow filtration (TFF).

In some embodiments, the process of generating cell populations comprising HSCs and/or HSPCs or progeny thereof can comprise generating CD34⁺-enriched cells from the differentiated pluripotent stem cells (e.g., EBs) and inducing endothelial-to-hematopoietic differentiation (e.g., for at least 2 days, but no more than 12 days). In some embodiments, HSCs comprising relatively high frequency of LT-HSCs can be generated from the cell populations using various stimuli or factors, including mechanical, biochemical, metabolic, and/or topographical stimuli, as well as factors such as extracellular matrix, niche factors, cell-extrinsic factors, induction of cell-intrinsic properties; and including pharmacological and/or genetic means.

In some embodiments, the method comprises preparing endothelial cells with hemogenic potential from pluripotent stem cells, prior to induction of EHT. In some embodiments, the combined over-expression of GATA2/ETV2, GATA2/TAL1, or ER71/GATA2/SCL can lead to the formation of endothelial cells with hemogenic potential from PSC sources. In some embodiments, the method comprises overexpression of E26 transformation-specific variant 2 (ETV2) transcription factor in the iPSCs. Following CD34⁺ enrichment, HSCs are then generated from the endothelial cells using mechanical, biochemical, pharmacological and/or genetic stimulation or modification. ETV2 can be expressed by introduction of an encoding non-integrating episomal plasmid, for constitutive or inducible expression of ETV2, and for production of transgene-free hemogenic ECs. In some embodiments, ETV2 is expressed from an mRNA introduced into the iPSCs. mRNA can be introduced using any available method, including electroporation or lipofection. Differentiation of cells expressing ETV2 can comprise addition of VEGF-A. See, Wang K, et al., Robust differentiation of human pluripotent stem cells into endothelial cells via temporal modulation of ETV2 with mRNA, *Sci. Adv.* Vol. 6 (2020). Cells generated in this manner may be used for producing CD34⁺ cells and inducing EHT according to

embodiments of this disclosure. See PCT/US2021/062884, which is hereby incorporated by reference in its entirety.

In some embodiments, iPSC differentiation proceeds until cells are at least about 10% CD34+, or at least about 20% CD34+, or at least about 25% CD34+, or at least about 5 30% CD34+, or at least 40% CD34+. In some embodiments, CD34+ enrichment and EHT may be induced at Day 6 to Day 14 of iPSC differentiation, such as for example, Day 7, Day 8, Day 9, Day 10, Day 11, Day 12, Day 13, or Day 14. Differentiation of iPSCs can be according to known techniques. In some embodiments, iPSC differentiation involves factors such as, but not limited to, combinations of bFGF, Y27632, BMP4, VEGF, SCF, EPO, TPO, 10 IL-6, IL-11, and/or IGF-1. In some embodiments, hPSCs are differentiated using feeder-free, serum-free, and/or GMP-compatible materials. In some embodiments, hPSCs are co-cultured with murine bone marrow-derived feeder cells such as OP9 or MS5 or mouse embryonic fibroblast cell line in serum-containing medium. The culture can contain growth factors and cytokines to support differentiation of embryoid bodies or monolayer system. 15 The OP9 co-culture system can be used to generate multipotent HSPCs, which can be differentiated further to several hematopoietic lineages including T lymphocytes, B lymphocytes, megakaryocytes, monocytes or macrophages, and erythrocytes. See Netsrithong R. et al., Multilineage differentiation potential of hematoendothelial progenitors derived from human induced pluripotent stem cells, *Stem Cell Research & Therapy* Vol. 11 Art. 481 (2020). Alternatively, a step-wise process using defined conditions with specific 20 signals can be used. For example, the expression of HOXA9, ERG, RORA, SOX4, and MYB in human PSCs favors the direct differentiation into CD34+/CD45+ progenitors with multilineage potential. Further, expression of factors such as HOXB4, CDX4, SCL/TAL1, or RUNX1a support the hematopoietic program in human PSCs. See Doulatov S. et al., 25 Induction of multipotential hematopoietic progenitors from human pluripotent stem cells via re-specification of lineage-restricted precursors, *Cell Stem Cell*. 2013 Oct 3; 13(4).

Induction of EHT can be with any known process. In some embodiments, induction of EHT generates an HSC population comprising LT-HSCs. In some embodiments, EHT generates a cell population comprising HSPCs. In some embodiments, EHT generates HSCs 30 and/or HSPCs through endothelial or hemogenic endothelial cell (HEC) precursors using mechanical, biochemical, pharmacological and/or genetic means (e.g., via stimulation,

inhibition, and/or genetic modifications). In some embodiments, the EHT generates a stem cell population comprising one or more of long-term hematopoietic stem cells (LT-HSCs), short-term hematopoietic stem cells (ST-HSCs), and HSPCs. In various embodiments, EHT can be induced in the culture for from 2 days to 12 days, such as about 4 days to about 8 days (e.g., about 4 days, about 5 days, about 6 days, about 7 days, or about 8 days). In some
5 embodiments, EHT is induced in the culture from about 5 days to about 7 days.

In some embodiments, the HSC and/or HSPC population or fraction thereof is differentiated to T cells or progenitors or derivatives thereof independent of the use of an agonist of a mechanosensitive receptor or a mechanosensitive channel, such as Yoda1. In
10 some embodiments, the use of an agonist of a mechanosensitive receptor or a mechanosensitive channel (e.g., Yoda1) is optional. Thus, in some embodiments, CD34+ cells are enriched from a differentiated pluripotent stem cell population to prepare a CD34+-enriched population. Endothelial-to-hematopoietic transition of the CD34+-enriched cell population is induced for at least two days, but no more than 12 days in which the use of an
15 agonist of a mechanosensitive receptor or a mechanosensitive channel such as Yoda1, jedi1, jedi2, or ssRNA40 is optional. The HSCs and/or HSPCs are differentiated to a progenitor T cell population or a T cell population (e.g., as described herein). In some embodiments, the endothelial-to-hematopoietic transition of the CD34+-enriched cell population is induced for at least for two days, and further for about 4 hours, or about 8 hours, or about 12 hours, or
20 about 16 hours, or about 20 hours, or about 24 hours, or about 2 days, or about 3 days, or about 4 days, or about 5 days, or about 6 days, or about 7 days, or about 8 days, or about 9 days, or about 10 days. The total EHT differentiation proceeds for no more than 12 days.

In various embodiments, CD34+ cells (e.g., the floater and/or adherent cells) are harvested from the culture undergoing endothelial-to-hematopoietic transition, such as
25 between Day 10 to Day 20 of iPSC differentiation, such as from Day 10 to Day 17, or from Day 12 to Day 15 of iPSC differentiation.


In some embodiments, the method comprises increasing the expression or activity of dnmt3b in PSCs, embryoid bodies, CD34-enriched cells, ECs, HECs or HSCs, which can be by mechanical, genetic, biochemical, or pharmacological means. In some embodiments, the
30 method comprises increasing activity or expression of DNA (cytosine-5-)-methyltransferase 3 beta (Dnmt3b) and/or GTPase IMAF Family Member 6 (Gimap6) in the cells. See WO

2019/236943 and WO 2021/119061, which is hereby incorporated by reference in its entirety. In some embodiments, the induction of EHT comprises increasing the expression or activity of dnmt3b.

5 In some embodiments, cells are contacted with an effective amount of an agent such as but limited to an agonist of a mechanosensitive receptor or a mechanosensitive channel that increases the activity or expression of Dnmt3b. In some embodiments, the mechanosensitive receptor is Piezo1. An exemplary Piezo1 agonist is Yoda1.

In some embodiments, the mechanosensitive receptor is Trpv4. An exemplary Trpv4 agonist is GSK1016790A. Yoda1 (2-[5-[[2,6-Dichlorophenyl)methyl]thio]-1,3,4-thiadiazol-2-yl]-pyrazine) is a small molecule agonist developed for the mechanosensitive ion channel Piezo1. Syeda R, Chemical activation of the mechanotransduction channel Piezo1. *eLife* (2015).

Yoda 1 has the following structure:



15

Derivatives of Yoda1 can be employed in various embodiments. For example, derivatives comprising a 2,6-dichlorophenyl core are employed in some embodiments. Exemplary agonists are disclosed in Evans EL, et al., Yoda1 analogue (Dooku1) which antagonizes Yoda1-evoked activation of Piezo1 and aortic relaxation, *British J. of Pharmacology* 175(1744-1759): 2018. Still other Piezo1 agonist include Jedi1, Jedi2, single-stranded (ss) RNA (e.g., ssRNA40) and derivatives and analogues thereof. See Wang Y., et al., A lever-like transduction pathway for long-distance chemical- and mechano-gating of the mechanosensitive Piezo1 channel. *Nature Communications* (2018) 9:1300; Sugisawa, et al., RNA Sensing by Gut Piezo1 Is Essential for Systemic Serotonin Synthesis, *Cell*, Volume 182, Issue 3, 2020, Pages 609-624, which are hereby incorporated by reference in their entirety. These Piezo1 agonists are commercially available. In various embodiments, the

20
25

effective amount of the Piezo1 agonist or derivative is in the range of about 1 μ M to about 500 μ M, or about 5 μ M to about 200 μ M, or about 5 μ M to about 100 μ M, or in some embodiments, in the range of about 25 μ M to about 150 μ M, or about 25 μ M to about 100 μ M, or about 25 μ M to about 50 μ M. Alternatively, single-stranded (ss) RNA (e.g., ssRNA40), and derivatives and analogues thereof, can be used for Piezo1 activation.

In various embodiments, pharmacological Piezo1 activation is applied to CD34+ cells (i.e., CD34-enriched cells). In certain embodiments, pharmacological Piezo1 activation may further be applied to iPSCs, embryoid bodies, ECs, hemogenic endothelial cells (HECs), HSCs, hematopoietic progenitors, as well as hematopoietic lineage(s). In certain embodiments, Piezo1 activation is applied at least to EBs generated from iPSCs, CD34+ cells isolated from EBs, and/or combinations thereof. The use of Piezo1 activation for generation of HSCs or progeny thereof is described in US 2021/0222125 and US 2022/00049221, which are hereby incorporated by reference in their entireties.

Alternatively, or in addition, the activity or expression of Dnmt3b can be increased directly in the cells, e.g., in CD34-enriched cells. For example, mRNA expression of Dnmt3b can be increased by delivering Dnmt3b-encoding transcripts to the cells, or by introducing a Dnmt3b-encoding transgene, or a transgene-free method, not limited to introducing a non-integrating episome to the cells. In some embodiments, gene editing is employed to introduce a genetic modification to Dnmt3b expression elements in the cells, such as, but not limited to, to increase promoter strength, ribosome binding, RNA stability, and/or impact RNA splicing.

In some embodiments, the method comprises increasing the activity or expression of Gimap6 in the cells, alone or in combination with Dnmt3b and/or other genes that are up- or down regulated upon cyclic strain or Piezo1 activation. To increase activity or expression of Gimap6, Gimap6-encoding mRNA transcripts can be introduced to the cells, transgene-free approaches can also be employed, including but not limited, to introducing an episome to the cells; or alternatively a Gimap6-encoding transgene. In some embodiments, gene editing is employed to introduce a genetic modification to Gimap6 expression elements in the cells (such as one or more modifications to increase promoter strength, ribosome binding, RNA stability, or to impact RNA splicing).

In embodiments of this disclosure employing mRNA delivery to cells, known chemical modifications can be used to avoid the innate-immune response in the cells. For example, synthetic RNA comprising only canonical nucleotides can bind to pattern recognition receptors, and can trigger a potent immune response in cells. This response can result in translation block, the secretion of inflammatory cytokines, and cell death. RNA comprising certain non-canonical nucleotides can evade detection by the innate immune system, and can be translated at high efficiency into protein. See US 9,181,319, which is hereby incorporated by reference, particularly with regard to nucleotide modification to avoid an innate immune response.

10 In some embodiments, expression of Dnmt3b and/or Gimap6 is increased by introducing a transgene into the cells, which can direct a desired level of overexpression (with various promoter strengths or other selection of expression control elements). Transgenes can be introduced using various viral vectors or transfection reagents (including Lipid Nanoparticles) as are known in the art. In some embodiments, expression of Dnmt3b and/or Gimap6 is increased by a transgene-free method (e.g., episome delivery or lipid nanoparticle with mRNA). In some embodiments, expression or activity of Dnmt3b and/or Gimap6 or other genes disclosed herein are increased using a gene editing technology, for example, to introduce one or more modifications to increase promoter strength, ribosome binding, or RNA stability.

20 In some embodiments, the method comprises applying cyclic 2D, 3D, or 4D stretch to cells. In various embodiments, the cells subjected to cyclic 2D, 3D, or 4D stretch are selected from one or more of CD34-enriched cells, iPSCs, ECs, and HECs. For example, a cell population is introduced to a bioreactor that provides a cyclic strain, or a biomechanical stretching or a cyclic-strain biomechanical stretching. Cyclic-strain biomechanical stretching is described in WO 2017/096215, which is hereby incorporated by reference in its entirety. The cyclic strain, or biomechanical stretching or cyclic-strain biomechanical stretching can increase the activity or expression of Dnmt3b and/or Gimap6. In these embodiments, mechanical means apply stretching forces to the cells, or to a cell culture surface having the cells (e.g., ECs or HECs) cultured thereon. For example, a computer controlled vacuum pump system or other means for providing a stretching force (e.g., the FlexCell™ Tension System, the Cytostretcher System) attached to flexible biocompatible

and/or biomimetic surface can be used to apply cyclic 2D, 3D, or 4D stretch *ex vivo* to cells under defined and controlled cyclic strain conditions. For example, the applied cyclic stretch can be from about 1% to about 20% cyclic strain (e.g., about 6% cyclic strain) for several hours or days (e.g., about 7 days). In various embodiments, cyclic strain or mechanical stretching is applied for at least about one hour, at least about two hours, at least about six hours, at least about eight hours, at least about 12 hours, at least about 24 hours, at least about 48 hours, at least about 72 hours, at least about 96 hours, at least about 120 hours, at least about 144 hours, or at least about 168 hours.

In various embodiments, cyclic strain or mechanical stretching is applied for at least for a period ranging between about one hour to about two hours, at least for a period ranging between about six hours to about eight hours, at least for a period ranging between about 12 hours to about 24 hours, at least for a period ranging between about 48 hours to about 72 hours, at least for a period ranging between about 96 hours to about 120 hours, at least for a period ranging between about 144 hours to about 168 hours.

Alternatively or in addition, EHT is stimulated by Trpv4 activation. The Trpv4 activation can be by contacting cells (e.g., CD34-enriched cells, ECs, or HECs) with one or more Trpv4 agonists, which are optionally selected from GSK1016790A, 4alpha-PDD, or analogues and/or derivatives thereof.

In some embodiments, cells are contacted with an effective amount of an agent that (a) modulates histone acetylation; or (b) modulates histone methylation; or (c) modulates TGF beta signaling; or (d) modulates wnt and/or notch signaling pathway.

Modulating agents can be selected from inhibitors which modulate signaling through TGF beta pathway, wnt pathway, notch pathway or modulate histone methylation and/or acetylation. Some of the proteins that are known to be acetylated include p53, HSP90, tubulin, NF- κ B, HIF-1 α , RUNX3, STAT-3, E2F1, Ku70 and c-MYC. Acetylation functions as a broad post-translational modification regulating protein functions including DNA-binding, activity of transcription factors, subcellular localization, and protein stability.

Nonlimiting examples of modulating agents include but are not limited to inhibitor of histone methyltransferase EZH1, DNA methyltransferase inhibitors (DNMTi), histone deacetylase inhibitors (HDACi), Suberoylanilide bis-hydroxamic acid (SBHA), Tranylcypromine, LSD1 inhibitors, such as IV RN-1, LSD1-C76, LSD1 inhibitor II S2101,

LSD1 inhibitor III CBB1007, LSD1 inhibitor I, SNDX-275 (MS-275, Entinostat), CI-994 (Tacedinaline), MGCD-0103, Valproic acid (VPA), Sodium butyrate, Phenyl butyrate (S-HDAC-42, AR-42), Depsipeptide (Romidepsin), Apicidin, JNJ-26481585, Suberoylanilide hydroxamic acid (SAHA; Vorinostat), NVP-LAQ824 (Dacinostat), CR-2408, RAS2410
5 (Resminostat), Trichostatin-A (TSA), LBH589 (Panobinostat), ITF2357 (Gavinostat), PXD101 (Belinostat), ACY-1215 (Rocilinostat), KD5170, and Tubacin.

Several TGF- β R kinase inhibitors have been designed to bind the ATP-binding domain of TGF- β R kinase and inhibit ATP kinase activity and block the downstream signaling cascade. TGF- β inhibitors can be selected from one or more of Galunisertib
10 (LY21557299), ALK5 inhibitor II (E-616452), LY364947, A83-01, and DMH1, LY573636 (Tasisulam), LY2109761, LY364937, Ki26894, LY580276, SB-431542, SB-505124, A83-01, SD-093 and SD-208, IN-1130, and Vactosertib (TEW-7197). TGF- β inhibitors could also include antibodies, such as but not limited to SRK181-mIgG1, Fresolimumab, LY3022859, 264RAD, 1D11, 2G7, or a pyrimidoindole derivative including, for example,
15 UM171 or UM729.

In certain cases, the agent includes a compound that inhibits a protein that propagates p38 signaling, such as SB203580. In additional embodiments, the one or more agents include a compound that inhibits a protein that promotes beta-catenin degradation selected from one or more of lithium chloride, CHIR99021, ICG-001, XAV939, pyrvinium, BIO, C2 inhibitor,
20 CRT-3, -5 and -14, stapled peptide StAx35R, and FGF2 or a recombinant version thereof.

In some embodiments the method employs an allosteric agonist, including but not limited to yoda 1, jedi 1, jedi 2, docosaheptaenoic acid or analogs thereof or any agonist that modulates the activity of the mechanosensitive Piezo channels.

In a non-limiting example, the iPSC cell line(s)-derived HSCs are generated by
25 CD34-enrichment from embryonic bodies and endothelial-to-hematopoietic transition that is induced at Day 8 to Day 15 of iPSC differentiation. CD34⁺ cells are harvested from culture undergoing endothelial-to-hematopoietic transition, including harvesting of CD34⁺ floater and/or adherent cells. In some embodiments, the induction of endothelial-to-hematopoietic transition comprises increasing the expression or activity of dnmt3b.

30 In various embodiments, the induction of endothelial-to-hematopoietic transition comprises applying cyclic stretch to the CD34-enriched population, where the cyclic stretch

is optionally 2D, 3D, or 4D cyclic stretch. Alternatively or in addition, the induction of endothelial-to-hematopoietic transition comprises Piezo1 activation. The Piezo1 activation can be achieved by contacting the CD34-enriched cells or fraction thereof with one or more Piezo1 agonists, which are optionally selected from Yoda1, Jedi1, Jedi2, or analogues or derivatives thereof. In some embodiments, the induction of endothelial-to-hematopoietic transition comprises Trpv4 activation, wherein the Trpv4 activation is optionally by contacting the CD34-enriched cells with one or more Trpv4 agonists, which are optionally selected from GSK1016790A, 4alpha-PDD, or analogues or derivatives thereof. Optionally any of the modulating agents provided in the disclosure may be used in combination with any other agent(s) disclosed herein.

It is contemplated that the one or more agents can be added to act concomitantly or to act on the same or different pathways. For example, they could simultaneously act as inhibitors of TGF-beta or they can act independently to inhibit histone demethylase and TGF-beta respectively, which could be simultaneous or sequential.

Where cell populations or banks are described herein as having a certain phenotype it is understood that the phenotype represents a significant portion of the cell population, such as at least 25%, at least 40%, or at least about 50%, or at least about 60%, or at least about 75%, or at least about 80%, or at least about 90% of the cell population. Further, at various steps, cell populations can be enriched for cells of a desired phenotype, and/or depleted of cells of an undesired phenotype, such that cell population comprise at least about 75%, or at least about 80%, or at least about 90% of the desired phenotype. Such positive and negative selection methods are known in the art. For example, cells can be sorted based on cell surface antigens (including those described herein) using a fluorescence activated cell sorter, or magnetic beads which bind cells with certain cell surface antigens. Negative selection columns can be used to remove cells expressing undesired cell-surface markers. In some embodiments, cells are enriched for CD34+ cells (prior to and/or after undergoing EHT). In some embodiments, the cell population is cultured under conditions that promote expansion of CD34+ cells to thereby produce an expanded population of stem cells.

In various embodiments, CD34+ cells (e.g., the floater and/or adherent cells) are harvested from the culture undergoing endothelial-to-hematopoietic transition between Day 8 to Day 15 of iPSC differentiation.

In various embodiments, the HSCs or CD34-enriched cells are further expanded. For example, the HSCs or CD34-enriched cells can be expanded according to methods disclosed in US 8,168,428; US 9,028,811; US 10,272,110; and US 10,278,990, which are hereby incorporated by reference in their entireties. In some embodiments, *ex vivo* expansion of HSCs or CD34-enriched cells employs prostaglandin E₂ (PGE₂) or a PGE₂ derivative. In some embodiments of this disclosure, the HSCs comprise at least about 0.01% LT-HSCs, or at least about 0.05% LT-HSCs, or at least about 0.1% LT-HSCs, or at least about 0.5% LT-HSCs, or at least about 1% LT-HSCs.

Hematopoietic stem cells (HSCs) which give rise to erythroid, myeloid, and lymphoid lineages, can be identified based on the expression of CD34 and the absence of lineage specific markers (termed Lin⁻). In some embodiments, a population of stem cells comprising HSCs are enriched, for example, as described in US 9,834,754, which is hereby incorporated by reference in its entirety. For example, this process can comprise sorting a cell population based on expression of one or more of CD34, CD90, CD45, CD38, and CD43. A fraction can be selected for further differentiation that is one or more of CD34⁺, CD90⁺ and/or CD45⁺, CD38⁺, and CD43⁺. In some embodiments, the stem cell population for differentiation to a hematopoietic lineage is at least about 80% CD34⁺, or at least about 90% CD34⁺, or at least about 95% CD34⁺.

In some embodiments, multi-potent hematopoietic stem cells (HSCs) self-renew and differentiate into two types of progenitor cells with specific lineage commitments. Like HSCs, human lineage-restricted progenitor cells also express CD34 and Flt-3/Flk-2. Myeloid progenitors (MPs), in human and mouse, express IL-3 R alpha and give rise to cells of the myeloid lineage including megakaryocytes, erythrocytes, granulocytes, and macrophages. Lymphoid progenitors (LPs) are cells that develop from HSCs and give rise to B cells, T cells, and Natural Killer (NK) cells. Human bone marrow LPs are CD34⁺CD38⁺Neprilysin⁺, and cord blood CLPs are CD34⁺CD38⁺CD7⁺.

In some embodiments, the cell populations are differentiated to hematopoietic lineage cells for administration to a recipient. In various embodiments, the hematopoietic lineage cells are selected from common lymphoid precursor (CLP) cells, granulocyte-monocyte progenitor (GMP) cells, progenitor-T cells, T lymphocytes, B lymphocytes, Natural Killer cells, neutrophils, monocyte, macrophages, red cells, megakaryocytes, and

platelets. In some aspects and embodiments, the disclosure provides a method for generating a CD7⁺ progenitor T cell population, or a derivative of this population. For example, the method comprises generating a hematopoietic stem cell (HSC) population comprising human long-term hematopoietic stem cells (LT-HSCs) from iPSCs (e.g., hiPSCs). The HSC population is derived by induction of endothelial-to-hematopoietic transition of CD34⁺ cells (e.g., CD34⁺ cells derived from embryoid bodies). The HSC population (or cells isolated therefrom) is cultured with a partial or full Notch ligand, sonic hedgehog (SHH), RetroNectin (or other extracellular matrix component(s)), and/or combinations thereof, to produce a population comprising CD7⁺ progenitor T cells or a derivative cell population.

10 The Notch signaling pathway regulates the formation, differentiation, and function of progenitor T-cells, pre-T cells, and/or mature T lymphocytes. *In vivo*, T cell development proceeds after lymphocyte progenitors differentiate from bone marrow hematopoietic stem cells and migrate to the thymus. Specialized thymic epithelial cells induce T cells to develop along a controlled pathway. Notch signaling plays a critical role during T lineage commitment in the thymus. As lymphoid progenitors enter the thymus, they encounter dense expression of Notch ligands on thymic epithelium that drives thymopoiesis. The present disclosure provides HSC populations generated *ex vivo* from iPSCs and which respond to Notch ligand, SHH, and/or component(s) of extracellular matrix, by robust production of T progenitor cells and T cell lineages *ex vivo*.

20 In some embodiments, the stem cell population, or CD34-enriched cells or fraction thereof, or derivative population are expanded as described in US 2020/0308540, which is hereby incorporated by reference in its entirety. For example, the cells are expanded by exposing the cells to an aryl hydrocarbon receptor antagonist including, for example, SR1 or an SR1-derivative. See also, Wagner et al., *Cell Stem Cell* 2016;18(1):144-55 and Boitano A., et al., Aryl Hydrocarbon Receptor Antagonists Promote the Expansion of Human Hematopoietic Stem Cells, *Science* 2010 Sep 10; 329(5997): 1345–1348.

25 In some embodiments, the compound that promotes expansion of CD34⁺ cells includes a pyrimidoindole derivative including, for example, UM171 or UM729 (see US 2020/0308540, which is hereby incorporated by reference).

30 In some embodiments, the stem cell population or CD34-enriched cells are further enriched for cells that express Periostin and/or Platelet Derived Growth Factor Receptor

Alpha (pdgfra) or are modified to express Periostin and/or pdgfra, as described in WO 2020/205969 (which is hereby incorporated by reference in its entirety). Such expression can be by delivering encoding transcripts to the cells, or by introducing an encoding transgene, or a transgene-free method, not limited to introducing a non-integrating episome to the cells. In some embodiments, gene editing is employed to introduce a genetic modification to expression elements in the cells, such as to modify promoter activity or strength, ribosome binding, RNA stability, or impact RNA splicing.

In still other embodiments, the stem cell population or CD34-enriched cells are cultured with an inhibitor of histone methyltransferase EZH1. Alternatively, EZH1 is partially or completely deleted or inactivated or is transiently silenced in the stem cell population. Inhibition of EZH1 can direct myeloid progenitor cells (e.g., CD34+CD45+) to lymphoid lineages. See WO 2018/048828, which is hereby incorporated by reference in its entirety. In still other embodiments, EZH1 is overexpressed in the stem cell population.

In various embodiments, the cell lines developed from primary cells or the cell lines derived from iPSC cell line or banks thereof are hematopoietic lineage cells. The hematopoietic lineage is selected from common lymphoid precursor (CLP) cells, granulocyte-monocyte progenitor (GMP) cells, progenitor-T cells, T lymphocytes, B lymphocytes, Natural Killer cells, neutrophils, monocyte, macrophages, red cells, megakaryocytes, and platelets.

In some embodiments, the HSC population or fraction thereof is differentiated *ex vivo* to progenitor T cells, T cells, NK cells, and/or fractions or analogous thereof.

In some embodiments, the HSC population or fraction thereof is cultured with a partial or full Notch ligand to produce a population comprising CD7+ progenitor T cells or a derivative cell population.

In some embodiments, the derivative cell population is a T cell, precursors, subtypes, and derivatives of T cells, or NK cell population.

In some embodiments, the cell population is cultured with a Notch ligand, partial or full, SHH, extracellular matrix component(s), and/or combinations thereof, *ex vivo*, to differentiate HSCs to CD7+ progenitor T cells, and optionally to a T cell lineage or other lineage (e.g., NK cell). Further, according to known processes, xenogenic OP9-DL1 cells are often employed for differentiation to T cells. The OP9-DL1 co-culture system uses a

bone marrow stromal cell line (OP9) transduced with the Notch ligand delta-like-1 (DLL1) to support T cell development from stem cell sources. The OP9-DL1 system limits the potential of the cells for clinical application. There is a need for feeder-cell-free systems that can generate T lymphocytes from hiPSCs for clinical use, and in some embodiments the present disclosure meets this objective.

The term “Notch ligand” as used herein refers to a ligand capable of binding to a Notch receptor polypeptide present in the membrane of a hematopoietic stem cell or progenitor T cell. The Notch receptors include Notch-1, Notch-2, Notch-3, and Notch-4. Notch ligands typically have a DSL domain (D-Delta, S-Serrate, and L-Lag2) comprising 20-22 amino acids at the amino terminus, and from 3 to 8 EGF repeats on the extracellular surface. In various embodiments, the Notch ligand comprises at least one of Delta-Like-1 (DLL1), Delta-Like-4 (DLL4), SFIP3, and Delta^{Max} (disclosed in PCT/US2020/041765 and PCT/US2020/030977, which are hereby incorporated by reference in their entirety) or a functional portion thereof. A key signal that is delivered to incoming lymphocyte progenitors by the thymus stromal cells *in vivo* is mediated by DL4, which is expressed by cortical thymic epithelial cells.

The earliest intrathymic progenitors express high levels of CD34 and CD7, do not express CD1a, and are triple-negative (TN) for mature T cell markers: CD4, CD8, and CD3. Commitment to the T cell lineage is associated with the expression of CD1a by CD7-expressing pro-thymocytes. Thus, immature stages of T-cell development are typically delineated as CD34⁺CD1a⁻ (most immature) and CD34⁺CD1a⁺ cells. The transition from CD34⁺CD7⁺CD1a⁻ to CD34⁺CD7⁺CD1a⁺ by early thymocytes is associated with T-cell commitment. CD34⁺CD7⁺CD1a⁺ cells are likely T-lineage restricted. Following this stage, thymocytes progress to a CD4 immature single positive stage, at which point CD4 is expressed in the absence of CD8. Thereafter, a subset of the cells differentiates to the CD4⁺CD8⁺ double positive (DP) stage. Finally, following TCR α rearrangement, TCR $\alpha\beta$ -expressing DP thymocytes undergo positive and negative selection, and yield CD4⁺CD8⁻ and CD4⁺CD8⁺ single positive (SP) T-cells.

In some embodiments, progenitor T cells are isolated by enrichment for CD7 expression. In some embodiments, progenitor T cells are expanded as described in US 2020/0308540, which is hereby incorporated by reference in its entirety. For example, the

cells may be expanded by exposing the cells to an aryl hydrocarbon receptor antagonist including, for example, SR1 or an SR1-derivative. See also, Wagner et al., *Cell Stem Cell* 2016;18(1):144-55. In some embodiments, the compound that promotes expansion includes a pyrimidoindole derivative including, for example, UM171 or UM729 (see US 5 2020/0308540, which is hereby incorporated by reference).

Differentiation to progenitor T cells can further include in some embodiments the presence of stem cell factor (SCF), Flt3L and interleukin (IL)-7. In various embodiments, CD7⁺ progenitor T cells created express CD1a. The CD7⁺ progenitor T cells do not express CD34 or express a diminished level of CD34 compared to the HSC population. In some 10 embodiments, the CD7⁺ progenitor T cells (or a portion thereof) further express CD5. Accordingly, the phenotype of the progenitor T cells may be CD7⁺CD1a⁺. In some embodiments, the phenotype of the progenitor T cells is CD7⁺CD5⁺. In some embodiments, the progenitor T cells are CD7⁺CD1a⁺CD5⁺, and optionally CD34⁺. In some embodiments, the progenitor T cells are CD7⁺CD1a⁺CD5, and optionally CD34⁺.

15 In some embodiments, the progenitor T cells exhibit a diminished level of CD34 expression, minimal CD34 expression (compared to the HSC population), or no CD34 expression. In some embodiments, CD34 expression is diminished in the population by at least about 50%, or at least about 75%, relative to the HSC population.

In some embodiments, the Notch ligand is an anti-Notch (agonistic) antibody that 20 can bind and engage Notch signaling. In some embodiments, the antibody is a monoclonal antibody (including a human or humanized antibody), a single chain antibody (scFv), a nanobody, or other antibody fragment or antigen-binding molecule capable of activating the Notch signaling pathway.

In some embodiments, the Notch ligand is a Delta family Notch ligand. The Delta 25 family ligand in some embodiments is Delta-1 (Genbank Accession No. AF003522, *Homo sapiens*), Delta-like 1 (DLL1, Genbank Accession No. NM_005618 and NP_005609, *Homo sapiens*; Genbank Accession No. X80903, 148324, *M. musculus*), Delta-4 (Genbank Accession No. AF273454, BAB18580, *Mus musculus*; Genbank Accession No. AF279305, AAF81912, *Homo sapiens*), and/or Delta-like 4 (DLL4; Genbank Accession. No. Q9NR61, 30 AAF76427, AF253468, NM_019074, *Homo sapiens*; Genbank Accession No. NM 019454,

Mus musculus). Notch ligands are commercially available or can be produced, for example, by recombinant DNA techniques.

In some embodiments, the Notch ligand comprises an amino acid sequence that is at least about 70%, or at least about 80%, or at least about 90%, or at least about 95%, or at least about 97% identical (e.g., about 100% identical) to human DLL1 or DLL4 Notch ligand. Functional derivatives of Notch ligands (including fragments or portions thereof) will be capable of binding to and activating a Notch receptor. Binding to a Notch receptor may be determined by a variety of methods known in the art including in vitro binding assays and receptor activation/cell signaling assays.

In some embodiments, the Notch ligand is a DLL4 having one or more affinity enhancing mutations, such as one or more (or all) of: G28S, F107L, I143F, H194Y, L206P, N257P, T271L, F280Y, S301R and Q305P, with respect to hDLL4. See Gonzalez-Perez, et al., Affinity-matured DLL4 ligands as broad-spectrum modulators of Notch signaling, *Nature Chemical Biology* (2022).

In various embodiments, the Notch ligands are soluble, and are optionally immobilized on microparticles or nanoparticles, which are optionally paramagnetic to allow for magnetic enrichment or concentration processes. In still other embodiments, the Notch ligands are immobilized on a 2D or 3D culture surface, optionally with other adhesion molecules such as VCAM-1. See US 2020/0399599, which is hereby incorporated by reference in its entirety. In other embodiments, the beads or particles are polymeric (e.g., polystyrene or PLGA), gold, iron dextran, or constructed of biological materials, such as particles formed from lipids and/or proteins. In various embodiments, the particle has a diameter or largest dimension of from about 0.01 μm (10 nm) to about 500 μm (e.g., from about 1 μm to about 7 μm). In still other embodiments, polymeric scaffolds with conjugated ligands can be employed, as described in WO 2020/131582, which is hereby incorporated by reference in its entirety. For example, scaffold can be constructed of polylactic acid, polyglycolic acid, PLGA, alginate or an alginate derivative, gelatin, collagen, agarose, hyaluronic acid, poly(lysine), polyhydroxybutyrate, poly-epsilon-caprolactone, polyphosphazines, poly(vinyl alcohol), poly(alkylene oxide), poly(ethylene oxide), poly(allylamine), poly(acrylate), poly(4-aminomethylstyrene), pluronic polyol, polyoxamer, poly(uronic acid), poly(anhydride), poly(vinylpyrrolidone), and any

combination thereof. In some embodiments, the scaffold comprises pores having a diameter between about 1 μ m and 100 μ m.

In some embodiments, the C-terminus of the Notch ligand is conjugated to the selected support. In some embodiments, this can include adding a sequence at the C-terminal end of the Notch ligand that can be enzymatically conjugated to the support, for example, through a biotin molecule. In another embodiment, a Notch ligand-Fc fusion is prepared, such that the Fc segment can be immobilized by binding to protein A or protein G that is conjugated to the support. Of course, any of the known protein conjugation methods can be employed.

Thus, in various embodiments, the Notch ligand is immobilized, functionalized, and/or embedded in 2D or 3D culture system. The Notch ligand may be incorporated along with a component of extracellular matrix, such as one or more selected from fibronectin, RetroNectin, and laminin. In some embodiments, the Notch ligand and/or component of extracellular matrix are embedded in inert materials providing 3D culture conditions. Exemplary materials include, but are not limited to, cellulose, alginate, and combinations thereof. In some embodiments, the Notch ligand, a component of extracellular matrix, or combinations thereof, are in contact with culture conditions providing topographical patterns and/or textures (e.g., roughness) to cells conducive to differentiation and/or expansion.

In some embodiments, cell populations or banks are differentiated to progenitor T cells by culture in medium comprising TNF- α and/or antagonist of aryl hydrocarbon / dioxin receptor (SR1), and in the presence of Notch ligand. See US 2020/0390817, US 2021/0169934, and US 2021/0169935, which are hereby incorporated by reference in its entirety. In some embodiments the HSCs are cultured in a medium comprising TNF- α , IL-7, thrombopoietin (TPO), Flt3L, and stem cell factor (SCF), and optionally SR1, in the presence of an immobilized Delta-Like-4 ligand and a fibronectin fragment. In some embodiments, the cells are cultured with RetroNectin, which is a recombinant human fibronectin containing three functional domains: the human fibronectin cell-binding domain (C-domain), heparin-binding domain (H-domain), and CS-1 sequence domain. In some embodiments, cells are cultured in the presence of an immobilized Delta-Like-4 ligand and a RetroNectin. In some embodiments, cells are cultured in the presence of an immobilized Delta-Like-4 ligand, TNF-alpha, and a RetroNectin. In some embodiments, cells are cultured

in the presence of an immobilized Delta-Like-1 ligand and a RetroNectin. In some embodiments, cells are cultured in the presence of SFIP3 and RetroNectin. In some embodiments, cells are cultured in the presence of an immobilized Delta-Like-4 ligand and SHH molecules and/or functional derivatives thereof. Exemplary fibronectin fragments
5 include one or more RGDS, CS-1, and heparin-binding motifs. Fibronectin fragments can be free in solution or immobilized to the culture surface or on particles. In some embodiments, cells are cultured for 5 to 7 days to prepare CD7⁺ progenitor T cells.

In various embodiments, the method produces progenitor T cells, or a T cell lineage, by culturing the HSC population with the Notch ligand (including any of the embodiments
10 described above) with or without component(s) extracellular matrix, and optionally adding TNF-alpha to the culture at certain stages of differentiation. Thus, cells created in some embodiments are progenitor or precursor cells committed to the T cell lineage ("progenitor T cells"). In some embodiments, the cells are CD7⁺ progenitor T cells. In some embodiments, the cells are CD25⁺ immature T cells, or cells that have undergone CD4 or
15 CD8 lineage commitment. In some embodiments, the cells are CD4⁺CD8⁺ double positive (DP), CD4⁺CD8⁺, or CD4⁺CD8⁻. In some embodiments, the cells are single positive (SP) cells that are CD4⁺CD8⁺ or CD4⁺CD8⁻ and TCR^{hi}. In some embodiments, the cells are TCRαβ⁺ and/or TCRγΔ⁺. In various embodiments, the cells are CD3⁺.

The adoptive transfer of progenitor T cells is a strategy for enhancing T cell
20 reconstitution. Progenitor T cells are developmentally immature and undergo positive and negative selection in the host thymus. Thus, they become restricted to the recipient's major histocompatibility complex (MHC) yielding host tolerant T cells that can bypass the clinical challenges associated with graft-versus-host disease (GVHD). Importantly, engraftment with progenitor T cells restores the thymic architecture and improves subsequent thymic
25 seeding by HSC-derived progenitors. In addition to its intrinsic regenerative medicine properties, progenitor T cells can also be engineered with T cell receptors (TCRs) and chimeric antigen receptors (CARs) (via either gene or mRNA delivery) to confer specificity to tumor-associated antigens.

In various embodiments, the progenitor T cells are further cultured under suitable
30 conditions to generate cells of a desired T cell lineage, including with one or more Notch ligands. For example, the cells can be cultured in the presence of one or more Notch ligands

as described for a sufficient time to form cells of the T cell lineage. In some embodiments, stem cells or progenitor T cells are cultured in suspension with soluble Notch ligand or Notch ligand conjugated to particles or other supports, or Notch ligand expressing cells. In some embodiments, the progenitor T cells or stem cells are cultured in suspension or in adherent
5 format in a bioreactor, optionally a closed or a closed, automated bioreactor, with a soluble or conjugated Notch ligand in suspension. One or more cytokines, extracellular matrix component(s), and thymic niche factor(s) that promote commitment and differentiation to the desired T cell lineage may also be added to the culture or reactor. Such cytokines or factors are known in the art. In various embodiments, the HSC population is cultured with
10 the Notch ligand for about 4 to about 21 days, or from about 6 to about 18 days, or from about 7 to about 14 days to generate progenitor T cells. In some embodiments, the stem cell population or derivative thereof is cultured for at least about 21 days or at least about 28 days to generate mature T cell lineages or NK cells.

In various embodiments, the cell populations such as an HSC population is cultured
15 in an artificial thymic organoid (ATO). See, Hagen, M. et al. (2019). The ATO will include culture of HSCs (or aggregates of HSCs) with a Notch ligand-expressing stromal cell line in serum-free conditions. The artificial thymic organoid is a 3D system, inducing differentiation of hematopoietic precursors to naive $CD3^+CD8^+$ and $CD3^+CD4^+$ T cells.

In various embodiments, the method comprises generating a derivative of the
20 progenitor T cells or generating a T cell lineage from the progenitor T cells. In certain embodiments, the derivative of the progenitor T cell or T cell lineage expresses CD3 and a T cell receptor. In some embodiments, the T cell lineage is $CD8^+$ and/or $CD4^+$. For example, T cells lineages can include one or more of $CD8^+CD4^-$, $CD8^-CD4^+$, $CD8^+CD4^+$, and $CD8^-CD4^-$ cells. In some embodiments, the iPSCs, $CD34^+$ cells, or derivatives thereof are
25 modified to express a chimeric antigen receptor (CAR) at progenitor-T, T-cell, and/or NK cell level.

In some embodiments, the T cell lineage is a regulatory T cell. T regulatory cells (or T regs) are defined as $CD4^+CD25^+$. Tregs control the immune response to self and foreign antigens and help prevent autoimmune disease. Differentiation of progenitor T cells to Tregs
30 in some embodiments involves ectopic expression of FOXP3 and culturing the progenitor T cells or Treg precursors with one or more growth factors, such as but not limited to IL-2.

In some embodiments, the cell populations or banks of expanded primary cells, or derivatives of iPSCs (e.g., HSC population) are differentiated to B lymphocytes ("B cells"). For example, culturing CD34+ or CD34+CD43+ cells with MS5 stromal cells or S17 stromal cells (e.g., for 15-25 days, or about 21 days) can generate a B-lymphoid identity with expression of CD19, CD45, and CD10. See Carpenter L. et al., Human induced pluripotent stem cells are capable of B-cell lymphopoiesis, *Blood* 117(15):4008-4011. Dubois F. et al., Toward a better definition of hematopoietic progenitors suitable for B cell differentiation, *Plos One* Dec. 15, 2020. In various embodiments, the B cells produced according to this disclosure express surface IgM (sIgM) and undergo VDJ rearrangement. In various
5
10
embodiments, B cells produced according to this disclosure will engraft in the spleen and secondary lymphoid tissues of a subject for maturation.

In some embodiments, the cell populations are differentiated to monocytes, macrophages, or neutrophils. For example, erythromyeloid precursors (EMP) (CD43+CD45+) may be generated by culture with IL-6, IL-3, thyroid peroxidase (TPO), SCF, FGF2, and VEGF, followed by differentiation to monocytes. Differentiation to monocytes to employ culture with M-CSF, IL-3, and IL-6. See Cao X et al., Differentiation and Functional Comparison of Monocytes and Macrophages from hiPSCs with Peripheral Blood Derivatives, *Stem Cell Reports*. 2019 Jun 11; 12(6): 1282–1297. Monocytes and macrophage lineages prepared according to this disclosure are CD14+ and will exhibit
15
20
endocytosis and phagocytic functions. In some embodiments, macrophages are polarized *ex vivo* to the M1 (pro-inflammatory) or M2 (immunosuppressive) phenotype. In some embodiments, CD45+ hematopoietic cells with phagocytic markers, such as CD33 and CD11b, are generated, and optionally subsequently to cells with neutrophil specific markers, such as CD66b, CD16b, GPI-80, etc., by differentiation of iPSC derived hCD34+ cells.
25
These processes can employ differentiation media containing mixtures of cytokines and growth factors, including but not limited to SCF, IL3, FLT3, IL6, GM-CSF, G-CSF, EPO, TPO, and/or combinations thereof. In some embodiments, neutrophils and their precursors are generated by methods described in: Saeki L., et al., A Feeder-Free and Efficient Production of Functional Neutrophils from Human Embryonic Stem Cells, *Stem Cells* Vol. 27, Issue 1, 2009, Pages 59–67; Morishima T. et al., Neutrophil differentiation from human-induced pluripotent stem cells. *J. Cell. Physiol.* 226: 1283–1291, 2011; Yokoyama Y. et al.,
30

Derivation of functional mature neutrophils from human embryonic stem cells. *Blood* 2009 Jun 25;113(26):6584-92; and Sweeney CL et al., Generation of functionally mature neutrophils from induced pluripotent stem cells. *Methods Mol Biol* 2014; 1124:189-206.

In some embodiments, the HSC population or fraction thereof are differentiated to megakaryocytes or platelets. For example, megakaryocytes (as a renewable source for platelets) can be prepared from the HSCs or fraction thereof by culture with SCF, IL-11, and TPO for several days (e.g., about 5 days). Alternatively, other cytokines and growth factors such as IL-3, IL-6, SDF-1, and FGF-4 can be employed. Megakaryocytes will be CD42b+CD61+. See Liu L., Efficient Generation of Megakaryocytes From Human Induced Pluripotent Stem Cells Using Food and Drug Administration-Approved Pharmacological Reagents, *Stem Cells Transl Med.* 2015 Apr; 4(4): 309–319. Platelets can be further generated from megakaryocytes by culture in serum free media with IL-11. CD41+CD42a+ platelet-like-particles are recovered from the media.

In some embodiments, the derivative of the progenitor T cell is a natural killer (NK) cell. In some embodiments, NK cells are generated from progenitor T cells as described in US 10,266,805, which is hereby incorporated by reference in its entirety. For example, the progenitor T cells can give rise to NK cells when cultured with IL-15. In some embodiments, the NK cell expresses a CAR, based on gene editing of iPSC, embryonic bodies, hCD34+ cells, or NK cells, or via mRNA expression in NK cells.

In some embodiments, the HSC population or fraction thereof is differentiated to red cells or derivatives thereof. Red cells produced according to this disclosure can be administered or used in therapy, for example, for an inherited or acquired red cell disorder, bone marrow failure disorder, high-altitude-related physiological and pathological condition, conditions related to chemicals or radiation exposure, and/or for treatment of subjects undergoing HSC transplant. In further embodiments, the red cells prepared according to this disclosure are provided as a pharmaceutical acceptable composition delivering or encapsulating drugs (including but not limited to enzymes), oxygen carriers, or other suitable materials to treat human disease or physiological or pathological conditions.

In other aspects, the disclosure provides a cell population, or pharmaceutically acceptable composition thereof, according to this disclosure. In some embodiments, the cell population is a lymphocyte population capable of engraftment in a thymus, spleen, or

secondary lymphoid organ upon administration to a subject in need. In various embodiments, the composition for cellular therapy is prepared that comprises the desired cell population a pharmaceutically acceptable vehicle.

In some embodiments, the cell composition comprises an iPSC or HSC cell population (or population differentiated therefrom) that is HLA-A^{neg}, HLA-DPB1^{neg}, and HLA-DQB1^{neg}. Despite such gene deletions and/or gene edits, the iPSCs or HSCs and cells derived (e.g., differentiated therefrom) retain full antigen presenting functionality and ability to differentiate from precursors to hematopoietic lineages (as described herein). Cell compositions of this aspect provide advantages in HLA matching for a recipient, to avoid, for example, GVHD. In various embodiments, the population is homozygous for both HLA-B and HLA-C. In some embodiments, the population is homozygous for HLA-DRB1. In embodiments, the cells of the composition have an HLA haplotype as described herein.

In various embodiments, the cells of the HSC composition are at least about 50% CD34+, or at least about 60% CD34+, or at least about 75% CD34+, or at least about 80% CD34+, or at least about 85% CD34+, or at least about 90% CD34+, or at least about 95% CD34+. In addition, in embodiments, at least about 50%, or at least about 60%, or at least about 75%, or at least about 80%, or at least about 85%, or at least about 90%, or at least about 95% cells in the composition are one or more of CD90+ and CD45+.

The pharmaceutical composition may comprise at least about 10^2 cells, or at least about 10^3 , or at least about 10^4 , or at least about 10^5 , or at least about 10^6 , or at least about 10^7 , or at least about 10^8 cells, or at least about 10^9 cells, or at least about 10^{10} cells, or at least about 10^{11} cells, or at least about 10^{12} cells, or at least about 10^{13} cells, or at least about 10^{14} cells. For example, in some embodiments, the pharmaceutical composition is administered, comprising HSCs of from about 100,000 to about 400,000 cells per kilogram of recipient body weight (e.g., about 200,000 cells /kg). In other embodiments, cells are administered at from about 10^5 to about 5×10^5 cells per kilogram (e.g., about 2.5×10^5 cells /kg), or from about 10^6 to about 5×10^6 cells per kilogram (e.g., about 2.5×10^6 cells /kg), or from about 5×10^6 to about 10^7 cells per kilogram (e.g., about 5×10^6 cells /kg) or from about 10^7 to about 10^8 cells per kilogram (e.g., about 5×10^7 cells /kg) or from about 10^8 to about 10^9 cells per kilogram (e.g., about 5×10^8 cells /kg) or from about 10^9 to about 10^{10} cells per kilogram or from about 10^{10} to about 10^{11} cells or from about 10^{11} to about 10^{12} cells per

kilogram or from about 10^{12} to about 10^{13} cells per kilogram or from about 10^{13} to about 10^{14} cells per kilogram of a recipient's body weight.

The cell composition of this disclosure may further comprise a pharmaceutically acceptable carrier or vehicle suitable for intravenous infusion or other administration route, and the composition may include a suitable cryoprotectant. An exemplary carrier is DMSO (e.g., about 10% DMSO). Cell compositions may be provided in unit vials or bags and stored frozen until use. In certain embodiments, the volume of the composition is from about one fluid ounce to one pint.

In some embodiments, this disclosure provides a CD7+ progenitor T cell, or pharmaceutically acceptable composition thereof, where the CD7+ progenitor T cell produced by a method disclosed herein. In various embodiments, the progenitor T cell is capable of engraftment in a thymus or spleen of a recipient. Progenitor T cells have the potential to decrease the risk of relapse of leukemia or other types of cancer in bone marrow transplant patients and to decrease the number of infections post-transplant that cause significant morbidity and mortality in patients. In another aspect, this disclosure provides a derivative of the progenitor T cell or T cell lineage produced by a method disclosed herein, or a pharmaceutically acceptable composition thereof.

In some embodiments, the cell population is a T cell population (or progenitor T cell population) or NK cell population, which are useful for adoptive cell therapy, for example, for human subjects having a condition selected from lymphopenia, a cancer, an immune deficiency, a viral infection, an autoimmune disease (particularly where the T cell population comprises Tregs), a skeletal dysplasia, a bone marrow failure syndrome, or a genetic disorder that impairs T cell development or function. Exemplary genetic disorders can impact the immune system, manifesting as an immunocompromised state, or autoimmune or pro-inflammatory state. In some embodiments, the subject has cancer, which is optionally a hematological malignancy or a solid tumor. In some embodiments, the T cell is a CAR-T cell.

In some embodiments, the cell population is a B lymphocyte population, and is capable of engraftment in a spleen or secondary lymphoid tissue of a subject. B-cell populations according to this disclosure have the potential to partially reconstitute humoral immunity in an immune compromised patient, for example, providing protection from or

treatment for infectious diseases, including viral, bacterial, fungal, or parasite infection. In various embodiments, the B cells according to this disclosure are capable of differentiation to plasma cells for production of antigen-specific antibodies *in vivo*. In other embodiments, B cells produced according to this disclosure can be employed for cancer immunotherapy.

5 In some embodiments, chimeric antigen B cells (CAR B cells) are prepared by gene modifications at iPSC, embryonic bodies, hCD34+ cells, hematopoietic progenitor cell, or B cell level. CAR B cells express a surface BCR and/or secrete a recombinant monoclonal antibody that recognizes a target antigen, such as a cancer antigen or an infectious disease antigen. In still other embodiments, B cells produced according to this disclosure are used

10 for *ex vivo* production of antibodies (e.g., vaccine antibodies for providing protection from an infectious agent).

In some embodiments, the cell population is a monocyte or macrophage cell population, and the cell population is capable of engraftment and maturation in various tissues of a subject, including tumors. In various embodiments, the monocyte or macrophage

15 cell population is able to form tissue resident macrophages in a subject. In various embodiments, the macrophages are predominately of the M1 (pro-inflammatory) or M2 (immunosuppressive) phenotype. In various embodiments, the subject in need to treatment has a cancer of any of various tissues or organs, liver or kidney inflammatory disease, or bacterial infection (e.g., sepsis or infection or colonization of an indwelling medical device).

20 In some embodiments, the cell population is a megakaryocyte population, or is platelets developed therefrom. These cells or platelets are useful for treating inherited platelet defects, impacting for example, coagulation pathways.

In some embodiments, the cell population is a red cell population.

In still other embodiments, the iPSCs are differentiated to non-hematopoietic stem

25 cells or precursor cells, or cells or tissues differentiated therefrom. Such cells include mesenchymal stem cells, neural stem cells, epithelial stem cells, neuronal cells (or precursors thereof) (including cortical, dopaminergic, and motor neurons, or precursors thereof), astrocytes (or precursors thereof), oligodendrocytes (or precursors thereof), cardiomyocytes (or precursors thereof), skeletal muscle cells (or precursors thereof), hepatocytes (or

30 precursors thereof), pancreatic β cells (or precursors thereof), and lung epithelial cells (or precursors thereof).

The cell composition of this disclosure may further comprise a pharmaceutically acceptable excipient or a carrier. Such excipients or carrier solutions also can contain buffers, diluents, and other suitable additives. A buffer refers to a solution or liquid whose chemical makeup neutralizes acids or bases without a significant change in pH. Examples of buffers envisioned by the disclosure include, but are not limited to, normal/physiologic saline (0.9% NaCl), 5% dextrose in water (D5W), Dulbecco's phosphate buffered saline (PBS), Ringer's solution. Pharmaceutically acceptable carrier can be selected from, but not limited to, a filler (e.g., polyacrylates, microcrystalline cellulose, pectin, gelatin, calcium sulfate, ethyl cellulose, lactose and other sugars, calcium hydrogen phosphate, etc.), a binding agent (e.g., polyvinylpyrrolidone, pregelatinized maize starch or hydroxypropyl methylcellulose, etc.), a disintegrant (e.g., sodium starch glycolate, starch, etc.), or a wetting agent (e.g., sodium lauryl sulfate (SDS), etc.). a lubricant (e.g., talc, silica, magnesium stearate, stearic acid, colloidal silicon dioxide, metallic stearates, corn starch, hydrogenated vegetable oils, polyethylene glycols, sodium benzoate, sodium acetate, etc.). Other suitable pharmaceutically acceptable carriers for the compositions of the present disclosure include, but are not limited to, alcohols, water, silicic acids, salt solutions, gelatins, polyethylene glycols, amyloses, magnesium stearates, talc, hydroxy methylcelluloses, viscous paraffins, polyvinylpyrrolidones and the like. Further it may comprise a vehicle suitable for intravenous infusion or other administration route (intra-arterially or intravenous injection, subcutaneous injection, with collagen sponge seeding with fibril glue seeding, with nanoparticles), and the composition may include a suitable cryoprotectant. An exemplary carrier is DMSO (e.g., about 10% DMSO) Other carriers may include dimethoxy ethane (DME), N,N-dimethylformamide (DMF), or dimethylacetamide, including mixtures or combinations thereof. Cell compositions may be provided in implantable devices (e.g., scaffolds) or in bags or in vials, tubes or a container in an appropriate volume and stored frozen until use.

The pharmaceutical compositions for use in the disclosed methods may also contain additional therapeutic agents for treatment of the particular targeted disorder. For example, a pharmaceutical composition may also include cytokines and growth factors (interleukins, interferons, FGF, VEGF, PDGF, PIGF, STAT etc.). Such additional factors and/or agents may be included in the pharmaceutical composition to produce advantages of the therapeutic

approaches disclosed herein, i.e., provide improved therapeutic efficacy with reduced systemic toxicity.

Routes of administration of the derivatives of cell line(s) or banks of expanded primary cells or derivatives of iPSC cells or banks thereof (e.g., HSCs or progenies thereof) could be by any suitable means, including but not limited to, parenteral, subcutaneous, intraperitoneal, intrapulmonary, and intranasal, and, if desired for local immunosuppressive treatment, intralesional administration. Parenteral infusions include intramuscular, intravenous, intraarterial, intraperitoneal, or subcutaneous administration. In addition, the cells (e.g., HLA modified iPSCs or progenitors or progenies thereof) may suitably be administered by pulse infusion, e.g., with declining doses of the cells (e.g., HLA modified iPSCs or HSCs and progenitors or progenies thereof). In some embodiments the dosing is given by injections, for example via intravenous or subcutaneous injections, depending in part on whether the administration is brief or chronic.

The derivatives of cell line(s) or banks of expanded primary cells (e.g., HSCs and progenies thereof) can be formulated, dosed, and administered in a fashion consistent with good medical practice. Factors for consideration in this context include the particular disease or disorder being treated, the particular mammal being treated (e.g., human), the clinical condition of the individual patient, the cause of the disease or disorder, the site of delivery of the agent, the method of administration, the scheduling of administration, and other factors known to medical practitioners. The therapeutically effective amount of the cells (HSCs or progenitors or progenies derived from the cell line(s) or banks of expanded primary cells or derivatives of iPSC cells or banks thereof) to be administered will be governed by such considerations.

Administration may be in a single dose or may be multiple doses delivered in intervals of 3 to 4 hours, 1-4 times a day, 1-4 times a week; 1-4 times a month, 1-7 times a month, or administration occurs once every 3 or 4 weeks for several months.

One may administer other compounds, such as cytotoxic agents, immunosuppressive agents and/or cytokines or growth factors (e.g., stem cell factor, thrombopoietin, transforming growth factor (TGF)- α or β , fibroblast growth factors (FGF), angiopoietin (Ang) family of growth factors, insulin-like growth factors, granulocyte-macrophage colony-stimulating factor, TNF- α or β , VEGF, interleukins (e.g., IL-2, 6, 7, 8 10, 12, 15

etc.,) and interferons (e.g., INF-alpha or gamma)) with the cells (e.g., HLA modified iPSC-derived HSCs or progenitors or progenies thereof) herein. The combined administration includes co-administration, using separate formulations or a single pharmaceutical formulation, and consecutive administration in either order, wherein preferably there is a
5 time period while both (and all) active agents simultaneously exert their biological activities.

Therapeutic formulations of the cells (e.g., derivatives of cell line(s) or banks of expanded primary cells, such as HSCs and progenies thereof) used in accordance with the present disclosure are prepared for storage by mixing cells (e.g., iPSC-derived HSCs or progenitors or progenies thereof) having the desired degree of purity with optional
10 pharmaceutically acceptable carriers, excipients or stabilizers, such acceptable carriers, excipients or stabilizers are disclosed in Remington: The Science and Practice of Pharmacy, Twenty Third Edition: Elsevier (2020), incorporated herein in its entirety by reference, in the form of lyophilized formulations or aqueous solutions. Acceptable carriers, excipients, or stabilizers are nontoxic to recipients at the dosages and concentrations employed, and
15 include buffers such as phosphate, citrate, and other organic acids; antioxidants including ascorbic acid and methionine; preservatives (such as octadecyl dimethyl benzyl ammonium chloride; hexamethonium chloride; benzalkonium chloride, benzethonium chloride; phenol, butyl or benzyl alcohol; alkyl parabens such as methyl or propyl paraben; catechol; resorcinol; cyclohexanol; 3-pentanol; and m-cresol); low molecular weight (less than about
20 10 residues) polypeptides; proteins, such as serum albumin, gelatin, or immunoglobulins; hydrophilic polymers such as polyvinylpyrrolidone; amino acids such as glycine, glutamine, asparagine, histidine, arginine, or lysine; monosaccharides, disaccharides, and other carbohydrates including glucose, mannose, or dextrin; chelating agents such as EDTA; sugars such as sucrose, mannitol, trehalose or sorbitol; salt-forming counter-ions such as
25 sodium; metal complexes (e.g. Zn-protein complexes); and/or non-ionic surfactants such as TWEENTM, PLURONICSTM or polyethylene glycol(PEG), for example, a PEG chain having a molecular weight between 1,000-15,000 Daltons, or between 2,000 and 10,000 Daltons, or between 2,000 and 5,000 Daltons. Other hydrophilic polymers which may be suitable include polyvinylpyrrolidone, polymethyloxazoline, polyethyloxazoline,
30 polyhydroxypropyl methacrylamide, polymethacrylamide and polydimethylacrylamide,

polylactic acid, polyglycolic acid, and derivatized celluloses, such as hydroxymethylcellulose or hydroxyethylcellulose.

Lyophilized formulations adapted for subcutaneous administration are also contemplated by the disclosure. Such lyophilized formulations may be reconstituted with a suitable diluent to an optimal concentration and the reconstituted formulation may be administered subcutaneously to the mammal to be treated herein.

The formulation herein may also contain more than one active agent as necessary for the particular indication being treated, preferably those with complementary activities that do not adversely affect each other. For example, it may be desirable to further provide a cytotoxic agent, cytokine, or immunosuppressive agent. The effective amount of such other agents depends on the amount of acceptable carriers, excipients, or stabilizers, present in the formulation, the type of disease or disorder or treatment, and other factors discussed above. These are generally used in the same dosages and with administration routes as used hereinbefore or about from 1 to 99% of the heretofore employed dosages.

Agents such as hormones, growth factors and cytokines antibodies that may be co-administered with the derivatives of cell line(s) or banks of expanded primary cells (e.g., iPSC-derived HSCs or progenitors or progenies thereof) of the present disclosure includes molecules such as renin; a growth hormone, including human growth hormone and bovine growth hormone; growth hormone releasing factor; parathyroid hormone; thyroid stimulating hormone; lipoproteins; alpha-1-antitrypsin; insulin A-chain; insulin B-chain; proinsulin; follicle stimulating hormone; calcitonin; luteinizing hormone; glucagon; clotting factors such as factor vmc, factor IX, tissue factor (TF), and von Willebrands factor; anti-clotting factors such as Protein C; atrial natriuretic factor; lung surfactant; a plasminogen activator, such as urokinase or human urine or tissue-type plasminogen activator (t-PA); bombesin; thrombin; hemopoietic growth factor; tumor necrosis factor-alpha and -beta; enkephalinase; RANTES (regulated on activation normally T-cell expressed and secreted); human macrophage inflammatory protein (MIP-1-alpha); a serum albumin, such as human serum albumin; Muellerian-inhibiting substance; relaxin A-chain; relaxin B-chain; prorelaxin; mouse gonadotropin-associated peptide; a microbial protein, such as beta-lactamase; DNase; IgE; a cytotoxic T-lymphocyte associated antigen (CTLA), such as CTLA-4; inhibin; activin; vascular endothelial growth factor (VEGF); receptors for

hormones or growth factors; protein A or D; rheumatoid factors; a neurotrophic factor such as bone-derived neurotrophic factor (BDNF), neurotrophin-3, -4, -5, or -6 (NT-3, NT4, NT-5, or NT-6), or a nerve growth factor such as NGF-beta; platelet-derived growth factor (PDGF); fibroblast growth factor such as aFGF and bFGF; fibroblast growth factor receptor 2 (FGFR2), epidermal growth factor (EGF); transforming growth factor (TGF) such as TGF-alpha and TGF-beta, including TGF-beta1, TGF-beta2, TGF-beta3, TGF-beta4, or TGF-beta5; bone morphogenetic protein (BMP), including BMP1, BMP6, BMP7, and BMP-receptor 2; insulin-like growth factor-I and -II (IGF-I and IGF-II); des(1-3)-IGF-I (brain IGF-I), insulin-like growth factor binding proteins, hepatocyte growth factor (HGF),
 10 EpCAM, GD3, FLT3, PSMA, PSCA, MUC1, MUC16, STEAP, CEA, TENB2, EphA receptors, EphB receptors, folate receptor, FOLR1, mesothelin, cripto, alphavbeta6, integrins, VEGF, VEGFR, EGFR, transferrin receptor, IRTA1, IRTA2, IRTA3, IRTA4, IRTA5; CD proteins such as CD2, CD3, CD4, CD5, CD6, CD8, CD11, CD14, CD19, CD20, CD21, CD22, CD25, CD26, CD28, CD30, CD33, CD36, CD37, CD38, CD40, CD44, CD52,
 15 CD55, CD56, CD59, CD70, CD79, CD80, CD81, CD103, CD105, CD134, CD137, CD138, CD152, TNF alpha, IFN alpha, GM-CSF, IL-3 or an antibody which binds to one or more tumor-associated antigens or cell-surface receptors; erythropoietin; osteoinductive factors; immunotoxins; a bone morphogenetic protein (BMP); an interferon, such as interferon-alpha, -beta, and -gamma; colony stimulating factors (CSFs), e.g., M-CSF, GM-CSF, and
 20 G-CSF; interleukins (ILs), e.g., IL-2, IL-6, IL-12, IL-23, IL-12/23 p40, IL-17, IL-15, IL-21, IL-1a, IL-1b, IL-18, IL-8, IL-4, IL-3, and IL-5; superoxide dismutase; T-cell receptors; surface membrane proteins; decay accelerating factor; viral antigen such as, for example, a portion of the HIV envelope; transport proteins; homing receptors; addressins; regulatory proteins; integrins, such as CD11a, CD11b, CD11c, CD18, an ICAM, VLA-4 and VCAM;
 25 a tumor associated antigen such as HER2, HER3 or HER4 receptor; endoglin, c-Met, c-kit, IGF1R, PSGR, NGEP, PSMA, PSCA, LGR5, B7H4, TAG72 (tumor-associated glycoprotein 72) and fragments of any of the above-listed polypeptides.

Examples of antibodies or fragments thereof that may be administered include, but are not limited to, anti-PD-L1 antibodies, abciximab (Reopro), adalimumab (Humira,
 30 Amjevita), alefacept (Amevive), alemtuzumab (Campath), basiliximab (Simulect), belimumab (Benlysta), bezlotoxumab (Zinplava), canakinumab (Ilaris), certolizumab pegol

(Cimzia), cetuximab (Erbix), daclizumab (Zenapax, Zinbryta), denosumab (Prolia, Xgeva), efalizumab (Raptiva), golimumab (Simponi, Simponi Aria), inflectra (Remicade), ipilimumab (Yervoy), ixekizumab (Taltz), natalizumab (Tysabri), nivolumab (Opdivo), olatumab (Lartruvo), omalizumab (Xolair), palivizumab (Synagis), panitumumab (Vectibix), pembrolizumab (Keytruda), rituximab (Rituxan), tocilizumab (Actemra), trastuzumab (Herceptin), secukinumab (Cosentyx), ranibizumab, abciximab, raxibacumab, caplacizumab, infliximab, bevacizumab, dabigatran, Idarucizumab, or ustekinumab (Stelara) or a combination thereof. Furthermore, the antibodies may be selected from anti-estrogen receptor antibody, anti-progesterone receptor antibody, anti-p53 antibody, anti-EGFR antibody, anti-cathepsin D antibody, anti-Bcl-2 antibody, anti-E-cadherin antibody, anti-CA125 antibody, anti-CA15-3 antibody, anti-CA19-9 antibody, anti-c-erbB-2 antibody, anti-P-glycoprotein antibody, anti-CEA antibody, anti-retinoblastoma protein antibody, anti-ras oncoprotein antibody, anti-Lewis X antibody, anti-Ki-67 antibody, anti-PCNA antibody, anti-CD3 antibody, anti-CD4 antibody, anti-CD5 antibody, anti-CD7 antibody, anti-CD8 antibody, anti-CD9/p24 antibody, anti-CD1-antibody, anti-CD11c antibody, anti-CD13 antibody, anti-CD14 antibody, anti-CD15 antibody, anti-CD19 antibody, anti-CD20 antibody, anti-CD22 antibody, anti-CD23 antibody, anti-CD30 antibody, anti-CD31 antibody, anti-CD33 antibody, anti-CD34 antibody, anti-CD35 antibody, anti-CD38 antibody, anti-CD39 antibody, anti-CD41 antibody, anti-LCA/CD45 antibody, anti-CD45RO antibody, anti-CD45RA antibody, anti-CD71 antibody, anti-CD95/Fas antibody, anti-CD99 antibody, anti-CD100 antibody, anti-S-100 antibody, anti-CD106 antibody, anti-ubiquitin antibody, anti-c-myc antibody, anti-cytokeratin antibody, anti-lambda light chains antibody, anti-melanosomes antibody, anti-prostate specific antigen antibody, anti-tau antigen antibody, anti-fibrin antibody, anti-keratins antibody, and anti-Tn-antigen antibody.

Co-administration does not require the therapeutic agents to be administered simultaneously, if the timing of their administration is such that the pharmacological activities of the additional therapeutic agent and the active ingredient(s) in the pharmaceutical composition overlap in time, thereby exerting a combined therapeutic effect. In general, each agent will be administered at a dose and on a time, schedule determined for that agent.

The present pharmaceutical compositions may be administered in any dose appropriate to achieve a desired outcome. In some embodiments, the desired outcome is a reduction in the intensity, severity, frequency, and/or delay of onset of one or more symptoms of infection. In some embodiments, the desired outcome is the inhibition or prevention of infection. The dose required will vary from subject to subject depending on the species, age, weight, and general condition of the subject, the severity of the infection being prevented or treated, the particular composition being used, and its mode of administration.

In some embodiments, pharmaceutical compositions in accordance with the present disclosure are administered in single or multiple doses. In some embodiments, the pharmaceutical compositions are administered in multiple doses administered on different days.

The active ingredients (e.g., HSCs or progenitors or progenies thereof derived from the cell line(s) or banks of expanded primary cells or derivatives of iPSC cells or banks thereof) may also be entrapped in microcapsules prepared, for example, by coacervation techniques or by interfacial polymerization, for example, hydroxymethylcellulose or gelatin-microcapsules and poly-(methylmethacrylate) microcapsules, respectively, in colloidal drug delivery systems (for example, liposomes, albumin microspheres, microemulsions, nanoparticles and nanocapsules) or in macroemulsions. Such techniques are well known to one of skill in the art and are disclosed in Remington: The Science and Practice of Pharmacy, Twenty Third Edition: Elsevier (2020).

Sustained-release preparations may be prepared. Suitable examples of sustained-release preparations include semi permeable matrices of solid hydrophobic polymers containing the HSCs, progenitors, or progenies thereof, which matrices are in the form of shaped articles, e.g., films, or microcapsules. Examples of sustained-release matrices include polyesters, hydrogels (for example, poly(2-hydroxyethyl-methacrylate), or poly(vinylalcohol)), polylactides (U.S. Pat. No. 3,773,919), copolymers of L-glutamic acid and gamma ethyl-L-glutamate, non-degradable ethylene-vinyl acetate, degradable lactic acid-glycolic acid copolymers such as the LUPRON DEPOTTM (injectable microspheres composed of lactic acid-glycolic acid copolymer and leuprolide acetate), and poly-D-(-)-3-hydroxybutyric acid.

The formulations to be used for in vivo administration must be sterile. This is readily accomplished by filtration through sterile filtration membranes and other techniques known to one of skill in the art.

As used herein, unless the context requires otherwise, the term “about” means $\pm 10\%$ of the associated numerical value.

Certain aspects and embodiments of this disclosure are further described with reference to the following examples.

EXAMPLES

Example 1: ETV2 over-expression increases the yield of hemogenic endothelial cells and enhances the CD34⁺ cell formulation during iPSC differentiation but does not affect pluripotency.

Methods

iPSCs were developed from hCD34⁺ cells by episomal reprogramming as known in the art and essentially as described in Yu, et al. Induced pluripotent stem cell lines derived from human somatic cells, *Science* 318, 1917-1920, (2007); and J. Yu, et al. Human induced pluripotent stem cells free of vector and transgene sequences. *Science* 324, 797-801, (2009). Embryoid Bodies and hemogenic endothelium differentiation was performed essentially as described in: R. Sugimura, et al., Haematopoietic stem and progenitor cells from human pluripotent stem cells. *Nature* 545, 432-438, (2017); C. M. Sturgeon, et al, Wnt signaling controls the specification of definitive and primitive hematopoiesis from human pluripotent stem cells. *Nat Biotechnol* 32, 554-561, (2014); J. Yu, et al. Induced pluripotent stem cell lines derived from human somatic cells. *Science* 318, 1917-1920, (2007); and J. Yu, et al. Human induced pluripotent stem cells free of vector and transgene sequences. *Science* 324, 797-801, (2009).

Briefly, hiPSC were dissociated and resuspended in media supplemented with L-glutamine, penicillin/streptomycin, ascorbic acid, human holo-Transferrin, monothioglycerol, BMP4, and Y-27632. Next, cells were seeded in 10 cm dishes (EZSPHERE or low attachment plate) for the EB formation. On Day 1, bFGF and BMP4 were added to the medium. On Day 2, the media was replaced with a media containing

SB431542, CHIR99021, bFGF, and BMP4. On Day 4, the cell media was replaced with a media supplemented with VEGF and bFGF. On day 6, the cell media was replaced with a media supplemented with bFGF, VEGF, IL-6, IGF-1, IL-11, SCF, and EPO. Cells were maintained in a 5% CO₂, 5% O₂, and 95% humidity incubator. To harvest the CD34⁺ cells, the EBs were dissociated on day 8, cells were filtered through a 70 µm strainer, and CD34⁺ cells were isolated by CD34 magnetic bead staining.

Results

An adenoviral vector containing both ETV2 and GFP sequences under the control of the EF1A promoter was used to transduce induced pluripotent stem cells (iPSCs). After the transduction, about 45% of the iPSC culture was observed to be GFP positive, thus confirming ETV2 overexpression (ETV2-OE). It was further observed that ETV2-OE in iPSC cells preserves the pluripotency properties of iPSCs as shown by the stemness marker expression TRA-1-60 (**FIG. 3**). **FIG. 3** shows FACS plots representative of transduction efficiency of iPSC with an adenoviral vector to overexpress the ETV2 and the GFP sequences.

Next, the ETV2-OE-iPSCs were differentiated (along with control iPSCs transduced with a vector bearing the GFP sequence without ETV2) to embryoid bodies and subsequently to hemogenic endothelial cells (Strugeon *et al.*, 2014). The results suggest that the overexpression of ETV2 boosts the formation of hemogenic endothelial cells as demonstrated by the expression of the CD34⁺ and CD31⁺ markers within the CD235a⁻ population (**FIG. 4**). Specifically, **FIG. 4** shows representative flow cytometric analysis of hemogenic endothelial cells (defined here as CD235a⁻CD34⁺CD31⁺) and relative quantification demonstrates that ETV2-OE enhances the formation of hemogenic endothelial cells as compared to controls.

Moreover, the results suggest that ETV2-OE enhances the formation of the CD34⁺ cells (**FIG. 5**). **FIG. 5** shows representative flow cytometric analysis of CD34⁺ cells and relative quantification demonstrates that ETV2-OE enhances the CD34⁺ cell formation.

Overall, these data indicate that ETV2 overexpression in iPSCs does not affect their pluripotency properties and facilitates their ability to undergo the hemogenic endothelial and hematopoietic differentiations.

Example 2: iPSC-derived HSCs generated with Piezo1 activation undergo T cell differentiation similar to Bone Marrow-derived HSCs.

Methods

To analyze the EHT, EB-derived CD34+ cells were suspended in medium containing
5 Y-27632, TPO, IL-3, SCF, IL-6, IL-11, IGF-1, VEGF, bFGF, BMP4, and FLT3. After the cells had adhered to the bottom of the wells for approximately 4-18 hours (by visual inspection), Yoda1 was added to the cultures for some experiments. After 4-7 days, the cells were collected for analysis.

iPSCs were differentiated to embryoid bodies for 8 days. At day 8, CD34+ cells from
10 iPSC-derived embryoid bodies were harvested and cultured for additional 5 to 7 days to induce endothelial-to-hematopoietic (EHT) transition (with and without Yoda1). Then, CD34+ cells were harvested from the EHT culture between day 5 to day 7 for further hematopoietic lineage differentiation.

CD34+ cells, harvested from the EHT culture between day 5-7 (or total of day 13-21
15 differentiation from iPSCs), were seeded in 48-well plates pre-coated with rhDL4 and RetroNectin. T lineage differentiation was induced in media containing aMEM, FBS, ITS-G, 2BME, ascorbic acid-2-phosphate, Glutamax, rhSCF, rhTPO, rhIL7, FLT3L, rhSDF-1a, and SB203580.

Between day 2 to day 6, 80% of the media was changed every other day. At D7, cells
20 were transferred into new coated plates and analyzed for the presence of pro-T cells (CD34+ CD7+ CD5+/-).

Between day 8 to day 13, 80% of the media was changed every other day. At D14, 100,000 cells/wells were transferred to a new coated plate and the cells analyzed for the presence of pre-T cells (CD34- CD7+ CD5+/-).

25 Between day 15 to day 20, 80% of the media was changed every other day. Cells were harvested at D21, and the cells were analyzed for CD3, CD4, CD8, CD5, CD7, TCRab expression, as surrogates for T cells, via FACS, and/or activated using CD3/CD28 beads to evaluate their functional properties.

After 21 days of differentiation, cells were collected and re-seeded at approximately
30 80,000 cells into new 96-well culture plates in RPMI 1640 (no L-glutamine; no phenol red)

plus FBS, L-glutamine, IL-2, and then activated with 1:1 CD3/CD28 beads. After 72 hours of activation with CD3/CD28 beads, cells were analyzed for CD3, CD69, CD25 expression by FACS and IFN- γ expression using RT-qPCR. The supernatant was analyzed by ELISA.

Results

5 **FIG. 6A** and **FIG. 6B** show that iPSC-derived HSCs that are derived with EHT of CD34⁺ cells from differentiated iPSCs (e.g., in this case including Piezo1 activation) undergo pro-T cell differentiation similar to bone marrow (BM)-HSCs. Further, **FIG. 7A** and **FIG. 7B** show that iPSC-derived HSCs generated with EHT of CD34⁺ cells from differentiated iPSCs (in this case involving Piezo1 activation) undergo T cell differentiation
10 and can be activated with CD3/CD28 beads similar to BM-HSCs. **FIG. 8** shows that iPSC-derived HSCs (in this case generated with Piezo1 activation) can differentiate to functional T cells, as demonstrated by IFN γ expression upon stimulation with CD3/CD28 beads. Together, these results demonstrate that iPSC-derived HSCs (i.e., derived with EHT of CD34⁺ cells from differentiated iPSCs) enhances HSC ability to further differentiate to
15 hematopoietic lineages *ex vivo*, such as progenitor T cells and functional T cells.

FIG. 27 shows that HSCs generated according to this disclosure (labeled as D8+7 iPSC-CD34⁺) successfully differentiate into CD4⁺CD8⁺ (“double positive”) T cells as well as TCR α/β T cells. The methods of the present disclosure substantially outperform bone marrow CD34⁺ cells for T cell maturation. **FIG. 27** shows results with (“+Y”) and without
20 (“-Y”) Yoda1 during HSC formation.

FIG. 28 shows that HSCs generated according to this disclosure (D8+7 iPSC-CD34⁺ cells (+ or – Yoda1) successfully rearrange TCR, and outperform bone marrow CD34⁺ cells. Shown are iPSC and EB negative controls, Peripheral Blood T cells as positive control, T cells generated from BM CD34⁺ cells, and T cells generated according to this instant
25 disclosure with and without Yoda1.

Example 3: CCR5 Deletion

FIG. 9A shows generation of three CCR5-knockout (KO) iPSC clones. As shown in **FIG. 9B**, the CCR5-KO does not affect the iPSC pluripotency. Further, as shown in **FIG.**

9C, CCR5-KO does not affect the ability of cells to undergo the endothelial-to hematopoietic transition.

Example 4: CD33 Deletion

FIG. 10A shows generation of three CD33-KO iPSC clones. As shown in FIG. 10B, CD33-KO does not affect the ability of cells to undergo the endothelial-to hematopoietic transition. Further, CD33-KO does not affect the ability of cells to generate self-renewing HSCs (FIG. 10C).

Example 5: HLA editing

According to the disclosure, cells can be HLA-modified by CRISPR-Cas9 using one or more of the following sgRNA comprising one or more spacer sequences shown in the following tables. gRNA were designed using the following parameters: Target sequences are Exon 1 (to stop translation) and Exon 2 (to affect peptide groove) of each variant; PAM motifs with 3'NGG, and target length of 20 nucleotides. Candidate sgRNAs are evaluated for potential off-target editing.

- 15 TABLE 2A: HLA-A 01:01 and 02:01
- TABLE 2B: HLA-A 02:05 and 03:01
- TABLE 2C: HLA-A 11:01 and 23:01
- TABLE 2D: HLA-A 25:1 and 26:1
- TABLE 2E: HLA-A 29:02 and 30:1
- 20 TABLE 2F: HLA-A 30:2 and 31:1
- TABLE 2G: HLA-A 33:1
- TABLE 3A: HLA-B 07:02 and 08:01
- TABLE 3B: HLA-B 13:02 and 14:02

	TABLE 3C: HLA-B 15:01 and 18:01
	TABLE 3D: HLA-B 35:01 and 38:01
	TABLE 3E: HLA-B 40:01 and 44:02
	TABLE 3F: HLA-B 44:03 and 50:01
5	TABLE 3G: HLA-B 52:01 and 57:01
	TABLE 4A: HLA-DQB1 02:01 and 03:01
	TABLE 4B: HLA-DQB1 03:02 and 03:03
	TABLE 4C: HLA-DQB1 05:01 and 05:03
	TABLE 4D: HLA-DQB1 06:01 and 06:03
10	TABLE 4E: HLA-DQB1 06:04
	TABLE 5A: HLA-DRB1 01:02, 03:01, 01:01
	TABLE 5B: HLA-DRB1 04:01 and 04:02
	TABLE 5C: HLA-DRB1 04:04 and 07:01
	TABLE 5E: HLA-DRB1 13:02 and 14:01
15	TABLE 5F: HLA-DRB1 15:01 and 15:02
	TABLE 6: HLA-A 01:01, 03:01, 29:02, 33:01
	TABLE 7: HLA-A 11:01 and 26:01
	TABLE 8: HLA-DQB1 02:01, 06:02, 03:03, and 05:01
	TABLE 9: HLA-DQB1 06:01 and 06:03
20	TABLE 10: HLA-A 24:02

TABLE 11: HLA-B 07:02, 44:03, 57:01, and 08:01

TABLE 12: HLA-B 14:02, 50:01, 37:01, and 52:01

TABLE 13: HLA-B 38:01 and 35:01

TABLE 14: HLA-DRB1 03:01, 15:01, 07:01, and 01:02

5 TABLE 15: HLA-DRB1 10:01, 15:02, 13:01, and 01:01

TABLE 16: HLA-DPB1 01:01, 02:01, 03:01, and 04:01

TABLE 17: HLA-DPB1 04:02, 11:01, 17:01, and 34:01

TABLE 2A: HLA-A 01:01 and 02:01

01:01		02:01	
Exon1	Exon2	Exon1	Exon2
GAGGGTTCGGGGCGCCA TGA (SEQ ID NO: 1)	GAAGAAATACCTCATGGA GT (SEQ ID NO: 2)	GAGGGTTCGGGGCGCCA TGA (SEQ ID NO: 1)	GGATGTGAAGAAATACCT CA (SEQ ID NO: 3)
AGTAGCAGGAGGAGGGT TCG (SEQ ID NO: 4)	TGAAGAAATACCTCATGG AG (SEQ ID NO: 5)	AGTAGCAGGACGAGGGT TCG (SEQ ID NO: 6)	ATTTCTTCACATCCGTGTC C (SEQ ID NO: 7)
GAGTAGCAGGAGGAGGG TTC (SEQ ID NO: 8)	GGATGTGAAGAAATACCT CA (SEQ ID NO: 3)	GAGTAGCAGGACGAGGG TTC (SEQ ID NO: 9)	TTACATCCGTGTCCCGGC C (SEQ ID NO: 10)
AGAGTAGCAGGAGGAGG GTT (SEQ ID NO: 11)	ATTTCTTCACATCCGTGTC C (SEQ ID NO: 7)	AGAGTAGCAGGACGAGG GTT (SEQ ID NO: 12)	TCCGTGTCCCGGCCCGGC CG (SEQ ID NO: 13)
AACCTCCTCTGCTACTC T (SEQ ID NO: 14)	TTACATCCGTGTCCCGGC C (SEQ ID NO: 10)	AACCTCGTCCTGCTACTC T (SEQ ID NO: 15)	CCGTGTCCCGGCCCGGC GC (SEQ ID NO: 16)
ACCTCCTCTGCTACTCT C (SEQ ID NO: 17)	TCCGTGTCCCGGCCCGGC CG (SEQ ID NO: 13)	ACCTCGTCCTGCTACTCT C (SEQ ID NO: 18)	CCCGCGCCGGGCGCGG ACA (SEQ ID NO: 19)
CCCTCCTCTGCTACTCTC G (SEQ ID NO: 20)	CCGTGTCCCGGCCCGGC GC (SEQ ID NO: 16)	CCCTCGTCCTGCTACTCTC G (SEQ ID NO: 21)	CGTGTCCCGGCCCGGC CG (SEQ ID NO: 22)
CCCCGAGAGTAGCAGGA GGA (SEQ ID NO: 23)	CCCGCGCCGGGCGCGG ACA (SEQ ID NO: 19)	CCCCGAGAGTAGCAGGA CGA (SEQ ID NO: 24)	GGGCTCCCCGCGCCGG GCC (SEQ ID NO: 25)
CCTCCTCTGCTACTCTCG G (SEQ ID NO: 26)	CGTGTCCCGGCCCGGC CG (SEQ ID NO: 22)	CCTCGTCCTGCTACTCTCG G (SEQ ID NO: 27)	GGGGCTCCCCGCGGCC GGC (SEQ ID NO: 28)
CCCCGAGAGTAGCAGGA GG (SEQ ID NO: 29)	GGGCTCCCCGCGCCGGG CC (SEQ ID NO: 25)	CCCCGAGAGTAGCAGG ACG (SEQ ID NO: 30)	AAGCGGGGCTCCCCGCG CC (SEQ ID NO: 31)
GGGCCCCGAGAGTAGC AGG (SEQ ID NO: 32)	GGGGTCCCCGCGCCGG GC (SEQ ID NO: 28)	CCTGCTACTCTCGGGGC TC (SEQ ID NO: 33)	GAAGCGGGGCTCCCCGCG GC (SEQ ID NO: 34)
CCTGCTACTCTCGGGGC CC (SEQ ID NO: 35)	AAGCGGGGCTCCCCGCG CC (SEQ ID NO: 31)	CCAGAGCCCCGAGAGTA GC (SEQ ID NO: 36)	CGATGAAGCGGGGCTCCC CG (SEQ ID NO: 37)
CCAGGGCCCCGAGAGTA GC (SEQ ID NO: 38)	GAAGCGGGGCTCCCCGCG GC (SEQ ID NO: 34)	CCAGGGCCCCGAGAGT AGC (SEQ ID NO: 39)	GGAGCCCCGCTTCATCGC AG (SEQ ID NO: 40)
CCCTGGCCCTGACCCAGA CC (SEQ ID NO: 41)	CGATGAAGCGGGGCTCCC CG (SEQ ID NO: 37)	TCTGGCCCTGACCCAGAC CT (SEQ ID NO: 42)	GAGCCCCGCTTCATCGCA GT (SEQ ID NO: 43)
CCAGGTCTGGGTCAGGGC CA (SEQ ID NO: 44)	GGAGCCCCGCTTCATCGC CG (SEQ ID NO: 45)	GGCCTGACCCAGACCTG GG (SEQ ID NO: 46)	TAGCCCACTGCGATGAAG CG (SEQ ID NO: 47)

01:01		02:01	
Exon1	Exon2	Exon1	Exon2
CCTGGCCCTGACCCAGAC CT (SEQ ID NO: 48)	GAGCCCCGCTTCATCGCC GT (SEQ ID NO: 49)		GTAGCCCACTGCGATGAA GC (SEQ ID NO: 50)
CCCAGGTCTGGGTCAGGG CC (SEQ ID NO: 51)	TAGCCACGGCGATGAAG CG (SEQ ID NO: 52)		CGTAGCCCACTGCGATGA AG (SEQ ID NO: 53)
GGCCCTGACCCAGACCTG GG (SEQ ID NO: 46)	GTAGCCACGGCGATGAA GC (SEQ ID NO: 54)		CTTCATCGCAGTGGGCTA CG (SEQ ID NO: 55)
	CGTAGCCACGGCGATGA AG (SEQ ID NO: 56)		TGGACGACACGCAGTTCG TG (SEQ ID NO: 57)
	CTTCATCGCCGTGGGCTA CG (SEQ ID NO: 58)		ACAGCGACGCCGCGAGCC AG (SEQ ID NO: 59)
	CGTGTCGTCCACGTAGCC CA (SEQ ID NO: 60)		CGAGCCGCGAGCCAGA GGA (SEQ ID NO: 61)
	TGGACGACACGCAGTTCG TG (SEQ ID NO: 57)		CGGCTCCATCTCTGGCTC G (SEQ ID NO: 62)
	CGAGCCGCGAGCCAGAA GA (SEQ ID NO: 63)		CGAGCCAGAGGATGGAG CCG (SEQ ID NO: 64)
	CGGCTCCATCTTCTGGCTC G (SEQ ID NO: 65)		GAGCCAGAGGATGGAGC CGC (SEQ ID NO: 66)
	CGAGCCAGAAGATGGAG CCG (SEQ ID NO: 67)		GCGCCGCGGCTCCATCC TC (SEQ ID NO: 68)
	GAGCCAGAAGATGGAGC CGC (SEQ ID NO: 69)		GGATGGAGCCGCGGGCG CCG (SEQ ID NO: 70)
	GCGCCGCGGCTCCATCT TC (SEQ ID NO: 71)		TGCTCTATCCACGGCGCC CG (SEQ ID NO: 72)
	AGATGGAGCCGCGGGCG CCG (SEQ ID NO: 73)		GCGGGCGCGTGGATAG AGC (SEQ ID NO: 74)
	TGCTCTATCCACGGCGCCC G (SEQ ID NO: 72)		GGCGCCGTGGATAGAGC AGG (SEQ ID NO: 75)
	GCGGGCGCGTGGATAG AGC (SEQ ID NO: 74)		GCGCCGTGGATAGACA GGA (SEQ ID NO: 76)
	GGCGCCGTGGATAGAGCA GG (SEQ ID NO: 75)		GGACCTCTGCTCTATCC A (SEQ ID NO: 77)
	GCGCCGTGGATAGAGCAG GA (SEQ ID NO: 76)		GTGGATAGAGCAGGAGG GTC (SEQ ID NO: 78)
	CGCCGTGGATAGAGCAGG AG (SEQ ID NO: 79)		AGCAGGAGGGTCCGGAG TAT (SEQ ID NO: 80)
	GGCCCTCCTGCTCTATCC A (SEQ ID NO: 81)		GCAGGAGGGTCCGAGT ATT (SEQ ID NO: 82)
	GTGGATAGAGCAGGAGG GGC (SEQ ID NO: 83)		GAGGGTCCGGAGTATTG GGA (SEQ ID NO: 84)
	AGCAGGAGGGGCCGAG TAT (SEQ ID NO: 85)		AGGGTCCGGAGTATTGG GAC (SEQ ID NO: 86)
	GCAGGAGGGGCCGAGT ATT (SEQ ID NO: 87)		GGGTCCGAGTATTGGG ACG (SEQ ID NO: 88)
	GGGGCCGAGTATTGGG ACC (SEQ ID NO: 89)		GTCTCCCGTCCCAATACT C (SEQ ID NO: 90)
	GTCTCCTGGTCCCAATACT C (SEQ ID NO: 91)		AGTATTGGGACGGGGAG ACA (SEQ ID NO: 92)

01:01		02:01	
Exon1	Exon2	Exon1	Exon2
	AGTATTGGGACCAGGAGACA (SEQ ID NO: 93)		CGGGGAGACACGGAAAGTGA (SEQ ID NO: 94)
	CCAGGAGACACGGAATATGA (SEQ ID NO: 95)		CACTCGGTGAGTCTGTGAGT (SEQ ID NO: 96)
	CCTTCATATTCCGTGTCTC (SEQ ID NO: 97)		CCACTCACAGACTCACCGAG (SEQ ID NO: 98)
	CGCTCGGTGAGTCTGTGAGT (SEQ ID NO: 99)		CCACTCGGTGAGTCTGTGAG (SEQ ID NO: 100)
	TCGCTCGGTGAGTCTGTGAG (SEQ ID NO: 101)		ACAGACTCACCGAGTGGACC (SEQ ID NO: 102)
	ACAGACTGACCGAGCGAAC (SEQ ID NO: 103)		CAGACTCACCGAGTGGACCT (SEQ ID NO: 104)
	CAGACTGACCGAGCGAACCT (SEQ ID NO: 105)		AGACTCACCGAGTGGACCTG (SEQ ID NO: 106)
	AGACTGACCGAGCGAACCTG (SEQ ID NO: 107)		GCAGGGTCCCCAGGTCCACT (SEQ ID NO: 108)
	GCAGGGTCCCCAGGTTCGCT (SEQ ID NO: 109)		GTGGACCTGGGGACCTCG (SEQ ID NO: 110)
	GCGAACCTGGGGACCTCG (SEQ ID NO: 111)		AGTAGCCGCGCAGGGTCC (SEQ ID NO: 112)
	AGTAGCCGCGCAGGGTCC (SEQ ID NO: 112)		CTGGTTGTAGTAGCCGCGCA (SEQ ID NO: 113)
	CTGGTTGTAGTAGCCGCGCA (SEQ ID NO: 113)		TCTGGTTGTAGTAGCCGCGC (SEQ ID NO: 114)
	TCTGGTTGTAGTAGCCGCGC (SEQ ID NO: 114)		CGGCTACTACAACCAGAGCG (SEQ ID NO: 115)
	CGGCTACTACAACCAGAGCG (SEQ ID NO: 115)		

TABLE 2B: HLA-A 02:05 and 03:01

02:05		03:01	
Exon1	Exon2	Exon1	Exon2
GAGGGTTCGGGGCGCCATGA (SEQ ID NO: 1)	GGAGGTGTAGAAATACCTCA (SEQ ID NO: 116)	GAGGGTTCGGGGCGCCATGA (SEQ ID NO: 1)	GAAGAAATACCTCATGAGT (SEQ ID NO: 2)
AGTAGCAGGACGAGGGTTCG (SEQ ID NO: 6)	ATTTCTACACCTCCGTGTC (SEQ ID NO: 117)	AGTAGCAGGAGGAGGGTTCG (SEQ ID NO: 4)	TGAAGAAATACCTCATGGAG (SEQ ID NO: 5)
GAGTAGCAGGACGAGGGTTC (SEQ ID NO: 9)	TACACCTCCGTGTCCGGCC (SEQ ID NO: 118)	GAGTAGCAGGAGGAGGGTTC (SEQ ID NO: 8)	GGATGTGAAGAAATACCTCA (SEQ ID NO: 3)
AGAGTAGCAGGACGAGGGTT (SEQ ID NO: 12)	GCGGCCGGGCCGGGACACGG (SEQ ID NO: 119)	AGAGTAGCAGGAGGAGGGTT (SEQ ID NO: 11)	ATTCTTCACATCCGTGTCC (SEQ ID NO: 7)
AACCCTCGTCTGCTACTCT (SEQ ID NO: 15)	TCCGTGTCCCGGCCCGGC (SEQ ID NO: 13)	AACCCTCCTCTGCTACTCT (SEQ ID NO: 14)	TTCACATCCGTGTCCCGGC (SEQ ID NO: 10)
ACCCTCGTCTGCTACTCTC (SEQ ID NO: 18)	CCGTGTCCCGGCCCGGCCGC (SEQ ID NO: 16)	ACCCTCCTCTGCTACTCTC (SEQ ID NO: 17)	TCCGTGTCCCGGCCCGGCCGC (SEQ ID NO: 13)
CCCTCGTCTGCTACTCTCG (SEQ ID NO: 21)	CCCGCGGCCGGGCCGGGACA (SEQ ID NO: 19)	CCCTCCTCTGCTACTCTCG (SEQ ID NO: 20)	CCGTGTCCCGGCCCGGCCGC (SEQ ID NO: 16)

02:05		03:01	
Exon1	Exon2	Exon1	Exon2
CCCCGAGAGTAGCAGGA CGA (SEQ ID NO: 24)	CGTGTCCCGGCCCGGCCG CG (SEQ ID NO: 22)	CCCCGAGAGTAGCAGGA GGA (SEQ ID NO: 23)	CCCGCGGCCGGGCCGGG ACA (SEQ ID NO: 19)
CCTCGTCTGCTACTCTCG G (SEQ ID NO: 27)	GGGCTCCCGCGGCCGGG CC (SEQ ID NO: 25)	CCTCCTCTGCTACTCTCG G (SEQ ID NO: 26)	CGTGTCCCGGCCGGCCG CG (SEQ ID NO: 22)
CCCCGAGAGTAGCAGG ACG (SEQ ID NO: 30)	GGGGCTCCCGCGGCCGG GC (SEQ ID NO: 28)	CCCCGAGAGTAGCAGGA GG (SEQ ID NO: 29)	GGGCTCCCGCGGCCGGG CC (SEQ ID NO: 25)
CCTGCTACTCTCGGGGGC TC (SEQ ID NO: 33)	AAGCGGGGCTCCCGCGG CC (SEQ ID NO: 31)	GGGCCCCGAGAGTAGC AGG (SEQ ID NO: 32)	GGGGCTCCCGCGGCCGG GC (SEQ ID NO: 28)
CCAGAGCCCCGAGAGTA GC (SEQ ID NO: 36)	GAAGCGGGGCTCCCGCG GC (SEQ ID NO: 34)	CCTGCTACTCTCGGGGGC CC (SEQ ID NO: 35)	AAGCGGGGCTCCCGCGG CC (SEQ ID NO: 31)
CCAGGGCCCCGAGAGT AGC (SEQ ID NO: 39)	CGATGAAGCGGGGCTCCC CG (SEQ ID NO: 37)	CCAGGGCCCCGAGAGTA GC (SEQ ID NO: 38)	GAAGCGGGGCTCCCGCG GC (SEQ ID NO: 34)
TCTGGCCCTGACCCAGAC CT (SEQ ID NO: 42)	GGAGCCCCGCTTCATCGC AG (SEQ ID NO: 40)	CCCTGGCCCTGACCCAGA CC (SEQ ID NO: 41)	CGATGAAGCGGGGCTCCC CG (SEQ ID NO: 37)
GGCCCTGACCCAGACCTG GG (SEQ ID NO: 46)	GAGCCCCGCTTCATCGCA GT (SEQ ID NO: 43)	CCAGGTCTGGGTCAGGGC CA (SEQ ID NO: 44)	GGAGCCCCGCTTCATCGC CG (SEQ ID NO: 45)
	TAGCCCACTGCGATGAAG CG (SEQ ID NO: 47)	CCTGGCCCTGACCCAGAC CT (SEQ ID NO: 48)	GAGCCCCGCTTCATCGCC GT (SEQ ID NO: 49)
	GTAGCCCACTGCGATGAA GC (SEQ ID NO: 50)	CCCAGGTCTGGGTCAGGG CC (SEQ ID NO: 51)	TAGCCACGGCGATGAAG CG (SEQ ID NO: 52)
	CGTAGCCCACTGCGATGA AG (SEQ ID NO: 53)	GGCCCTGACCCAGACCTG GG (SEQ ID NO: 46)	GTAGCCACGGCGATGAA GC (SEQ ID NO: 54)
	CTTCATCGCAGTGGGCTA CG (SEQ ID NO: 55)		CGTAGCCACGGCGATGA AG (SEQ ID NO: 56)
	TGGACGACACGCAGTTCTG TG (SEQ ID NO: 57)		CTTCATCGCGTGGGCTA CG (SEQ ID NO: 58)
	TCGACAGCGACGCCGCGA GC (SEQ ID NO: 120)		CGTGTCTCCACGTAGCC CA (SEQ ID NO: 60)
	ACAGCGACGCCGCGAGCC GG (SEQ ID NO: 121)		TGGACGACACGCAGTTCTG TG (SEQ ID NO: 57)
	CGACGCCGCGAGCCGGA GGA (SEQ ID NO: 122)		ACAGCGACGCCGCGAGCC AG (SEQ ID NO: 59)
	CGGCTCCATCCTCCGGCTC G (SEQ ID NO: 123)		CGACGCCGCGAGCCAGAG GA (SEQ ID NO: 61)
	CGAGCCGGAGGATGGAG CCG (SEQ ID NO: 124)		CGGCTCCATCCTCTGGCTC G (SEQ ID NO: 62)
	GAGCCGGAGGATGGAGC CGC (SEQ ID NO: 125)		CGAGCCAGAGGATGGAG CCG (SEQ ID NO: 64)
	GCGCCCGCGGCTCCATCC TC (SEQ ID NO: 68)		GAGCCAGAGGATGGAGC CGC (SEQ ID NO: 66)
	GGATGGAGCCGCGGGCG CCG (SEQ ID NO: 70)		GCGCCCGCGGCTCCATCC TC (SEQ ID NO: 68)
	TGCTCTATCCACGGCGCCC G (SEQ ID NO: 72)		GGATGGAGCCGCGGGCG CCG (SEQ ID NO: 70)
	GCGGGCGCCGTGGATAG AGC (SEQ ID NO: 74)		TGCTCTATCCACGGCGCCC G (SEQ ID NO: 72)
	GCGGCCGTGGATAGAGC AGG (SEQ ID NO: 75)		GCGGGCGCCGTGGATAG AGC (SEQ ID NO: 74)

02:05		03:01	
Exon1	Exon2	Exon1	Exon2
	GCGCCGTGGATAGAGCA GGA (SEQ ID NO: 76)		GCGCCGTGGATAGAGCA GG (SEQ ID NO: 75)
	GGACCTCCTGCTCTATCC A (SEQ ID NO: 77)		GCGCCGTGGATAGAGCAG GA (SEQ ID NO: 76)
	GTGGATAGAGCAGGAGG GTC (SEQ ID NO: 78)		CGCCGTGGATAGAGCAGG AG (SEQ ID NO: 79)
	AGCAGGAGGGTCCGGAG TAT (SEQ ID NO: 80)		GGCCCTCCTGCTCTATCC A (SEQ ID NO: 81)
	GCAGGAGGGTCCGGAGT ATT (SEQ ID NO: 82)		GTGGATAGAGCAGGAGG GGC (SEQ ID NO: 83)
	GAGGGTCCGGAGTATTGG GA (SEQ ID NO: 84)		AGCAGGAGGGGCCGGAG TAT (SEQ ID NO: 85)
	AGGGTCCGGAGTATTGGG AC (SEQ ID NO: 86)		GCAGGAGGGGCCGGAGT ATT (SEQ ID NO: 87)
	GGGTCCGGAGTATTGGGA CG (SEQ ID NO: 88)		GGGGCCGGAGTATTGGG ACC (SEQ ID NO: 89)
	GTCTCCCGTCCCAATACT C (SEQ ID NO: 90)		GTCTCCTGGTCCCAATACT C (SEQ ID NO: 91)
	AGTATTGGGACGGGGAG ACA (SEQ ID NO: 92)		AGTATTGGGACCAGGAGA CA (SEQ ID NO: 93)
	CGGGGAGACACGGAAG TGA (SEQ ID NO: 94)		CCAGGAGACACGGAATGT GA (SEQ ID NO: 126)
	CACTCGGTGAGTCTGTGA GT (SEQ ID NO: 96)		CCTTCACATTCCGTGTCTC C (SEQ ID NO: 127)
	CCACTCACAGACTCACCG AG (SEQ ID NO: 98)		CACTCGGTGAGTCTGTGA CT (SEQ ID NO: 128)
	CCACTCGGTGAGTCTGTG AG (SEQ ID NO: 100)		CCAGTCACAGACTGACCG AG (SEQ ID NO: 129)
	ACAGACTCACCGAGTGGA CC (SEQ ID NO: 102)		CCACTCGGTGAGTCTGTG AC (SEQ ID NO: 130)
	CAGACTCACCGAGTGGA CT (SEQ ID NO: 104)		ACAGACTGACCGAGTGGA CC (SEQ ID NO: 131)
	AGACTCACCGAGTGGA TG (SEQ ID NO: 106)		CAGACTGACCGAGTGGA CT (SEQ ID NO: 132)
	GCAGGGTCCCCAGGTCCA CT (SEQ ID NO: 108)		AGACTGACCGAGTGGA TG (SEQ ID NO: 133)
	GTGGACCTGGGGACCCTG CG (SEQ ID NO: 110)		GCAGGGTCCCCAGGTCCA CT (SEQ ID NO: 108)
	AGTAGCCGCGCAGGGTCC CC (SEQ ID NO: 112)		GTGGACCTGGGGACCCTG CG (SEQ ID NO: 110)
	CTGGTTGTAGTAGCCGCG CA (SEQ ID NO: 113)		AGTAGCCGCGCAGGGTCC CC (SEQ ID NO: 112)
	TCTGGTTGTAGTAGCCGC GC (SEQ ID NO: 114)		CTGGTTGTAGTAGCCGCG CA (SEQ ID NO: 113)
	CGGCTACTACAACCAGAG CG (SEQ ID NO: 115)		TCTGGTTGTAGTAGCCGC GC (SEQ ID NO: 114)
			CGGCTACTACAACCAGAG CG (SEQ ID NO: 115)

TABLE 2C: HLA-A 11:01 and 23:01

11:01		23:01	
Exon1	Exon2	Exon1	Exon2
GAGGGTTCGGGGCGCCA TGA (SEQ ID NO: 1)	GTAGAAATACCTCATGGA GT (SEQ ID NO: 134)	GAGGGTTCGGGGCGCCA TGA (SEQ ID NO: 1)	GGAGAAATACCTCATGGA GT (SEQ ID NO: 135)
AGTAGCAGGAGGAGGGT TCG (SEQ ID NO: 4)	TGTAGAAATACCTCATGG AG (SEQ ID NO: 136)	AGTAGCAGGAGGAGGGT TCG (SEQ ID NO: 6)	TGGAGAAATACCTCATGG AG (SEQ ID NO: 137)
GAGTAGCAGGAGGAGGG TTC (SEQ ID NO: 8)	GGAGGTGTAGAAATACCT CA (SEQ ID NO: 116)	GAGTAGCAGGAGGAGGG TTC (SEQ ID NO: 9)	GGATGTGGAGAAATACCT CA (SEQ ID NO: 138)
AGAGTAGCAGGAGGAGG GTT (SEQ ID NO: 11)	ATTCTACACCTCCGTGTC C (SEQ ID NO: 117)	AGAGTAGCAGGAGGAGG GTT (SEQ ID NO: 12)	ATTCTCCACATCCGTGTC C (SEQ ID NO: 139)
AACCCTCCTCCTGCTACTC T (SEQ ID NO: 14)	TACACCTCCGTGTCCCGGC C (SEQ ID NO: 118)	AACCCTCCTCCTGCTACTC T (SEQ ID NO: 15)	TCCACATCCGTGTCCCGGC C (SEQ ID NO: 140)
ACCCTCCTCCTGCTACTCT C (SEQ ID NO: 17)	GCGGCCGGGCCGGACA CGG (SEQ ID NO: 119)	ACCCTCGTCCTGCTACTCT C (SEQ ID NO: 18)	GCCGGGCCGGGACACGG ATG (SEQ ID NO: 141)
CCCTCCTCCTGCTACTCTC G (SEQ ID NO: 20)	TCCGTGTCCCGGCCCGGC CG (SEQ ID NO: 13)	CCCTCGTCCTGCTACTCTC G (SEQ ID NO: 21)	TCCGTGTCCCGGCCCGGC CG (SEQ ID NO: 13)
CCCCGAGAGTAGCAGGA GGA (SEQ ID NO: 23)	CCGTGTCCCGGCCCGGCC GC (SEQ ID NO: 16)	CCCCGAGAGTAGCAGGA CGA (SEQ ID NO: 24)	CCGTGTCCCGGCCCGGCC GC (SEQ ID NO: 16)
CCTCCTCCTGCTACTCTCG G (SEQ ID NO: 26)	CCCGCGGCCGGGCCGGG ACA (SEQ ID NO: 19)	CCTCGTCCTGCTACTCTCG G (SEQ ID NO: 27)	CCCGCGGCCGGGCCGGG ACA (SEQ ID NO: 19)
CCCCGAGAGTAGCAGGA GG (SEQ ID NO: 29)	CGTGTCCCGGCCCGGCCG CG (SEQ ID NO: 22)	CCCCGAGAGTAGCAGG ACG (SEQ ID NO: 30)	CGTGTCCCGGCCCGGCCG CG (SEQ ID NO: 22)
GGGCCCCGAGAGTAGC AGG (SEQ ID NO: 32)	GGGCTCCCGCGGCCCGGG CC (SEQ ID NO: 25)	CCTGCTACTCTCGGGGGC CC (SEQ ID NO: 35)	GGGCTCCCGCGGCCCGGG CC (SEQ ID NO: 25)
CCTGCTACTCTCGGGGGC CC (SEQ ID NO: 35)	GGGGTCCCGCGGCCCGG GC (SEQ ID NO: 28)	CCAGGGCCCCGAGAGT AGC (SEQ ID NO: 38)	GGGGTCCCGCGGCCCGG GC (SEQ ID NO: 28)
CCAGGGCCCCGAGAGTA GC (SEQ ID NO: 38)	AAGCGGGGCTCCCGCGG CC (SEQ ID NO: 31)	CCCTGGCCCTGACCCAGA CC (SEQ ID NO: 41)	AAGCGGGGCTCCCGCGG CC (SEQ ID NO: 31)
CCCTGGCCCTGACCCAGA CC (SEQ ID NO: 41)	GAAGCGGGGCTCCCGCG GC (SEQ ID NO: 34)	CCAGGTCTGGGTACAGG CCA (SEQ ID NO: 44)	GAAGCGGGGCTCCCGCG GC (SEQ ID NO: 34)
CCAGGTCTGGGTACAGGC CA (SEQ ID NO: 44)	CGATGAAGCGGGGCTCCC CG (SEQ ID NO: 37)	CCTGGCCCTGACCCAGAC CT (SEQ ID NO: 48)	CGATGAAGCGGGGCTCCC CG (SEQ ID NO: 37)
CCTGGCCCTGACCCAGAC CT (SEQ ID NO: 48)	GGAGCCCCGCTTCATCGC CG (SEQ ID NO: 45)	CCCAGGTCTGGGTACAGG GCC (SEQ ID NO: 51)	GGAGCCCCGCTTCATCGC CG (SEQ ID NO: 45)
CCCAGGTCTGGGTACAGG CC (SEQ ID NO: 51)	GAGCCCCGCTTCATCGCC GT (SEQ ID NO: 49)		GAGCCCCGCTTCATCGCC GT (SEQ ID NO: 49)
GGCCTGACCCAGACCTG GG (SEQ ID NO: 46)	TAGCCACGGCGATGAAG CG (SEQ ID NO: 52)		TAGCCACGGCGATGAAG CG (SEQ ID NO: 52)
	GTAGCCACGGCGATGA GC (SEQ ID NO: 54)		GTAGCCACGGCGATGA GC (SEQ ID NO: 54)
	CGTAGCCACGGCGATGA AG (SEQ ID NO: 56)		CGTAGCCACGGCGATGA AG (SEQ ID NO: 56)
	CTTCATCGCCGTGGGCTA CG (SEQ ID NO: 58)		CTTCATCGCCGTGGGCTA CG (SEQ ID NO: 58)
	CGTGTCTCCACGTAGCC CA (SEQ ID NO: 60)		CGTGTCTCCACGTAGCC CA (SEQ ID NO: 60)
	TGGACGACACGAGTTCTG TG (SEQ ID NO: 57)		TGGACGACACGAGTTCTG TG (SEQ ID NO: 57)

11:01		23:01	
Exon1	Exon2	Exon1	Exon2
	ACAGCGACGCCGCGAGCC AG (SEQ ID NO: 59)		ACAGCGACGCCGCGAGCC AG (SEQ ID NO: 59)
	CGACGCCGCGAGCCAGAG GA (SEQ ID NO: 61)		CGACGCCGCGAGCCAGAG GA (SEQ ID NO: 61)
	CGGCTCCATCCTCTGGCTC G (SEQ ID NO: 62)		CGGCTCCATCCTCTGGCTC G (SEQ ID NO: 62)
	CGAGCCAGAGGATGGAG CCG (SEQ ID NO: 64)		CGAGCCAGAGGATGGAG CCG (SEQ ID NO: 64)
	GAGCCAGAGGATGGAGC CGC (SEQ ID NO: 66)		GAGCCAGAGGATGGAGC CGC (SEQ ID NO: 66)
	GCGCCGCGGCTCCATCC TC (SEQ ID NO: 68)		GCGCCGCGGCTCCATCC TC (SEQ ID NO: 68)
	GGATGGAGCCGCGGGCG CCG (SEQ ID NO: 70)		GGATGGAGCCGCGGGCG CCG (SEQ ID NO: 70)
	TGCTCTATCCACGGCGCCC G (SEQ ID NO: 72)		TGCTCTATCCACGGCGCCC G (SEQ ID NO: 72)
	GCGGGCGCCGTGGATAG AGC (SEQ ID NO: 74)		GCGGGCGCCGTGGATAG AGC (SEQ ID NO: 74)
	GGCGCCGTGGATAGAGC AGG (SEQ ID NO: 75)		GGCGCCGTGGATAGAGC AGG (SEQ ID NO: 75)
	GCGCCGTGGATAGAGCA GGA (SEQ ID NO: 76)		GCGCCGTGGATAGAGCA GGA (SEQ ID NO: 76)
	CGCCGTGGATAGAGCAG GAG (SEQ ID NO: 79)		CGCCGTGGATAGAGCAG GAG (SEQ ID NO: 79)
	GGCCCCTCCTGCTCTATCC A (SEQ ID NO: 81)		GGCCCCTCCTGCTCTATCC A (SEQ ID NO: 81)
	GTGGATAGAGCAGGAGG GGC (SEQ ID NO: 83)		GTGGATAGAGCAGGAGG GGC (SEQ ID NO: 83)
	AGCAGGAGGGGCCGAG TAT (SEQ ID NO: 85)		AGCAGGAGGGGCCGAG TAT (SEQ ID NO: 85)
	GCAGGAGGGGCCGAGT ATT (SEQ ID NO: 87)		GCAGGAGGGGCCGAGT ATT (SEQ ID NO: 87)
	GGGGCCGAGTATTGGG ACC (SEQ ID NO: 89)		GGGGCCGAGTATTGGG ACG (SEQ ID NO: 142)
	GTCTCCTGGTCCAATACT C (SEQ ID NO: 91)		GTCTCCTGGTCCAATACT C (SEQ ID NO: 143)
	AGTATTGGGACCAGGAGA CA (SEQ ID NO: 93)		GAGTATTGGGACCAGGAGA GAC (SEQ ID NO: 144)
	CCAGGAGACACGGAATGT GA (SEQ ID NO: 126)		AGTATTGGGACCAGGAG ACA (SEQ ID NO: 145)
	CCTTCACATTCCGTGTCTC C (SEQ ID NO: 127)		CGAGGAGACAGGGAAG TGA (SEQ ID NO: 146)
	CACTCGGTCAGTCTGTGA CT (SEQ ID NO: 128)		CTCTCGGTCAGTCTGTGA GT (SEQ ID NO: 147)
	CCAGTCACAGACTGACCG AG (SEQ ID NO: 129)		TCTCTCGGTCAGTCTGTGA G (SEQ ID NO: 148)
	CACTCGGTCAGTCTGTG AC (SEQ ID NO: 130)		AGACTGACCGAGAGAACC TG (SEQ ID NO: 149)

11:01		23:01	
Exon1	Exon2	Exon1	Exon2
	ACAGACTGACCGAGTGGA CC (SEQ ID NO: 131)		GCGCGATCCGCAGGTTCT CT (SEQ ID NO: 150)
	CAGACTGACCGAGTGGAC CT (SEQ ID NO: 132)		AGTAGCGGAGCGCGATCC GC (SEQ ID NO: 151)
	AGACTGACCGAGTGGACC TG (SEQ ID NO: 133)		CCGCTACTACAACCAGAG CG (SEQ ID NO: 152)
	GCAGGGTCCCCAGGTCCA CT (SEQ ID NO: 108)		CCTCGCTCTGTTGTAGTA G (SEQ ID NO: 153)
	GTGGACCTGGGGACCCTG CG (SEQ ID NO: 110)		
	AGTAGCCGCGCAGGGTCC CC (SEQ ID NO: 112)		
	CTGGTTGTAGTAGCCGCG CA (SEQ ID NO: 113)		
	TCTGGTTGTAGTAGCCGC GC (SEQ ID NO: 114)		
	CGGCTACTACAACCAGAG CG (SEQ ID NO: 115)		

TABLE 2D: HLA-A 25:1 and 26:1

25:1		26:1	
Exon1	Exon2	Exon1	Exon2
GAGGGTTCGGGGCGCCA TGA (SEQ ID NO: 1)	GTAGAAATACCTCATGGA GT (SEQ ID NO: 134)	GAGGGTTCGGGGCGCCA TGA (SEQ ID NO: 1)	GTAGAAATACCTCATGGA GT (SEQ ID NO: 134)
AGTAGCAGGACGAGGGT TCG (SEQ ID NO: 6)	TGTAGAAATACCTCATGG AG (SEQ ID NO: 136)	AGTAGCAGGACGAGGGT TCG (SEQ ID NO: 6)	TGTAGAAATACCTCATGG AG (SEQ ID NO: 136)
GAGTAGCAGGACGAGGG TTC (SEQ ID NO: 9)	GGAGGTGTAGAAATACCT CA (SEQ ID NO: 116)	GAGTAGCAGGACGAGGG TTC (SEQ ID NO: 9)	GGAGGTGTAGAAATACCT CA (SEQ ID NO: 116)
AGAGTAGCAGGACGAGG GTT (SEQ ID NO: 12)	ATTTCTACACCTCCGTGTC C (SEQ ID NO: 117)	AGAGTAGCAGGACGAGG GTT (SEQ ID NO: 12)	ATTTCTACACCTCCGTGTC C (SEQ ID NO: 117)
AACCCTCGTCCTGCTACTC T (SEQ ID NO: 15)	TACACCTCCGTGTCCGGC C (SEQ ID NO: 118)	AACCCTCGTCCTGCTACTC T (SEQ ID NO: 15)	TACACCTCCGTGTCCGGC C (SEQ ID NO: 118)
ACCCTCGTCCTGCTACTCT C (SEQ ID NO: 18)	GCGGCCGGGCCGGGACA CGG (SEQ ID NO: 119)	ACCCTCGTCCTGCTACTCT C (SEQ ID NO: 18)	GCGGCCGGGCCGGGACA CGG (SEQ ID NO: 119)
CCCTCGTCCTGCTACTCTC G (SEQ ID NO: 21)	TCCGTGTCCCGCCCGGC CG (SEQ ID NO: 13)	CCCTCGTCCTGCTACTCTC G (SEQ ID NO: 21)	TCCGTGTCCCGCCCGGC CG (SEQ ID NO: 13)
CCCCGAGAGTAGCAGGA CGA (SEQ ID NO: 24)	CCGTGTCCCGCCCGGCC GC (SEQ ID NO: 16)	CCCCGAGAGTAGCAGGA CGA (SEQ ID NO: 24)	CCGTGTCCCGCCCGGCC GC (SEQ ID NO: 16)
CCTCGTCCTGCTACTCTCG G (SEQ ID NO: 27)	CCCGCGGCCGGGCCGGG ACA (SEQ ID NO: 19)	CCTCGTCCTGCTACTCTCG G (SEQ ID NO: 27)	CCCGCGGCCGGGCCGGG ACA (SEQ ID NO: 19)
CCCCGAGAGTAGCAGG ACG (SEQ ID NO: 30)	CGTGTCCCGCCCGGCCG CG (SEQ ID NO: 22)	CCCCGAGAGTAGCAGG ACG (SEQ ID NO: 30)	CGTGTCCCGCCCGGCCG CG (SEQ ID NO: 22)
CCTGCTACTCTCGGGGGC CC (SEQ ID NO: 35)	GGGCTCCCCGCGGCCGGG CC (SEQ ID NO: 25)	CCTGCTACTCTCGGGGGC CC (SEQ ID NO: 35)	GGGCTCCCCGCGGCCGGG CC (SEQ ID NO: 25)
CCAGGGCCCCGAGAGT AGC (SEQ ID NO: 38)	GGGGCTCCCCGCGGCCGG GC (SEQ ID NO: 28)	CCAGGGCCCCGAGAGT AGC (SEQ ID NO: 38)	GGGGCTCCCCGCGGCCGG GC (SEQ ID NO: 28)

25:1		26:1	
Exon1	Exon2	Exon1	Exon2
CCCTGGCCCTGACCCAGA CC (SEQ ID NO: 41)	AAGCGGGGCTCCCCGCGG CC (SEQ ID NO: 31)	CCCTGGCCCTGACCCAGA CC (SEQ ID NO: 41)	AAGCGGGGCTCCCCGCGG CC (SEQ ID NO: 31)
CCAGGTCTGGGTCAGGG CCA (SEQ ID NO: 44)	GAAGCGGGGCTCCCCGCGG GC (SEQ ID NO: 34)	CCAGGTCTGGGTCAGGG CCA (SEQ ID NO: 44)	GAAGCGGGGCTCCCCGCGG GC (SEQ ID NO: 34)
CCTGGCCCTGACCCAGAC CT (SEQ ID NO: 48)	CGATGAAGCGGGGCTCCC CG (SEQ ID NO: 37)	CCTGGCCCTGACCCAGAC CT (SEQ ID NO: 48)	CGATGAAGCGGGGCTCCC CG (SEQ ID NO: 37)
CCCAGGTCTGGGTCAGG GCC (SEQ ID NO: 51)	GGAGCCCCGCTTCATCGC CG (SEQ ID NO: 45)	CCCAGGTCTGGGTCAGG GCC (SEQ ID NO: 51)	GGAGCCCCGCTTCATCGC CG (SEQ ID NO: 45)
GGCCCTGACCCAGACCTG GG (SEQ ID NO: 46)	GAGCCCCGCTTCATCGCC GT (SEQ ID NO: 49)	GGCCCTGACCCAGACCTG GG (SEQ ID NO: 46)	GAGCCCCGCTTCATCGCC GT (SEQ ID NO: 49)
	TAGCCACGGCGATGAAG CG (SEQ ID NO: 52)		TAGCCACGGCGATGAAG CG (SEQ ID NO: 52)
	GTAGCCACGGCGATGAA GC (SEQ ID NO: 54)		GTAGCCACGGCGATGAA GC (SEQ ID NO: 54)
	CGTAGCCACGGCGATGA AG (SEQ ID NO: 56)		CGTAGCCACGGCGATGA AG (SEQ ID NO: 56)
	CTTCATCGCCGTGGGCTAC G (SEQ ID NO: 58)		CTTCATCGCCGTGGGCTAC G (SEQ ID NO: 58)
	CGTGTCGTCCACGTAGCC CA (SEQ ID NO: 60)		CGTGTCGTCCACGTAGCC CA (SEQ ID NO: 60)
	TGGACGACACGCAGTTCC TG (SEQ ID NO: 57)		TGGACGACACGCAGTTCC TG (SEQ ID NO: 57)
	ACAGCGACGCCGCGAGCC AG (SEQ ID NO: 59)		ACAGCGACGCCGCGAGCC AG (SEQ ID NO: 59)
	CGACGCCGCGAGCCAGAG GA (SEQ ID NO: 61)		CGACGCCGCGAGCCAGAG GA (SEQ ID NO: 61)
	CGGCTCCATCCTCTGGCTC G (SEQ ID NO: 62)		CGGCTCCATCCTCTGGCTC G (SEQ ID NO: 62)
	CGAGCCAGAGGATGGAG CCG (SEQ ID NO: 64)		CGAGCCAGAGGATGGAG CCG (SEQ ID NO: 64)
	GAGCCAGAGGATGGAGC CGC (SEQ ID NO: 66)		GAGCCAGAGGATGGAGC CGC (SEQ ID NO: 66)
	GCGCCCGCGGCTCCATCC TC (SEQ ID NO: 68)		GCGCCCGCGGCTCCATCC TC (SEQ ID NO: 68)
	GGATGGAGCCGCGGGCG CCG (SEQ ID NO: 70)		GGATGGAGCCGCGGGCG CCG (SEQ ID NO: 70)
	TGCTCTATCCACGGCGCCC G (SEQ ID NO: 72)		TGCTCTATCCACGGCGCCC G (SEQ ID NO: 72)
	GCGGGCGCCGTGGATAG AGC (SEQ ID NO: 74)		GCGGGCGCCGTGGATAG AGC (SEQ ID NO: 74)
	GGCGCCGTGGATAGAGCA GG (SEQ ID NO: 75)		GGCGCCGTGGATAGAGCA GG (SEQ ID NO: 75)
	GCGCCGTGGATAGAGCAG GA (SEQ ID NO: 76)		GCGCCGTGGATAGAGCAG GA (SEQ ID NO: 76)
	CGCCGTGGATAGAGCAGG AG (SEQ ID NO: 79)		CGCCGTGGATAGAGCAGG AG (SEQ ID NO: 79)
	GGCCCTCCTGCTCTATCC A (SEQ ID NO: 81)		GGCCCTCCTGCTCTATCC A (SEQ ID NO: 81)

25:1		26:1	
Exon1	Exon2	Exon1	Exon2
	GTGGATAGAGCAGGAGG GGC (SEQ ID NO: 83)		GTGGATAGAGCAGGAGG GGC (SEQ ID NO: 83)
	AGCAGGAGGGGCCGGAG TAT (SEQ ID NO: 85)		AGCAGGAGGGGCCGGAG TAT (SEQ ID NO: 85)
	GCAGGAGGGGCCGGAGT ATT (SEQ ID NO: 87)		GCAGGAGGGGCCGGAGT ATT (SEQ ID NO: 87)
	AGGGGCCGGAGTATTGG GAC (SEQ ID NO: 154)		AGGGGCCGGAGTATTGG GAC (SEQ ID NO: 154)
	GTGTTCCGGTCCCAATACT C (SEQ ID NO: 155)		GTGTTCCGGTCCCAATACT C (SEQ ID NO: 155)
	AGTATTGGGACCGGAACA CA (SEQ ID NO: 156)		AGTATTGGGACCGGAACA CA (SEQ ID NO: 156)
	CCGGAACACACGGAATGT GA (SEQ ID NO: 157)		CCGGAACACACGGAATGT GA (SEQ ID NO: 157)
	CCTTCACATTCCGTGTGTT C (SEQ ID NO: 158)		CCTTCACATTCCGTGTGTT C (SEQ ID NO: 158)
	CTCTCGGTCAGTCTGTGA GT (SEQ ID NO: 147)		CGCTCGGTCAGTCTGTGA GT (SEQ ID NO: 99)
	TCTCTCGGTCAGTCTGTGA G (SEQ ID NO: 148)		TCGCTCGGTCAGTCTGTG AG (SEQ ID NO: 101)
	AGACTGACCGAGAGAGCC TG (SEQ ID NO: 159)		ACAGACTGACCGAGCGAA CC (SEQ ID NO: 103)
	GCGCGATCCGAGGCTCT CT (SEQ ID NO: 160)		CAGACTGACCGAGCGAAC CT (SEQ ID NO: 105)
	AGTAGCGGAGCGCGATCC GC (SEQ ID NO: 151)		AGACTGACCGAGCGAACC TG (SEQ ID NO: 107)
	CCGCTACTACAACCAGAG CG (SEQ ID NO: 152)		GCAGGGTCCCCAGGTTCC CT (SEQ ID NO: 109)
	CCTCGCTCTGGTTGTAGTA G (SEQ ID NO: 153)		GCGAACCTGGGGACCCTG CG (SEQ ID NO: 111)
			AGTAGCCGCGCAGGGTCC CC (SEQ ID NO: 112)
			CTGGTTGTAGTAGCCGCG CA (SEQ ID NO: 113)
			TCTGGTTGTAGTAGCCGC GC (SEQ ID NO: 114)
			CGGCTACTACAACCAGAG CG (SEQ ID NO: 115)

TABLE 2E: HLA-A 29:02 and 30:1

29:02		30:1	
Exon1	Exon2	Exon1	Exon2
GAGGGTTCGGGGCGCCA TGA (SEQ ID NO: 1)	GGTGAAATACCTCATGGA GT (SEQ ID NO: 161)	GAGGGTTCGGGGCGCCA TGA (SEQ ID NO: 1)	GGAGAAATACCTCATGGA GT (SEQ ID NO: 135)
AGTAGCAGGAGGAGGGT TCG (SEQ ID NO: 4)	TGGTGAAATACCTCATGG AG (SEQ ID NO: 162)	AGTAGCAGGAGGAGGGT TCG (SEQ ID NO: 4)	TGGAGAAATACCTCATGG AG (SEQ ID NO: 137)
GAGTAGCAGGAGGAGGG TTC (SEQ ID NO: 8)	GGATGTGGTGAAATACCT CA (SEQ ID NO: 163)	GAGTAGCAGGAGGAGGG TTC (SEQ ID NO: 8)	GGATGTGGAGAAATACCT CA (SEQ ID NO: 138)

29:02		30:1	
Exon1	Exon2	Exon1	Exon2
AGAGTAGCAGGAGGAGG GTT (SEQ ID NO: 11)	ATTTCACCACATCCGTGTC C (SEQ ID NO: 164)	AGAGTAGCAGGAGGAGG GTT (SEQ ID NO: 11)	ATTTCACCACATCCGTGTC C (SEQ ID NO: 139)
AACCTCCTCCTGCTACTC T (SEQ ID NO: 14)	ACCACATCCGTGTCCCGG CC (SEQ ID NO: 165)	AACCTCCTCCTGCTACTC T (SEQ ID NO: 14)	TCCACATCCGTGTCCCGG CC (SEQ ID NO: 140)
ACCCTCCTCCTGCTACTCT T (SEQ ID NO: 166)	GCCGGGCCGGGACACGG ATG (SEQ ID NO: 141)	ACCCTCCTCCTGCTACTCT C (SEQ ID NO: 17)	GCCGGGCCGGGACACGG ATG (SEQ ID NO: 141)
CCCTCCTCCTGCTACTCTT G (SEQ ID NO: 167)	TCCGTGTCCCGGCCCGGC CG (SEQ ID NO: 13)	CCCTCCTCCTGCTACTCTC G (SEQ ID NO: 20)	TCCGTGTCCCGGCCCGGC AG (SEQ ID NO: 168)
CCCCAAGAGTAGCAGGA GGA (SEQ ID NO: 169)	CCGTGTCCCGGCCCGGCC GC (SEQ ID NO: 16)	CCCCGAGAGTAGCAGGA GGA (SEQ ID NO: 23)	TCCACTGCCGGGCCGGGA CA (SEQ ID NO: 170)
CCTCCTCCTGCTACTCTTG G (SEQ ID NO: 171)	CCCGCGGCCGGGCCGGG ACA (SEQ ID NO: 19)	CCTCCTCCTGCTACTCTCG G (SEQ ID NO: 26)	GGGCTCTCCACTGCCGGG CC (SEQ ID NO: 172)
CCCCAAGAGTAGCAGGA GG (SEQ ID NO: 173)	CGTGTCCCGGCCCGGCCG CG (SEQ ID NO: 22)	CCCCGAGAGTAGCAGGA GG (SEQ ID NO: 29)	GGGGCTCTCCACTGCCGG GC (SEQ ID NO: 174)
GGGCCCCAAGAGTAGCA GG (SEQ ID NO: 175)	GGGCTCCCGCGGCCGGG CC (SEQ ID NO: 25)	GGGCCCCGAGAGTAGC AGG (SEQ ID NO: 32)	AAGCGGGGCTCTCCACTG CC (SEQ ID NO: 176)
CCTGCTACTCTTGGGGGC CC (SEQ ID NO: 177)	GGGGTCCCGCGGCCGGG GC (SEQ ID NO: 28)	CCTGCTACTCTCGGGGGC CC (SEQ ID NO: 35)	GAAGCGGGGCTCTCCACT GC (SEQ ID NO: 178)
CCAGGGCCCCAAGAGTA GC (SEQ ID NO: 179)	AAGCGGGGCTCCCGCGG CC (SEQ ID NO: 31)	CCAGGGCCCCGAGAGTA GC (SEQ ID NO: 38)	AGAGCCCCGCTTCATCGC AG (SEQ ID NO: 180)
CCCTGGCCCTGACCCAGA CC (SEQ ID NO: 41)	GAAGCGGGGCTCCCGCG GC (SEQ ID NO: 34)	CCCTGGCCCTGACCCAGA CC (SEQ ID NO: 41)	GAGCCCCGCTTCATCGCA GT (SEQ ID NO: 43)
CCAGGTCTGGGTCAGGGC CA (SEQ ID NO: 44)	CGATGAAGCGGGGCTCCC CG (SEQ ID NO: 37)	CCAGGTCTGGGTCAGGGC CA (SEQ ID NO: 44)	TAGCCCACTGCGATGAAG CG (SEQ ID NO: 47)
CCTGGCCCTGACCCAGAC CT (SEQ ID NO: 48)	GGAGCCCCGCTTCATCGC CG (SEQ ID NO: 45)	CCTGGCCCTGACCCAGAC CT (SEQ ID NO: 48)	GTAGCCCACTGCGATGAA GC (SEQ ID NO: 50)
CCCAGGTCTGGGTCAGGG CC (SEQ ID NO: 51)	GAGCCCCGCTTCATCGCC GT (SEQ ID NO: 49)	CCCAGGTCTGGGTCAGGG CC (SEQ ID NO: 51)	CGTAGCCCACTGCGATGA AG (SEQ ID NO: 53)
GGCCCTGACCCAGACCTG GG (SEQ ID NO: 46)	TAGCCACGGCGATGAAG CG (SEQ ID NO: 52)	GGCCCTGACCCAGACCTG GG (SEQ ID NO: 46)	CTTCATCGCAGTGGGCTA CG (SEQ ID NO: 55)
	GTAGCCACGGCGATGAA GC (SEQ ID NO: 54)		TGGACGACACGCAGTTCTG TG (SEQ ID NO: 57)
	CGTAGCCACGGCGATGA AG (SEQ ID NO: 56)		ACAGCGACGCCGCGAGCC AG (SEQ ID NO: 59)
	CTTCATCGCCGTGGGCTA CG (SEQ ID NO: 58)		CGACGCCGCGAGCCAGA GGA (SEQ ID NO: 61)
	CGTGTCTCCACGTAGCC CA (SEQ ID NO: 60)		CGGCTCCATCCTCTGGCTC G (SEQ ID NO: 62)
	TGGACGACACGCAGTTCTG TG (SEQ ID NO: 57)		CGAGCCAGAGGATGGAG CCG (SEQ ID NO: 64)
	ACAGCGACGCCGCGAGCC AG (SEQ ID NO: 59)		GAGCCAGAGGATGGAGC CGC (SEQ ID NO: 66)
	CGACGCCGCGAGCCAGAG GA (SEQ ID NO: 61)		GCGCCCGCGGCTCCATCC TC (SEQ ID NO: 68)
	CGGCTCCATCCTCTGGCTC G (SEQ ID NO: 62)		GGATGGAGCCGCGGGCG CCG (SEQ ID NO: 70)
	CGAGCCAGAGGATGGAG CCG (SEQ ID NO: 64)		TGCTCTATCCACGGGCC CG (SEQ ID NO: 72)

29:02		30:1	
Exon1	Exon2	Exon1	Exon2
	GAGCCAGAGGATGGAGC CGC (SEQ ID NO: 66)		GCGGGCGCCGTGGATAG AGC (SEQ ID NO: 74)
	GTGCCCGCGGCTCCATCC TC (SEQ ID NO: 181)		CGCCGTGGATAGAGCAG GAG (SEQ ID NO: 79)
	GGATGGAGCCGCGGGCA CCG (SEQ ID NO: 182)		GGCCTCTCTGCTCTATCC A (SEQ ID NO: 183)
	TGCTCTATCCACGGTGCCC G (SEQ ID NO: 184)		AGCAGGAGAGGCCTGAG TAT (SEQ ID NO: 185)
	GCGGGCACCGTGGATAG AGC (SEQ ID NO: 186)		GCAGGAGAGGCCTGAGT ATT (SEQ ID NO: 187)
	GGCACCGTGGATAGAGCA GG (SEQ ID NO: 188)		GAGGCCTGAGTATTGGGA CC (SEQ ID NO: 189)
	GCACCGTGGATAGAGCAG GA (SEQ ID NO: 190)		GTCTCTGGTCCCAATACT C (SEQ ID NO: 91)
	CACCGTGGATAGAGCAGG AG (SEQ ID NO: 191)		AGTATTGGGACCAGGAG ACA (SEQ ID NO: 93)
	GGCCCTCTGCTCTATCC A (SEQ ID NO: 81)		CCAGGAGACACGGAATGT GA (SEQ ID NO: 126)
	GTGGATAGAGCAGGAGG GGC (SEQ ID NO: 83)		CCTTCACATTCCGTGTCTC C (SEQ ID NO: 127)
	AGCAGGAGGGGCCGAG TAT (SEQ ID NO: 85)		CACTCGGTCACTCTGTGA CT (SEQ ID NO: 128)
	GCAGGAGGGGCCGAGT ATT (SEQ ID NO: 87)		CCAGTCACAGACTGACCG AG (SEQ ID NO: 129)
	GTCTGCAGGTCCAATAC TC (SEQ ID NO: 192)		CCACTCGGTCACTCTGTG AC (SEQ ID NO: 130)
	AGTATTGGGACCTGCAGA CA (SEQ ID NO: 193)		ACAGACTGACCGAGTGGA CC (SEQ ID NO: 131)
	CCTGCAGACACGGAATGT GA (SEQ ID NO: 194)		CAGACTGACCGAGTGGA CT (SEQ ID NO: 132)
	CCTTCACATTCCGTGTCTG C (SEQ ID NO: 195)		AGACTGACCGAGTGGA TG (SEQ ID NO: 133)
	CGCTCGGTCACTCTGTGA CT (SEQ ID NO: 196)		GCAGGGTCCCCAGGTCCA CT (SEQ ID NO: 108)
	TCGCTCGGTCACTCTGTG AC (SEQ ID NO: 197)		GTGGACCTGGGACCTG CG (SEQ ID NO: 110)
	ACAGACTGACCGAGCGAA CC (SEQ ID NO: 103)		AGTAGCCGCGCAGGGTCC CC (SEQ ID NO: 112)
	CAGACTGACCGAGCGAAC CT (SEQ ID NO: 105)		CTGGTTGTAGTAGCCGCG CA (SEQ ID NO: 113)
	AGACTGACCGAGCGAAC TG (SEQ ID NO: 107)		TCTGGTTGTAGTAGCCGC GC (SEQ ID NO: 114)
	GCAGGGTCCCCAGGTTCG CT (SEQ ID NO: 109)		CGGCTACTACAACCAGAG CG (SEQ ID NO: 115)
	GCGAACCTGGGACCTG CG (SEQ ID NO: 111)		
	AGTAGCCGCGCAGGGTCC CC (SEQ ID NO: 112)		

29:02		30:1	
Exon1	Exon2	Exon1	Exon2
	CTGGTTGTAGTAGCCGCG CA (SEQ ID NO: 113)		
	TCTGGTTGTAGTAGCCGCG GC (SEQ ID NO: 114)		
	CGGCTACTACAACCAGAG CG (SEQ ID NO: 115)		

TABLE 2F: HLA-A 30:2 and 31:1

30:2		31:1	
Exon1	Exon2	Exon1	Exon2
GAGGGTTCGGGGCGCCA TGA (SEQ ID NO: 1)	GGAGAAATACCTCATGGA GT (SEQ ID NO: 135)	GAGGGTTCGGGGCGCCA TGA (SEQ ID NO: 1)	GGTGAATACCTCATGGA GT (SEQ ID NO: 161)
AGTAGCAGGAGGAGGGT TCG (SEQ ID NO: 4)	TGGAGAAATACCTCATGG AG (SEQ ID NO: 137)	AGTAGCAGGAGGAGGGT TCG (SEQ ID NO: 4)	TGGTGAATACCTCATGG AG (SEQ ID NO: 162)
GAGTAGCAGGAGGAGGG TTC (SEQ ID NO: 8)	GGATGTGGAGAAATACCT CA (SEQ ID NO: 138)	GAGTAGCAGGAGGAGGG TTC (SEQ ID NO: 8)	GGATGTGGTGAATACCT CA (SEQ ID NO: 163)
AGAGTAGCAGGAGGAGG GTT (SEQ ID NO: 11)	ATTCTCCACATCCGTGTC C (SEQ ID NO: 139)	AGAGTAGCAGGAGGAGG GTT (SEQ ID NO: 11)	ATTCACCACATCCGTGTC C (SEQ ID NO: 164)
AACCTCCTCCTGCTACTC T (SEQ ID NO: 14)	TCCACATCCGTGTCCCGG CC (SEQ ID NO: 140)	AACCTCCTCCTGCTACTC T (SEQ ID NO: 14)	ACCACATCCGTGTCCCGG CC (SEQ ID NO: 165)
ACCCTCCTCCTGCTACTCT C (SEQ ID NO: 17)	GCCGGGCCGGGACACGG ATG (SEQ ID NO: 141)	ACCCTCCTCCTGCTACTCT T (SEQ ID NO: 166)	GCCGGGCCGGGACACGG ATG (SEQ ID NO: 141)
CCCTCCTCCTGCTACTCTC G (SEQ ID NO: 20)	TCCGTGTCCCGGCCCGGC AG (SEQ ID NO: 168)	CCCTCCTCCTGCTACTCTT G (SEQ ID NO: 167)	TCCGTGTCCCGGCCCGGC CG (SEQ ID NO: 13)
CCCCGAGAGTAGCAGGA GGA (SEQ ID NO: 23)	TCCACTGCCGGGCCGGGA CA (SEQ ID NO: 170)	CCCCAAGAGTAGCAGGA GGA (SEQ ID NO: 169)	CCGTGTCCCGGCCCGGCC GC (SEQ ID NO: 16)
CCTCCTCCTGCTACTCTCG G (SEQ ID NO: 26)	GGGCTCTCACTGCCGGG CC (SEQ ID NO: 172)	CCTCCTCCTGCTACTCTTG G (SEQ ID NO: 171)	CCCGGCCCGGCCCGGG ACA (SEQ ID NO: 19)
CCCCGAGAGTAGCAGGA GG (SEQ ID NO: 29)	GGGGCTCTCACTGCCGG GC (SEQ ID NO: 174)	CCCCAAGAGTAGCAGGA GG (SEQ ID NO: 173)	CGTGTCCCGGCCCGGCC CG (SEQ ID NO: 22)
GGGCCCCGAGAGTAGC AGG (SEQ ID NO: 32)	AAGCGGGGCTCTCACTG CC (SEQ ID NO: 176)	GGGCCCCAAGAGTAGCA GG (SEQ ID NO: 175)	GGGCTCCCCGCGCCGG GCC (SEQ ID NO: 25)
CCTGCTACTCTCGGGGC CC (SEQ ID NO: 35)	GAAGCGGGGCTCTCACT GC (SEQ ID NO: 178)	CCTGCTACTCTTGGGGGC CC (SEQ ID NO: 177)	GGGGTCCCCGCGGCCG GGC (SEQ ID NO: 28)
CCAGGGCCCCGAGAGTA GC (SEQ ID NO: 38)	AGAGCCCCGCTTCATCGC AG (SEQ ID NO: 180)	CCAGGGCCCCAAGAGTA GC (SEQ ID NO: 179)	AAGCGGGGCTCCCCGCG GCC (SEQ ID NO: 31)
CCCTGGCCCTGACCCAGA CC (SEQ ID NO: 41)	GAGCCCCGCTTCATCGCA GT (SEQ ID NO: 43)	CCCTGGCCCTGACCCAGA CC (SEQ ID NO: 41)	GAAGCGGGGCTCCCCGC GGC (SEQ ID NO: 34)
CCAGGTCTGGGTCAGGGC CA (SEQ ID NO: 44)	TAGCCCACTGCGATGAAG CG (SEQ ID NO: 47)	CCAGGTCTGGGTCAGGGC CA (SEQ ID NO: 44)	CGATGAAGCGGGGCTCCC CG (SEQ ID NO: 37)
CCTGGCCCTGACCCAGAC CT (SEQ ID NO: 48)	GTAGCCCACTGCGATGAA GC (SEQ ID NO: 50)	CCTGGCCCTGACCCAGAC CT (SEQ ID NO: 48)	GGAGCCCCGCTTCATCGC CG (SEQ ID NO: 45)
CCCAGGTCTGGGTCAGGG CC (SEQ ID NO: 51)	CGTAGCCCACTGCGATGA AG (SEQ ID NO: 53)	CCCAGGTCTGGGTCAGGG CC (SEQ ID NO: 51)	GAGCCCCGCTTCATCGCC GT (SEQ ID NO: 49)
GGCCCTGACCCAGACCTG GG (SEQ ID NO: 46)	CTTCATCGCAGTGGGCTA CG (SEQ ID NO: 55)	GGCCCTGACCCAGACCTG GG (SEQ ID NO: 46)	TAGCCACGGCGATGAAG CG (SEQ ID NO: 52)

30:2		31:1	
Exon1	Exon2	Exon1	Exon2
	TGGACGACACGCAGTTCG TG (SEQ ID NO: 57)		GTAGCCACGGCGATGAA GC (SEQ ID NO: 54)
	ACAGCGACGCCGCGAGCC AG (SEQ ID NO: 59)		CGTAGCCACGGCGATGA AG (SEQ ID NO: 56)
	CGACGCCGCGAGCCAGA GGA (SEQ ID NO: 61)		CTTCATCGCCGTGGGCTA CG (SEQ ID NO: 58)
	CGGCTCCATCCTCTGGCTC G (SEQ ID NO: 62)		CGTGTCTCCACGTAGCC CA (SEQ ID NO: 60)
	CGAGCCAGAGGATGGAG CCG (SEQ ID NO: 64)		TGGACGACACGCAGTTCG TG (SEQ ID NO: 57)
	GAGCCAGAGGATGGAGC CGC (SEQ ID NO: 66)		ACAGCGACGCCGCGAGCC AG (SEQ ID NO: 59)
	GCGCCCGCGGCTCCATCC TC (SEQ ID NO: 68)		CGACGCCGCGAGCCAGA GGA (SEQ ID NO: 61)
	GGATGGAGCCCGGGCG CCG (SEQ ID NO: 70)		CGGCTCCATCCTCTGGCTC G (SEQ ID NO: 62)
	TGCTCTATCCACGGCGCC CG (SEQ ID NO: 72)		CGAGCCAGAGGATGGAG CCG (SEQ ID NO: 64)
	GCGGGCGCCGTGGATAG AGC (SEQ ID NO: 74)		GAGCCAGAGGATGGAGC CGC (SEQ ID NO: 66)
	CGCCGTGGATAGAGCAG GAG (SEQ ID NO: 79)		GCGCCCGCGGCTCCATCC TC (SEQ ID NO: 68)
	GGCCTCTCTGCTCTATCC A (SEQ ID NO: 183)		GGATGGAGCCCGGGCG CCG (SEQ ID NO: 70)
	AGCAGGAGAGGCCTGAG TAT (SEQ ID NO: 185)		TGCTCTATCCACGGCGCC CG (SEQ ID NO: 72)
	GCAGGAGAGGCCTGAGT ATT (SEQ ID NO: 187)		GCGGGCGCCGTGGATAG AGC (SEQ ID NO: 74)
	GAGGCCTGAGTATTGGGA CC (SEQ ID NO: 189)		CGCCGTGGATAGAGCAG GAG (SEQ ID NO: 79)
	GTCTCTGGTCCAATACT C (SEQ ID NO: 91)		GGCCTCTCTGCTCTATCC A (SEQ ID NO: 183)
	AGTATTGGGACCAGGAG ACA (SEQ ID NO: 93)		AGCAGGAGAGGCCTGAG TAT (SEQ ID NO: 185)
	CCAGGAGACCGGAATGT GA (SEQ ID NO: 126)		GCAGGAGAGGCCTGAGT ATT (SEQ ID NO: 187)
	CCTTCACATTCGTGTCTC C (SEQ ID NO: 127)		GAGGCCTGAGTATTGGGA CC (SEQ ID NO: 189)
	CTCTCGGTCAGTCTGTGA GT (SEQ ID NO: 147)		GTCTCTGGTCCAATACT C (SEQ ID NO: 91)
	TCTCTCGGTCAGTCTGTGA G (SEQ ID NO: 148)		AGTATTGGGACCAGGAG ACA (SEQ ID NO: 93)
	ACAGACTGACCGAGAGAA CC (SEQ ID NO: 198)		CCAGGAGACCGGAATGT GA (SEQ ID NO: 126)
	CAGACTGACCGAGAGAAC CT (SEQ ID NO: 199)		CCTTCACATTCGTGTCTC C (SEQ ID NO: 127)
	AGACTGACCGAGAGAACC TG (SEQ ID NO: 149)		CACTCGGTCAATCTGTGA GT (SEQ ID NO: 200)

30:2		31:1	
Exon1	Exon2	Exon1	Exon2
	GCAGGGTCCCCAGGTTCT CT (SEQ ID NO: 201)		CCACTCACAGATTGACCG AG (SEQ ID NO: 202)
	GAGAACCTGGGGACCCTG CG (SEQ ID NO: 203)		CCACTCGGTCAATCTGTG AG (SEQ ID NO: 204)
	AGTAGCCGCGCAGGGTCC CC (SEQ ID NO: 112)		ACAGATTGACCGAGTGGA CC (SEQ ID NO: 205)
	CTGGTTGTAGTAGCCGCG CA (SEQ ID NO: 113)		CAGATTGACCGAGTGGA CT (SEQ ID NO: 206)
	TCTGGTTGTAGTAGCCGC GC (SEQ ID NO: 114)		AGATTGACCGAGTGGA TG (SEQ ID NO: 207)
	CGGCTACTACAACCAGAG CG (SEQ ID NO: 115)		GCAGGGTCCCCAGGTCCA CT (SEQ ID NO: 108)
			GTGGACCTGGGGACCTTG CG (SEQ ID NO: 110)
			AGTAGCCGCGCAGGGTCC CC (SEQ ID NO: 112)
			CTGGTTGTAGTAGCCGCG CA (SEQ ID NO: 113)
			TCTGGTTGTAGTAGCCGC GC (SEQ ID NO: 114)
			CGGCTACTACAACCAGAG CG (SEQ ID NO: 115)

TABLE 2G: HLA-A 33:1

33:1	
Exon1	Exon2
GAGGGTTCGGGGCGCCATGA (SEQ ID NO: 1)	GGTGAAATACCTCATGGAGT (SEQ ID NO: 161)
AGTAGCAGGAGGAGGGTTCG (SEQ ID NO: 4)	TGGTGAAATACCTCATGGAG (SEQ ID NO: 162)
GAGTAGCAGGAGGAGGGTTC (SEQ ID NO: 8)	GGATGTGGTGAAATACCTCA (SEQ ID NO: 163)
AGAGTAGCAGGAGGAGGGTT (SEQ ID NO: 11)	ATTCACCACATCCGTGTCC (SEQ ID NO: 164)
AACCTCCTCCTGCTACTCT (SEQ ID NO: 14)	ACCACATCCGTGTCCCGGCC (SEQ ID NO: 165)
ACCTCCTCCTGCTACTCTT (SEQ ID NO: 166)	GCCGGGCCGGGACACGGATG (SEQ ID NO: 141)
CCCTCCTCCTGCTACTCTTG (SEQ ID NO: 167)	TCCGTGTCCCGGCCCGGCCG (SEQ ID NO: 13)
CCCCAAGAGTAGCAGGAGGA (SEQ ID NO: 169)	CCGTGTCCCGGCCCGGCCG (SEQ ID NO: 16)
CCTCCTCCTGCTACTCTTGG (SEQ ID NO: 171)	CCCGCGGCCGGGCCGGGACA (SEQ ID NO: 19)
CCCCAAGAGTAGCAGGAGG (SEQ ID NO: 173)	CGTGTCCCGGCCCGGCCGCG (SEQ ID NO: 22)
GGGCCCCAAGAGTAGCAGG (SEQ ID NO: 175)	GGGCTCCCGCGGCCGGGCC (SEQ ID NO: 25)
CCTGCTACTCTTGGGGGCC (SEQ ID NO: 177)	GGGGTCCCGCGGCCGGGC (SEQ ID NO: 28)
CCAGGGCCCCAAGAGTAGC (SEQ ID NO: 179)	AAGCGGGCTCCCGCGGCC (SEQ ID NO: 31)
CCCTGGCCCTGACCCAGACC (SEQ ID NO: 41)	GAAGCGGGCTCCCGCGGC (SEQ ID NO: 34)
CCAGGTCTGGGTACGGGCA (SEQ ID NO: 44)	CGATGAAGCGGGCTCCCG (SEQ ID NO: 37)
CCTGGCCCTGACCCAGACCT (SEQ ID NO: 48)	GGAGCCCGCTTCATCGCCG (SEQ ID NO: 45)
CCCAGGTCTGGGTACGGGCC (SEQ ID NO: 51)	GAGCCCGCTTCATCGCCG (SEQ ID NO: 49)
GGCCCTGACCCAGACTGGG (SEQ ID NO: 46)	TAGCCACGGCGATGAAGCG (SEQ ID NO: 52)
	GTAGCCACGGCGATGAAGC (SEQ ID NO: 54)
	CGTAGCCACGGCGATGAAG (SEQ ID NO: 56)
	CTTCATCGCCGTGGGCTACG (SEQ ID NO: 58)

33:1	
Exon1	Exon2
	CGTGTCGTCCACGTAGCCCA (SEQ ID NO: 60)
	TGGACGACACGCAGTTCGTG (SEQ ID NO: 57)
	ACAGCGACGCCGCGAGCCAG (SEQ ID NO: 59)
	CGACGCCGCGAGCCAGAGGA (SEQ ID NO: 61)
	CGGCTCCATCCTCTGGCTCG (SEQ ID NO: 62)
	CGAGCCAGAGGATGGAGCCG (SEQ ID NO: 64)
	GAGCCAGAGGATGGAGCCGC (SEQ ID NO: 66)
	GCGCCCGCGGCTCCATCCTC (SEQ ID NO: 68)
	GGATGGAGCCGCGGGCGCCG (SEQ ID NO: 70)
	TGCTCTATCCACGGCGCCG (SEQ ID NO: 72)
	GCGGGCGCCGTGGATAGAGC (SEQ ID NO: 74)
	GGCGCCGTGGATAGAGCAGG (SEQ ID NO: 75)
	GCGCCGTGGATAGAGCAGGA (SEQ ID NO: 76)
	CGCCGTGGATAGAGCAGGAG (SEQ ID NO: 79)
	GGCCCCCTCTGCTCTATCCA (SEQ ID NO: 81)
	GTGGATAGAGCAGGAGGGGC (SEQ ID NO: 83)
	AGCAGGAGGGGCCGAGTAT (SEQ ID NO: 85)
	GCAGGAGGGGCCGAGTATT (SEQ ID NO: 87)
	AGGGGCCGAGTATTGGGAC (SEQ ID NO: 154)
	GTGTTCCGGTCCCAATACTC (SEQ ID NO: 155)
	AGTATTGGGACCGGAACACA (SEQ ID NO: 156)
	CCGGAACACACGGAATGTGA (SEQ ID NO: 157)
	CCTTCACATTCCGTGTGTT (SEQ ID NO: 158)
	CACTCGGTCAATCTGTGAGT (SEQ ID NO: 200)
	CCACTCACAGATTGACCGAG (SEQ ID NO: 202)
	CCACTCGGTCAATCTGTGAG (SEQ ID NO: 204)
	ACAGATTGACCGAGTGGACC (SEQ ID NO: 205)
	CAGATTGACCGAGTGGACCT (SEQ ID NO: 206)
	AGATTGACCGAGTGGACCTG (SEQ ID NO: 207)
	GCAGGGTCCCCAGGTCCACT (SEQ ID NO: 108)
	GTGGACCTGGGGACCTGCG (SEQ ID NO: 110)
	AGTAGCCGCGCAGGGTCCCC (SEQ ID NO: 112)
	CTGGTTGTAGTAGCCGCGCA (SEQ ID NO: 113)
	TCTGGTTGTAGTAGCCGCGC (SEQ ID NO: 114)
	CGGCTACTACAACCAGAGCG (SEQ ID NO: 115)
	TACTACAACCAGAGCGAGGC (SEQ ID NO: 208)

TABLE 3A: HLA-B 07:02 and 08:01

07:02		08:01	
Exon1	Exon2	Exon1	Exon2
AGCAGCAGGAGGACGGT TCG (SEQ ID NO: 209)	GTAGAAATACCTCATGGA GT (SEQ ID NO: 134)	AGCAGCAGGAGGACGGT TCG (SEQ ID NO: 209)	GTGAAATACCTCATGGA GT (SEQ ID NO: 220)
GAGCAGCAGGAGGACGG TTC (SEQ ID NO: 210)	TGTAGAAATACCTCATGG AG (SEQ ID NO: 136)	GAGCAGCAGGAGGACGG TTC (SEQ ID NO: 210)	TGTGAAATACCTCATGG AG (SEQ ID NO: 221)
AGAGCAGCAGGAGGACG GTT (SEQ ID NO: 211)	GGAGGTGTAGAAATACCT CA (SEQ ID NO: 116)	AGAGCAGCAGGAGGACG GTT (SEQ ID NO: 211)	GGCGGTGTGAAATACCT CA (SEQ ID NO: 222)

07:02		08:01	
Exon1	Exon2	Exon1	Exon2
AACCGTCCTCCTGCTGCTC T (SEQ ID NO: 212)	ATTCTACACCTCCGTGTC C (SEQ ID NO: 117)	AACCGTCCTCCTGCTGCTC T (SEQ ID NO: 212)	ATTTCGACACCGCCATGTC C (SEQ ID NO: 223)
CGCCGAGAGCAGCAGGA GGA (SEQ ID NO: 213)	TACACCTCCGTGTCCCGG CC (SEQ ID NO: 118)	CGCCGAGAGCAGCAGGA GGA (SEQ ID NO: 213)	GACACCGCCATGTCCCGG CC (SEQ ID NO: 224)
CGTCCTCCTGCTGCTCTCG G (SEQ ID NO: 214)	GCGGCCGGGCCGGGACA CGG (SEQ ID NO: 119)	CGTCCTCCTGCTGCTCTCG G (SEQ ID NO: 214)	GCGGCCGGGCCGGGACA TGG (SEQ ID NO: 225)
GGGCCCGCAGAGCAGC AGG (SEQ ID NO: 215)	TCCGTGTCCCGGCCCGGC CG (SEQ ID NO: 13)	GGGCCCGCAGAGCAGC AGG (SEQ ID NO: 215)	GCCATGTCCCGGCCCGGC CG (SEQ ID NO: 226)
CCTGCTGCTCTCGGCGGC CC (SEQ ID NO: 216)	CCGTGTCCCGGCCCGGCC GC (SEQ ID NO: 16)	CCTGCTGCTCTCGGCGGC CC (SEQ ID NO: 216)	CCATGTCCCGGCCCGGCC GC (SEQ ID NO: 227)
CCAGGGCCCGCAGAGC AGC (SEQ ID NO: 217)	CCCGCGGCCGGGCCGGG ACA (SEQ ID NO: 19)	CCAGGGCCCGCAGAGC AGC (SEQ ID NO: 217)	CCCGCGGCCGGGCCGGG ACA (SEQ ID NO: 19)
CCCTGGCCCTGACCGAGA CC (SEQ ID NO: 218)	CGTGTCCCGGCCCGGCCG CG (SEQ ID NO: 22)	CCCTGGCCCTGACCGAGA CC (SEQ ID NO: 218)	CATGTCCCGGCCCGGCCG CG (SEQ ID NO: 228)
CCAGGTCTCGGTCAGGGC CA (SEQ ID NO: 219)	GGGCTCCCCGCGGCCGG GCC (SEQ ID NO: 25)	CCAGGTCTCGGTCAGGGC CA (SEQ ID NO: 219)	GGGCTCCCCGCGGCCGG GCC (SEQ ID NO: 25)
CCTGGCCCTGACCGAGAC CT (SEQ ID NO: 229)	GGGGTCCCCGCGGCCG GGC (SEQ ID NO: 28)	CCTGGCCCTGACCGAGAC CT (SEQ ID NO: 229)	GGGGTCCCCGCGGCCG GGC (SEQ ID NO: 28)
CCCAGGTCTCGGTCAGGG CC (SEQ ID NO: 230)	AAGCGGGGCTCCCCGCGG CC (SEQ ID NO: 31)	CCCAGGTCTCGGTCAGGG CC (SEQ ID NO: 230)	AAGCGGGGCTCCCCGCGG CC (SEQ ID NO: 31)
	GAAGCGGGGCTCCCCGCG GC (SEQ ID NO: 34)		GAAGCGGGGCTCCCCGCG GC (SEQ ID NO: 34)
	AGATGAAGCGGGGCTCCC CG (SEQ ID NO: 231)		AGATGAAGCGGGGCTCCC CG (SEQ ID NO: 231)
	GGAGCCCCGCTTCATCTC AG (SEQ ID NO: 232)		GGAGCCCCGCTTCATCTC AG (SEQ ID NO: 232)
	GAGCCCCGCTTCATCTCA GT (SEQ ID NO: 233)		GAGCCCCGCTTCATCTCA GT (SEQ ID NO: 233)
	TAGCCCACTGAGATGAAG CG (SEQ ID NO: 234)		TAGCCCACTGAGATGAAG CG (SEQ ID NO: 234)
	GTAGCCCACTGAGATGAA GC (SEQ ID NO: 235)		GTAGCCCACTGAGATGAA GC (SEQ ID NO: 235)
	CGTAGCCCACTGAGATGA AG (SEQ ID NO: 236)		CGTAGCCCACTGAGATGA AG (SEQ ID NO: 236)
	CTTCATCTCAGTGGGCTAC G (SEQ ID NO: 237)		CTTCATCTCAGTGGGCTAC G (SEQ ID NO: 237)
	TGGACGACACCCAGTTCTG TG (SEQ ID NO: 238)		TGGACGACACCCAGTTCTG TG (SEQ ID NO: 57)
	GCTGTGGAACCTCACGAA CT (SEQ ID NO: 239)		CGACGCCGCGAGTCCGAG AG (SEQ ID NO: 241)
	CGCTGTGGAACCTCACGA AC (SEQ ID NO: 240)		CGGCTCCTCTCTCGGACTC G (SEQ ID NO: 242)
	CGACGCCGCGAGTCCGAG AG (SEQ ID NO: 241)		CGAGTCCGAGAGAGGAG CCG (SEQ ID NO: 243)
	CGGCTCCTCTCTCGGACTC G (SEQ ID NO: 242)		GAGTCCGAGAGAGGAGC CGC (SEQ ID NO: 244)
	CGAGTCCGAGAGAGGAG CCG (SEQ ID NO: 243)		GGCGCCCGCGGCTCCTCT CT (SEQ ID NO: 245)

07:02		08:01	
Exon1	Exon2	Exon1	Exon2
	GAGTCCGAGAGAGGAGC CGC (SEQ ID NO: 244)		GAGAGGAGCCGCGGGCG CCG (SEQ ID NO: 246)
	GGCGCCCGCGGCTCCTCT CT (SEQ ID NO: 245)		TGCTCTATCCACGGCGCC CG (SEQ ID NO: 72)
	GAGAGGAGCCGCGGGCG CCG (SEQ ID NO: 246)		GCGGGCGCCGTGGATAG AGC (SEQ ID NO: 74)
	TGCTCTATCCACGGCGCC CG (SEQ ID NO: 72)		GGCGCCGTGGATAGAGC AGG (SEQ ID NO: 75)
	GCGGGCGCCGTGGATAG AGC (SEQ ID NO: 74)		GCGCCGTGGATAGAGCA GGA (SEQ ID NO: 76)
	GGCGCCGTGGATAGAGC AGG (SEQ ID NO: 75)		CGCCGTGGATAGAGCAG GAG (SEQ ID NO: 79)
	GCGCCGTGGATAGAGCA GGA (SEQ ID NO: 76)		GGCCCCTCTGCTCTATCC A (SEQ ID NO: 81)
	CGCCGTGGATAGAGCAG GAG (SEQ ID NO: 79)		GTGGATAGAGCAGGAGG GGC (SEQ ID NO: 83)
	GGCCCCTCTGCTCTATCC A (SEQ ID NO: 81)		AGCAGGAGGGGCCGGAG TAT (SEQ ID NO: 85)
	GTGGATAGAGCAGGAGG GGC (SEQ ID NO: 83)		GCAGGAGGGGCCGGAGT ATT (SEQ ID NO: 87)
	AGCAGGAGGGGCCGGAG TAT (SEQ ID NO: 85)		AGGGGCCGGAGTATTGG GAC (SEQ ID NO: 154)
	GCAGGAGGGGCCGGAGT ATT (SEQ ID NO: 87)		GTGTTCCGGTCCCAATACT C (SEQ ID NO: 155)
	AGGGGCCGGAGTATTGG GAC (SEQ ID NO: 154)		TCTTGAAGATCTGTGTGT C (SEQ ID NO: 255)
	GTGTTCCGGTCCCAATACT C (SEQ ID NO: 155)		CTCTCGGTCACTGTGTGT GT (SEQ ID NO: 256)
	CCGGAACACACAGATCTA CA (SEQ ID NO: 247)		AGACTGACCGAGAGAGCC TG (SEQ ID NO: 159)
	CCTGTAGATCTGTGTGT C (SEQ ID NO: 248)		GCAGGTTCCGCAGGCTCT CT (SEQ ID NO: 252)
	CACACAGATCTACAAGGC CC (SEQ ID NO: 249)		GAGAGCCTGCGGAACCTG CG (SEQ ID NO: 253)
	CTCTCGGTCACTGTGCC T (SEQ ID NO: 250)		AGTAGCCGCGCAGGTTCC GC (SEQ ID NO: 254)
	TCTCTCGGTCACTGTGC C (SEQ ID NO: 251)		TCTGGTTGTAGTAGCCGC GC (SEQ ID NO: 114)
	AGACTGACCGAGAGAGCC TG (SEQ ID NO: 159)		CGGCTACTACAACAGAG CG (SEQ ID NO: 115)
	GCAGGTTCCGCAGGCTCT CT (SEQ ID NO: 252)		
	GAGAGCCTGCGGAACCTG CG (SEQ ID NO: 253)		
	AGTAGCCGCGCAGGTTCC GC (SEQ ID NO: 254)		
	TCTGGTTGTAGTAGCCGC GC (SEQ ID NO: 114)		

07:02		08:01	
Exon1	Exon2	Exon1	Exon2
	CGGCTACTACAACCAGAG CG (SEQ ID NO: 115)		

TABLE 3B: HLA-B 13:02 and 14:02

13:02		14:02	
AGCAGCAGGAGGAGGGT TCG (SEQ ID NO: 257)	GTAGAAATACCTCATGGA GT (SEQ ID NO: 134)	AGCAGCAGGAGGACGGT TCG (SEQ ID NO: 209)	GTAGAAATACCTCATGGA GT (SEQ ID NO: 134)
GAGCAGCAGGAGGAGGG TTC (SEQ ID NO: 258)	TGTAGAAATACCTCATGG AG (SEQ ID NO: 136)	GAGCAGCAGGAGGACGG TTC (SEQ ID NO: 210)	TGTAGAAATACCTCATGG AG (SEQ ID NO: 136)
AGAGCAGCAGGAGGAGG GTT (SEQ ID NO: 259)	GGCGGTGTAGAAATACCT CA (SEQ ID NO: 272)	AGAGCAGCAGGAGGACG GTT (SEQ ID NO: 211)	GGCGGTGTAGAAATACCT CA (SEQ ID NO: 272)
GAACCTCCTCCTGCTGCT C (SEQ ID NO: 260)	ATTCTACACCGCCATGTC C (SEQ ID NO: 273)	AACCGTCCTCCTGCTGCTC T (SEQ ID NO: 212)	ATTCTACACCGCCGTGTC C (SEQ ID NO: 305)
AACCTCCTCCTGCTGCTC T (SEQ ID NO: 261)	TACACCGCCATGTCCCGG CC (SEQ ID NO: 274)	CGCCGAGAGCAGCAGGA GGA (SEQ ID NO: 213)	TACACCGCCGTGTCCCGG CC (SEQ ID NO: 306)
ACCTCCTCCTGCTGCTCT G (SEQ ID NO: 262)	GCGGCCGGGCCGGGACA TGG (SEQ ID NO: 225)	CGTCCTCCTGCTGCTCTCG G (SEQ ID NO: 214)	GCGGCCGGGCCGGGACA CGG (SEQ ID NO: 119)
CCCTCCTCCTGCTGCTCG G (SEQ ID NO: 263)	GCCATGTCCCGGCCGGC CG (SEQ ID NO: 226)	GGGCCGCCGAGAGCAGC AGG (SEQ ID NO: 215)	GCCGTGTCCCGGCCCGGC CG (SEQ ID NO: 307)
CCCCCAGAGCAGCAGGA GGA (SEQ ID NO: 264)	CCATGTCCCGGCCCGGCC GC (SEQ ID NO: 227)	CCTGCTGCTCTCGGCGGC CC (SEQ ID NO: 216)	CCGTGTCCCGGCCCGGCC GC (SEQ ID NO: 16)
CCTCCTCCTGCTGCTCTGG G (SEQ ID NO: 265)	CCCGCGGCCGGGCCGGG ACA (SEQ ID NO: 19)	CCAGGGCCGCCGAGAGC AGC (SEQ ID NO: 217)	CCCGCGGCCGGGCCGGG ACA (SEQ ID NO: 19)
CCCCCAGAGCAGCAGGA GG (SEQ ID NO: 266)	CATGTCCCGGCCCGGCCG CG (SEQ ID NO: 228)	CCCTGGCCCTGACCGAGA CC (SEQ ID NO: 218)	CGTGTCCCGGCCCGGCCG CG (SEQ ID NO: 22)
CTGCCCCCAGAGCAGCA GG (SEQ ID NO: 267)	GGGCTCCCCGCGGCCGG GCC (SEQ ID NO: 25)	CCAGGTCTCGGTCAGGGC CA (SEQ ID NO: 219)	GGGCTCCCCGCGGCCGG CC (SEQ ID NO: 25)
CCTGCTGCTCTGGGGGGC AG (SEQ ID NO: 268)	GGGGTCCCCGCGGCCG GGC (SEQ ID NO: 28)	CCTGGCCCTGACCGAGAC CT (SEQ ID NO: 229)	GGGGTCCCCGCGGCCG GC (SEQ ID NO: 28)
CCACTGCCCCCAGAGCA GC (SEQ ID NO: 269)	AAGCGGGGCTCCCCGCG GCC (SEQ ID NO: 31)	CCCAGGTCTCGGTCAGGG CC (SEQ ID NO: 230)	AAGCGGGGCTCCCCGCG CC (SEQ ID NO: 31)
CAGTGGCCCTGACCGAGA CC (SEQ ID NO: 270)	GAAGCGGGGCTCCCCGC GGC (SEQ ID NO: 34)		GAAGCGGGGCTCCCCGCG GC (SEQ ID NO: 34)
AGTGGCCCTGACCGAGAC CT (SEQ ID NO: 271)	TGATGAAGCGGGGCTCCC CG (SEQ ID NO: 275)		AGATGAAGCGGGGCTCCC CG (SEQ ID NO: 231)
	GGAGCCCCGCTTCATCAC CG (SEQ ID NO: 276)		GGAGCCCCGCTTCATCTC AG (SEQ ID NO: 232)
	GAGCCCCGCTTCATCACC GT (SEQ ID NO: 277)		GAGCCCCGCTTCATCTCA GT (SEQ ID NO: 233)
	TAGCCACGGTGATGAAG CG (SEQ ID NO: 278)		TAGCCACTGAGATGAAG CG (SEQ ID NO: 234)
	GTAGCCACGGTGATGAA GC (SEQ ID NO: 279)		GTAGCCACTGAGATGAA GC (SEQ ID NO: 235)
	CGTAGCCACGGTGATGA AG (SEQ ID NO: 280)		CGTAGCCACTGAGATGA AG (SEQ ID NO: 236)
	CTTCATACCGTGGGCTA CG (SEQ ID NO: 281)		CTTCATCTCAGTGGGCTAC G (SEQ ID NO: 237)

13:02	14:02
GGTGTCTGTCACGTAGCC CA (SEQ ID NO: 282)	TGGACGACACGCAGTTCCG TG (SEQ ID NO: 57)
TGGACGACACCCAGTTCCG TG (SEQ ID NO: 238)	CGACGCCGCGAGTCCGAG AG (SEQ ID NO: 241)
GCTGTCTGAACCTCACGAA CT (SEQ ID NO: 239)	CGGCTCTCTCTCGGACTC G (SEQ ID NO: 242)
CGCTGTCTGAACCTCACGA AC (SEQ ID NO: 240)	CGAGTCCGAGAGAGGAG CCG (SEQ ID NO: 243)
ACAGCGACGCCACGAGTC CG (SEQ ID NO: 283)	GAGTCCGAGAGAGGAGC CGC (SEQ ID NO: 244)
CGACGCCACGAGTCCGAG GA (SEQ ID NO: 284)	GGCGCCCGCGGCTCTCT CT (SEQ ID NO: 245)
GGGCGCCATCCTCGGACT CG (SEQ ID NO: 285)	GAGAGGAGCCGCGGGCG CCG (SEQ ID NO: 246)
CGAGTCCGAGGATGGCG CCC (SEQ ID NO: 286)	TGCTCTATCCACGGCGCC G (SEQ ID NO: 72)
GAGTCCGAGGATGGCGC CCC (SEQ ID NO: 287)	GCGGGCGCGTGGATAG AGC (SEQ ID NO: 74)
GGCGCCCGGGGCGCCATC CT (SEQ ID NO: 288)	GGCGCCGTGGATAGAGC AGG (SEQ ID NO: 75)
GGATGGCGCCCCGGGCG CCA (SEQ ID NO: 289)	GCGCCGTGGATAGACA GGA (SEQ ID NO: 76)
TGCTCTATCCATGGCGCC G (SEQ ID NO: 290)	CGCCGTGGATAGAGCAG GAG (SEQ ID NO: 79)
CTGCTCTATCCATGGCGCC C (SEQ ID NO: 291)	GGCCCTCTGCTCTATCC A (SEQ ID NO: 81)
CCGGGCGCCATGGATAGA GC (SEQ ID NO: 292)	GTGGATAGAGCAGGAGG GGC (SEQ ID NO: 83)
CCTGCTCTATCCATGGCGC C (SEQ ID NO: 293)	AGCAGGAGGGGCCGGA TAT (SEQ ID NO: 308)
GGCGCCATGGATAGAGC AGG (SEQ ID NO: 294)	GCAGGAGGGGCCGGAAT ATT (SEQ ID NO: 309)
GCGCCATGGATAGAGCA GGA (SEQ ID NO: 295)	AGGGGCCGGAATATTGG GAC (SEQ ID NO: 310)
CGCCATGGATAGAGCAG GAG (SEQ ID NO: 296)	GTGTTCCGGTCCCAATAT C (SEQ ID NO: 311)
GGCCCTCTGCTCTATCC A (SEQ ID NO: 81)	TCTTGAGATCTGTGTGT C (SEQ ID NO: 312)
ATGGATAGAGCAGGAGG GGC (SEQ ID NO: 297)	CTCTCGGTAGTCTGTGT GT (SEQ ID NO: 256)
AGCAGGAGGGGCCGAG TAT (SEQ ID NO: 85)	AGACTGACCGAGAGAGCC TG (SEQ ID NO: 159)
GCAGGAGGGGCCGAGT ATT (SEQ ID NO: 87)	GCAGGTTCCGAGGCTCT CT (SEQ ID NO: 252)
AGGGGCCGAGTATTGG GAC (SEQ ID NO: 154)	GAGAGCTGCGGAACCTG CG (SEQ ID NO: 253)
GGGGCCGAGTATTGGG ACC (SEQ ID NO: 89)	AGTAGCCGCGCAGGTTCC GC (SEQ ID NO: 254)
GTCTCCCGGTCCCAATACT C (SEQ ID NO: 298)	TCTGTTGTAGTAGCCGC GC (SEQ ID NO: 114)

13:02		14:02	
	TCTTGGAGATCTGTGTCTC C (SEQ ID NO: 299)		CGGCTACTACAACCAGAG CG (SEQ ID NO: 115)
	GTAAGTCTGTGTGTTGGT CT (SEQ ID NO: 300)		
	CTCTCGGTAAGTCTGTGT GT (SEQ ID NO: 301)		
	GCGCGGTGCGCAGGTTCT CT (SEQ ID NO: 302)		
	AGTAGCGGAGCGCGGTG CGC (SEQ ID NO: 303)		
	CTGGTTGTAGTAGCGGAG CG (SEQ ID NO: 304)		
	CCGCTACTACAACCAGAG CG (SEQ ID NO: 152)		
	CCTCGCTCTGGTTGTAGTA G (SEQ ID NO: 153)		

TABLE 3C: HLA-B 15:01 and 18:01

15:01		18:01
Exon1	Exon2	Exon2
AGCAGCAGGAGGACGGTTCG (SEQ ID NO: 209)	GTAGAAATACCTCATGGAGT (SEQ ID NO: 134)	AGCAGCAGGAGGAGGGTTCG (SEQ ID NO: 257)
GAGCAGCAGGAGGACGGTTC (SEQ ID NO: 210)	TGTAGAAATACCTCATGGAG (SEQ ID NO: 136)	GAGCAGCAGGAGGAGGGTTC (SEQ ID NO: 258)
AGAGCAGCAGGAGGACGGTT (SEQ ID NO: 211)	GGCGGTGTAGAAATACCTCA (SEQ ID NO: 272)	AGAGCAGCAGGAGGAGGGTT (SEQ ID NO: 259)
AACCGTCTCTGCTGCTCT (SEQ ID NO: 212)	ATTCTACACCGCCATGTCC (SEQ ID NO: 273)	GAACCTCTCTGCTGCTCTC (SEQ ID NO: 260)
ACCGTCTCTGCTGCTCTC (SEQ ID NO: 313)	TACACCGCCATGTCCCGGCC (SEQ ID NO: 274)	AACCTCTCTGCTGCTCTC (SEQ ID NO: 261)
TCCCGAGAGCAGCAGGAGGA (SEQ ID NO: 314)	GCGGCCGGCCGGGACATGG (SEQ ID NO: 225)	ACCCTCTCTGCTGCTCTG (SEQ ID NO: 262)
GGGCTCCCGAGAGCAGCAGG (SEQ ID NO: 315)	GCCATGTCCCGCCCGGCCG (SEQ ID NO: 226)	CCCTCTCTGCTGCTCTGG (SEQ ID NO: 263)
CCTGCTGCTCTCGGGAGCCC (SEQ ID NO: 316)	CCATGTCCCGCCCGGCCGC (SEQ ID NO: 227)	CCCCCAGAGCAGCAGGAGGA (SEQ ID NO: 264)
CCAGGGCTCCCGAGAGCAGC (SEQ ID NO: 317)	CCGCGGCCGGCCGGGACA (SEQ ID NO: 19)	CCTCTCTGCTGCTCTGGG (SEQ ID NO: 265)
CCCTGGCCCTGACCGAGACC (SEQ ID NO: 218)	CATGTCCCGCCCGGCCGCG (SEQ ID NO: 228)	CCCCCAGAGCAGCAGGAGG (SEQ ID NO: 266)
CCAGGTCTCGGTCAGGGCCA (SEQ ID NO: 219)	GGGCTCCCGCGGCCGGGCC (SEQ ID NO: 25)	CTGCCCCCAGAGCAGCAGG (SEQ ID NO: 267)
CCTGGCCCTGACCGAGACCT (SEQ ID NO: 229)	GGGGTCCCGCGGCCGGGC (SEQ ID NO: 28)	CCTGCTGCTCTGGGGGAG (SEQ ID NO: 268)
CCCAGGTCTCGGTCAGGGCC (SEQ ID NO: 230)	AAGCGGGGCTCCCGCGGCC (SEQ ID NO: 31)	CACTGCCCCCAGAGCAGC (SEQ ID NO: 269)
	GAAGCGGGGCTCCCGCGGC (SEQ ID NO: 34)	CAGTGGCCCTGACCGAGACC (SEQ ID NO: 270)

15:01		18:01
Exon1	Exon2	Exon2
	CGATGAAGCGGGGCTCCCCG (SEQ ID NO: 37)	AGTGGCCCTGACCGAGACCT (SEQ ID NO: 271)
	GGAGCCCCGCTTCATCGCAG (SEQ ID NO: 40)	GTGGAAATACCTCATGGAGT (SEQ ID NO: 1012)
	GAGCCCCGCTTCATCGCAGT (SEQ ID NO: 43)	TGTGGAAATACCTCATGGAG (SEQ ID NO: 1013)
	TAGCCCACTGCGATGAAGCG (SEQ ID NO: 47)	GGAGGTGTGGAAATACCTCA (SEQ ID NO: 1449)
	GTAGCCCACTGCGATGAAGC (SEQ ID NO: 50)	ATTTCACACCTCCGTGTCC (SEQ ID NO: 1450)
	CGTAGCCCACTGCGATGAAG (SEQ ID NO: 53)	CGGGCCGGGACACGGAGGTG (SEQ ID NO: 1451)
	CTTCATCGCAGTGGGCTACG (SEQ ID NO: 55)	CACACCTCCGTGTCCGGCC (SEQ ID NO: 1452)
	TGGACGACACCCAGTTCGTG (SEQ ID NO: 238)	GCGGCCGGCCGGGACACGG (SEQ ID NO: 119)
	GCTGTGGAACCTCACGAACT (SEQ ID NO: 239)	TCCGTGTCCCGGCCGGCCG (SEQ ID NO: 13)
	CGCTGTGGAACCTCACGAAC (SEQ ID NO: 240)	CCGTGTCCCGGCCGGCCGC (SEQ ID NO: 16)
	ACAGCGACGCCGCGAGTCCG (SEQ ID NO: 318)	CCCGCGGCCGGCCGGGACA (SEQ ID NO: 19)
	CGACGCCGCGAGTCCGAGGA (SEQ ID NO: 319)	CGTGTCCCGGCCGGCCGCG (SEQ ID NO: 22)
	GGGCGCCATCCTCGGACTCG (SEQ ID NO: 285)	GGGCTCCCGCGGCCGGGCC (SEQ ID NO: 25)
	CGAGTCCGAGGATGGCGCCC (SEQ ID NO: 286)	GGGGTCCCGCGGCCGGGCC (SEQ ID NO: 28)
	GAGTCCGAGGATGGCGCCCC (SEQ ID NO: 287)	AAGCGGGGCTCCCGCGGCC (SEQ ID NO: 31)
	GGCGCCCGGGCGCCATCCT (SEQ ID NO: 288)	GAAGCGGGGCTCCCGCGGC (SEQ ID NO: 34)
	GGATGGCGCCCGGGCGCCA (SEQ ID NO: 289)	AGATGAAGCGGGGCTCCCCG (SEQ ID NO: 231)
	TGCTCTATCCATGGCGCCC (SEQ ID NO: 290)	GGAGCCCCGCTTCATCTCAG (SEQ ID NO: 232)
	CTGCTCTATCCATGGCGCCC (SEQ ID NO: 291)	GAGCCCCGCTTCATCTCAGT (SEQ ID NO: 233)
	CCGGGCGCCATGGATAGAGC (SEQ ID NO: 292)	TAGCCCACTGAGATGAAGCG (SEQ ID NO: 234)
	CCTGCTCTATCCATGGCGCC (SEQ ID NO: 293)	GTAGCCCACTGAGATGAAGC (SEQ ID NO: 235)
	GGCGCCATGGATAGAGCAGG (SEQ ID NO: 294)	CGTAGCCCACTGAGATGAAG (SEQ ID NO: 236)
	GCGCCATGGATAGAGCAGGA (SEQ ID NO: 295)	CTTCATCTCAGTGGGCTACG (SEQ ID NO: 237)
	CGCCATGGATAGAGCAGGAG (SEQ ID NO: 296)	ATCTCAGTGGGCTACGTGGA (SEQ ID NO: 321)

15:01		18:01
Exon1	Exon2	Exon2
	GGCCCCCTCCTGCTCTATCCA (SEQ ID NO: 81)	TGGACGGCACCCAGTTCGTG (SEQ ID NO: 322)
	ATGGATAGAGCAGGAGGGGC (SEQ ID NO: 297)	GCTGTCGAACCTCACGAAC (SEQ ID NO: 239)
	AGCAGGAGGGGCCGAGTAT (SEQ ID NO: 85)	CGCTGTCGAACCTCACGAAC (SEQ ID NO: 240)
	GCAGGAGGGGCCGAGTATT (SEQ ID NO: 87)	ACAGCGACGCCGCGAGTCCG (SEQ ID NO: 318)
	AGGGGCCGAGTATTGGGAC (SEQ ID NO: 154)	CGACGCCGCGAGTCCGAGGA (SEQ ID NO: 319)
	GGGGCCGAGTATTGGGACC (SEQ ID NO: 89)	GGGCTCCGTCCTCGGACTCG (SEQ ID NO: 323)
	GTCTCCCGGTCCAATACTC (SEQ ID NO: 298)	CGAGTCCGAGGACGGAGCCC (SEQ ID NO: 324)
	TCTTGGAGATCTGTGTCTCC (SEQ ID NO: 299)	GAGTCCGAGGACGGAGCCCC (SEQ ID NO: 325)
	GTAAGTCTGTGTGTTGGTCT (SEQ ID NO: 300)	GGCGCCCGGGGCTCCGTCCT (SEQ ID NO: 326)
	CTCTCGGTAAGTCTGTGTGT (SEQ ID NO: 301)	GGACGGAGCCCCGGGCGCCG (SEQ ID NO: 327)
	AGACTTACCGAGAGAGCCTG (SEQ ID NO: 320)	TGCTCTATCCACGGCGCCCG (SEQ ID NO: 72)
	GCAGGTTCCGAGGCTCTCT (SEQ ID NO: 252)	TTGCTCTATCCACGGCGCCC (SEQ ID NO: 328)
	GAGAGCCTGCGGAACCTGCG (SEQ ID NO: 253)	CTTGCTCTATCCACGGCGCC (SEQ ID NO: 329)
	AGTAGCCGCGCAGGTTCCGC (SEQ ID NO: 254)	GGCGCCGTGGATAGAGCAAG (SEQ ID NO: 330)
	TCTGGTTGTAGTAGCCGCGC (SEQ ID NO: 114)	GCGCCGTGGATAGAGCAAGA (SEQ ID NO: 331)
	CGGCTACTACAACCAGAGCG (SEQ ID NO: 115)	CGCCGTGGATAGAGCAAGAG (SEQ ID NO: 332)
		GGCCCCCTTGCTCTATCCA (SEQ ID NO: 333)
		GTGGATAGAGCAAGAGGGGC (SEQ ID NO: 334)
		AGCAAGAGGGGCCGAGTAT (SEQ ID NO: 335)
		GCAAGAGGGGCCGAGTATT (SEQ ID NO: 336)
		AGGGGCCGAGTATTGGGAC (SEQ ID NO: 154)
		GTGTTCCGGTCCAATACTC (SEQ ID NO: 155)
		TCTTGGAGATCTGTGTGTT (SEQ ID NO: 337)
		GTAAGTCTGTGTGTTGGTCT (SEQ ID NO: 300)

15:01		18:01
Exon1	Exon2	Exon2
		CTCTCGGTAAGTCTGTGTGT (SEQ ID NO: 301)
		AGACTTACCGAGAGAGCCTG (SEQ ID NO: 320)
		GCAGGTTCCGCAGGCTCTCT (SEQ ID NO: 252)
		GAGAGCCTGCGGAACCTGCG (SEQ ID NO: 253)
		AGTAGCCGCGCAGGTTCCGC (SEQ ID NO: 254)
		TCTGGTTGTAGTAGCCGCGC (SEQ ID NO: 114)
		CGGCTACTACAACCAGAGCG (SEQ ID NO: 115)

TABLE 3D: HLA-B 35:01 and 38:01

35:01		38:01
CAGGACGAAGTCCCAGGCC (SEQ ID NO: 338)	AGCAGCAGGAGGACGGTTCG (SEQ ID NO: 209)	AGCAGCAGGAGGACGGTTCG (SEQ ID NO: 209)
AGGACGAAGTCCCAGGCC (SEQ ID NO: 339)	AGCAGCAGGAGGACGGTTCG (SEQ ID NO: 209)	GAGCAGCAGGAGGACGGTTC (SEQ ID NO: 210)
ACGAAGTCCCAGGCCCGGG (SEQ ID NO: 340)	GAGCAGCAGGAGGACGGTTC (SEQ ID NO: 210)	AGAGCAGCAGGAGGACGGTT (SEQ ID NO: 211)
CGAAGTCCCAGGCCCGGGC (SEQ ID NO: 341)	GAGCAGCAGGAGGACGGTTC (SEQ ID NO: 210)	AACCGTCCTCCTGCTGCTCT (SEQ ID NO: 212)
GAAGTCCCAGGCCCGGGCG (SEQ ID NO: 342)	AGAGCAGCAGGAGGACGGTT (SEQ ID NO: 211)	CGCCGAGAGCAGCAGGAGGA (SEQ ID NO: 213)
GAGAGCCCCGCCCGGGGCT (SEQ ID NO: 343)	AGAGCAGCAGGAGGACGGTT (SEQ ID NO: 211)	CGTCCTCCTGCTGCTCTCGG (SEQ ID NO: 214)
TGAGAGCCCCGCCCGGGGCC (SEQ ID NO: 344)	GAACCGTCCTCCTGCTGCTC (SEQ ID NO: 967)	GGGCCGCCGAGAGCAGCAGG (SEQ ID NO: 215)
AGGCCCGGGCGGGGCTCTC (SEQ ID NO: 345)	GAACCGTCCTCCTGCTGCTC (SEQ ID NO: 967)	CCTGCTGCTCTCGGCGGCC (SEQ ID NO: 216)
GGCCCCGGGCGGGGCTCTCA (SEQ ID NO: 346)	AACCGTCCTCCTGCTGCTCT (SEQ ID NO: 212)	CCAGGGCCGCCGAGAGCAGC (SEQ ID NO: 217)
GACCTGAGAGCCCCGCCG (SEQ ID NO: 347)	AACCGTCCTCCTGCTGCTCT (SEQ ID NO: 212)	CCCTGGCCCTGACCGAGACC (SEQ ID NO: 218)
AGACCCTGAGAGCCCCGCC (SEQ ID NO: 348)	ACCGTCCTCCTGCTGCTCTG (SEQ ID NO: 968)	CCAGGTCTCGGTCAAGGCCA (SEQ ID NO: 219)
GAGACCCTGAGAGCCCCGCC (SEQ ID NO: 349)	ACCGTCCTCCTGCTGCTCTG (SEQ ID NO: 968)	CCTGGCCCTGACCGAGACCT (SEQ ID NO: 229)
GGCGGGGCTCTCAGGGTCTC (SEQ ID NO: 350)	CCGTCTCCTGCTGCTCTGG (SEQ ID NO: 969)	CCCAGGTCTCGGTCAAGGCC (SEQ ID NO: 230)
TCCGAGAGCCTTGTCTGCAT (SEQ ID NO: 351)	CCCCAGAGCAGCAGGAGGA (SEQ ID NO: 264)	GAGAAATACCTCATGGAGT (SEQ ID NO: 134)
CCGAGAGCCTTGTCTGCATT (SEQ ID NO: 352)	CCGTCTCCTGCTGCTCTGG (SEQ ID NO: 969)	TGTAGAAATACCTCATGGAG (SEQ ID NO: 136)

35:01		38:01
CCCAATGCAGACAAGGCTCT (SEQ ID NO: 353)	CCCCCAGAGCAGCAGGAGGA (SEQ ID NO: 264)	GGAGGTGTAGAAATACCTCA (SEQ ID NO: 116)
CGAGAGCCTTGCTGCATTG (SEQ ID NO: 354)	CGTCTCTGCTGCTCTGGG (SEQ ID NO: 970)	ATTCTACACCTCCGTGTCC (SEQ ID NO: 117)
GAGCCTTGCTGCATTGGGG (SEQ ID NO: 355)	CGTCTCTGCTGCTCTGGG (SEQ ID NO: 970)	TACACCTCCGTGTCCCGGCC (SEQ ID NO: 118)
GCGCTCCCAATGCAGACA (SEQ ID NO: 356)	CTGCCCCCAGAGCAGCAGG (SEQ ID NO: 267)	GCGGCCGGCCGGGACACGG (SEQ ID NO: 119)
GCATTGGGGAGGCGCAGCGT (SEQ ID NO: 357)	CTGCCCCCAGAGCAGCAGG (SEQ ID NO: 267)	TCCGTGTCCCGCCCGGCCG (SEQ ID NO: 13)
CATTGGGGAGGCGCAGCGTT (SEQ ID NO: 358)	CCTGCTGCTCTGGGGGCGAG (SEQ ID NO: 268)	CCGTGTCCCGCCCGGCCGC (SEQ ID NO: 16)
ATTGGGGAGGCGCAGCGTTG (SEQ ID NO: 359)	CCACTGCCCCCAGAGCAGC (SEQ ID NO: 269)	CCCGCGCCGGGCGCGGACA (SEQ ID NO: 19)
AAGTGAAACTCGTGGGAGTG (SEQ ID NO: 360)	CCTGCTGCTCTGGGGGCGAG (SEQ ID NO: 268)	CGTGTCCCGCCCGGCCGCG (SEQ ID NO: 22)
GAAGTGAAACTCGTGGGAGT (SEQ ID NO: 361)	CCACTGCCCCCAGAGCAGC (SEQ ID NO: 269)	GGGCTCCCGCGGCCGGGCC (SEQ ID NO: 25)
AGAAGTGAAACTCGTGGGAG (SEQ ID NO: 362)	CAGTGGCCCTGACCGAGACC (SEQ ID NO: 270)	GGGGCTCCCGCGGCCGGGC (SEQ ID NO: 28)
GGAGAAGAAGTGAAACTCGT (SEQ ID NO: 363)	CAGTGGCCCTGACCGAGACC (SEQ ID NO: 270)	AAGCGGGGCTCCCGCGGCC (SEQ ID NO: 31)
GGGAGAAGAAGTGAAACTCG (SEQ ID NO: 364)	AGTGGCCCTGACCGAGACCT (SEQ ID NO: 271)	GAAGCGGGGCTCCCGCGGC (SEQ ID NO: 34)
CTTCTTCTCCCAACCTATGT (SEQ ID NO: 365)	AGTGGCCCTGACCGAGACCT (SEQ ID NO: 271)	AGATGAAGCGGGGCTCCCCG (SEQ ID NO: 231)
TTCTTCTCCCAACCTATGTC (SEQ ID NO: 366)	GCCCTGACCGAGACCTGGGC (SEQ ID NO: 971)	GGAGCCCCGTTTCATCTCAG (SEQ ID NO: 232)
AGAAGGACCCGACATAGGTT (SEQ ID NO: 367)	ACCGGCCAGGTCTCGGTCA (SEQ ID NO: 972)	GAGCCCCGTTTCATCTCAGT (SEQ ID NO: 233)
AAGAAGGACCCGACATAGGT (SEQ ID NO: 368)	CACCGGCCAGGTCTCGGTG (SEQ ID NO: 973)	TAGCCCACTGAGATGAAGCG (SEQ ID NO: 234)
CTGGAAGAAGGACCCGACAT (SEQ ID NO: 369)	GCACTACCGGCCAGGTCT (SEQ ID NO: 974)	GTAGCCCACTGAGATGAAGC (SEQ ID NO: 235)
CTATGTCGGGTCCTTCTTCC (SEQ ID NO: 370)	GAGACCTGGGCCGGTGAGTG (SEQ ID NO: 975)	CGTAGCCCACTGAGATGAAG (SEQ ID NO: 236)
GTCACGAGTATCCTGGAAGA (SEQ ID NO: 371)	AGACCTGGGCCGGTGAGTGC (SEQ ID NO: 976)	CTTCATCTCAGTGGGCTACG (SEQ ID NO: 237)
GGGACGCGTCACGAGTATCC (SEQ ID NO: 372)	GACCTGGGCCGGTGAGTGCG (SEQ ID NO: 977)	TGGACGACACGCAGTTCGTG (SEQ ID NO: 57)
TCCCCATTTCCCACTCCCAT (SEQ ID NO: 373)	GACCCCGCACTACCGGCC (SEQ ID NO: 978)	CGACGCCGCGAGTCCGAGAG (SEQ ID NO: 241)
CCCCATTTCCCACTCCCAT (SEQ ID NO: 374)	TGGGCCGGTGAGTGCGGGGT (SEQ ID NO: 979)	CGGCTCCTCTCTCGGACTCG (SEQ ID NO: 242)
CCCAATGGGAGTGGGAAATG (SEQ ID NO: 375)	GGGCCGGTGAGTGCGGGGT (SEQ ID NO: 980)	CGAGTCCGAGAGAGGAGCCG (SEQ ID NO: 243)
ACCCAATGGGAGTGGGAAAT (SEQ ID NO: 376)	CCGGTGAGTGCGGGGTGCGG (SEQ ID NO: 981)	GAGTCCGAGAGAGGAGCCGC (SEQ ID NO: 244)
CACCCAATGGGAGTGGGAAA (SEQ ID NO: 377)	CCTCCCGACCCGCACTCAC (SEQ ID NO: 982)	GGCGCCCGGCTCCTCTCT (SEQ ID NO: 245)

35:01		38:01
TTCCCACTCCCATTTGGGTGT (SEQ ID NO: 378)	CGGTGAGTGCGGGGTCGGGA (SEQ ID NO: 983)	GAGAGGAGCCGCGGGCGCCG (SEQ ID NO: 246)
ATCCGACACCCAATGGGAGT (SEQ ID NO: 379)	GTGCGGGGTCGGGAGGGAAA (SEQ ID NO: 984)	TGCTCTATCCACGGCGCCG (SEQ ID NO: 72)
TATCCGACACCCAATGGGAG (SEQ ID NO: 380)	CGGGAGGGAAATGGCCTCTG (SEQ ID NO: 985)	GCGGGCGCCGTGGATAGAGC (SEQ ID NO: 74)
CTAGATATCCGACACCCAAT (SEQ ID NO: 381)	GGGAGGGAAATGGCCTCTGT (SEQ ID NO: 986)	GGCGCCGTGGATAGAGCAGG (SEQ ID NO: 75)
TCTAGATATCCGACACCCA (SEQ ID NO: 382)	GGAGGGAAATGGCCTCTGTG (SEQ ID NO: 987)	GCGCCGTGGATAGAGCAGGA (SEQ ID NO: 76)
GAGAAGCCAATCAGTGTGCG (SEQ ID NO: 383)	GGGAAATGGCCTCTGTGGGG (SEQ ID NO: 988)	CGCCGTGGATAGAGCAGGAG (SEQ ID NO: 79)
AGAAGCCAATCAGTGTGCGC (SEQ ID NO: 384)	GGCCTCTGTGGGGAGGAGCG (SEQ ID NO: 989)	GGCCCTCCTGCTCTATCCA (SEQ ID NO: 81)
GAAGCCAATCAGTGTGCGCG (SEQ ID NO: 385)	GCCTCTGTGGGGAGGAGCGA (SEQ ID NO: 990)	GTGGATAGAGCAGGAGGGGC (SEQ ID NO: 83)
GGGACCCCGCGACACTGAT (SEQ ID NO: 386)	CCTCTGTGGGGAGGAGCGAG (SEQ ID NO: 991)	AGCAGGAGGGGCCGAATAT (SEQ ID NO: 308)
GGACTTTAGAACTGGGACCC (SEQ ID NO: 387)	CCCCTCGCTCCTCCACAG (SEQ ID NO: 992)	GCAGGAGGGGCCGAATATT (SEQ ID NO: 309)
TGCGTGGGGACTTTAGAACT (SEQ ID NO: 388)	GGGAGGAGCGAGGGGACCGC (SEQ ID NO: 993)	AGGGGCCGAATATTGGGAC (SEQ ID NO: 310)
GTGCGTGGGGACTTTAGAAC (SEQ ID NO: 389)	AGGAGCGAGGGGACCGCAGG (SEQ ID NO: 994)	GTGTTCCGGTCCCAATATTC (SEQ ID NO: 311)
AAAGTCCCCACGCACCCACC (SEQ ID NO: 390)	GGAGCGAGGGGACCGCAGGC (SEQ ID NO: 995)	TCTTGAGATCTGTGTGTTT (SEQ ID NO: 312)
TGAGTCCGGGTGGGTGCGTG (SEQ ID NO: 391)	GAGCGAGGGGACCGCAGGCG (SEQ ID NO: 996)	CTCTCGGTAAGTCTGTGTGT (SEQ ID NO: 301)
CTGAGTCCGGGTGGGTGCGT (SEQ ID NO: 392)	AGCGAGGGGACCGCAGGCGG (SEQ ID NO: 997)	AGACTTACCGAGAGAACCTG (SEQ ID NO: 1010)
TCTGAGTCCGGGTGGGTGCG (SEQ ID NO: 393)	GGGACCGCAGGCGGGGCGC (SEQ ID NO: 998)	GCGCGATCCGCAGGTTCTCT (SEQ ID NO: 150)
AGGAGATTCTGAGTCCGGGT (SEQ ID NO: 394)	AGGTCTGCGCCCCCGCTG (SEQ ID NO: 999)	AGTAGCGGAGCGGATCCGC (SEQ ID NO: 151)
GAGGAGATTCTGAGTCCGGG (SEQ ID NO: 395)	AGGCGGGGCGCAGGACCTG (SEQ ID NO: 1000)	CCGCTACTACAACCAGAGCG (SEQ ID NO: 152)
TCTGAGGAGATTCTGAGTCC (SEQ ID NO: 396)	CAGGACCTGAGGAGCCGCGC (SEQ ID NO: 1001)	CCTCGCTCTGGTTGTAGTAG (SEQ ID NO: 153)
GTCTGAGGAGATTCTGAGTC (SEQ ID NO: 397)	AGGACCTGAGGAGCCGCGCC (SEQ ID NO: 1002)	
TCTCCTCAGACGCCGAGATG (SEQ ID NO: 398)	ACCTGAGGAGCCGCGCCGGG (SEQ ID NO: 1003)	
CTCCTCAGACGCCGAGATGC (SEQ ID NO: 399)	TCCTCCCGCGCGGCTCCTC (SEQ ID NO: 1004)	
GACCCGCATCTCGGCGTCTG (SEQ ID NO: 400)	TGAGGAGCCGCGCCGGGAGG (SEQ ID NO: 1005)	
AGACCCGAGATGCGGGTCA (SEQ ID NO: 401)	GAGGAGCCGCGCCGGGAGGA (SEQ ID NO: 1006)	
GGGCGCCGTGACCCGCATCT (SEQ ID NO: 402)	AGCCGCGCCGGGAGGAGGGT (SEQ ID NO: 1007)	

35:01	38:01
GCCGCGCCGGGAGGAGGGTC (SEQ ID NO: 403)	TACCTCATGGAGTGGGAGCC (SEQ ID NO: 1008)
GCCCGACCTCCTCCCGGCG (SEQ ID NO: 404)	GTAGAAATACCTCATGGAGT (SEQ ID NO: 134)
GCGCCGGGAGGAGGGTCGGG (SEQ ID NO: 405)	GTAGAAATACCTCATGGAGT (SEQ ID NO: 134)
CGCCGGGAGGAGGGTCGGGC (SEQ ID NO: 406)	TGTAGAAATACCTCATGGAG (SEQ ID NO: 136)
GACCCGCGGACCTCCTCC (SEQ ID NO: 407)	TGTAGAAATACCTCATGGAG (SEQ ID NO: 136)
CTCAGCCCTCCTCGCCCC (SEQ ID NO: 408)	GGCGGTGTAGAAATACCTCA (SEQ ID NO: 272)
GGGAGCCTGGGGGCGAGGAG (SEQ ID NO: 409)	GGCGGTGTAGAAATACCTCA (SEQ ID NO: 272)
TGGGAGCCTGGGGGCGAGGA (SEQ ID NO: 410)	ATTTCTACACCGCCATGTCC (SEQ ID NO: 273)
GTGGGAGCCTGGGGGCGAGG (SEQ ID NO: 411)	ATTTCTACACCGCCATGTCC (SEQ ID NO: 273)
GGAGTGGGAGCCTGGGGGCG (SEQ ID NO: 412)	TACACCGCCATGTCCCGGCC (SEQ ID NO: 274)
CTCATGGAGTGGGAGCCTGG (SEQ ID NO: 413)	TACACCGCCATGTCCCGGCC (SEQ ID NO: 274)
CCCCAGGCTCCCACTCCATG (SEQ ID NO: 414)	GCGGCCGGGCCGGGACATGG (SEQ ID NO: 225)
CCTCATGGAGTGGGAGCCTG (SEQ ID NO: 415)	GCGGCCGGGCCGGGACATGG (SEQ ID NO: 225)
ACCTCATGGAGTGGGAGCCT (SEQ ID NO: 416)	GCCATGTCCCGGCCCGGCCG (SEQ ID NO: 226)
GCCATGTCCCGGCCCGGCCG (SEQ ID NO: 226)	CGATGAAGCGGGGCTCCCCG (SEQ ID NO: 37)
CCATGTCCCGGCCCGGCCG (SEQ ID NO: 227)	CGATGAAGCGGGGCTCCCCG (SEQ ID NO: 37)
CCCGCGGCCGGGCCGGGACA (SEQ ID NO: 19)	GGAGCCCCGCTTCATCGCAG (SEQ ID NO: 40)
CCATGTCCCGGCCCGGCCG (SEQ ID NO: 227)	GGAGCCCCGCTTCATCGCAG (SEQ ID NO: 40)
CCCGCGGCCGGGCCGGGACA (SEQ ID NO: 19)	GAGCCCCGCTTCATCGCAGT (SEQ ID NO: 43)
CATGTCCCGGCCCGGCCGCG (SEQ ID NO: 228)	GAGCCCCGCTTCATCGCAGT (SEQ ID NO: 43)
CATGTCCCGGCCCGGCCGCG (SEQ ID NO: 228)	TAGCCCACTGCGATGAAGCG (SEQ ID NO: 47)
GGGCTCCCCGCGGCCGGGCC (SEQ ID NO: 25)	TAGCCCACTGCGATGAAGCG (SEQ ID NO: 47)
GGGCTCCCCGCGGCCGGGCC (SEQ ID NO: 25)	GTAGCCCACTGCGATGAAGC (SEQ ID NO: 50)
GGGGTCCCCGCGGCCGGGC (SEQ ID NO: 28)	GTAGCCCACTGCGATGAAGC (SEQ ID NO: 50)
GGGGTCCCCGCGGCCGGGC (SEQ ID NO: 28)	CGTAGCCCACTGCGATGAAG (SEQ ID NO: 53)

35:01		38:01
AAGCGGGGCTCCCCGCGGCC (SEQ ID NO: 31)	CGTAGCCCACTGCGATGAAG (SEQ ID NO: 53)	
AAGCGGGGCTCCCCGCGGCC (SEQ ID NO: 31)	CTTCATCGCAGTGGGCTACG (SEQ ID NO: 55)	
GAAGCGGGGCTCCCCGCGGC (SEQ ID NO: 34)	CTTCATCGCAGTGGGCTACG (SEQ ID NO: 55)	
GAAGCGGGGCTCCCCGCGGC (SEQ ID NO: 34)	TGGACGACACCCAGTTCGTG (SEQ ID NO: 238)	
TGGACGACACCCAGTTCGTG (SEQ ID NO: 238)	CGAGTCCGAGGACGGAGCCC (SEQ ID NO: 324)	
GCTGTGGAACCTCACGAACT (SEQ ID NO: 239)	GAGTCCGAGGACGGAGCCCC (SEQ ID NO: 325)	
GCTGTGGAACCTCACGAACT (SEQ ID NO: 239)	GAGTCCGAGGACGGAGCCCC (SEQ ID NO: 325)	
CGCTGTGGAACCTCACGAAC (SEQ ID NO: 240)	GGCGCCCGGGGCTCCGTCCT (SEQ ID NO: 326)	
CGCTGTGGAACCTCACGAAC (SEQ ID NO: 240)	GGCGCCCGGGGCTCCGTCCT (SEQ ID NO: 326)	
ACAGCGACGCCGCGAGTCCG (SEQ ID NO: 318)	GGACGGAGCCCCGGGCGCCA (SEQ ID NO: 1009)	
ACAGCGACGCCGCGAGTCCG (SEQ ID NO: 318)	GGACGGAGCCCCGGGCGCCA (SEQ ID NO: 1009)	
CGACGCCGCGAGTCCGAGGA (SEQ ID NO: 319)	TGCTCTATCCATGGCGCCCG (SEQ ID NO: 290)	
CGACGCCGCGAGTCCGAGGA (SEQ ID NO: 319)	TGCTCTATCCATGGCGCCCG (SEQ ID NO: 290)	
GGGCTCCGTCCTCGGACTCG (SEQ ID NO: 323)	CTGCTCTATCCATGGCGCCC (SEQ ID NO: 291)	
GGGCTCCGTCCTCGGACTCG (SEQ ID NO: 323)	CTGCTCTATCCATGGCGCCC (SEQ ID NO: 291)	
CGAGTCCGAGGACGGAGCCC (SEQ ID NO: 324)	CCGGGCGCCATGGATAGAGC (SEQ ID NO: 292)	
CCTGCTCTATCCATGGCGCC (SEQ ID NO: 293)	CTCTCGGTAAGTCTGTGTGT (SEQ ID NO: 301)	
CCGGGCGCCATGGATAGAGC (SEQ ID NO: 292)	CTCTCGGTAAGTCTGTGTGT (SEQ ID NO: 301)	
CCTGCTCTATCCATGGCGCC (SEQ ID NO: 293)	AGACTTACCGAGAGAGCCTG (SEQ ID NO: 320)	
GGCGCCATGGATAGAGCAGG (SEQ ID NO: 294)	AGACTTACCGAGAGAGCCTG (SEQ ID NO: 320)	
GGCGCCATGGATAGAGCAGG (SEQ ID NO: 294)	GCAGGTTCCGAGGCTCTCT (SEQ ID NO: 252)	
GCGCCATGGATAGAGCAGGA (SEQ ID NO: 295)	GCAGGTTCCGAGGCTCTCT (SEQ ID NO: 252)	
GCGCCATGGATAGAGCAGGA (SEQ ID NO: 295)	GAGAGCCTGCGGAACCTGCG (SEQ ID NO: 253)	
CGCCATGGATAGAGCAGGAG (SEQ ID NO: 296)	GAGAGCCTGCGGAACCTGCG (SEQ ID NO: 253)	
CGCCATGGATAGAGCAGGAG (SEQ ID NO: 296)	AGTAGCCGCGCAGGTTCCGC (SEQ ID NO: 254)	

35:01		38:01
GGCCCTCCTGCTCTATCCA (SEQ ID NO: 81)	AGTAGCCGCGCAGGTTCCGC (SEQ ID NO: 254)	
GGCCCTCCTGCTCTATCCA (SEQ ID NO: 81)	TCTGGTTGTAGTAGCCGCGC (SEQ ID NO: 114)	
ATGGATAGAGCAGGAGGGGC (SEQ ID NO: 297)	TCTGGTTGTAGTAGCCGCGC (SEQ ID NO: 114)	
ATGGATAGAGCAGGAGGGGC (SEQ ID NO: 297)	CGGCTACTACAACCAGAGCG (SEQ ID NO: 115)	
AGCAGGAGGGGCCGAGTAT (SEQ ID NO: 85)	CGGCTACTACAACCAGAGCG (SEQ ID NO: 115)	
AGCAGGAGGGGCCGAGTAT (SEQ ID NO: 85)	TACTACAACCAGAGCGAGGC (SEQ ID NO: 208)	
GCAGGAGGGGCCGAGTATT (SEQ ID NO: 87)	TACTACAACCAGAGCGAGGC (SEQ ID NO: 208)	
GCAGGAGGGGCCGAGTATT (SEQ ID NO: 87)	GTCCTACCGGCTCGCTC (SEQ ID NO: 679)	
AGGGGCCGAGTATTGGGAC (SEQ ID NO: 154)	GCGAGGCCGGTGAGTGACCC (SEQ ID NO: 680)	
AGGGGCCGAGTATTGGGAC (SEQ ID NO: 154)	GCCGGTGAGTGACCCCGGCC (SEQ ID NO: 681)	
GTGTTCCGGTCCCAATACTC (SEQ ID NO: 155)	CCGGTGAGTGACCCCGGCC (SEQ ID NO: 682)	
GTGTTCCGGTCCCAATACTC (SEQ ID NO: 155)	CCGGGCCGGGTCACTCAC (SEQ ID NO: 683)	
TCTGAAGATCTGTGTGTTT (SEQ ID NO: 255)	CGGTGAGTGACCCCGGCCG (SEQ ID NO: 684)	
TCTGAAGATCTGTGTGTTT (SEQ ID NO: 255)	GTGACCCGGCCCGGGGCGC (SEQ ID NO: 685)	
GTGACCTGCGCCCGGGCCG (SEQ ID NO: 417)	ATCTCGGACCCGAGACTCG (SEQ ID NO: 686)	
CGTGACCTGCGCCCGGGCC (SEQ ID NO: 418)	GATCTCGGACCCGAGACTC (SEQ ID NO: 687)	
TCGTGACCTGCGCCCGGGC (SEQ ID NO: 419)	GGATCTCGGACCCGAGACT (SEQ ID NO: 688)	
GGAGTCGTGACCTGCGCCC (SEQ ID NO: 420)	AGGGAGGCGGATCTCGGACC (SEQ ID NO: 689)	
GGGAGTCGTGACCTGCGCCC (SEQ ID NO: 421)	GTCCGAGATCCGCCTCCCTG (SEQ ID NO: 690)	
GACTCCCATCCCCACGTA (SEQ ID NO: 422)	GGCCTCAGGGAGGCGGATCT (SEQ ID NO: 691)	
CGGGCCGTACGTGGGGGATG (SEQ ID NO: 423)	GATCCGCCTCCCTGAGGCCG (SEQ ID NO: 692)	
CCCATCCCCACGTACGGCC (SEQ ID NO: 424)	ATCCGCCTCCCTGAGGCCG (SEQ ID NO: 693)	
CCGGGCCGTACGTGGGGGAT (SEQ ID NO: 425)	GTCCCGCGCCTCAGGGAGG (SEQ ID NO: 694)	
CCATCCCCACGTACGGCC (SEQ ID NO: 426)	CGGGTCCCGCGCCTCAGGG (SEQ ID NO: 695)	
CCGGGCCGTACGTGGGGGA (SEQ ID NO: 427)	GGGCGGGTCCCGCGCCTCA (SEQ ID NO: 696)	

35:01	38:01
GCGACCCGGGCGGTACGTGG (SEQ ID NO: 428)	TGGGCGGGTCCCGCGGCCTC (SEQ ID NO: 697)
GGCGACCCGGGCGGTACGTG (SEQ ID NO: 429)	GAGGGTCTGGGCGGGTCCCG (SEQ ID NO: 698)
GGGCGACCCGGGCGGTACGT (SEQ ID NO: 430)	GACCCGCCAGACCTCGAC (SEQ ID NO: 699)
GGGCGACCCGGGCGGTACG (SEQ ID NO: 431)	CGCCGTCGAGGGTCTGGGC (SEQ ID NO: 700)
CCCGGGTCGCCCCGAGTCTC (SEQ ID NO: 432)	TCGCCGGTCGAGGGTCTGGG (SEQ ID NO: 701)
CCGGAGACTCGGGGCGACCC (SEQ ID NO: 433)	CTCTCGCCGGTCGAGGGTCT (SEQ ID NO: 702)
CCGGGTCGCCCCGAGTCTCC (SEQ ID NO: 434)	GCTCTCGCCGGTCGAGGGTC (SEQ ID NO: 703)
CCCGGAGACTCGGGGCGACC (SEQ ID NO: 435)	CTGGGGCTCTCGCCGGTCGA (SEQ ID NO: 704)
CCTCGACCCGGCGAGAGCCCC (SEQ ID NO: 436)	AGTTGAGGCCAAAATCCCCG (SEQ ID NO: 705)
CCTGGGGCTCTCGCCGGTCG (SEQ ID NO: 437)	GTTGAGGCCAAAATCCCCGC (SEQ ID NO: 706)
AACGCGCCTGGGGCTCTCGC (SEQ ID NO: 438)	AGGCCAAAATCCCCGCGGGT (SEQ ID NO: 707)
GAGCCCCAGGCGGTTTACC (SEQ ID NO: 439)	CGACCAACCCGCGGGGATTT (SEQ ID NO: 708)
AAACCGGGTAAACGCGCCTG (SEQ ID NO: 440)	CAAAATCCCCGCGGGTTGGT (SEQ ID NO: 709)
GAAACCGGGTAAACGCGCCT (SEQ ID NO: 441)	AAAATCCCCGCGGGTTGGTC (SEQ ID NO: 710)
TGAAACCGGGTAAACGCGCC (SEQ ID NO: 442)	AAATCCCCGCGGGTTGGTCG (SEQ ID NO: 711)
CCCGGTTTCATTTTCAGTTG (SEQ ID NO: 443)	TCCCGCGGGTTGGTCGGGG (SEQ ID NO: 712)
CCTCAACTGAAAATGAAACC (SEQ ID NO: 444)	CCCCGCGGGTTGGTCGGGGC (SEQ ID NO: 713)
GCCTCAACTGAAAATGAAAC (SEQ ID NO: 445)	CCCCCCCCGACCAACCCGCG (SEQ ID NO: 714)
CCCGCGGGTTGGTCGGGGCG (SEQ ID NO: 446)	ACGGGGCTGACCGCGGGGCC (SEQ ID NO: 715)
CCCCGCCCCGACCAACCCGC (SEQ ID NO: 447)	CGGGGCTGACCGCGGGGCCG (SEQ ID NO: 716)
GCCCCGCCCCGACCAACCCG (SEQ ID NO: 448)	CTGACCGCGGGGCCGGGGCC (SEQ ID NO: 717)
GCGGGTTGGTCGGGGCGGGG (SEQ ID NO: 449)	TGACCGCGGGGCCGGGGCCA (SEQ ID NO: 718)
CGGGTTGGTCGGGGCGGGGC (SEQ ID NO: 450)	AGACCTGGCCCCGGCCCCG (SEQ ID NO: 719)
GGGTTGGTCGGGGCGGGGCG (SEQ ID NO: 451)	ATGATGTGAGACCTGGCCC (SEQ ID NO: 720)
GGTCGGGGCGGGGCGGGGCT (SEQ ID NO: 452)	CTCTGGATGATGTGAGACCC (SEQ ID NO: 721)

35:01		38:01
GTCGGGGCGGGCGGGGCTC (SEQ ID NO: 453)	CAGGGTCTCACATCATCCAG (SEQ ID NO: 722)	
TCGGGGCGGGCGGGGCTCG (SEQ ID NO: 454)	CACATCATCCAGAGGATGTA (SEQ ID NO: 723)	
CGGGGCGGGCGGGGCTCGG (SEQ ID NO: 455)	GGTCGCAGCCATACATCCTC (SEQ ID NO: 724)	
GCGGGGCGGGGCTCGGGGA (SEQ ID NO: 456)	GAGGATGTATGGCTGCGACC (SEQ ID NO: 725)	
CGGGGCGGGGCTCGGGGAC (SEQ ID NO: 457)	AGGATGTATGGCTGCGACCT (SEQ ID NO: 726)	
GGGGCGGGGCTCGGGGACG (SEQ ID NO: 458)	GGATGTATGGCTGCGACCTG (SEQ ID NO: 727)	
TCGGGGACGGGGGCTGACCG (SEQ ID NO: 459)	GGCTGCGACCTGGGGCCCGA (SEQ ID NO: 728)	
CGGGGACGGGGCTGACCGC (SEQ ID NO: 460)	GCTGCGACCTGGGGCCCGAC (SEQ ID NO: 729)	
GGGGGACGGGGCTGACCGCG (SEQ ID NO: 461)	GGAGGCGCCCGTCGGGCCCC (SEQ ID NO: 730)	
GACGGGGCTGACCGCGGGGC (SEQ ID NO: 462)	CCCGACGGGCGCCTCCTCCG (SEQ ID NO: 731)	
CCGCGGAGGAGGCGCCCGTC (SEQ ID NO: 463)	CCTGAGCTCCTGGACCGCGG (SEQ ID NO: 732)	
CCGACGGGCGCCTCCTCCGC (SEQ ID NO: 464)	CCGCCGCGGTCCAGGAGCTC (SEQ ID NO: 733)	
CCCGCGGAGGAGGCGCCCGT (SEQ ID NO: 465)	CGCGGTGTCCCGCGGTCC (SEQ ID NO: 734)	
ACTGGTCATGCCCCGCGGAGG (SEQ ID NO: 466)	CTGGACCGCGGCGGACACCG (SEQ ID NO: 735)	
CGGACTGGTCATGCCCGCGG (SEQ ID NO: 467)	CTGAGCCGCGGTGTCCGCGG (SEQ ID NO: 736)	
AGGCGGACTGGTCATGCCCG (SEQ ID NO: 468)	GCGCTGGGTGATCTGAGCCG (SEQ ID NO: 737)	
CATGACCAGTCCGCCTACGA (SEQ ID NO: 469)	CTCAGATCACCCAGCGCAAG (SEQ ID NO: 738)	
CCAGTCCGCCTACGACGGCA (SEQ ID NO: 470)	TCAGATCACCCAGCGCAAGT (SEQ ID NO: 739)	
CCTTGCCGTCGTAGGCGGAC (SEQ ID NO: 471)	GATCACCCAGCGCAAGTGGG (SEQ ID NO: 740)	
GTAATCCTTGCCGTCGTAGG (SEQ ID NO: 472)	CACCCAGCGCAAGTGGGAGG (SEQ ID NO: 741)	
GATGTAATCCTTGCCGTCGT (SEQ ID NO: 473)	GGCCGCCTCCCACTTGCGCT (SEQ ID NO: 742)	
GGATTACATCGCCCTGAACG (SEQ ID NO: 474)	GGGCCGCCTCCCACTTGCGC (SEQ ID NO: 743)	
GGAGCTCAGGTCCTCGTTCA (SEQ ID NO: 475)	CAAGTGGGAGGCGGCCCGTG (SEQ ID NO: 744)	
AGGAGCTCAGGTCCTCGTTC (SEQ ID NO: 476)	GTGGGAGGCGGCCCGTGTGG (SEQ ID NO: 745)	
TGAACGAGGACCTGAGCTCC (SEQ ID NO: 477)	TCTCAGCTGCTCCGCCACAC (SEQ ID NO: 746)	

35:01		38:01
GGACCTGAGCTCCTGGACCG (SEQ ID NO: 478)	CTCTCAGCTGCTCCGCCACA (SEQ ID NO: 747)	
GGAGCAGCTGAGAGCCTACC (SEQ ID NO: 479)	CGCGCGGGTACCAGGGGCAG (SEQ ID NO: 748)	
GCAGCTGAGAGCCTACCTGG (SEQ ID NO: 480)	GCGCGGGTACCAGGGGCAGT (SEQ ID NO: 749)	
CAGCTGAGAGCCTACCTGGA (SEQ ID NO: 481)	CGCGGGTACCAGGGGCAGTG (SEQ ID NO: 750)	
CACGCACAGGCCCTCCAGGT (SEQ ID NO: 482)	GGAAGGCTCCCCACTGCCCC (SEQ ID NO: 751)	
CTACCTGGAGGGCCTGTGCG (SEQ ID NO: 483)	GAGCCTTCCCCATCTCCTAT (SEQ ID NO: 752)	
ACTCCACGCACAGGCCCTCC (SEQ ID NO: 484)	CGACCTATAGGAGATGGGGA (SEQ ID NO: 753)	
TGGAGGGCCTGTGCGTGGAG (SEQ ID NO: 485)	CCCCATCTCCTATAGGTCGC (SEQ ID NO: 754)	
TGCGGAGCCACTCCACGCAC (SEQ ID NO: 486)	CCGGCGACCTATAGGAGATG (SEQ ID NO: 755)	
GGAGTGGCTCCGCAGATACC (SEQ ID NO: 487)	CCCATCTCCTATAGGTCGCC (SEQ ID NO: 756)	
CTCCGCAGATACCTGGAGAA (SEQ ID NO: 488)	CCCGGCGACCTATAGGAGAT (SEQ ID NO: 757)	
TCCGCAGATACCTGGAGAAC (SEQ ID NO: 489)	CCATCTCCTATAGGTCGCCG (SEQ ID NO: 758)	
TCCCGTTCTCCAGGTATCTG (SEQ ID NO: 490)	CCCCGGCGACCTATAGGAGA (SEQ ID NO: 759)	
CAGATACCTGGAGAACGGGA (SEQ ID NO: 491)	CTCCTATAGGTCGCCGGGGA (SEQ ID NO: 760)	
GCGTCTCCTTCCCGTTCTCC (SEQ ID NO: 492)	GGCCATCCCGGCGACCTAT (SEQ ID NO: 761)	
GAAGGAGACGCTGCAGCGCG (SEQ ID NO: 493)	TTCTCGTGGGAGGCCATCCC (SEQ ID NO: 762)	
AAGGAGACGCTGCAGCGCGC (SEQ ID NO: 494)	GGATGGCTCCACGAGAAG (SEQ ID NO: 763)	
CGCTGCAGCGCGCGGGTACC (SEQ ID NO: 495)	TGGCCTCCACGAGAAGAGG (SEQ ID NO: 764)	
GCTGCAGCGCGCGGGTACCA (SEQ ID NO: 496)	TTCTCTCTTCTCTCGTGGG (SEQ ID NO: 765)	
CTGCAGCGCGCGGGTACCAG (SEQ ID NO: 497)	CATTTCTCTCTTCTCTCGT (SEQ ID NO: 766)	
CCACGAGAAGAGGAGGAAAA (SEQ ID NO: 498)	CAGTCCCTAGAATACTGATC (SEQ ID NO: 767)	
CCATTTCTCTCTTCTCTCG (SEQ ID NO: 499)	AGTCCCTAGAATACTGATCA (SEQ ID NO: 768)	
CACGAGAAGAGGAGGAAAAT (SEQ ID NO: 500)	GTCCCTAGAATACTGATCAG (SEQ ID NO: 769)	
GAATGTCGCCCTCCCTTGAA (SEQ ID NO: 501)	GACCCCTGATCAGTATTCTA (SEQ ID NO: 770)	
GCCCTCCCTTGAATGGAGAA (SEQ ID NO: 502)	GGACCCCTGATCAGTATTCT (SEQ ID NO: 771)	

35:01		38:01
GCCATTCTCCATTCAAGGGA (SEQ ID NO: 503)	GGCTGCTGCAGGGGTCAAAG (SEQ ID NO: 772)	
TGCCATTCTCCATTCAAGGG (SEQ ID NO: 504)	AGGCTGCTGCAGGGGTCAAA (SEQ ID NO: 773)	
TCATGCCATTCTCCATTCAA (SEQ ID NO: 505)	AAGGCTGCTGCAGGGGTCAA (SEQ ID NO: 774)	
CTCATGCCATTCTCCATTCA (SEQ ID NO: 506)	TTGACCCCTGCAGCAGCCT (SEQ ID NO: 775)	
GTTTCCTGAGTTTCCTCTG (SEQ ID NO: 507)	TTGACCCCTGCAGCAGCCTT (SEQ ID NO: 776)	
TTTTCCTGAGTTTCCTCTGA (SEQ ID NO: 508)	GGTTCCAAGGCTGCTGCAG (SEQ ID NO: 777)	
GGGGCCCTCAGAGGAACTC (SEQ ID NO: 509)	CGGTTCCAAGGCTGCTGCA (SEQ ID NO: 778)	
AGAGAAGAGGGGGCCCTCAG (SEQ ID NO: 510)	ACGGTTCCAAGGCTGCTGC (SEQ ID NO: 779)	
GAGGGCCCCCTCTCTCTCT (SEQ ID NO: 511)	AGGAAAAGTCACGGTTCCA (SEQ ID NO: 780)	
ATTGTCCTAGAGAGAAGAGG (SEQ ID NO: 512)	GAACCGTGACTTTTCCTCTC (SEQ ID NO: 781)	
AATTGTCCTAGAGAGAAGAG (SEQ ID NO: 513)	AGGCTGAGAGGAAAAGTCA (SEQ ID NO: 782)	
TAATTGTCCTAGAGAGAAGA (SEQ ID NO: 514)	GGCAGAGAACAAGGCCTGAG (SEQ ID NO: 783)	
TTAATTGTCCTAGAGAGAAG (SEQ ID NO: 515)	TGAGTGTGAGGCAGAGAACA (SEQ ID NO: 784)	
TCTTCTCTAGGACAATTA (SEQ ID NO: 516)	TGCCTCAGCTCAGTGTGTT (SEQ ID NO: 785)	
CTTCTCTAGGACAATTAA (SEQ ID NO: 517)	GCCTCAGCTCAGTGTGTTT (SEQ ID NO: 786)	
ATTAAGGGATGACGTCTCTG (SEQ ID NO: 518)	CCTCAGCTCAGTGTGTTTG (SEQ ID NO: 787)	
GGATGACGTCTCTGAGGAAA (SEQ ID NO: 519)	CCCCAAACACACTGAGTGTG (SEQ ID NO: 788)	
TGACGTCTCTGAGGAAATGG (SEQ ID NO: 520)	GTAAAGTGACTCAGAAGTGC (SEQ ID NO: 789)	
GACGTCTCTGAGGAAATGGA (SEQ ID NO: 521)	ACTTTACCTCCACTCAGATC (SEQ ID NO: 790)	
ACGTCTCTGAGGAAATGGAG (SEQ ID NO: 522)	TCTGCTCTGATCTGAGTGG (SEQ ID NO: 791)	
ACTTCTGCTCCTGATCTGAG (SEQ ID NO: 523)	TGACCAGCCTGAGAATGGAC (SEQ ID NO: 792)	
GAGTCTCTGAGCGGGGAACA (SEQ ID NO: 524)	CCATTCTCAGGCTGGTCACA (SEQ ID NO: 793)	
CGAGTCTCTGAGCGGGGAAC (SEQ ID NO: 525)	CCATGTGACCAGCCTGAGAA (SEQ ID NO: 794)	
AAAGTTCGAGTCTCTGAGCG (SEQ ID NO: 526)	CATTCTCAGGCTGGTCACAT (SEQ ID NO: 795)	
GAAAGTTCGAGTCTCTGAGC (SEQ ID NO: 527)	TCTCAGGCTGGTCACATGGG (SEQ ID NO: 796)	

35:01		38:01
GGAAAGTTCGAGTCTCTGAG (SEQ ID NO: 528)	CTGGTCACATGGGTGGTCCT (SEQ ID NO: 797)	
ACTCGAAGTTTCCAATGAAT (SEQ ID NO: 529)	TGGTCACATGGGTGGTCCTA (SEQ ID NO: 798)	
TGGGATAATCTCCTATTCAT (SEQ ID NO: 530)	CATCTCTCATGGGACACCCT (SEQ ID NO: 799)	
AATGAATAGGAGATTATCCC (SEQ ID NO: 531)	AGGCGCTTTGCATCTCTCAT (SEQ ID NO: 800)	
TATCCCAGGTGCCTGCGTCC (SEQ ID NO: 532)	CAGGCGCTTTGCATCTCTCA (SEQ ID NO: 801)	
CAGCCTGGACGCAGGCACCT (SEQ ID NO: 533)	TGGGAAGAGTCAGAAAATTC (SEQ ID NO: 802)	
CCAGGTGCCTGCGTCCAGGC (SEQ ID NO: 534)	GTGTCTTTGGGGGGTCTGAT (SEQ ID NO: 803)	
CCAGCCTGGACGCAGGCACC (SEQ ID NO: 535)	TGTGTCTTTGGGGGGTCTGA (SEQ ID NO: 804)	
CCTGCGTCCAGGCTGGTGTC (SEQ ID NO: 536)	GGGTACGTGTGTCTTTGGG (SEQ ID NO: 805)	
CCAGACACCAGCCTGGACGC (SEQ ID NO: 537)	TGGGTACGTGTGTCTTTGG (SEQ ID NO: 806)	
CTGCGTCCAGGCTGGTGTC (SEQ ID NO: 538)	GTGGGTACGTGTGTCTTTG (SEQ ID NO: 807)	
ACAGAACCCAGACACCAGCC (SEQ ID NO: 539)	GGTGGGTACGTGTGTCTTT (SEQ ID NO: 808)	
CTGTGCCCTTCCCCACACC (SEQ ID NO: 540)	TGGTGGGTACGTGTGTCTT (SEQ ID NO: 809)	
GGACACCTGGTGTGGGGAAG (SEQ ID NO: 541)	ATGGTCAGAGACGGGGTGGT (SEQ ID NO: 810)	
AGGACACCTGGTGTGGGGAA (SEQ ID NO: 542)	CATGGTCAGAGACGGGGTGG (SEQ ID NO: 811)	
CAGGACACCTGGTGTGGGGA (SEQ ID NO: 543)	CCACCCGTCTCTGACCATG (SEQ ID NO: 812)	
TGGACAGGACACCTGGTGTC (SEQ ID NO: 544)	CCTCATGGTCAGAGACGGGG (SEQ ID NO: 813)	
ATGGACAGGACACCTGGTGT (SEQ ID NO: 545)	TGGCCTCATGGTCAGAGACG (SEQ ID NO: 814)	
AATGGACAGGACACCTGGTG (SEQ ID NO: 546)	GTGGCCTCATGGTCAGAGAC (SEQ ID NO: 815)	
CTGAGAATGGACAGGACACC (SEQ ID NO: 547)	GGTGGCCTCATGGTCAGAGA (SEQ ID NO: 816)	
CAGGTGTCCTGTCCATTCTC (SEQ ID NO: 548)	CTGACCATGAGGCCACCCTG (SEQ ID NO: 817)	
TGTCCTGTCCATTCTCAGGC (SEQ ID NO: 549)	AGCACCTCAGGGTGGCCTCA (SEQ ID NO: 818)	
ATGAGGCCACCCTGAGGTGC (SEQ ID NO: 550)	GAGATAGAACCTTCCAGAAG (SEQ ID NO: 819)	
TGAGGCCACCCTGAGGTGCT (SEQ ID NO: 551)	AGATAGAACCTTCCAGAAGT (SEQ ID NO: 820)	
CAGGGCCCAGCACCTCAGGG (SEQ ID NO: 552)	CACAGCTGCCCACTTCTGGA (SEQ ID NO: 821)	

35:01		38:01
CACCTGAGGTGCTGGGCCC (SEQ ID NO: 553)	CTCCAGAAGTGGGCAGCTG (SEQ ID NO: 822)	
ACCCTGAGGTGCTGGGCCCT (SEQ ID NO: 554)	CCAGAAGTGGGCAGCTGTGG (SEQ ID NO: 823)	
GCCCAGGGCCAGCACCTCA (SEQ ID NO: 555)	CCACCAGCTGCCCACTTC (SEQ ID NO: 824)	
AGCCCAGGGCCAGCACCTC (SEQ ID NO: 556)	GCAGCTGTGGTGGTGCCTTC (SEQ ID NO: 825)	
GGCCCTGGGCTTCTACCCTG (SEQ ID NO: 557)	TATCTCTGCTTCTCCAGA (SEQ ID NO: 826)	
CTCCGCAGGGTAGAAGCCCA (SEQ ID NO: 558)	CACATGCCATGTACAGCATG (SEQ ID NO: 827)	
TCTCCGCAGGGTAGAAGCCC (SEQ ID NO: 559)	ACATGCCATGTACAGCATGA (SEQ ID NO: 828)	
AGGTCAGTGTGATCTCCGCA (SEQ ID NO: 560)	CATGCCATGTACAGCATGAG (SEQ ID NO: 829)	
CAGGTCAGTGTGATCTCCGC (SEQ ID NO: 561)	GCAGCCCTCATGCTGTACA (SEQ ID NO: 830)	
CTGCGGAGATCACACTGACC (SEQ ID NO: 562)	CATCTCAGGGTGAGGGGCTT (SEQ ID NO: 831)	
AGATCACACTGACCTGGCAG (SEQ ID NO: 563)	CGAAGCCCTCACCTGAGA (SEQ ID NO: 832)	
GATCACACTGACCTGGCAGC (SEQ ID NO: 564)	GAAGCCCTCACCTGAGAT (SEQ ID NO: 833)	
ACACTGACCTGGCAGCGGGA (SEQ ID NO: 565)	AAGCCCTCACCTGAGATG (SEQ ID NO: 834)	
GACCTGGCAGCGGGATGGCG (SEQ ID NO: 566)	TTACCCATCTCAGGGTGAG (SEQ ID NO: 835)	
GTCCTGCCATCCCGTGCC (SEQ ID NO: 567)	CTTACCCATCTCAGGGTGA (SEQ ID NO: 836)	
GGATGCGAGGACCAAACTC (SEQ ID NO: 568)	CCTCACCTGAGATGGGGTA (SEQ ID NO: 837)	
CAAGCTCAGTGTCTGAGTT (SEQ ID NO: 569)	CCTTACCCATCTCAGGGTG (SEQ ID NO: 838)	
AACTCAGGACACTGAGCTTG (SEQ ID NO: 570)	CACCTGAGATGGGGTAAGG (SEQ ID NO: 839)	
CTTGTGGAGACCAGACCAGC (SEQ ID NO: 571)	ACCCTGAGATGGGGTAAGGA (SEQ ID NO: 840)	
GGTTCTATCTCTGCTGGTC (SEQ ID NO: 572)	CCCTGAGATGGGGTAAGGAG (SEQ ID NO: 841)	
TGGAAGGTTCTATCTCTGC (SEQ ID NO: 573)	CCCCTCTTACCCATCTCA (SEQ ID NO: 842)	
CCTGAGATGGGGTAAGGAGG (SEQ ID NO: 574)	CCAGTCCACCATCCCCATCG (SEQ ID NO: 843)	
CCCCCTCCTTACCCATCTC (SEQ ID NO: 575)	CCACGATGGGGATGGTGGAC (SEQ ID NO: 844)	
ATGGGGTAAGGAGGGGGATG (SEQ ID NO: 576)	CAGTCCACCATCCCCATCGT (SEQ ID NO: 845)	
TGGGGTAAGGAGGGGGATGA (SEQ ID NO: 577)	AATGCCACGATGGGGATGG (SEQ ID NO: 846)	

35:01		38:01
GGGGTAAGGAGGGGGATGAG (SEQ ID NO: 578)	AACAATGCCCACGATGGGGA (SEQ ID NO: 847)	
GAGGGGTCATATCTCTTCTC (SEQ ID NO: 579)	CAGCAACAATGCCCACGATG (SEQ ID NO: 848)	
AGGGGTCATATCTCTTCTCA (SEQ ID NO: 580)	CCATCGTGGGCATTGTTGC (SEQ ID NO: 849)	
TATCTCTTCTCAGGGAAAGC (SEQ ID NO: 581)	CCAGCAACAATGCCCACGAT (SEQ ID NO: 850)	
AGGGAAAGCAGGAGCCCTTC (SEQ ID NO: 582)	GCCAGCAACAATGCCCACGA (SEQ ID NO: 851)	
CCCTTCTGGAGCCCTTCAGC (SEQ ID NO: 583)	CGTGGGCATTGTTGCTGGCC (SEQ ID NO: 852)	
CCTGCTGAAGGGCTCCAGAA (SEQ ID NO: 584)	CCTGGCTGTCCTAGCAGTTG (SEQ ID NO: 853)	
CCTTCTGGAGCCCTTCAGCA (SEQ ID NO: 585)	CCACAAGTCTAGGACAGCC (SEQ ID NO: 854)	
CCCTGCTGAAGGGCTCCAGA (SEQ ID NO: 586)	GTCCTAGCAGTTGTGGTCAT (SEQ ID NO: 855)	
TGGAGCCCTTCAGCAGGGTC (SEQ ID NO: 587)	CTCCGATGACCACAAGTCT (SEQ ID NO: 856)	
GGAGCCCTTCAGCAGGGTCA (SEQ ID NO: 588)	AGTTGTGGTCATCGGAGCTG (SEQ ID NO: 857)	
GGGGCCCTGACCCTGCTGAA (SEQ ID NO: 589)	TGGTCGCTACTGTGATGTGT (SEQ ID NO: 858)	
AGGGGCCCTGACCCTGCTGA (SEQ ID NO: 590)	TCGCTACTGTGATGTGTAGG (SEQ ID NO: 859)	
GGAAAGGAGGGGAAGACGAG (SEQ ID NO: 591)	ATGTGTAGGAGGAAGAGCTC (SEQ ID NO: 860)	
GGGAAAGGAGGGGAAGACGA (SEQ ID NO: 592)	GTAGGAGGAAGAGCTCAGGT (SEQ ID NO: 861)	
TGGGAAAGGAGGGGAAGACG (SEQ ID NO: 593)	TAGGAGGAAGAGCTCAGGTA (SEQ ID NO: 862)	
AGATGGCTCTGGGAAAGGAG (SEQ ID NO: 594)	AGGAAGAGCTCAGGTAGGGA (SEQ ID NO: 863)	
AAGATGGCTCTGGGAAAGGA (SEQ ID NO: 595)	GGAAGAGCTCAGGTAGGGAA (SEQ ID NO: 864)	
GAAGATGGCTCTGGGAAAGG (SEQ ID NO: 596)	GAAGAGCTCAGGTAGGGAAG (SEQ ID NO: 865)	
TGGGAAGATGGCTCTGGGAA (SEQ ID NO: 597)	GCTCAGGTAGGGAAGGGGTG (SEQ ID NO: 866)	
TGGACTGGGAAGATGGCTCT (SEQ ID NO: 598)	CTCAGGTAGGGAAGGGGTGA (SEQ ID NO: 867)	
GTGGACTGGGAAGATGGCTC (SEQ ID NO: 599)	TCAGGTAGGGAAGGGGTGAG (SEQ ID NO: 868)	
GGGATGGTGGACTGGGAAGA (SEQ ID NO: 600)	GGTAGGGAAGGGGTGAGGGG (SEQ ID NO: 869)	
CACGATGGGGATGGTGGACT (SEQ ID NO: 601)	GTAGGGAAGGGGTGAGGGGT (SEQ ID NO: 870)	
TAGGGAAGGGGTGAGGGGTG (SEQ ID NO: 602)	CTGCACAAAAGAGTAAGTGC (SEQ ID NO: 871)	

35:01		38:01
AAGGGGTGAGGGGTGGGGTC (SEQ ID NO: 603)	TGCAGCACATGTGACAATGA (SEQ ID NO: 872)	
AGGGGTGAGGGGTGGGGTCT (SEQ ID NO: 604)	GCACATGTGACAATGAAGGA (SEQ ID NO: 873)	
TCTGGGTTTTCTGTCCAC (SEQ ID NO: 605)	GGACGGATGTATCACCTGA (SEQ ID NO: 874)	
CTGGGTTTTCTGTCCACT (SEQ ID NO: 606)	ATGTATCACCTTGATGGTTG (SEQ ID NO: 875)	
TGGGTTTTCTGTCCACTG (SEQ ID NO: 607)	CACCTTGATGGTTGTGGTGT (SEQ ID NO: 876)	
GGGTTTTCTGTCCACTGG (SEQ ID NO: 608)	ACCTTGATGGTTGTGGTGT (SEQ ID NO: 877)	
TGGGGCTTGAAACCCCACT (SEQ ID NO: 609)	CCTTGATGGTTGTGGTGTG (SEQ ID NO: 878)	
CTGGGGCTTGAAACCCCACT (SEQ ID NO: 610)	CCCCAACACCACAACCATCA (SEQ ID NO: 879)	
CACTGGGGGTTTCAAGCCCC (SEQ ID NO: 611)	GACTCATGAATGCTGAAATC (SEQ ID NO: 880)	
GCAGGGAACACTTCTACCTG (SEQ ID NO: 612)	GATTCAGCATTCTAGAGTC (SEQ ID NO: 881)	
GGCAGGGAACACTTCTACCT (SEQ ID NO: 613)	ATTCAGCATTCTAGAGTCA (SEQ ID NO: 882)	
AGGCAGGGAACACTTCTACC (SEQ ID NO: 614)	TTTCAGCATTCTAGAGTCAG (SEQ ID NO: 883)	
AGTGTTCCTGCCTCATTAC (SEQ ID NO: 615)	AGCATTCTAGAGTCAGGGGA (SEQ ID NO: 884)	
GTGTTCCTGCCTCATTACT (SEQ ID NO: 616)	TCAGGGGAAGGTCCCTGCTA (SEQ ID NO: 885)	
TGCTCCAGTAATGAGGCA (SEQ ID NO: 617)	CCCTGCTAAGGACAGACCTT (SEQ ID NO: 886)	
CTGCTCCAGTAATGAGGC (SEQ ID NO: 618)	CCTAAGGTCTGCTCCTAGCA (SEQ ID NO: 887)	
GATGCTGCTCCAGTAATG (SEQ ID NO: 619)	TCCTAAGGTCTGCTCCTAGC (SEQ ID NO: 888)	
CTGGGAAGCAGCATCCACAC (SEQ ID NO: 620)	TGCTAAGGACAGACCTTAGG (SEQ ID NO: 889)	
TGGGAAGCAGCATCCACACA (SEQ ID NO: 621)	GCTAAGGACAGACCTTAGGA (SEQ ID NO: 890)	
GGGAAGCAGCATCCACACAG (SEQ ID NO: 622)	ACAGACCTTAGGAGGGCAGT (SEQ ID NO: 891)	
AGGCTGCGTTAGCCCTGTG (SEQ ID NO: 623)	CTGGACCAACTGCCCTCCTA (SEQ ID NO: 892)	
ACACAGGGGCTAACGCAGCC (SEQ ID NO: 624)	CTTAGGAGGGCAGTTGGTCC (SEQ ID NO: 893)	
CACAGGGGCTAACGCAGCCT (SEQ ID NO: 625)	AGGAAAGCAAGTGTGGGTCC (SEQ ID NO: 894)	
GTGCTGGCACACAGGGTCCC (SEQ ID NO: 626)	AACACGAGGAAAGCAAGTGT (SEQ ID NO: 895)	
AGAGTAAGTGCTGGCACACA (SEQ ID NO: 627)	AAACACGAGGAAAGCAAGTG (SEQ ID NO: 896)	

35:01	38:01
AAGAGTAAGTGCTGGCACAC (SEQ ID NO: 628)	AGGCAGGATCAGGAAACACG (SEQ ID NO: 897)
CGTGTTTCTGATCCTGCCT (SEQ ID NO: 629)	TTTCTTCCACAGGTGAAAA (SEQ ID NO: 898)
GTGTTTCTGATCCTGCCTT (SEQ ID NO: 630)	CTTCCACAGGTGGAAAAGG (SEQ ID NO: 899)
TACAGACCCAAGGCAGGATC (SEQ ID NO: 631)	TTCCACAGGTGGAAAAGGA (SEQ ID NO: 900)
TATGACTACAGACCAAGGC (SEQ ID NO: 632)	CTCCCTCTTTTCCACCTGT (SEQ ID NO: 901)
GAAGTATGACTACAGACCA (SEQ ID NO: 633)	GCTCCCTCTTTTCCACCTG (SEQ ID NO: 902)
TGGGCTGTAGTCATACTTC (SEQ ID NO: 634)	AAAAGGAGGGAGCTACTCTC (SEQ ID NO: 903)
ATACTTCTGGAAATTCCTTT (SEQ ID NO: 635)	ACTCTCAGGCTGCGTGTAAG (SEQ ID NO: 904)
TACTTCTGGAAATTCCTTTT (SEQ ID NO: 636)	CTCAGGCTGCGTGTAAGTGG (SEQ ID NO: 905)
TTCTTTTGGGTCCAAGACG (SEQ ID NO: 637)	TCAGGCTGCGTGTAAGTGGT (SEQ ID NO: 906)
CTCTCGTCTTGACCCAAA (SEQ ID NO: 638)	CAGGCTGCGTGTAAGTGGTG (SEQ ID NO: 907)
CTTTTGGGTCCAAGACGAGG (SEQ ID NO: 639)	AGGCTGCGTGTAAGTGGTGG (SEQ ID NO: 908)
TTAGAGGAACCTCCTCGTCT (SEQ ID NO: 640)	CTGCGTGTAAGTGGTGGGGG (SEQ ID NO: 909)
GAGGTTCTCTAAGATCTCA (SEQ ID NO: 641)	TGCGTGTAAGTGGTGGGGGT (SEQ ID NO: 910)
GCAGGGCCATGAGATCTTAG (SEQ ID NO: 642)	AAGTGGTGGGGGTGGGAGTG (SEQ ID NO: 911)
GAGGGGACTGGGAGGAAGCA (SEQ ID NO: 643)	TGGTGGGGGTGGGAGTGTGG (SEQ ID NO: 912)
TGAGGGGACTGGGAGGAAGC (SEQ ID NO: 644)	GACAGGAGGAATTATGGGGT (SEQ ID NO: 913)
CTTCCTCCAGTCCCCTCAC (SEQ ID NO: 645)	GGACAGGAGGAATTATGGGG (SEQ ID NO: 914)
TGTCCTGTGAGGGGACTGGG (SEQ ID NO: 646)	GTGGGACAGGAGGAATTATG (SEQ ID NO: 915)
AAATGTCCTGTGAGGGGACT (SEQ ID NO: 647)	CGTGGGACAGGAGGAATTAT (SEQ ID NO: 916)
AAAATGTCCTGTGAGGGGAC (SEQ ID NO: 648)	ACGTGGGACAGGAGGAATTA (SEQ ID NO: 917)
GGAAGAAAATGTCCTGTGAG (SEQ ID NO: 649)	CGCAGGAGACGTGGGACAGG (SEQ ID NO: 918)
GGGAAGAAAATGTCCTGTGA (SEQ ID NO: 650)	CTCCTGTCCACGTCTCCTG (SEQ ID NO: 919)
TGGGAAGAAAATGTCCTGTG (SEQ ID NO: 651)	TCCTGTCCACGTCTCCTGC (SEQ ID NO: 920)
ACAGGACATTTTCTCCAC (SEQ ID NO: 652)	GCCCGCAGGAGACGTGGGAC (SEQ ID NO: 921)

35:01		38:01
GGACATTTTCTTCCACAGG (SEQ ID NO: 653)	TCAGAGCCCGCAGGAGACGT (SEQ ID NO: 922)	
GTCAGAGCCCGCAGGAGACG (SEQ ID NO: 654)	CTAGAGTGGGCGGGGGGGC (SEQ ID NO: 923)	
GTCTCCTGCGGGCTCTGACC (SEQ ID NO: 655)	TAGAGTGGGCGGGGGGGGCG (SEQ ID NO: 924)	
AGGACCTGGTCAGAGCCCGC (SEQ ID NO: 656)	AGTGGGCGGGGGGGGCGGGG (SEQ ID NO: 925)	
AGTAGAACAAAAACAGGACC (SEQ ID NO: 657)	GTGGGCGGGGGGGGCGGGGA (SEQ ID NO: 926)	
GGCTGGAGTAGAACAAAAAC (SEQ ID NO: 658)	TGGGCGGGGGGGGCGGGGAG (SEQ ID NO: 927)	
TCCAGCCAGCGACAGTGCCC (SEQ ID NO: 659)	GGGCGGGGGGGGCGGGGAGG (SEQ ID NO: 928)	
CCAGCCAGCGACAGTGCCCA (SEQ ID NO: 660)	GGGGGCGGGGAGGGGGGAG (SEQ ID NO: 929)	
CCCTGGGCACTGTCGCTGGC (SEQ ID NO: 661)	GGGGGCGGGGAGGGGGCAGA (SEQ ID NO: 930)	
AGAGCCCTGGGCACTGTCGC (SEQ ID NO: 662)	GGGGCGGGGAGGGGGCAGAG (SEQ ID NO: 931)	
GAGAGACACATCAGAGCCCT (SEQ ID NO: 663)	GGGGAGGGGGCAGAGGGGAA (SEQ ID NO: 932)	
TGAGAGACACATCAGAGCCC (SEQ ID NO: 664)	GGGGGAGAGGGGAAAGGCC (SEQ ID NO: 933)	
GTGTCTCTCACAGCTTGAAA (SEQ ID NO: 665)	GGGGCAGAGGGGAAAGGCCT (SEQ ID NO: 934)	
GCTTGAAAAGGTGAGATTCT (SEQ ID NO: 666)	GAGGGGAAAGGCCTGGGTAA (SEQ ID NO: 935)	
CTTGAAAAGGTGAGATTCTT (SEQ ID NO: 667)	TCAAAGAATCTCCATTACCC (SEQ ID NO: 936)	
TTGAAAAGGTGAGATTCTTG (SEQ ID NO: 668)	GGTAATGGAGATTCTTTGAT (SEQ ID NO: 938)	
GAGATTCTTGGGGTCTAGAG (SEQ ID NO: 669)	GTAATGGAGATTCTTTGATT (SEQ ID NO: 939)	
AGATTCTTGGGGTCTAGAGT (SEQ ID NO: 670)	GGGATGTTTCGCGTGTGTCG (SEQ ID NO: 940)	
TTCTTGGGGTCTAGAGTGGG (SEQ ID NO: 671)	GGATGTTTCGCGTGTGTCGT (SEQ ID NO: 941)	
TCTTGGGGTCTAGAGTGGGC (SEQ ID NO: 672)	GAACAAATTCTGGTTAGTCA (SEQ ID NO: 942)	
CTTGGGGTCTAGAGTGGGCG (SEQ ID NO: 673)	CAACAGTCATGAACAAATTC (SEQ ID NO: 943)	
TTGGGGTCTAGAGTGGGCGG (SEQ ID NO: 674)	CCTGAGACAGCTGTCTGTG (SEQ ID NO: 944)	
TGGGGTCTAGAGTGGGCGGG (SEQ ID NO: 675)	CCTCACAAGACAGCTGTCTC (SEQ ID NO: 945)	
GGGGTCTAGAGTGGGCGGGG (SEQ ID NO: 676)	CTGAGACAGCTGTCTGTGA (SEQ ID NO: 946)	
GGGTCTAGAGTGGGCGGGGG (SEQ ID NO: 677)	CTTGTGAGGGACTGAGATGC (SEQ ID NO: 947)	

35:01	38:01
TCTAGAGTGGGCGGGGGGGG (SEQ ID NO: 678)	TCCTCCCCTTTGTGACTTCA (SEQ ID NO: 948)
	CCTCCCCTTTGTGACTTCAA (SEQ ID NO: 949)
	CCCTTGAAGTCACAAAGGGG (SEQ ID NO: 950)
	AGGCCCTTGAAGTCACAAAG (SEQ ID NO: 951)
	GAGGCCCTTGAAGTCACAAA (SEQ ID NO: 952)
	AGAGGCCCTTGAAGTCACAA (SEQ ID NO: 953)
	TTTGTGACTTCAAGGGCCTC (SEQ ID NO: 954)
	TTTGCAGAAAGAGATGCCAG (SEQ ID NO: 955)
	TCTGGCATCTCTTCTGCAA (SEQ ID NO: 956)
	ACAGGGACGCAGACACATTC (SEQ ID NO: 957)
	GTCCCTGTTAGCCTAATGTG (SEQ ID NO: 958)
	CTCCTCACATTAGGCTAACA (SEQ ID NO: 959)
	CCTGTTAGCCTAATGTGAGG (SEQ ID NO: 960)
	CCTCCTCACATTAGGCTAAC (SEQ ID NO: 961)
	GTTAGCCTAATGTGAGGAGG (SEQ ID NO: 962)
	TCTCTCCACCTCCTCACATT (SEQ ID NO: 963)
	GTCACAGTGGACACGGGGGT (SEQ ID NO: 964)
	GGTCACAGTGGACACGGGGG (SEQ ID NO: 965)
	AGGGGTACAGTGGACACGG (SEQ ID NO: 966)

TABLE 3E: HLA-B 40:01 and 44:02

40:01	44:02
Exon1	
AGCAGCAGGAGGACGGTTCG (SEQ ID NO: 209)	AGCAGCAGGAGGAGGGTTCG (SEQ ID NO: 257)
GAGCAGCAGGAGGACGGTTC (SEQ ID NO: 210)	GAGCAGCAGGAGGAGGGTTC (SEQ ID NO: 258)
AGAGCAGCAGGAGGACGGTT (SEQ ID NO: 211)	AGAGCAGCAGGAGGAGGGTT (SEQ ID NO: 259)
AACCGTCCTCCTGCTGCTCT (SEQ ID NO: 212)	GAACCTCCTCCTGCTGCTC (SEQ ID NO: 260)
CGCCGAGAGCAGCAGGAGGA (SEQ ID NO: 213)	AACCTCCTCCTGCTGCTCT (SEQ ID NO: 261)
CGTCCTCCTGCTGCTCTCGG (SEQ ID NO: 214)	ACCCTCCTCCTGCTGCTCTG (SEQ ID NO: 262)

40:01	44:02
Exon1	
GGGCCGCCGAGAGCAGCAGG (SEQ ID NO: 215)	CCCTCCTCCTGCTGCTCTGG (SEQ ID NO: 263)
CCTGCTGCTCTCGGCGGCC (SEQ ID NO: 216)	CCCCAGAGCAGCAGGAGGA (SEQ ID NO: 264)
CCAGGGCCCGGAGAGCAGC (SEQ ID NO: 217)	CCTCCTCCTGCTGCTCTGGG (SEQ ID NO: 265)
CCCTGGCCCTGACCGAGACC (SEQ ID NO: 218)	CCCCCAGAGCAGCAGGAGG (SEQ ID NO: 266)
CCAGGTCTCGGTACGGGCCA (SEQ ID NO: 219)	CTGCCCCCAGAGCAGCAGG (SEQ ID NO: 267)
CCTGGCCCTGACCGAGACCT (SEQ ID NO: 229)	CCTGCTGCTCTGGGGGGCAG (SEQ ID NO: 268)
CCCAGGTCTCGGTACGGGCC (SEQ ID NO: 230)	CCACTGCCCCCAGAGCAGC (SEQ ID NO: 269)
GGCCCTGACCGAGACCTGGG (SEQ ID NO: 1011)	CAGTGGCCCTGACCGAGACC (SEQ ID NO: 270)
GCCCTGACCGAGACCTGGG (SEQ ID NO: 971)	AGTGGCCCTGACCGAGACCT (SEQ ID NO: 271)
GTGGAATACCTCATGGAGT (SEQ ID NO: 1012)	GTAAGAAATACCTCATGGAGT (SEQ ID NO: 134)
TGTGGAATACCTCATGGAG (SEQ ID NO: 1013)	TGTAGAAATACCTCATGGAG (SEQ ID NO: 136)
GGCGGTGTGGAATACCTCA (SEQ ID NO: 1014)	GGCGGTGTAGAAATACCTCA (SEQ ID NO: 272)
ATTTCCACACCGCATGTCC (SEQ ID NO: 1015)	ATTCTACACCGCATGTCC (SEQ ID NO: 273)
CGGGCCGGGACATGGCGGTG (SEQ ID NO: 1016)	TACACCGCATGTCCCGGCC (SEQ ID NO: 274)
CACACCGCATGTCCCGGCC (SEQ ID NO: 1017)	GCGGCCGGGCGGGACATGG (SEQ ID NO: 225)
GCGGCCGGGCGGGACATGG (SEQ ID NO: 225)	GCCATGTCCCGGCCCGGCCG (SEQ ID NO: 226)
GCCATGTCCCGGCCCGGCCG (SEQ ID NO: 226)	CCATGTCCCGGCCCGGCCG (SEQ ID NO: 227)
CCATGTCCCGGCCCGGCCG (SEQ ID NO: 227)	CCCGCGGCCGGCCGGGACA (SEQ ID NO: 19)
CCCGCGGCCGGCCGGGACA (SEQ ID NO: 19)	CATGTCCCGGCCCGGCCG (SEQ ID NO: 228)
CATGTCCCGGCCCGGCCG (SEQ ID NO: 228)	GGGCTCCCGCGGCCGGGCC (SEQ ID NO: 25)
GGGCTCCCGCGGCCGGGCC (SEQ ID NO: 25)	GGGGTCCCGCGGCCGGGC (SEQ ID NO: 28)
GGGGTCCCGCGGCCGGGC (SEQ ID NO: 28)	AAGCGGGGTCCCGCGGCC (SEQ ID NO: 31)
AAGCGGGGTCCCGCGGCC (SEQ ID NO: 31)	GAAGCGGGGTCCCGCGGC (SEQ ID NO: 34)
GAAGCGGGGTCCCGCGGC (SEQ ID NO: 34)	TGATGAAGCGGGGTCCCGG (SEQ ID NO: 275)
TGATGAAGCGGGGTCCCGG (SEQ ID NO: 275)	GGAGCCCCGCTTCATACCG (SEQ ID NO: 276)
GGAGCCCCGCTTCATACCG (SEQ ID NO: 276)	GAGCCCCGCTTCATACCGT (SEQ ID NO: 277)
GAGCCCCGCTTCATACCGT (SEQ ID NO: 277)	TAGCCACGGTGATGAAGCG (SEQ ID NO: 278)
TAGCCACGGTGATGAAGCG (SEQ ID NO: 278)	GTAGCCACGGTGATGAAGC (SEQ ID NO: 279)
GTAGCCACGGTGATGAAGC (SEQ ID NO: 279)	CGTAGCCACGGTGATGAAG (SEQ ID NO: 280)
CGTAGCCACGGTGATGAAG (SEQ ID NO: 280)	CTTCATACCGTGGGCTACG (SEQ ID NO: 281)
CTTCATACCGTGGGCTACG (SEQ ID NO: 281)	CGTGTCGTCCACGTAGCCCA (SEQ ID NO: 60)
CGTGTCGTCCACGTAGCCCA (SEQ ID NO: 60)	TGGACGACACGCTGTTCTGTG (SEQ ID NO: 1018)
TGGACGACACGCTGTTCTGTG (SEQ ID NO: 1018)	ACAGCGACGCCACGAGTCCG (SEQ ID NO: 283)
ACAGCGACGCCACGAGTCCG (SEQ ID NO: 283)	CGACGCCACGAGTCCGAGGA (SEQ ID NO: 284)
CGACGCCACGAGTCCGAGGA (SEQ ID NO: 284)	CGGCTCCTTCTCGGACTCG (SEQ ID NO: 1019)
CGGCTCCTTCTCGGACTCG (SEQ ID NO: 1019)	CGAGTCCGAGGAAGGAGCCG (SEQ ID NO: 1020)
CGAGTCCGAGGAAGGAGCCG (SEQ ID NO: 1020)	GAGTCCGAGGAAGGAGCCG (SEQ ID NO: 1021)
GAGTCCGAGGAAGGAGCCG (SEQ ID NO: 1021)	GGCGCCCGCGGCTCCTTCT (SEQ ID NO: 1022)
GGCGCCCGCGGCTCCTTCT (SEQ ID NO: 1022)	GGAAGGAGCCCGGGCGCCA (SEQ ID NO: 1023)
GGAAGGAGCCCGGGCGCCA (SEQ ID NO: 1023)	TGCTCTATCCATGGCGCCG (SEQ ID NO: 290)
TGCTCTATCCATGGCGCCG (SEQ ID NO: 290)	GCGGGCGCCATGGATAGAGC (SEQ ID NO: 1024)
GCGGGCGCCATGGATAGAGC (SEQ ID NO: 1024)	GGCGCCATGGATAGAGCAGG (SEQ ID NO: 294)
GGCGCCATGGATAGAGCAGG (SEQ ID NO: 294)	GCGCCATGGATAGAGCAGGA (SEQ ID NO: 295)
GCGCCATGGATAGAGCAGGA (SEQ ID NO: 295)	CGCCATGGATAGAGCAGGAG (SEQ ID NO: 296)
CGCCATGGATAGAGCAGGAG (SEQ ID NO: 296)	GGCCCTCCTGCTCTATCCA (SEQ ID NO: 81)
GGCCCTCCTGCTCTATCCA (SEQ ID NO: 81)	ATGGATAGAGCAGGAGGGGC (SEQ ID NO: 297)
ATGGATAGAGCAGGAGGGGC (SEQ ID NO: 297)	AGCAGGAGGGGCGGAGTAT (SEQ ID NO: 85)
AGCAGGAGGGGCGGAGTAT (SEQ ID NO: 85)	GCAGGAGGGGCGGAGTATT (SEQ ID NO: 87)

40:01	44:02
Exon1	
GCAGGAGGGGCCGAGTATT (SEQ ID NO: 87)	AGGGGCCGAGTATTGGGAC (SEQ ID NO: 154)
AGGGGCCGAGTATTGGGAC (SEQ ID NO: 154)	GGGGCCGAGTATTGGGACC (SEQ ID NO: 89)
GGGGCCGAGTATTGGGACC (SEQ ID NO: 89)	GTCTCCCGGTCCAATACTC (SEQ ID NO: 298)
GTCTCCCGGTCCAATACTC (SEQ ID NO: 298)	TCTTGGAGATCTGTGTCTCC (SEQ ID NO: 299)
TCTTGGAGATCTGTGTCTCC (SEQ ID NO: 299)	GTAAGTCTGTGTGTTGGTCT (SEQ ID NO: 300)
GTAAGTCTGTGTGTTGGTCT (SEQ ID NO: 300)	CTCTCGGTAAGTCTGTGTGT (SEQ ID NO: 301)
CTCTCGGTAAGTCTGTGTGT (SEQ ID NO: 301)	GCGCGGTGCGCAGGTTCTCT (SEQ ID NO: 302)
AGACTTACCGAGAGAGCCTG (SEQ ID NO: 320)	AGTAGCGGAGCGCGGTGCGC (SEQ ID NO: 303)
GCAGGTTCCGAGGCTCTCT (SEQ ID NO: 252)	CTGGTTGTAGTAGCGGAGCG (SEQ ID NO: 304)
GAGAGCTGCGGAACCTGCG (SEQ ID NO: 253)	CCGCTACTACAACCAGAGCG (SEQ ID NO: 152)
AGTAGCCGCGCAGGTTCCGC (SEQ ID NO: 254)	CCTCGCTCTGGTTGTAGTAG (SEQ ID NO: 153)
TCTGGTTGTAGTAGCCGCGC (SEQ ID NO: 114)	
CGGCTACTACAACCAGAGCG (SEQ ID NO: 115)	

TABLE 3F: HLA-B 44:03 and 50:01

44:03	50:01
AGCAGCAGGAGGAGGGTTCG (SEQ ID NO: 257)	AGCAGCAGGAGGACGGTTCG (SEQ ID NO: 209)
GAGCAGCAGGAGGAGGGTTC (SEQ ID NO: 258)	GAGCAGCAGGAGGACGGTTC (SEQ ID NO: 210)
AGAGCAGCAGGAGGAGGGTT (SEQ ID NO: 259)	AGAGCAGCAGGAGGACGGTT (SEQ ID NO: 211)
GAACCTCCTCCTGCTGCTC (SEQ ID NO: 260)	AACCGTCCTCCTGCTGCTCT (SEQ ID NO: 212)
AACCTCCTCCTGCTGCTCT (SEQ ID NO: 261)	CGCCGAGAGCAGCAGGAGGA (SEQ ID NO: 213)
ACCCTCCTCCTGCTGCTCTG (SEQ ID NO: 262)	CGTCCTCCTGCTGCTCTCGG (SEQ ID NO: 214)
CCCTCCTCCTGCTGCTCTGG (SEQ ID NO: 263)	GGGCCGCCGAGAGCAGCAGG (SEQ ID NO: 215)
CCCCAGAGCAGCAGGAGGA (SEQ ID NO: 264)	CCTGCTGCTCTCGGCGGCC (SEQ ID NO: 216)
CCTCCTCCTGCTGCTCTGGG (SEQ ID NO: 265)	CCAGGGCCGCCGAGAGCAGC (SEQ ID NO: 217)
CCCCCAGAGCAGCAGGAGG (SEQ ID NO: 266)	CCCTGGCCCTGACCGAGACC (SEQ ID NO: 218)
CTGCCCCCAGAGCAGCAGG (SEQ ID NO: 267)	CCAGGTCTCGGTCAGGGCCA (SEQ ID NO: 219)
CCTGCTGCTCTGGGGGCGAG (SEQ ID NO: 268)	CCTGGCCCTGACCGAGACCT (SEQ ID NO: 229)
CCACTGCCCCCAGAGCAGC (SEQ ID NO: 269)	CCCAGGTCTCGGTCAGGGCC (SEQ ID NO: 230)
CAGTGCCCTGACCGAGACC (SEQ ID NO: 270)	GTGGAAATACCTCATGGAGT (SEQ ID NO: 1012)
AGTGGCCTGACCGAGACCT (SEQ ID NO: 271)	TGTGGAAATACCTCATGGAG (SEQ ID NO: 1013)
GTAGAAATACCTCATGGAGT (SEQ ID NO: 134)	GGCGGTGTGGAAATACCTCA (SEQ ID NO: 1014)
TGTAGAAATACCTCATGGAG (SEQ ID NO: 136)	ATTCCACACCGCCATGTCC (SEQ ID NO: 1015)
GGCGGTGTAGAAATACCTCA (SEQ ID NO: 272)	CGGGCCGGGACATGGCGGTG (SEQ ID NO: 1016)
ATTTCTACACCGCCATGTCC (SEQ ID NO: 273)	CACACCGCCATGTCCGGCC (SEQ ID NO: 1017)
TACACCGCCATGTCCCGGCC (SEQ ID NO: 274)	GCGGCCGGGCCGGGACATGG (SEQ ID NO: 225)
GCGGCCGGGCCGGGACATGG (SEQ ID NO: 225)	GCCATGTCCCGGCCGGCCG (SEQ ID NO: 226)
GCCATGTCCCGGCCGGCCG (SEQ ID NO: 226)	CCATGTCCCGGCCGGCCGC (SEQ ID NO: 227)
CCATGTCCCGGCCGGCCGC (SEQ ID NO: 227)	CCCGCGGCCGGGCCGGGACA (SEQ ID NO: 19)
CCCGCGGCCGGGCCGGGACA (SEQ ID NO: 19)	CATGTCCCGGCCGGCCGCG (SEQ ID NO: 228)
CATGTCCCGGCCGGCCGCG (SEQ ID NO: 228)	GGGCTCCCGCGGCCGGGCC (SEQ ID NO: 25)
GGGCTCCCGCGGCCGGGCC (SEQ ID NO: 25)	GGGGCTCCCGCGGCCGGGC (SEQ ID NO: 28)
GGGGCTCCCGCGGCCGGGC (SEQ ID NO: 28)	AAGCGGGGCTCCCGCGGCC (SEQ ID NO: 31)
AAGCGGGGCTCCCGCGGCC (SEQ ID NO: 31)	GAAGCGGGGCTCCCGCGGC (SEQ ID NO: 34)
GAAGCGGGGCTCCCGCGGC (SEQ ID NO: 34)	TGATGAAGCGGGGCTCCCG (SEQ ID NO: 275)
TGATGAAGCGGGGCTCCCG (SEQ ID NO: 275)	GGAGCCCCGCTTCATACCG (SEQ ID NO: 276)

44:03	50:01
GGAGCCCCGCTTCATCACCG (SEQ ID NO: 276)	GAGCCCCGCTTCATCACCGT (SEQ ID NO: 277)
GAGCCCCGCTTCATCACCGT (SEQ ID NO: 277)	TAGCCACCGGTGATGAAGCG (SEQ ID NO: 278)
TAGCCACCGGTGATGAAGCG (SEQ ID NO: 278)	GTAGCCACCGGTGATGAAGC (SEQ ID NO: 279)
GTAGCCACCGGTGATGAAGC (SEQ ID NO: 279)	CGTAGCCACCGGTGATGAAG (SEQ ID NO: 280)
CGTAGCCACCGGTGATGAAG (SEQ ID NO: 280)	CTTCATCACCGTGGGCTACG (SEQ ID NO: 281)
CTTCATCACCGTGGGCTACG (SEQ ID NO: 281)	CGTGTCTCCACGTAGCCCA (SEQ ID NO: 60)
CGTGTCTCCACGTAGCCCA (SEQ ID NO: 60)	TGGACGACACGCTGTTCTGTG (SEQ ID NO: 1018)
TGGACGACACGCTGTTCTGTG (SEQ ID NO: 1018)	ACAGCGACGCCACGAGTCCG (SEQ ID NO: 283)
ACAGCGACGCCACGAGTCCG (SEQ ID NO: 283)	CGACGCCACGAGTCCGAGGA (SEQ ID NO: 284)
CGACGCCACGAGTCCGAGGA (SEQ ID NO: 284)	CGGCTCCTTCTCGGACTCG (SEQ ID NO: 1019)
CGGCTCCTTCTCGGACTCG (SEQ ID NO: 1019)	CGAGTCCGAGGAAGGAGCCG (SEQ ID NO: 1020)
CGAGTCCGAGGAAGGAGCCG (SEQ ID NO: 1020)	GAGTCCGAGGAAGGAGCCGC (SEQ ID NO: 1021)
GAGTCCGAGGAAGGAGCCGC (SEQ ID NO: 1021)	GGCGCCCGGGCTCCTTCT (SEQ ID NO: 1022)
GGCGCCCGGGCTCCTTCT (SEQ ID NO: 1022)	GGAAGGAGCCGCGGGCGCCA (SEQ ID NO: 1023)
GGAAGGAGCCGCGGGCGCCA (SEQ ID NO: 1023)	TGCTCTATCCATGGCGCCCG (SEQ ID NO: 290)
TGCTCTATCCATGGCGCCCG (SEQ ID NO: 290)	GCGGGCGCCATGGATAGAGC (SEQ ID NO: 1024)
GCGGGCGCCATGGATAGAGC (SEQ ID NO: 1024)	GGCGCCATGGATAGAGCAGG (SEQ ID NO: 294)
GGCGCCATGGATAGAGCAGG (SEQ ID NO: 294)	GCGCCATGGATAGAGCAGGA (SEQ ID NO: 295)
GCGCCATGGATAGAGCAGGA (SEQ ID NO: 295)	CGCCATGGATAGAGCAGGAG (SEQ ID NO: 296)
CGCCATGGATAGAGCAGGAG (SEQ ID NO: 296)	GGCCCTCCTGCTCTATCCA (SEQ ID NO: 81)
GGCCCTCCTGCTCTATCCA (SEQ ID NO: 81)	ATGGATAGAGCAGGAGGGGC (SEQ ID NO: 297)
ATGGATAGAGCAGGAGGGGC (SEQ ID NO: 297)	AGCAGGAGGGGCGGAGTAT (SEQ ID NO: 85)
AGCAGGAGGGGCGGAGTAT (SEQ ID NO: 85)	GCAGGAGGGGCGGAGTATT (SEQ ID NO: 87)
GCAGGAGGGGCGGAGTATT (SEQ ID NO: 87)	AGGGGCGGAGTATTGGGAC (SEQ ID NO: 154)
AGGGGCGGAGTATTGGGAC (SEQ ID NO: 154)	GGGGCGGAGTATTGGGACC (SEQ ID NO: 89)
GGGGCGGAGTATTGGGACC (SEQ ID NO: 89)	GTCTCCCGTCCCAATACTC (SEQ ID NO: 298)
GTCTCCCGTCCCAATACTC (SEQ ID NO: 298)	TCTTGAGATCTGTGTCTCC (SEQ ID NO: 299)
TCTTGAGATCTGTGTCTCC (SEQ ID NO: 299)	GTAAGTCTGTGTGTGTCT (SEQ ID NO: 300)
GTAAGTCTGTGTGTGTCT (SEQ ID NO: 300)	CTCTCGGTAAGTCTGTGTGT (SEQ ID NO: 301)
CTCTCGGTAAGTCTGTGTGT (SEQ ID NO: 301)	AGACTTACCGAGAGAGCCTG (SEQ ID NO: 320)
GCGCGGTGCGCAGGTTCTCT (SEQ ID NO: 302)	GCAGGTTCCGACGCTCTCT (SEQ ID NO: 252)
AGTAGCGGAGCGCGGTGCGC (SEQ ID NO: 303)	GAGAGCCTGCGGAACCTGCG (SEQ ID NO: 253)
CTGGTTGTAGTAGCGGAGCG (SEQ ID NO: 304)	AGTAGCCGCGCAGGTTCCGC (SEQ ID NO: 254)
CCGCTACTACAACCAGAGCG (SEQ ID NO: 152)	TCTGGTTGTAGTAGCCGCGC (SEQ ID NO: 114)
CCTCGCTCTGTTGTAGTAG (SEQ ID NO: 153)	CGGCTACTACAACCAGAGCG (SEQ ID NO: 115)

TABLE 3G: HLA-B 52:01 and 57:01

52:01	57:01
AGCAGCAGGAGGACGGTTCG (SEQ ID NO: 209)	AGCAGCAGGAGGACGGTTCG (SEQ ID NO: 209)
GAGCAGCAGGAGGACGGTTC (SEQ ID NO: 210)	GAGCAGCAGGAGGACGGTTC (SEQ ID NO: 210)
AGAGCAGCAGGAGGACGGTT (SEQ ID NO: 211)	AGAGCAGCAGGAGGACGGTT (SEQ ID NO: 211)
GAACCGTCTCCTGCTGCTC (SEQ ID NO: 967)	GAACCGTCTCCTGCTGCTC (SEQ ID NO: 967)
AACCGTCTCCTGCTGCTCT (SEQ ID NO: 212)	AACCGTCTCCTGCTGCTCT (SEQ ID NO: 212)
ACCGTCTCCTGCTGCTCTG (SEQ ID NO: 968)	ACCGTCTCCTGCTGCTCTG (SEQ ID NO: 968)
CCGTCTCCTGCTGCTCTGG (SEQ ID NO: 969)	CCGTCTCCTGCTGCTCTGG (SEQ ID NO: 969)
CCCCAGAGCAGCAGGAGGA (SEQ ID NO: 264)	CCCCAGAGCAGCAGGAGGA (SEQ ID NO: 264)
CGTCTCCTGCTGCTCTGGG (SEQ ID NO: 970)	CGTCTCCTGCTGCTCTGGG (SEQ ID NO: 970)
CTGCCCCCAGAGCAGCAGG (SEQ ID NO: 267)	CTGCCCCCAGAGCAGCAGG (SEQ ID NO: 267)

52:01	57:01
CCTGCTGCTCTGGGGGGCAG (SEQ ID NO: 268)	CCTGCTGCTCTGGGGGGCAG (SEQ ID NO: 268)
CCACTGCCCCCAGAGCAGC (SEQ ID NO: 269)	CCACTGCCCCCAGAGCAGC (SEQ ID NO: 269)
CAGTGGCCCTGACCGAGACC (SEQ ID NO: 270)	CAGTGGCCCTGACCGAGACC (SEQ ID NO: 270)
AGTGGCCCTGACCGAGACCT (SEQ ID NO: 271)	AGTGGCCCTGACCGAGACCT (SEQ ID NO: 271)
GTAGAAATACCTCATGGAGT (SEQ ID NO: 134)	GTAGAAATACCTCATGGAGT (SEQ ID NO: 134)
TGTAGAAATACCTCATGGAG (SEQ ID NO: 136)	TGTAGAAATACCTCATGGAG (SEQ ID NO: 136)
GGCGGTGTAGAAATACCTCA (SEQ ID NO: 272)	GGCGGTGTAGAAATACCTCA (SEQ ID NO: 272)
ATTTCTACACCGCCATGTCC (SEQ ID NO: 273)	ATTTCTACACCGCCATGTCC (SEQ ID NO: 273)
TACACCGCCATGTCCCGGCC (SEQ ID NO: 274)	TACACCGCCATGTCCCGGCC (SEQ ID NO: 274)
GCGGCCGGGCCGGGACATGG (SEQ ID NO: 225)	GCGGCCGGGCCGGGACATGG (SEQ ID NO: 225)
GCCATGTCCCGGCCGGCCG (SEQ ID NO: 226)	GCCATGTCCCGGCCGGCCG (SEQ ID NO: 226)
CCATGTCCCGGCCGGCCGC (SEQ ID NO: 227)	CCATGTCCCGGCCGGCCGC (SEQ ID NO: 227)
CCCGCGGCCGGGCCGGGACA (SEQ ID NO: 19)	CCCGCGGCCGGGCCGGGACA (SEQ ID NO: 19)
CATGTCCCGGCCGGCCGCG (SEQ ID NO: 228)	CATGTCCCGGCCGGCCGCG (SEQ ID NO: 228)
GGGCTCCCCGCGGCCGGCC (SEQ ID NO: 25)	GGGCTCCCCGCGGCCGGCC (SEQ ID NO: 25)
GGGGTCCCCGCGGCCGGGC (SEQ ID NO: 28)	GGGGTCCCCGCGGCCGGGC (SEQ ID NO: 28)
AAGCGGGGCTCCCCGCGGCC (SEQ ID NO: 31)	AAGCGGGGCTCCCCGCGGCC (SEQ ID NO: 31)
GAAGCGGGGCTCCCCGCGGC (SEQ ID NO: 34)	GAAGCGGGGCTCCCCGCGGC (SEQ ID NO: 34)
CGATGAAGCGGGGCTCCCCG (SEQ ID NO: 37)	CGATGAAGCGGGGCTCCCCG (SEQ ID NO: 37)
GGAGCCCCGCTTCATCGCAG (SEQ ID NO: 40)	GGAGCCCCGCTTCATCGCAG (SEQ ID NO: 40)
GAGCCCCGCTTCATCGCAGT (SEQ ID NO: 43)	GAGCCCCGCTTCATCGCAGT (SEQ ID NO: 43)
TAGCCCACTGCGATGAAGCG (SEQ ID NO: 47)	TAGCCCACTGCGATGAAGCG (SEQ ID NO: 47)
GTAGCCCACTGCGATGAAGC (SEQ ID NO: 50)	GTAGCCCACTGCGATGAAGC (SEQ ID NO: 50)
CGTAGCCCACTGCGATGAAG (SEQ ID NO: 53)	CGTAGCCCACTGCGATGAAG (SEQ ID NO: 53)
CTTCATCGCAGTGGGCTACG (SEQ ID NO: 55)	CTTCATCGCAGTGGGCTACG (SEQ ID NO: 55)
TGGACGACACCCAGTTCGTG (SEQ ID NO: 238)	TGGACGACACCCAGTTCGTG (SEQ ID NO: 238)
GCTGTGCAACCTCACGAACT (SEQ ID NO: 239)	GCTGTGCAACCTCACGAACT (SEQ ID NO: 239)
CGCTGTGCAACCTCACGAAC (SEQ ID NO: 240)	CGCTGTGCAACCTCACGAAC (SEQ ID NO: 240)
ACAGCGACGCCGCGAGTCCG (SEQ ID NO: 318)	ACAGCGACGCCGCGAGTCCG (SEQ ID NO: 318)
CGACGCCGCGAGTCCGAGGA (SEQ ID NO: 319)	CGACGCCGCGAGTCCGAGGA (SEQ ID NO: 319)
GGGCTCCGTCTCGGACTCG (SEQ ID NO: 323)	GGGCTCCGTCTCGGACTCG (SEQ ID NO: 323)
CGAGTCCGAGGACGGAGCCC (SEQ ID NO: 324)	CGAGTCCGAGGATGGCGCCC (SEQ ID NO: 286)
GAGTCCGAGGACGGAGCCCC (SEQ ID NO: 325)	GAGTCCGAGGATGGCGCCCC (SEQ ID NO: 287)
GGCGCCCGGGGCTCCGTCCT (SEQ ID NO: 326)	GGCGCCCGGGGCGCCATCCT (SEQ ID NO: 288)
GGACGGAGCCCCGGGCGCCA (SEQ ID NO: 1009)	GGATGGCGCCCCGGGCGCCA (SEQ ID NO: 289)
TGCTCTATCCATGGCGCCCG (SEQ ID NO: 290)	TGCTCTATCCATGGCGCCCG (SEQ ID NO: 290)
CTGCTCTATCCATGGCGCCC (SEQ ID NO: 291)	CTGCTCTATCCATGGCGCCC (SEQ ID NO: 291)
CCGGGCGCCATGGATAGAGC (SEQ ID NO: 292)	CCGGGCGCCATGGATAGAGC (SEQ ID NO: 292)
CCTGCTCTATCCATGGCGCC (SEQ ID NO: 293)	CCTGCTCTATCCATGGCGCC (SEQ ID NO: 293)
GGCGCCATGGATAGAGCAGG (SEQ ID NO: 294)	GGCGCCATGGATAGAGCAGG (SEQ ID NO: 294)
GCGCCATGGATAGAGCAGGA (SEQ ID NO: 295)	GCGCCATGGATAGAGCAGGA (SEQ ID NO: 295)
CGCCATGGATAGAGCAGGAG (SEQ ID NO: 296)	CGCCATGGATAGAGCAGGAG (SEQ ID NO: 296)
GGCCCTCTGCTCTATCCA (SEQ ID NO: 81)	GGCCCTCTGCTCTATCCA (SEQ ID NO: 81)
ATGGATAGAGCAGGAGGGGC (SEQ ID NO: 297)	ATGGATAGAGCAGGAGGGGC (SEQ ID NO: 297)
AGCAGGAGGGGCGGAGTAT (SEQ ID NO: 85)	AGCAGGAGGGGCGGAGTAT (SEQ ID NO: 85)
GCAGGAGGGGCGGAGTATT (SEQ ID NO: 87)	GCAGGAGGGGCGGAGTATT (SEQ ID NO: 87)
AGGGGCGGAGTATTGGGAC (SEQ ID NO: 154)	GAGGGGCGGAGTATTGGGA (SEQ ID NO: 1025)
GGGGCCGGAGTATTGGGACC (SEQ ID NO: 89)	AGGGGCGGAGTATTGGGAC (SEQ ID NO: 154)
GTCTCCCGGTCCAATACTC (SEQ ID NO: 298)	GGGGCCGGAGTATTGGGACG (SEQ ID NO: 142)

52:01	57:01
TCTTGGAGATCTGTGTCTCC (SEQ ID NO: 299)	GTCTCCCCGTCCCAATACTC (SEQ ID NO: 90)
GTAAGTCTGTGTGTTGGTCT (SEQ ID NO: 300)	AGTATTGGGACGGGGAGACA (SEQ ID NO: 92)
CTCTCGGTAAGTCTGTGTGT (SEQ ID NO: 301)	CGGGGAGACACGGAACATGA (SEQ ID NO: 1026)
AGACTTACCGAGAGAACCTG (SEQ ID NO: 1010)	CTCTCGGTAAGTCTGCGCGG (SEQ ID NO: 1027)
GCGCGATCCGCAGGTTCTCT (SEQ ID NO: 150)	GTTCTCTCGGTAAGTCTGCG (SEQ ID NO: 1028)
AGTAGCGGAGCGCGATCCGC (SEQ ID NO: 151)	AGACTTACCGAGAGAACCTG (SEQ ID NO: 1010)
CCGCTACTACAACCAGAGCG (SEQ ID NO: 152)	GCGCGATCCGCAGGTTCTCT (SEQ ID NO: 150)
CCTCGCTCTGGTTGTAGTAG (SEQ ID NO: 153)	AGTAGCGGAGCGCGATCCGC (SEQ ID NO: 151)
	CCGCTACTACAACCAGAGCG (SEQ ID NO: 152)
	CCTCGCTCTGGTTGTAGTAG (SEQ ID NO: 153)

TABLE 4A: HLA-DQB1 02:01 and 03:01

02:01	03:01
TGTCTTGGAAAAAGGCTTTG (SEQ ID NO: 1029)	TGTCTTGGAAAAAGGCTTTG (SEQ ID NO: 1029)
AAAAAGGCTTTGCGGATCCC (SEQ ID NO: 1030)	AAAAAGGCTTTGCGGATCCC (SEQ ID NO: 1030)
AAGGCTTTGCGGATCCCCGG (SEQ ID NO: 1031)	AAGGCTTTGCGGATCCCCGG (SEQ ID NO: 1031)
TGCGGATCCCCGGAGGCCTT (SEQ ID NO: 1032)	TGCGGATCCCCGGAGGCCTT (SEQ ID NO: 1032)
GCGGATCCCCGGAGGCCTTC (SEQ ID NO: 1033)	GCGGATCCCCGGAGGCCTTC (SEQ ID NO: 1033)
TTGCTGCCCGAAGGCCTCCG (SEQ ID NO: 1034)	TTGCTGCCCGAAGGCCTCCG (SEQ ID NO: 1034)
GTTGCTGCCCGAAGGCCTCC (SEQ ID NO: 1035)	GTTGCTGCCCGAAGGCCTCC (SEQ ID NO: 1035)
AGTTGCTGCCCGAAGGCCTC (SEQ ID NO: 1036)	AGTTGCTGCCCGAAGGCCTC (SEQ ID NO: 1036)
AGGTCACAGTTGCTGCCCGA (SEQ ID NO: 1037)	AGGTAACAGTTGCTGCCCGA (SEQ ID NO: 1083)
GCTCAGCATCGACAGCATCA (SEQ ID NO: 1038)	AGCAACTGTTACCTTGATGC (SEQ ID NO: 1084)
GTCGATGCTGAGCACCCAG (SEQ ID NO: 1039)	GCTCAGCATCGCCAGCATCA (SEQ ID NO: 1085)
GCTGAGCACCCAGTGCTG (SEQ ID NO: 1040)	GGCGATGCTGAGCACCCAG (SEQ ID NO: 1086)
CTGAGCACCCAGTGCTGA (SEQ ID NO: 1041)	GCTGAGCACCCAGTGCTG (SEQ ID NO: 1040)
GTCTCTGCCCTCAGCCACTG (SEQ ID NO: 1042)	CTGAGCACCCAGTGCTGA (SEQ ID NO: 1041)
AGTCTCTGCCCTCAGCCACT (SEQ ID NO: 1043)	GTCTCTGCCCTCAGCCACTG (SEQ ID NO: 1042)
GAGTCTCTGCCCTCAGCCAC (SEQ ID NO: 1044)	AGTCTCTGCCCTCAGCCACT (SEQ ID NO: 1043)
GGATTTCTGTACCAAGTTTA (SEQ ID NO: 1045)	GAGTCTCTGCCCTCAGCCAC (SEQ ID NO: 1044)
GATTTCTGTACCAAGTTTA (SEQ ID NO: 1046)	GGATTTCTGTACCAAGTTTA (SEQ ID NO: 1045)
AGTAGCACATGCCCTTAAAC (SEQ ID NO: 1047)	AGTAGCACATGGCCTTAAAC (SEQ ID NO: 1087)
GGCATGTGCTACTTCACCAA (SEQ ID NO: 1048)	GCCATGTGCTACTTCACCAA (SEQ ID NO: 1088)
GCATGTGCTACTTCACCAA (SEQ ID NO: 1049)	CCATGTGCTACTTCACCAA (SEQ ID NO: 1089)
ACGCACGCGCTCTGTCCCGT (SEQ ID NO: 1050)	CCCGTTGGTGAAGTAGCACA (SEQ ID NO: 1090)
CGAAGCGCACGATCTCTTCT (SEQ ID NO: 1051)	GTGCTACTTCACCAACGGGA (SEQ ID NO: 1091)
CGTGCGCTTCGACAGCGACG (SEQ ID NO: 1052)	ACGCACGCGCTCCGTCCCGT (SEQ ID NO: 1092)
GTGCGCTTCGACAGCGACGT (SEQ ID NO: 1053)	CTCTCGGTTATAGATGTATC (SEQ ID NO: 1093)
TGCGCTTCGACAGCGACGTG (SEQ ID NO: 1054)	CAGATACATCTATAACCGAG (SEQ ID NO: 1094)
GCGCTTCGACAGCGACGTGG (SEQ ID NO: 1055)	CGAAGCGTGCGTACTCCTCT (SEQ ID NO: 1095)
ACAGCGACGTGGGGGAGTTC (SEQ ID NO: 1056)	CGCACGCTTCGACAGCGACG (SEQ ID NO: 1096)
CAGCGACGTGGGGGAGTTCC (SEQ ID NO: 1057)	ACGCTTCGACAGCGACGTGG (SEQ ID NO: 1097)
CGACGTGGGGGAGTTCCGGG (SEQ ID NO: 1058)	ACAGCGACGTGGAGGTGTAC (SEQ ID NO: 1098)
GTTCCGGGGGTGACGCTGC (SEQ ID NO: 1059)	CAGCGACGTGGAGGTGTACC (SEQ ID NO: 1099)
TTCCGGGGGTGACGCTGCT (SEQ ID NO: 1060)	CGACGTGGAGGTGTACCGGG (SEQ ID NO: 1100)
TCCGGGGGTGACGCTGCTG (SEQ ID NO: 1061)	GTACCGGGCGGTGACGCCGC (SEQ ID NO: 1101)
GCCCCAGCAGCGTACCGCC (SEQ ID NO: 1062)	TACCGGGCGGTGACGCCGCT (SEQ ID NO: 1102)
GGCTGCCTGCCCGAGTAC (SEQ ID NO: 1063)	ACCGGGCGGTGACGCCGCTG (SEQ ID NO: 1103)

02:01	03:01
CTGTTCCAGTACTCGGCGGC (SEQ ID NO: 1064)	GCCCCAGCGGCGTCACCGCC (SEQ ID NO: 1104)
CTGGCTGTTCAGTACTCGG (SEQ ID NO: 1065)	TCGGCGTCAGGCGGCCCCAG (SEQ ID NO: 1105)
CTTCTGGCTGTTCAGTACT (SEQ ID NO: 1066)	GGCCGCTGACGCCGAGTAC (SEQ ID NO: 1106)
CGAGTACTGGAACAGCCAGA (SEQ ID NO: 1067)	TTCCAGTACTCGGCGTCAGG (SEQ ID NO: 1107)
GAACAGCCAGAAGGACATCC (SEQ ID NO: 1068)	CTGTTCCAGTACTCGGCGTC (SEQ ID NO: 1108)
GCCAGAAGGACATCCTGGAG (SEQ ID NO: 1069)	CTTCTGGCTGTTCAGTACT (SEQ ID NO: 1066)
TCCTCTCCAGGATGTCCTTC (SEQ ID NO: 1070)	CGAGTACTGGAACAGCCAGA (SEQ ID NO: 1067)
AGGACATCCTGGAGAGGAAA (SEQ ID NO: 1071)	GAACAGCCAGAAGGAAGTCC (SEQ ID NO: 1109)
GGACATCCTGGAGAGGAAAC (SEQ ID NO: 1072)	GCCAGAAGGAAGTCTGGAG (SEQ ID NO: 1110)
CATCTGGAGAGGAAACGGG (SEQ ID NO: 1073)	TCCTCTCAGGACTTCCTTC (SEQ ID NO: 1111)
CCTGGAGAGGAAACGGGCGG (SEQ ID NO: 1074)	AGGAAGTCTGGAGAGGACC (SEQ ID NO: 1112)
CCGCCGCCGTTTCTCTCC (SEQ ID NO: 1075)	GGAAGTCTGGAGAGGACCC (SEQ ID NO: 1113)
GGAGAGGAAACGGGCGGCGG (SEQ ID NO: 1076)	AGTCTGGAGAGGACCCGGG (SEQ ID NO: 1114)
GGAACGGGCGGCGGTGGAC (SEQ ID NO: 1077)	ACTCCGCCGGGTCTCTCC (SEQ ID NO: 1115)
GAAACGGGCGGCGGTGGACA (SEQ ID NO: 1078)	GGAGAGGACCCGGGCGGAGT (SEQ ID NO: 1116)
GTGCAGACACAACCTACAGT (SEQ ID NO: 1079)	GACCCGGGCGGAGTTGGACA (SEQ ID NO: 1117)
AGGTCGTGCGGAGCTCCAAC (SEQ ID NO: 1080)	CACCGTGCCAACCTCCGCC (SEQ ID NO: 1118)
AGTCCGCACGACCTTGACG (SEQ ID NO: 1081)	ACACCGTGCCAACCTCCGCC (SEQ ID NO: 1119)
CTCGCGCTGCAAGGTCGTG (SEQ ID NO: 1082)	GTGCAGACACAACCTACAGT (SEQ ID NO: 1079)
	AGGTCGTGCGGAGCTCCAAC (SEQ ID NO: 1080)
	AGTCCGCACGACCTTGACG (SEQ ID NO: 1081)
	CTCGCGCTGCAAGGTCGTG (SEQ ID NO: 1082)

TABLE 4B: HLA-DQB1 03:02 and 03:03

03:02	03:03
TGTCTTGAAGAAGGCTTTG (SEQ ID NO: 1120)	TGTCTTGAAGAAGGCTTTG (SEQ ID NO: 1120)
AAGAAGGCTTTGCGGATCCC (SEQ ID NO: 1121)	AAGAAGGCTTTGCGGATCCC (SEQ ID NO: 1121)
AAGGCTTTGCGGATCCCTGG (SEQ ID NO: 1122)	AAGGCTTTGCGGATCCCTGG (SEQ ID NO: 1122)
TGCGGATCCCTGGAGGCCTT (SEQ ID NO: 1123)	TGCGGATCCCTGGAGGCCTT (SEQ ID NO: 1123)
GCGGATCCCTGGAGGCCTTC (SEQ ID NO: 1124)	GCGGATCCCTGGAGGCCTTC (SEQ ID NO: 1124)
TTGCTACCCGAAGGCCTCCA (SEQ ID NO: 1125)	TTGCTACCCGAAGGCCTCCA (SEQ ID NO: 1125)
GTTGCTACCCGAAGGCCTCC (SEQ ID NO: 1126)	GTTGCTACCCGAAGGCCTCC (SEQ ID NO: 1126)
AGGTCACAGTTGCTACCCGA (SEQ ID NO: 1127)	AGGTCACAGTTGCTACCCGA (SEQ ID NO: 1127)
AGCAACTGTGACCTTGATGC (SEQ ID NO: 1128)	AGCAACTGTGACCTTGATGC (SEQ ID NO: 1128)
GCTCAGCATCGCCAGCATCA (SEQ ID NO: 1085)	GCTCAGCATCGCCAGCATCA (SEQ ID NO: 1085)
GCTGGCGATGCTGAGCACCC (SEQ ID NO: 1129)	GCTGGCGATGCTGAGCACCC (SEQ ID NO: 1129)
GGCGATGCTGAGCACCCCGG (SEQ ID NO: 1130)	GGCGATGCTGAGCACCCCGG (SEQ ID NO: 1130)
GCTGAGCACCCCGGTGGCTG (SEQ ID NO: 1131)	GCTGAGCACCCCGGTGGCTG (SEQ ID NO: 1131)
CTGAGCACCCCGGTGGCTGA (SEQ ID NO: 1132)	CTGAGCACCCCGGTGGCTGA (SEQ ID NO: 1132)
GTCTCTGCCCTCAGCCACCG (SEQ ID NO: 1133)	GTCTCTGCCCTCAGCCACCG (SEQ ID NO: 1133)
AGTCTCTGCCCTCAGCCACC (SEQ ID NO: 1134)	AGTCTCTGCCCTCAGCCACC (SEQ ID NO: 1134)
GAGTCTCTGCCCTCAGCCAC (SEQ ID NO: 1044)	GAGTCTCTGCCCTCAGCCAC (SEQ ID NO: 1044)
GGATTTCTGTGTACCAAGTTTA (SEQ ID NO: 1045)	GGATTTCTGTGTACCAAGTTTA (SEQ ID NO: 1045)
GATTTCTGTGTACCAAGTTTAA (SEQ ID NO: 1046)	GATTTCTGTGTACCAAGTTTAA (SEQ ID NO: 1046)
AGTAGCACATGCCCTTAAAC (SEQ ID NO: 1047)	AGTAGCACATGCCCTTAAAC (SEQ ID NO: 1047)
GGCATGTGCTACTTCACCAA (SEQ ID NO: 1048)	GGCATGTGCTACTTCACCAA (SEQ ID NO: 1048)
GCATGTGCTACTTCACCAAC (SEQ ID NO: 1049)	GCATGTGCTACTTCACCAAC (SEQ ID NO: 1049)
GTGCTACTTCACCAACGGGA (SEQ ID NO: 1091)	GTGCTACTTCACCAACGGGA (SEQ ID NO: 1091)

03:02	03:03
ACGCACGCGCTCCGTCCCGT (SEQ ID NO: 1092)	ACGCACGCGCTCCGTCCCGT (SEQ ID NO: 1092)
CTCTCGGTTATAGATGTATC (SEQ ID NO: 1093)	CTCTCGGTTATAGATGTATC (SEQ ID NO: 1093)
CAGATACATCTATAACCGAG (SEQ ID NO: 1094)	CAGATACATCTATAACCGAG (SEQ ID NO: 1094)
CGAAGCGTGCGTACTCCTCT (SEQ ID NO: 1095)	CGAAGCGTGCGTACTCCTCT (SEQ ID NO: 1095)
CGCACGCTTCGACAGCGACG (SEQ ID NO: 1096)	CGCACGCTTCGACAGCGACG (SEQ ID NO: 1096)
GCACGCTTCGACAGCGACGT (SEQ ID NO: 1135)	GCACGCTTCGACAGCGACGT (SEQ ID NO: 1135)
CACGCTTCGACAGCGACGTG (SEQ ID NO: 1136)	CACGCTTCGACAGCGACGTG (SEQ ID NO: 1136)
ACGCTTCGACAGCGACGTGG (SEQ ID NO: 1097)	ACGCTTCGACAGCGACGTGG (SEQ ID NO: 1097)
ACAGCGACGTGGGGGTGTAT (SEQ ID NO: 1137)	ACAGCGACGTGGGGGTGTAT (SEQ ID NO: 1137)
CAGCGACGTGGGGGTGTATC (SEQ ID NO: 1138)	CAGCGACGTGGGGGTGTATC (SEQ ID NO: 1138)
CGACGTGGGGGTGTATCGGG (SEQ ID NO: 1139)	CGACGTGGGGGTGTATCGGG (SEQ ID NO: 1139)
GTATCGGGCGGTGACGCCGC (SEQ ID NO: 1140)	GTATCGGGCGGTGACGCCGC (SEQ ID NO: 1140)
TATCGGGCGGTGACGCCGCT (SEQ ID NO: 1141)	TATCGGGCGGTGACGCCGCT (SEQ ID NO: 1141)
ATCGGGCGGTGACGCCGCTG (SEQ ID NO: 1142)	ATCGGGCGGTGACGCCGCTG (SEQ ID NO: 1142)
TCGGCGGCAGGCGGCCCCAG (SEQ ID NO: 1143)	TCGGCGGCAGGCGGCCCCAG (SEQ ID NO: 1105)
GGCCGCTGCGGCCGAGTAC (SEQ ID NO: 1144)	GGCCGCTGACGCCGAGTAC (SEQ ID NO: 1106)
TTCCAGTACTCGGCGGCAGG (SEQ ID NO: 1145)	TTCCAGTACTCGGCGTCAGG (SEQ ID NO: 1107)
CTGTTCCAGTACTCGGCGGC (SEQ ID NO: 1064)	CTGTTCCAGTACTCGGCGTC (SEQ ID NO: 1108)
CTGGCTGTTCCAGTACTCGG (SEQ ID NO: 1065)	CTTCTGGCTGTTCCAGTACT (SEQ ID NO: 1066)
CTTCTGGCTGTTCCAGTACT (SEQ ID NO: 1066)	CGAGTACTGGAACAGCCAGA (SEQ ID NO: 1067)
CGAGTACTGGAACAGCCAGA (SEQ ID NO: 1067)	GAACAGCCAGAAGGAAGTCC (SEQ ID NO: 1109)
GAACAGCCAGAAGGAAGTCC (SEQ ID NO: 1109)	GCCAGAAGGAAGTCTGGAG (SEQ ID NO: 1110)
GCCAGAAGGAAGTCTGGAG (SEQ ID NO: 1110)	TCCTCTCCAGGACTTCCTTC (SEQ ID NO: 1111)
TCCTCTCCAGGACTTCCTTC (SEQ ID NO: 1111)	AGGAAGTCTGGAGAGGACC (SEQ ID NO: 1112)
AGGAAGTCTGGAGAGGACC (SEQ ID NO: 1112)	GGAAGTCTGGAGAGGACCC (SEQ ID NO: 1113)
GGAAGTCTGGAGAGGACCC (SEQ ID NO: 1113)	AGTCTGGAGAGGACCCGGG (SEQ ID NO: 1114)
AGTCTGGAGAGGACCCGGG (SEQ ID NO: 1114)	ACTCCGCCGGGTCTCTCC (SEQ ID NO: 1115)
ACTCCGCCGGGTCTCTCC (SEQ ID NO: 1115)	GGAGAGGACCCGGGCGGAGT (SEQ ID NO: 1116)
GGAGAGGACCCGGGCGGAGT (SEQ ID NO: 1116)	GACCCGGGCGGAGTTGGACA (SEQ ID NO: 1117)
GACCCGGGCGGAGTTGGACA (SEQ ID NO: 1117)	CACCGTGCCAACCTCCGCC (SEQ ID NO: 1118)
CACCGTGCCAACCTCCGCC (SEQ ID NO: 1118)	ACACCGTGCCAACCTCCGCC (SEQ ID NO: 1119)
ACACCGTGCCAACCTCCGCC (SEQ ID NO: 1119)	GTGCAGACACAACCTACCACT (SEQ ID NO: 1079)
GTGCAGACACAACCTACCACT (SEQ ID NO: 1079)	AGGTCGTGCGGAGCTCCAAC (SEQ ID NO: 1080)
AGGTCGTGCGGAGCTCCAAC (SEQ ID NO: 1080)	AGTCCGCACGACCTTGACG (SEQ ID NO: 1081)
AGTCCGCACGACCTTGACG (SEQ ID NO: 1081)	CTCGCCGCTGCAAGGTCGTG (SEQ ID NO: 1082)
CTCGCCGCTGCAAGGTCGTG (SEQ ID NO: 1082)	

TABLE 4C: HLA-DQB1 05:01 and 05:03

05:01	05:03
TGTCTTGAAGAAGTCTTTG (SEQ ID NO: 1146)	TGTCTTGAAGAAGTCTTTG (SEQ ID NO: 1146)
AAGAAGTCTTTGCGGATCCC (SEQ ID NO: 1147)	AAGAAGTCTTTGCGGATCCC (SEQ ID NO: 1147)
TGCGGATCCCCGGAGACCTT (SEQ ID NO: 1148)	TGCGGATCCCCGGAGACCTT (SEQ ID NO: 1148)
GCGGATCCCCGGAGACCTTC (SEQ ID NO: 1149)	GCGGATCCCCGGAGACCTTC (SEQ ID NO: 1149)
TTGCTACCCGAAGGTCTCCG (SEQ ID NO: 1150)	TTGCTACCCGAAGGTCTCCG (SEQ ID NO: 1150)
GTTGCTACCCGAAGGTCTCC (SEQ ID NO: 1151)	GTTGCTACCCGAAGGTCTCC (SEQ ID NO: 1151)
AGTTGCTACCCGAAGGTCTC (SEQ ID NO: 1152)	AGTTGCTACCCGAAGGTCTC (SEQ ID NO: 1152)
AGGTGACAGTTGCTACCCGA (SEQ ID NO: 1153)	AGGTGACAGTTGCTACCCGA (SEQ ID NO: 1153)
AGCAACTGTCACCTTGATGC (SEQ ID NO: 1154)	AGCAACTGTCACCTTGATGC (SEQ ID NO: 1154)

05:01	05:03
GCTCAGGATCGCCAGCATCA (SEQ ID NO: 1155)	GCTCAGGATCGCCAGCATCA (SEQ ID NO: 1155)
GGCGATCCTGAGCTCCTCAC (SEQ ID NO: 1156)	GGCGATCCTGAGCTCCTCAC (SEQ ID NO: 1156)
CCTGAGCTCCTCACTGGCTG (SEQ ID NO: 1157)	CCTGAGCTCCTCACTGGCTG (SEQ ID NO: 1157)
CCTCAGCCAGTGAGGAGCTC (SEQ ID NO: 1158)	CCTCAGCCAGTGAGGAGCTC (SEQ ID NO: 1158)
CTGAGCTCCTCACTGGCTGA (SEQ ID NO: 1159)	CTGAGCTCCTCACTGGCTGA (SEQ ID NO: 1159)
GTCTCTGCCCTCAGCCAGTG (SEQ ID NO: 1160)	GTCTCTGCCCTCAGCCAGTG (SEQ ID NO: 1160)
GGATTTCTGTACCAAGTTTA (SEQ ID NO: 1045)	GGATTTCTGTACCAAGTTTA (SEQ ID NO: 1045)
GATTTCTGTACCAAGTTTAA (SEQ ID NO: 1046)	GATTTCTGTACCAAGTTTAA (SEQ ID NO: 1046)
AGTAGCACAGGCCCTTAAAC (SEQ ID NO: 1161)	AGTAGCACAGGCCCTTAAAC (SEQ ID NO: 1161)
GGCCTGTGCTACTTCACCAA (SEQ ID NO: 1162)	GGCCTGTGCTACTTCACCAA (SEQ ID NO: 1162)
GCCTGTGCTACTTCACCAAC (SEQ ID NO: 1163)	GCCTGTGCTACTTCACCAAC (SEQ ID NO: 1163)
TCCCGTTGGTGAAGTAGCAC (SEQ ID NO: 1164)	TCCCGTTGGTGAAGTAGCAC (SEQ ID NO: 1164)
GTGCTACTTCACCAACGGGA (SEQ ID NO: 1091)	GTGCTACTTCACCAACGGGA (SEQ ID NO: 1091)
CCAACGGGACGGAGCGCGTG (SEQ ID NO: 1165)	CCAACGGGACGGAGCGCGTG (SEQ ID NO: 1165)
CCGCACGCGTCCGTCCCGT (SEQ ID NO: 1166)	CCGCACGCGTCCGTCCCGT (SEQ ID NO: 1166)
CAACGGGACGGAGCGCGTGC (SEQ ID NO: 1167)	CAACGGGACGGAGCGCGTGC (SEQ ID NO: 1167)
AACGGGACGGAGCGCGTGCG (SEQ ID NO: 1168)	AACGGGACGGAGCGCGTGCG (SEQ ID NO: 1168)
CTCTCGGTTATAGATGTGTC (SEQ ID NO: 1169)	CTCTCGGTTATAGATGTGTC (SEQ ID NO: 1169)
CAGACACATCTATAACCGAG (SEQ ID NO: 1170)	CAGACACATCTATAACCGAG (SEQ ID NO: 1170)
CGAAGCGCACGTACTCCTCT (SEQ ID NO: 1171)	CGAAGCGCACGTACTCCTCT (SEQ ID NO: 1171)
CGTGCGCTTCGACAGCGACG (SEQ ID NO: 1052)	CGTGCGCTTCGACAGCGACG (SEQ ID NO: 1052)
GTGCGCTTCGACAGCGACGT (SEQ ID NO: 1053)	GTGCGCTTCGACAGCGACGT (SEQ ID NO: 1053)
TGCGCTTCGACAGCGACGTG (SEQ ID NO: 1054)	TGCGCTTCGACAGCGACGTG (SEQ ID NO: 1054)
GCGCTTCGACAGCGACGTGG (SEQ ID NO: 1055)	GCGCTTCGACAGCGACGTGG (SEQ ID NO: 1055)
ACAGCGACGTGGGGGTGTAT (SEQ ID NO: 1137)	ACAGCGACGTGGGGGTGTAT (SEQ ID NO: 1137)
CAGCGACGTGGGGGTGTACC (SEQ ID NO: 1173)	CAGCGACGTGGGGGTGTATC (SEQ ID NO: 1138)
GTACCGGGCAGTGACGCCGC (SEQ ID NO: 1174)	CGACGTGGGGGTGTATCGGG (SEQ ID NO: 1139)
TACCGGGCAGTGACGCCGCA (SEQ ID NO: 1175)	GTATCGGGCGGTGACGCCGC (SEQ ID NO: 1140)
ACCGGGCAGTGACGCCGAG (SEQ ID NO: 1176)	TATCGGGCGGTGACGCCGCA (SEQ ID NO: 1201)
GCCCCTGCGGCGTCACTGCC (SEQ ID NO: 1177)	ATCGGGCGGTGACGCCGAG (SEQ ID NO: 1202)
GGGCAGTGACGCCGAGGGG (SEQ ID NO: 1178)	GGGCGGTGACGCCGAGGGG (SEQ ID NO: 1203)
TCGGCAACAGGCCGCCCTG (SEQ ID NO: 1179)	TCGGCGTCAGGCCGCCCTG (SEQ ID NO: 1204)
GGCGGCCTGTTGCCGAGTAC (SEQ ID NO: 1180)	GGCGGCCTGACGCCGAGTAC (SEQ ID NO: 1205)
CTGTTCCAGTACTCGGCAAC (SEQ ID NO: 1181)	CTGTTCCAGTACTCGGCGTC (SEQ ID NO: 1108)
CTTCTGGCTGTTCCAGTACT (SEQ ID NO: 1066)	CTTCTGGCTGTTCCAGTACT (SEQ ID NO: 1066)
CGAGTACTGGAACAGCCAGA (SEQ ID NO: 1067)	CGAGTACTGGAACAGCCAGA (SEQ ID NO: 1067)
GAACAGCCAGAAGGAAGTCC (SEQ ID NO: 1109)	GAACAGCCAGAAGGAAGTCC (SEQ ID NO: 1109)
CAGCCAGAAGGAAGTCCTGG (SEQ ID NO: 1182)	CAGCCAGAAGGAAGTCCTGG (SEQ ID NO: 1182)
AGCCAGAAGGAAGTCCTGGA (SEQ ID NO: 1183)	AGCCAGAAGGAAGTCCTGGA (SEQ ID NO: 1183)
GCCAGAAGGAAGTCCTGGAG (SEQ ID NO: 1110)	GCCAGAAGGAAGTCCTGGAG (SEQ ID NO: 1110)
CCAGAAGGAAGTCCTGGAGG (SEQ ID NO: 1184)	CCAGAAGGAAGTCCTGGAGG (SEQ ID NO: 1184)
CCCCCTCAGGACTTCCTTC (SEQ ID NO: 1185)	CCCCCTCAGGACTTCCTTC (SEQ ID NO: 1185)
AGGAAGTCCTGGAGGGGGCC (SEQ ID NO: 1186)	AGGAAGTCCTGGAGGGGGCC (SEQ ID NO: 1186)
GGAAGTCCTGGAGGGGGCCC (SEQ ID NO: 1187)	GGAAGTCCTGGAGGGGGCCC (SEQ ID NO: 1187)
CCTGGAGGGGGCCCGGGCGT (SEQ ID NO: 1188)	CCTGGAGGGGGCCCGGGCGT (SEQ ID NO: 1188)
CCGACGCCCCGGCCCCCTCC (SEQ ID NO: 1189)	CCGACGCCCCGGCCCCCTCC (SEQ ID NO: 1189)
GGAGGGGGCCCCGGGCGTCGG (SEQ ID NO: 1190)	GGAGGGGGCCCCGGGCGTCGG (SEQ ID NO: 1190)
GGGCCCCGGGCGTCGGTGAC (SEQ ID NO: 1191)	CACTCTGTCCACCGACGCC (SEQ ID NO: 1206)
GGCCCCGGGCGTCGGTGACA (SEQ ID NO: 1192)	ACACTCTGTCCACCGACGCC (SEQ ID NO: 1207)

05:01	05:03
CACCCTGTCCACCGACGCC (SEQ ID NO: 1193)	AGTGTGCAGACACAACCTACG (SEQ ID NO: 1208)
ACACCCTGTCCACCGACGCC (SEQ ID NO: 1194)	GTGCAGACACAACCTACGAGG (SEQ ID NO: 1196)
GGTGTGCAGACACAACCTACG (SEQ ID NO: 1195)	AACTACGAGGTGGCGTACCG (SEQ ID NO: 1197)
GTGCAGACACAACCTACGAGG (SEQ ID NO: 1196)	ACTACGAGGTGGCGTACCGC (SEQ ID NO: 1198)
AACTACGAGGTGGCGTACCG (SEQ ID NO: 1197)	CGTACCGCGGGATCTGCAG (SEQ ID NO: 1199)
ACTACGAGGTGGCGTACCGC (SEQ ID NO: 1198)	CTCTCTCTGCAGGATCCCG (SEQ ID NO: 1200)
CGTACCGCGGGATCTGCAG (SEQ ID NO: 1199)	
CTCTCTCTGCAGGATCCCG (SEQ ID NO: 1200)	

TABLE 4D: HLA-DQB1 06:01 and 06:03

06:01	06:03
TGTCTTGAAGAAGGCTTTG (SEQ ID NO: 1120)	TGTCTTGAAGAAGGCTTTG (SEQ ID NO: 1120)
AAGAAGGCTTTGCGGATCCC (SEQ ID NO: 1121)	AAGAAGGCTTTGCGGATCCC (SEQ ID NO: 1121)
TGCGGATCCCCGAGACCTT (SEQ ID NO: 1148)	TGCGGATCCCCGAGACCTT (SEQ ID NO: 1148)
GCGGATCCCCGAGACCTTC (SEQ ID NO: 1149)	GCGGATCCCCGAGACCTTC (SEQ ID NO: 1149)
TTGTACCCGAAGGTCTCCG (SEQ ID NO: 1150)	TTGTACCCGAAGGTCTCCG (SEQ ID NO: 1150)
GTTGCTACCCGAAGGTCTCC (SEQ ID NO: 1151)	GTTGCTACCCGAAGGTCTCC (SEQ ID NO: 1151)
AGTTGCTACCCGAAGGTCTC (SEQ ID NO: 1152)	AGTTGCTACCCGAAGGTCTC (SEQ ID NO: 1152)
AGGTGACAGTTGCTACCCGA (SEQ ID NO: 1153)	AGGTGACAGTTGCTACCCGA (SEQ ID NO: 1153)
AGCAACTGTCACCTTGATGC (SEQ ID NO: 1154)	AGCAACTGTCACCTTGATGC (SEQ ID NO: 1154)
GCTCAGCATCGCCAGCATCA (SEQ ID NO: 1085)	GCTCAGCATCGCCAGCATCA (SEQ ID NO: 1085)
GGCGATGCTGAGCTCCCTAC (SEQ ID NO: 1209)	GGCGATGCTGAGCTCCCTAC (SEQ ID NO: 1209)
GCTGAGCTCCCTACTGGCTG (SEQ ID NO: 1210)	GCTGAGCTCCCTACTGGCTG (SEQ ID NO: 1210)
CTGAGCTCCCTACTGGCTGA (SEQ ID NO: 1211)	CTGAGCTCCCTACTGGCTGA (SEQ ID NO: 1211)
GTCTCTGCCCTCAGCCAGTA (SEQ ID NO: 1212)	GTCTCTGCCCTCAGCCAGTA (SEQ ID NO: 1212)
AGTCTCTGCCCTCAGCCAGT (SEQ ID NO: 1213)	AGTCTCTGCCCTCAGCCAGT (SEQ ID NO: 1213)
GGATTTCGTGTCCAGTTTA (SEQ ID NO: 1214)	GGATTTCGTGTACCAGTTTA (SEQ ID NO: 1045)
GATTTCGTGTCCAGTTTAA (SEQ ID NO: 1215)	GATTTCGTGTACCAGTTTAA (SEQ ID NO: 1046)
AGTAGCACATGCCCTTAAAC (SEQ ID NO: 1047)	AGTAGCACATGCCCTTAAAC (SEQ ID NO: 1047)
GGCATGTGCTACTTCACCAA (SEQ ID NO: 1048)	GGCATGTGCTACTTCACCAA (SEQ ID NO: 1048)
GCATGTGCTACTTCACCAAC (SEQ ID NO: 1049)	GCATGTGCTACTTCACCAAC (SEQ ID NO: 1049)
GTGCTACTTCACCAACGGGA (SEQ ID NO: 1091)	GTGCTACTTCACCAACGGGA (SEQ ID NO: 1091)
ACGCACGCGCTCCGTCCCGT (SEQ ID NO: 1092)	ACGCACGCGCTCCGTCCCGT (SEQ ID NO: 1092)
CTCTCGGTTATAGATGTATC (SEQ ID NO: 1093)	CTCTCGGTTATAGATGTGTC (SEQ ID NO: 1169)
CAGATACATCTATAACCGAG (SEQ ID NO: 1094)	CAGACACATCTATAACCGAG (SEQ ID NO: 1170)
CGAAGCGCGCTACTCCTCT (SEQ ID NO: 1216)	CGAAGCGCGCTACTCCTCT (SEQ ID NO: 1216)
CGCGCGCTTCGACAGCGACG (SEQ ID NO: 1217)	CGCGCGCTTCGACAGCGACG (SEQ ID NO: 1217)
GCGCGCTTCGACAGCGACGT (SEQ ID NO: 1218)	GCGCGCTTCGACAGCGACGT (SEQ ID NO: 1218)
CGCGCTTCGACAGCGACGTG (SEQ ID NO: 1219)	CGCGCTTCGACAGCGACGTG (SEQ ID NO: 1219)
GCGCTTCGACAGCGACGTGG (SEQ ID NO: 1055)	GCGCTTCGACAGCGACGTGG (SEQ ID NO: 1055)
CGACGTGGGGGTGTACCGCG (SEQ ID NO: 1220)	CGACGTGGGGGTGTACCGCG (SEQ ID NO: 1220)
GTACCGCGCGGTGACGCCGC (SEQ ID NO: 1221)	GTACCGCGCGGTGACGCCGC (SEQ ID NO: 1221)
TACCGCGCGGTGACGCCGCA (SEQ ID NO: 1222)	TACCGCGCGGTGACGCCGCA (SEQ ID NO: 1222)
ACCGCGCGGTGACGCCGAG (SEQ ID NO: 1223)	ACCGCGCGGTGACGCCGAG (SEQ ID NO: 1223)
GCCCCTGCGGCGTCACCGCG (SEQ ID NO: 1224)	GCCCCTGCGGCGTCACCGCG (SEQ ID NO: 1224)
GCGCGGTGACGCCGAGGGG (SEQ ID NO: 1225)	GCGCGGTGACGCCGAGGGG (SEQ ID NO: 1225)
TCGGCATCAGGCCGCCCTG (SEQ ID NO: 1226)	TCGGCATCAGGCCGCCCTG (SEQ ID NO: 1226)
GGCGGCCTGATGCCGAGTAC (SEQ ID NO: 1227)	GGCGGCCTGATGCCGAGTAC (SEQ ID NO: 1227)

06:01	06:03
CTGTTCCAGTACTCGGCATC (SEQ ID NO: 1228)	CTGTTCCAGTACTCGGCATC (SEQ ID NO: 1228)
CTTCTGGCTGTTCCAGTACT (SEQ ID NO: 1066)	CTTCTGGCTGTTCCAGTACT (SEQ ID NO: 1066)
CGAGTACTGGAACAGCCAGA (SEQ ID NO: 1067)	CGAGTACTGGAACAGCCAGA (SEQ ID NO: 1067)
GAACAGCCAGAAGGAAGTCC (SEQ ID NO: 1109)	GAACAGCCAGAAGGAAGTCC (SEQ ID NO: 1109)
CAGCCAGAAGGAAGTCTGG (SEQ ID NO: 1182)	CAGCCAGAAGGAAGTCTGG (SEQ ID NO: 1182)
AGCCAGAAGGAAGTCTGGA (SEQ ID NO: 1183)	AGCCAGAAGGAAGTCTGGA (SEQ ID NO: 1183)
GCCAGAAGGAAGTCTGGAG (SEQ ID NO: 1110)	GCCAGAAGGAAGTCTGGAG (SEQ ID NO: 1110)
TCCCCTCAGGACTTCCTTC (SEQ ID NO: 1229)	TCCCCTCAGGACTTCCTTC (SEQ ID NO: 1229)
AGGAAGTCTGGAGGGGACC (SEQ ID NO: 1230)	AGGAAGTCTGGAGGGGACC (SEQ ID NO: 1230)
GGAAGTCTGGAGGGGACCC (SEQ ID NO: 1231)	GGAAGTCTGGAGGGGACCC (SEQ ID NO: 1231)
AGTCTGGAGGGGACCCGGG (SEQ ID NO: 1232)	AGTCTGGAGGGGACCCGGG (SEQ ID NO: 1232)
ACTCCGCCCCGGTCCCCTCC (SEQ ID NO: 1233)	ACTCCGCCCCGGTCCCCTCC (SEQ ID NO: 1233)
GGAGGGGACCCGGGCGGAGT (SEQ ID NO: 1234)	GGAGGGGACCCGGGCGGAGT (SEQ ID NO: 1234)
GACCCGGGCGGAGTTGGACA (SEQ ID NO: 1117)	GACCCGGGCGGAGTTGGACA (SEQ ID NO: 1117)
CACCGTGTCCAACCTCCGCC (SEQ ID NO: 1118)	CACCGTGTCCAACCTCCGCC (SEQ ID NO: 1118)
ACACCGTGTCCAACCTCCGCC (SEQ ID NO: 1119)	ACACCGTGTCCAACCTCCGCC (SEQ ID NO: 1119)
GGTGTGCAGACACAACACTACG (SEQ ID NO: 1195)	GGTGTGCAGACACAACACTACG (SEQ ID NO: 1195)
GTGCAGACACAACACTACGAGG (SEQ ID NO: 1196)	GTGCAGACACAACACTACGAGG (SEQ ID NO: 1196)
AACTACGAGGTGGCGTTCCG (SEQ ID NO: 1235)	AACTACGAGGTGGCGTTCCG (SEQ ID NO: 1235)
ACTACGAGGTGGCGTTCCGC (SEQ ID NO: 1236)	ACTACGAGGTGGCGTTCCGC (SEQ ID NO: 1236)
CGTTCGCGGGATCTTGACAG (SEQ ID NO: 1237)	CGTTCGCGGGATCTTGACAG (SEQ ID NO: 1237)
CTCTCTCTGCAAGATCCCG (SEQ ID NO: 1238)	CTCTCTCTGCAAGATCCCG (SEQ ID NO: 1238)

TABLE 4E: HLA-DQB1 06:04

06:04
ATGGTGTGTCTGAAGCTCCC (SEQ ID NO: 1239)
GTGTGTCTGAAGCTCCCTGG (SEQ ID NO: 1240)
CTGTCATGCAGGAGCTCCA (SEQ ID NO: 1241)
GCTGTCATGCAGGAGCTCC (SEQ ID NO: 1242)
CACTGTCAGCGCTGTCATGC (SEQ ID NO: 1243)
AGCGCTGACAGTGACACTGA (SEQ ID NO: 1244)
GATGGTGTCTGAGCTCCAC (SEQ ID NO: 1245)
GCTGAGCTCCCCACTGGCTT (SEQ ID NO: 1246)
AGTCCCCACTGGCTTTGGC (SEQ ID NO: 1247)
GCTCCCCACTGGCTTTGGCT (SEQ ID NO: 1248)
CTCCCCACTGGCTTTGGCTG (SEQ ID NO: 1249)
GTCCCCAGCCAAAGCCAGTG (SEQ ID NO: 1250)
TGTCCCCAGCCAAAGCCAGT (SEQ ID NO: 1251)
GTGTCCCCAGCCAAAGCCAG (SEQ ID NO: 1252)
TTGAATGTCATTTCTTCAA (SEQ ID NO: 1253)
TTGAATGTCATTTCTCAAT (SEQ ID NO: 1254)
ATGTCATTTCTTCAATGGGA (SEQ ID NO: 1255)
ATTCTTCAATGGGACGGAG (SEQ ID NO: 1256)
TTTCTTCAATGGGACGGAGC (SEQ ID NO: 1257)
TCAATGGGACGGAGCGGGTG (SEQ ID NO: 1258)
GACGGAGCGGGTGCGGTTGC (SEQ ID NO: 1259)
AAGATGCATCTATAACCAAG (SEQ ID NO: 1260)
CGAAGCGCACGGACTCCTCT (SEQ ID NO: 1261)

CACGTCGCTGTCTGAAGCGCA (SEQ ID NO: 1262)
CGTGCGCTTCGACAGCGACG (SEQ ID NO: 1052)
GTGCGCTTCGACAGCGACGT (SEQ ID NO: 1053)
TGCGCTTCGACAGCGACGTG (SEQ ID NO: 1054)
GCGCTTCGACAGCGACGTGG (SEQ ID NO: 1055)
ACAGCGACGTGGGGGAGTAC (SEQ ID NO: 1263)
CAGCGACGTGGGGGAGTACC (SEQ ID NO: 1264)
CGACGTGGGGGAGTACCGGG (SEQ ID NO: 1265)
GGGGGAGTACCGGGCGGTGA (SEQ ID NO: 1266)
GTACCGGGCGGTGACGGAGC (SEQ ID NO: 1267)
TACCGGGCGGTGACGGAGCT (SEQ ID NO: 1268)
ACCGGGCGGTGACGGAGCTG (SEQ ID NO: 1269)
GCCCCAGCTCCGTCACCGCC (SEQ ID NO: 1270)
GGGCGGTGACGGAGCTGGGG (SEQ ID NO: 1271)
GGCGGCTGATGCCGAGTAC (SEQ ID NO: 1227)
CTGTTCCAGTACTCGGCATC (SEQ ID NO: 1228)
CTTCTGGCTGTTCCAGTACT (SEQ ID NO: 1066)
CGAGTACTGGAACAGCCAGA (SEQ ID NO: 1067)
GAACAGCCAGAAGGACCTCC (SEQ ID NO: 1272)
TCTGCTCCAGGAGGTCCTTC (SEQ ID NO: 1273)
AGAAGGACCTCCTGGAGCAG (SEQ ID NO: 1274)
AGGACCTCCTGGAGCAGAGG (SEQ ID NO: 1275)
GGACCTCCTGGAGCAGAGGC (SEQ ID NO: 1276)
CGGCCCGCCTCTGCTCCAGG (SEQ ID NO: 1277)
CCTGGAGCAGAGGCGGGCCG (SEQ ID NO: 1278)
CCGCGGCCCGCCTCTGCTCC (SEQ ID NO: 1279)
GGAGCAGAGGCGGGCCGCGG (SEQ ID NO: 1280)
TCTGCAGTAGGTGTCCACCG (SEQ ID NO: 1281)
ACCTACTGCAGACACAATA (SEQ ID NO: 1282)
CCTACTGCAGACACAATACT (SEQ ID NO: 1283)
CCCGTAGTTGTGTCTGCAGT (SEQ ID NO: 1284)
CTACTGCAGACACAATACTG (SEQ ID NO: 1285)
TGCAGACACAATACTCGGGG (SEQ ID NO: 1286)
GTGAGAGCTTCACAGTGCAG (SEQ ID NO: 1287)

TABLE 5A: HLA-DRB1 01:02, 03:01, 01:01

01:02	03:01	01:01
ATGGTGTGTCTGAAGCTCCC (SEQ ID NO: 1239)	ATGGTGTGTCTGAGGCTCCC (SEQ ID NO: 1295)	ATGGTGTGTCTGAAGCTCCC (SEQ ID NO: 1239)
GTGTGTCTGAAGCTCCCTGG (SEQ ID NO: 1240)	GTGTGTCTGAGGCTCCCTGG (SEQ ID NO: 1296)	GTGTGTCTGAAGCTCCCTGG (SEQ ID NO: 1240)
CTGTCATGCAGGAGCCTCCA (SEQ ID NO: 1241)	GCTCCCTGGAGGCTCTGCA (SEQ ID NO: 1297)	CTGTCATGCAGGAGCCTCCA (SEQ ID NO: 1241)
GCTGTCATGCAGGAGCCTCC (SEQ ID NO: 1242)	CTGCCATGCAGGAGCCTCCA (SEQ ID NO: 1298)	GCTGTCATGCAGGAGCCTCC (SEQ ID NO: 1242)
CACTGTCAGCGCTGTCATGC (SEQ ID NO: 1243)	ACTGCCATGCAGGAGCCTCC (SEQ ID NO: 1299)	CACTGTCAGCGCTGTCATGC (SEQ ID NO: 1243)
AGCGCTGACAGTGACACTGA (SEQ ID NO: 1244)	CACTGTCAGAACTGCCATGC (SEQ ID NO: 1300)	AGCGCTGACAGTGACACTGA (SEQ ID NO: 1244)

01:02	03:01	01:01
GATGGTGCTGAGCTCCCCAC (SEQ ID NO: 1245)	AGTTCTGACAGTGACACTGA (SEQ ID NO: 1301)	GATGGTGCTGAGCTCCCCAC (SEQ ID NO: 1245)
GCTGAGCTCCCCACTGGCTT (SEQ ID NO: 1246)	GATGGTGCTGAGCTCCCCAC (SEQ ID NO: 1245)	GCTGAGCTCCCCACTGGCTT (SEQ ID NO: 1246)
AGCTCCCCACTGGCTTTGGC (SEQ ID NO: 1247)	GCTGAGCTCCCCACTGGCTT (SEQ ID NO: 1246)	AGCTCCCCACTGGCTTTGGC (SEQ ID NO: 1247)
GCTCCCCACTGGCTTTGGCT (SEQ ID NO: 1248)	AGCTCCCCACTGGCTTTGGC (SEQ ID NO: 1247)	GCTCCCCACTGGCTTTGGCT (SEQ ID NO: 1248)
CTCCCCACTGGCTTTGGCTG (SEQ ID NO: 1249)	GCTCCCCACTGGCTTTGGCT (SEQ ID NO: 1248)	CTCCCCACTGGCTTTGGCTG (SEQ ID NO: 1249)
GTCCCCAGCCAAAGCCAGTG (SEQ ID NO: 1250)	CTCCCCACTGGCTTTGGCTG (SEQ ID NO: 1249)	GTCCCCAGCCAAAGCCAGTG (SEQ ID NO: 1250)
TGTCCCCAGCCAAAGCCAGT (SEQ ID NO: 1251)	GTCCCCAGCCAAAGCCAGTG (SEQ ID NO: 1250)	TGTCCCCAGCCAAAGCCAGT (SEQ ID NO: 1251)
GTGTCCCCAGCCAAAGCCAG (SEQ ID NO: 1252)	TGTCCCCAGCCAAAGCCAGT (SEQ ID NO: 1251)	GTGTCCCCAGCCAAAGCCAG (SEQ ID NO: 1252)
TTTGAATGTCATTTCTTCAA (SEQ ID NO: 1253)	GTGTCCCCAGCCAAAGCCAG (SEQ ID NO: 1252)	TTTGAATGTCATTTCTTCAA (SEQ ID NO: 1253)
TTGAATGTCATTTCTTCAAT (SEQ ID NO: 1254)	TCTGAGTGTCATTTCTTCAA (SEQ ID NO: 1302)	TTGAATGTCATTTCTTCAAT (SEQ ID NO: 1254)
ATGTCATTTCTTCAATGGGA (SEQ ID NO: 1255)	CTGAGTGTCATTTCTTCAAT (SEQ ID NO: 1303)	ATGTCATTTCTTCAATGGGA (SEQ ID NO: 1255)
ATTTCTTCAATGGGACGGAG (SEQ ID NO: 1256)	GTGTCATTTCTTCAATGGGA (SEQ ID NO: 1304)	ATTTCTTCAATGGGACGGAG (SEQ ID NO: 1256)
TTTCTTCAATGGGACGGAGC (SEQ ID NO: 1257)	ATTTCTTCAATGGGACGGAG (SEQ ID NO: 1256)	TTTCTTCAATGGGACGGAGC (SEQ ID NO: 1257)
TCAATGGGACGGAGCGGGTG (SEQ ID NO: 1258)	TTTCTTCAATGGGACGGAGC (SEQ ID NO: 1257)	TCAATGGGACGGAGCGGGTG (SEQ ID NO: 1258)
GACGGAGCGGGTGCGGTTGC (SEQ ID NO: 1259)	TCAATGGGACGGAGCGGGTG (SEQ ID NO: 1258)	GACGGAGCGGGTGCGGTTGC (SEQ ID NO: 1259)
AAGATGCATCTATAACCAAG (SEQ ID NO: 1260)	GACGGAGCGGGTGCGGTACC (SEQ ID NO: 1305)	AAGATGCATCTATAACCAAG (SEQ ID NO: 1260)
CGAAGCGCACGGACTCCTCT (SEQ ID NO: 1261)	GGTTATGGAAGTATCTGTCC (SEQ ID NO: 1306)	CGAAGCGCACGGACTCCTCT (SEQ ID NO: 1261)
CACGTCGCTGTGGAAGCGCA (SEQ ID NO: 1262)	GGACAGATACTTCCATAACC (SEQ ID NO: 1307)	CACGTCGCTGTGGAAGCGCA (SEQ ID NO: 1262)
CGTGCGCTTCGACAGCGACG (SEQ ID NO: 1052)	CAGATACTTCCATAACCAGG (SEQ ID NO: 1308)	CGTGCGCTTCGACAGCGACG (SEQ ID NO: 1052)
GTGCGCTTCGACAGCGACGT (SEQ ID NO: 1053)	GCACGTTCTCCTCTGGTTA (SEQ ID NO: 1309)	GTGCGCTTCGACAGCGACGT (SEQ ID NO: 1053)
TGCGCTTCGACAGCGACGTG (SEQ ID NO: 1054)	CGAAGCGCACGTTCTCCTCC (SEQ ID NO: 1310)	TGCGCTTCGACAGCGACGTG (SEQ ID NO: 1054)
GCGCTTCGACAGCGACGTGG (SEQ ID NO: 1055)	CGTGCGCTTCGACAGCGACG (SEQ ID NO: 1052)	GCGCTTCGACAGCGACGTGG (SEQ ID NO: 1055)
ACAGCGACGTGGGGGAGTAC (SEQ ID NO: 1263)	GTGCGCTTCGACAGCGACGT (SEQ ID NO: 1053)	ACAGCGACGTGGGGGAGTAC (SEQ ID NO: 1263)
CAGCGACGTGGGGGAGTACC (SEQ ID NO: 1264)	TGCGCTTCGACAGCGACGTG (SEQ ID NO: 1054)	CAGCGACGTGGGGGAGTACC (SEQ ID NO: 1264)
CGACGTGGGGGAGTACCGGG (SEQ ID NO: 1265)	GCGCTTCGACAGCGACGTGG (SEQ ID NO: 1055)	CGACGTGGGGGAGTACCGGG (SEQ ID NO: 1265)

01:02	03:01	01:01
GGGGGAGTACCGGGCGGTGA (SEQ ID NO: 1266)	ACAGCGACGTGGGGGAGTTC (SEQ ID NO: 1056)	GGGGGAGTACCGGGCGGTGA (SEQ ID NO: 1266)
GTACCGGGCGGTGACGGAGC (SEQ ID NO: 1267)	CAGCGACGTGGGGGAGTTCC (SEQ ID NO: 1057)	GTACCGGGCGGTGACGGAGC (SEQ ID NO: 1267)
TACCGGGCGGTGACGGAGCT (SEQ ID NO: 1268)	CGACGTGGGGGAGTTCCGGG (SEQ ID NO: 1058)	TACCGGGCGGTGACGGAGCT (SEQ ID NO: 1268)
ACCGGGCGGTGACGGAGCTG (SEQ ID NO: 1269)	GGGGGAGTCCGGGGCGGTGA (SEQ ID NO: 1311)	ACCGGGCGGTGACGGAGCTG (SEQ ID NO: 1269)
GCCCCAGCTCCGTCACCGCC (SEQ ID NO: 1270)	GTTCCGGGCGGTGACGGAGC (SEQ ID NO: 1312)	GCCCCAGCTCCGTCACCGCC (SEQ ID NO: 1270)
GGGCGGTGACGGAGCTGGGG (SEQ ID NO: 1271)	TTCCGGGCGGTGACGGAGCT (SEQ ID NO: 1313)	GGGCGGTGACGGAGCTGGGG (SEQ ID NO: 1271)
GGCGGCCTGATGCCGAGTAC (SEQ ID NO: 1227)	TCCGGGCGGTGACGGAGCTG (SEQ ID NO: 1314)	GGCGGCCTGATGCCGAGTAC (SEQ ID NO: 1227)
CTGTTCCAGTACTCGGCATC (SEQ ID NO: 1228)	GCCCCAGCTCCGTCACCGCC (SEQ ID NO: 1270)	CTGTTCCAGTACTCGGCATC (SEQ ID NO: 1228)
CTTCTGGCTGTTCCAGTACT (SEQ ID NO: 1066)	GGGCGGTGACGGAGCTGGGG (SEQ ID NO: 1271)	CTTCTGGCTGTTCCAGTACT (SEQ ID NO: 1066)
CGAGTACTGGAACAGCCAGA (SEQ ID NO: 1067)	GGCGGCCTGATGCCGAGTAC (SEQ ID NO: 1227)	CGAGTACTGGAACAGCCAGA (SEQ ID NO: 1067)
GAACAGCCAGAAGGACCTCC (SEQ ID NO: 1272)	CTGTTCCAGTACTCGGCATC (SEQ ID NO: 1228)	GAACAGCCAGAAGGACCTCC (SEQ ID NO: 1272)
TCTGCTCCAGGAGGTCCTTC (SEQ ID NO: 1273)	CTTCTGGCTGTTCCAGTACT (SEQ ID NO: 1066)	TCTGCTCCAGGAGGTCCTTC (SEQ ID NO: 1273)
AGAAGGACCTCCTGGAGCAG (SEQ ID NO: 1274)	CGAGTACTGGAACAGCCAGA (SEQ ID NO: 1067)	AGAAGGACCTCCTGGAGCAG (SEQ ID NO: 1274)
AGGACCTCCTGGAGCAGAGG (SEQ ID NO: 1275)	GAACAGCCAGAAGGACCTCC (SEQ ID NO: 1272)	AGGACCTCCTGGAGCAGAGG (SEQ ID NO: 1275)
GGACCTCCTGGAGCAGAGGC (SEQ ID NO: 1276)	TCTGCTCCAGGAGGTCCTTC (SEQ ID NO: 1273)	GGACCTCCTGGAGCAGAGGC (SEQ ID NO: 1276)
CGGCCCCCCTCTGCTCCAGG (SEQ ID NO: 1277)	AGGACCTCCTGGAGCAGAAG (SEQ ID NO: 1315)	CGGCCCCCCTCTGCTCCAGG (SEQ ID NO: 1277)
CCTGGAGCAGAGGCGGGCCG (SEQ ID NO: 1278)	GGACCTCCTGGAGCAGAAGC (SEQ ID NO: 1316)	CCTGGAGCAGAGGCGGGCCG (SEQ ID NO: 1278)
CCGCGGCCCCCCTCTGCTCC (SEQ ID NO: 1279)	GACCTCCTGGAGCAGAAGCG (SEQ ID NO: 1317)	CCGCGGCCCCCCTCTGCTCC (SEQ ID NO: 1279)
GGAGCAGAGGCGGGCCGCGG (SEQ ID NO: 1280)	GGCCCCGCTTCTGCTCCAGG (SEQ ID NO: 1318)	GGAGCAGAGGCGGGCCGCGG (SEQ ID NO: 1280)
TCTGCAATAGGTGTCCACCG (SEQ ID NO: 1288)	TCCTGGAGCAGAAGCGGGGC (SEQ ID NO: 1319)	TCTGCAATAGGTGTCCACCG (SEQ ID NO: 1281)
ACCTATTGCAGACACAATA (SEQ ID NO: 1289)	CCTGGAGCAGAAGCGGGGCC (SEQ ID NO: 1320)	ACCTATTGCAGACACAATA (SEQ ID NO: 1282)
CCTATTGCAGACACAATACTAC (SEQ ID NO: 1290)	CCCGGCCCCGCTTCTGCTCC (SEQ ID NO: 1321)	CCTATTGCAGACACAATACTAC (SEQ ID NO: 1283)
CCCGTAGTTGTGTCTGCAAT (SEQ ID NO: 1291)	GGAGCAGAAGCGGGGCGGGG (SEQ ID NO: 1322)	CCCGTAGTTGTGTCTGCAAT (SEQ ID NO: 1284)
CTATTGCAGACACAATACTACG (SEQ ID NO: 1292)	GTCTGCAGTAGTTGTCCACC (SEQ ID NO: 1323)	CTATTGCAGACACAATACTACG (SEQ ID NO: 1285)
CAGACACAATACTACGGGGCTG (SEQ ID NO: 1293)	AATACTGCAGACACAATA (SEQ ID NO: 1324)	TGCAGACACAATACTACGGGGT (SEQ ID NO: 1286)

01:02	03:01	01:01
TGGAGAGCTTCACAGTGCAG (SEQ ID NO: 1294)	ACTACTGCAGACACAACACTAC (SEQ ID NO: 1325)	GTGAGAGCTTCACAGTGCAG (SEQ ID NO: 1287)
	CTACTGCAGACACAACACTACG (SEQ ID NO: 1285)	
	CAGACACAACACTACGGGGTTG (SEQ ID NO: 1326)	
	TGGAGAGCTTCACAGTGCAG (SEQ ID NO: 1294)	

TABLE 5B: HLA-DRB1 04:01 and 04:02

04:01	04:02
ATGGTGTGTCTGAAGTTCCC (SEQ ID NO: 1327)	ATGGTGTGTCTGAAGTTCCC (SEQ ID NO: 1327)
GTGTGTCTGAAGTTCCCTGG (SEQ ID NO: 1328)	GTGTGTCTGAAGTTCCCTGG (SEQ ID NO: 1328)
GTTCCCTGGAGGCTCCTGCA (SEQ ID NO: 1329)	GTTCCCTGGAGGCTCCTGCA (SEQ ID NO: 1329)
CTGCCATGCAGGAGCCTCCA (SEQ ID NO: 1298)	CTGCCATGCAGGAGCCTCCA (SEQ ID NO: 1298)
GCTGCCATGCAGGAGCCTCC (SEQ ID NO: 1330)	GCTGCCATGCAGGAGCCTCC (SEQ ID NO: 1330)
CACTGTCAGAGCTGCCATGC (SEQ ID NO: 1331)	CACTGTCAGAGCTGCCATGC (SEQ ID NO: 1331)
AGCTCTGACAGTGACACTGA (SEQ ID NO: 1332)	AGCTCTGACAGTGACACTGA (SEQ ID NO: 1332)
GATGGTGCTGAGCTCCCCAC (SEQ ID NO: 1245)	GATGGTGCTGAGCTCCCCAC (SEQ ID NO: 1245)
GCTGAGCTCCCCACTGGCTT (SEQ ID NO: 1246)	GCTGAGCTCCCCACTGGCTT (SEQ ID NO: 1246)
AGCTCCCCACTGGCTTTGGC (SEQ ID NO: 1247)	AGCTCCCCACTGGCTTTGGC (SEQ ID NO: 1247)
GCTCCCCACTGGCTTTGGCT (SEQ ID NO: 1248)	GCTCCCCACTGGCTTTGGCT (SEQ ID NO: 1248)
CTCCCCACTGGCTTTGGCTG (SEQ ID NO: 1249)	CTCCCCACTGGCTTTGGCTG (SEQ ID NO: 1249)
GTCCCCAGCCAAAGCCAGTG (SEQ ID NO: 1250)	GTCCCCAGCCAAAGCCAGTG (SEQ ID NO: 1250)
TGTCCCCAGCCAAAGCCAGT (SEQ ID NO: 1251)	TGTCCCCAGCCAAAGCCAGT (SEQ ID NO: 1251)
GTGTCCCCAGCCAAAGCCAG (SEQ ID NO: 1252)	GTGTCCCCAGCCAAAGCCAG (SEQ ID NO: 1252)
CATGAGTGTCAATTTCTTCAA (SEQ ID NO: 1333)	CATGAGTGTCAATTTCTTCAA (SEQ ID NO: 1333)
ATGAGTGTCAATTTCTTCAAC (SEQ ID NO: 1334)	ATGAGTGTCAATTTCTTCAAC (SEQ ID NO: 1334)
GTGTCAATTTCTTCAACGGGA (SEQ ID NO: 1335)	GTGTCAATTTCTTCAACGGGA (SEQ ID NO: 1335)
ATTTCTTCAACGGGACGGAG (SEQ ID NO: 1336)	ATTTCTTCAACGGGACGGAG (SEQ ID NO: 1336)
TTTCTTCAACGGGACGGAGC (SEQ ID NO: 1337)	TTTCTTCAACGGGACGGAGC (SEQ ID NO: 1337)
TCAACGGGACGGAGCGGGTG (SEQ ID NO: 1338)	TCAACGGGACGGAGCGGGTG (SEQ ID NO: 1338)
GACGGAGCGGGTGCGGTTCC (SEQ ID NO: 1339)	GACGGAGCGGGTGCGGTTCC (SEQ ID NO: 1339)
GGTGATAGAAGTATCTGTCC (SEQ ID NO: 1340)	GGTGATAGAAGTATCTGTCC (SEQ ID NO: 1340)
CAGATACTTCTATACCAAG (SEQ ID NO: 1341)	CAGATACTTCTATACCAAG (SEQ ID NO: 1341)
CGAAGCGCACGTACTCCTCT (SEQ ID NO: 1171)	CGAAGCGCACGTACTCCTCT (SEQ ID NO: 1171)
CGTGCGCTTCGACAGCGACG (SEQ ID NO: 1052)	CGTGCGCTTCGACAGCGACG (SEQ ID NO: 1052)
GTGCGCTTCGACAGCGACGT (SEQ ID NO: 1053)	GTGCGCTTCGACAGCGACGT (SEQ ID NO: 1053)
TGCGCTTCGACAGCGACGTG (SEQ ID NO: 1054)	TGCGCTTCGACAGCGACGTG (SEQ ID NO: 1054)
GCGCTTCGACAGCGACGTGG (SEQ ID NO: 1055)	GCGCTTCGACAGCGACGTGG (SEQ ID NO: 1055)
ACAGCGACGTGGGGGAGTAC (SEQ ID NO: 1263)	ACAGCGACGTGGGGGAGTAC (SEQ ID NO: 1263)
CAGCGACGTGGGGGAGTACC (SEQ ID NO: 1264)	CAGCGACGTGGGGGAGTACC (SEQ ID NO: 1264)
CGACGTGGGGGAGTACCGGG (SEQ ID NO: 1265)	CGACGTGGGGGAGTACCGGG (SEQ ID NO: 1265)
GGGGGAGTACCGGGCGGTGA (SEQ ID NO: 1266)	GGGGGAGTACCGGGCGGTGA (SEQ ID NO: 1266)
GTACCGGGCGGTGACGGAGC (SEQ ID NO: 1267)	GTACCGGGCGGTGACGGAGC (SEQ ID NO: 1267)
TACCGGGCGGTGACGGAGCT (SEQ ID NO: 1268)	TACCGGGCGGTGACGGAGCT (SEQ ID NO: 1268)
ACCGGGCGGTGACGGAGCTG (SEQ ID NO: 1269)	ACCGGGCGGTGACGGAGCTG (SEQ ID NO: 1269)
GCCCCAGCTCCGTACCGCC (SEQ ID NO: 1270)	GCCCCAGCTCCGTACCGCC (SEQ ID NO: 1270)

04:01	04:02
GGGCGGTGACGGAGCTGGGG (SEQ ID NO: 1271)	GGGCGGTGACGGAGCTGGGG (SEQ ID NO: 1271)
GGCGGCCTGATGCCGAGTAC (SEQ ID NO: 1227)	GGCGGCCTGATGCCGAGTAC (SEQ ID NO: 1227)
CTGTTCCAGTACTCGGCATC (SEQ ID NO: 1228)	CTGTTCCAGTACTCGGCATC (SEQ ID NO: 1228)
CTTCTGGCTGTTCCAGTACT (SEQ ID NO: 1066)	CTTCTGGCTGTTCCAGTACT (SEQ ID NO: 1066)
CGAGTACTGGAACAGCCAGA (SEQ ID NO: 1067)	CGAGTACTGGAACAGCCAGA (SEQ ID NO: 1067)
GAACAGCCAGAAGGACCTCC (SEQ ID NO: 1272)	GAACAGCCAGAAGGACATCC (SEQ ID NO: 1068)
TCTGCTCCAGGAGGTCCTTC (SEQ ID NO: 1273)	CGTCTTCCAGGATGTCCTTC (SEQ ID NO: 1346)
AGGACCTCCTGGAGCAGAAG (SEQ ID NO: 1315)	AGGACATCCTGGAAGACGAG (SEQ ID NO: 1347)
GGACCTCCTGGAGCAGAAGC (SEQ ID NO: 1316)	GGACATCCTGGAAGACGAGC (SEQ ID NO: 1348)
CGGCCCCGCTTCTGCTCCAGG (SEQ ID NO: 1342)	CCTGGAAGACGAGCGGGCCG (SEQ ID NO: 1349)
CCTGGAGCAGAAGCGGGCCG (SEQ ID NO: 1343)	CCGCGGCCCGCTCGTCTTCC (SEQ ID NO: 1350)
CCGCGGCCCGCTTCTGCTCC (SEQ ID NO: 1344)	GGAAGACGAGCGGGCCGCGG (SEQ ID NO: 1351)
GGAGCAGAAGCGGGCCGCGG (SEQ ID NO: 1345)	TCTGCAGTAGGTGTCCACCG (SEQ ID NO: 1281)
TCTGCAGTAGGTGTCCACCG (SEQ ID NO: 1281)	ACCTACTGCAGACACAATA (SEQ ID NO: 1282)
ACCTACTGCAGACACAATA (SEQ ID NO: 1282)	CCTACTGCAGACACAATACTAC (SEQ ID NO: 1283)
CCTACTGCAGACACAATACTAC (SEQ ID NO: 1283)	CCCGTAGTTGTGTCTGCAGT (SEQ ID NO: 1284)
CCCGTAGTTGTGTCTGCAGT (SEQ ID NO: 1284)	CTACTGCAGACACAATACTACG (SEQ ID NO: 1285)
CTACTGCAGACACAATACTACG (SEQ ID NO: 1285)	CAGACACAATACTACGGGGTTG (SEQ ID NO: 1326)
TGCAGACACAATACTACGGGGT (SEQ ID NO: 1286)	TGGAGAGCTTCACAGTGCAG (SEQ ID NO: 1294)
GTGAGAGCTTCACAGTGCAG (SEQ ID NO: 1287)	

TABLE 5C: HLA-DRB1 04:04 and 07:01

04:04	07:01
ATGGTGTGTCTGAAGTTCCC (SEQ ID NO: 1327)	ATGGTGTGTCTGAAGCTCCC (SEQ ID NO: 1239)
GTGTGTCTGAAGTCCCTGG (SEQ ID NO: 1328)	GTGTGTCTGAAGCTCCCTGG (SEQ ID NO: 1240)
GTTCCCTGGAGGCTCCTGCA (SEQ ID NO: 1329)	GCTCCCTGGAGGCTCCTGCA (SEQ ID NO: 1297)
CTGCCATGCAGGAGCCTCCA (SEQ ID NO: 1298)	CTGCCATGCAGGAGCCTCCA (SEQ ID NO: 1298)
GCTGCCATGCAGGAGCCTCC (SEQ ID NO: 1330)	GCTGCCATGCAGGAGCCTCC (SEQ ID NO: 1330)
CACTGTCAGAGTGCCATGC (SEQ ID NO: 1331)	CACTGTCAGAGTGCCATGC (SEQ ID NO: 1331)
AGCTCTGACAGTGACACTGA (SEQ ID NO: 1332)	AGCTCTGACAGTGACACTGA (SEQ ID NO: 1332)
GATGGTGCTGAGCTCCCCAC (SEQ ID NO: 1245)	GATGGTGCTGAGCTCCCCAC (SEQ ID NO: 1245)
GCTGAGCTCCCCACTGGCTT (SEQ ID NO: 1246)	GCTGAGCTCCCCACTGGCTT (SEQ ID NO: 1246)
AGCTCCCCACTGGCTTTGGC (SEQ ID NO: 1247)	AGCTCCCCACTGGCTTTGGC (SEQ ID NO: 1247)
GCTCCCCACTGGCTTTGGCT (SEQ ID NO: 1248)	GCTCCCCACTGGCTTTGGCT (SEQ ID NO: 1248)
CTCCCCACTGGCTTTGGCTG (SEQ ID NO: 1249)	CTCCCCACTGGCTTTGGCTG (SEQ ID NO: 1249)
GTCCCCAGCCAAAGCCAGTG (SEQ ID NO: 1250)	GTCCCCAGCCAAAGCCAGTG (SEQ ID NO: 1250)
TGTCCCCAGCCAAAGCCAGT (SEQ ID NO: 1251)	TGTCCCCAGCCAAAGCCAGT (SEQ ID NO: 1251)
GTGTCCCCAGCCAAAGCCAG (SEQ ID NO: 1252)	GTGTCCCCAGCCAAAGCCAG (SEQ ID NO: 1252)
CATGAGTGTCAATTTCTTCAA (SEQ ID NO: 1333)	ACTTATACTTACCTGCCAC (SEQ ID NO: 1352)
ATGAGTGTCAATTTCTTCAA (SEQ ID NO: 1334)	TATAAGTGTCAATTTCTTCAA (SEQ ID NO: 1353)
GTGTCAATTTCTTCAACGGGA (SEQ ID NO: 1335)	ATAAGTGTCAATTTCTTCAA (SEQ ID NO: 1354)
ATTTCTTCAACGGGACGGAG (SEQ ID NO: 1336)	GTGTCAATTTCTTCAACGGGA (SEQ ID NO: 1335)
TTTCTTCAACGGGACGGAGC (SEQ ID NO: 1337)	ATTTCTTCAACGGGACGGAG (SEQ ID NO: 1336)
TCAACGGGACGGAGCGGGTG (SEQ ID NO: 1338)	TTTCTTCAACGGGACGGAGC (SEQ ID NO: 1337)
GACGGAGCGGGTGCGTTCC (SEQ ID NO: 1339)	GACGGAGCGGGTGCGATTCC (SEQ ID NO: 1355)
GGTGATAGAAGTATCTGTCC (SEQ ID NO: 1340)	GGTTATAGAAGAGTCTTCC (SEQ ID NO: 1356)
CAGATACTTCTATACCAAG (SEQ ID NO: 1341)	GGAAAGACTCTTCTATAACC (SEQ ID NO: 1357)
CGAAGCGCACGTACTCCTCT (SEQ ID NO: 1171)	AAGACTCTTCTATAACCAGG (SEQ ID NO: 1358)

CGTGCGCTTCGACAGCGACG (SEQ ID NO: 1052)	CGAAGCGCACGAACTCCTCC (SEQ ID NO: 1359)
GTGCGCTTCGACAGCGACGT (SEQ ID NO: 1053)	CGTGCGCTTCGACAGCGACG (SEQ ID NO: 1052)
TGCGCTTCGACAGCGACGTG (SEQ ID NO: 1054)	GTGCGCTTCGACAGCGACGT (SEQ ID NO: 1053)
GCGCTTCGACAGCGACGTGG (SEQ ID NO: 1055)	TGCGCTTCGACAGCGACGTG (SEQ ID NO: 1054)
ACAGCGACGTGGGGGAGTAC (SEQ ID NO: 1263)	GCGCTTCGACAGCGACGTGG (SEQ ID NO: 1055)
CAGCGACGTGGGGGAGTACC (SEQ ID NO: 1264)	ACAGCGACGTGGGGGAGTAC (SEQ ID NO: 1263)
CGACGTGGGGGAGTACCGGG (SEQ ID NO: 1265)	CAGCGACGTGGGGGAGTACC (SEQ ID NO: 1264)
GGGGGAGTACCGGGCGGTGA (SEQ ID NO: 1266)	CGACGTGGGGGAGTACCGGG (SEQ ID NO: 1265)
GTACCGGGCGGTGACGGAGC (SEQ ID NO: 1267)	GGGGGAGTACCGGGCGGTGA (SEQ ID NO: 1266)
TACCGGGCGGTGACGGAGCT (SEQ ID NO: 1268)	TACCGGGCGGTGACGGAGCT (SEQ ID NO: 1268)
ACCGGGCGGTGACGGAGCTG (SEQ ID NO: 1269)	ACCGGGCGGTGACGGAGCTA (SEQ ID NO: 1360)
GCCCCAGCTCCGTACCGCC (SEQ ID NO: 1270)	GCCCTAGCTCCGTACCGCC (SEQ ID NO: 1361)
GGGCGGTGACGGAGCTGGGG (SEQ ID NO: 1271)	GGGCGGTGACGGAGCTAGGG (SEQ ID NO: 1362)
GGCGGCCTGATGCCGAGTAC (SEQ ID NO: 1272)	GGCGGCCTGTGCCGAGTCC (SEQ ID NO: 1363)
CTGTTCCAGTACCGCATC (SEQ ID NO: 1228)	CTGTTCCAGGACTCGGCGAC (SEQ ID NO: 1364)
CTTCTGGCTGTTCCAGTACT (SEQ ID NO: 1066)	CTTCTGGCTGTTCCAGGACT (SEQ ID NO: 1365)
CGAGTACTGGAACAGCCAGA (SEQ ID NO: 1067)	CGAGTCTGGAACAGCCAGA (SEQ ID NO: 1366)
GAACAGCCAGAAGGACCTCC (SEQ ID NO: 1272)	GATGTCCTTCTGGCTGTTCC (SEQ ID NO: 1367)
TCTGCTCAGGAGGTCTTC (SEQ ID NO: 1273)	GAACAGCCAGAAGGACATCC (SEQ ID NO: 1068)
AGAAGGACCTCTGGAGCAG (SEQ ID NO: 1274)	CAGCCAGAAGGACATCCTGG (SEQ ID NO: 1368)
AGGACCTCTGGAGCAGAGG (SEQ ID NO: 1275)	TGTCCTCAGGATGTCCTTC (SEQ ID NO: 1369)
GGACCTCTGGAGCAGAGGC (SEQ ID NO: 1276)	AGAAGGACATCCTGGAGGAC (SEQ ID NO: 1370)
CGGCCCGCCTCTGTCCAGG (SEQ ID NO: 1277)	AGGACATCCTGGAGGACAGG (SEQ ID NO: 1371)
CCTGGAGCAGAGGCGGGCCG (SEQ ID NO: 1278)	GGACATCCTGGAGGACAGGC (SEQ ID NO: 1373)
CCGCGGCCCGCCTGTCTCC (SEQ ID NO: 1279)	GACATCCTGGAGGACAGGCG (SEQ ID NO: 1374)
GGAGCAGAGGCGGGCCGCGG (SEQ ID NO: 1280)	CCTGGAGGACAGGCGGGGCC (SEQ ID NO: 1375)
TCTGCAGTAGGTGTCCACCG (SEQ ID NO: 1281)	CCTGGGCCCGCCTGTCTCC (SEQ ID NO: 1376)
ACCTACTGCAGACACAATA (SEQ ID NO: 1282)	GGAGGACAGGCGGGGCCAGG (SEQ ID NO: 1377)
CCTACTGCAGACACAATACT (SEQ ID NO: 1283)	GTCTGCACACGGTGTCCACC (SEQ ID NO: 1378)
CCCGTAGTTGTGTCTCAGT (SEQ ID NO: 1284)	ACCGTGTGCAGACACAATA (SEQ ID NO: 1379)
CTACTGCAGACACAATACTG (SEQ ID NO: 1285)	CCGTGTGCAGACACAATACT (SEQ ID NO: 1380)
CAGACACAATACTACGGGTTG (SEQ ID NO: 1326)	CCCGTAGTTGTGTCTGCACA (SEQ ID NO: 1381)
TGGAGAGCTTCACAGTGCAG (SEQ ID NO: 1294)	CGTGTGCAGACACAATACTG (SEQ ID NO: 1382)
	TGCAGACACAATACTACGGGGT (SEQ ID NO: 1286)
	GTGAGAGCTTCACAGTGCAG (SEQ ID NO: 1287)

TABLE 5D: HLA-DRB1 11:04 and 13:01

11:04	13:01
ATGGTGTGTCTGAGGCTCCC (SEQ ID NO: 1295)	ATGGTGTGTCTGAGGCTCCC (SEQ ID NO: 1295)
GTGTGTCTGAGGCTCCCTGG (SEQ ID NO: 1296)	GTGTGTCTGAGGCTCCCTGG (SEQ ID NO: 1296)
GCTCCCTGGAGGCTCCTGCA (SEQ ID NO: 1297)	GCTCCCTGGAGGCTCCTGCA (SEQ ID NO: 1297)
CTGCCATGCAGGAGCCTCCA (SEQ ID NO: 1298)	CTGCCATGCAGGAGCCTCCA (SEQ ID NO: 1298)
ACTGCCATGCAGGAGCCTCC (SEQ ID NO: 1299)	ACTGCCATGCAGGAGCCTCC (SEQ ID NO: 1299)
CACTGTGAGAACTGCCATGC (SEQ ID NO: 1300)	CACTGTGAGAACTGCCATGC (SEQ ID NO: 1300)
AGTTCTGACAGTGACACTGA (SEQ ID NO: 1301)	AGTTCTGACAGTGACACTGA (SEQ ID NO: 1301)
GATGGTGTGAGCTCCCCAC (SEQ ID NO: 1245)	GATGGTGTGAGCTCCCCAC (SEQ ID NO: 1245)
GCTGAGCTCCCACTGGCTT (SEQ ID NO: 1246)	GCTGAGCTCCCACTGGCTT (SEQ ID NO: 1246)
AGCTCCCACTGGCTTTGGC (SEQ ID NO: 1247)	AGCTCCCACTGGCTTTGGC (SEQ ID NO: 1247)
GCTCCCACTGGCTTTGGCT (SEQ ID NO: 1248)	GCTCCCACTGGCTTTGGCT (SEQ ID NO: 1248)

11:04	13:01
CTCCCCACTGGCTTTGGCTG (SEQ ID NO: 1249)	CTCCCCACTGGCTTTGGCTG (SEQ ID NO: 1249)
GTCCCCAGCCAAAGCCAGTG (SEQ ID NO: 1250)	GTCCCCAGCCAAAGCCAGTG (SEQ ID NO: 1250)
TGTCCCCAGCCAAAGCCAGT (SEQ ID NO: 1251)	TGTCCCCAGCCAAAGCCAGT (SEQ ID NO: 1251)
GTGTCCCCAGCCAAAGCCAG (SEQ ID NO: 1252)	GTGTCCCCAGCCAAAGCCAG (SEQ ID NO: 1252)
TCTGAGTGTCAATTTCTTCAA (SEQ ID NO: 1302)	TCTGAGTGTCAATTTCTTCAA (SEQ ID NO: 1302)
CTGAGTGTCAATTTCTTCAAT (SEQ ID NO: 1303)	CTGAGTGTCAATTTCTTCAAT (SEQ ID NO: 1303)
GTGTCAATTTCTTCAATGGGA (SEQ ID NO: 1304)	GTGTCAATTTCTTCAATGGGA (SEQ ID NO: 1304)
ATTTCTTCAATGGGACGGAG (SEQ ID NO: 1256)	ATTTCTTCAATGGGACGGAG (SEQ ID NO: 1256)
TTTCTTCAATGGGACGGAGC (SEQ ID NO: 1257)	TTTCTTCAATGGGACGGAGC (SEQ ID NO: 1257)
TCAATGGGACGGAGCGGGTG (SEQ ID NO: 1258)	TCAATGGGACGGAGCGGGTG (SEQ ID NO: 1258)
GACGGAGCGGGTGCGGTTCC (SEQ ID NO: 1339)	GACGGAGCGGGTGCGGTTCC (SEQ ID NO: 1339)
GGTTATAGAAGTATCTGTCC (SEQ ID NO: 1383)	GGTTATGGAAGTATCTGTCC (SEQ ID NO: 1306)
CAGATACTTCTATAACCAAG (SEQ ID NO: 1384)	GGACAGATACTTCCATAACC (SEQ ID NO: 1307)
CGAAGCGCAGCTACTCCTCT (SEQ ID NO: 1171)	CAGATACTTCCATAACCAGG (SEQ ID NO: 1308)
CGTGCGCTTCGACAGCGACG (SEQ ID NO: 1052)	GCACGTTCTCCTCTGGTTA (SEQ ID NO: 1309)
GTGCGCTTCGACAGCGACGT (SEQ ID NO: 1053)	CGAAGCGCACGTTCTCCTCC (SEQ ID NO: 1310)
TGCGCTTCGACAGCGACGTG (SEQ ID NO: 1054)	CGTGCGCTTCGACAGCGACG (SEQ ID NO: 1052)
GCGCTTCGACAGCGACGTGG (SEQ ID NO: 1055)	GTGCGCTTCGACAGCGACGT (SEQ ID NO: 1053)
ACAGCGACGTGGGGGAGTTC (SEQ ID NO: 1056)	TGCGCTTCGACAGCGACGTG (SEQ ID NO: 1054)
CAGCGACGTGGGGGAGTTCC (SEQ ID NO: 1057)	GCGCTTCGACAGCGACGTGG (SEQ ID NO: 1055)
CGACGTGGGGGAGTTCGGGG (SEQ ID NO: 1058)	ACAGCGACGTGGGGGAGTTC (SEQ ID NO: 1056)
GGGGGAGTTCGGGGCGGTGA (SEQ ID NO: 1311)	CAGCGACGTGGGGGAGTTCC (SEQ ID NO: 1057)
GTTCCGGGGCGGTGACGGAGC (SEQ ID NO: 1312)	CGACGTGGGGGAGTTCGGGG (SEQ ID NO: 1058)
TTCCGGGGCGGTGACGGAGCT (SEQ ID NO: 1313)	GGGGGAGTTCGGGGCGGTGA (SEQ ID NO: 1311)
TCCGGGGCGGTGACGGAGCTG (SEQ ID NO: 1314)	GTTCCGGGGCGGTGACGGAGC (SEQ ID NO: 1312)
GCCCCAGCTCCGTACCGGCC (SEQ ID NO: 1270)	TTCCGGGGCGGTGACGGAGCT (SEQ ID NO: 1313)
GGGGCGGTGACGGAGCTGGGG (SEQ ID NO: 1271)	TCCGGGGCGGTGACGGAGCTG (SEQ ID NO: 1314)
GGAGCTGGGGCGGCTGATG (SEQ ID NO: 1385)	GCCCCAGCTCCGTACCGGCC (SEQ ID NO: 1270)
GGCGGCTGATGAGGAGTAC (SEQ ID NO: 1386)	GGGGCGGTGACGGAGCTGGGG (SEQ ID NO: 1271)
CTGTCCAGTACTCCTCATC (SEQ ID NO: 1387)	GGCGGCTGATGCCGAGTAC (SEQ ID NO: 1227)
GGAGTACTGGAACAGCCAGA (SEQ ID NO: 1388)	CTGTCCAGTACTCGGCATC (SEQ ID NO: 1228)
GAACAGCCAGAAGGACTTCC (SEQ ID NO: 1389)	CTTCTGGCTGTTCCAGTACT (SEQ ID NO: 1066)
TGCTTCCAGGAAGTCCTTC (SEQ ID NO: 1390)	CGAGTACTGGAACAGCCAGA (SEQ ID NO: 1067)
AGAAGGACTTCCTGGAAGAC (SEQ ID NO: 1391)	GAACAGCCAGAAGGACATCC (SEQ ID NO: 1068)
AGGACTTCCTGGAAGACAGG (SEQ ID NO: 1392)	CGTCTTCCAGGATGTCCTTC (SEQ ID NO: 1346)
GGACTTCCTGGAAGACAGGC (SEQ ID NO: 1393)	AGGACATCCTGGAAGACGAG (SEQ ID NO: 1347)
CCTGGAAGACAGGCGGGCCG (SEQ ID NO: 1394)	GGACATCCTGGAAGACGAGC (SEQ ID NO: 1348)
CCGCGGCCCGCTGTCTTCC (SEQ ID NO: 1395)	CCTGGAAGACGAGCGGGCCG (SEQ ID NO: 1349)
GGAAGACAGGCGGGCCGCGG (SEQ ID NO: 1396)	CCGCGGCCCGCTCGTCTTCC (SEQ ID NO: 1350)
TCTGCAGTAGGTGTCCACCG (SEQ ID NO: 1281)	GGAAGACGAGCGGGCCGCGG (SEQ ID NO: 1351)
ACCTACTGCAGACACAATA (SEQ ID NO: 1282)	TCTGCAGTAGGTGTCCACCG (SEQ ID NO: 1281)
CCTACTGCAGACACAATACTAC (SEQ ID NO: 1283)	ACCTACTGCAGACACAATA (SEQ ID NO: 1282)
CCCGTAGTTGTGTCTGCAGT (SEQ ID NO: 1284)	CCTACTGCAGACACAATACTAC (SEQ ID NO: 1283)
CTACTGCAGACACAATACTACG (SEQ ID NO: 1285)	CCCGTAGTTGTGTCTGCAGT (SEQ ID NO: 1284)
CAGACACAATACTACGGGGTTG (SEQ ID NO: 1326)	CTACTGCAGACACAATACTACG (SEQ ID NO: 1285)
TGGAGAGCTTCACAGTGCAG (SEQ ID NO: 1294)	CAGACACAATACTACGGGGTTG (SEQ ID NO: 1326)
	TGGAGAGCTTCACAGTGCAG (SEQ ID NO: 1294)

TABLE 5E: HLA-DRB1 13:02 and 14:01

13:02	14:01
ATGGTGTGTCTGAGGCTCCC (SEQ ID NO: 1295)	ATGGTGTGTCTGAGGCTCCC (SEQ ID NO: 1295)
GTGTGTCTGAGGCTCCCTGG (SEQ ID NO: 1296)	GTGTGTCTGAGGCTCCCTGG (SEQ ID NO: 1296)
GCTCCCTGGAGGCTCCTGCA (SEQ ID NO: 1297)	GCTCCCTGGAGGCTCCTGCA (SEQ ID NO: 1297)
CTGCCATGCAGGAGCCTCCA (SEQ ID NO: 1298)	CTGCCATGCAGGAGCCTCCA (SEQ ID NO: 1298)
ACTGCCATGCAGGAGCCTCC (SEQ ID NO: 1299)	ACTGCCATGCAGGAGCCTCC (SEQ ID NO: 1299)
CACTGTCAGAACTGCCATGC (SEQ ID NO: 1300)	CACTGTCAGAACTGCCATGC (SEQ ID NO: 1300)
AGTTCTGACAGTGACACTGA (SEQ ID NO: 1301)	AGTTCTGACAGTGACACTGA (SEQ ID NO: 1301)
GATGGTGTCTGAGCTCCCCAC (SEQ ID NO: 1245)	GATGGTGTCTGAGCTCCCCAC (SEQ ID NO: 1245)
GCTGAGTCCCCACTGGCTT (SEQ ID NO: 1246)	GCTGAGTCCCCACTGGCTT (SEQ ID NO: 1246)
AGTCCCCACTGGCTTTGGC (SEQ ID NO: 1247)	AGTCCCCACTGGCTTTGGC (SEQ ID NO: 1247)
GCTCCCCACTGGCTTTGGCT (SEQ ID NO: 1248)	GCTCCCCACTGGCTTTGGCT (SEQ ID NO: 1248)
CTCCCCACTGGCTTTGGCTG (SEQ ID NO: 1249)	CTCCCCACTGGCTTTGGCTG (SEQ ID NO: 1249)
GTCCCCAGCCAAAGCCAGTG (SEQ ID NO: 1250)	GTCCCCAGCCAAAGCCAGTG (SEQ ID NO: 1250)
TGTCCCCAGCCAAAGCCAGT (SEQ ID NO: 1251)	TGTCCCCAGCCAAAGCCAGT (SEQ ID NO: 1251)
GTGTCCCCAGCCAAAGCCAG (SEQ ID NO: 1252)	GTGTCCCCAGCCAAAGCCAG (SEQ ID NO: 1252)
TCTGAGTGTCAATTTCTCAA (SEQ ID NO: 1302)	TCTGAGTGTCAATTTCTCAA (SEQ ID NO: 1302)
CTGAGTGTCAATTTCTCAAT (SEQ ID NO: 1303)	CTGAGTGTCAATTTCTCAAT (SEQ ID NO: 1303)
GTGTCAATTTCTCAATGGGA (SEQ ID NO: 1304)	GTGTCAATTTCTCAATGGGA (SEQ ID NO: 1304)
ATTCTTCAATGGGACGGAG (SEQ ID NO: 1256)	ATTCTTCAATGGGACGGAG (SEQ ID NO: 1256)
TTTCTTCAATGGGACGGAGC (SEQ ID NO: 1257)	TTTCTTCAATGGGACGGAGC (SEQ ID NO: 1257)
TCAATGGGACGGAGCGGGTG (SEQ ID NO: 1258)	TCAATGGGACGGAGCGGGTG (SEQ ID NO: 1258)
GACGGAGCGGGTGCGGTTC (SEQ ID NO: 1339)	GACGGAGCGGGTGCGGTTC (SEQ ID NO: 1339)
GGTTATGGAAGTATCTGTCC (SEQ ID NO: 1306)	GGTTATGGAAGTATCTGTCC (SEQ ID NO: 1306)
GGACAGATACTTCCATAACC (SEQ ID NO: 1307)	GGACAGATACTTCCATAACC (SEQ ID NO: 1307)
CAGATACTTCCATAACCAGG (SEQ ID NO: 1308)	CAGATACTTCCATAACCAGG (SEQ ID NO: 1308)
GCACGTTCTCCTCTGGTTA (SEQ ID NO: 1309)	GCACGTTCTCCTCTGGTTA (SEQ ID NO: 1309)
CGAAGCGCACGTTCTCCTCC (SEQ ID NO: 1310)	CGAAGCGCACGTTCTCCTCC (SEQ ID NO: 1310)
CGTGCGCTTCGACAGCGACG (SEQ ID NO: 1052)	CGTGCGCTTCGACAGCGACG (SEQ ID NO: 1052)
GTGCGCTTCGACAGCGACGT (SEQ ID NO: 1053)	GTGCGCTTCGACAGCGACGT (SEQ ID NO: 1053)
TGCGCTTCGACAGCGACGTG (SEQ ID NO: 1054)	TGCGCTTCGACAGCGACGTG (SEQ ID NO: 1054)
GCGCTTCGACAGCGACGTGG (SEQ ID NO: 1055)	GCGCTTCGACAGCGACGTGG (SEQ ID NO: 1055)
ACAGCGACGTGGGGGAGTTC (SEQ ID NO: 1056)	ACAGCGACGTGGGGGAGTTC (SEQ ID NO: 1056)
CAGCGACGTGGGGGAGTTCC (SEQ ID NO: 1057)	CAGCGACGTGGGGGAGTTCC (SEQ ID NO: 1057)
CGACGTGGGGGAGTTCCGGG (SEQ ID NO: 1058)	CGACGTGGGGGAGTTCCGGG (SEQ ID NO: 1058)
GGGGGAGTTCCGGGCGGTGA (SEQ ID NO: 1311)	GGGGGAGTTCCGGGCGGTGA (SEQ ID NO: 1311)
GTTCCGGGCGGTGACGGAGC (SEQ ID NO: 1312)	GTTCCGGGCGGTGACGGAGC (SEQ ID NO: 1312)
TTCCGGGCGGTGACGGAGCT (SEQ ID NO: 1313)	TTCCGGGCGGTGACGGAGCT (SEQ ID NO: 1313)
TCCGGGCGGTGACGGAGCTG (SEQ ID NO: 1314)	TCCGGGCGGTGACGGAGCTG (SEQ ID NO: 1314)
GCCCCAGTCCGTCACCGCC (SEQ ID NO: 1270)	GCCCCAGTCCGTCACCGCC (SEQ ID NO: 1270)
GGGCGGTGACGGAGCTGGGG (SEQ ID NO: 1271)	GGGCGGTGACGGAGCTGGGG (SEQ ID NO: 1271)
GGCGGCTGATGCCGAGTAC (SEQ ID NO: 1227)	GGCGGCTGATGCCGAGTAC (SEQ ID NO: 1227)
CTGTTCCAGTACTCGGCATC (SEQ ID NO: 1228)	CTGTTCCAGTACTCGGCATC (SEQ ID NO: 1228)
CTTCTGGCTGTTCCAGTACT (SEQ ID NO: 1066)	CTTCTGGCTGTTCCAGTACT (SEQ ID NO: 1066)
CGAGTACTGGAACAGCCAGA (SEQ ID NO: 1067)	CGAGTACTGGAACAGCCAGA (SEQ ID NO: 1067)
GAACAGCCAGAAGGACATCC (SEQ ID NO: 1068)	GAACAGCCAGAAGGACATCC (SEQ ID NO: 1068)
CGTCTTCCAGGATGTCCTTC (SEQ ID NO: 1346)	CGTCTTCCAGGATGTCCTTC (SEQ ID NO: 1346)
AGGACATCCTGGAAGACGAG (SEQ ID NO: 1347)	AGGACATCCTGGAAGACGAG (SEQ ID NO: 1347)
GGACATCCTGGAAGACGAGC (SEQ ID NO: 1348)	GGACATCCTGGAAGACGAGC (SEQ ID NO: 1348)
AGAAGGACCTCCTGGAGCGG (SEQ ID NO: 1404)	AGAAGGACCTCCTGGAGCGG (SEQ ID NO: 1404)

CCTGGAAGACGAGCGGGCCG (SEQ ID NO: 1349)	AGGACCTCCTGGAGCGGAGG (SEQ ID NO: 1405)
CCGCGGCCCGCTCGTCTTCC (SEQ ID NO: 1350)	GGACCTCCTGGAGCGGAGGC (SEQ ID NO: 1406)
GGAAGACGAGCGGGCCGCGG (SEQ ID NO: 1351)	CGGCCCGCCTCCGCTCCAGG (SEQ ID NO: 1407)
TCTGCAGTAGGTGTCCACCG (SEQ ID NO: 1281)	CCTGGAGCGGAGGCGGGCCG (SEQ ID NO: 1408)
ACCTACTGCAGACACAACCTA (SEQ ID NO: 1282)	CCTCGGCCCGCCTCCGCTCC (SEQ ID NO: 1409)
CCTACTGCAGACACAACCTAC (SEQ ID NO: 1283)	GGAGCGGAGGCGGGCCGAGG (SEQ ID NO: 1410)
CCCGTAGTTGTGTCTGCACT (SEQ ID NO: 1284)	TCTGCAATAGGTGTCCACCT (SEQ ID NO: 1411)
CTACTGCAGACACAACCTACG (SEQ ID NO: 1285)	ACCTATTGCAGACACAACCTA (SEQ ID NO: 1289)
TGCAGACACAACCTACGGGGT (SEQ ID NO: 1286)	CCTATTGCAGACACAACCTAC (SEQ ID NO: 1290)
GTGAGAGCTTCACAGTGCAG (SEQ ID NO: 1287)	CCCGTAGTTGTGTCTGCAAT (SEQ ID NO: 1291)
	CTATTGCAGACACAACCTACG (SEQ ID NO: 1292)
	CAGACACAACCTACGGGGTTG (SEQ ID NO: 1326)
	TGGAGAGCTTCACAGTGCAG (SEQ ID NO: 1294)

TABLE 5F: HLA-DRB1 15:01 and 15:02

15:01	15:02
ATGGTGTGTCTGAAGCTCCC (SEQ ID NO: 1239)	ATGGTGTGTCTGAAGCTCCC (SEQ ID NO: 1239)
GTGTGTCTGAAGCTCCCTGG (SEQ ID NO: 1240)	GTGTGTCTGAAGCTCCCTGG (SEQ ID NO: 1240)
CTGTTCATGCAGGAGCCTCCA (SEQ ID NO: 1241)	CTGTTCATGCAGGAGCCTCCA (SEQ ID NO: 1241)
GCTGTTCATGCAGGAGCCTCC (SEQ ID NO: 1242)	GCTGTTCATGCAGGAGCCTCC (SEQ ID NO: 1242)
CAGTGTTCAGCGCTGTCTGTC (SEQ ID NO: 1243)	CAGTGTTCAGCGCTGTCTGTC (SEQ ID NO: 1243)
AGCGCTGACAGTGACACTGA (SEQ ID NO: 1244)	AGCGCTGACAGTGACACTGA (SEQ ID NO: 1244)
GATGGTGTGTGAGCTCCCCAC (SEQ ID NO: 1245)	GATGGTGTGTGAGCTCCCCAC (SEQ ID NO: 1245)
AGCTCCCCACTGGCTTTGTC (SEQ ID NO: 1412)	AGCTCCCCACTGGCTTTGTC (SEQ ID NO: 1412)
GCTCCCCACTGGCTTTGTCT (SEQ ID NO: 1413)	GCTCCCCACTGGCTTTGTCT (SEQ ID NO: 1413)
CTCCCCACTGGCTTTGTCTG (SEQ ID NO: 1414)	CTCCCCACTGGCTTTGTCTG (SEQ ID NO: 1414)
GTCCCCAGACAAAGCCAGTG (SEQ ID NO: 1415)	GTCCCCAGACAAAGCCAGTG (SEQ ID NO: 1415)
TGTCCCCAGACAAAGCCAGT (SEQ ID NO: 1416)	TGTCCCCAGACAAAGCCAGT (SEQ ID NO: 1416)
GTGTCCCCAGACAAAGCCAG (SEQ ID NO: 1417)	GTGTCCCCAGACAAAGCCAG (SEQ ID NO: 1417)
GTTTCCTGTGGCAGCCTAAG (SEQ ID NO: 1418)	GTTTCCTGTGGCAGCCTAAG (SEQ ID NO: 1418)
TTTCCTGTGGCAGCCTAAGA (SEQ ID NO: 1419)	TTTCCTGTGGCAGCCTAAGA (SEQ ID NO: 1419)
ACTCCCTCTTAGGCTGCCAC (SEQ ID NO: 1420)	ACTCCCTCTTAGGCTGCCAC (SEQ ID NO: 1420)
AAGAAATGACACTCCCTCTT (SEQ ID NO: 1421)	AAGAAATGACACTCCCTCTT (SEQ ID NO: 1421)
AGGGAGTGTCAATTTCTTCAA (SEQ ID NO: 1422)	AGGGAGTGTCAATTTCTTCAA (SEQ ID NO: 1422)
GGGAGTGTCAATTTCTTCAAT (SEQ ID NO: 1423)	GGGAGTGTCAATTTCTTCAAT (SEQ ID NO: 1423)
GTGTCAATTTCTTCAATGGGA (SEQ ID NO: 1304)	GTGTCAATTTCTTCAATGGGA (SEQ ID NO: 1304)
ATTTCTTCAATGGGACGGAG (SEQ ID NO: 1256)	ATTTCTTCAATGGGACGGAG (SEQ ID NO: 1256)
TTTCTTCAATGGGACGGAGC (SEQ ID NO: 1257)	TTTCTTCAATGGGACGGAGC (SEQ ID NO: 1257)
TCAATGGGACGGAGCGGGTG (SEQ ID NO: 1258)	TCAATGGGACGGAGCGGGTG (SEQ ID NO: 1258)
GACGGAGCGGGTGCGGTTCC (SEQ ID NO: 1339)	GACGGAGCGGGTGCGGTTCC (SEQ ID NO: 1339)
GGTTATAGAAGTATCTGTCC (SEQ ID NO: 1383)	GGTTATAGAAGTATCTGTCC (SEQ ID NO: 1383)
GGACAGATACTTCTATAACC (SEQ ID NO: 1424)	GGACAGATACTTCTATAACC (SEQ ID NO: 1424)
CAGATACTTCTATAACCAGG (SEQ ID NO: 1425)	CAGATACTTCTATAACCAGG (SEQ ID NO: 1425)
CGAAGCGCACGGACTCCTCC (SEQ ID NO: 1426)	CGAAGCGCACGGACTCCTCC (SEQ ID NO: 1426)
CACGTCGCTGTGCAAGCGCA (SEQ ID NO: 1262)	CACGTCGCTGTGCAAGCGCA (SEQ ID NO: 1262)
CGTGCGCTTCGACAGCGACG (SEQ ID NO: 1052)	CGTGCGCTTCGACAGCGACG (SEQ ID NO: 1052)
GTGCGCTTCGACAGCGACGT (SEQ ID NO: 1053)	GTGCGCTTCGACAGCGACGT (SEQ ID NO: 1053)
TGCGCTTCGACAGCGACGTG (SEQ ID NO: 1054)	TGCGCTTCGACAGCGACGTG (SEQ ID NO: 1054)
GCGCTTCGACAGCGACGTGG (SEQ ID NO: 1055)	GCGCTTCGACAGCGACGTGG (SEQ ID NO: 1055)

ACAGCGACGTGGGGGAGTTC (SEQ ID NO: 1056)	ACAGCGACGTGGGGGAGTTC (SEQ ID NO: 1056)
CAGCGACGTGGGGGAGTTCC (SEQ ID NO: 1057)	CAGCGACGTGGGGGAGTTCC (SEQ ID NO: 1057)
CGACGTGGGGGAGTTCGGG (SEQ ID NO: 1058)	CGACGTGGGGGAGTTCGGG (SEQ ID NO: 1058)
GGGGGAGTTCGGGCGGTGA (SEQ ID NO: 1311)	GGGGGAGTTCGGGCGGTGA (SEQ ID NO: 1311)
GTTCCGGGCGGTGACGGAGC (SEQ ID NO: 1312)	GTTCCGGGCGGTGACGGAGC (SEQ ID NO: 1312)
TTCCGGGCGGTGACGGAGCT (SEQ ID NO: 1313)	TTCCGGGCGGTGACGGAGCT (SEQ ID NO: 1313)
TCCGGGCGGTGACGGAGCTG (SEQ ID NO: 1314)	TCCGGGCGGTGACGGAGCTG (SEQ ID NO: 1314)
GCCCCAGCTCCGTACCGCC (SEQ ID NO: 1270)	GCCCCAGCTCCGTACCGCC (SEQ ID NO: 1270)
GGGCGGTGACGGAGCTGGG (SEQ ID NO: 1271)	GGGCGGTGACGGAGCTGGG (SEQ ID NO: 1271)
GGCGGCTGACGCTGAGTAC (SEQ ID NO: 1427)	GGCGGCTGACGCTGAGTAC (SEQ ID NO: 1427)
CTGTCCAGTACTCAGCGTC (SEQ ID NO: 1428)	CTGTCCAGTACTCAGCGTC (SEQ ID NO: 1428)
TGAGTACTGGAACAGCCAGA (SEQ ID NO: 1429)	TGAGTACTGGAACAGCCAGA (SEQ ID NO: 1429)
GAACAGCCAGAAGGACATCC (SEQ ID NO: 1068)	GAACAGCCAGAAGGACATCC (SEQ ID NO: 1068)
CCAGAAGGACATCCTGGAGC (SEQ ID NO: 1430)	CCAGAAGGACATCCTGGAGC (SEQ ID NO: 1430)
CCTGCTCAGGATGTCCTTC (SEQ ID NO: 1431)	CCTGCTCAGGATGTCCTTC (SEQ ID NO: 1431)
AGGACATCCTGGAGCAGGCG (SEQ ID NO: 1432)	AGGACATCCTGGAGCAGGCG (SEQ ID NO: 1432)
GGACATCCTGGAGCAGGCG (SEQ ID NO: 1433)	GGACATCCTGGAGCAGGCG (SEQ ID NO: 1433)
CCTGGAGCAGGCGCGGGCCG (SEQ ID NO: 1434)	CCTGGAGCAGGCGCGGGCCG (SEQ ID NO: 1434)
CCGCGGCCCGCGCTGCTCC (SEQ ID NO: 1435)	CCGCGGCCCGCGCTGCTCC (SEQ ID NO: 1435)
GGAGCAGGCGCGGGCCGCG (SEQ ID NO: 1436)	GGAGCAGGCGCGGGCCGCG (SEQ ID NO: 1436)
TCTGCAGTAGGTGTCCACCG (SEQ ID NO: 1281)	TCTGCAGTAGGTGTCCACCG (SEQ ID NO: 1281)
ACCTACTGCAGACACAATA (SEQ ID NO: 1282)	ACCTACTGCAGACACAATA (SEQ ID NO: 1282)
CCTACTGCAGACACAATA (SEQ ID NO: 1283)	CCTACTGCAGACACAATA (SEQ ID NO: 1283)
CCCGTAGTTGTGTCTGAGT (SEQ ID NO: 1284)	CCCGTAGTTGTGTCTGAGT (SEQ ID NO: 1284)
CTACTGCAGACACAATA (SEQ ID NO: 1285)	CTACTGCAGACACAATA (SEQ ID NO: 1285)
CAGACACAATAACGGGTTG (SEQ ID NO: 1326)	TGCAGACACAATAACGGGTTG (SEQ ID NO: 1286)
TGGAGAGCTTCACAGTGCAG (SEQ ID NO: 1294)	GTGAGAGCTTCACAGTGCAG (SEQ ID NO: 1287)

TABLE 6: HLA-A 01:01, 03:01, 29:02, 33:01

A 01:01	A 03:01	A 29:02	A 33:01
CGTAGCCACGGCGATG AAG (SEQ ID NO: 56)	ACAGCGACGCCGCGAGC CAG (SEQ ID NO: 59)	CGTAGCCACGGCGATG AAG (SEQ ID NO: 56)	CGTAGCCACGGCGATG AAG (SEQ ID NO: 56)
ATTCTTCACATCCGTGT CC (SEQ ID NO: 7)	CGACGCCGCGAGCCAGA GGA (SEQ ID NO: 61)	ACAGCGACGCCGCGAGC CAG (SEQ ID NO: 59)	AGTATTGGGACCGGAAC ACA (SEQ ID NO: 156)
GTCTCCTGGTCCCAATAC TC (SEQ ID NO: 91)	ATTCTTCACATCCGTGT CC (SEQ ID NO: 7)	ACAGACTGACCGAGCGA ACC (SEQ ID NO: 103)	CCGGAACACACGGAATG TGA (SEQ ID NO: 157)
GTAGCCACGGCGATGA AGC (SEQ ID NO: 54)	ACAGACTGACCGAGTGG ACC (SEQ ID NO: 131)	CAGACTGACCGAGCGAA CCT (SEQ ID NO: 105)	ACAGCGACGCCGCGAGC CAG (SEQ ID NO: 59)
TAGCCACGGCGATGAA GCG (SEQ ID NO: 52)	TTCACATCCGTGTCCCGG CC (SEQ ID NO: 10)	CGTGTCTGTCACGTAGC CCA (SEQ ID NO: 60)	GTGTTCCGGTCCCAATA CTC (SEQ ID NO: 155)
ACAGACTGACCGAGCGA ACC (SEQ ID NO: 103)	CAGACTGACCGAGTGG CCT (SEQ ID NO: 132)	AGACTGACCGAGCGAAC CTG (SEQ ID NO: 107)	GTAGCCACGGCGATGA AGC (SEQ ID NO: 54)
CAGACTGACCGAGCGAA CCT (SEQ ID NO: 105)	CCACTCGGTCACTCTGTG AC (SEQ ID NO: 130)	TGGACGACACGAGTTC GTG (SEQ ID NO: 57)	TAGCCACGGCGATGAA GCG (SEQ ID NO: 52)
AGACTGACCGAGCGAAC CTG (SEQ ID NO: 107)	CCTTCACATCCGTGTCT CC (SEQ ID NO: 127)	GTAGCCACGGCGATGA AGC (SEQ ID NO: 54)	CCACTCGGTCAATCTGT GAG (SEQ ID NO: 204)
GAGCCCCGCTTCATCGC CGT (SEQ ID NO: 49)	CGGCTCCATCTCTGGCT CG (SEQ ID NO: 62)	CGCTCGGTCACTCTGTG ACT (SEQ ID NO: 196)	GAGCCCCGCTTCATCGC CGT (SEQ ID NO: 49)

CGTGTCGTCCACGTAGC CCA (SEQ ID NO: 60)	AGTAGCCGCGCAGGGTC CCC (SEQ ID NO: 112)	TAGCCACGCGCATGAA GCG (SEQ ID NO: 52)	CCACTCACAGATTGACC GAG (SEQ ID NO: 202)
GGACCTGCGCTCTTGGA CCG (SEQ ID NO: 1437)	CCAGGAGACACGGAATG TGA (SEQ ID NO: 126)		
TGCCGTCGTAGGCGTCC TGC (SEQ ID NO: 1438)			

TABLE 7: HLA-A 11:01 and 26:01

A 11:01	A 26:01
ACAGCGACGCCGCGAGCCAG (SEQ ID NO: 59)	ATTCTACACCTCCGTGTCC (SEQ ID NO: 117)
CGACGCCGCGAGCCAGAGGA (SEQ ID NO: 61)	GGAGGTGTAGAAATACCTCA (SEQ ID NO: 116)
ACAGACTGACCGAGTGGACC (SEQ ID NO: 131)	TCGACAGCGACGCCGCGAGC (SEQ ID NO: 120)
CAGACTGACCGAGTGGACCT (SEQ ID NO: 132)	CGTAGCCCACTGCGATGAAG (SEQ ID NO: 53)
CCACTCGGTCAGTCTGTGAC (SEQ ID NO: 130)	TGGACGACACGCAGTTCGTG (SEQ ID NO: 57)
ATTCTACACCTCCGTGTCC (SEQ ID NO: 117)	TAGCCCACTGCGATGAAGCG (SEQ ID NO: 47)
CCTTCACATTCGCTGTCTCC (SEQ ID NO: 127)	AGACTCACCAGTGGACCTG (SEQ ID NO: 106)
CGGCTCCATCTCTGGCTCG (SEQ ID NO: 62)	GAGCCCCGCTTCATCGCAGT (SEQ ID NO: 43)
AGTAGCCGCGCAGGGTCCCC (SEQ ID NO: 112)	ACAGCGACGCCGCGAGCCGG (SEQ ID NO: 121)
TACACCTCCGTGTCCCGGCC (SEQ ID NO: 118)	GGGTCCGAGTATTGGGACG (SEQ ID NO: 88)
CCAGGAGACACGGAATGTGA (SEQ ID NO: 126)	

TABLE 8: HLA-DQB1 02:01, 06:02, 03:03, and 05:01

A 02:01	A 06:02	A 03:03	A 05:01
CGAGTACTGGAACAGCC AGA (SEQ ID NO: 1067)	CAGATACATCTATAACC GAG (SEQ ID NO: 1094)	CAGATACATCTATAACC GAG (SEQ ID NO: 1094)	CGAGTACTGGAACAGCC AGA (SEQ ID NO: 1067)
AGGTCGTGCGGAGCTCC AAC (SEQ ID NO: 1080)	CTCTCCTCTGCAAGATCC CG (SEQ ID NO: 1238)	CGAGTACTGGAACAGCC AGA (SEQ ID NO: 1067)	TCCCGTTGGTGAAGTAG CAC (SEQ ID NO: 1164)
CTGGCTGTTCCAGTACTC GG (SEQ ID NO: 1065)	GATTTCGTGTTCCAGTTT AA (SEQ ID NO: 1215)	GTGCTACTTCACCAACG GGA (SEQ ID NO: 1091)	AACTACGAGGTGGCGTA CCG (SEQ ID NO: 1197)
GGCATGTGCTACTTCACC AA (SEQ ID NO: 1048)	CGAGTACTGGAACAGCC AGA (SEQ ID NO: 1067)	AGGTCGTGCGGAGCTCC AAC (SEQ ID NO: 1080)	GTGCTACTTCACCAACG GGA (SEQ ID NO: 1091)
GCATGTGCTACTTCACCA AC (SEQ ID NO: 1049)	ACTACGAGGTGGCGTTC CGC (SEQ ID NO: 1236)	GGCATGTGCTACTTCAC CAA (SEQ ID NO: 1048)	GGTGTGCAGACACAAC TAC (SEQ ID NO: 1195)
CGAAGCGCACGATCTCTT CT (SEQ ID NO: 1051)	AACTACGAGGTGGCGTT CCG (SEQ ID NO: 1235)	CACCGTGTCCAACCTCC CCC (SEQ ID NO: 1118)	GTGCAGACACAACCTAC GAG (SEQ ID NO: 1196)
AGTCCGCGACGACCTTGC AG (SEQ ID NO: 1081)	GTGCTACTTCACCAACG GGA (SEQ ID NO: 1091)	GCATGTGCTACTTCACC AAC (SEQ ID NO: 1049)	ACTACGAGGTGGCGTAC CGC (SEQ ID NO: 1198)
ACGCACGCGCTCTGTCCC GT (SEQ ID NO: 1050)	GGTGTGCAGACACAAC TAC (SEQ ID NO: 1195)	CGCAGCTTCGACAGCG ACG (SEQ ID NO: 1096)	ACAGCGACGTGGGGGT GTAC (SEQ ID NO: 1172)
CGTGCGCTTCGACAGCG ACG (SEQ ID NO: 1052)	GTGCAGACACAACCTAC GAG (SEQ ID NO: 1196)	ACACCGTGTCCAACCTC GCC (SEQ ID NO: 1119)	CCAACGGGACGGAGCGC GTG (SEQ ID NO: 1165)
ACAGCGACGTGGGGGA GTTT (SEQ ID NO: 1056)	TACCGCGCGGTGACGCC GCA (SEQ ID NO: 1222)	ACGCACGCGCTCCGTCC CGT (SEQ ID NO: 1092)	CGAAGCGCACGTACTCC TCT (SEQ ID NO: 1171)
AAGGGGGGTGGACACA ACGC (SEQ ID NO: 1439)	CAGATACATCTATAACC GAG (SEQ ID NO: 1094)		
CCGGTGGTTTCGGAATG ACC (SEQ ID NO: 1440)			

TABLE 9: HLA-DQB1 06:01 and 06:03

DQB1 06:01	DQB1 06:03
CAGATACATCTATAACCGAG (SEQ ID NO: 1094)	CTCTCCTCTGCAAGATCCCG (SEQ ID NO: 1238)
CTCTCCTCTGCAAGATCCCG (SEQ ID NO: 1238)	CGAGTACTGGAACAGCCAGA (SEQ ID NO: 1067)
CGAGTACTGGAACAGCCAGA (SEQ ID NO: 1067)	ACTACGAGGTGGCGTTCCGC (SEQ ID NO: 1236)
GGTGTGCAGACACAACACTACG (SEQ ID NO: 1195)	GTGCTACTTCACCAACGGGA (SEQ ID NO: 1091)
AACTACGAGGTGGCGTTCCG (SEQ ID NO: 1235)	AACTACGAGGTGGCGTTCCG (SEQ ID NO: 1235)
ACTACGAGGTGGCGTTCCGC (SEQ ID NO: 1236)	GGTGTGCAGACACAACACTACG (SEQ ID NO: 1195)
ATACATCTATAACCGAGAGG (SEQ ID NO: 1441)	GTGCAGACACAACACTACGAGG (SEQ ID NO: 1196)
GTGCAGACACAACACTACGAGG (SEQ ID NO: 1196)	GGCATGTGCTACTTCACCAA (SEQ ID NO: 1048)
ACGCACGCGCTCCGTCCCAT (SEQ ID NO: 1442)	TACCGCGCGGTGACGCCGCA (SEQ ID NO: 1222)
ACACCGTGTCCAACCTCCGCT (SEQ ID NO: 1443)	GCATGTGCTACTTCACCAAC (SEQ ID NO: 1049)

TABLE 10: HLA-A 24:02

Exon 1	Exon 2
GAGGGTTCGGGGCGCCATGA (SEQ ID NO: 1)	GGAGAAATACCTCATGGAGT (SEQ ID NO: 135)
AGTAGCAGGACGAGGGTTCG (SEQ ID NO: 6)	TGGAGAAATACCTCATGGAG (SEQ ID NO: 137)
GAGTAGCAGGACGAGGGTTC (SEQ ID NO: 9)	GGATGTGGAGAAATACCTCA (SEQ ID NO: 138)
AGAGTAGCAGGACGAGGGTT (SEQ ID NO: 12)	ATTTCTCCACATCCGTGTCC (SEQ ID NO: 139)
AACCCTCGTCTGCTACTCT (SEQ ID NO: 15)	TCCACATCCGTGTCCCGGCC (SEQ ID NO: 140)
ACCCTCGTCTGCTACTCTC (SEQ ID NO: 18)	GCCGGGCCGGGACACGGATG (SEQ ID NO: 141)
CCCTCGTCTGCTACTCTCG (SEQ ID NO: 21)	TCCGTGTCCCGGCCCGGCCG (SEQ ID NO: 13)
CCCCGAGAGTAGCAGGACGA (SEQ ID NO: 24)	CCGTGTCCCGGCCCGGCCG (SEQ ID NO: 16)
CCTCGTCTGCTACTCTCGG (SEQ ID NO: 27)	CCCGCGGCCGGGCCGGGACA (SEQ ID NO: 19)
CCCCGAGAGTAGCAGGACG (SEQ ID NO: 30)	CGTGTCCCGGCCCGGCCGCG (SEQ ID NO: 22)
CCTGCTACTCTCGGGGGCCC (SEQ ID NO: 35)	GGGCTCCCGCGGCCGGGCC (SEQ ID NO: 25)
CCAGGGCCCCGAGAGTAGC (SEQ ID NO: 38)	GGGGCTCCCGCGGCCGGGC (SEQ ID NO: 28)
CCCTGGCCCTGACCCAGACC (SEQ ID NO: 41)	AAGCGGGGCTCCCGCGGCC (SEQ ID NO: 31)
CCAGGTCTGGGTCAGGGCCA (SEQ ID NO: 44)	GAAGCGGGGCTCCCGCGGC (SEQ ID NO: 34)
CCTGGCCCTGACCCAGACCT (SEQ ID NO: 48)	CGATGAAGCGGGGCTCCCG (SEQ ID NO: 37)
CCCAGGTCTGGGTCAGGGCC (SEQ ID NO: 51)	GGAGCCCCGTTTCATCGCCG (SEQ ID NO: 45)
	GAGCCCCGTTTCATCGCCG (SEQ ID NO: 49)
	TAGCCACGGCGATGAAGCG (SEQ ID NO: 52)
	GTAGCCACGGCGATGAAGC (SEQ ID NO: 54)
	CGTAGCCACGGCGATGAAG (SEQ ID NO: 56)
	CTTCATCGCCGTGGGCTACG (SEQ ID NO: 58)
	CGTGTCTCCACGTAGCCCA (SEQ ID NO: 60)
	TGGACGACACGAGTTCGTG (SEQ ID NO: 57)

	ACAGCGACGCCGCGAGCCAG (SEQ ID NO: 59)
	CGACGCCGCGAGCCAGAGGA (SEQ ID NO: 61)
	CGGCTCCATCCTCTGGCTCG (SEQ ID NO: 62)
	CGAGCCAGAGGATGGAGCCG (SEQ ID NO: 64)
	GAGCCAGAGGATGGAGCCGC (SEQ ID NO: 66)
	GCGCCCGCGGCTCCATCCTC (SEQ ID NO: 68)
	GGATGGAGCCGCGGGCGCCG (SEQ ID NO: 70)
	TGCTCTATCCACGGCGCCCG (SEQ ID NO: 72)
	GCGGGCGCCGTGGATAGAGC (SEQ ID NO: 74)
	GGCGCCGTGGATAGAGCAGG (SEQ ID NO: 75)
	GCGCCGTGGATAGAGCAGGA (SEQ ID NO: 76)
	CGCCGTGGATAGAGCAGGAG (SEQ ID NO: 79)
	GGCCCCCTCTGCTCTATCCA (SEQ ID NO: 81)
	GTGGATAGAGCAGGAGGGGC (SEQ ID NO: 83)
	AGCAGGAGGGGCCGAGTAT (SEQ ID NO: 85)
	GCAGGAGGGGCCGAGTATT (SEQ ID NO: 87)
	GGGGCCGAGTATTGGGACG (SEQ ID NO: 142)
	GTCTCCTCGTCCCAATACTC (SEQ ID NO: 143)
	GAGTATTGGGACGAGGAGAC (SEQ ID NO: 144)
	AGTATTGGGACGAGGAGACA (SEQ ID NO: 145)
	CGAGGAGACAGGGAAGTGA (SEQ ID NO: 146)
	CTCTCGGTCAGTCTGTGAGT (SEQ ID NO: 147)
	TCTCTCGGTCAGTCTGTGAG (SEQ ID NO: 148)
	AGACTGACCGAGAGAACCTG (SEQ ID NO: 149)
	GCGCGATCCGACAGTTCTCT (SEQ ID NO: 150)
	AGTAGCGAGCGCGATCCGC (SEQ ID NO: 151)
	CCGCTACTACAACCAGAGCG (SEQ ID NO: 152)
	CCTCGCTCTGGTTGTAGTAG (SEQ ID NO: 153)

TABLE 11: HLA-B 07:02, 44:03, 57:01, and 08:01

07:02	44:03	57:01	08:01
TGGACGACACCCAGTTC GTG (SEQ ID NO: 238)	CGTAGCCACGGTGATG AAG (SEQ ID NO: 280)	CGCTGTGGAACCTCACG AAC (SEQ ID NO: 240)	TGTCGAAATACCTCATG GAG (SEQ ID NO: 221)
GCTGTGGAACCTCACGA ACT (SEQ ID NO: 239)	GTCTCCCGGTCCCAATA CTC (SEQ ID NO: 298)	GCTGTGGAACCTCACGA ACT (SEQ ID NO: 239)	GTCGAAATACCTCATGG AGT (SEQ ID NO: 220)
CGCTGTGGAACCTCACG AAC (SEQ ID NO: 240)	ACAGCGACGCCACGAGT CCG (SEQ ID NO: 283)	TGGACGACACCCAGTTC GTG (SEQ ID NO: 238)	GGCGGTGTCGAAATACC TCA (SEQ ID NO: 222)
ATTTCTACACCTCCGTGT CC (SEQ ID NO: 117)	TAGCCACGGTGATGAA GCG (SEQ ID NO: 278)	CGTAGCCCACTGCGATG AAG (SEQ ID NO: 53)	CGTAGCCCACTGAGATG AAG (SEQ ID NO: 236)
CACACAGATCTACAAGG CCC (SEQ ID NO: 249)	GAGCCCGCTTCATCAC CGT (SEQ ID NO: 277)	ACAGCGACGCCGCGAGT CCG (SEQ ID NO: 318)	TAGCCCACTGAGATGAA GCG (SEQ ID NO: 234)

GGAGGTGTAGAAATACC TCA (SEQ ID NO: 116)	CGTGTCGTCCACGTAGC CCA (SEQ ID NO: 60)	CTCTCGGTAAGTCTGCG CGG (SEQ ID NO: 1027)	CGGCTCCTCTCTCGGACT CG (SEQ ID NO: 242)
CGTAGCCCACTGAGATG AAG (SEQ ID NO: 236)	CGACGCCACGAGTCCGA GGA (SEQ ID NO: 284)	CCTCGCTCTGGTTGTAGT AG (SEQ ID NO: 153)	ATTTCGACACCGCCATGT CC (SEQ ID NO: 223)
TAGCCCACTGAGATGAA GCG (SEQ ID NO: 234)	CTGGTTGTAGTAGCGGA GCG (SEQ ID NO: 304)	GTTCTCTCGGTAAGTCTG CG (SEQ ID NO: 1028)	GTGTTCCGGTCCCAATA CTC (SEQ ID NO: 155)
CGGCTCCTCTCTCGGACT CG (SEQ ID NO: 242)	CCTCGCTCTGGTTGTAGT AG (SEQ ID NO: 153)	CGACGCCGCGAGTCCGA GGA (SEQ ID NO: 319)	CGACGCCGCGAGTCCGA GAG (SEQ ID NO: 241)
GTGTTCCGGTCCCAATAC TC (SEQ ID NO: 155)	CCGCTACTACAACCAGA GCG (SEQ ID NO: 152)	TAGCCCACTGCGATGAA GCG (SEQ ID NO: 47)	GTAGCCCACTGAGATGA AGC (SEQ ID NO: 235)
GCTGTCGAACCTCACGA ACT (SEQ ID NO: 239)			
CGCCGTGGATAGAGCAG GAG (SEQ ID NO: 79)			

TABLE 12: HLA-B 14:02, 50:01, 37:01, and 52:01

B 14:02	B 50:01	B 37:01	B 52:01
GTGTTCCGGTCCCAATAT TC (SEQ ID NO: 311)	CGTAGCCCACTGATG AAG (SEQ ID NO: 280)	GCTGTCGAACCTCACGA ACT (SEQ ID NO: 239)	CGCTGTCGAACCTCACG AAC (SEQ ID NO: 240)
TAGCCCACTGAGATGAA GCG (SEQ ID NO: 234)	GTCTCCGGTCCCAATAC TC (SEQ ID NO: 298)	TGGACGACACCCAGTTC GTG (SEQ ID NO: 238)	GCTGTCGAACCTCACGA ACT (SEQ ID NO: 239)
CGTAGCCCACTGAGATG AAG (SEQ ID NO: 236)	ACAGCGACGCCACGAGT CCG (SEQ ID NO: 283)	CGCTGTCGAACCTCACG AAC (SEQ ID NO: 240)	TGGACGACACCCAGTTC GTG (SEQ ID NO: 238)
CGGCTCCTCTCTCGGACT CG (SEQ ID NO: 242)	TAGCCCACTGATGAA GCG (SEQ ID NO: 278)	CGTAGCCCACTGAGATG AAG (SEQ ID NO: 236)	CGTAGCCCACTGCGATG AAG (SEQ ID NO: 53)
ATTCTACACCGCCGTGT CC (SEQ ID NO: 305)	CGTGTCGTCCACGTAGC CCA (SEQ ID NO: 60)	TAGCCCACTGAGATGAA GCG (SEQ ID NO: 234)	GTCTCCGGTCCCAATAC TC (SEQ ID NO: 298)
CGACGCCGCGAGTCCGA GAG (SEQ ID NO: 241)	GAGCCCCGCTTCATCAC CGT (SEQ ID NO: 277)	ACAGCGACGCCGCGAGT CCG (SEQ ID NO: 318)	ACAGCGACGCCGCGAGT CCG (SEQ ID NO: 318)
GTAGCCCACTGAGATGA AGC (SEQ ID NO: 235)	CGACGCCACGAGTCCGA GGA (SEQ ID NO: 284)	CTGGTTGTAGTAGCGGA GCA (SEQ ID NO: 1444)	CCTCGCTCTGGTTGTAGT AG (SEQ ID NO: 153)
GAGCCCCGCTTCATCTCA GT (SEQ ID NO: 233)	TGGACGACACGCTGTTC GTG (SEQ ID NO: 1018)	GTCTCCGGTCCCAATA CTC (SEQ ID NO: 298)	TAGCCCACTGCGATGAA GCG (SEQ ID NO: 47)
GAGAGCCTGCGAACCT GCG (SEQ ID NO: 253)	GTAGCCCACTGATGA AGC (SEQ ID NO: 279)	TCTGGTTGTAGTAGCGG AGC (SEQ ID NO: 1445)	CGACGCCGCGAGTCCGA GGA (SEQ ID NO: 319)
TGGACGACACGAGTTC GTG (SEQ ID NO: 57)	GAGAGCCTGCGAACCT GCG (SEQ ID NO: 253)	GTAGCCCACTGAGATGA AGC (SEQ ID NO: 235)	CCGCTACTACAACCAGA GCG (SEQ ID NO: 152)

TABLE 13: HLA-B 38:01 and 35:01

B 38:01	B 35:01
ATTCTACACCTCCGTGTCC (SEQ ID NO: 117)	GCTGTCGAACCTCACGAAC (SEQ ID NO: 239)
GGAGGTGTAGAAATACCTCA (SEQ ID NO: 116)	TGGACGACACCCAGTTCGTG (SEQ ID NO: 238)
TAGCCCACTGAGATGAAGCG (SEQ ID NO: 234)	CGCTGTCGAACCTCACGAAC (SEQ ID NO: 240)
CGGCTCCTCTCTCGGACTCG (SEQ ID NO: 242)	CGTAGCCCACTGCGATGAAG (SEQ ID NO: 53)
GTGTTCCGGTCCCAATATTC (SEQ ID NO: 311)	GTGTTCCGGTCCCAATACTC (SEQ ID NO: 155)
CGTAGCCCACTGAGATGAAG (SEQ ID NO: 236)	ACAGCGACGCCGCGAGTCCG (SEQ ID NO: 318)
CGACGCCGCGAGTCCGAGAG (SEQ ID NO: 241)	GAGAGCCTGCGAACCTGCG (SEQ ID NO: 253)

CCGCTACTACAACCAGAGCG (SEQ ID NO: 152)	TAGCCCACTGCGATGAAGCG (SEQ ID NO: 47)
GTAGCCCACTGAGATGAAGC (SEQ ID NO: 235)	CGACGCCGCGAGTCCGAGGA (SEQ ID NO: 319)
GAGCCCCGCTTCATCTCAGT (SEQ ID NO: 233)	GAGCCCCGCTTCATCGCAGT (SEQ ID NO: 43)

TABLE 14: HLA-DRB1 03:01, 15:01, 07:01, and 01:02

DRB1 03:01	DRB1 15:01	DRB1 07:01	DRB1 01:02
TTTCTTCAATGGGACGG AGC (SEQ ID NO: 1257)	CGAAGCGCACGGACTC CTCC (SEQ ID NO: 1426)	TGCAGACACAACCTACGG GGT (SEQ ID NO: 1286)	TTTCTTCAATGGGACGGA GC (SEQ ID NO: 1257)
CAGACACAACCTACGGGG TTG (SEQ ID NO: 1326)	TTTCTTCAATGGGACGG AGC (SEQ ID NO: 1257)	ATTTCTTCAACGGGACG GAG (SEQ ID NO: 1336)	ATTTCTTCAATGGGACGG AG (SEQ ID NO: 1256)
ATTTCTTCAATGGGACG GAG (SEQ ID NO: 1256)	CAGACACAACCTACGGG GTTG (SEQ ID NO: 1326)	TTTCTTCAACGGGACGG AGC (SEQ ID NO: 1337)	CGAGTACTGGAACAGCC AGA (SEQ ID NO: 1067)
GTGTCATTTCTTCAATGG GA (SEQ ID NO: 1304)	GGACAGATACTTCTATA ACC (SEQ ID NO: 1424)	GTGTCATTTCTTCAACGG GA (SEQ ID NO: 1335)	TCTGCAATAGGTGTCCAC CG (SEQ ID NO: 1288)
CGAGTACTGGAACAGCC AGA (SEQ ID NO: 1067)	GGGAGTGTCAATTTCTT AAT (SEQ ID NO: 1423)	ACAGCGACGTGGGGGA GTAC (SEQ ID NO: 1263)	CGAAGCGCACGGACTCC TCT (SEQ ID NO: 1261)
CTGTTCCAGTACTCGGC ATC (SEQ ID NO: 1228)	ATTTCTTCAATGGGACG GAG (SEQ ID NO: 1256)	ACCGTGTGCAGACACAA CTA (SEQ ID NO: 1379)	CTGTTCCAGTACTCGGCA TC (SEQ ID NO: 1228)
CTACTGCAGACACAAC ACG (SEQ ID NO: 1285)	GGTTATAGAAGTATCTG TCC (SEQ ID NO: 1383)	CGAAGCGCACGAACTCC TCC (SEQ ID NO: 1359)	ACAGCGACGTGGGGGA GTAC (SEQ ID NO: 1263)
CGTGCCTTCGACAGCG ACG (SEQ ID NO: 1052)	CAGATACTTCTATAACC AGG (SEQ ID NO: 1425)	CGTGTGCAGACACAAC ACG (SEQ ID NO: 1382)	CACGTCGCTGTCAAGC GCA (SEQ ID NO: 1262)
ACAGCGACGTGGGGGA GTTC (SEQ ID NO: 1056)	AGGGAGTGTCAATTTCT CAA (SEQ ID NO: 1422)	CGACGTGGGGGAGTACC GGG (SEQ ID NO: 1265)	CGACGTGGGGGAGTACC GGG (SEQ ID NO: 1265)
GTGCGCTTCGACAGCGA CGT (SEQ ID NO: 1053)	ACTCCCTCTTAGGCTGC CAC (SEQ ID NO: 1420)	CTGTTCCAGGACTCGGC GAC (SEQ ID NO: 1364)	CGTGCCTTCGACAGCG ACG (SEQ ID NO: 1052)

TABLE 15: HLA-DRB1 10:01, 15:02, 13:01, and 01:01

DRB1 10:01	DRB1 15:02	DRB1 13:01	DRB1 01:01
TTTCTTCAACGGGACGG AGC (SEQ ID NO: 1337)	TGCAGACACAACCTACGG GGT (SEQ ID NO: 1286)	TTTCTTCAATGGGACGG AGC (SEQ ID NO: 1257)	TGCAGACACAACCTACGG GGT (SEQ ID NO: 1286)
TGCAGACACAACCTACGG GGT (SEQ ID NO: 1286)	CGAAGCGCACGGACTCC TCC (SEQ ID NO: 1426)	CAGACACAACCTACGGGG TTG (SEQ ID NO: 1326)	TTTCTTCAATGGGACGGA GC (SEQ ID NO: 1257)
ATTTCTTCAACGGGACG GAG (SEQ ID NO: 1336)	TTTCTTCAATGGGACGG AGC (SEQ ID NO: 1257)	ATTTCTTCAATGGGACG GAG (SEQ ID NO: 1256)	ATTTCTTCAATGGGACGG AG (SEQ ID NO: 1256)
GTGTCATTTCTTCAACGG GA (SEQ ID NO: 1335)	GGACAGATACTTCTATA ACC (SEQ ID NO: 1424)	GTGTCATTTCTTCAATGG GA (SEQ ID NO: 1304)	CGAGTACTGGAACAGCC AGA (SEQ ID NO: 1067)
CGAGTACTGGAACAGCC AGA (SEQ ID NO: 1067)	GGGAGTGTCAATTTCTT AAT (SEQ ID NO: 1423)	CGAGTACTGGAACAGCC AGA (SEQ ID NO: 1067)	TCTGCAGTAGGTGTCCAC CG (SEQ ID NO: 1281)
TCTGCAGTAGGTGTCCA CCG (SEQ ID NO: 1281)	ATTTCTTCAATGGGACG GAG (SEQ ID NO: 1256)	TCTGCAGTAGGTGTCCA CCG (SEQ ID NO: 1281)	CGAAGCGCACGGACTCC TCT (SEQ ID NO: 1261)
CGCGCTACGACAGCGAC GTG (SEQ ID NO: 1446)	GGTTATAGAAGTATCTG TCC (SEQ ID NO: 1383)	CTGTTCCAGTACTCGGC ATC (SEQ ID NO: 1228)	ACAGCGACGTGGGGGA GTAC (SEQ ID NO: 1263)
AAGACGCGTCCATAACC AAG (SEQ ID NO: 1447)	CAGATACTTCTATAACC AGG (SEQ ID NO: 1425)	CTACTGCAGACACAAC ACG (SEQ ID NO: 1285)	CTGTTCCAGTACTCGGCA TC (SEQ ID NO: 1228)

GCGCTACGACAGCGACG TGG (SEQ ID NO: 1448)	AGGGAGTGTCTTTCTT CAA (SEQ ID NO: 1422)	ACCTACTGCAGACACAA CTA (SEQ ID NO: 1282)	CACGTCGCTGTCTGAAGC GCA (SEQ ID NO: 1262)
ACAGCGACGTGGGGGA GTAC (SEQ ID NO: 1263)	ACTCCCTCTTAGGCTGC CAC (SEQ ID NO: 1420)	CGTGCGCTTCGACAGCG ACG (SEQ ID NO: 1052)	CGACGTGGGGGAGTACC GGG (SEQ ID NO: 1265)

TABLE 16: HLA-DPB1 01:01, 02:01, 03:01, and 04:01

DPB1*01:01	DPB1*02:01	DPB1*03:01	DPB1*04:01
GAGATACATCTACAACC GGG (SEQ ID NO: 1453)	GACACAACCTACGAGCTG GGC (SEQ ID NO: 1462)	GAGATACATCTACAACC GGG (SEQ ID NO: 1453)	GACACAACCTACGAGCTG GGC (SEQ ID NO: 1462)
TGGAGAGATACATCTAC AAC (SEQ ID NO: 1454)	GTGCAGACACAACCTACG AGC (SEQ ID NO: 1463)	TGGAGAGATACATCTAC AAC (SEQ ID NO: 1454)	GTGCAGACACAACCTACG AGC (SEQ ID NO: 1463)
GGTTGTAGATGTATCTCT CC (SEQ ID NO: 1455)	GAGATACATCTACAACC GGG (SEQ ID NO: 1453)	GGTTGTAGATGTATCTCT TCC (SEQ ID NO: 1455)	GAGATACATCTACAACC GGG (SEQ ID NO: 1453)
GGAGAGATACATCTACA ACC (SEQ ID NO: 1456)	AGACACAACCTACGAGCT GGG (SEQ ID NO: 1464)	GGAGAGATACATCTACA ACC (SEQ ID NO: 1456)	AGACACAACCTACGAGCT GGG (SEQ ID NO: 1464)
AGGAATGCTACGCGTTT AAT (SEQ ID NO: 1457)	TGGAGAGATACATCTAC AAC (SEQ ID NO: 1454)	TTACGTGTACCAGTTAC GGC (SEQ ID NO: 1466)	TGGAGAGATACATCTAC AAC (SEQ ID NO: 1454)
CAGGAATGCTACGCGTT TAA (SEQ ID NO: 1458)	GGTTGTAGATGTATCTCT CC (SEQ ID NO: 1455)	AGGAATGCTACGCGTTT AAT (SEQ ID NO: 1457)	GGTTGTAGATGTATCTCT CC (SEQ ID NO: 1455)
TTACGTGTACCAGGGAC GGC (SEQ ID NO: 1459)	GGAGAGATACATCTACA ACC (SEQ ID NO: 1456)	CGAAGCGCACGAACCTCC TCC (SEQ ID NO: 1359)	GGAGAGATACATCTACA ACC (SEQ ID NO: 1456)
TAATGGGACACAGCGCT TCC (SEQ ID NO: 1460)	AGGAATGCTACGCGTTT AAT (SEQ ID NO: 1457)	AGAATTACGTGTACCAG TTA (SEQ ID NO: 1467)	AGGAATGCTACGCGTTT AAT (SEQ ID NO: 1457)
CGCGCGCTTCGACAGCG ACG (SEQ ID NO: 1217)	TGCAGACACAACCTACGA GCT (SEQ ID NO: 1465)	CAGGAATGCTACGCGTT TAA (SEQ ID NO: 1458)	TGCAGACACAACCTACGA GCT (SEQ ID NO: 1465)
ATGCAGACACAACCTACG AGC (SEQ ID NO: 1461)	TAATGGGACACAGCGCT TCC (SEQ ID NO: 1460)	TAATGGGACACAGCGCT TCC (SEQ ID NO: 1460)	CAGGAATGCTACGCGTT TAA (SEQ ID NO: 1458)

TABLE 17: HLA-DPB1 04:02, 11:01, 17:01, and 34:01

DPB1*04:02	DPB1*11:01	DPB1*17:01	DPB1*34:01
GACACAACCTACGAGCTG GGC (SEQ ID NO: 1462)	GTGCAGACACAACCTACG AGC (SEQ ID NO: 1463)	GTGCAGACACAACCTACG AGC (SEQ ID NO: 1463)	GTGCAGACACAACCTACG AGC (SEQ ID NO: 1463)
GTGCAGACACAACCTACG AGC (SEQ ID NO: 1463)	TGGAGAGATACATCTAC AAC (SEQ ID NO: 1454)	GAGATACATCTACAACC GGG (SEQ ID NO: 1453)	GAGATACATCTACAACC GGG (SEQ ID NO: 1453)
GAGATACATCTACAACC GGG (SEQ ID NO: 1453)	GGTTGTAGATGTATCTCT CC (SEQ ID NO: 1455)	TGGAGAGATACATCTAC AAC (SEQ ID NO: 1454)	TGGAGAGATACATCTAC AAC (SEQ ID NO: 1454)
AGACACAACCTACGAGCT GGG (SEQ ID NO: 1464)	TTACGTGTACCAGTTAC GGC (SEQ ID NO: 1466)	GGTTGTAGATGTATCTCT CC (SEQ ID NO: 1455)	GGTTGTAGATGTATCTCT CC (SEQ ID NO: 1455)
TGGAGAGATACATCTAC AAC (SEQ ID NO: 1454)	AGGAATGCTACGCGTTT AAT (SEQ ID NO: 1457)	GGAGAGATACATCTACA ACC (SEQ ID NO: 1456)	GGAGAGATACATCTACA ACC (SEQ ID NO: 1456)
GGTTGTAGATGTATCTCT CC (SEQ ID NO: 1455)	GAGATACATCTACAACC GGC (SEQ ID NO: 1468)	AGGAATGCTACGCGTTT AAT (SEQ ID NO: 1457)	AGGAATGCTACGCGTTT AAT (SEQ ID NO: 1457)
GGAGAGATACATCTACA ACC (SEQ ID NO: 1456)	AGAATTACGTGTACCAG TTA (SEQ ID NO: 1467)	TTACGTGCACCAGTTAC GGC (SEQ ID NO: 1470)	GACACAACCTACGAGCTG GTC (SEQ ID NO: 1472)
AGGAATGCTACGCGTTT AAT (SEQ ID NO: 1457)	CAGGAATGCTACGCGTT TAA (SEQ ID NO: 1458)	AGAATTACGTGCACCAG TTA (SEQ ID NO: 1471)	TAATGGGACACAGCGCT TCC (SEQ ID NO: 1460)
TGCAGACACAACCTACGA GCT (SEQ ID NO: 1465)	TAATGGGACACAGCGCT TCC (SEQ ID NO: 1460)	CGAAGCGCACGAACCTCC TCC (SEQ ID NO: 1359)	TTACCTTTTCCAGGGACG GC (SEQ ID NO: 1473)

CGAAGCGCACGAACTCC TCC (SEQ ID NO: 1359)	CGTAGCATTCCTGCCGT AAC (SEQ ID NO: 1469)	CAGGAATGCTACGCGTT TAA (SEQ ID NO: 1458)	CAGGAATGCTACGCGTT TAA (SEQ ID NO: 1458)
--	--	--	--

Example 6: Evaluating Off-Target Editing in HLA Knockout HSCs

The HLA genes are located on the short arm of chromosome 6 (e.g., as shown in FIG. 11), and because the HLA system contains closely related genes, specific gRNA design is challenging. Sequencing of the triple knockout (HLA edited) clones was performed to check for unwanted editing and to ensure that no major editing events, e.g., deletion(s), occurred within other regions of chromosome 6. Sequencing methods and other analyses were performed to evaluate the degree of gRNA off-target activity and to select gRNAs that represent a low risk of affecting non-target HLA genes.

Sequencing was performed by using *in situ* break labelling in fixed and permeabilized cells by ligating a full-length P5 sequencing adapter to end-prepared DSBs. Genomic DNA was extracted, fragmented, end-prepared, and ligated using a chemically modified half-functional P7 adapter. The resulting DNA libraries contained a mixture of functional DSB-labelled fragments (P5:P7) and non-functional genomic DNA fragments (P7:P7). Subsequent DNA sequencing of the DNA libraries enriched for DNA-labelled fragments, eliminating all extraneous non-functional DNA. As the library preparation is PCR-free, each sequencing read obtained was equivalent to a single labelled DSB-end from a cell. This generated a DNA break readout, enabling the direct detection and quantification of genomic DSBs by sequencing without the need for error-correction and enabled mapping a clear list of off-target mutations.

Table 18 below summarizes the results of the editing strategy in two representative HLA edited clones relative to wild-type (gHSCs) cells.

TABLE 18: Clonal HSC HLA knockouts.

Sample ID	Locus	Allele 1	Allele 2	Comments
gHSCs	A	A*01:01:01	A*01:01:01	Not affected
	B	B*08:01:01	B*08:01:01	Not affected
	C	C*07:01:01	C*07:01:01	Not affected
	DPA1	DPA1*01:03:01	DPA1*02:01:02	Not affected
	DPB1	DPB1*01:01:01	DPB1*04:01:01	Not affected
	DQA1	DQA1*05:01:01	DQA1*05:01:01	Not affected
	DQB1	DQB1*02:01:01	DQB1*02:01:01	Not affected
	DRB1	DRB1*03:01:01	DRB1*03:01:01	Not affected

	DRB345	DRB3*01:01:02	DRB3*01:01:02	Not affected
Clone #1	A	xxx	xxx	Deletion in Exon 2
	B	B*08:01:01	B*08:01:01	Not affected
	C	C*07:01:01	C*07:01:01	Not affected
	DPA1	DPA1*01:03:01	DPA1*02:01:02	Not affected
	DPB1	xxx	xxx	Deletion in Exon 2
	DQA1	DQA1*05:01:01	DQA1*05:01:01	Not affected
	DQB1	xxx	xxx	Deletion in Exon 2
	DRB1	DRB1*03:01:01	DRB1*03:01:01	Not affected
	DRB345	DRB3*01:01:02	DRB3*01:01:02	Not affected
Clone #2	A	xxx	xxx	Deletion in Exon 2
	B	B*08:01:01	B*08:01:01	Not affected
	C	C*07:01:01	C*07:01:01	Not affected
	DPA1	DPA1*01:03:01	DPA1*02:01:02	Not affected
	DPB1	xxx	xxx	Deletion in Exon 2
	DQA1	DQA1*05:01:01	DQA1*05:01:01	Not affected
	DQB1	xxx	xxx	Deletion in Exon 2
	DRB1	DRB1*03:01:01	DRB1*03:01:01	Not affected
	DRB345	DRB3*01:01:02	DRB3*01:01:02	Not affected

Table 19 provides a non-limiting example of gRNAs used in the experiments. The gRNA sequences disclosed in Tables 2A through 17 can be used to knock out expression of indicated HLA genes.

5 **TABLE 19: Exemplary gRNA sequences**

gRNA ID	Spacer sequence
HLA-A	CGTAGCCCACGGCGATGAAG (SEQ ID NO: 56)
	ATTCTTTCACATCCGTGTCC (SEQ ID NO: 7)
	GTCTCCTGGTCCCAATACTC (SEQ ID NO: 91)
	GTAGCCCACGGCGATGAAGC (SEQ ID NO: 54)
	TAGCCCACGGCGATGAAGCG (SEQ ID NO: 52)
	GAGGGTTCGGGGCGCCATGA (SEQ ID NO: 1)
	CCGGAACACACGGAATGTGA (SEQ ID NO: 157)
	ACAGCGACGCCGCGAGCCAG (SEQ ID NO: 59)
	CCACTCACAGATTGACCGAG (SEQ ID NO: 202)
	CGACGCCGCGAGCCAGAGGA (SEQ ID NO: 61)

	CAGATTGACCGAGTGGACCT (SEQ ID NO: 206) CAGACTGACCGAGTGGACCT (SEQ ID NO: 132) ACAGACTGACCGAGTGGACC (SEQ ID NO: 131) GCCGGGCCGGGACACGGATG (SEQ ID NO: 141) CCAGGAGACACGGAATGTGA (SEQ ID NO: 126) CCAGTCACAGACTGACCGAG (SEQ ID NO: 129) TCGACAGCGACGCCGCGAGC (SEQ ID NO: 120)
HLA-DPB1	GAGATACATCTACAACCGGG (SEQ ID NO: 1453) TGGAGAGATACATCTACAAC (SEQ ID NO: 1454) GGTTGTAGATGTATCTCTCC (SEQ ID NO: 1455) GGAGAGATACATCTACAACC (SEQ ID NO: 1456) AGGAATGCTACGCGTTTAAT (SEQ ID NO: 1457)
HLA-DQB1	CAGATACATCTATAACCGAG (SEQ ID NO: 1094) CGAGTACTGGAACAGCCAGA (SEQ ID NO: 1067) CCCGTTGGTGAAGTAGCACA (SEQ ID NO: 1090) GTGCTACTTCACCAACGGGA (SEQ ID NO: 1091) AGGTCGTGCGGAGCTCCAAC (SEQ ID NO: 1080) AGGTGACAGTTGCTACCCGA (SEQ ID NO: 1153) TCCCGTTGGTGAAGTAGCAC (SEQ ID NO: 1164) AACTACGAGGTGGCGTACCG (SEQ ID NO: 1197) CTGTTCCAGTACTCGGCAAC (SEQ ID NO: 1181) ACTACGAGGTGGCGTACCGC (SEQ ID NO: 1198) CGAAGCGCACGTACTCCTCT (SEQ ID NO: 1171)

The results show that the editing strategy was successful in selectively targeting the HLA-A, DPB1, and DQB1 genes without affecting the other HLA genes or introducing major deletion elsewhere.

These results were confirmed by a phenotypic analysis of the HLA edited clones by FACS and immunofluorescence. As shown in **FIGS. 12A and B**, HLA edited cells tested positive for overall expression of HLA class-I molecules, comparable to the overall expression of HLA class-I molecules of wild-type cells. Specific expression of HLA-A via immunofluorescence confirmed that HLA-A was not expressed in the HLA edited cells, corroborating the finding that the gene editing strategy was successful in deleting only the HLA-A gene. Specifically, **FIG. 12A**, shows that the HLA edited cells were all positive for class-I like HLA to the same extent as the wild type (gHSC) cells. This result indicates that despite the deletion of HLA-A, other class-I molecules like HLA-B and C were expressed and not affected by the gene editing strategy.

To confirm that the HLA-A gene was deleted, specific expression of the HLA-A was analyzed with immunofluorescence. As can be seen in **FIG. 12B**, HLA-A was not expressed in the HLA edited clone indicating that the gene editing strategy was efficient in specifically deleting the HLA-A gene only. Such preservation of overall class-I expression with deletion of HLA-A will facilitate patient matching while avoiding NK-cell mediated rejection.

Example 7: Evaluating Pluripotency and Immunocompatibility of HLA edited HSCs

The ability of HLA edited cells to preserve pluripotency was evaluated. As shown in **FIG. 13**, immunofluorescence evaluation of the HLA edited iPSC clones indicated that they maintained trilineage differentiation, with ectoderm differentiation indicated by NESTIN-488 and PAX6-594 staining, mesoderm differentiation indicated by GATA-488 staining, and endoderm differentiation indicated by CXCR4-488 and FOX2A-594 staining.

HLA class I molecules are expressed on the surface of all nucleated cells and if the HLA class I molecules are mismatched between donor and recipient, then the cells could be recognized and killed by CD8⁺ T cells. Additionally, HLA mismatching could lead to cytokine release syndrome (CRS) and graft-versus-host disease (GVHD). Conversely, the complete deletion of HLA-I molecules, via B2M KO, would make the cell a target of NK cell-mediated cytotoxicity. The preservation of overall class-I expression with deletion of HLA-A can facilitate patient matching while preventing the NK-cell mediated rejection. Thus, the immunocompatibility of the HLA edited HSCs was tested by co-culture with peripheral blood mononuclear cells (PBMCs) to evaluate if the immune cells would reject a graft of the HLA edited and gHSCs.

Wild-type (gHSCs) and HLA edited HSCs were co-cultured with PBMCs matching the HLA-B and HLA-C markers, but with mismatched HLA-A. B2M KO HSCs lacking expression of HLA class-I molecules and CIITA KO HSCs lacking expression of class-II molecules were used as controls to compare the degree of PBMC-mediated cytotoxicity for HLA-null and mismatched HLA, respectively. **FIG. 14** shows the results of the PBMC-mediated cytotoxicity assay in the co-cultures as measured by an annexin V staining. The results show that deletion of HLA-A in the HLA edited HSCs protects the cells from PBMC-mediated cytotoxicity, while WT, B2M KO, and CIITA KO were susceptible to PBMC-mediated cytotoxicity. Co-cultured HSCs with sorted CD8⁺ T cells from the same PBMC donor protected HLA edited and B2M KO HSCs from CD8⁺ T cell cytotoxicity. Conversely, co-cultured HSCs with sorted NK cells only protected the WT (gHSCs) and HLA edited cells from the NK cell-mediated cytotoxicity.

In summary, the immune capability results show that the CD8⁺ T cells present in the PBMC samples were responsible for killing the cells with mismatched HLA molecules (WT) and CIITA KO, while the NK cells present in the PBMCs were responsible for killing the HLA-null cells (B2M KO). However, HLA edited HSCs are protected from CD8⁺ T cell-mediated cytotoxicity (because the mismatched HLA-A had been knocked out), and protected from NK cell-mediated cytotoxicity (because HLA class I molecule expression was largely preserved).

Example 8: Evaluating the in vivo engraftment potential of HLA edited HSCs

To evaluate the engrafting potential of HLA edited HSCs, the cells' ability to engraft *in vivo* was evaluated by a competitive transplant against WT HSCs. Equal proportions of mCherry HLA edited HSCs and unedited HSCs were admixed and transplanted into mice, from where bone marrow (BM) and peripheral blood samples were recovered and evaluated by FACS to compare the relative amounts of each cell type present in the samples. As shown in **FIG. 15**, both the HLA edited HSCs and the WT HSCs contributed to approximately equal engraftment in the BM and peripheral blood samples. These results confirm that HLA edited HSCs (prepared according to this disclosure) are comparable to WT HSCs in their engraftment and reconstitution potential. Hence, it is expected that properties of the WT HSCs are consistent with that of the HLA edited HSCs of the present disclosure.

Example 9: Differentiation of HLA edited HSCs to hematopoietic lineages

Experiments were carried out to determine if HLA deletion impacts the HSCs ability to differentiate into different types of immune cells. Using the process essentially as described in Example 2, HLA edited HSCs were differentiated to pro-T cells. It was found that the HLA-edited HSCs were able to differentiate into Pro-T Cells, which was comparable to WT (non-HLA-edited) HSCs as measured by their CD34⁺-CD7⁺ expressions (**FIG. 16A** and **B**). Further, upon differentiation to NK cells, it was shown that HLA-edited HSCs were able to differentiate into NK cells, comparable to WT HSCs as measured by their CD3-CD56⁺ expressions (**FIG. 17**). Likewise, it was determined that the HLA-edited HSCs were able to differentiate into monocyte/macrophage lineage comparable to WT HSCs as measured by their CD11b⁺-CD14⁺ expressions (**FIG. 18A**). Further, the CD11b⁺-CD14⁺ gated population showed equivalent HLA-I and HLA-II expression (**FIG. 18B**) indicating that HLA-edited HSCs preserve the overall expression of both class I and class II molecules.

The overall expression of the other class-II molecules in HLA-DQB1 and HLA-DPB1 supported by the edited HSCs was evaluated, by evaluating the expression in macrophages differentiated from the HSCs. The design of the study is schematically shown in **FIG. 19A**. It was found that the deletion of HLA-DQB1 and HLA-DPB1 did not affect the expression of other HLA Class II molecules (**FIG. 19B**). For example, HLA-DR is comparably expressed in both WT and HLA-edited cells (**FIG. 19C**). In **FIGS. 19B and C**, CIITA-KO is as a positive control.

Antigen presenting cells (APC) present antigens to helper CD4⁺ T cells through the HLA-II molecules. Activation of helper CD4⁺ T cells promotes the generation of antigen-specific CD8⁺ T cells which further develop into antigen-specific CTLs. Likewise, HLA Class I molecules are expressed on the surface of all nucleated cells and display peptide fragments of proteins from within the cell to CD8⁺ CTLs. CTLs induce cytotoxic killing of target (infected) cells upon recognition of HLA-I- peptide complex expressed on the cell surface. Hence, a study was carried out to determine if deletion of HLA-A impacts the edited HSCs' class I peptide presentation. As shown in **FIG. 20A and B**, immunoepitidome analysis shows that the deletion of HLA-A does not impact overall class I peptide presentation. HLA-A edited cells showed comparable peptide and protein presentation when

compared to wild type (gHSCs) HSCs. Further, as shown in **FIG. 21A** and **B**, deletion of HLA-DQB1 and HLA-DPB1 does not impact overall class II peptide presentation by macrophages differentiated from the HSCs. Together, these data suggest that despite the deletion of HLA-A, HLA-DQ, and HLA-DP molecules, the cells preserve their ability to present a broad spectrum of class I and II peptides.

Example 10: In vivo testing of antigen-mediated immune response.

FIG. 22 is a schematic illustration of a Delayed Type Hypersensitivity Reaction, showing the sensitizing and eliciting stages of an antigen presentation. Briefly, upon antigen injection, antigen is processed by antigen presenting cells (APC) and presented by MHC Class II molecules on the APC surface. CD4⁺ T cells recognize peptide-MHC on antigen presenting cells (APCs). Upon antigenic challenge CD4⁺ helper T cells are activated and cytokines recruit macrophages and other immune cells, which induce tissue swelling at the site of antigen exposure.

A delayed-type hypersensitivity assay was performed on transplanted mice. Specifically, the mice were sensitized by subcutaneous injection of sheep Red blood cells as antigen. If the mice have a functional immune system, the APCs process the antigen and present peptide antigens to CD4⁺ T cells. Next, the mice were challenged by subcutaneous injection of the same antigen in the left paw. At this point the T cells are activated and secrete cytokines which recruit macrophages and other immune cells at the site of antigen injection creating tissue swelling. In this assay, a functional immune system could result in the swelling of the left paw as measured with a micro caliper.

As can be seen in **FIG. 23A** and **B**, the control (non-transplanted) mice did not show any left paw swelling as they are immunodeficient. Conversely, the mice transplanted with Cord Blood CD34⁺ cells showed tissue swelling and doubled the diameter of their left paw. A similar immune system response was found in both the mice transplanted with the WT (non-edited HSCs) and the HLA-edited HSCs (Triple KO).

Example 11: In vivo testing of HSC-derived T cells

In-vitro activation of the HSC-derived T cells was measured, and results are illustrated in **FIG. 24**. Top panel of FIG. 24 shows FACS analysis of activated T cells from

different sources, including the HSCs prepared using Piezo1 activation. T cells prepared from the HSCs demonstrated comparable or superior activation as measured by increased CD107 expression. The lower panel shows Dynabeads activation, where activated T cells express inflammatory cytokines. HSC-derived T cells prepared using Piezo1 activation
5 expressed higher levels of inflammatory cytokines as exemplified by TNF-alpha and interferon gamma expression levels.

Example 12: Evaluating properties of CCR5 knock out HSCs to develop into pro-T cells

To determine if CCR5 knock out (CCR5-KO) HSCs can comparably differentiate to pro-T cells similar to their wild-type counterparts from which they are derived, a study was
10 performed in which the CD34, CD7 and CD5 expression of the HSCs and the CCR5-KO were measured. As can be seen in **FIG. 25**, HSCs successfully differentiated into CD34+CD7+ CD5+ pro-T cells comparably to bone marrow derived CD34+ cells. Likewise, the CCR5-KO, like their gHSC counterpart, successfully differentiated into CD34+CD7+ CD5+ pro-T cells.

15 Next, the property of CCR5-knocked out HSCs to differentiate into double positive (CD4+CD8+) T cells was assessed. As can be seen in **FIG. 26**, CCR5-knocked out HSCs comparably differentiated into double positive (CD4+CD8+) T cells when compared to their gHSC counterparts from which they were derived (i.e., HSCs of the present disclosure).

Example 13 – Evaluating HSC-derived T cell (pro-T cell) Differentiation and Maturation

20 Next, the ability of the HSC-derived T cells (pro-T cells) to differentiate into mature T cells was tested. After a 35-day differentiation period, pro-T cells were evaluated by cell sorting for the presence of CD4+, CD8+, and AB+ T cell populations. As shown in **FIG. 29**, pro-T cells differentiated into CD4+, CD8+, and $\alpha\beta$ + T cells more efficiently than bone marrow (BM)-derived CD34+ cells and the CD34+ cells derived from the embryonic bodies
25 (EB).

Next, to test the functional properties, each of the T cell populations were co-cultured with a CD19+ lymphoma cell line and an anti-CD3/CD-19 bispecific antibody. In this experimental model, the bispecific antibody engaged both the CD3 receptor on T cells and

the CD19 cell surface receptor of the lymphoma cells, thus triggering T cell activation. The degree of activation was evaluated by measuring the subsequent T-cell mediated cytotoxicity in comparison to a Pan T cell control. As shown in **FIG. 30**, the pro-T cells exhibited a statistically significant outperformance in cytotoxicity in comparison to both the BM CD34+ T cells and the EB CD34+ T cells.

Because the overall differentiation process of pro-T cells is 35 days long, a transduction experiment was performed to test if the time required to differentiate the HSCs could be decreased. Pro-T cells were cultured in an activation media (for approx. 7 days) to increase the transduction efficiency of the cells. Next, the cells were transduced with lentiviral (LV) particles encoding an anti-CD19 CAR transgene. The cells were cultured for additional 4-5 days (a total of 12 days) and their maturation and killing capabilities were evaluated. As shown in **FIG. 31**, the HSC-derived pro-T cells can be transduced with high efficiency, with more than 80% of the cells express the anti-CD19 CAR as evidenced by cell sorting.

Next, the pro-T cells were evaluated for their ability to effectively mature into CD4+/CD8+ T cells via CAR transduction. The pro-T cells, along with bone marrow (BM)-derived CD34+ cells and CD34+ cells derived from the embryonic bodies (EB) (and Pan T cells as a positive control), underwent LV-transduction with the anti-CD19 CAR. The T cell subsets were screened by cell sorting for the presence of CD4 or CD8 cell surface marker expression. As shown in **FIG. 32**, the results indicated that CAR transduction promoted T cell maturation and that an increased degree of T cell maturation was observed in the pro-T cells in comparison to bone marrow (BM)-derived CD34+ cells and the CD34+ cells derived from the embryonic bodies (EB).

The ability of LV-transduced pro-T cells to function via anti-CD19 receptor-mediated cytotoxicity was evaluated. The T cell subsets were cocultured with a CD19+ leukemia cell line (NALM6) expressing a luciferase reporter gene (Luc+) to measure the degree of T cell-mediated cell lysis, with untransduced cells and Pan T cells as a negative and positive control, respectively. As shown in **FIG. 33**, the CAR pro-T cells effectively functioned via T cell-mediated lysis, demonstrating a degree of cytotoxicity comparable to

the CAR-pro T cells derived from the BM CD34⁺ cells. Conversely, the CAR pro-T cells derived from the EB CD34⁺ cells showed no ability to kill the target cells.

Example 14 – Evaluating HSC properties of developing into pro-T cells.

The ability of the HSCs to develop into pro-T cells was assessed by measuring the
5 CD34-CD7⁺ markers on the pro-T cells. As shown in **FIG. 34**, FACS analysis showed that HSCs produced according to this disclosure successfully differentiated into CD34-CD7⁺ pro-T cells, as compared to bone marrow derived CD34⁺ cells or EB-derived CD34⁺ cells.

Next, the expression of T cell-specific transcription factors and thymus engrafting
molecules were measured. **FIG. 35A** shows increased TCF7 expression and **FIG. 35B**
10 shows increased CCR7 expression in the HSC-derived pro-T cells of the disclosure. **FIG. 36A** shows HSCs-derived Pro-T Cells engraft and differentiate in thymus. **FIG. 36B** shows FACS analysis of CD3⁺ cell population of cells gated on a CD45⁺ cell population, which shows the superior engraftment and differentiation potential of the HSCs-derived Pro-T Cells in the thymus. Pro-T Cells of this example were prepared from HSCs using Piezo1
15 activation as already described.

CLAIMS

1. An HLA-modified cell population that is HLA-A^{neg}, and is (1) HLA-DPA1^{neg} and/or HLA-DPB1^{neg}, and/or (2) HLA-DQA1^{neg} and/or HLA-DQB1^{neg}, the cell population being homozygous for or comprising a single gene for HLA-C, HLA-DRB1, and optionally HLA-B.
5 B.
2. The cell population of claim 1, wherein the cell population is HLA-DPB1^{neg} and/or HLA-DQB1^{neg}.
3. The cell population of claim 2, wherein the cell population is HLA-DPB1^{neg} and HLA-DQB1^{neg}.
- 10 4. The cell population of any one of claims 1 to 3, wherein the cell population comprises a deletion or inactivation of both DPB1 genes.
5. The cell population of claim 1 or 2, wherein one or both DQB1 genes are retained and optionally one or both DQA1 genes are retained.
6. The cell population of claim 1 or 2, wherein the cell population comprises a deletion
15 or inactivation of both DQB1 genes, and optionally of both DQA1 genes.
7. The cell population of claim 6, wherein one or both DPB1 genes are retained and/or one or both DPA1 genes are retained.
8. The cell population of claim 6 or 7, further comprising a deletion of one or both genes for DQB2 and/or DQB3.
- 20 9. The cell population of claim 3, wherein the cell population comprises a deletion or inactivation of both DPB1 genes and both DQB1 genes.
10. The cell population of any one of claims 1 to 9, wherein the cell population is homozygous or comprises a single copy of HLA-B.
11. The cell population of any one of claims 1 to 9, wherein the cell population is
25 homozygous or comprises a deletion or inactivation of both HLA-B genes.

12. The cell population of any one of claims 1 to 11, wherein the cell population is homozygous at HLA-DRB1, or retains one copy of HLA-DRB1 and another copy of HLA-DRB1 is deleted or inactivated.
13. The cell population of claim 12, wherein the cell population is homozygous or heterozygous, or has only a single copy of, one, two, three, or four of DRB2, DRB3, DRB4, and DRB5.
14. The cell population of claim 12, wherein one or more of DRB2, DRB3, DRB4, and DRB5 are deleted or inactivated.
15. The cell population of any one of claims 1 to 14, wherein the cell population is homozygous at HLA-E or one HLA-E gene is deleted or inactivated.
16. The cell population of any one of claims 1 to 14, wherein the cell population is heterozygous at HLA-E.
17. The cell population of any one of claims 1 to 16, wherein the cell population is homozygous at HLA-F or one or both HLA-F gene is deleted or inactivated.
18. The cell population of any one of claims 1 to 16, wherein the cell population is heterozygous at HLA-F.
19. The cell population of any one of claims 1 to 18, wherein the cell population is homozygous at HLA-G or one or both HLA-G gene is deleted or inactivated.
20. The cell population of any one of claims 1 to 18, wherein the cell population is heterozygous at HLA-G.
21. The cell population of any one of claims 1 to 20, wherein the cell is a human stem cell or human progenitor cell.
22. The cell population of claim 21, wherein the stem cell is a pluripotent stem cell, which is optionally a human induced pluripotent stem cell (hiPSC).

23. The cell population of claim 22, wherein the iPSCs are derived from cord blood, bone marrow biopsy for human HSCs, mobilized peripheral blood derived hCD34+ cells, human CD34+ cells, immune cells, immune progenitor cells, hematopoietic cells, non-hematopoietic cells, and banked organ derived cells.
- 5 24. The cell population of claim 21 to 23, wherein the stem cell is a hematopoietic stem cell (HSC), or a cell population derived therefrom.
25. The cell population of any one of claims 1 to 24, wherein the cell is a hematopoietic cell lineage, optionally the hematopoietic lineage is selected from common lymphoid precursor (CLP) cells, granulocyte-monocyte progenitor (GMP) cells, progenitor-T cells, T
10 lymphocytes, B lymphocytes, Natural Killer cells, neutrophils, monocyte, macrophages, red cells, megakaryocytes, and platelets.
26. The cell population of claim 1 to 20 wherein the cell population is directly derived from human donors or patients.
27. The cell population of claim 26, wherein the cell population is human stem cell,
15 human progenitor cells, including but not limited to CMPs, CLPs, GMPs, B-cells, macrophages, T-cells, subtypes thereof.
28. The cell population of any one of claims 1 to 23, wherein the cell is a non-hematopoietic stem cell, which is optionally mesenchymal stem cell, neural stem cell, or epithelial stem cell, or the cell is a non-hematopoietic cell optionally selected from neurons,
20 astrocytes, oligodendrocytes, cardiomyocytes, skeletal muscle cells, hepatocytes, pancreatic β cells, and lung epithelial cells, or progenitors thereof.
29. The cell population of any one of claims 1 to 28, wherein the cell population has a DRB1 haplotype selected from DRB1*03:01, DRB1*15:01, DRB1*01:02, DRB1*07:01, DRB1*04:01, DRB1*07:01, DRB1*01:01, DRB1*01:02, DRB1*04:04, DRB1*13:02,
25 DRB1*13:01, DRB1*11:04, DRB1*15:02, DRB1*03:02, DRB1*11:01, DRB1*15:03, DRB1*04:07, DRB1*08:04, DRB1*04:02, DRB1*14:01, and DRB1*10:01.

30. The cell population of any one of claims 1 to 29, wherein the cell population has an HLA-C haplotype selected from C*07:01, C*04:01, C*07:02, C*06:02, C*03:04, C*05:01, C*02:02, C*12:03, C*03:03, and C*16:01.
31. The cell population of any one of claims 1 to 30, wherein the cell population has an
- 5 HLA-C and HLA-DRB1 haplotype selected from:

C*07:01~DRB1*03:01
C*07:02~DRB1*15:01
C*06:02~DRB1*07:01
C*05:01~DRB1*04:01
C*04:01~DRB1*01:01
C*16:01~DRB1*07:01
C*04:01~DRB1*07:01
C*03:04~DRB1*04:01
C*07:02~DRB1*01:01
C*08:02~DRB1*01:02
C*07:01~DRB1*11:04
C*03:03~DRB1*04:01
C*03:04~DRB1*13:02
C*07:01~DRB1*15:01
C*08:02~DRB1*07:01
C*05:01~DRB1*03:01
C*07:01~DRB1*01:01
C*12:03~DRB1*15:01
C*03:04~DRB1*04:04
C*07:02~DRB1*04:01
C*05:01~DRB1*15:01
C*07:01~DRB1*07:01
C*01:02~DRB1*01:01
C*04:01~DRB1*11:04
C*03:03~DRB1*13:01
C*07:02~DRB1*07:01
C*07:02~DRB1*03:01
C*04:01~DRB1*15:01
C*07:02~DRB1*13:01
C*12:03~DRB1*13:01
C*05:01~DRB1*01:01
C*06:02~DRB1*15:01
C*07:01~DRB1*11:01

C*04:01~DRB1*11:01
 C*03:04~DRB1*15:01
 C*12:02~DRB1*15:02
 C*07:01~DRB1*13:02
 C*02:02~DRB1*11:01
 C*05:01~DRB1*13:01
 C*03:03~DRB1*15:01.

32. The cell population of any one of claims 1 to 31, wherein the cell population has an HLA-B haplotype selected from B*08:01 and B*07:02.

33. The cell population of any one of claims 1 to 31, wherein the cell population has an HLA-B haplotype selected from one or more of B*08:01, B*07:02, B*44:02, B*44:03,
 5 B*35:01, B*57:01, B*15:01, B*14:02, B*40:01, B*53:01, B*49:01, B*51:01, B*13:02, and B*38:01.

34. The cell population of any one of claims 1 to 31, wherein the cell population comprises an HLA-C~HLA-B~DRB1 haplotype selected from:

	C*07:01~B*08:01~DRB1*03:01,	C*07:02~B*07:02~DRB1*15:01,
10	C*05:01~B*44:02~DRB1*04:01,	C*16:01~B*44:03~DRB1*07:01,
	C*04:01~B*35:01~DRB1*01:01,	C*06:02~B*57:01~DRB1*07:01,
	C*06:02~B*13:02~DRB1*07:01,	C*08:02~B*14:02~DRB1*01:02,
	C*3:04~B*40:01~DRB1*04:04,	C*04:01~B*44:03~DRB1*07:01,
	C*03:04~B*40:01~DRB1*13:02,	C*03:04~B*15:01~DRB1*04:01,
15	C*05:01~B*18:01~DRB1*03:01,	C*05:01~B*44:02~DRB1*13:01,
	C*07:02~B*07:02~DRB1*01:01,	C*04:01~B*35:02~DRB1*11:04,
	C*12:02~B*52:01~DRB1*15:02,	C*03:03~B*15:01~DRB1*13:01,
	C*07:02~B*07:02~DRB1*07:01,	C*05:01~B*44:02~DRB1*15:01,
	C*12:03~B*38:01~DRB1*13:01,	C*17:01~B*42:01~DRB1*03:02,
20	C*08:02~B*14:01~DRB1*07:01,	C*01:02~B*27:05~DRB1*01:01,
	C*04:01~B*35:01~DRB1*11:01,	C*06:02~B*50:01~DRB1*07:01,
	C*07:01~B*18:01~DRB1*11:04,	C*04:01~B*53:01~DRB1*13:02,
	C*12:03~B*18:01~DRB1*15:01,	C*07:02~B*07:02~DRB1*11:01,

- C*05:01~B*44:02~DRB1*01:01, C*04:01~B*53:01~DRB1*15:03,
 C*07:02~B*07:02~DRB1*04:01, C*08:02~B*14:02~DRB1*13:02,
 C*04:01~B*35:01~DRB1*07:01, C*07:01~B*08:01~DRB1*15:01,
 C*07:02~B*39:05~DRB1*04:07, C*04:01~B*53:01~DRB1*08:04,
 5 C*07:02~B*07:02~DRB1*13:01, C*12:03~B*38:01~DRB1*04:02,
 C*03:03~B*15:01~DRB1*04:01, C*04:01~B*35:01~DRB1*14:01,
 C*06:02~B*37:01~DRB1*10:01, C*07:01~B*49:01~DRB1*11:01,
 C*03:04~B*40:01~DRB1*04:01, C*15:02~B*51:01~DRB1*11:01,
 C*03:02~B*58:01~DRB1*03:01, C*03:03~B*55:01~DRB1*14:01, and
 10 C*04:01~B*35:01~DRB1*13:01.

35. A collection of cell population according to any one of claims 1 to 34, wherein the cell populations in the collection represent at least two different HLA-C haplotypes.
36. The collection of claim 35, wherein the cell populations in the collection represent at least four, or at least six, or at least eight, or at least ten different HLA-C haplotypes.
- 15 37. The collection of claim 35, wherein the cell populations in the collection represent at least twelve different HLA-C haplotypes.
38. The collection of any one of claims 35 to 37, wherein the cell populations include at least the following HLA-C haplotypes: C*07:01 and C*04:01.
39. The collection of claim 38, wherein the cell populations include at least the following
 20 HLA-C haplotypes: C*07:01, C*04:01, C*07:02, C*06:02, C*03:04, and C*05:01.
40. The collection of claim 39, wherein the cell populations include at least the following HLA-C haplotypes: C*07:01, C*04:01, C*07:02, C*06:02, C*03:04, C*05:01, C*02:02, C*12:03, C*03:03, and C*16:01.
41. The collection of any one of claims 35 to 40, wherein the cell populations in the
 25 collection are homozygous for HLA-B genes, or comprise a deletion or inactivation of one or both of HLA-B genes.

42. The collection of any one of claims 35 to 40, wherein the cell populations in the collection represent at least two different HLA-B haplotypes.
43. The collection of claim 42, wherein the cell populations in the collection represent at least four, or at least six, or at least eight, or at least ten, or at least twelve different HLA-B
5 haplotypes.
44. The collection of claim 43, wherein the collection comprises cell populations having at least the following HLA-B haplotypes: B*08:01 and B*07:02.
45. The collection of claim 44, wherein the collection comprises cell populations having at least the following HLA-B haplotypes: B*08:01, B*07:02, B*44:02, B*35:01, B*14:02
10 and B*40:01.
46. The collection of claim 45, wherein the collection comprises cell populations having at least the following HLA-B haplotypes: B*08:01, B*07:02, B*44:02, B*44:03, B*35:01, B*57:01, B*15:01, B*14:02, B*40:01, and B*53:01.
47. The collection of claim 45, wherein the collection comprises cell populations having
15 at least the following HLA-B haplotypes: B*08:01, B*07:02, B*44:02, B*44:03, B*35:01, B*57:01, B*15:01, B*14:02, B*40:01, B*53:01, B*49:01, B*51:01, B*13:02, and B*38:01.
48. The collection of any one of claims 35 to 47, wherein the cell populations in the collection represent at least two, at least four, at least six, at least eight, or at least ten different HLA-C~HLA-B haplotypes.
- 20 49. The collection of claim 48, wherein the cell populations in the collection represent at least twelve different HLA-C~HLA-B haplotypes.
50. The collection of claim 49, wherein the cell populations in the collection represent at least twenty different HLA-C~HLA-B haplotypes.
51. The collection of any one of claims 48 to 50, wherein the collection comprises cell
25 populations with the following haplotypes: C*07:01~B*08:01 and C*07:02~B*07:02.

52. The collection of claim 51, wherein the collection comprises cell populations with the following haplotypes: C*07:01~B*08:01, C*07:02~B*7:02, C*05:01~B*44:02, C*16:01~B*44:03, C*04:01~B*35:01, C*03:04~B*40:01, and C*08:02~B*14:02.

53. The collection of claim 51, wherein the collection comprises cell populations with
5 the following haplotypes: C*07:01~B*08:01, C*07:02~B*7:02, C*05:01~B*44:02, C*16:01~B*44:03, C*04:01~B*35:01, C*03:04~B*40:01, C*08:02~B*14:02, C*06:02~B*57:01, C*3:03~B*15:01, and C*04:01~B*53:01.

54. The collection of claim 51, wherein the collection comprises cell populations with the following haplotypes: C*07:01~B*08:01, C*07:02~B*7:02, C*05:01~B*44:02,
10 C*16:01~B*44:03, C*04:01~B*35:01, C*03:04~B*40:01, C*08:02~B*14:02, C*06:02~B*57:01, C*3:03~B*15:01, C*04:01~B*53:01, C*07:01~B*49:01, C*15:02~B*51:01, C*06:02~B*13:02, and C*12:03~B*38:01.

55. The collection of any one of claims 35 to 54, wherein the cell populations in the collection represent at least two, or at least four, or at least six, or at least eight, or at least
15 ten different DRB1 haplotypes.

56. The collection of 55, wherein the cell populations in the collection represent at least twelve different DRB1 haplotypes.

57. The collection of Claim 56, wherein the collection comprises cell populations with at least the following DRB1 haplotypes: DRB1*03:01 and DRB1*15:01.

20 58. The collection of claim 57, wherein the collection comprises cell populations with at least the following DRB1 haplotypes: DRB1*03:01, DRB1*15:01, DRB1*04:01, DRB1*07:01, and DRB1*01:01.

59. The collection of claim 57, wherein the collection comprises cell populations with at least the following DRB1 haplotypes: DRB1*03:01, DRB1*15:01, DRB1*04:01,
25 DRB1*07:01, DRB1*01:01, DRB1*01:02, DRB1*04:04, DRB1*13:02, DRB1*13:01, and DRB1*11:04.

60. The collection of claim 57, wherein the collection comprises cell populations with at least the following DRB1 haplotypes: DRB1*03:01, DRB1*15:01, DRB1*04:01, DRB1*07:01, DRB1*01:01, DRB1*01:02, DRB1*04:04, DRB1*13:02, DRB1*13:01, DRB1*11:04, DRB1*15:02, DRB1*03:02, and DRB1*11:01.
- 5 61. The collection of claim 57, wherein the collection comprises cell populations with at least the following DRB1 haplotypes: DRB1*03:01, DRB1*15:01, DRB1*04:01, DRB1*07:01, DRB1*01:01, DRB1*01:02, DRB1*04:04, DRB1*13:02, DRB1*13:01, DRB1*11:04, DRB1*15:02, DRB1*03:02, DRB1*11:01, DRB1*15:03, DRB1*04:07, DRB1*08:04, DRB1*04:02, DRB1*14:01, and DRB1*10:01.
- 10 62. The collection of claim 35, wherein the collection comprises cell populations with one or more of the following HLA-C, HLA-DRB1 haplotypes:
- C*07:01~DRB1*03:01
 - C*07:02~DRB1*15:01
 - C*06:02~DRB1*07:01
 - C*05:01~DRB1*04:01
 - C*04:01~DRB1*01:01
 - C*16:01~DRB1*07:01
 - C*04:01~DRB1*07:01
 - C*03:04~DRB1*04:01
 - C*07:02~DRB1*01:01
 - C*08:02~DRB1*01:02
 - C*07:01~DRB1*11:04
 - C*03:03~DRB1*04:01
 - C*03:04~DRB1*13:02
 - C*07:01~DRB1*15:01
 - C*08:02~DRB1*07:01
 - C*05:01~DRB1*03:01
 - C*07:01~DRB1*01:01
 - C*12:03~DRB1*15:01
 - C*03:04~DRB1*04:04
 - C*07:02~DRB1*04:01
 - C*05:01~DRB1*15:01
 - C*07:01~DRB1*07:01
 - C*01:02~DRB1*01:01
 - C*04:01~DRB1*11:04

C*03:03~DRB1*13:01
 C*07:02~DRB1*07:01
 C*07:02~DRB1*03:01
 C*04:01~DRB1*15:01
 C*07:02~DRB1*13:01
 C*12:03~DRB1*13:01
 C*05:01~DRB1*01:01
 C*06:02~DRB1*15:01
 C*07:01~DRB1*11:01
 C*04:01~DRB1*11:01
 C*03:04~DRB1*15:01
 C*12:02~DRB1*15:02
 C*07:01~DRB1*13:02
 C*02:02~DRB1*11:01
 C*05:01~DRB1*13:01
 C*03:03~DRB1*15:01.

63. The collection of any one of claims 35 to 62, wherein the cell populations in the collection represent at least two, or at least four, or at least six, or at least eight, or at least ten different HLA-C~HLA-B~DRB1 haplotypes.
64. The collection of claim 63, wherein the cell populations in the collection represent at least twelve different or at least twenty different HLA-C~HLA-B~DRB1 haplotypes.
65. The collection of claim 63 or 64, wherein the collection comprises cell populations with at least the following haplotypes: C*07:01~B*08:01~DRB1*03:01 and C*07:02~B*07:02~DRB1*15:01.
66. The collection of claim 65, wherein the collection comprises cell populations with at least the following haplotypes: C*07:01~B*08:01~DRB1*03:01, C*07:02~B*07:02~DRB1*15:01, C*05:01~B*44:02~DRB1*04:01, C*16:01~B*44:03~DRB1*07:01, C*04:01~B*35:01~DRB1*01:01, C*06:02~B*57:01~DRB1*07:01, C*06:02~B*13:02~DRB1*07:01, and C*08:02~B*14:02~DRB1*01:02.
67. The collection of claim 66, wherein the collection comprises cell populations with at least the following haplotypes: C*07:01~B*08:01~DRB1*03:01,

C*07:02~B*07:02~DRB1*15:01, C*05:01~B*44:02~DRB1*04:01,
 C*16:01~B*44:03~DRB1*07:01, C*04:01~B*35:01~DRB1*01:01,
 C*06:02~B*57:01~DRB1*07:01, C*06:02~B*13:02~DRB1*07:01,
 C*08:02~B*14:02~DRB1*01:02, C*3:04~B*40:01~DRB1*04:04,
 5 C*04:01~B*44:03~DRB1*07:01, C*03:04~B*40:01~DRB1*13:02,
 C*03:04~B*15:01~DRB1*04:01, C*05:01~B*18:01~DRB1*03:01,
 C*05:01~B*44:02~DRB1*13:01, C*07:02~B*07:02~DRB1*01:01, and
 C*04:01~B*35:02~DRB1*11:04.

68. The collection of claim 67, wherein the collection comprises cell populations with
 10 at least the following haplotypes: C*07:01~B*08:01~DRB1*03:01,
 C*07:02~B*07:02~DRB1*15:01, C*05:01~B*44:02~DRB1*04:01,
 C*16:01~B*44:03~DRB1*07:01, C*04:01~B*35:01~DRB1*01:01,
 C*06:02~B*57:01~DRB1*07:01, C*06:02~B*13:02~DRB1*07:01,
 C*08:02~B*14:02~DRB1*01:02, C*3:04~B*40:01~DRB1*04:04,
 15 C*04:01~B*44:03~DRB1*07:01, C*03:04~B*40:01~DRB1*13:02,
 C*03:04~B*15:01~DRB1*04:01, C*05:01~B*18:01~DRB1*03:01,
 C*05:01~B*44:02~DRB1*13:01, C*07:02~B*07:02~DRB1*01:01,
 C*04:01~B*35:02~DRB1*11:04, C*12:02~B*52:01~DRB1*15:02,
 C*03:03~B*15:01~DRB1*13:01, C*07:02~B*07:02~DRB1*07:01,
 20 C*05:01~B*44:02~DRB1*15:01, C*12:03~B*38:01~DRB1*13:01,
 C*17:01~B*42:01~DRB1*03:02, C*08:02~B*14:01~DRB1*07:01,
 C*01:02~B*27:05~DRB1*01:01, C*04:01~B*35:01~DRB1*11:01,
 C*06:02~B*50:01~DRB1*07:01, C*07:01~B*18:01~DRB1*11:04, and
 C*04:01~B*53:01~DRB1*13:02.

25 69. The collection of claim 66, wherein the collection comprises cell populations with
 at least the following haplotypes: C*07:01~B*08:01~DRB1*03:01,
 C*07:02~B*07:02~DRB1*15:01, C*05:01~B*44:02~DRB1*04:01,
 C*16:01~B*44:03~DRB1*07:01, C*04:01~B*35:01~DRB1*01:01,
 C*06:02~B*57:01~DRB1*07:01, C*06:02~B*13:02~DRB1*07:01,
 30 C*08:02~B*14:02~DRB1*01:02, C*3:04~B*40:01~DRB1*04:04,

- C*04:01~B*44:03~DRB1*07:01, C*03:04~B*40:01~DRB1*13:02,
 C*03:04~B*15:01~DRB1*04:01, C*05:01~B*18:01~DRB1*03:01,
 C*05:01~B*44:02~DRB1*13:01, C*07:02~B*07:02~DRB1*01:01,
 C*04:01~B*35:02~DRB1*11:04, C*12:02~B*52:01~DRB1*15:02,
 5 C*03:03~B*15:01~DRB1*13:01, C*07:02~B*07:02~DRB1*07:01,
 C*05:01~B*44:02~DRB1*15:01, C*12:03~B*38:01~DRB1*13:01,
 C*17:01~B*42:01~DRB1*03:02, C*08:02~B*14:01~DRB1*07:01,
 C*01:02~B*27:05~DRB1*01:01, C*04:01~B*35:01~DRB1*11:01,
 C*06:02~B*50:01~DRB1*07:01, C*07:01~B*18:01~DRB1*11:04,
 10 C*04:01~B*53:01~DRB1*13:02, C*12:03~B*18:01~DRB1*15:01,
 C*07:02~B*07:02~DRB1*11:01, C*05:01~B*44:02~DRB1*01:01,
 C*04:01~B*53:01~DRB1*15:03, C*07:02~B*07:02~DRB1*04:01,
 C*08:02~B*14:02~DRB1*13:02, C*04:01~B*35:01~DRB1*07:01,
 C*07:01~B*08:01~DRB1*15:01, C*07:02~B*39:05~DRB1*04:07,
 15 C*04:01~B*53:01~DRB1*08:04, C*07:02~B*07:02~DRB1*13:01,
 C*12:03~B*38:01~DRB1*04:02, C*03:03~B*15:01~DRB1*04:01,
 C*04:01~B*35:01~DRB1*14:01, C*06:02~B*37:01~DRB1*10:01,
 C*07:01~B*49:01~DRB1*11:01, C*03:04~B*40:01~DRB1*04:01,
 C*15:02~B*51:01~DRB1*11:01, C*03:02~B*58:01~DRB1*03:01,
 20 C*03:03~B*55:01~DRB1*14:01, and C*04:01~B*35:01~DRB1*13:01.

70. The collection of any one of claims 35 to 69, wherein the cell populations are each contained within separate containers suitable for cryopreservation, thawing, and/or maintaining viability of the cell lines.
- 25 71. The collection of claim 70, wherein the cell lines further comprise a cryoprotectant.
72. A method for cell therapy, comprising, administering to a recipient in need thereof a cell population or tissue derived from the cell population of any one of claims 1 to 34, or a cell population derived from a cell population in a collection of any one of claims 35 to 71.

73. The method of claim 72, wherein the administered cell population or tissue is matched with the recipient for at least HLA-C and HLA-DRB1.
74. The method of claim 73, wherein the administered cell population or tissue is further matched with the recipient for HLA-B.
- 5 75. The method of any one of claims 72 to 74, wherein the administered cell population or tissue is further matched with the recipient for HLA-DQB1.
76. The method of any one of claims 72 to 75, wherein an HSC population is administered to the recipient.
77. The method of any one of claims 72 to 75, wherein an immune cell lineage is
10 administered to the recipient.
78. The method of claim 77, wherein the immune cell lineage is a T cell, progenitor T cell, NK cell, B-cell, monocyte, macrophage, neutrophil, monocyte, red cell, megakaryocytes, or platelet.
79. The method of any one of claims 76 to 78, wherein the subject has a condition
15 selected from a hematological malignancy, aplastic anemia, hemoglobinopathy, inborn error of metabolism, and severe immunodeficiency.
80. The method of claim 79, wherein the subject has a condition selected from acute myeloid leukemia; acute lymphoblastic leukemia; chronic myeloid leukemia; chronic lymphocytic leukemia; myeloproliferative disorder; myelodysplastic syndrome; multiple
20 myeloma; Non-Hodgkin lymphoma; Hodgkin disease; aplastic anemia; pure red-cell aplasia; paroxysmal nocturnal hemoglobinuria; Fanconi anemia; thalassemia major; sickle cell anemia; severe combined immunodeficiency (SCID); acquired immune deficiency syndrome (AIDS); Wiskott-Aldrich syndrome; hemophagocytic lymphohistiocytosis; inborn errors of metabolism; epidermolysis bullosa; severe congenital neutropenia;
25 Shwachman-Diamond syndrome; Diamond-Blackfan anemia; and leukocyte adhesion deficiency.

81. The method of claim 80, wherein the T cell lineage is T-regulatory cell or cytotoxic T cell.
82. The method of claim 80 or 81, wherein the cell expresses a chimeric antigen receptor (CAR).
- 5 83. The method of any one of claims 81 or 82, wherein the recipient has a condition selected from one or more of lymphopenia, cancer, immune deficiency, autoimmune disease, skeletal dysplasia, a bone marrow failure syndrome, and genetic disorder impacting the immune system.
84. The method of any one of claims 79 to 83, wherein the recipient has undergone
10 lympho-deleting therapy, cyto-reductive therapy, or immunomodulatory therapy prior to administration of the cell therapy.
85. The method of any one of claims 72 to 75, wherein the cell population is an iPSC, and a cell population or tissue derived from the cell line is administered to the recipient.
86. The method of claim 85, wherein the cell population or tissue is selected from
15 mesenchymal stem cells, neural stem cells, and epithelial stem cells.
87. The method of claim 86, wherein the cell population or tissue is selected from neurons, astrocytes, oligodendrocytes, cardiomyocytes, skeletal muscle cells, hepatocytes, pancreatic β cells, and lung epithelial cells, or progenitors thereof.
88. A method for making a cell population of claim 23 or 24, comprising:
20 providing an iPSC;
modifying the iPSC to prepare an HLA-modified iPSC population that is HLA-A^{neg}, and is (1) HLA-DPA1^{neg} and/or HLA-DPB1^{neg} and/or (2) HLA-DQA1^{neg} and/or HLA-DQB1^{neg}, the iPSC population being homozygous for or comprising a single gene for HLA-C, HLA-DRB1, and optionally HLA-B;
25 preparing embryoid bodies (EBs) from the iPSC population;
dissociating the EBs and enriching for CD34⁺ cells to prepare a CD34⁺-enriched cell population;

inducing endothelial-to-hematopoietic transition (EHT) of the CD34⁺-enriched cell population to prepare a population comprising hematopoietic stem cells (HSCs) and/or hematopoietic stem progenitor cells (HSPCs),

- optionally harvesting CD34⁺ cells from the population comprising HSCs and/or HSPCs to enrich for a population undergoing EHT; and
optionally differentiating the cell population undergoing EHT to a hematopoietic lineage.

89. The method of claim 88, wherein EHT is induced for at least 2 days and no more than 12 days.

90. The method of claim 88 or 89, wherein the iPSC is HLA-modified using CRISPR-Cas9, CRISPR-Cas12, STAR-CRISPR, CRISPR-CasX, CRISPR-associated transposase, zinc-finger nuclease, RNA editor, insulated genomic domain-platform editing, or combinations thereof.

91. The method of any one of claims 88 to 90, wherein the iPSC is HLA-modified by electroporation with a CRISPR-Cas9 endonuclease and one or more guide RNAs (gRNAs) as ribonucleoprotein.

92. The method of claim 88 or 89, wherein the iPSC is HLA-modified using one or more of siRNA(s) and antisense oligonucleotide(s).

93. The method of any one of claims 88 to 92, wherein the iPSC population is a human iPSC population derived from lymphocytes, cord blood cells, peripheral blood mononuclear cells, CD34⁺ cells, or human primary tissues.

94. The method of any one of claims 88 to 93, wherein CD34⁺ enrichment and endothelial-to-hematopoietic transition is induced at Day 7 to Day 15 of iPSC differentiation.

95. The method of claim 94, wherein CD34⁺ cells are harvested from culture undergoing EHT, including harvesting of CD34⁺ floater and/or adherent cells.

96. The method of claim 94 or 95, where the induction of endothelial-to-hematopoietic transition comprises increasing the expression or activity of dnmt3b.
97. The method of claim 96, wherein the induction of endothelial-to-hematopoietic transition comprises applying cyclic stretch to the CD34⁺ enriched population, and wherein
5 the cyclic stretch is optionally 2D, 3D, or 4D cyclic stretch.
98. The method of claim 97, wherein the induction of endothelial-to-hematopoietic transition comprises Piezo1 activation.
99. The method of claim 98, wherein the Piezo1 activation is by contacting the CD34⁺ enriched cells or fraction thereof with one or more Piezo1 agonists, which are optionally
10 selected from Yoda1, Jedi1, Jedi2, or analogues, derivatives thereof, ssRNA agonist, and combinations thereof.
100. The method of claim 98 or 99, wherein the induction of endothelial-to-hematopoietic transition comprises Trpv4 activation, wherein the Trpv4 activation is optionally by contacting the CD34-enriched cells with one or more Trpv4 agonists, which are optionally
15 selected from one or more of GSK1016790A, 4alpha-PDD, and analogues or derivatives thereof..
101. The method of any one of claims 88 to 100, wherein the CD34⁺-enriched cells undergoing EHT are differentiated to one or more of common lymphoid precursor (CLP) cells, granulocyte-monocyte progenitor (GMP) cells, progenitor-T cells, T lymphocytes, B
20 lymphocytes, Natural Killer cells, neutrophils, monocyte, macrophages, red cells, megakaryocytes, and platelets.
102. The method of claim 101, wherein the CD34⁺-enriched cells undergoing EHT are differentiated *ex vivo* to progenitor T cells, T cells, or NK cells.
103. The method of claim 102, wherein the CD34⁺-enriched cells undergoing EHT are
25 cultured with a partial or full Notch ligand to produce a population comprising CD7⁺ progenitor T cells or a derivative cell population.
104. A cell population produced by the method of any one of claims 88 to 103.

105. A method for making an HLA-modified cell of any one of claims 1 to 34, comprising:
- contacting a cell with a Cas endonuclease and one or more guide RNAs (gRNAs) targeting the Cas endonuclease to one or more HLA-specific or HLA allele-specific regions.
- 5 106. The method of claim 105, wherein the Cas endonuclease comprises Cas9.
107. The method of claim 105 or 106, wherein each gRNA is a single guide RNA (sgRNA).
108. The method of any one of claims 105 to 107, wherein contacting comprises electroporating the Cas endonuclease and the one or more gRNAs as ribonucleoprotein.
- 10 109. The method of any one of claims 105 to 108, wherein the cell is homozygous or heterozygous for HLA-A*01:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 2A or Table 6.
110. The method of any one of claims 105 to 108, wherein the cell is homozygous or heterozygous for HLA-A*02:05, and the cell is contacted with one or two sgRNAs
- 15 comprising a nucleotide sequence independently selected from Table 2B.
111. The method of any one of claims 105 to 108, wherein the cell is homozygous or heterozygous for HLA-A*03:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 2B or Table 6.
112. The method of any one of claims 105 to 108, wherein the cell is homozygous or
- 20 heterozygous for HLA-A*23:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 2C.
113. The method of any one of claims 105 to 108, wherein the cell is homozygous or heterozygous for HLA-A*29:02, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 2E or Table 6.

114. The method of any one of claims 105 to 108, wherein the cell is homozygous or heterozygous for HLA-A*25:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 2D.
115. The method of any one of claims 105 to 108, wherein the cell is homozygous or heterozygous for HLA-A*33:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 2G or Table 6.
116. The method of any one of claims 105 to 108, wherein the cell is homozygous or heterozygous for HLA-A*11:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 2C or Table 7.
117. The method of any one of claims 105 to 108, wherein the cell is homozygous or heterozygous for HLA-A*26:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 2D or Table 7.
118. The method of any one of claims 105 to 108, wherein the cell is homozygous or heterozygous for HLA-A*30:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 2E.
119. The method of any one of claims 105 to 108, wherein the cell is homozygous or heterozygous for HLA-A*30:02, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 2F.
120. The method of any one of claims 105 to 108, wherein the cell is homozygous or heterozygous for HLA-A*31:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 2F.
121. The method of any one of claims 105 to 108, wherein the cell is homozygous or heterozygous for HLA-A*24:02, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 10.
122. The method of any one of claims 105 to 121, wherein the cell is homozygous or heterozygous for DQB1*02:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 4A and Table 8.

123. The method of any one of claims 105 to 121, wherein the cell is homozygous or heterozygous for DQB1*06:02, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 8.
124. The method of any one of claims 105 to 121, wherein the cell is homozygous or heterozygous for DQB1*03:03, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 4B or Table 8.
125. The method of any one of claims 105 to 121, wherein the cell is homozygous or heterozygous for DQB1*05:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 4C or Table 8.
126. The method of any one of claims 105 to 121, wherein the cell is homozygous or heterozygous for DQB1*06:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 4D or Table 9.
127. The method of any one of claims 105 to 121, wherein the cell is homozygous or heterozygous for DQB1*06:03, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 9.
128. The method of any one of claims 105 to 121, wherein the cell is homozygous or heterozygous for DQB1*02:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 4A.
129. The method of any one of claims 105 to 121, wherein the cell is homozygous or heterozygous for DQB1*03:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 4A.
130. The method of any one of claims 105 to 121, wherein the cell is homozygous or heterozygous for DQB1*03:02, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 4B.
131. The method of any one of claims 105 to 121, wherein the cell is homozygous or heterozygous for DQB1*05:03, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 4C.

132. The method of any one of claims 105 to 121, wherein the cell is homozygous or heterozygous for DQB1*06:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 4D.
133. The method of any one of claims 105 to 121, wherein the cell is homozygous or heterozygous for DQB1*06:04, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 4E.
134. The method of any one of claims 105 to 133, wherein the cell is homozygous or heterozygous for HLA-B*07:02, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 3A or Table 11.
135. The method of any one of claims 105 to 133, wherein the cell is homozygous or heterozygous for HLA-B*13:02, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 3B.
136. The method of any one of claims 105 to 133, wherein the cell is homozygous or heterozygous for HLA-B*44:03, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 3F or Table 11.
137. The method of any one of claims 105 to 133, wherein the cell is homozygous or heterozygous for HLA-B*18:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 3C.
138. The method of any one of claims 105 to 133, wherein the cell is homozygous or heterozygous for HLA-B*57:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 3G or Table 11.
139. The method of any one of claims 105 to 133, wherein the cell is homozygous or heterozygous for HLA-B*08:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 3A or Table 11.
140. The method of any one of claims 105 to 133, wherein the cell is homozygous or heterozygous for HLA-B*40:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 3E.

141. The method of any one of claims 105 to 133, wherein the cell is homozygous or heterozygous for HLA-B*14:02, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 3B or Table 12.
142. The method of any one of claims 105 to 133, wherein the cell is homozygous or heterozygous for HLA-B*50:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 3F or Table 12.
143. The method of any one of claims 105 to 133, wherein the cell is homozygous or heterozygous for HLA-B*37:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 12.
144. The method of any one of claims 105 to 133, wherein the cell is homozygous or heterozygous for HLA-B*52:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 3G or Table 12.
145. The method of any one of claims 105 to 133, wherein the cell is homozygous or heterozygous for HLA-B*38:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 3D or Table 13.
146. The method of any one of claims 105 to 133, wherein the cell is homozygous or heterozygous for HLA-B*35:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 3D or Table 13.
147. The method of any one of claims 105 to 146, wherein the cell is homozygous or heterozygous for DRB1*03:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 5A or Table 14.
148. The method of any one of claims 105 to 146, wherein the cell is homozygous or heterozygous for DRB1*15:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 5F or Table 14.
149. The method of any one of claims 105 to 146, wherein the cell is homozygous or heterozygous for DRB1*07:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 5C or Table 14.

150. The method of any one of claims 105 to 146, wherein the cell is homozygous or heterozygous for DRB1*01:02, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 5A or Table 14.
151. The method of any one of claims 105 to 146, wherein the cell is homozygous or heterozygous for DRB1*10:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 15.
152. The method of any one of claims 105 to 146, wherein the cell is homozygous or heterozygous for DRB1*15:02, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 5F or Table 15.
153. The method of any one of claims 105 to 146, wherein the cell is homozygous or heterozygous for DRB1*13:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 5D or Table 15.
154. The method of any one of claims 105 to 146, wherein the cell is homozygous or heterozygous for DRB1*01:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 5A or Table 15.
155. The method of any one of claims 105 to 146, wherein the cell is homozygous or heterozygous for DRB1*04:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 5B.
156. The method of any one of claims 105 to 146, wherein the cell is homozygous or heterozygous for DRB1*04:02, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 5B.
157. The method of any one of claims 105 to 146, wherein the cell is homozygous or heterozygous for DRB1*04:04, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 5C.
158. The method of any one of claims 105 to 146, wherein the cell is homozygous or heterozygous for DRB1*11:04, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 5D.

159. The method of any one of claims 105 to 146, wherein the cell is homozygous or heterozygous for DRB1*13:02, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 5E.
160. The method of any one of claims 105 to 146, wherein the cell is homozygous or heterozygous for DRB1*14:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 5E.
161. The method of any one of claims 105 to 146, wherein the cell is homozygous or heterozygous for DRB1*03:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 14.
162. The method of any one of claims 105 to 146, wherein the cell is homozygous or heterozygous for DRB1*15:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 14.
163. The method of any one of claims 105 to 146, wherein the cell is homozygous or heterozygous for DRB1*07:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 14.
164. The method of any one of claims 105 to 146, wherein the cell is homozygous or heterozygous for DRB1*01:02, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 14.
165. The method of any one of claims 105 to 146, wherein the cell is homozygous or heterozygous for DRB1*10:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 15.
166. The method of any one of claims 105 to 146, wherein the cell is homozygous or heterozygous for DRB1*15:02, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 15.
167. The method of any one of claims 105 to 146, wherein the cell is homozygous or heterozygous for DRB1*13:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 15.

168. The method of any one of claims 105 to 146, wherein the cell is homozygous or heterozygous for DRB1*01:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 15.

169. The method of any one of claims 105 to 168, wherein the cell is homozygous or heterozygous for DPB1*01:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 16.

170. The method of any one of claims 105 to 168, wherein the cell is homozygous or heterozygous for DPB1*02:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 16.

171. The method of any one of claims 105 to 168, wherein the cell is homozygous or heterozygous for DPB1*03:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 16.

172. The method of any one of claims 105 to 168, wherein the cell is homozygous or heterozygous for DPB1*04:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 16.

173. The method of any one of claims 105 to 168, wherein the cell is homozygous or heterozygous for DPB1*04:02, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 17.

174. The method of any one of claims 105 to 168, wherein the cell is homozygous or heterozygous for DPB1*11:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 17.

175. The method of any one of claims 105 to 168, wherein the cell is homozygous or heterozygous for DPB1*17:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 17.

176. The method of any one of claims 105 to 168, wherein the cell is homozygous or heterozygous for DPB1*34:01, and the cell is contacted with one or two sgRNAs comprising a nucleotide sequence independently selected from Table 17.