WE CLAIM:

1. A system for communicating with an ophthalmic device, comprising:

the ophthalmic device including:

a contact lens body,

a transceiver coupled with the contact lens body, and

an output device including a substance to administer to a user when the user is wearing the ophthalmic device, the output device coupled with the contact lens body;

a sensor coupled to the contact lens body and in communication with the transceiver, wherein the sensor detects at least one of a health condition, an ambient condition, a lens fit, or a biometric data related to the eye; and

an aural computing system in communication with the ophthalmic device.

2. The system of claim 1, wherein the aural computing system comprises a wireless communication device in communication with the ophthalmic device.

3. The system of claim 2, wherein the ophthalmic device further comprises an implantable lens.

4. The system of claim 1, wherein the ophthalmic device comprises:

an antenna coupled to the contact lens body;

an energy source in communication with the antenna; and

a wireless transceiver in communication with the antenna.

5. The system of claim 1, wherein the aural computing system is configured to trigger the output device to administer the substance to an eye of the user in response to a received signal.

6. The system of claim 4 further comprising a user communication device coupled to the body of the ophthalmic device, the user communication device being configured to change a field of view of a user via a modification of the ophthalmic device.

7. The system of claim 6, wherein the aural computing system is configured to trigger the user communication device to change an optical characteristics of the ophthalmic device.

8. The system of claim 7, wherein changing the optical characteristics of the ophthalmic device comprises displaying a message to the user.

9. The system of claim 7, wherein changing the optical characteristics comprises changing a prescription of a contact lens based on a detected usage.

10. The system of claim 1, further comprising:

a second ophthalmic device;

wherein the aural computing system is configured to be communicate with the second ophthalmic device.

11. The system of claim 1, wherein:

the aural computing system further comprises a wearable device and an accelerometer;

the accelerometer is configured to detect a movement of the user when the wearable device is worn by the user and in response to a user movement; and

the aural computing system is configured to change the optical characteristics of the ophthalmic device based on detections by the accelerometer.

12. The system of claim 1, wherein the aural computing system comprises a wearable device and the ophthalmic device comprises a contact lens configured to be worn by the user.

13. The system of claim 12, wherein the wearable device comprises an ear piece.

14. The system of claim 13, wherein the ear piece includes a predetermined broadcast range of less than six inches.

15. The system of claim 13, wherein the ear piece includes a focused transmitter configured to direct transmissions towards an eye of the user when the ear piece is worn on, or proximate to, an ear of the user.

16. The system of claim 13, wherein the ear piece comprises a focused receiver configured to receive transmissions from the ophthalmic device when the ear piece is worn on, or proximate to, an ear of the user and when the ophthalmic device is positioned on an eye of the user.

17. A method of implementing the system of claim 7, comprising:

receiving information from the transceiver;

analyzing the information from the transceiver; and

prompting a change of an optical characteristic of the ophthalmic device based on the analyzing.

18. The method of claim 17, further comprising detecting a movement of a user's head.

19. The method of claim 17, wherein prompting a change of an optical characteristic of the ophthalmic device, further comprises prompting a change of a prescription strength of the ophthalmic device.

20. The method of claim 17, further comprising:

requesting information from the ophthalmic device;

analyzing the information from the ophthalmic device; and

prompting a change of an optical characteristic of the ophthalmic device based on the analyzing of information from the ophthalmic device.