



Claims

1. A compound of formula (I)



Formula (I)

- 5 wherein
- (R¹)_n represents one, two or three optional substituents on the indole ring, wherein said substituents are independently selected from (C₁₋₃)alkyl, (C₁₋₃)alkoxy, halogen, (C₁₋₃)fluoroalkyl, (C₁₋₃)fluoroalkoxy, or cyano; or two R¹ together form a group -O-CH₂-O-, and the remaining R¹, if present, represents halogen;
- R² represents (C₁₋₄)alkyl, halogen, or cyano;
- 10 R³ represents hydrogen, methyl or trifluoromethyl;
- R⁴ᵃ and R⁴ᵇ independently represent hydrogen, methyl, or R⁴ᵃ and R⁴ᵇ together with the carbon atom to which they are attached represent a cycloprop-1,1-diyl group;
- R⁵ᵃ and R⁵ᵇ independently represent hydrogen, methyl, or R⁵ᵃ and R⁵ᵇ together with the carbon atom to which they are attached represent a cycloprop-1,1-diyl group;
- 15 Ar¹ represents
- phenyl, or 5- or 6-membered heteroaryl; wherein said phenyl or 5- or 6-membered heteroaryl independently is mono-, di- or tri-substituted, wherein the substituents are independently selected from
 - (C₁₋₆)alkyl;
 - (C₁₋₄)alkoxy;
 - (C₁₋₃)fluoroalkyl, wherein said (C₁₋₃)fluoroalkyl is optionally substituted with hydroxy;
 - (C₁₋₃)fluoroalkoxy;
 - halogen;
 - cyano;
 - (C₃₋₆)cycloalkyl, wherein said (C₃₋₆)cycloalkyl is unsubstituted or mono-substituted with amino;
 - (C₄₋₆)cycloalkyl containing a ring oxygen atom, wherein said (C₄₋₆)cycloalkyl containing a ring oxygen atom is unsubstituted or mono-substituted with fluoro, hydroxy, or methoxy;
 - (C₃₋₆)cycloalkyl-oxy;
 - hydroxy;
 - nitro;
 - -B(OH)₂;
- 20
- 25
- 30

- 2,2,2-trifluoro-1,1-dihydroxy-ethyl;
- $-X^1-CO-R^{01}$, wherein
 - X^1 represents a direct bond, (C_{1-3}) alkylene, $-O-(C_{1-3})$ alkylene-*, $-NH-(C_{1-3})$ alkylene-*, $-S-CH_2$ -, $-CF_2$ -, $-CH=CH$ -, $-CH\equiv CH$ -, $-NH-CO$ -, $-CO$ -, or (C_{3-5}) cycloalkylene; wherein the asterisks indicate the bond that is linked to the $-CO-R^{01}$ group; and
 - R^{01} represents
 - $-OH$;
 - $-O-(C_{1-4})$ alkyl;
 - $-NH-SO_2-R^{S3}$ wherein R^{S3} represents (C_{1-4}) alkyl, (C_{3-6}) cycloalkyl wherein the (C_{3-6}) cycloalkyl optionally contains a ring oxygen atom, (C_{3-6}) cycloalkyl- (C_{1-3}) alkylene wherein the (C_{3-6}) cycloalkyl optionally contains a ring oxygen atom, (C_{1-3}) fluoroalkyl, phenyl, or $-NH_2$;
 - $-O$ -phenyl;
 - $-O-CH_2-CO-R^{04}$, wherein R^{04} represents hydroxy, or (C_{1-4}) alkoxy, or $-N[(C_{1-4})alkyl]_2$;
 - $-O-CH_2-O-CO-R^{05}$, wherein R^{05} represents (C_{1-4}) alkyl or (C_{1-4}) alkoxy;
 - $-O-CH_2-CH_2-N[(C_{1-4})alkyl]_2$; or
 - (5-methyl-2-oxo-[1,3]dioxol-4-yl)-methoxy-;
- $-CO-CH_2-CN$;
- $-CO-CH_2-OH$;
- $-CO-H$;
- ;
- ;
- 2-hydroxy-3,4-dioxo-cyclobut-1-enyl;
- hydroxy- (C_{1-4}) alkyl;
- dihydroxy- (C_{2-4}) alkyl;
- hydroxy- (C_{2-4}) alkoxy;
- (C_{1-4}) alkoxy- (C_{2-4}) alkoxy;
- $-(CH_2)_m-NR^{N1}R^{N2}$, wherein m represents the integer 0 or 1; and wherein
 - R^{N1} and R^{N2} independently represent hydrogen, (C_{1-4}) alkyl, (C_{1-4}) alkoxy- (C_{2-4}) alkyl, (C_{3-6}) cycloalkyl, (C_{2-3}) fluoroalkyl, -or $-SO_2-(C_{1-4})$ alkyl;
 - or R^{N1} independently represents hydrogen or (C_{1-4}) alkyl, and R^{N2} independently represents $-CO-H$, $-CO-(C_{1-3})$ alkyl, $-CO-(C_{1-3})$ alkylene- $-OH$, or $-CO-O-(C_{1-3})$ alkyl;
 - or R^{N1} and R^{N2} together with the nitrogen to which they are attached form a 4-, 5- or 6-membered saturated ring optionally containing one ring oxygen or ring sulfur atom, wherein

said ring is unsubstituted, or mono-substituted with oxo on a ring carbon atom, or disubstituted with oxo on a ring sulfur atom;

- -CO-NR^{N3}R^{N4} wherein R^{N3} and R^{N4} independently represent hydrogen, (C₁₋₄)alkyl, hydroxy-(C₂₋₄)alkyl, (C₁₋₃)alkoxy-(C₂₋₄)alkyl, dimethylamino-(C₂₋₄)alkyl, (C₁₋₄)alkoxy, hydroxy-(C₂₋₄)alkoxy, benzyloxy, or hydroxy;
- -NH-CO-NR^{N5}R^{N6} wherein R^{N5} and R^{N6} independently represent hydrogen or (C₁₋₄)alkyl;
- -SO₂-R^{S1} wherein R^{S1} represents hydroxy, (C₁₋₄)alkyl, or -NR^{N7}R^{N8} wherein R^{N7} and R^{N8} independently represent hydrogen or (C₁₋₃)alkyl;
- -S-R^{S2} wherein R^{S2} represents (C₁₋₄)alkyl, (C₃₋₆)cycloalkyl, or 2-fluoro-vinyl;
- 5-oxo-4,5-dihydro-[1,2,4]oxadiazol-3-yl, or 3-oxo-2,3-dihydro-[1,2,4]oxadiazol-5-yl;
- phenyl-oxy, wherein the phenyl is optionally mono-substituted with halogen;
- benzooxazol-2-yl; or
- -(CH₂)_p-HET, wherein p represents the integer 0 or 1; and wherein HET represents a 5- or 6-membered heteroaryl, wherein said 5- or 6-membered heteroaryl is unsubstituted, or mono- or di-substituted, wherein the substituents are independently selected from (C₁₋₄)alkyl, (C₁₋₄)alkoxy, -COOH, hydroxy, fluoro, 2-amino-2-oxo-ethyl, 2-carboxy-ethyl, (C₃₋₅)cycloalkyl, or -NR^{N9}R^{N10} wherein R^{N9} and R^{N10} independently represent hydrogen or (C₁₋₃)alkyl;
- or Ar¹ represents 8- to 10-membered bicyclic heteroaryl; wherein said 8- to 10-membered bicyclic heteroaryl independently is unsubstituted, mono-, di- or tri-substituted, wherein the substituents are independently selected from (C₁₋₄)alkyl; (C₁₋₄)alkoxy; (C₁₋₃)fluoroalkyl; (C₁₋₃)fluoroalkoxy; halogen; cyano; hydroxy, or -(C₀₋₃)alkylene-COOR^{O2} wherein R^{O2} represents hydrogen or (C₁₋₄)alkyl;
- or Ar¹ represents 8- to 10-membered partially aromatic fused bicyclic heterocyclyl comprising one to four heteroatoms independently selected from nitrogen, oxygen and sulfur; wherein said 8- to 10-membered heterocyclyl is linked to the rest of the molecule at the aromatic ring moiety; wherein said 8- to 10-membered heterocyclyl independently is unsubstituted, mono-, or di-substituted, wherein the substituents are independently selected from oxo, (C₁₋₆)alkyl, and -(C₀₋₃)alkylene-COOR^{O3} wherein R^{O3} represents hydrogen or (C₁₋₃)alkyl;

or a pharmaceutically acceptable salt thereof.

2. A compound according to claim 1; wherein R³ represents hydrogen; or a pharmaceutically acceptable salt thereof.

3. A compound according to claims 1 or 2; wherein

- R^{4a} and R^{4b} both represent hydrogen; and



- R^{5a} and R^{5b} both represent hydrogen;

or a pharmaceutically acceptable salt thereof.

4. A compound according to any one of claims 1 to 3; wherein **Ar¹** represents

- phenyl, or 5- or 6-membered heteroaryl; wherein said phenyl or 5- or 6-membered heteroaryl independently is mono-, di- or tri-substituted;

wherein one of said substituents is selected from

- 5
 - (C₁₋₄)alkoxy;
 - (C₁₋₃)fluoroalkyl, wherein said (C₁₋₃)fluoroalkyl is unsubstituted or mono-substituted with hydroxy;
 - (C₃₋₆)cycloalkyl, wherein said (C₃₋₆)cycloalkyl is unsubstituted or mono-substituted with amino;
 - (C₄₋₆)cycloalkyl containing a ring oxygen atom, wherein said (C₄₋₆)cycloalkyl containing a ring oxygen atom is unsubstituted or mono-substituted with fluoro, hydroxy, or methoxy;
- 10
 - hydroxy;
 - -B(OH)₂;
 - 2,2,2-trifluoro-1,1-dihydroxy-ethyl;
 - -X¹-CO-R⁰¹, wherein
 - X¹ represents a direct bond, (C₁₋₃)alkylene, -O-(C₁₋₃)alkylene-*, -NH-(C₁₋₃)alkylene-*, -S-CH₂*, -CF₂-, -CH=CH-, -CH≡CH-, -NH-CO-*, -CO-, or (C₃₋₅)cycloalkylene; wherein the asterisks indicate the bond that is linked to the -CO-R⁰¹ group; and
 - R⁰¹ represents
 - -OH;
 - -O-(C₁₋₄)alkyl;
 - 20
 - -NH-SO₂-R^{S3} wherein R^{S3} represents (C₁₋₄)alkyl, (C₃₋₆)cycloalkyl wherein the (C₃₋₆)cycloalkyl optionally contains a ring oxygen atom, (C₃₋₆)cycloalkyl-(C₁₋₃)alkylene wherein the (C₃₋₆)cycloalkyl optionally contains a ring oxygen atom, (C₁₋₃)fluoroalkyl, phenyl, or -NH₂;
 - -O-phenyl;
 - 25
 - -O-CH₂-CO-R⁰⁴, wherein R⁰⁴ represents hydroxy, or (C₁₋₄)alkoxy, or -N[(C₁₋₄)alkyl]₂;
 - -O-CH₂-O-CO-R⁰⁵, wherein R⁰⁵ represents (C₁₋₄)alkyl or (C₁₋₄)alkoxy;
 - -O-CH₂-CH₂-N[(C₁₋₄)alkyl]₂; or
 - (5-methyl-2-oxo-[1,3]dioxol-4-yl)-methoxy-;
 - 30
 - -CO-CH₂-CN;
 - -CO-CH₂-OH;
 - -CO-H;
 - ;
 - ;
 - 2-hydroxy-3,4-dioxo-cyclobut-1-enyl;

- hydroxy-(C₁₋₄)alkyl;
- dihydroxy-(C₂₋₄)alkyl;
- hydroxy-(C₂₋₄)alkoxy;
- (C₁₋₄)alkoxy-(C₂₋₄)alkoxy;
- 5 • $-(CH_2)_m-NR^{N1}R^{N2}$, wherein *m* represents the integer 0 or 1; and wherein
 - *R*^{N1} and *R*^{N2} independently represent hydrogen, (C₁₋₄)alkyl, (C₁₋₄)alkoxy-(C₂₋₄)alkyl, (C₃₋₆)cycloalkyl, (C₂₋₃)fluoroalkyl, -or -SO₂-(C₁₋₄)alkyl;
 - or *R*^{N1} independently represents hydrogen or (C₁₋₄)alkyl, and *R*^{N2} independently represents -CO-H, -CO-(C₁₋₃)alkyl, -CO-(C₁₋₃)alkylene-OH, or -CO-O-(C₁₋₃)alkyl;
 - 10 ▪ or *R*^{N1} and *R*^{N2} together with the nitrogen to which they are attached form a 4-, 5- or 6-membered saturated ring optionally containing one ring oxygen or ring sulfur atom, wherein said ring is unsubstituted, or mono-substituted with oxo on a ring carbon atom, or disubstituted with oxo on a ring sulfur atom;
- -CO-NR^{N3}R^{N4} wherein *R*^{N3} and *R*^{N4} independently represent hydrogen, (C₁₋₄)alkyl, hydroxy-(C₂₋₄)alkyl, (C₁₋₃)alkoxy-(C₂₋₄)alkyl, dimethylamino-(C₂₋₄)alkyl, (C₁₋₄)alkoxy, hydroxy-(C₂₋₄)alkoxy, benzyloxy, or hydroxy;
- 15 • -NH-CO-NR^{N5}R^{N6} wherein *R*^{N5} and *R*^{N6} independently represent hydrogen or (C₁₋₄)alkyl;
- -SO₂-R^{S1} wherein R^{S1} represents hydroxy, (C₁₋₄)alkyl, or -NR^{N7}R^{N8} wherein *R*^{N7} and *R*^{N8} independently represent hydrogen or (C₁₋₃)alkyl;
- 20 • 5-oxo-4,5-dihydro-[1,2,4]oxadiazol-3-yl or 3-oxo-2,3-dihydro-[1,2,4]oxadiazol-5-yl;
- benzooxazol-2-yl; or
- $-(CH_2)_p$ -HET, wherein *p* represents the integer 0 or 1; and wherein HET represents a 5- or 6-membered heteroaryl, wherein said 5- or 6-membered heteroaryl is unsubstituted, or mono- or di-substituted, wherein the substituents are independently selected from (C₁₋₄)alkyl, (C₁₋₄)alkoxy, -COOH, hydroxy, fluoro, 2-amino-2-oxo-ethyl, 2-carboxy-ethyl, (C₃₋₅)cycloalkyl, or -NR^{N9}R^{N10} wherein *R*^{N9} and *R*^{N10} independently represent hydrogen or (C₁₋₃)alkyl;
- 25

and the remaining one or two of said substituents, if present, is/are independently selected from

- (C₁₋₆)alkyl;
- (C₁₋₄)alkoxy;
- 30 • (C₁₋₃)fluoroalkyl;
- (C₁₋₃)fluoroalkoxy;
- halogen;
- (C₃₋₆)cycloalkyl;
- (C₃₋₆)cycloalkyl-oxy;
- 35 • hydroxy;
- nitro;

- $-(CH_2)_m-NR^{N1}R^{N2}$, wherein m represents the integer 0 or 1; and wherein R^{N1} and R^{N2} independently represent hydrogen, (C_{1-4}) alkyl, (C_{1-4}) alkoxy- (C_{2-4}) alkyl, (C_{3-6}) cycloalkyl, (C_{2-3}) fluoroalkyl, -or $-SO_2-(C_{1-4})$ alkyl; or R^{N1} and R^{N2} together with the nitrogen to which they are attached form a 5- or 6-membered saturated ring optionally containing one ring oxygen or ring sulfur atom, wherein said ring is unsubstituted, or mono-substituted with oxo on a ring carbon atom, or disubstituted with oxo on a ring sulfur atom;

- $-S-R^{S2}$ wherein R^{S2} represents (C_{1-4}) alkyl, (C_{3-6}) cycloalkyl, or 2-fluoro-vinyl; or

- phenyl-oxy, wherein the phenyl is optionally mono-substituted with halogen;


- or Ar^1 represents 8- to 10-membered bicyclic heteroaryl; wherein said 8- to 10-membered bicyclic heteroaryl independently is unsubstituted, mono-, di- or tri-substituted, wherein the substituents are independently selected from (C_{1-4}) alkyl; (C_{1-4}) alkoxy; (C_{1-3}) fluoroalkyl; halogen; and $-(C_{0-3})$ alkylene-COOR⁰² wherein R^{02} represents hydrogen or (C_{1-4}) alkyl;

- or Ar^1 represents 8- to 10-membered partially aromatic fused bicyclic heterocyclyl comprising one to four heteroatoms independently selected from nitrogen, oxygen and sulfur; wherein said 8- to 10-membered heterocyclyl is linked to the rest of the molecule at the aromatic ring moiety; wherein said 8- to 10-membered heterocyclyl independently is unsubstituted, mono-, or di-substituted, wherein the substituents are independently selected from oxo, (C_{1-6}) alkyl, and $-(C_{0-3})$ alkylene-COOR⁰³ wherein R^{03} represents hydrogen or (C_{1-3}) alkyl;

or a pharmaceutically acceptable salt thereof.

5. A compound according to any one of claims 1 to 3; wherein Ar^1 represents

- a phenyl group of the structure (Ar-IV):




wherein

- R^p represents;
 - (C_{4-6}) cycloalkyl containing a ring oxygen atom, wherein said (C_{4-6}) cycloalkyl containing a ring oxygen atom is unsubstituted or mono-substituted with fluoro, hydroxy, or methoxy;
 - hydroxy;
 - $-X^1-CO-R^{01}$, wherein
 - X^1 represents a direct bond, (C_{1-3}) alkylene, $-O-(C_{1-3})$ alkylene-*, $-NH-(C_{1-3})$ alkylene-*, $-S-CH_2$ *, $-CF_2$ -, $-CH=CH$ -, $-CH\equiv CH$ -, $-NH-CO$ *, $-CO$ -, or (C_{3-5}) cycloalkylene; wherein the asterisks indicate the bond that is linked to the $-CO-R^{01}$ group; and

➤ R^{01} represents

- -OH;
- -O-(C₁₋₄)alkyl;
- -NH-SO₂-R^{S3} wherein R^{S3} represents (C₁₋₄)alkyl, (C₃₋₆)cycloalkyl wherein the (C₃₋₆)cycloalkyl optionally contains a ring oxygen atom, (C₃₋₆)cycloalkyl-(C₁₋₃)alkylene wherein the (C₃₋₆)cycloalkyl optionally contains a ring oxygen atom, (C₁₋₃)fluoroalkyl, phenyl, or -NH₂;
- -O-CH₂-CO-R⁰⁴, wherein R⁰⁴ represents hydroxy, or (C₁₋₄)alkoxy, or -N[(C₁₋₄)alkyl]₂;
- -O-CH₂-O-CO-R⁰⁵, wherein R⁰⁵ represents (C₁₋₄)alkyl or (C₁₋₄)alkoxy;
- -O-CH₂-CH₂-N[(C₁₋₄)alkyl]₂; or
- (5-methyl-2-oxo-[1,3]dioxol-4-yl)-methoxy-;

➤ -CO-H;



➤ 2-hydroxy-3,4-dioxo-cyclobut-1-enyl;

➤ -NR^{N1}R^{N2}, wherein

- R^{N1} independently represents hydrogen or (C₁₋₄)alkyl, and R^{N2} independently represents -CO-H, -CO-(C₁₋₃)alkyl, or -CO-(C₁₋₃)alkylene-OH;

➤ -CO-NR^{N3}R^{N4} wherein R^{N3} and R^{N4} independently represent hydrogen, (C₁₋₄)alkyl, hydroxy-(C₂₋₄)alkyl, (C₁₋₃)alkoxy-(C₂₋₄)alkyl, or hydroxy;

➤ -NH-CO-NR^{N5}R^{N6} wherein R^{N5} and R^{N6} independently represent hydrogen or (C₁₋₄)alkyl;

➤ 5-oxo-4,5-dihydro-[1,2,4]oxadiazol-3-yl or 3-oxo-2,3-dihydro-[1,2,4]oxadiazol-5-yl;

➤ HET, wherein HET represents a 5- or 6-membered heteroaryl, wherein said 5- or 6-membered heteroaryl is unsubstituted, or mono- or di-substituted, wherein the substituents are independently selected from (C₁₋₄)alkyl, (C₁₋₄)alkoxy, -COOH, hydroxy, fluoro, 2-amino-2-oxo-ethyl, 2-carboxy-ethyl, (C₃₋₅)cycloalkyl, or -NR^{N9}R^{N10} wherein R^{N9} and R^{N10} independently represent hydrogen or (C₁₋₃)alkyl;

• R^{m1} represents


- (C₁₋₆)alkyl;
- (C₁₋₄)alkoxy;
- (C₁₋₃)fluoroalkyl;
- (C₁₋₃)fluoroalkoxy;
- halogen;
- (C₃₋₆)cycloalkyl;
- (C₃₋₆)cycloalkyl-oxy;
- -NR^{N1}R^{N2}, wherein R^{N1} and R^{N2} independently represent hydrogen, (C₁₋₄)alkyl, or (C₃₋₆)cycloalkyl; or
- -S-R^{S2} wherein R^{S2} represents (C₁₋₄)alkyl, (C₃₋₆)cycloalkyl, or 2-fluoro-vinyl; and

- R^{m2} represents hydrogen, fluoro, or chloro;
- or R^p represents hydrogen;
 R^{m1} represents 1H-pyrazol-1-yl; or $-X^1-COOH$, wherein X^1 represents a direct bond, (C_{1-3}) alkylene, or $-O-(C_{1-3})$ alkylene-*, wherein the asterisks indicate the bond that is linked to the $-COOH$ group;

5

and R^{m2} represents hydrogen, (C_{1-4}) alkoxy; or $-S-(C_{1-4})$ alkyl;

- or Ar^1 represents a 5-membered heteroaryl group of the structure (Ar-II):



(Ar-II)

wherein in (Ar-II) the ring A represents a thiophenyl or a thiazolyl ring;

10


wherein

- R^7 represents
 - 3-hydroxy-oxetan-3-yl;
 - hydroxy;
 - 2,2,2-trifluoro-1,1-dihydroxy-ethyl;
 - $-X^1-CO-R^{01}$, wherein
 - X^1 represents a direct bond, (C_{1-3}) alkylene, $-O-(C_{1-3})$ alkylene-*, $-NH-(C_{1-3})$ alkylene-*, $-S-CH_2$ -, $-CF_2$ -, $-CH=CH$ -, $-CH\equiv CH$ -, $-NH-CO$ -, $-CO$ -, or (C_{3-5}) cycloalkylene; wherein the asterisks indicate the bond that is linked to the $-CO-R^{01}$ group; and
 - R^{01} represents
 - $-OH$;
 - $-O-(C_{1-4})$ alkyl;
 - $-NH-SO_2-R^{s3}$ wherein R^{s3} represents (C_{1-4}) alkyl, (C_{3-6}) cycloalkyl wherein the (C_{3-6}) cycloalkyl optionally contains a ring oxygen atom, (C_{3-6}) cycloalkyl- (C_{1-3}) alkylene wherein the (C_{3-6}) cycloalkyl optionally contains a ring oxygen atom, (C_{1-3}) fluoroalkyl, phenyl, or $-NH_2$;
 - $-O$ -phenyl;
 - $-O-CH_2-CO-R^{04}$, wherein R^{04} represents hydroxy, or (C_{1-4}) alkoxy, or $-N[(C_{1-4})alkyl]_2$;
 - $-O-CH_2-O-CO-R^{05}$, wherein R^{05} represents (C_{1-4}) alkyl or (C_{1-4}) alkoxy;
 - $-O-CH_2-CH_2-N[(C_{1-4})alkyl]_2$; or
 - (5-methyl-2-oxo-[1,3]dioxol-4-yl)-methoxy-;
 - $-CO-CH_2-OH$;
 - $-CO-H$;

20

25

30



➤ hydroxy-(C₁₋₄)alkyl;

➤ -NR^{N1}R^{N2}, wherein

- R^{N1} and R^{N2} independently represent hydrogen, (C₁₋₄)alkyl, or (C₃₋₆)cycloalkyl;
- or R^{N1} independently represents hydrogen or (C₁₋₄)alkyl, and R^{N2} independently represents -CO-H, -CO-(C₁₋₃)alkyl, or -CO-(C₁₋₃)alkylene-OH;

➤ -CO-NR^{N3}R^{N4} wherein R^{N3} and R^{N4} independently represent hydrogen, (C₁₋₄)alkyl, hydroxy-(C₂₋₄)alkyl, (C₁₋₃)alkoxy-(C₂₋₄)alkyl, dimethylamino-(C₂₋₄)alkyl, (C₁₋₄)alkoxy, hydroxy-(C₂₋₄)alkoxy, benzyloxy, or hydroxy;

➤ -NH-CO-NR^{N5}R^{N6} wherein R^{N5} and R^{N6} independently represent hydrogen or (C₁₋₄)alkyl;

➤ 5-oxo-4,5-dihydro-[1,2,4]oxadiazol-3-yl or 3-oxo-2,3-dihydro-[1,2,4]oxadiazol-5-yl; or

➤ HET, wherein HET represents a 5- or 6-membered heteroaryl, wherein said 5- or 6-membered heteroaryl is unsubstituted, or mono- or di-substituted, wherein the substituents are independently selected from (C₁₋₄)alkyl, (C₁₋₄)alkoxy, -COOH, hydroxy, fluoro, 2-amino-2-oxo-ethyl, 2-carboxy-ethyl, (C₃₋₅)cycloalkyl, or -NR^{N9}R^{N10} wherein R^{N9} and R^{N10} independently represent hydrogen or (C₁₋₃)alkyl;

- and (R⁶)_n represents one optional substituent independently selected from

➤ (C₁₋₆)alkyl;

➤ (C₁₋₄)alkoxy;

➤ (C₁₋₃)fluoroalkyl;

➤ (C₁₋₃)fluoroalkoxy;

➤ halogen;

➤ (C₃₋₆)cycloalkyl;

➤ (C₃₋₆)cycloalkyl-oxy;


➤ hydroxy;

➤ pyridinyl; and

➤ -NR^{N1}R^{N2}, wherein R^{N1} and R^{N2} independently represent hydrogen, (C₁₋₄)alkyl, or (C₃₋₆)cycloalkyl;

- or Ar¹ represents 9- or 10-membered bicyclic heteroaryl; wherein said 9- or 10-membered bicyclic heteroaryl independently is unsubstituted, mono-, or di-substituted, wherein the substituents are independently selected from (C₁₋₄)alkyl; (C₁₋₄)alkoxy; (C₁₋₃)fluoroalkyl; (C₁₋₃)fluoroalkoxy; halogen; cyano; hydroxy, or -(C₀₋₃)alkylene-COOR^{O2} wherein R^{O2} represents hydrogen or (C₁₋₄)alkyl;

- or Ar¹ represents a group of the structure (Ar-III):




wherein ring (B) represents a non-aromatic 5- or 6-membered ring fused to the phenyl group, wherein ring (B) comprises one or two heteroatoms independently selected from nitrogen and oxygen; wherein said ring (B) independently is unsubstituted, mono-, or di-substituted, wherein the substituents are independently selected from oxo, (C₁₋₆)alkyl, and -(C₀₋₃)alkylene-COOR⁰³ wherein R⁰³ represents hydrogen or (C₁₋₃)alkyl;

or a pharmaceutically acceptable salt thereof.

6. A compound according to any one of claims 1 to 3; wherein


- Ar¹ represents a phenyl group selected from:

a)




and ;or


b)



c)




d)




- or Ar¹ represents a thiophenyl group selected from:


a)




b)



c)




- or Ar¹ represents a thiazoyl group selected from:




- or Ar¹ represents 9- or 10-membered bicyclic heteroaryl selected from

a)




b)




- or Ar¹ represents a group selected from:

5

a)



b)



10 or a pharmaceutically acceptable salt thereof.

7. A compound according to any one of claims 1 to 6; wherein the group



wherein

15 R² represents methyl, chloro, or cyano; andR¹³ represents hydrogen; and

- R¹⁴, R¹⁵, R¹⁶, and R¹⁷ independently represent the following:

R¹⁴ represents hydrogen, methyl, ethyl, methoxy, bromo, chloro, fluoro, trifluoromethyl, trifluoromethoxy, or cyano;

20 R¹⁵ represents hydrogen, methyl, methoxy, chloro, fluoro;R¹⁶ represents hydrogen, methoxy, or fluoro; andR¹⁷ represents hydrogen, methyl, methoxy, chloro, fluoro, or cyano;

wherein at least one of R^{14} , R^{15} , R^{16} , and R^{17} represents hydrogen;

- or R^{14} and R^{15} together form a group $-O-CH_2-O-$, R^{16} represents hydrogen and R^{17} represents hydrogen or halogen;

or

5 R^2 represents (C_{1-3}) alkyl, halogen, or cyano; and

R^{13} represents fluoro; and

- R^{14} , R^{15} , R^{16} , and R^{17} independently represent the following:

R^{14} represents hydrogen, methyl, ethyl, methoxy, bromo, chloro, fluoro, trifluoromethyl, trifluoromethoxy, or cyano;

10 R^{15} represents hydrogen, methyl, methoxy, chloro, fluoro;

R^{16} represents hydrogen, methoxy, or fluoro; and


R^{17} represents hydrogen, methyl, methoxy, chloro, fluoro, or cyano;

wherein at least two of R^{14} , R^{15} , R^{16} , and R^{17} represent hydrogen.

or a pharmaceutically acceptable salt thereof.


15

8. A compound according to any one of claims 1 to 6; wherein the group




represents a group selected from the following groups A), B), C), D) and E):


A)




B)




C)



D)




E)



or a pharmaceutically acceptable salt thereof.

5

9. A compound according to claim 1 which is a compound of Formula (II)



Formula (II)

wherein

10 R^2 represents methyl, chloro, or cyano; and

- R^{14} , R^{15} , R^{16} , and R^{17} independently represent the following:

R^{14} represents methyl, methoxy, halogen, or cyano;

R^{15} represents hydrogen, methyl, chloro, or fluoro;


R^{16} represents hydrogen, or fluoro; and

15 R^{17} represents hydrogen, chloro, or fluoro;

wherein one of R^{14} , R^{16} , and R^{17} is different from hydrogen;

and Ar^1 represents

- a phenyl group of the structure (Ar-IV):



(Ar-IV)

wherein

- R^p represents;

- hydroxy;
- -COOH;
- 5 ➤ -CO-CH₂-CN;
- -CO-(C₁₋₄)alkoxy;
- -CO-NH-SO₂-R^{S3} wherein R^{S3} represents R^{S3} represents (C₁₋₄)alkyl, (C₃₋₆)cycloalkyl; (C₃₋₆)cycloalkyl-(C₁₋₃)alkyl; (C₁₋₃)fluoroalkyl, phenyl, or -NH₂;
- -X¹-CH₂-COOH, wherein X¹ represents O, or NH;
- 10 ➤ -CO-NR^{N3}R^{N4} wherein R^{N3} and R^{N4} independently represent hydrogen, (C₁₋₄)alkyl, hydroxy-(C₂₋₄)alkyl, (C₁₋₃)alkoxy-(C₂₋₄)alkyl, dimethylamino-(C₂₋₄)alkyl, (C₁₋₄)alkoxy, or hydroxy-(C₂₋₄)alkoxy;
- -NH-CO-NR^{N5}R^{N6} wherein R^{N5} and R^{N6} independently represent hydrogen or (C₁₋₄)alkyl;
- -SO₂-R^{S1} wherein R^{S1} represents hydroxy, (C₁₋₄)alkyl, or -NR^{N7}R^{N8} wherein R^{N7} and R^{N8} independently represent hydrogen or (C₁₋₃)alkyl;
- 15 ➤ 5-oxo-4,5-dihydro-[1,2,4]oxadiazol-3-yl;
- tetrazolyl (especially 1H-tetrazol-5-yl); or
- 5- or 6-membered heteroaryl selected from oxazolyl, isoxazolyl, oxadiazolyl, thiazolyl, isothiazolyl, thiadiazolyl, imidazolyl, pyrazolyl, triazolyl, pyridinyl, pyrimidinyl, pyridazinyl, or pyrazinyl; wherein said 5- or 6-membered heteroaryl is unsubstituted, or mono- or di-substituted, wherein the substituents are
- 20 independently selected from (C₁₋₃)alkyl, (C₁₋₃)alkoxy, -COOH, hydroxy, fluoro, 2-amino-2-oxo-ethyl, 2-carboxy-ethyl, or -NR^{N9}R^{N10} wherein R^{N9} and R^{N10} independently represent hydrogen or (C₁₋₃)alkyl;

- R^{m1} represents


- hydrogen;
- (C₁₋₆)alkyl;
- 25 ➤ (C₁₋₄)alkoxy;
- (C₁₋₃)fluoroalkyl;
- (C₁₋₃)fluoroalkoxy;
- halogen;
- (C₃₋₆)cycloalkyl;
- 30 ➤ (C₃₋₆)cycloalkyl-oxy;
- hydroxy;
- -(CH₂)_m-NR^{N1}R^{N2}, wherein m represents the integer 0 or 1; and wherein R^{N1} and R^{N2} independently represent hydrogen, (C₁₋₃)alkyl, or (C₂₋₃)fluoroalkyl; or R^{N1} and R^{N2} together with the nitrogen to which they are attached form a pyrrolidinyl ring; or
- 35 ➤ -S-R^{S2} wherein R^{S2} represents (C₁₋₄)alkyl, or (C₃₋₆)cycloalkyl;

- and R^{m2} represents

- hydrogen; or

- (C₁₋₆)alkyl;
- (C₁₋₃)alkoxy; or
- halogen;

- or Ar¹ represents a 5-membered heteroaryl group of the structure (Ar-V):



(Ar-V)

wherein in (Ar-V) the ring A represents a thiophenyl or a thiazolyl ring;

wherein R^{A1} represents


- -COOH;
- tetrazolyl;
- -CO-(C₁₋₄)alkoxy;
- -CO-NH-SO₂-R^{S3} wherein R^{S3} represents (C₁₋₄)alkyl, (C₃₋₆)cycloalkyl, (C₃₋₆)cycloalkyl-(C₁₋₃)alkyl; (C₁₋₃)fluoroalkyl, phenyl, or -NH₂;
- -X¹-CH₂-COOH, wherein X¹ represents O, or NH; or
- -CO-NR^{N3}R^{N4} wherein R^{N3} and R^{N4} independently represent hydrogen, (C₁₋₄)alkyl, hydroxy-(C₂₋₄)alkyl, or (C₁₋₃)alkoxy-(C₂₋₄)alkyl;

and R^{A2} represents

- hydrogen;
- (C₁₋₆)alkyl;
- (C₁₋₄)alkoxy;
- (C₁₋₃)fluoroalkyl;
- halogen; or
- hydroxy;

- or Ar¹ represents 9- or 10-membered bicyclic heteroaryl selected from 1H-indol-5-yl, 1H-indol-4-yl, 1H-indol-6-yl, indazol-6-yl, 1H-benzimidazol-5-yl, 1H-benzotriazol-5-yl, quinoxalin-6-yl, isoquinolin-7-yl, and quinolin-6-yl; wherein said 9- or 10-membered bicyclic heteroaryl independently is unsubstituted, mono-, or di-substituted, wherein the substituents are independently selected from (C₁₋₄)alkyl or -COOH;

- or Ar¹ represents a group of the structure (Ar-III):




(Ar-III)

wherein ring (B) represents a non-aromatic 5-membered ring fused to the phenyl group, wherein ring (B) comprises one or two nitrogen ring atoms; wherein said ring (B) independently is unsubstituted, mono-, or di-substituted, wherein the substituents are independently selected from oxo and (C₁₋₆)alkyl;

or a pharmaceutically acceptable salt thereof.


5

10. A compound according to claim 1 which is a compound of Formula (III):



Formula (III)


wherein the group:



10


represents a group selected from the following groups A), B), C), D) and E):

A)




15


B)




C)



D)



5 E)

Ar¹ represents

- phenyl, or 5-membered heteroaryl selected from thiophenyl and thiazolyl; wherein said phenyl or 5-membered heteroaryl independently is mono-, di- or tri-substituted;
 - wherein one of said substituents is selected from
 - -X¹-CO-R⁰¹, wherein
 - X¹ represents a direct bond, -CH₂-CH₂-, -O-CH₂*, -NH-CH₂*, -CH=CH-, or -NH-CO-*; wherein the asterisks indicate the bond that is linked to the -CO-R⁰¹ group; and
 - R⁰¹ represents
 - -OH;
 - -O-(C₁₋₄)alkyl;
 - -NH-SO₂-R^{S3} wherein R^{S3} represents (C₁₋₃)alkyl, cyclopropyl, or -NH₂;
 - -O-CH₂-CO-R⁰⁴, wherein R⁰⁴ represents hydroxy or (C₁₋₄)alkoxy; or
 - -O-CH₂-O-CO-R⁰⁵, wherein R⁰⁵ represents (C₁₋₄)alkyl or (C₁₋₄)alkoxy;
 - -NR^{N1}R^{N2}, wherein R^{N1} independently represents hydrogen or (C₁₋₃)alkyl, and R^{N2} represents -CO-H;
 - 5-oxo-4,5-dihydro-[1,2,4]oxadiazol-3-yl, or 3-oxo-2,3-dihydro-[1,2,4]oxadiazol-5-yl;
 - 1H-tetrazol-5-yl;
 - 3-hydroxy-isoxazol-5-yl;

- imidazolyl, which is unsubstituted, or mono- or di-substituted with methyl;
- pyrazolyl;
- isoxazolyl, oxazolyl, or thiadiazolyl; wherein said isoxazolyl, oxazolyl, or thiadiazolyl is mono-substituted with $-NR^{N9}R^{N10}$, wherein R^{N9} represents hydrogen, and R^{N10} represents hydrogen or methyl;

and the remaining one or two of said substituents (if present) is/are independently selected from

- (C_{1-4}) alkyl;
- (C_{1-4}) alkoxy;
- 2,2,2-trifluoroethoxy;
- halogen;
- $-NR^{N1}R^{N2}$, wherein R^{N1} represents hydrogen, and R^{N2} represents (C_{1-3}) alkyl;
- $-S-R^{S2}$ wherein R^{S2} represents (C_{1-4}) alkyl;

- or Ar^1 represents 8- to 10-membered bicyclic heteroaryl selected from unsubstituted benzimidazol; unsubstituted indazolyl, and indolyl which is unsubstituted or mono-substituted with $-COOR^{O2}$ wherein R^{O2} represents hydrogen or (C_{1-4}) alkyl;

- or Ar^1 represents oxo-substituted 8- to 10-membered partially aromatic fused bicyclic heterocyclyl selected from 2-oxo-2,3-dihydro-benzooxazolyl, 3-oxo-2,3-dihydro-1H-indazolyl, 2-oxo-1,2,3,4-tetrahydro-quinazolinyl, 1-oxo-1,2,3,4-tetrahydro-isoquinolinyl; wherein said oxo-substituted heterocyclyl is unsubstituted or mono-substituted on a ring nitrogen atom with (C_{1-3}) alkyl;

or a pharmaceutically acceptable salt thereof.

11. A compound according to claim 1 selected from the group consisting of:

3-Chloro-5-{6-[2-(6-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-thiophene-2-carboxylic acid;

5-{6-[2-(2-Cyano-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid;

[6-(2,3-Dihydro-1H-indol-5-yl)-pyrimidin-4-yl]-[2-(6-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethyl]-amine;

[2-(7-Fluoro-2,4-dimethyl-indol-1-yl)-ethyl]-{6-[4-(1H-imidazol-4-yl)-phenyl]-pyrimidin-4-yl}-amine;

3-Ethyl-5-{6-[2-(6-fluoro-2,4-dimethyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-thiophene-2-carboxylic acid;

5-{6-[2-(7-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-methyl-thiophene-2-carboxylic acid;

5-{6-[2-(4-Chloro-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid;

3-Ethyl-5-{6-[2-(4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-thiophene-2-carboxylic acid;

3-Chloro-5-{6-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-thiophene-2-carboxylic acid;

4-{6-[2-(7-Fluoro-2,4-dimethyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-methylamino-benzoic acid;

5-{6-[2-(5,7-Difluoro-2,4-dimethyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid;

{6-[4-(3-Amino-isoxazol-5-yl)-phenyl]-pyrimidin-4-yl}-[2-(4-methoxy-2-methyl-indol-1-yl)-ethyl]-amine;

[2-(6-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethyl]-{6-[4-(1H-imidazol-4-yl)-phenyl]-pyrimidin-4-yl}-amine;

[2-(7-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethyl]-{6-[4-(1H-imidazol-4-yl)-phenyl]-pyrimidin-4-yl}-amine;

- [2-(7-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethyl]-{6-[4-(2H-pyrazol-3-yl)-phenyl]-pyrimidin-4-yl}-amine;
- 3-Ethoxy-5-{6-[2-(4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-thiophene-2-carboxylic acid;
- 5-{6-[2-(6-Chloro-2,4-dimethyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid;
- 3-Ethoxy-5-{6-[2-(7-fluoro-2,4-dimethyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-thiophene-2-carboxylic acid;
- 5 3-Ethoxy-5-{6-[2-(7-fluoro-2,5-dimethyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-thiophene-2-carboxylic acid;
- 3-Ethoxy-5-{6-[2-(6-fluoro-2,4-dimethyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-thiophene-2-carboxylic acid;
- 3-Ethyl-5-{6-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-thiophene-2-carboxylic acid;
- 5-{6-[2-(4,6-Dichloro-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid;
- 5-{6-[2-(4-Chloro-6-fluoro-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid;
- 10 5-{6-[2-(4-Chloro-7-fluoro-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid;
- 5-{6-[2-(2-Cyano-6-fluoro-4-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid;
- 4-{6-[2-(7-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-methylamino-benzoic acid;
- 5-{6-[2-(7-Chloro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid;
- 3-Ethoxy-5-{6-[2-(6-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-thiophene-2-carboxylic acid;
- 15 3-Ethoxy-5-{6-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-thiophene-2-carboxylic acid;
- 3-Ethoxy-5-{6-[2-(4,6,7-trifluoro-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-thiophene-2-carboxylic acid;
- 3-Ethoxy-5-{6-[2-(4,5,7-trifluoro-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-thiophene-2-carboxylic acid;
- 5-{6-[2-(6,7-Difluoro-2,4-dimethyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid;
- {6-[4-(3-Amino-isoxazol-5-yl)-phenyl]-pyrimidin-4-yl}-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethyl]-amine;
- 20 [2-(6,7-Difluoro-4-methoxy-2-methyl-indol-1-yl)-ethyl]-{6-[4-(1H-imidazol-4-yl)-phenyl]-pyrimidin-4-yl}-amine;
- [2-(7-Fluoro-2,4-dimethyl-indol-1-yl)-ethyl]-{6-[4-(5-methylamino-[1,3,4]thiadiazol-2-yl)-phenyl]-pyrimidin-4-yl}-amine;
- 5-{6-[2-(2-Cyano-6-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid;
- 2-Ethylamino-4-{6-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-benzoic acid;
- 5-{6-[2-(6,7-Difluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic
- 25 acid;
- 5-{6-[2-(6-Fluoro-2,4-dimethyl-indol-1-yl)-ethylamino]-2-methyl-pyrimidin-4-yl}-3-trifluoromethyl-thiophene-2-carboxylic acid;
- 5-{6-[2-(7-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-trifluoromethyl-thiophene-2-carboxylic acid;
- 30 5-{6-[2-(6-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-trifluoromethyl-thiophene-2-carboxylic acid;
- [2-(7-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethyl]-{6-[4-(5-methylamino-[1,3,4]thiadiazol-2-yl)-phenyl]-pyrimidin-4-yl}-amine;
- 4-(4-{6-[2-(7-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-phenyl)-thiazole-2-carboxylic acid;

- 2-Chloro-4-{6-[2-(6-chloro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-6-propyl-benzoic acid;
 2-Chloro-4-{6-[2-(6-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-6-propyl-benzoic acid;
 5-{6-[2-(6,7-Difluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-trifluoromethyl-thiophene-2-carboxylic acid;
- 5 4-{6-[2-(6-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-isobutyl-benzoic acid;
 5-{6-[2-(7-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-2-methyl-pyrimidin-4-yl}-3-trifluoromethyl-thiophene-2-carboxylic acid;
 5-{6-[2-(6-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-2-methyl-pyrimidin-4-yl}-3-trifluoromethyl-thiophene-2-carboxylic acid;
- 10 1-Ethyl-3-{4-[6-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl]-2-methoxy-phenyl}-urea;
 {6-[4-(2-Amino-oxazol-5-yl)-phenyl]-pyrimidin-4-yl}-[2-(6-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethyl]-amine;
 {6-[4-(2-Amino-oxazol-5-yl)-phenyl]-pyrimidin-4-yl}-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethyl]-amine;
 2-{4-[6-[2-(6-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl]-phenyl}-thiazole-4-carboxylic acid;
 2-{4-[6-[2-(7-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl]-phenyl}-thiazole-4-carboxylic acid;
- 15 [2-(6-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethyl]-{6-[4-(2-methyl-1H-imidazol-4-yl)-phenyl]-pyrimidin-4-yl}-amine;
 [2-(6-Fluoro-2,4-dimethyl-indol-1-yl)-ethyl]-{6-[4-(5-methylamino-[1,3,4]thiadiazol-2-yl)-phenyl]-pyrimidin-4-yl}-amine;
 4-{6-[2-(2-Cyano-6-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-isobutyl-benzoic acid;
 2-Chloro-4-{6-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-6-propoxy-benzoic acid;
 2-Butoxy-4-{6-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-benzoic acid;
- 20 {6-[4-(2-Amino-oxazol-5-yl)-phenyl]-pyrimidin-4-yl}-[2-(6,7-difluoro-4-methoxy-2-methyl-indol-1-yl)-ethyl]-amine;
 [2-(6,7-Difluoro-4-methoxy-2-methyl-indol-1-yl)-ethyl]-{6-[4-(2-methyl-1H-imidazol-4-yl)-phenyl]-pyrimidin-4-yl}-amine;
 [2-(6-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethyl]-{6-[4-(5-methylamino-[1,3,4]thiadiazol-2-yl)-phenyl]-pyrimidin-4-yl}-amine;
- 25 {6-[3-Ethoxy-4-(1H-tetrazol-5-yl)-phenyl]-pyrimidin-4-yl}-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethyl]-amine;
 {6-[3-Ethylamino-4-(1H-tetrazol-5-yl)-phenyl]-pyrimidin-4-yl}-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethyl]-amine;
 [2-(7-Chloro-4-methoxy-2-methyl-indol-1-yl)-ethyl]-{6-[3-ethylamino-4-(1H-tetrazol-5-yl)-phenyl]-pyrimidin-4-yl}-amine;
- {6-[3-Ethylamino-4-(1H-tetrazol-5-yl)-phenyl]-pyrimidin-4-yl}-[2-(4-methoxy-2-methyl-indol-1-yl)-ethyl]-amine;
- 30 {6-[3-Ethylamino-4-(1H-tetrazol-5-yl)-phenyl]-pyrimidin-4-yl}-[2-(7-fluoro-2,4-dimethyl-indol-1-yl)-ethyl]-amine;
 3-Butoxy-5-{6-[2-(6-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-thiophene-2-carboxylic acid;
 3-Butoxy-5-{6-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-thiophene-2-carboxylic acid;
 5-{6-[2-(6-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-propoxy-thiophene-2-carboxylic acid;
 5-{6-[2-(7-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-isopropoxy-thiophene-2-carboxylic acid;
- 35 acid;

- 5-{6-[2-(6-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-isopropoxy-thiophene-2-carboxylic acid;
- 5-{6-[2-(7-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-propoxy-thiophene-2-carboxylic acid;
- 3-(4-{6-[2-(6,7-Difluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-phenyl)-4H-[1,2,4]oxadiazol-5-one;
- 2-Chloro-4-{6-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-6-isobutoxy-benzoic acid;
- [2-(7-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethyl]-[6-(1H-indol-5-yl)-pyrimidin-4-yl]-amine;
- [2-(6,7-Difluoro-4-methoxy-2-methyl-indol-1-yl)-ethyl]-[6-(1H-indol-5-yl)-pyrimidin-4-yl]-amine;
- 6-{6-[2-(7-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-1,2-dihydro-indazol-3-one;
- 4-{6-[2-(2-Chloro-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-ethoxy-benzoic acid;
- 5-{6-[2-(2-Chloro-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid;
- 5-{6-[2-(4-Bromo-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid;
- [2-(7-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethyl]-[6-[5-(1H-tetrazol-5-yl)-thiophen-2-yl]-pyrimidin-4-yl]-amine;
- 5-{6-[2-(6-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-hydroxy-thiophene-2-carboxylic acid;
- 5-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-isopropoxy-thiophene-2-carboxylic acid;
- 1-(2-{6-[3-Ethoxy-4-(1H-tetrazol-5-yl)-phenyl]-pyrimidin-4-ylamino}-ethyl)-7-fluoro-4-methoxy-1H-indole-2-carbonitrile;
- 5-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-trifluoromethyl-thiophene-2-carboxylic acid;
- 5-{6-[2-(2-cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid;
- 5-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-fluoro-thiophene-2-carboxylic acid;
- 4-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-ethoxy-benzoic acid;
- (4-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-ethoxy-phenoxy)-acetic acid;
- N-(5-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carbonyl)-methanesulfonamide;
- (2-Ethoxy-4-{6-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-phenoxy)-acetic acid;
- (2-Ethoxy-4-{6-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-phenylamino)-acetic acid;
- 5-{6-[2-(2-Cyano-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid;
- N-(5-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carbonyl)-benzenesulfonamide;
- Propane-2-sulfonic acid (5-{6-[2-(2-cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carbonyl)-amide;
- Cyclopropanesulfonic acid (5-{6-[2-(2-cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carbonyl)-amide;

- 5-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid methylamide;
- Ethanesulfonic acid (5-{6-[2-(2-cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carbonyl)-amide;
- 5 7-Fluoro-1-(2-{6-[4-(1H-imidazol-4-yl)-3-methoxy-phenyl]-pyrimidin-4-ylamino}-ethyl)-4-methoxy-1H-indole-2-carbonitrile;
- 7-Fluoro-4-methoxy-1-(2-{6-[4-(5-methyl-1H-imidazol-4-yl)-phenyl]-pyrimidin-4-ylamino}-ethyl)-1H-indole-2-carbonitrile;
- 1-(2-{6-[3-Ethoxy-4-((5-oxo-4,5-dihydro-[1,2,4]oxadiazol-3-yl)-phenyl]-pyrimidin-4-ylamino}-ethyl)-7-fluoro-4-methoxy-1H-indole-2-carbonitrile;
- 10 1-(2-{6-[4-(2,5-Dimethyl-1H-imidazol-4-yl)-phenyl]-pyrimidin-4-ylamino}-ethyl)-7-fluoro-4-methoxy-1H-indole-2-carbonitrile;
- 1-{2-[6-(3-Ethyl-4-hydroxy-phenyl)-pyrimidin-4-ylamino]-ethyl}-7-fluoro-4-methoxy-1H-indole-2-carbonitrile;
- 1-(2-{6-[4-(1,5-Dimethyl-1H-imidazol-4-yl)-phenyl]-pyrimidin-4-ylamino}-ethyl)-7-fluoro-4-methoxy-1H-indole-2-carbonitrile;
- 15 1-(2-{6-[4-(1,2-Dimethyl-1H-imidazol-4-yl)-phenyl]-pyrimidin-4-ylamino}-ethyl)-7-fluoro-4-methoxy-1H-indole-2-carbonitrile;
- 7-Fluoro-1-(2-{6-[4-((5-oxo-4,5-dihydro-[1,2,4]oxadiazol-3-yl)-phenyl]-pyrimidin-4-ylamino)-ethyl)-4-methoxy-1H-indole-2-carbonitrile;
- 20 7-Fluoro-1-(2-{6-[5-(3-hydroxy-oxetan-3-yl)-4-methoxy-thiophen-2-yl]-pyrimidin-4-ylamino}-ethyl)-4-methoxy-1H-indole-2-carbonitrile;
- 1-(2-{6-[4-(2-Cyclopropyl-1-methyl-1H-imidazol-4-yl)-phenyl]-pyrimidin-4-ylamino}-ethyl)-7-fluoro-4-methoxy-1H-indole-2-carbonitrile;
- (4-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-trifluoromethoxy-phenoxy)-acetic acid;
- 25 7-Fluoro-1-(2-{6-[4-(3H-imidazol-4-yl)-phenyl]-pyrimidin-4-ylamino}-ethyl)-4-methoxy-1H-indole-2-carbonitrile;
- 3-(2-Ethoxy-4-{6-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-phenyl)-[1,2,4]oxadiazol-5(4H)-one;
- 7-Fluoro-1-(2-{6-[4-(3-oxo-2,3-dihydro-1,2,4-oxadiazol-5-yl)-phenyl]-pyrimidin-4-ylamino}-ethyl)-4-methoxy-1H-indole-2-carbonitrile;
- 30 5-{6-[2-(7-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-(2,2,2-trifluoro-ethoxy)-thiophene-2-carboxylic acid;
- (4-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-ethyl-phenoxy)-acetic acid;
- 3-(2-Ethoxy-4-{6-[2-(6-fluoro-2,4-dimethyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-phenyl)-[1,2,4]oxadiazol-5(4H)-one;
- 2-butoxy-6-chloro-4-(6-((2-(7-fluoro-4-methoxy-2-methyl-1H-indol-1-yl)ethyl-1,1,2,2-d4)amino)pyrimidin-4-yl)benzoic acid;
- 35 5-{6-[2-(7-Chloro-5-fluoro-2,4-dimethyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid;

- 5-{6-[2-(6-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-(2,2,2-trifluoro-ethoxy)-thiophene-2-carboxylic acid;
- 2-(2-Ethoxy-4-{6-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-phenylamino)-propionic acid;
- 5 5-{6-[2-(2-Cyano-3-fluoro-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-trifluoromethyl-thiophene-2-carboxylic acid;
- 5-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-fluoro-thiophene-2-carboxylic acid;
- 7-Fluoro-1-(2-{6-[4-(3-hydroxy-isoxazol-5-yl)-phenyl]-pyrimidin-4-ylamino}-ethyl)-4-methoxy-1H-indole-2-carbonitrile;
- N-(4-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-ethoxy-phenyl)-oxalamic acid;
- 7-Fluoro-1-(2-{6-[4-(3-hydroxy-isoxazol-5-yl)-3-methoxy-phenyl]-pyrimidin-4-ylamino}-ethyl)-4-methoxy-1H-indole-2-
- 10 carbonitrile;
- 5-{6-[2-(2-Cyano-7-fluoro-4-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-trifluoromethyl-thiophene-2-carboxylic acid;
- (4-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-ethoxy-phenylamino)-acetic acid;
- 1-(2-{6-[4-(2-Cyclopropyl-1H-imidazol-4-yl)-phenyl]-pyrimidin-4-ylamino}-ethyl)-7-fluoro-4-methoxy-1H-indole-2-
- 15 carbonitrile;
- 5-{6-[2-(6-Chloro-7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid;
- (4-{6-[2-(2-Cyano-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-ethoxy-phenylamino)-acetic acid;
- 7-Fluoro-1-{2-[6-(4-hydroxy-3-trifluoromethoxy-phenyl)-pyrimidin-4-ylamino]-ethyl}-4-methoxy-1H-indole-2-
- 20 carbonitrile;
- 1-{2-[6-(3-Chloro-4-hydroxy-phenyl)-pyrimidin-4-ylamino]-ethyl}-7-fluoro-4-methoxy-1H-indole-2-carbonitrile;
- 5-{6-[2-(4,6-Dichloro-7-fluoro-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid;
- 5-{6-[2-(6-Chloro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-isopropoxy-thiophene-2-carboxylic acid;
- 25 (4-{6-[2-(2-Cyano-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-ethoxy-phenoxy)-acetic acid;
- 5-{6-[2-(6-Chloro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid;
- 2-Butoxy-4-{6-[2-(2-cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-benzoic acid;
- 4-{6-[2-(7-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-trifluoromethoxy-phenol;
- 3-Ethoxy-5-{6-[2-(3-fluoro-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-thiophene-2-carboxylic acid;
- 30 5-{6-[2-(2-Cyano-3-fluoro-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid;
- (2-Ethoxy-4-{6-[2-(7-fluoro-2,4-dimethyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-phenylamino)-acetic acid;
- 2-Butoxy-4-{6-[2-(6,7-difluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-benzoic acid;
- 5-{6-[2-(2,4-Dimethyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-isopropoxy-thiophene-2-carboxylic acid;
- 5-{6-[2-(2,4-Dimethyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid;
- 35 3-(2-Ethoxy-4-{6-[2-(4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-phenyl)-[1,2,4]oxadiazol-5(4H)-one;
- 5-{6-[2-(4,6-Dichloro-2-cyano-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid;
- 5-{6-[2-(2-Cyano-5,6-difluoro-4-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid;

- 5-{6-[2-(2-Cyano-7-fluoro-4-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid;
 5-{6-[2-(2-Cyano-7-fluoro-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid;
 (4-{6-[2-(2-Cyano-7-fluoro-4-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-ethoxy-phenoxy)-acetic acid;
 (4-{6-[2-(2-Cyano-7-fluoro-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-ethoxy-phenylamino)-acetic acid;
 5 1-{2-[6-(3-Ethoxy-4-hydroxy-phenyl)-pyrimidin-4-ylamino]-ethyl}-7-fluoro-4-methoxy-1H-indole-2-carbonitrile;
 5-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-thiophene-2-carboxylic acid amide;
 5-{6-[2-(2-Cyano-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-fluoro-thiophene-2-carboxylic acid;
 5-{6-[2-(4-Chloro-2-cyano-6,7-difluoro-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-fluoro-thiophene-2-carboxylic acid;
 2-Butoxy-4-{6-[2-(2-cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-6-fluoro-benzoic acid;
 10 2-Butoxy-6-chloro-4-{6-[2-(2-cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-benzoic acid;
 2-Chloro-4-{6-[2-(2-cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-6-propoxy-benzoic acid;
 4-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-fluoro-6-propoxy-benzoic acid;
 5-{6-[2-(4-Chloro-2-cyano-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid;
 5-{6-[2-(2-Cyano-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-trifluoromethyl-thiophene-2-carboxylic acid;
 15 5-{6-[2-(4-Chloro-2-cyano-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-trifluoromethyl-thiophene-2-carboxylic acid;
 5-{6-[2-(4-Chloro-2-cyano-6,7-difluoro-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-trifluoromethyl-thiophene-2-carboxylic acid;
 2-Chloro-4-{6-[2-(2-cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-6-isobutoxy-benzoic acid;
 (4-{6-[2-(4-Chloro-2-cyano-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-ethoxy-phenylamino)-acetic acid;
 20 (4-{6-[2-(4-Chloro-2-cyano-6,7-difluoro-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-ethoxy-phenylamino)-acetic acid;
 4-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-difluoromethoxy-benzoic acid;
 7-Fluoro-4-methoxy-1-{2-[6-(1-methyl-2-oxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrimidin-4-ylamino]-ethyl}-1H-indole-2-carbonitrile;
 7-Fluoro-4-methoxy-1-{2-[6-(1-methyl-3-oxo-2,3-dihydro-1H-indazol-6-yl)-pyrimidin-4-ylamino]-ethyl}-1H-indole-2-
 25 carbonitrile;
 3-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-5-ethylsulfanyl-benzoic acid;
 7-Fluoro-4-methoxy-1-{2-[6-[4-(3H-[1,2,3]triazol-4-yl)-phenyl]-pyrimidin-4-ylamino]-ethyl}-1H-indole-2-carbonitrile;
 3-(3-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-5-ethoxy-phenoxy)-propionic acid;
 3-(4-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-ethoxy-phenoxy)-propionic acid;
 30 4-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-ethoxy-3-fluoro-benzoic acid;
 4-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-ethoxy-benzenesulfonamide;
 1-(2-{6-[3-Ethoxy-4-(3H-[1,2,3]triazol-4-yl)-phenyl]-pyrimidin-4-ylamino}-ethyl)-7-fluoro-4-methoxy-1H-indole-2-carbonitrile;
 3-(5-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophen-2-yl)-propionic acid;
 35 7-Fluoro-1-(2-{6-[4-(2-hydroxy-3,4-dioxo-cyclobut-1-enyl)-phenyl]-pyrimidin-4-ylamino}-ethyl)-4-methoxy-1H-indole-2-carbonitrile;
 (4-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-ethoxy-phenyl)-oxo-acetic acid;

- 4-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-propylsulfanyl-benzoic acid;
 4-{6-[2-(2-Cyano-6-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-propylsulfanyl-benzoic acid;
 4-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-isopropylsulfanyl-benzoic acid;
 4-{6-[2-(2-Cyano-6-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-isopropylsulfanyl-benzoic acid;
 5 4-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-fluoro-6-propyl-benzoic acid;
 5-{6-[2-(2-Cyano-5,7-difluoro-4-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid;
 5-{6-[2-(2-Cyano-6,7-difluoro-4-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid;
 5-{6-[2-(2-Cyano-6,7-difluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid;
 (4-{6-[2-(2-Cyano-6,7-difluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-ethoxy-phenoxy)-acetic acid;
 10 (4-{6-[2-(2-Cyano-6,7-difluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-ethoxy-phenylamino)-acetic acid;
 4-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-propyl-benzoic acid;
 4-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-ethyl-benzoic acid;
 4-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-isobutoxy-benzoic acid;
 4-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-propoxy-benzoic acid;
 15 4-{6-[2-(2-Cyano-7-fluoro-4-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-ethylsulfanyl-benzoic acid;
 4-{6-[2-(2-Cyano-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-ethylsulfanyl-benzoic acid;
 4-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-ethylsulfanyl-benzoic acid;
 4-{6-[2-(2-Cyano-6-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-ethylsulfanyl-benzoic acid;
 4-{6-[2-(2-Cyano-6,7-difluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-ethylsulfanyl-benzoic acid;
 20 4-{6-[2-(2-Cyano-6,7-difluoro-4-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-ethoxy-benzoic acid;
 4-{6-[2-(2-Cyano-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-methylamino-benzoic acid;
 2-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-1H-indole-5-carboxylic acid;
 7-Fluoro-1-{2-[6-(1H-indol-2-yl)-pyrimidin-4-ylamino]-ethyl}-4-methoxy-1H-indole-2-carbonitrile;
 2-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-1H-indole-5-carboxylic acid methyl ester;
 25 7-Fluoro-1-{2-[6-(4-(2-hydroxy-ethoxy)-phenyl)-pyrimidin-4-ylamino]-ethyl}-4-methoxy-1H-indole-2-carbonitrile;
 7-Fluoro-1-{2-[6-(1H-indol-6-yl)-pyrimidin-4-ylamino]-ethyl}-4-methoxy-1H-indole-2-carbonitrile;
 7-Fluoro-4-methoxy-1-{2-[6-(1H-pyrrolo[2,3-c]pyridin-3-yl)-pyrimidin-4-ylamino]-ethyl}-1H-indole-2-carbonitrile;
 7-Fluoro-1-{2-[6-(1H-indol-3-yl)-pyrimidin-4-ylamino]-ethyl}-4-methoxy-1H-indole-2-carbonitrile;
 7-Fluoro-4-methoxy-1-{2-[6-(2-oxo-1,2,3,4-tetrahydro-quinazolin-6-yl)-pyrimidin-4-ylamino]-ethyl}-1H-indole-2-
 30 carbonitrile;
 N-(4-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-phenyl)-formamide;
 7-Fluoro-4-methoxy-1-{2-[6-(2-oxo-2,3-dihydro-benzooxazol-6-yl)-pyrimidin-4-ylamino]-ethyl}-1H-indole-2-
 carbonitrile;
 7-Fluoro-4-methoxy-1-{2-[6-(3-methyl-2-oxo-2,3-dihydro-benzooxazol-5-yl)-pyrimidin-4-ylamino]-ethyl}-1H-indole-2-
 35 carbonitrile;
 7-Fluoro-1-{2-[6-(1H-indazol-5-yl)-pyrimidin-4-ylamino]-ethyl}-4-methoxy-1H-indole-2-carbonitrile;
 7-Fluoro-4-methoxy-1-{2-[6-(1H-pyrrolo[2,3-b]pyridin-3-yl)-pyrimidin-4-ylamino]-ethyl}-1H-indole-2-carbonitrile;

- 7-Fluoro-4-methoxy-1-{2-[6-(1H-pyrrolo[2,3-b]pyridin-5-yl)-pyrimidin-4-ylamino]-ethyl}-1H-indole-2-carbonitrile;
 7-Fluoro-4-methoxy-1-{2-[6-(1-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)-pyrimidin-4-ylamino]-ethyl}-1H-indole-2-carbonitrile;
- 1-(4-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-methoxy-phenyl)-3-ethyl-urea;
- 5 1-{2-[6-(1H-Benzoimidazol-5-yl)-pyrimidin-4-ylamino]-ethyl}-7-fluoro-4-methoxy-1H-indole-2-carbonitrile;
 1-{2-[6-(3H-Benzotriazol-5-yl)-pyrimidin-4-ylamino]-ethyl}-7-fluoro-4-methoxy-1H-indole-2-carbonitrile;
 7-Fluoro-4-methoxy-1-{2-[6-(1-oxo-1,2,3,4-tetrahydro-isoquinolin-6-yl)-pyrimidin-4-ylamino]-ethyl}-1H-indole-2-carbonitrile;
- 1-{2-[6-(3-Ethoxy-4-formyl-phenyl)-pyrimidin-4-ylamino]-ethyl}-7-fluoro-4-methoxy-1H-indole-2-carbonitrile;
- 10 7-Fluoro-1-{2-[6-(1H-indol-5-yl)-pyrimidin-4-ylamino]-ethyl}-4-methoxy-1H-indole-2-carbonitrile;
 4-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-fluoro-benzoic acid methyl ester;
 7-Fluoro-1-{2-[6-(4-hydroxy-3-trifluoromethyl-phenyl)-pyrimidin-4-ylamino]-ethyl}-4-methoxy-1H-indole-2-carbonitrile;
 3-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-5-ethoxy-benzoic acid;
 5-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-thiophene-3-carboxylic acid ethyl ester;
- 15 4-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-methylamino-benzoic acid;
 4-{6-[2-(5,7-Difluoro-2,4-dimethyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-methylamino-benzoic acid;
 3-(5-{6-[2-(7-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-isopropoxy-thiophen-2-yl)-propionic acid;
- 3-(3-Ethoxy-5-{6-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-thiophen-2-yl)-propionic acid;
- 20 (E)-3-(3-Ethoxy-5-{6-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-thiophen-2-yl)-acrylic acid;
- 4-{6-[2-(6-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-methylamino-benzoic acid;
- 3-Chloro-5-{6-[2-(4-chloro-2-cyano-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-thiophene-2-carboxylic acid;
- 25 3-Chloro-5-{6-[2-(4-chloro-2-cyano-6,7-difluoro-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-thiophene-2-carboxylic acid;
 N-(3-Ethoxy-5-{6-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-thiophene-2-carbonyl)-methanesulfonamide;
- 5-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid ethylamide;
- 30 5-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid dimethylamide;
- 5-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid (2-hydroxy-ethyl)-amide;
- 5-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid isopropylamide;
- 35 5-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid (2-methoxy-ethyl)-amide;

- 5-((2-(2-cyano-7-fluoro-4-methoxy-1H-indol-1-yl)ethyl)amino)pyrimidin-4-yl)-3-ethoxy-N-sulfamoylthiophene-2-carboxamide;
- 5-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid hydroxyamide;
- 5 (3-Ethoxy-5-{6-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-thiophen-2-yl)-methanol;
- 2-{6-[2-(7-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-4-isopropoxy-thiazole-5-carboxylic acid;
- 2-{6-[2-(7-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-4-methoxy-thiazole-5-carboxylic acid;
- 4-Ethoxy-2-{6-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-thiazole-5-carboxylic acid;
- 2-{6-[2-(7-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-4-propoxy-thiazole-5-carboxylic acid;
- 10 2-{6-[2-(7-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-4-isobutyl-thiazole-5-carboxylic acid;
- 5-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid carboxymethyl ester;
- 5-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid dimethylcarbamoylmethyl ester;
- 15 5-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid butyryloxymethyl ester;
- 5-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid ethoxycarbonyloxymethyl ester;
- 5-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid 5-
- 20 methyl-2-oxo-[1,3]dioxol-4-ylmethyl ester;
- 5-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid 2-dimethylamino-ethyl ester;
- 5-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid phenyl ester;
- 25 (4-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-methoxy-phenyl)-propynoic acid ethyl ester;
- {6-[4-Ethoxy-5-(1H-tetrazol-5-yl)-thiophen-2-yl]-pyrimidin-4-yl}-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethyl]-amine;
- 3-Ethoxy-5-{6-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-N-hydroxy-thiophene-2-
- 30 carboxamidine;
- 3-(3-Ethoxy-5-{6-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-thiophen-2-yl)-[1,2,4]oxadiazol-5(4H)-one;
- 5-{6-[2-(3,7-Difluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid;
- 35 [2-(7-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethyl]-{6-[5-(2H-tetrazol-5-yl)-4-trifluoromethyl-thiophen-2-yl]-pyrimidin-4-yl}-amine;

- 5-{6-[2-(7-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-N-hydroxy-3-trifluoromethyl-thiophene-2-carboxamidine;
- 3-(5-{6-[2-(7-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-trifluoromethyl-thiophen-2-yl)-[1,2,4]oxadiazol-5(4H)-one;
- 5 4-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-ethoxy-N-hydroxy-benzamide;
- 5-(3-Ethoxy-5-{6-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-thiophen-2-yl)-isoxazol-3-ol;
- 5-{6-[2-(7-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-pyridin-2-yl-thiophene-2-carboxylic acid;
- [6-(4-Ethylamino-thiophen-2-yl)-pyrimidin-4-yl]-[2-(7-fluoro-2,4-dimethyl-indol-1-yl)-ethyl]-amine;
- 10 [6-(4-Ethylamino-thiophen-2-yl)-pyrimidin-4-yl]-[2-(6-fluoro-2,4-dimethyl-indol-1-yl)-ethyl]-amine;
- [6-(4-Ethylamino-thiophen-2-yl)-pyrimidin-4-yl]-[2-(6-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethyl]-amine;
- N-Ethyl-N-(5-{6-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-thiophen-3-yl)-formamide;
- N-(3-Ethoxy-5-{6-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-thiophen-2-yl)-formamide;
- N-(3-Ethoxy-5-{6-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-thiophen-2-yl)-
- 15 propionamide;
- N-(3-Ethoxy-5-{6-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-thiophen-2-yl)-3-hydroxy-propionamide;
- (3-Ethoxy-5-{6-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-thiophen-2-yl)-urea; and
- 5-{6-[2-(2-Cyano-3,7-difluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-trifluoromethyl-thiophene-2-
- 20 carboxylic acid;
- or a pharmaceutically acceptable salt thereof.

12. A compound according to claim 1 selected from the group consisting of:

- 3-Chloro-5-{6-[2-(4-chloro-7-fluoro-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-thiophene-2-carboxylic acid;
- 25 3-Chloro-5-{6-[2-(6-fluoro-2,4-dimethyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-thiophene-2-carboxylic acid;
- (2-Chloro-4-{6-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-phenyl)-methanol;
- 5-{6-[2-(7-Fluoro-2,4-dimethyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-methyl-thiophene-2-carboxylic acid;
- [6-(2,3-Dihydro-1H-indol-5-yl)-pyrimidin-4-yl]-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethyl]-amine;
- [2-(6-Fluoro-2,4-dimethyl-indol-1-yl)-ethyl]-{6-[4-(1H-imidazol-4-yl)-phenyl]-pyrimidin-4-yl}-amine;
- 30 [2-(4-Methoxy-2-methyl-indol-1-yl)-ethyl]-{6-[4-(2H-pyrazol-3-yl)-phenyl]-pyrimidin-4-yl}-amine;
- {6-[4-(1H-imidazol-4-yl)-phenyl]-pyrimidin-4-yl}-[2-(4-methoxy-2-methyl-indol-1-yl)-ethyl]-amine;
- [2-(7-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethyl]-[6-(2-methyl-1H-benzimidazol-5-yl)-pyrimidin-4-yl]-amine;
- 3-Ethyl-5-{6-[2-(7-fluoro-2,4-dimethyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-thiophene-2-carboxylic acid;
- 3-Fluoro-5-{6-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-thiophene-2-carboxylic acid;
- 35 3-Fluoro-5-{6-[2-(6-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-thiophene-2-carboxylic acid;
- (4-{6-[2-(7-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-methoxy-phenyl)-methanol;

- (2-Ethoxy-4-{6-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-phenyl)-methanol;
 [2-(6,7-Difluoro-2,4-dimethyl-indol-1-yl)-ethyl]-{6-[4-(1H-imidazol-4-yl)-phenyl]-pyrimidin-4-yl}-amine;
 5-{6-[2-(4,5-Difluoro-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid;
 5-{6-[2-(5-Chloro-7-fluoro-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid;
- 5 2-Ethylamino-4-{6-[2-(6-fluoro-2,4-dimethyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-benzoic acid;
 2-Ethylamino-4-{6-[2-(7-fluoro-2,4-dimethyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-benzoic acid;
 2-Ethylamino-4-{6-[2-(4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-benzoic acid;
 3-Ethoxy-5-{6-[2-(4-methoxy-2,7-dimethyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-thiophene-2-carboxylic acid;
 3-Ethoxy-5-{6-[2-(5,6,7-trifluoro-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-thiophene-2-carboxylic acid;
- 10 [2-(6,7-Difluoro-4-methoxy-2-methyl-indol-1-yl)-ethyl]-{6-[4-[1,2,4]oxadiazol-5-yl-phenyl)-pyrimidin-4-yl}-amine;
 [2-(6-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethyl]-{6-[4-(1-methyl-1H-pyrazol-3-yl)-phenyl]-pyrimidin-4-yl}-amine;
 3-(4-{6-[2-(6-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-phenyl)-4H-[1,2,4]oxadiazol-5-one;
 4-{6-[2-(7-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-propyl-benzoic acid;
 1-Ethyl-3-(2-methoxy-4-{6-[2-(4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-phenyl)-urea;
- 15 2-Chloro-6-ethylamino-4-{6-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-benzoic acid;
 [2-(7-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethyl]-(6-quinolin-6-yl-pyrimidin-4-yl)-amine;
 2-Ethylamino-6-fluoro-4-{6-[2-(7-fluoro-2,4-dimethyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-benzoic acid;
 4-{6-[2-(7-Chloro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-ethylamino-benzoic acid;
 2-Chloro-4-{6-[2-(6-fluoro-2,4-dimethyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-6-propyl-benzoic acid;
- 20 2-Chloro-4-{6-[2-(7-fluoro-2,4-dimethyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-6-propyl-benzoic acid;
 2-Fluoro-4-{6-[2-(7-fluoro-2,4-dimethyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-6-propyl-benzoic acid;
 4-{6-[2-(5,7-Difluoro-2,4-dimethyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-ethoxy-benzoic acid;
 2-Chloro-4-{6-[2-(4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-6-propyl-benzoic acid;
 {6-[4-(2-Amino-5-methyl-thiazol-4-yl)-phenyl]-pyrimidin-4-yl}-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethyl]-amine;
- 25 5-{6-[2-(7-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-propyl-2,3-dihydro-isoindol-1-one;
 2-Cyclobutoxy-4-{6-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-benzoic acid;
 4-{6-[2-(2-Cyano-6-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-ethoxy-benzoic acid;
 2-Ethylamino-6-fluoro-4-{6-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-benzoic acid;
 4-{6-[2-(6,7-Difluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-ethoxy-benzoic acid;
- 30 4-{6-[2-(7-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-propoxy-benzoic acid;
 4-{6-[2-(5,7-Difluoro-2,4-dimethyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-isobutyl-benzoic acid;
 2-Chloro-4-{6-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-6-propyl-benzoic acid;
 2-Fluoro-4-{6-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-6-propyl-benzoic acid;
 2-Fluoro-4-{6-[2-(6-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-6-propyl-benzoic acid;

- 2-Butoxy-4-{6-[2-(7-fluoro-2,4-dimethyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-benzoic acid;
 4-{6-[2-(7-Fluoro-2,4-dimethyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-isobutoxy-benzoic acid;
 4-{6-[2-(7-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-isobutyl-benzoic acid;
 2-(4-{6-[2-(7-Fluoro-2,4-dimethyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-phenyl)-thiazole-4-carboxylic acid;
 5 [2-(6-Fluoro-2,4-dimethyl-indol-1-yl)-ethyl]-{6-[4-(2-methyl-1H-imidazol-4-yl)-phenyl]-pyrimidin-4-yl}-amine;
 2-(4-{6-[2-(4-Methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-phenyl)-thiazole-4-carboxylic acid;
 4-{6-[2-(7-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-trifluoromethyl-benzenesulfonamide;
 {6-[4-(5-Amino-[1,3,4]thiadiazol-2-yl)-phenyl]-pyrimidin-4-yl}-[2-(6-fluoro-2,4-dimethyl-indol-1-yl)-ethyl]-amine;
 [2-(6,7-Difluoro-2,4-dimethyl-indol-1-yl)-ethyl]-{6-[4-(2-methyl-1H-imidazol-4-yl)-phenyl]-pyrimidin-4-yl}-amine;
 10 4-(4-{6-[2-(6-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-phenyl)-thiazole-2-carboxylic acid;
 [2-(6-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethyl]-{6-[4-(5-methyl-1H-pyrazol-3-yl)-phenyl]-pyrimidin-4-yl}-amine;
 4-{6-[2-(7-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-(2,2,2-trifluoro-ethylamino)-benzoic acid;
 2-Cyclopentyloxy-4-{6-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-benzoic acid;
 15 2-Butoxy-4-{6-[2-(6-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-benzoic acid;
 4-{6-[2-(6-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-isobutoxy-benzoic acid;
 4-{6-[2-(7-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-isobutoxy-benzoic acid;
 4-{6-[2-(6,7-Difluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-isobutyl-benzoic acid;
 4-{6-[2-(7-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-2-methyl-pyrimidin-4-yl}-2-isobutyl-benzoic acid;
 20 2-Chloro-4-{6-[2-(5,7-difluoro-2,4-dimethyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-6-propoxy-benzoic acid;
 4-{6-[2-(6,7-Difluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-fluoro-6-propoxy-benzoic acid;
 4-{6-[2-(6,7-Difluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-(2,2,2-trifluoro-ethylamino)-benzoic acid;
 [2-(5-Chloro-7-methyl-[1,3]dioxolo[4,5-e]indol-6-yl)-ethyl]-{6-[3-ethylamino-4-(1H-tetrazol-5-yl)-phenyl]-pyrimidin-4-yl}-amine;
 25 y]-amine;
 {6-[3-Ethoxy-4-(1H-tetrazol-5-yl)-phenyl]-pyrimidin-4-yl}-[2-(7-fluoro-2,4-dimethyl-indol-1-yl)-ethyl]-amine;
 {6-[3-Ethoxy-4-(1H-tetrazol-5-yl)-phenyl]-pyrimidin-4-yl}-[2-(4-methoxy-2-methyl-indol-1-yl)-ethyl]-amine;
 3-(4-{6-[2-(6-Chloro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-phenyl)-4H-[1,2,4]oxadiazol-5-one;
 2-Chloro-4-{6-[2-(6-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-6-isobutoxy-benzoic acid;
 30 [2-(6-Fluoro-2,4-dimethyl-indol-1-yl)-ethyl]-[6-(1H-indol-5-yl)-pyrimidin-4-yl]-amine;
 [2-(7-Fluoro-2,4-dimethyl-indol-1-yl)-ethyl]-[6-(1H-indol-5-yl)-pyrimidin-4-yl]-amine;
 [2-(6-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethyl]-[6-(1H-indol-5-yl)-pyrimidin-4-yl]-amine;
 [2-(6-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethyl]-[6-(1-methyl-1H-indol-5-yl)-pyrimidin-4-yl]-amine;
 [2-(7-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethyl]-[6-(1-methyl-1H-indol-5-yl)-pyrimidin-4-yl]-amine;

- [2-(6,7-Difluoro-4-methoxy-2-methyl-indol-1-yl)-ethyl]-[6-(1-methyl-1H-indol-5-yl)-pyrimidin-4-yl]-amine;
 2-Chloro-4-{6-[2-(6-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-6-(2,2,2-trifluoro-ethoxy)-benzoic acid;
 2-Chloro-4-{6-[2-(6,7-difluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-6-(2,2,2-trifluoro-ethoxy)-benzoic acid;
 5 2-Chloro-4-{6-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-6-(2,2,2-trifluoro-ethoxy)-benzoic acid;
 [2-(6-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethyl]-[6-(4-pyrazin-2-yl-phenyl)-pyrimidin-4-yl]-amine;
 6-{6-[2-(7-Chloro-5-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-1,2-dihydro-indazol-3-one;
 10 3-Ethoxy-5-{6-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-1-methyl-ethylamino]-pyrimidin-4-yl}-thiophene-2-carboxylic acid;
 5-{6-[2-(7-Fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-hydroxy-thiophene-2-carboxylic acid;
 1-(3-Ethoxy-5-{6-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-thiophen-2-yl)-ethanol;
 (2-Ethoxy-4-{6-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-phenylamino)-acetic acid
 15 methyl ester;
 7-Fluoro-4-methoxy-1-{2-[6-(2-trifluoromethyl-pyridin-4-yl)-pyrimidin-4-ylamino]-ethyl}-1H-indole-2-carbonitrile;
 3-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-5-methoxy-benzoic acid;
 7-Fluoro-4-methoxy-1-{2-[6-(2-oxo-2,3-dihydro-1H-benzoimidazol-5-yl)-pyrimidin-4-ylamino]-ethyl}-1H-indole-2-carbonitrile;
 20 4-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-N-(2-methoxy-ethyl)-benzamide;
 7-Fluoro-1-[2-(6-imidazo[1,2-a]pyridin-6-yl)-pyrimidin-4-ylamino]-ethyl-4-methoxy-1H-indole-2-carbonitrile;
 7-Fluoro-1-[2-[6-(2-oxo-2,3-dihydro-1H-benzo[d]imidazol-5-yl)-pyrimidin-4-ylamino]-ethyl]-4-methoxy-1H-indole-2-carbonitrile;
 1-{2-[6-(2-Cyclopropyl-pyridin-4-yl)-pyrimidin-4-ylamino]-ethyl}-7-fluoro-4-methoxy-1H-indole-2-carbonitrile;
 25 1-{2-[6-(2-Azetidin-1-yl-pyridin-4-yl)-pyrimidin-4-ylamino]-ethyl}-7-fluoro-4-methoxy-1H-indole-2-carbonitrile;
 4-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-benzoic acid;
 7-Fluoro-4-methoxy-1-{2-[6-(2-methyl-3-oxo-2,3-dihydro-1H-indazol-6-yl)-pyrimidin-4-ylamino]-ethyl}-1H-indole-2-carbonitrile;
 7-Fluoro-4-methoxy-1-{2-[6-(3-methoxy-1H-indazol-6-yl)-pyrimidin-4-ylamino]-ethyl}-1H-indole-2-carbonitrile;
 30 (4-{6-[2-(4-Chloro-2-cyano-6,7-difluoro-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-ethoxy-phenoxy)-acetic acid;
 5-{6-[2-(4-Chloro-2-cyano-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-fluoro-thiophene-2-carboxylic acid;
 5-{6-[2-(2-Cyano-7-fluoro-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-fluoro-thiophene-2-carboxylic acid;
 (4-{6-[2-(2-Cyano-5,6-difluoro-4-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-ethoxy-phenylamino)-acetic acid;
 5-{6-[2-(7-Chloro-5-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid;
 35 2-Butoxy-4-{6-[2-(6-chloro-7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-benzoic acid;

5-{6-[2-(4,7-Dichloro-5-fluoro-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-ethoxy-thiophene-2-carboxylic acid;
 (2-Ethoxy-4-{6-[2-(6-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-phenylamino)-acetic acid;
 5-{6-[2-(2-Cyano-7-fluoro-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-trifluoromethyl-thiophene-2-carboxylic acid;
 5-{6-[2-(4,6-Dichloro-2-cyano-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-trifluoromethyl-thiophene-2-carboxylic acid;
 5 5-{6-[2-(4,6-Dichloro-2-cyano-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-3-fluoro-thiophene-2-carboxylic acid;
 [6-(3-Ethoxy-4-oxazol-2-yl-phenyl)-pyrimidin-4-yl]-[2-(7-fluoro-4-methoxy-2-methyl-indol-1-yl)-ethyl]-amine; and
 (2-Chloro-4-{6-[2-(2-cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-phenoxy)-acetic acid;
 or a pharmaceutically acceptable salt thereof.

10 13. The compound according to claim 1, which is 4-{6-[2-(2-Chloro-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-ethoxy-benzoic acid, or a pharmaceutically acceptable salt thereof.

14. The compound according to claim 1, which is 4-{6-[2-(2-Cyano-7-fluoro-4-methoxy-indol-1-yl)-ethylamino]-pyrimidin-4-yl}-2-ethoxy-benzoic acid, or a pharmaceutically acceptable salt thereof.

15 15. A pharmaceutical composition comprising, as active principle, a compound according to any one of claims 1 to 14, or a pharmaceutically acceptable salt thereof, and at least one therapeutically inert excipient.

16. A compound according to any one of claims 1 to 14, or a pharmaceutically acceptable salt thereof, for use as a
 20 medicament.

17. Use of a compound according to any one of claims 1 to 14, or a pharmaceutically acceptable salt thereof, in the manufacture of a medicament for the prevention or treatment of a cancer selected from melanoma; lung cancer;
 25 bladder cancer; renal carcinomas; gastro-intestinal cancers; endometrial cancer; ovarian cancer; cervical cancer; and neuroblastoma.

18. Use of a compound according to any one of claims 1 to 14, or a pharmaceutically acceptable salt thereof, in the preparation of a medicament for the prevention or treatment of diseases selected from the group consisting of
 30 cancer; pain; endometriosis; autosomal dominant polycystic kidney disease; acute ischemic syndromes in atherosclerotic patients; pneumonia; and neurodegenerative diseases; or for the control of female fertility.

19. Use of an effective amount of the compound of formula (I) according to any one of claims 1 to 14, or of a
 35 pharmaceutically acceptable salt thereof; in the manufacture of a medicament for modulating an immune response in a subject having tumor, wherein said effective amount reactivates the immune system in the tumor of said subject.

20. Use of a compound according to any one of claims 1 to 14, or a pharmaceutically acceptable salt thereof, in the manufacture of a medicament for the prevention or treatment of cancer; wherein said compound is optionally used in combination with one or more chemotherapy agents and / or radiotherapy and / or targeted therapy.