





Fig. 1



Linear pCDNA.CMV.LC. MS2 12X

Fig. 2a



Linear pCDNA.EF1.Fluorescent gene. MS2 12X

Fig. 2b



Linear pCDNA.EF1.CRE. MS2 12X

Fig. 2c




Fig. 3a




Fig. 3b




Fig. 4




Fig. 5a




Fig. 5b




Fig. 5c




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22




Fig. 23




Fig. 24




Fig. 25




Fig. 26

Delivery kinetics of Luciferase RNA in HCT116 cells transduced by MS2(NC)-RLP-Luc particles, of which the stem-loop motif is repeated 2 times, 6 times or 12 times, at a dose of 10pg p24/cell




Fig. 27




Fig. 28




Fig. 29




Fig. 30




Fig. 31




Fig. 32




Fig. 33




Fig. 34a




Fig. 34b




Fig. 35

Delivery kinetics of Luciferase RNA in HCT116 cells transduced by PP7(NC)-RLP-Luc particles, of which the stem-loop motif is repeated 2 times, 6 times or 12 times, at a dose of 10pg p24/cell





Fig. 36



Linear P8.74- POL-PP7 Coat

Fig. 37




Fig. 38




Fig. 39




Fig. 40