


CLAIMS

1. Compound corresponding to formula (I):



in which:

- each of the radicals R_1 independently represents a group (C₁-C₆)-alkyl, it being understood that two groups R_1 borne by two different carbon atoms of the morpholinyl ring may be linked together to form, with the morpholinyl ring, a bicyclic heterocyclic structure,
- R_2 and R_3 independently represent:
 - H, or
 - a group (C₁-C₆) alkyl,
- R_4 represents:
 - H,
 - a group (C₁-C₆)-alkyl, optionally substituted with a hydroxyl group,
 - a group (C₁-C₆)-alkoxy,
 - a group $-L_1-R_{10}$, in which:
 - L_1 represents a group (C₁-C₆)-alkylene,
 - R_{10} represents a group chosen from $-COOR_{11}$, $-CO-R_{12}$, $-OR_{13}$, $-CONR_{14}R_{15}$ and a 5- or 6-atom heterocycle optionally substituted with a group $-R_{16}$, $-COOR_{17}$, $-CO-R_{18}$, $-OR_{19}$ or $-NR_{20}R_{21}$, or
 - a 5- or 6-atom heterocycle optionally substituted with a group $-R_{22}$, $-COOR_{23}$, $-CO-R_{24}$, $-OR_{25}$ or $-CONR_{26}R_{27}$,
- G_1 represents a divalent phenyl or 5- to 6-atom heteroaryl radical, optionally substituted with 1 to 4 groups R_5 independently chosen from a halogen atom, a group $-OR_{30}$ and

a group $-(C_1-C_6)$ -alkyl optionally substituted with a hydroxyl,

- X_1 represents a group $-O-$ or $-NR_{40}-$,
- 5 - X_2 represents a single bond or a group $-CONR_{50}-$, $-CONR_{51}-O-$, $-COO-$, $-CO-$ or $-SO_2-$,
- R_6 represents:
 - H,
 - a group $-L_2-R_7$, in which: - 10 - $-L_2-$ represents a group (C_1-C_6) -alkylene or (C_3-C_6) -cycloalkylene,
 - R_7 represents a group chosen from:
 - H,
 - OR_{60} ,
 - a halogen atom,
 - 15 - a group (C_1-C_6) -haloalkyl,
 - a 5- to 6-atom heterocycle optionally substituted with one or more groups chosen from a group (C_1-C_6) -alkyl, a group (C_1-C_6) -alkoxy and a group $=O$,
or
 - a group $-G_2-X_3-G_3$, in which: - 20 - X_3 represents a single bond or a group $-O-$, $-CO-$ or $-CH_2-$,
 - G_2 represents a single bond or a 5- to 6-atom divalent cyclic radical optionally substituted with one or more groups R_{80} ,
 - G_3 represents a 4- to 8-atom ring optionally substituted with one or more groups R_{81} ,
 - 25 - or $-G_2-X_3-G_3$ together form a 7- to 10-atom fused bicycle,
- each radical R_{80} and each radical R_{81} is independently chosen from:
 - a halogen atom,
 - a group $-COOR_{70}$, $-CO-R_{71}$, $-OR_{72}$, $-NR_{73}R_{74}$, $-CONR_{75}R_{76}$, $-CN$ or $-S(O)_p-R_{77}$,
 - 30 - a group (C_1-C_6) -alkyl optionally substituted with one or more groups R_{100} and/or optionally interrupted with one or more oxygen atoms,
 - a group (C_1-C_6) -alkoxy optionally substituted with one or more groups R_{101} and/or optionally interrupted with one or more oxygen atoms,
- 35 - n represents 0, 1 or 2,
- m represents 0 or 1,

- p represents 0, 1 or 2,

- R_{11} , R_{12} , R_{13} , R_{14} , R_{15} , R_{16} , R_{17} , R_{18} , R_{19} , R_{20} , R_{21} , R_{22} , R_{23} , R_{24} , R_{25} , R_{26} , R_{27} , R_{30} , R_{40} ,
5 R_{50} , R_{51} , R_{60} , R_{70} , R_{71} , R_{72} , R_{73} , R_{74} , R_{75} , R_{76} and R_{77} independently represent H or a group (C₁-C₆)-alkyl optionally substituted with a group R_{90} and/or optionally interrupted with one or more oxygen atoms,

- R_{90} represents a group $-OR_{91}$ or $-NR_{92}R_{93}$,


10

- R_{91} , R_{92} and R_{93} independently represent H or a group (C₁-C₆)-alkyl,

- R_{100} and R_{101} are independently chosen from a halogen atom and a hydroxyl

15 in the form of the base or of an acid-addition salt.

2. Compound according to Claim 1 of formula (II) chosen from:



in which n, R_1 , R_4 , G_1 , X_1 , X_2 and R_6 are as defined in Claim 1,

20 in the form of the base or of an acid-addition salt.

3. Compound according to Claim 1 or 2, in which R_4 represents:

- H,
- a group (C₁-C₆)-alkyl, optionally substituted with a hydroxyl group,
- 25 - a group $-L_1-R_{10}$, in which:
 - L_1 represents a group (C₁-C₆)-alkylene,
 - R_{10} represents a group chosen from $-COOR_{11}$, $-OR_{13}$, $-CONR_{14}R_{15}$ and a 5- or 6-atom heterocycle optionally substituted with a group $-COOR_{17}$ or $-CO-R_{18}$, or
 - 30 - a 5- or 6-atom heterocycle optionally substituted with a group $-R_{22}$,


- R_{11} , R_{13} , R_{14} , R_{15} , R_{17} , R_{18} and R_{22} are as defined in Claim 1.

4. Compound according to any one of Claims 1 to 3, in which G_1 represents a divalent phenyl or pyridyl radical optionally substituted with a group R_5 chosen from
5 halogen atoms.

5. Compound according to any one of Claims 1 to 4, in which X_1 represents a group $-NR_{40}-$, in which R_{40} is as defined in Claim 1.

10 6. Compound according to any one of Claims 1 to 5, in which X_2 represents $-CONR_{50}-$ or $-COO-$.

7. Compound according to any one of Claims 1 to 6, of formula (III) below:



in which:

- R_4 represents a group (C_1-C_6) -alkyl,

20 - R'_5 and R''_5 represent -H or -F, it being understood that when one of the radicals R'_5 and R''_5 represents -F, then the other represents -H,

- X_2 represents $-CONR_{50}-$ or $-COO-$,

- R_6 represents:

- a group $-L_2-R_7$, in which:

- $-L_2-$ represents a group (C_1-C_6) -alkylene or (C_3-C_6) -cycloalkylene,

25 - R_7 represents a group chosen from:

- H, or

- OR_{60} ,

- a group $-G_2-X_3-G_3$, in which:

- X_3 represents a single bond or a group $-O-$,
- G_2 represents a single bond or a cyclic divalent radical of 6 atoms,
- G_3 represents a 4- to 8-atom ring optionally substituted with one or more groups R_{81} ,

5

- n , R_4 , R_{50} , R_{60} and R_{81} are as defined in Claim 1, in the form of the base or of an acid-addition salt.

8. Compound according to any one of Claims 1 to 7, in which R_4 represents a methyl group or an ethyl group.

10

9. Compound according to Claim 7 or 8, chosen from the following compounds:

1	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-methylurea
2	1-{4-[6-Ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-methylurea
3	1-Ethyl-3-{4-[6-ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}urea
12	1-{4-[6-Ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-3-fluorophenyl}-3-pyridin-4-ylurea
13	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-[4-(4-methylpiperazin-1-yl)phenyl]urea
21	1-(4-Methoxypyridin-2-yl)-3-{4-[6,8,8-trimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}urea
22	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-[6-(1-methylpiperidin-4-yloxy)pyridin-3-yl]urea
29	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-[6-((S)-3-methylmorpholin-4-yl)pyridin-3-yl]urea

30	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-[6-((R)-3-methylmorpholin-4-yl)pyridin-3-yl]urea
31	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-(3,4,5,6-tetrahydro-2H-[1,2']bipyridinyl-5'-yl)urea
32	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-(6-pyrrolidin-1-ylpyridin-3-yl)urea
37	1-{4-[6-Ethyl-2-((S)-3-ethylmorpholin-4-yl)-8,8-dimethyl-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-(6-methylpyridin-3-yl)urea
38	1-Methyl-3-{4-[6,8,8-trimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}urea
40	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-[5-(2-methoxyethoxy)pyridin-2-yl]urea
43	1-Methyl-3-{4-[6,8,8-trimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}urea
45	1-{2-Fluoro-4-[6,8,8-trimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-methylurea
46	1-{2-Fluoro-4-[6,8,8-trimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-methylurea
49	1-(5-Methoxypyridin-2-yl)-3-{4-[6,8,8-trimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}urea
50	1-{4-[6-Ethyl-8,8-dimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-pyridin-3-ylurea
51	1-{4-[6-Ethyl-8,8-dimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-pyridin-4-ylurea

52	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-pyridin-4-ylurea
54	1-(5-Methoxypyridin-2-yl)-3-{4-[6,8,8-trimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}urea
55	1-{4-[6-Ethyl-8,8-dimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-(2-methylpyridin-4-yl)urea
56	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-(2-methylpyridin-4-yl)urea
58	1-(2,6-Dimethylpyridin-4-yl)-3-{4-[6-ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}urea
59	1-{2-Fluoro-4-[6,8,8-trimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-(2-methylpyridin-4-yl)urea
60	1-{2-Fluoro-4-[6,8,8-trimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-(2-methylpyridin-4-yl)urea
64	1-(5-Dimethylaminopyridin-2-yl)-3-{4-[6-ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}urea
66	1-{2-Fluoro-4-[6,8,8-trimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-(6-methylpyridin-3-yl)urea
67	1-{2-Fluoro-4-[6,8,8-trimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-(6-methylpyridin-3-yl)urea
68	1-Pyridin-4-yl-3-{4-[6,8,8-trimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}urea
69	1-Pyridin-4-yl-3-{4-[6,8,8-trimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}urea

70	1-(4-Methoxypyridin-2-yl)-3-{4-[6,8,8-trimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}urea
71	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-3-fluorophenyl}-3-pyridin-4-ylurea
73	1-{2-Fluoro-4-[6,8,8-trimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-[6-((S)-3-methylmorpholin-4-yl)pyridin-3-yl]urea
74	1-{2-Fluoro-4-[6,8,8-trimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-[6-((S)-3-methylmorpholin-4-yl)pyridin-3-yl]urea
75	1-[4-((1S,5R)-6-Ethyl-8,8-dimethyl-2-3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl]-3-(3-fluoropyridin-4-yl)urea
76	1-{4-[6-Ethyl-8,8-dimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-(3-fluoropyridin-4-yl)urea
77	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-[4-(tetrahydrofuran-3-yloxy)phenyl]urea
78	1-(2-Dimethylaminopyridin-4-yl)-3-{4-[6-ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}urea
79	1-{4-[6-Ethyl-8,8-dimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-(4-methoxypyridin-2-yl)urea
80	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-[2-(4-methanesulfonylpiperazin-1-yl)pyridin-4-yl]urea
81	4-[5-(3-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}ureido)pyridin-2-yl]piperazine-1-carboxylic acid methyl ester
82	1-{2-Fluoro-4-[6,8,8-trimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-pyridin-4-ylurea

83	1-{2-Fluoro-4-[6,8,8-trimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-pyridin-4-ylurea
87	1-{2-Fluoro-4-[6,8,8-trimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-[6-((R)-3-methylmorpholin-4-yl)pyridin-3-yl]urea
98	1-Ethyl-3-{4-[6-ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}urea
99	1-Ethyl-3-{4-[6-ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}urea
110	1-Ethyl-3-{4-[6-ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}urea
112	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-pyridin-3-ylurea
116	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-(5-methylisoxazol-3-yl)urea
124	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-(6-methoxypyridin-3-yl)urea
133	1-Cyclopropyl-3-{4-[6-ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}urea
135	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-isoxazol-3-ylurea
141	1-{4-[6-Ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-(6-methoxypyridin-3-yl)urea
150	1-Cyclopropyl-3-{4-[6-ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}urea

159	1-{4-[6-Ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-isoxazol-3-ylurea
161	1-{4-[6-Ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-(6-methylpyridin-3-yl)urea
168	1-{4-[6-Ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-(5-methylpyridin-2-yl)urea
171	1-{4-[6-Ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-[6-(4-methylpiperazin-1-yl)pyridin-3-yl]urea
174	1-{4-[6-Ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-[6-(4-methylpiperazin-1-yl)pyridin-3-yl]urea
184	1-{4-[6-Ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-(4-methoxypyridin-2-yl)urea
185	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-(6-methylpyridin-3-yl)urea
186	{4-[6-Ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}carbamic acid 2-hydroxyethyl ester
187	1-{4-[6-Ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-(6-morpholin-4-ylpyridin-3-yl)urea
195	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-[6-(4-methylpiperazin-1-yl)pyridin-3-yl]urea
199	1-{4-[6-Ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-(2-methylpyridin-4-yl)urea
200	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-(6-morpholin-4-ylpyridin-3-yl)urea

202	1-{4-[6-Ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-(2-fluorophenyl)urea
205	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-[4-(4-methylpiperazin-1-yl)phenyl]urea
207	1-{4-[6-Ethyl-8,8-dimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-methylurea
218	1-{4-[6-Ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-[5-(4-methylpiperazin-1-yl)pyridin-2-yl]urea
221	1-{4-[6-Ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-pyridin-2-ylurea
223	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-pyridin-3-ylurea
227	1-{4-[6-Ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-(4-morpholin-4-ylphenyl)urea
229	1-{4-[6-Ethyl-8,8-dimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-(6-methylpyridin-3-yl)urea
231	1-{4-[6-Ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-pyridin-4-ylurea
235	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-[4-(4-methanesulfonylpiperazin-1-yl)phenyl]urea
236	4-[4-(3-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}ureido)phenyl]piperazine-1-carboxylic acid methyl ester
237	1-[4-(1,1-Dioxo-1λ6-thiomorpholin-4-yl)phenyl]-3-{4-[6-ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}urea


240	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-(6-methoxypyridin-3-yl)urea
241	1-(2,6-Dimethylpyridin-4-yl)-3-{4-[6-ethyl-8,8-dimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}urea
243	{4-[6-Ethyl-8,8-dimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-3-fluorophenyl}carbamic acid 2-hydroxyethyl ester
244	1-{2-Fluoro-4-[6,8,8-trimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-[6-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)pyridin-3-yl]urea
245	1-{2-Fluoro-4-[6,8,8-trimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-[6-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)pyridin-3-yl]urea
247	1-(6-Cyanopyridin-3-yl)-3-{4-[6-ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}urea
248	1-{4-[6-Ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-[6-((S)-3-ethylmorpholin-4-yl)pyridin-3-yl]urea
249	1-{4-[6-Ethyl-8,8-dimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-[6-((S)-3-ethylmorpholin-4-yl)pyridin-3-yl]urea
250	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-(5-morpholin-4-ylpyridin-2-yl)urea
251	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-[5-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)pyridin-2-yl]urea
252	1-{4-[6-Ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-[(1S,4S)-6-(2-oxa-5-azabicyclo[2.2.1]hept-5-yl)pyridin-3-yl]urea
253	1-{4-[6-Ethyl-8,8-dimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-[(1S,4S)-6-(2-oxa-5-azabicyclo[2.2.1]hept-5-yl)pyridin-3-yl]urea

254	1-Cyclopropyl-3-{4-[6-ethyl-8,8-dimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}urea
255	1-Ethyl-3-{4-[6-ethyl-8,8-dimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}urea
256	1-[6-(3,3-Dimethylmorpholin-4-yl)pyridin-3-yl]-3-{4-[6-ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}urea
257	1-[6-(3,3-Dimethylmorpholin-4-yl)pyridin-3-yl]-3-{4-[6-ethyl-8,8-dimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}urea
258	1-{4-[6-Ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-[6-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)pyridin-3-yl]urea
259	1-{4-[6-Ethyl-8,8-dimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-[6-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)pyridin-3-yl]urea
260	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-[2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)pyridin-4-yl]urea
261	1-(4,4-Difluoro-3,4,5,6-tetrahydro-2H-[1,2']bipyridinyl-4'-yl)-3-{4-[6-ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}urea

in the form of the base or of an acid-addition salt.

10. Process for preparing a compound of formula (I) according to any one of Claims 1 to 9, comprising step m) below:


5 m) grafting a group $-X_2-R_6$ onto a compound of formula (XLII) below:



in which R_1 , n , m , R_2 , R_3 , R_4 , G_1 and X_1 are as defined in Claim 1,
to obtain the compound of formula (I).

11. Process for preparing a compound of formula (I) according to any one of
Claims 1 to 9, in which X_1 represents $-NR_{40}-$ and X_2 represents $-CONR_{50}-$, comprising
the step below:


n) Suzuki reaction of the compound of formula (XXXV):




- in which n , R_1 , m , R_2 , R_3 and R_4 are as defined in Claim 1 and LG_5 is a leaving group,
with a compound of formula $R_6R_{50}N-(C=O)-NR_{40}-G_1-R_{300}$, in which G_1 , R_6 , R_{50} and
 R_{40} are as defined in Claim 1 and R_{300} is a boronic acid or ester radical,
to obtain the compound of formula (I) in which X_1 represents $-NR_{40}-$ and X_2
represents $-CONR_{50}-$.

12. Process for preparing a compound of formula (I) according to any one of
Claims 1 to 9, comprising step q) below:

q) nucleophilic attack of a compound of formula (CI) below:



- in which n and R_1 are as defined in Claim 1,
on a compound of formula (LII) below:



in which m , R_2 , R_3 , R_4 , G_1 , X_1 , X_2 and R_6 are as defined in Claim 1,

to obtain the compound of formula (I).

13. Medicament, characterized in that it comprises a compound according to any one of Claims 1 to 9 or a pharmaceutically acceptable acid-addition salt of this
5 compound.


14. Pharmaceutical composition, characterized in that it comprises a compound according to any one of Claims 1 to 9, a pharmaceutically acceptable salt of this compound, and also at least one pharmaceutically acceptable excipient.
10

15. Compound of formula (I) according to any one of Claims 1 to 9, for use in the treatment or prevention of a pathology requiring inhibition of the kinase mTOR.

16. Compound of formula (I) according to Claim 15, for use in the treatment or
15 prevention of cancer, inflammatory and immune diseases, diabetes, obesity, obstructive diseases of the respiratory pathways, fibrosis, Pompe's disease, cardiovascular diseases, age-related diseases, epilepsy or parasitic diseases.

CLAIMS

1. A compound of formula (I):




wherein:

- each R_1 is independently (C₁-C₆)-alkyl, wherein two R_1 groups on different carbon atoms of the morpholinyl ring may be linked together to form, with the morpholinyl ring, a bicyclic heterocyclic structure,
- R_2 and R_3 are independently hydrogen or (C₁-C₆) alkyl;
- R_4 is hydrogen, (C₁-C₆)-alkyl optionally substituted with a hydroxyl group, (C₁-C₆)-alkoxy or $-L_1-R_{10}$, wherein
 - L_1 is (C₁-C₆)-alkylene, and
 - R_{10} is $-\text{COOR}_{11}$, $-\text{CO-R}_{12}$, $-\text{OR}_{13}$, $-\text{CONR}_{14}\text{R}_{15}$, a 5- or 6-atom heterocycle optionally substituted with $-\text{R}_{16}$, $-\text{COOR}_{17}$, $-\text{CO-R}_{18}$, $-\text{OR}_{19}$ or $-\text{NR}_{20}\text{R}_{21}$, or a 5- or 6-atom heterocycle optionally substituted with $-\text{R}_{22}$, $-\text{COOR}_{23}$, $-\text{CO-R}_{24}$, $-\text{OR}_{25}$ or $-\text{CONR}_{26}\text{R}_{27}$, wherein each 5- to 6-atom heterocycle is saturated, partially unsaturated or aromatic, and includes one or more heteroatoms selected from O, N and S;
- G_1 is phenylene or a 5- to 6-atom heteroarylene, optionally substituted with 1 to 4 R_5 groups, each R_5 group being independently chosen from halogen, $-\text{OR}_{30}$ and $-(\text{C}_1-\text{C}_6)\text{-alkyl}$ optionally substituted with hydroxyl;
- X_1 is $-\text{O}-$ or $-\text{NR}_{40}-$;
- X_2 is a single bond, $-\text{CONR}_{50}-$, $-\text{CONR}_{51}\text{-O}-$, $-\text{COO}-$, $-\text{CO}-$ or $-\text{SO}_2-$;
- R_6 is hydrogen or $-L_2-R_7$, wherein
 - $-L_2-$ is (C₁-C₆)-alkylene or (C₃-C₆)-cycloalkylene;

- R_7 is hydrogen, $-OR_{60}$, halogen, (C_1-C_6) -haloalkyl, a 5- to 6-atom heterocycle optionally substituted with one or more groups chosen from (C_1-C_6) -alkyl, (C_1-C_6) -alkoxy and $=O$, or $-G_2-X_3-G_3$, wherein
 - X_3 is a single bond or $-O-$, $-CO-$ or $-CH_2-$;
- 5 - G_2 is a single bond or a 5- to 6-atom divalent cyclic radical optionally substituted with one or more R_{80} ,
- G_3 is a 4- to 8-atom ring optionally substituted with one or more R_{81} ,
 or $-G_2-X_3-G_3$ together form a 7- to 10-atom fused bicyclic, wherein
 - each R_{80} and R_{81} is independently halogen, $-COOR_{70}$, $-CO-R_{71}$, $-OR_{72}$, $-NR_{73}R_{74}$, $-CONR_{75}R_{76}$, $-CN$ or $-S(O)_p-R_{77}$,
 - 10 - (C_1-C_6) -alkyl optionally substituted with one or more R_{100} groups, and/or optionally interrupted with one or more oxygen atoms, and
 - (C_1-C_6) -alkoxy optionally substituted with one or more R_{101} groups, and/or optionally interrupted with one or more oxygen atoms,
- 15 - n is 0, 1 or 2;
- m is 0 or 1;
- p is 0, 1 or 2;
- R_{11} , R_{12} , R_{13} , R_{14} , R_{15} , R_{16} , R_{17} , R_{18} , R_{19} , R_{20} , R_{21} , R_{22} , R_{23} , R_{24} , R_{25} , R_{26} , R_{27} , R_{30} , R_{40} , R_{50} , R_{51} , R_{60} , R_{70} , R_{71} , R_{72} , R_{73} , R_{74} , R_{75} , R_{76} and R_{77} are independently H or (C_1-C_6) -alkyl optionally substituted with a R_{90} group, and/or optionally interrupted with one or more oxygen atoms;
- 20 - R_{90} is $-OR_{91}$ or $-NR_{92}R_{93}$;
- R_{91} , R_{92} and R_{93} are independently hydrogen or (C_1-C_6) -alkyl; and
- R_{100} and R_{101} are independently halogen or hydroxyl;
- 25 or a pharmaceutically acceptable salt thereof.

2. The compound of claim 1, of formula (II):



30 or a pharmaceutically acceptable salt thereof.

3. The compound of claim 1, wherein


- R_4 is hydrogen, (C_1-C_6) -alkyl, optionally substituted with a hydroxyl group, or $-L_1-R_{10}$, wherein
 - L_1 is (C_1-C_6) -alkylene, and
 - R_{10} is $-COOR_{11}$, $-OR_{13}$, $-CONR_{14}R_{15}$, a 5- or 6-atom heterocycle optionally substituted with $-COOR_{17}$ or $-CO-R_{18}$, or a 5- or 6-atom heterocycle optionally substituted with $-R_{22}$.

4. The compound of claim 1, wherein G_1 is phenyl or pyridyl, each optionally substituted with an R_5 group wherein R_5 is halogen.

5. The compound of claim 1, wherein X_1 is $-NR_{40}-$.

6. The compound of claim 1, wherein X_2 is $-CONR_{50}-$ or $-COO-$.

7. The compound of claim 1, of formula (III):



20

wherein

- R_4 is (C_1-C_6) -alkyl;
- R'_5 and R''_5 are independently hydrogen or fluoro, provided that when one of R'_5 and R''_5 is fluoro, the other is hydrogen;
- X_2 is $-CONR_{50}-$ or $-COO-$;
- R_6 is $-L_2-R_7$, wherein

25

- L_2 is (C_1-C_6) -alkylene or (C_3-C_6) -cycloalkylene, and
- R_7 is hydrogen, $-OR_{60}$, or $-G_2-X_3-G_3$, wherein
- X_3 is a single bond or $-O-$,
- G_2 is a single bond or a cyclic divalent radical of 6 atoms,
- 5 - G_3 is a 4- to 8-atom ring optionally substituted with one or more R_{81} ,

or a pharmaceutically acceptable salt thereof.

8. The compound of claim 1, wherein R_4 is methyl or ethyl.

10

9. The compound of claim 1, wherein the compound is:

1	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-methylurea
2	1-{4-[6-Ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-methylurea
3	1-Ethyl-3-{4-[6-ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}urea
12	1-{4-[6-Ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-3-fluorophenyl}-3-pyridin-4-ylurea
13	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-[4-(4-methylpiperazin-1-yl)phenyl]urea
21	1-(4-Methoxypyridin-2-yl)-3-{4-[6,8,8-trimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}urea
22	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-[6-(1-methylpiperidin-4-yloxy)pyridin-3-yl]urea
29	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-[6-((S)-3-methylmorpholin-4-yl)pyridin-3-yl]urea

30	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-[6-((R)-3-methylmorpholin-4-yl)pyridin-3-yl]urea
31	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-(3,4,5,6-tetrahydro-2H-[1,2']bipyridinyl-5'-yl)urea
32	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-(6-pyrrolidin-1-ylpyridin-3-yl)urea
37	1-{4-[6-Ethyl-2-((S)-3-ethylmorpholin-4-yl)-8,8-dimethyl-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-(6-methylpyridin-3-yl)urea
38	1-Methyl-3-{4-[6,8,8-trimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}urea
40	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-[5-(2-methoxyethoxy)pyridin-2-yl]urea
43	1-Methyl-3-{4-[6,8,8-trimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}urea
45	1-{2-Fluoro-4-[6,8,8-trimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-methylurea
46	1-{2-Fluoro-4-[6,8,8-trimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-methylurea
49	1-(5-Methoxypyridin-2-yl)-3-{4-[6,8,8-trimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}urea
50	1-{4-[6-Ethyl-8,8-dimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-pyridin-3-ylurea
51	1-{4-[6-Ethyl-8,8-dimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-pyridin-4-ylurea

52	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-pyridin-4-ylurea
54	1-(5-Methoxypyridin-2-yl)-3-{4-[6,8,8-trimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}urea
55	1-{4-[6-Ethyl-8,8-dimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-(2-methylpyridin-4-yl)urea
56	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-(2-methylpyridin-4-yl)urea
58	1-(2,6-Dimethylpyridin-4-yl)-3-{4-[6-ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}urea
59	1-{2-Fluoro-4-[6,8,8-trimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-(2-methylpyridin-4-yl)urea
60	1-{2-Fluoro-4-[6,8,8-trimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-(2-methylpyridin-4-yl)urea
64	1-(5-Dimethylaminopyridin-2-yl)-3-{4-[6-ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}urea
66	1-{2-Fluoro-4-[6,8,8-trimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-(6-methylpyridin-3-yl)urea
67	1-{2-Fluoro-4-[6,8,8-trimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-(6-methylpyridin-3-yl)urea
68	1-Pyridin-4-yl-3-{4-[6,8,8-trimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}urea
69	1-Pyridin-4-yl-3-{4-[6,8,8-trimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}urea

70	1-(4-Methoxypyridin-2-yl)-3-{4-[6,8,8-trimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}urea
71	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-3-fluorophenyl}-3-pyridin-4-ylurea
73	1-{2-Fluoro-4-[6,8,8-trimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-[6-((S)-3-methylmorpholin-4-yl)pyridin-3-yl]urea
74	1-{2-Fluoro-4-[6,8,8-trimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-[6-((S)-3-methylmorpholin-4-yl)pyridin-3-yl]urea
75	1-[4-((1S,5R)-6-Ethyl-8,8-dimethyl-2-3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl)phenyl]-3-(3-fluoropyridin-4-yl)urea
76	1-{4-[6-Ethyl-8,8-dimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-(3-fluoropyridin-4-yl)urea
77	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-[4-(tetrahydrofuran-3-yloxy)phenyl]urea
78	1-(2-Dimethylaminopyridin-4-yl)-3-{4-[6-ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}urea
79	1-{4-[6-Ethyl-8,8-dimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-(4-methoxypyridin-2-yl)urea
80	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-[2-(4-methanesulfonylpiperazin-1-yl)pyridin-4-yl]urea
81	4-[5-(3-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}ureido)pyridin-2-yl]piperazine-1-carboxylic acid methyl ester
82	1-{2-Fluoro-4-[6,8,8-trimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-pyridin-4-ylurea

83	1-{2-Fluoro-4-[6,8,8-trimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-pyridin-4-ylurea
87	1-{2-Fluoro-4-[6,8,8-trimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-[6-((R)-3-methylmorpholin-4-yl)pyridin-3-yl]urea
98	1-Ethyl-3-{4-[6-ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}urea
99	1-Ethyl-3-{4-[6-ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}urea
110	1-Ethyl-3-{4-[6-ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}urea
112	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-pyridin-3-ylurea
116	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-(5-methylisoxazol-3-yl)urea
124	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-(6-methoxypyridin-3-yl)urea
133	1-Cyclopropyl-3-{4-[6-ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}urea
135	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-isoxazol-3-ylurea
141	1-{4-[6-Ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-(6-methoxypyridin-3-yl)urea
150	1-Cyclopropyl-3-{4-[6-ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}urea

159	1-{4-[6-Ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-isoxazol-3-ylurea
161	1-{4-[6-Ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-(6-methylpyridin-3-yl)urea
168	1-{4-[6-Ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-(5-methylpyridin-2-yl)urea
171	1-{4-[6-Ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-[6-(4-methylpiperazin-1-yl)pyridin-3-yl]urea
174	1-{4-[6-Ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-[6-(4-methylpiperazin-1-yl)pyridin-3-yl]urea
184	1-{4-[6-Ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-(4-methoxypyridin-2-yl)urea
185	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-(6-methylpyridin-3-yl)urea
186	{4-[6-Ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}carbamic acid 2-hydroxyethyl ester
187	1-{4-[6-Ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-(6-morpholin-4-ylpyridin-3-yl)urea
195	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-[6-(4-methylpiperazin-1-yl)pyridin-3-yl]urea
199	1-{4-[6-Ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-(2-methylpyridin-4-yl)urea
200	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-(6-morpholin-4-ylpyridin-3-yl)urea


202	1-{4-[6-Ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-(2-fluorophenyl)urea
205	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-[4-(4-methylpiperazin-1-yl)phenyl]urea
207	1-{4-[6-Ethyl-8,8-dimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-methylurea
218	1-{4-[6-Ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-[5-(4-methylpiperazin-1-yl)pyridin-2-yl]urea
221	1-{4-[6-Ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-pyridin-2-ylurea
223	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-pyridin-3-ylurea
227	1-{4-[6-Ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-(4-morpholin-4-ylphenyl)urea
229	1-{4-[6-Ethyl-8,8-dimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-(6-methylpyridin-3-yl)urea
231	1-{4-[6-Ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-pyridin-4-ylurea
235	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-[4-(4-methanesulfonylpiperazin-1-yl)phenyl]urea
236	4-[4-(3-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}ureido)phenyl]piperazine-1-carboxylic acid methyl ester
237	1-[4-(1,1-Dioxo-1λ6-thiomorpholin-4-yl)phenyl]-3-{4-[6-ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}urea

240	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-(6-methoxypyridin-3-yl)urea
241	1-(2,6-Dimethylpyridin-4-yl)-3-{4-[6-ethyl-8,8-dimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}urea
243	{4-[6-Ethyl-8,8-dimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-3-fluorophenyl}carbamic acid 2-hydroxyethyl ester
244	1-{2-Fluoro-4-[6,8,8-trimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-[6-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)pyridin-3-yl]urea
245	1-{2-Fluoro-4-[6,8,8-trimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-[6-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)pyridin-3-yl]urea
247	1-(6-Cyanopyridin-3-yl)-3-{4-[6-ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}urea
248	1-{4-[6-Ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-[6-((S)-3-ethylmorpholin-4-yl)pyridin-3-yl]urea
249	1-{4-[6-Ethyl-8,8-dimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-[6-((S)-3-ethylmorpholin-4-yl)pyridin-3-yl]urea
250	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-(5-morpholin-4-ylpyridin-2-yl)urea
251	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]phenyl}-3-[5-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)pyridin-2-yl]urea
252	1-{4-[6-Ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-[(1S,4S)-6-(2-oxa-5-azabicyclo[2.2.1]hept-5-yl)pyridin-3-yl]urea

253	1-{4-[6-Ethyl-8,8-dimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-[(1S,4S)-6-(2-oxa-5-azabicyclo[2.2.1]hept-5-yl)pyridin-3-yl]urea
254	1-Cyclopropyl-3-{4-[6-ethyl-8,8-dimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}urea
255	1-Ethyl-3-{4-[6-ethyl-8,8-dimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}urea
256	1-[6-(3,3-Dimethylmorpholin-4-yl)pyridin-3-yl]-3-{4-[6-ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}urea
257	1-[6-(3,3-Dimethylmorpholin-4-yl)pyridin-3-yl]-3-{4-[6-ethyl-8,8-dimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}urea
258	1-{4-[6-Ethyl-8,8-dimethyl-2-((S)-3-methylmorpholin-4-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-[6-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)pyridin-3-yl]urea
259	1-{4-[6-Ethyl-8,8-dimethyl-2-(3-oxa-8-azabicyclo[3.2.1]oct-8-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-[6-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)pyridin-3-yl]urea
260	1-{4-[6-Ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}-3-[2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)pyridin-4-yl]urea
261	1-(4,4-Difluoro-3,4,5,6-tetrahydro-2H-[1,2']bipyridinyl-4'-yl)-3-{4-[6-ethyl-8,8-dimethyl-2-(8-oxa-3-azabicyclo[3.2.1]oct-3-yl)-5-oxo-5,6,7,8-tetrahydro-9-oxa-1,3,6-triazabenzocyclohepten-4-yl]-2-fluorophenyl}urea


or a pharmaceutically acceptable salt thereof.

10. A process for preparing a compound of formula (I) according to claim 1, the
5 process comprising
grafting a group -X₂-R₆ onto a compound of formula (XLII) below:



to obtain the compound of formula (I).


11. A process for preparing a compound of formula (I) according to claim 1, in which X_1 is $-NR_{40}-$ and X_2 is $-CONR_{50}-$, the process comprising Suzuki reaction of the compound of formula (XXXV):



in which LG_5 is a leaving group,


- with a compound of formula $R_6R_{50}N-(C=O)-NR_{40}-G_1-R_{300}$, in which R_{300} is a boronic acid or boronic ester
- to obtain the compound of formula (I) wherein X_1 is $-NR_{40}-$ and X_2 is $-CONR_{50}-$.

12. A process for preparing a compound of formula (I) according to claim 1, the process comprising nucleophilic attack of a compound of formula (CI):



on a compound of formula (LII):

243



to obtain the compound of formula (I).

13. A pharmaceutical composition, comprising a compound according to claim 1,
 5 or a pharmaceutically acceptable salt thereof, and at least one pharmaceutically acceptable excipient