
CLAIMS

What is claimed is:

1. The compound represented by the following Formula (XIV):



(XIV)

where:

$X^{4'}$ is N or C-$R^{44'}$;

wherein:


$R^{44'}$ is selected from: hydrogen, fluoro, chloro, bromo, and -CH_3;

$R^{41'}$, $R^{42'}$ and $R^{43'}$ are independently selected from: hydrogen, fluoro, chloro, bromo, -CH_3, -CF_3, -CHF_2, -OCH_3, -OCH_2CF_3, -$OCHF_2$, -OCF_3, -CF_2CH_2OH, -$N(CH_3)_2$, -$NHCH_3$, -C≡N, -OH, -$S(O)_2CH_3$, cyclopropyl, and oxetanyl;

$R^{45'}$ is selected from: phenyl, cyclopentyl, cyclohexyl, , thiophenyl, thiazolyl, pyridyl, tetrahydropyranyl, and -CH_2-phenyl,

wherein, $R^{45'}$ is optionally substituted with from one to four substituents independently selected from: fluoro, chloro, bromo, -CH_3, -CH_2CH_3, -CH_2CF_3, -$CH(CH_3)_2$, -$C(CH_3)_3$, -CF_3, -CF_2CH_2OH, -$C(O)NH_2$, -OCH_3, -NH_2, -OCH_2CH_3, -$OCHF_2$, -OCF_3, -OCH_2CH_2OH, -$N(CH_3)_2$, -$NHCH_3$, -C≡N, -OH, and cyclopropyl; and

$R^{55'}$ is selected from:



or a corresponding tautomer form thereof,

wherein, $R^{48'}$, $R^{49'}$, $R^{50'}$, $R^{51'}$ and $R^{52'}$ are independently selected from:

hydrogen, fluoro, chloro, bromo, $-CH_3$, $-CH_2CH_3$, $-CH_2CF_3$, $-CH(CH_3)_2$, $-C(CH_3)_3$, $-CF_3$, $-CF_2CH_2OH$, $-C(O)NH_2$, $-OCH_3$, $-NH_2$, $-OCH_2CH_3$, $-OCHF_2$, $-OCF_3$, $-OCH_2CH_2OH$, $-N(CH_3)_2$, $-NHCH_3$, $-C\equiv N$, -OH, -C(O)OH, $-C(O)CH_3$, $-OCH_2C(O)OH$, $-NC(O)CH_3$, $-NHCH_2CH_2OH$, $-S(O)_2CH_3$, $-S(O)_2NH_2$, and cyclopropyl;

or a tautomer thereof,

or a pharmaceutically acceptable salt thereof.

2. The compound according to claim 1 wherein $X^{4'}$ is N.

3. The compound according to claim 1 wherein $X^{4'}$ is C-H.

4. The compound according to claim 1 which is selected from:

1-(4-fluoro-2-methylphenyl)-3-(1-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydro quinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(4-methyl-6-oxo-1,6-dihydropyridazin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-Fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-cyclohexyl-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2,6-dimethylphenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-chloro-4-fluorophenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-(2-hydroxyethoxy)phenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2,4-difluorophenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-ethyl-4-fluorophenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

8-chloro-1-(4-fluoro-2-methylphenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-8-methyl-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(2-methylpyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(o-tolyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-6-methyl-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(6-methyl-2-oxo-1,2-dihydropyridin-4-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(5-methyl-2-oxo-1,2-dihydropyridin-4-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(3-methyl-2-oxo-1,2-dihydropyridin-4-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethoxy)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-7-methyl-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(3-methyl-5-oxo-4,5-dihydropyrazin-2-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-ethyl-4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(4-fluoro-2-methylphenyl)-3-(4-methyl-2-oxo-1,2-dihydropyrimidin-5-yl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2,4-dimethyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-isopropylphenyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-ethyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

7-(dimethylamino)-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

7-chloro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(methylamino)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(2-ethoxy-4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-isopropylphenyl)-7-methyl-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

7-(difluoromethyl)-6-fluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

6-fluoro-1-(4-fluoro-2-methylphenyl)-7-methyl-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

6-chloro-1-(4-fluoro-2-methylphenyl)-7-methyl-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

6,7-dichloro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

6-chloro-5-fluoro-1-(2-methyl-4-(trifluoromethoxy)phenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-1,2,3,4-tetrahydroquinazoline-6-carbonitrile;

6-chloro-1-(4-fluoro-2-isopropylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-3-hydroxy-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-5-fluoro-1-(4-fluoro-2-methylphenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-5-fluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(methylsulfonyl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(2-ethyl-4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-3-(2,4-dimethyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-isopropylphenyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-ethyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-isopropylphenyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(5-oxo-4,5-dihydropyrazin-2-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-fluoro-1-(4-fluoro-2-methylphenyl)-7-methyl-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-phenyl-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(o-tolyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

5-chloro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-5-methyl-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-cyclopropyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(4-fluoro-2-methoxyphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

7-fluoro-1-(4-fluoro-2-isopropylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

3-(4,6-dimethyl-2-oxo-1,2-dihydropyrimidin-5-yl)-1-(4-fluoro-2-methylphenyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-(tert-butyl)-4-fluorophenyl)-6-chloro-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(3,4-difluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(4-fluoro-2-isopropylphenyl)-5-methyl-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-7-fluoro-1-(4-fluoro-2-isopropylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-7-methoxy-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-6-hydroxy-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-6-methoxy-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

1-(4-fluoro-2-isopropylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethoxy)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-7-fluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-1,2,3,4-tetrahydroquinazoline-7-carbonitrile;

6-chloro-3-(2-ethyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-2,3-dihydroquinazolin-4(1H)-one;

7-fluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

5-fluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

7-chloro-6-fluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

6-fluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-6-(trifluoromethyl)-1,2,3,4-tetrahydroquinazoline-7-carbonitrile;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-7-(trifluoromethoxy)-1,2,3,4-tetrahydroquinazoline-6-carbonitrile;

1-(4,5-difluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-(tert-butyl)-4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(6-methyl-2-oxo-1,2-dihydropyrimidin-5-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-ethyl-4-fluorophenyl)-6-fluoro-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

4-(6-chloro-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-3,4-dihydroquinazolin-1(2H)-yl)-3-methylbenzonitrile;

1-(5-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-methyl-4-(trifluoromethoxy)phenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

1-(3-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2,4-difluoro-6-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

7-(difluoromethyl)-1-(4-fluoro-2-isopropylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

3-methyl-4-(3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-6-(trifluoromethoxy)-3,4-dihydroquinazolin-1(2H)-yl)benzonitrile;

8-chloro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-8-methyl-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-methoxy-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-hydroxy-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(6-chloro-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-3,4-dihydroquinazolin-1(2H)-yl)-2-methylbenzonitrile;

6-fluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethoxy)-2,3-dihydroquinazolin-4(1H)-one;

5-(difluoromethyl)-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

3-(5-fluoro-2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6,7-difluoro-1-(4-fluoro-2-methoxyphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(2-hydroxy-4-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(2-methoxy-4-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-fluoro-6-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-5-fluoro-1-(4-fluoro-2-methylphenyl)-3-(2-oxo-1,2-dihydropyridin-4-yl)-2,3-dihydroquinazolin-4(1H)-one;

7-(difluoromethyl)-1-(4-fluoro-2-isopropylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

7-(difluoromethyl)-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-3-(2-ethyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-isopropylphenyl)-2,3-dihydroquinazolin-4(1H)-one;

6-fluoro-2-methyl-3-(3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-6-(trifluoromethyl)-3,4-dihydroquinazolin-1(2H)-yl)benzonitrile;

6-fluoro-1-(4-fluoro-2-isopropylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

1-(2-bromo-4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-fluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-Fluorophenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-oxo-1,2-dihydropyrimidin-5-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-bromo-2-methylphenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-methyl-4-(3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-7-(trifluoromethyl)-3,4-dihydroquinazolin-1(2H)-yl)benzonitrile;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

3-(2-ethyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-chloro-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

7-bromo-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-1,2,3,4-tetrahydroquinazoline-7-carbonitrile;

3-(1-(4-fluoro-2-methylphenyl)-4-oxo-7-(trifluoromethyl)-1,4-dihydroquinazolin-3(2H)-yl)-6-oxo-1,6-dihydropyridine-2-carbonitrile;

1-(2,4-difluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-ethoxyphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-oxo-1,2-dihydropyridin-4-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6,7-difluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

6,7-difluoro-1-(4-fluoro-2-isopropylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-((1S,2R)-2-methylcyclohexyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-isopropylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-1,2,3,4-tetrahydroquinazoline-7-carbonitrile;

3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-((1R,2S)-2-methylcyclohexyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

N-(3-(1-(4-fluoro-2-methylphenyl)-4-oxo-6-(trifluoromethyl)-1,4-dihydroquinazolin-3(2H)-yl)-6-oxo-1,6-dihydropyridin-2-yl)acetamide;

3-(2-bromo-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-fluoro-1-(4-fluoro-2-methylphenyl)-7-methoxy-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-7-(trifluoromethyl)-1,2,3,4-tetrahydroquinazoline-6-carbonitrile;

6-chloro-7-(difluoromethoxy)-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-7-(difluoromethyl)-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

3-(4-amino-2-oxo-1,2-dihydropyrimidin-5-yl)-1-(4-fluoro-2-methylphenyl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(2-methyl-4-(trifluoromethoxy)phenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-1,2,3,4-tetrahydropyrido[2,3-d]pyrimidine-7-carbonitrile;

6-chloro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-1,2,3,4-tetrahydropyrido[2,3-d]pyrimidine-7-carbonitrile;

6-chloro-1-(2-methyl-4-(trifluoromethoxy)phenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-1,2,3,4-tetrahydroquinazoline-7-carbonitrile;

6-chloro-1-(4-fluoro-2-methylphenyl)-3-(6-methyl-2-oxo-1,2-dihydropyrimidin-5-yl)-4-oxo-1,2,3,4-tetrahydroquinazoline-7-carbonitrile;

1-(2-methyl-3-(trifluoromethyl)phenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

1-(3-chloro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

1-(2-ethyl-4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

1-(3,4-difluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

1-(4-fluoro-2-isopropylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(4-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-fluoro-1-(4-fluoro-2-isopropylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-cyclopropyl-4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-cyclopropyl-4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

5-fluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-ethyl-4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

7-(difluoromethoxy)-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

7-cyclopropyl-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethoxy)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-(difluoromethoxy)-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-ethyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-7-(trifluoromethoxy)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(2-ethyl-4-fluorophenyl)-7-fluoro-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(2-ethyl-4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-1,2,3,4-tetrahydroquinazoline-7-carbonitrile;

6-chloro-5,7-difluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-5-fluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-1,2,3,4-tetrahydroquinazoline-7-carbonitrile;

1-(2-methyl-4-(trifluoromethyl)phenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

1-(4-chloro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

7-(1,1-difluoro-2-hydroxyethyl)-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-isopropyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-((2-hydroxyethyl)amino)-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(2-(dimethylamino)-4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-1-(4-fluoro-2-(methylamino)phenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-(1,1-difluoro-2-hydroxyethyl)-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2,4-dimethylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(6-methyl-2-oxo-1,2-dihydropyrimidin-5-yl)-7-(trifluoromethoxy)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-7-methyl-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

6-chloro-1-(2-ethyl-4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-1,2,3,4-tetrahydropyrido[2,3-d]pyrimidine-7-carbonitrile;

1-((1S,3S)-3-fluorocyclopentyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-((1R,3R)-3-fluorocyclopentyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(1,2-dimethyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-chloro-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-bromo-4-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-isopropylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

6-chloro-1-(4-fluoro-2-isopropylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

1-(4-Fluoro-2-methylphenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methoxyphenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-5-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(5-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(6-oxo-1,6-dihydropyridazin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluorobenzyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(4-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-4-oxo-3-(6-oxo-1,6-dihydropyridin-3-yl)-1,2,3,4-tetrahydroquinazoline-7-carbonitrile;

1-(4-fluoro-2-methoxyphenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-5-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-methylthiazol-5-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2,4-dimethoxyphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methoxyphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

7-chloro-6-fluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(3-methylthiophen-2-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methoxyphenyl)-4-oxo-3-(6-oxo-1,6-dihydropyridin-3-yl)-1,2,3,4-tetrahydroquinazoline-7-carbonitrile;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(2,2,2-trifluoroethoxy)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-methyl-4-(trifluoromethoxy)phenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-chloro-3-(4-chloro-2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-2,3-dihydroquinazolin-4(1H)-one;

7-chloro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-1,2,3,4-tetrahydroquinazoline-6-carbonitrile;

6-chloro-1-(4-fluoro-2-methylphenyl)-5-methyl-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(3,5-difluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-isopropylphenyl)-5-methoxy-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(bicyclo[1.1.1]pentan-1-yl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(3-methyl-2-oxo-1,2-dihydropyridin-4-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-Methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(2-(2,2,2-trifluoroethyl)phenyl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

7-(difluoromethoxy)-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

6-fluoro-1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-1,2,3,4-tetrahydroquinazoline-7-carbonitrile;

4-(6-Chloro-7-(difluoromethyl)-1-(4-fluoro-2-methylphenyl)-4-oxo-1,4-dihydroquinazolin-3(2H)-yl)-3-methylpyridine 1-oxide;

4-(6-chloro-1-(2-ethyl-4-fluorophenyl)-7-fluoro-4-oxo-1,4-dihydroquinazolin-3(2H)-yl)-3-methylpyridine 1-oxide;

4-(6-chloro-7-fluoro-1-(2-methyl-4-(trifluoromethoxy)phenyl)-4-oxo-1,4-dihydroquinazolin-3(2H)-yl)-3-methylpyridine 1-oxide;

4-(6-chloro-7-cyano-1-(2-ethyl-4-fluorophenyl)-4-oxo-1,4-dihydroquinazolin-3(2H)-yl)-3-methylpyridine 1-oxide;

4-(1-(4-fluoro-2-methylphenyl)-4-oxo-6-(trifluoromethyl)-1,4-dihydroquinazolin-3(2H)-yl)-3-methylpyridine 1-oxide;

3-methyl-4-(1-(2-methyl-4-(trifluoromethoxy)phenyl)-4-oxo-6-(trifluoromethyl)-1,4-dihydroquinazolin-3(2H)-yl)pyridine 1-oxide;

3-(2-Amino-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-methylphenyl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-Fluoro-2-methylphenyl)-3-(2-methoxy-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-Fluoro-2-methylphenyl)-3-(2-hydroxy-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-Fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(oxetan-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-Fluorophenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

4-Methyl-3-(3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-6-(trifluoromethyl)-3,4-dihydroquinazolin-1(2H)-yl)benzamide;

3-(2-Methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-((1S,2S)-2-methylcyclohexyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-Methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-((1R,2R)-2-methylcyclohexyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-Methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-((3S,4S)-3-methyltetrahydro-2H-pyran-4-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-Methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-((3R,4R)-3-methyltetrahydro-2H-pyran-4-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-Methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-((3R,4S)-3-methyltetrahydro-2H-pyran-4-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2-Methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-((3S,4R)-3-methyltetrahydro-2H-pyran-4-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2,4-Dimethyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-isopropylphenyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

3-(2,4-dimethyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-isopropylphenyl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

6-Chloro-3-(2,4-dimethyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-isopropylphenyl)-2,3-dihydroquinazolin-4(1H)-one;

6-Chloro-3-(2,4-dimethyl-6-oxo-1,6-dihydropyridin-3-yl)-1-(4-fluoro-2-isopropylphenyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-(tert-Butyl)-4-fluorophenyl)-6-chloro-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-(tert-Butyl)-4-fluorophenyl)-6-chloro-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-Fluoro-2-methylphenyl)-3-(1-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydro quinazolin-4(1H)-one;

1-(4-Fluoro-2-methylphenyl)-3-(1-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydro quinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-methyl-4-(trifluoromethoxy)phenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one; and

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

or a tautomer thereof,

or a pharmaceutically acceptable salt thereof.

5. The compound according to claim 1 which is selected from:

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluoro-2-methylphenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(2-methyl-4-(trifluoromethoxy)phenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one;

1-(4-bromo-2-methylphenyl)-3-(6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;

1-(4-fluorophenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-7-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one;


1-(4-fluoro-2-methylphenyl)-3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-6-(trifluoromethyl)-2,3-dihydroquinazolin-4(1H)-one; and

3-methyl-4-(3-(2-methyl-6-oxo-1,6-dihydropyridin-3-yl)-4-oxo-7-(trifluoromethyl)-3,4-dihydroquinazolin-1(2H)-yl)benzonitrile;

or a tautomer thereof,

or a pharmaceutically acceptable salt thereof.

6. A compound according to claim 1 which is:



or a tautomer thereof,

or a pharmaceutically acceptable salt thereof.

7. A pharmaceutical composition comprising:

- a compound of Formula (XIV) or a pharmaceutically acceptable salt and/or a corresponding tautomer form thereof according to claim 1; and
- one or more pharmaceutically acceptable excipient(s).

8. Use of:

- a compound according to any one of claims 1 to 6 or a pharmaceutically acceptable salt and/or a corresponding tautomer form thereof, or

- a pharmaceutical composition according to claim 7,

for the manufacture of a medicament for treating and reducing severity of pain and/or or associated disease(s).

9. Use of:
   - a compound according to any one of claims 1 to 6 or a pharmaceutically acceptable salt and/or a corresponding tautomer form thereof, or
   - a pharmaceutical composition according to claim 7,

for the manufacture of a medicament for inhibiting a Na_v 1. 8 voltage-gated sodium channel in a patient.

10. A compound or a pharmaceutically acceptable salt and/or a corresponding tautomer form thereof according to any one of claims 1 to 6; or a pharmaceutical composition according to claim 7, for use in therapy.

11. A compound according to any one of claims 1 to 6 or a pharmaceutically acceptable salt and/or a corresponding tautomer form thereof, or
    a pharmaceutical composition according to claim 7,

for use in treating:
- pain-associated disease(s), such as pain caused by a variety of diseases;
- pain caused by trauma; or
- pain caused by iatrogenic, medical or dental procedures, respectively,

wherein:

each type pain defined above, is selected from:

- the chronic, acute or pre-operative associated pain is selected from:
  - neuropathic pain, chronic neuropathic pain, chronic osteoarthritis pain, dental pain or inflammatory pain; or
- the acute, chronic or post-operative associated pain is selected from:
  - bunionectomy pain, hernia repair pair, breast surgery pain or cosmetic surgical pain.

12. A compound according to any one of claims 1 to 6 or a pharmaceutically acceptable salt and/or a corresponding tautomer form thereof, or

- a pharmaceutical composition according to claim 7,

for use in treating neuropathic pain and/or disease(s),

respectively,

wherein:

the neuropathic pain and/or disease(s), respectively, is selected from:

peripheral neuropathic pain, central neuropathic pain, inherited erythromelalgia (IEM), small fiber neuralgia (SFN), paroxysmal extreme pain disorder (PEPD), painful diabetic neuropathy, chronic lower back pain, neuropathic back pain, sciatica, non-specific lower back pain, multiple sclerosis pain, HIV-related neuropathy, post-herpetic neuralgia, trigeminal neuralgia, vulvodynia, pain resulting from physical trauma, post-limb amputation pain, neuroma pain, phantom limb pain, cancer, toxins or chronic inflammatory conditions.

13. A compound according to any one of claims 1 to 6 or a pharmaceutically acceptable salt and/or a corresponding tautomer form thereof, or

a pharmaceutical composition according to claim 7,

for use in inhibiting a Na_v 1. 8 voltage-gated sodium channel in a patient.

14. A compound according to any one of claims 1 to 6 or a pharmaceutically acceptable salt and/or a corresponding tautomer form thereof, or

a pharmaceutical composition according to claims 7,

for use in the manufacture of a medicament for treating and reducing severity of pain and/or or associated disease(s).

15. A compound according to any one of claims 1 to 6 or a pharmaceutically acceptable salt and/or a corresponding tautomer form thereof, or

a pharmaceutical composition according to claim 7,

for use in the manufacture of a medicament for inhibiting a Na_v 1. 8 voltage-gated sodium channel in a patient.