




Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8

312a, 312b




Figure 9




Figure 10




Figure 10(f)




Figure 11




Figure 12




Figure 13




Figure 14




Figure 15




Figure 16




Figure 17




Figure 18




Figure 19




Figure 20




Figure 21




Figure 22




Figure 23




Figure 24




Figure 25




Figure 26




Figure 27




Figure 28




Figure 29

Lite Version Drive Unit Side Guiding Wheel Position Plot

Point	X	Z	Remark
1.1	900	445	Position A
1.2	970	445	
1.3	1040	445	
1.4	1110	445	
1.5	1180	445	
1.6	1250	445	Position B
1.7	1320	445	
1.8	1390	445	
1.9	1460	445	
			Position D

21	857.5	528.75
22	927.5	528.75
23	997.5	528.75
24	1067.5	528.75
25	1137.5	528.75
26	1207.5	528.75
27	1277.5	528.75
28	1347.5	528.75

3.1	815	612.5
3.2	885	612.5
3.3	955	612.5
3.4	1025	612.5
3.5	1095	612.5
3.6	1165	612.5
3.7	1235	612.5

4.1	772.5	696.25
4.2	842.5	696.25
4.3	912.5	696.25
4.4	982.5	696.25
4.5	1052.5	696.25
4.6	1122.5	696.25

5.1	730	780	Position B
5.2	800	780	
5.3	670	760	
5.4	940	780	Position C
5.5	1010	780	




Figure 30




Figure 31




Figure 32




Figure 33




Figure 34




Figure 35




Figure 36




Figure 37