
What is claimed is:

1. A compound having the Formula I:



I

or a pharmaceutically acceptable salt, solvate, clathrate, hydrate, a single stereoisomer, a mixture of stereoisomers or a racemic mixture of stereoisomers thereof, wherein:

Ring A is azolyl;

J is O or S;

Z is N or CR^9;

R^1 and R^2, together with the carbon atoms to which they are attached, form a 6-membered aryl or a 5- or 6-membered heteroaryl, where the substituents, when present, are one, two, three or four Q groups, selected from (i) and (ii):

(i) each of the one, two, three or four Q groups is independently selected from deuterium, halo, cyano, alkyl, alkenyl, alkynyl, haloalkyl, cycloalkyl, cycloalkylalkyl, aryl, aralkyl, heterocyclyl, heterocyclylalkyl, heteroaryl, heteroaralkyl, $-R^uOR^{x'}$, $-R^uOR^vOR^{x'}$, $-R^uOR^vOC(O)R^{x'}$, $-R^uOR^vOC(O)N(R^y)(R^z)$, $-R^uOR^vN(R^y)(R^z)$, $-R^uOR^vN{=}N^+{=}N$, $-R^uOR^vN(R^y)C(O)R^{x'}$, $-R^uOR^vN(R^y)C(O)N(R^y)(R^z)$, $-R^uOR^vN(R^y)C(O)OR^{x''}$, $-R^uOR^vN(R^y)S(O)_tR^{x''}$, $-R^uOR^vS(O)_tR^{x''}$, $-R^uOR^vS(O)_tN(R^y)(R^z)$, $-R^uOR^vC(O)R^{x'}$, $-R^uOR^vC(=NOR^{x'})R^{x'}$ $-R^uOR^vC(O)N(R^y)(R^z)$, $-R^uN(R^y)(R^z)$, $-R^uN(R^y)R^vOR^{x'}$, $-R^uN(R^y)R^vOC(O)R^{x'}$, $-R^uN(R^y)R^vOC(O)N(R^y)(R^z)$, $-R^uN(R^y)R^vN(R^y)(R^z)$, $-R^uN(R^y)R^vN(R^y)C(O)R^{x'}$, $-R^uN(R^y)R^vN(R^y)C(O)N(R^y)(R^z)$, $-R^uN(R^y)R^vN(R^y)C(O)OR^{x''}$,

$-R^uN(R^y)R^vN(R^y)S(O)_tR^{x''}$, $-R^uN(R^y)R^vS(O)_tR^{x''}$,
$-R^uN(R^y)R^vS(O)_tN(R^y)(R^z)$, $-R^uN(R^y)R^vC(O)R^{x'}$,
$-R^uN(R^y)R^vC(O)N(R^y)(R^z)$, $-R^uN(R^y)S(O)_tR^{x''}$, $-R^uN(R^y)S(O)_tR^vOR^{x'}$,
$-R^uN(R^y)C(O)R^{x'}$, $-R^uN(R^y)C(O)R^vOR^{x'}$, $-R^uC(O)N(R^y)(R^z)$,
$-R^uC(O)N(R^y)N(R^y)(R^z)$, $-R^uC(O)N(R^y)R^vOR^{x'}$,
$-R^uC(O)N(R^y)R^vOC(O)R^{x'}$, $-R^uC(O)N(R^y)R^vOC(O)N(R^y)(R^z)$,
$-R^uC(O)N(R^y)R^vN(R^y)(R^z)$, $-R^uC(O)N(R^y)R^vN(R^y)C(O)R^{x'}$,
$-R^uC(O)N(R^y)R^vN(R^y)C(O)N(R^y)(R^z)$, $-R^uC(O)N(R^y)R^vN(R^y)C(O)OR^{x''}$,
$--R^uC(O)N(R^y)R^vN(R^y)S(O)_tR^{x''}$, $-R^uC(O)N(R^y)R^vS(O)_tR^{x''}$,
$-R^uC(O)N(R^y)R^vS(O)_tN(R^y)(R^z)$, $-R^uC(O)N(R^y)R^vC(O)R^{x'}$,
$-R^uC(O)N(R^y)R^vC(O)N(R^y)(R^z)$, $-R^uC(O)OR^{x'}$, $-R^uC(O)OR^vOR^{x'}$,
$-R^uC(O)R^{x'}$, $-R^uC(O)R^vOR^{x'}$, $-R^uS(O)_tR^{x''}$, $-R^uS(O)_tR^vOR^{x'}$,
$-R^uOP(O)(OH)_2$, and $-R^uOS(O)_2(OH)$

where the alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, aryl, aralkyl, heterocyclyl, heterocyclylalkyl, heteroaryl or heteroaralkyl is each independently optionally substituted with 1 to 5 groups each independently selected from halo, alkyl, haloalkyl and $-R^uOR^{x'}$; and

(ii) two adjacent Q groups, together with the atoms to which they are attached may form cycloalkyl, cycloalkenyl, heterocyclyl, aryl or heteroaryl where the cycloalkyl, cycloalkenyl, heterocyclyl, aryl or heteroaryl is each independently optionally substituted with one or more deuterium atoms or 1 to 4 groups each independently selected from halo, alkyl, haloalkyl, cyano, $-C(O)N(R^y)(R^z)$, $-R^uOR^{x'}$, $-R^uOR^vOR^{x'}$, $-R^uN(R^y)(R^z)$, $-R^uS(O)_tR^{x''}$, heteroaryl and heterocyclyl ;

each t is independently 0, 1 or 2;

R^3 is hydrogen, alkyl or haloalkyl;

R^4 and R^5 are selected from (i) and (ii):

(i) R^4 and R^5 are each independently hydrogen, deuterium, halo, alkyl, alkenyl, alkynyl, haloalkyl, hydroxy, alkoxy or amino; and

(ii) R^4 and R^5, together with the carbon atom to which they are attached, form cycloalkly or heterocylyl;

each R^6 is independently selected from deuterium, halo, cyano, alkyl, alkenyl, alkynyl, haloalkyl, hydroxyalkyl, cycloalkyl, cycloalkylalkyl, aryl, heterocyclyl, heteroaryl, $-R^uOR^{x'}$, $-R^uN(R^y)(R^z)$, $-R^uC(O)N(R^y)(R^z)$ and $-R^uS(O)_tR^{x''}$;

each R^7 is independently selected from deuterium, halo, alkyl, alkenyl, alkynyl, haloalkyl, cycloalkyl, cycloalkylalkyl, aryl, aralkyl, heterocyclyl, heterocyclylalkyl, heteroaryl, heteroaralkyl, $-R^uOR^{x'}$, $-R^uOR^vOR^{x'}$ and $-R^uOR^vN(R^y)(R^z)$ where the alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, aryl, aralkyl, heterocyclyl, heterocyclylalkyl, heteroaryl, heteroaralkyl and the $R^{x'}$ of $-R^uOR^{x'}$ and $-R^uOR^vOR^{x'}$ is each independently optionally substituted with 1 to 9 groups each independently selected from deuterium, halo, cyano, alkyl, alkenyl, alkynyl, haloalkyl, cyanoalkyl, hydroxyalkyl, cycloalkyl, heterocyclyl, aryl, heteroaryl, hydroxy, alkoxy, and $-R^uN(R^y)(R^z)$; or

two R^7s, together with the atoms to which they are attached, form a heterocyclyl optionally substituted with one or more deuterium atoms or 1 to 4 groups each independently selected from deuterium, halo, alkyl and haloalkyl;

R^8 and R^9 are each independently hydrogen, deuterium, halo, alkyl, haloalkyl, cyano, $-C(O)N(R^y)(R^z)$, $-R^uOR^{x'}$, $-R^uOR^vOR^{x'}$, $-R^uN(R^y)(R^z)$, $-R^uS(O)_tR^{x''}$, $-N=N^+=N$, cycloalkyl, cycloalkylalkyl, aryl, aralkyl, heterocyclyl, heterocyclylalkyl, heteroaryl or heteroaralkyl;

each R^u is independently alkylene, alkenylene, alkynylene or a direct bond wherein the alkylene, alkenylene or alkynylene is optionally substituted with one or more deuterium atoms;

each R^v is independently alkylene, alkenylene or alkynylene wherein the alkylene, alkenylene or alkynylene is optionally substituted with one or more deuterium atoms;

each $R^{x'}$ is independently hydrogen, alkyl, haloalkyl, cyanoalkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, heterocyclyl, heterocyclylalkyl, aryl, aralkyl, heteroaryl, or heteroaralkyl, where the alkyl, haloalkyl, cyanoalkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, heterocyclyl, heterocyclylalkyl, aryl, aralkyl, heteroaryl or heteroaralkyl is each independently optionally substituted with one or more deuterium atoms or 1 to 5 groups each independently selected from halo, cyano, alkyl, alkenyl, alkynyl, haloalkyl, aminoalkyl, cyanoalkyl, hydroxyalkyl, cycloalkyl, heterocyclyl, aryl, heteroaryl, hydroxy, alkoxy, haloalkoxy, amino, aminoalkyl, $-R^uOP(O)(OH)_2$, and $-R^uOS(O)_2(OH)$;

each $R^{x''}$ is independently alkyl, haloalkyl, cyanoalkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, heterocyclyl, heterocyclylalkyl, aryl, aralkyl, heteroaryl, or heteroaralkyl, where the alkyl, haloalkyl, cyanoalkyl, alkenyl, alkynyl cycloalkyl, cycloalkylalkyl, heterocyclyl, heterocyclylalkyl, aryl, aralkyl, heteroaryl or heteroaralkyl is each independently optionally substituted with one or more deuterium atoms or 1 to 5 groups each independently selected from halo, cyano, alkyl, haloalkyl, aminoalkyl, hydroxy, alkoxy, haloalkoxy, amino, aminoalkyl, $-R^uOP(O)(OH)_2$, and $-R^uOS(O)_2(OH)$;

each R^y and R^z is independently selected from (i), (ii) and (iii) as follows:

(iv) each R^y and R^z is independently hydrogen, alkyl, alkenyl, alkynyl, haloalkyl, alkoxyalkyl, haloalkoxyalkyl, hydroxyalkyl, cycloalkyl, cycloalkylalkyl, heterocyclyl, heterocyclylalkyl, aryl, aralkyl, heteoraryl or heteroaralkyl where the alkyl, alkenyl, alkynyl, alkoxyalkyl or hydroxyalkyl is each independently optionally substituted with one or more deuterium atoms and where the cyloalkyl, cycloalkylalkyl, heterocyclyl, heterocyclylalkyl, aryl, aralkyl, heteoraryl or heteroaralkyl is each independently optionally substituted with one or more deuterium atoms or 1 to 5 groups each independently selected from halo, cyano, alkyl, haloalkyl, hydroxy, alkoxy, haloalkoxy and amino;

(v) R^y and R^z, together with the nitrogen atom to which they are attached, form a heterocyclyl optionally substituted with one or more deuterium atoms or 1 to 5 groups each independently selected from halo, cyano, haloalkyl, alkyl, alkenyl, alkynyl, hydroxy, alkoxy, haloalkoxy, amino, and oxo; and

(vi) R^y and R^z, together with the nitrogen atom to which they are attached, form a heteroaryl optionally substituted with one or more deuterium atoms or 1 to 5 groups each independently selected from halo, cyano, haloalkyl, alkyl, alkenyl, alkynyl, hydroxy, alkoxy, haloalkoxy and amino;


m is an integer from 0 to 4, and

n is an integer from 0 to 4;

wherein the compound is selected such that when ring A is pyrazolyl, m is 1 and Z is CH, R^7 is not cyclopropyl.

2. The compound of claim1 wherein Ring A is isoxazolyl.

3. The compound of claim 1 wherein substituted Ring A is:



each R^7 is independently selected from halo, alkyl, alkenyl, alkynyl, haloalkyl, cycloalkyl, cycloalkylalkyl, aryl, aralkyl, heterocyclyl, heterocyclylalkyl, heteroaryl, heteroaralkyl, $-R^uOR^{x'}$, $-R^uOR^vOR^{x'}$ and $-R^uOR^vN(R^y)(R^z)$ where the alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, aryl, aralkyl, heterocyclyl, heterocyclylalkyl, heteroaryl, heteroaralkyl and the $R^{x'}$ of $-R^uOR^{x'}$ and $-R^uOR^vOR^{x'}$ are optionally substituted with 1 to 9 groups each independently selected from deuterium, halo, cyano, alkyl, alkenyl, alkynyl, cycloalkyl, heterocyclyl, aryl, heteroaryl, hydroxy, alkoxy, and $-R^uN(R^y)(R^z)$;

each R^u is independently alkylene, alkenylene, alkynylene or a direct bond wherein the alkylene, alkenylene or alkynylene is optionally substituted with one or more deuterium atoms;

each R^v is independently alkylene, alkenylene or alkynylene wherein the alkylene, alkenylene or alkynylene is optionally substituted with one or more deuterium atoms;

each $R^{x'}$ is independently hydrogen, alkyl, haloalkyl, cyanoalkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, heterocyclyl, heterocyclylalkyl, aryl, aralkyl, heteroaryl, or heteroaralkyl, where the alkyl, haloalkyl, cyanoalkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, heterocyclyl, heterocyclylalkyl, aryl, aralkyl, heteroaryl or heteroaralkyl is each independently optionally substituted with one or more deuterium atoms or 1 to 5 groups each independently selected from halo, cyano, alkyl, alkenyl, alkynyl, haloalkyl, aminoalkyl, cyanoalkyl, hydroxyalkyl, cycloalkyl, heterocyclyl, aryl, heteroaryl, hydroxy, alkoxy, haloalkoxy, amino, aminoalkyl, $-R^uOP(O)(OH)_2$, and $-R^uOS(O)_2(OH)$;

each R^y and R^z is independently selected from (i), (ii) and (iii) as follows:

(i) each R^y and R^z is independently hydrogen, alkyl, alkenyl, alkynyl, haloalkyl, alkoxyalkyl, haloalkoxyalkyl, hydroxyalkyl, cycloalkyl, cycloalkylalkyl, heterocyclyl, heterocyclylalkyl, aryl, aralkyl, heteoraryl or heteroaralkyl where the alkyl, alkenyl, alkynyl, alkoxyalkyl or

hydroxyalkyl is each independently optionally substituted with one or more deuterium atoms and where the cyloalkyl, cycloalkylalkyl, heterocyclyl, heterocyclylalkyl, aryl, aralkyl, heteoraryl or heteroaralkyl is each independently optionally substituted with one or more deuterium atoms or 1 to 5 groups each independently selected from halo, cyano, alkyl, haloalkyl, hydroxy, alkoxy, haloalkoxy and amino;

(ii) R^y and R^z, together with the nitrogen atom to which they are attached, form a heterocyclyl optionally substituted with one or more deuterium atoms or 1 to 5 groups each independently selected from halo, cyano, haloalkyl, alkyl, alkenyl, alkynyl, hydroxy, alkoxy, haloalkoxy, amino, and oxo; and

(iii) R^y and R^z, together with the nitrogen atom to which they are attached, form a heteroaryl optionally substituted with one or more deuterium atoms or 1 to 5 groups each independently selected from halo, cyano, haloalkyl, alkyl, alkenyl, alkynyl, hydroxy, alkoxy, haloalkoxy and amino.


4. The compound of any one of claims 1-3, wherein R^4 and R^5 are both hydrogen or halo.

5. The compound of any one of claims 1-4, wherein R^4 and R^5 are both hydrogen.

6. The compound of any one of claims 1-5, wherein Z is N.


7. The compound of any one of claims 1-6, wherein R^8 is hydrogen.

8. The compound of any one of claims 1-7 having the Formula II:




II.

9. The compound of any one of claims 1-7 having the Formula III




III.

10. The compound of any one of claims 1-7 having the Formula IV:



IV.

11. The compound of any one of claims 1-7 having the Formula V:



where ring B is a 5- or 6-membered heteroaryl.

12. The compound of of claim 1, wherein the compound is selected from:

2-(4-(6,7-dimethoxyquinoxalin-2-yl)phenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(7-methoxyquinolin-3-yl)phenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(5*H*-pyrrolo[2,3-*b*]pyrazin-2-yl)phenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(6,7-dimethoxyquinoxalin-2-yl)-2-fluorophenyl)-N-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(6,7-dimethoxyquinolin-3-yl)phenyl)-N-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

N-(5-(*tert*-butyl)isoxazol-3-yl)-2-(4-(6,7-dimethoxyquinoxalin-2-yl)phenyl)acetamide;

2-(4-(3-aminoquinoxalin-2-yl)phenyl)-N-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(6,7-dimethoxyquinoxalin-2-yl)phenyl)-N-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)acetamide;

2-(4-(5-methyl-5*H*-pyrrolo[2,3-*b*]pyrazin-2-yl)phenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(thieno[3,2-*b*]pyridin-6-yl)phenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(1,5-naphthyridin-3-yl)phenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(1,6-naphthyridin-3-yl)phenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(5,7-dimethoxyquinolin-3-yl)phenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(1*H*-imidazo[4,5-*b*]pyrazin-5-yl)phenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(1*H*-pyrazolo[3,4-*b*]pyridin-5-yl)phenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(6,7-dimethoxyquinoxalin-2-yl)phenyl)-N-(5-(1-hydroxy-2-methylpropan-2-yl)isoxazol-3-yl)acetamide;

2-(4-(6,7,8,9-tetrahydro-5*H*-pyrazino[2,3-*b*]indol-2-yl)phenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(1*H*-pyrrolo[2,3-*b*]pyridin-5-yl)phenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(thieno[2,3-*b*]pyridin-5-yl)phenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide ;

2-(4-(2-methyl-3*H*-imidazo[4,5-*b*]pyridin-6-yl)phenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(1-methyl-1*H*-pyrazolo[4,3-*b*]pyridin-6-yl)phenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide ;

2-(4-(6-methoxyquinoxalin-2-yl)phenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide ;

2-(4-(7-methoxyquinoxalin-2-yl)phenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide ;

2-(4-(6-(2-methoxyethoxy)quinoxalin-2-yl)phenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(1*H*-pyrrolo[2,3-*b*]pyridin-5-yl)phenyl)-*N*-(5-(*tert*-butyl)isoxazol-3-yl)acetamide;

2-(4-(1*H*-pyrrolo[2,3-*b*]pyridin-5-yl)phenyl)-*N*-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)acetamide;

N-(5-(*tert*-butyl)isoxazol-3-yl)-2-(2-fluoro-4-(1*H*-pyrrolo[2,3-*b*]pyridin-5-yl)phenyl)acetamide;

2-(2-fluoro-4-(1*H*-pyrrolo[2,3-*b*]pyridin-5-yl)phenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(2-fluoro-4-(1*H*-pyrrolo[2,3-*b*]pyridin-5-yl)phenyl)-*N*-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)acetamide;

2-(2-fluoro-4-(5*H*-pyrrolo[2,3-*b*]pyrazin-2-yl)phenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(1H-pyrazolo[3,4-b]pyridin-5-yl)phenyl)-N-(5-(*tert*-butyl)isoxazol-3-yl)acetamide;

N-(5-(*tert*-butyl)isoxazol-3-yl)-2-(2-fluoro-4-(1H-pyrazolo[3,4-b]pyridin-5-yl)phenyl)acetamide;

2-(2-fluoro-4-(1H-pyrazolo[3,4-b]pyridin-5-yl)phenyl)-N-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(2-fluoro-4-(1H-pyrazolo[3,4-b]pyridin-5-yl)phenyl)-N-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)acetamide;

2-(4-(3-methoxy-1*H*-pyrazolo[3,4-*b*]pyridin-5-yl)phenyl)-*N*-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)acetamide;

2-(4-(5,7-dimethoxyquinolin-3-yl)-2-fluorophenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

N-(5-(*tert*-butyl)isoxazol-3-yl)-2-(4-(3-cyano-1H-pyrazolo[3,4-b]pyridin-5-yl)phenyl)acetamide;

N-(5-(*tert*-butyl)isoxazol-3-yl)-2-(4-(3-chloro-1H-pyrazolo[3,4-b]pyridin-5-yl)phenyl)acetamide;

2-(4-(3-ethoxy-1*H*-pyrazolo[3,4-*b*]pyridin-5-yl)phenyl)-*N*-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)acetamide;

N-(5-(*tert*-butyl)isoxazol-3-yl)-2-(4-(3-methyl-1H-pyrazolo[3,4-b]pyridin-5-yl)phenyl)acetamide;

2-(4-(3*H*-[1,2,3]triazolo[4,5-*b*]pyridin-6-yl)phenyl)-*N*-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)acetamide;

2-(4-(6,7-dimethoxyquinoxalin-2-yl)-3-fluorophenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

N-(5-(*tert*-butyl)isoxazol-3-yl)-2-(4-(6,7-dimethoxyquinoxalin-2-yl)-2-fluorophenyl)acetamide;

2-(4-(1H-pyrazolo[3,4-b]pyridin-5-yl)phenyl)-N-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)acetamide;

5-(4-(2-((5-(*tert*-butyl)isoxazol-3-yl)amino)-2-oxoethyl)phenyl)-N,N-dimethyl-1H-pyrazolo[3,4-b]pyridine-3-carboxamide;

2-(4-(6,7-dimethoxyquinoxalin-2-yl)-2-fluorophenyl)-*N*-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)acetamide;

2-(4-(3-(2-methoxyethoxy)-1*H*-pyrazolo[3,4-*b*]pyridin-5-yl)phenyl)-*N*-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)acetamide;

2-(4-(3-(piperidin-4-yloxy)-1*H*-pyrazolo[3,4-*b*]pyridin-5-yl)phenyl)-*N*-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)acetamide formate salt;

2-(4-(3-(piperidin-4-yloxy)-1*H*-pyrazolo[3,4-*b*]pyridin-5-yl)phenyl)-*N*-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)acetamide;

5-(4-(2-((5-(*tert*-butyl)isoxazol-3-yl)amino)-2-oxoethyl)phenyl)-N,N-dimethyl-1H-pyrrolo[2,3-b]pyridine-2-carboxamide;

N-(5-(*tert*-butyl)isoxazol-3-yl)-2-(4-(2-(hydroxymethyl)-1H-pyrrolo[2,3-b]pyridin-5-yl)phenyl)acetamide;

N-(5-(*tert*-butyl)isoxazol-3-yl)-2-(2-fluoro-4-(3-methyl-1H-pyrazolo[3,4-b]pyridin-5-yl)phenyl)acetamide;

N-(5-(*tert*-butyl)isoxazol-3-yl)-2-(4-(2-((dimethylamino)methyl)-1H-pyrrolo[2,3-b]pyridin-5-yl)phenyl)acetamide;

2-(2-fluoro-4-(3-methoxy-1*H*-pyrazolo[3,4-*b*]pyridin-5-yl)phenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

N-(5-(*tert*-butyl)isoxazol-3-yl)-2-(4-(3-((methylamino)methyl)-1*H*-pyrrolo[2,3-*b*]pyridin-5-yl)phenyl)acetamide;

N-(5-(*tert*-butyl)isoxazol-3-yl)-2-(2-fluoro-4-(3-(hydroxymethyl)-1H-pyrazolo[3,4-b]pyridin-5-yl)phenyl)acetamide;

2-(2-fluoro-4-(1H-pyrazolo[3,4-b]pyridin-5-yl)phenyl)-N-(5-(1-(trifluoromethyl)cyclobutyl)isoxazol-3-yl)acetamide;

N-(5-(*tert*-butyl)isoxazol-3-yl)-2-(2-fluoro-4-(3-((methylamino)methyl)-1H-pyrazolo[3,4-b]pyridin-5-yl)phenyl)acetamide;

N-(5-(*tert*-butyl)isoxazol-3-yl)-2-(4-(3-((dimethylamino)methyl)-1H-pyrazolo[3,4-b]pyridin-5-yl)-2-fluorophenyl)acetamide;

N-(5-(*tert*-butyl)isoxazol-3-yl)-2-(4-(3-((dimethylamino)methyl)-1*H*-pyrrolo[2,3-*b*]pyridin-5-yl)phenyl)acetamide formate salt;

N-(5-(*tert*-butyl)isoxazol-3-yl)-2-(4-(3-((dimethylamino)methyl)-1*H*-pyrrolo[2,3-*b*]pyridin-5-yl)phenyl)acetamide;

N-(5-(*tert*-butyl)isoxazol-3-yl)-2-(4-(3-(hydroxymethyl)-1*H*-pyrrolo[2,3-*b*]pyridin-5-yl)phenyl)acetamide;

2-(4-(3-(dimethylamino)-1*H*-pyrazolo[3,4-*b*]pyridin-5-yl)-2-fluorophenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

N-(5-(*tert*-butyl)isoxazol-3-yl)-2-(2-fluoro-4-(3-(1-hydroxyethyl)-1H-pyrazolo[3,4-b]pyridin-5-yl)phenyl)acetamide;

2-(2-fluoro-4-(3-methoxy-1*H*-pyrazolo[3,4-*b*]pyridin-5-yl)phenyl)-*N*-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)acetamide;

5-(4-(2-((5-(*tert*-butyl)isoxazol-3-yl)amino)-2-oxoethyl)phenyl)-N-(2-hydroxyethyl)-1H-pyrrolo[2,3-b]pyridine-2-carboxamide;

5-(4-(2-((5-(*tert*-butyl)isoxazol-3-yl)amino)-2-oxoethyl)phenyl)-N-methyl-1H-pyrrolo[2,3-b]pyridine-2-carboxamide;

5-(4-(2-((5-(*tert*-butyl)isoxazol-3-yl)amino)-2-oxoethyl)phenyl)-N-(2-(dimethylamino)ethyl)-1H-pyrrolo[2,3-b]pyridine-2-carboxamide;

5-(4-(2-((5-(*tert*-butyl)isoxazol-3-yl)amino)-2-oxoethyl)phenyl)-N-(3-(dimethylamino)propyl)-N-methyl-1H-pyrrolo[2,3-b]pyridine-2-carboxamide;

5-(4-(2-((5-(*tert*-butyl)isoxazol-3-yl)amino)-2-oxoethyl)phenyl)-N-(2-(methylsulfonyl)ethyl)-1H-pyrrolo[2,3-b]pyridine-2-carboxamide;

5-(4-(2-((5-(*tert*-butyl)isoxazol-3-yl)amino)-2-oxoethyl)phenyl)-N-(1-methylpiperidin-4-yl)-1H-pyrrolo[2,3-b]pyridine-2-carboxamide;

2-(2-fluoro-4-(2-(hydroxymethyl)-1H-pyrrolo[2,3-b]pyridin-5-yl)phenyl)-N-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(1*H*-pyrrolo[2,3-*b*]pyridin-5-yl)phenyl)-*N*-(3-(*tert*-butyl)isoxazol-5-yl)acetamide;

2-(4-(6,7-dimethoxyquinoxalin-2-yl)phenyl)-*N*-(3-(1-(trifluoromethyl)cyclopropyl)isoxazol-5-yl)acetamide;

N-(3-(*tert*-butyl)isoxazol-5-yl)-2-(4-(6,7-dimethoxyquinoxalin-2-yl)phenyl)acetamide;

((2-(3-fluoro-4-(2-oxo-2-((5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)amino)ethyl)phenyl)quinoxaline-6,7-diyl)bis(oxy))bis(ethane-2,1-diyl) diacetate;

2-(4-(6,7-bis(2-hydroxyethoxy)quinoxalin-2-yl)-2-fluorophenyl)-N-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(2,3-dihydro-[1,4]dioxino[2,3-g]quinoxalin-7-yl)-2-fluorophenyl)-N-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(2-fluoro-4-(6-methoxy-7-(2-methoxyethoxy)quinoxalin-2-yl)phenyl)-N-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(2-fluoro-4-(7-methoxy-6-(2-methoxyethoxy)quinoxalin-2-yl)phenyl)-N-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(2-fluoro-4-(6-hydroxy-7-methoxyquinoxalin-2-yl)phenyl)-N-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(2-fluoro-4-(7-methoxy-6-(2-morpholinoethoxy)quinoxalin-2-yl)phenyl)-N-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(2-fluoro-4-(7-(2-hydroxyethoxy)-6-methoxyquinoxalin-2-yl)phenyl)-N-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(2-fluoro-4-(7-methoxy-6-(2-(4-methylpiperazin-1-yl)ethoxy)quinoxalin-2-yl)phenyl)-N-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(6-(2-(3,3-difluoropyrrolidin-1-yl)ethoxy)-7-methoxyquinoxalin-2-yl)-2-fluorophenyl)-N-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(6-bromo-7-methoxyquinoxalin-2-yl)-2-fluorophenyl)-N-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(6-(2,3-dihydroxypropyl)-7-methoxyquinoxalin-2-yl)-2-fluorophenyl)-N-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(2-fluoro-4-(7-methoxy-6-((2-morpholinoethyl)amino)quinoxalin-2-yl)phenyl)-N-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(7-ethoxy-6-methoxyquinolin-3-yl)-2-fluorophenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(2-Fluoro-4-{6-[2-(3-fluoro-4-hydroxy-piperidin-1-yl)-ethoxy]-7-methoxy-quinolin-3-yl}-phenyl)-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)-isoxazol-3-yl]-acetamide;

2-(2-fluoro-4-(7-(2-hydroxyethoxy)-6-methoxyquinolin-3-yl)phenyl)-N-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(6-(azetidin-3-yloxy)-7-methoxyquinoxalin-2-yl)-2-fluorophenyl)-N-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(2-fluoro-4-(7-methoxy-6-((1-methylazetidin-3-yl)oxy)quinoxalin-2-yl)phenyl)-N-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(2-fluoro-4-(7-(2-hydroxyethoxy)-6-methoxyquinolin-3-yl)phenyl)-N-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)acetamide;

N-(5-(*tert*-butyl)isoxazol-3-yl)-2-(2-fluoro-4-(7-methoxy-6-(2-morpholinoethoxy)quinoxalin-2-yl)phenyl)acetamide;

2-(4-(7-methoxy-6-(2-morpholinoethoxy)quinoxalin-2-yl)phenyl)-N-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)acetamide;

2-(2-fluoro-4-(7-methoxy-6-(2-morpholinoethoxy)quinoxalin-2-yl)phenyl)-N-(1-methyl-3-(1,1,1-trifluoro-2-methylpropan-2-yl)-1H-pyrazol-5-yl)acetamide;

2-(2-fluoro-4-(7-methoxy-6-(2-morpholinoethoxy)quinoxalin-2-yl)phenyl)-N-(3-(1-methylcyclopropyl)isoxazol-5-yl)acetamide;

2-(4-(6-(2-(3,3-dimethylmorpholino)ethoxy)-7-methoxyquinoxalin-2-yl)-2-fluorophenyl)-N-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

N-(5-tert-butylisoxazol-3-yl)-2-[4-[3-(3-hydroxyoxetan-3-yl)-1H-pyrrolo[2,3-b]pyridin-5-yl]phenyl]acetamide;

2-[2-fluoro-4-[2-(hydroxymethyl)-2,3-dihydrooxazolo[3,4]pyrazolo[1,3-b]pyridin-8-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

N-(5-tert-butylisoxazol-3-yl)-2-[4-[2-(4-methylpiperazine-1-carbonyl)-1H-pyrrolo[2,3-b]pyridin-5-yl]phenyl]acetamide;

5-[4-[2-[(5-tert-butylisoxazol-3-yl)amino]-2-oxo-ethyl]phenyl]-N-[2-(dimethylamino)ethyl]-1H-pyrazolo[3,4-b]pyridine-3-carboxamide;

N-(5-tert-butylisoxazol-3-yl)-2-[4-[3-(triazol-2-yl)-1H-pyrazolo[3,4-b]pyridin-5-yl]phenyl]acetamide;

2-[4-[3-(2,2-difluoroethoxy)-1H-pyrazolo[3,4-b]pyridin-5-yl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

N-(5-tert-butylisoxazol-3-yl)-2-[4-[3-(triazol-1-yl)-1H-pyrazolo[3,4-b]pyridin-5-yl]phenyl]acetamide;

2-[2-fluoro-4-[3-(2-fluoroethoxy)-1H-pyrazolo[3,4-b]pyridin-5-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-[6-[2-(4-ethylpiperazin-1-yl)ethoxy]-7-methoxy-quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

5-[3-fluoro-4-[2-oxo-2-[[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]amino]ethyl]phenyl]-1H-pyrrolo[2,3-b]pyridine-2-carboxylic acid;

5-[3-fluoro-4-[2-oxo-2-[[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]amino]ethyl]phenyl]-N-(2-methylsulfonylethyl)-1H-pyrrolo[2,3-b]pyridine-2-carboxamide;

N-[2-(dimethylamino)ethyl]-5-[3-fluoro-4-[2-oxo-2-[[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]amino]ethyl]phenyl]-1H-pyrrolo[2,3-b]pyridine-2-carboxamide;

N-(5-tert-butylisoxazol-3-yl)-2-[4-[3-(1-methylpyrazol-4-yl)-1H-pyrazolo[3,4-b]pyridin-5-yl]phenyl]acetamide;

2-[4-[2-[3-(dimethylamino)pyrrolidine-1-carbonyl]-1H-pyrrolo[2,3-b]pyridin-5-yl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[2-(3-hydroxyazetidine-1-carbonyl)-1H-pyrrolo[2,3-b]pyridin-5-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

N-(azetidin-3-yl)-5-[3-fluoro-4-[2-oxo-2-[[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]amino]ethyl]phenyl]-1H-pyrrolo[2,3-b]pyridine-2-carboxamide;

5-[3-fluoro-4-[2-oxo-2-[[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]amino]ethyl]phenyl]-N-(1-methylazetidin-3-yl)-1H-pyrrolo[2,3-b]pyridine-2-carboxamide;

2-[2-fluoro-4-[3-[2-(trifluoromethoxy)ethoxy]-1H-pyrazolo[3,4-b]pyridin-5-yl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-(5,6,7-trimethoxy-3-quinolyl)phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

N-(5-tert-butylisoxazol-3-yl)-2-[4-(5,6,7-trimethoxy-3-quinolyl)phenyl]acetamide;

2-[4-[2-(dimethylaminocarbamoyl)-1H-pyrrolo[2,3-b]pyridin-5-yl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-(6,7-diethoxyquinoxalin-2-yl)-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-([1,3]dioxolo[4,5-g]quinoxalin-6-yl)-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-[6,7-bis(2-methoxyethoxy)quinoxalin-2-yl]phenyl]-N-(5-tert-butylisoxazol-3-yl)acetamide;

2-[2-fluoro-4-[(2R)-2-(hydroxymethyl)-2,3-dihydro-[1,4]dioxino[2,3-g]quinoxalin-7-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[(3R)-3-(hydroxymethyl)-2,3-dihydro-[1,4]dioxino[2,3-g]quinoxalin-7-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-(3-amino-6,7-dimethoxy-quinoxalin-2-yl)-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-(3,6,7-trimethoxyquinoxalin-2-yl)phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-[6,7-bis(2-methoxyethoxy)quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[6-methoxy-7-(2-methoxyethoxy)-3-quinolyl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[[3-[3-fluoro-4-[2-oxo-2-[[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]amino]ethyl]phenyl]-6-methoxy-7-quinolyl]oxy]ethyl acetate;

2-[4-(6,7-dimethoxy-3-quinolyl)-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-(6,7-dimethoxy-3-quinolyl)-2-fluoro-phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-[3-fluoro-4-[2-oxo-2-[[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]amino]ethyl]phenyl]-7-methoxy-quinoxalin-6-yl]oxyethyl acetate;

2-[2-fluoro-4-[6-(2-hydroxyethoxy)-7-methoxy-quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

ethyl 3-[3-fluoro-4-[2-oxo-2-[[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]amino]ethyl]phenyl]-6,7-dimethoxy-quinoxaline-2-carboxylate;

3-[3-fluoro-4-[2-oxo-2-[[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]amino]ethyl]phenyl]-6,7-dimethoxy-quinoxaline-2-carboxylic acid;

2-[2-fluoro-4-[7-methoxy-6-(2-pyrrolidin-1-ylethoxy)quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

3-[3-fluoro-4-[2-oxo-2-[[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]amino]ethyl]phenyl]-6,7-dimethoxy-quinoxaline-2-carboxamide;

2-[2-[3-fluoro-4-[2-oxo-2-[[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]amino]ethyl]phenyl]-7-methoxy-quinoxalin-6-yl]oxyethyl N,N-dimethylcarbamate;

2-[2-fluoro-4-[3-(hydroxymethyl)-6,7-dimethoxy-quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-(4-chloro-6,7-dimethoxy-3-quinolyl)-2-fluoro-phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

N-(5-tert-butyl-2-methyl-pyrazol-3-yl)-2-[4-(6,7-dimethoxyquinoxalin-2-yl)-2-fluoro-phenyl]acetamide;

N-(5-tert-butyl-2-phenyl-pyrazol-3-yl)-2-[4-(6,7-dimethoxyquinoxalin-2-yl)-2-fluoro-phenyl]acetamide;

2-[4-(4-azido-6,7-dimethoxy-3-quinolyl)-2-fluoro-phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[4-[6-(1-ethylazetidin-3-yl)oxy-7-methoxy-quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-(4-amino-6,7-dimethoxy-3-quinolyl)-2-fluoro-phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-(oxetan-3-yloxy)quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-(4,6,7-trimethoxy-3-quinolyl)phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[4-(3-chloro-6,7-dimethoxy-quinoxalin-2-yl)-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-(oxetan-3-yloxy)quinoxalin-2-yl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[4-[6-(azetidin-3-yloxy)-7-methoxy-quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[4-[6-(1-ethylazetidin-3-yl)oxy-7-methoxy-quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-(1-methylazetidin-3-yl)oxy-quinoxalin-2-yl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[4-(8-amino-3-quinolyl)-2-fluoro-phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[4-(6,7-dimethoxy-3-hydroxy-quinoxalin-2-yl)-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

N-(3-tert-butyl-1H-pyrazol-5-yl)-2-[4-(6,7-dimethoxyquinoxalin-2-yl)-2-fluoro-phenyl]acetamide;

2-[4-[6,7-bis[2-(dimethylamino)-2-oxo-ethoxy]quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-(6-methoxypyrido[2,3-b]pyrazin-3-yl)phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-(6-methoxypyrido[2,3-b]pyrazin-2-yl)phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-(7-benzyloxy-6-methoxy-quinoxalin-2-yl)-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-(7-hydroxy-6-methoxy-quinoxalin-2-yl)phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-[7-[2-(dimethylamino)ethoxy]-6-methoxy-quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-(2-methoxyethoxy)quinoxalin-2-yl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[6-methoxy-7-(2-methoxyethoxy)quinoxalin-2-yl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

N-(5-tert-butyl-2-methyl-pyrazol-3-yl)-2-[2-fluoro-4-[6-methoxy-7-(2-methoxyethoxy)quinoxalin-2-yl]phenyl]acetamide;

N-(5-tert-butyl-2-methyl-pyrazol-3-yl)-2-[2-fluoro-4-[7-methoxy-6-(2-methoxyethoxy)quinoxalin-2-yl]phenyl]acetamide;

2-[4-(6-benzyloxy-7-methoxy-quinoxalin-2-yl)-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-(6-hydroxy-7-methoxy-quinoxalin-2-yl)phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[6-(2-hydroxyethoxy)-7-methoxy-quinoxalin-2-yl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[4-[6-(2-azidoethoxy)-7-methoxy-quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-[6-(2-aminoethoxy)-7-methoxy-quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-[6-(2-acetamidoethoxy)-7-methoxy-quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-(6,7-dimethoxy-3-methyl-quinoxalin-2-yl)-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-(2-hydroxyethoxy)-6-methoxy-quinoxalin-2-yl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-(2-morpholinoethoxy)quinoxalin-2-yl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[4-(6,7-dimethoxyquinoxalin-2-yl)-2-fluoro-phenyl]-N-[2-methyl-5-[1-(trifluoromethyl)cyclopropyl]pyrazol-3-yl]acetamide;

N-[2-tert-butyl-5-[1-(trifluoromethyl)cyclopropyl]pyrazol-3-yl]-2-[4-(6,7-dimethoxyquinoxalin-2-yl)-2-fluoro-phenyl]acetamide;

2-[4-[6-[2-(2,6-dimethylmorpholin-4-yl)ethoxy]-7-methoxy-quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-[2-(methylamino)ethoxy]quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-[6-[2-[acetyl(methyl)amino]ethoxy]-7-methoxy-quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-(2-methoxyethoxy)-3-quinolyl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[6-(2-hydroxyethoxy)-7-methoxy-3-quinolyl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[6-(2-hydroxyethoxy)-7-methoxy-3-quinolyl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-(6,7-dimethoxyquinoxalin-2-yl)-2-fluoro-phenyl]-N-[3-[1-(trifluoromethyl)cyclopropyl]-1H-pyrazol-5-yl]acetamide;

2-[4-(6,7-dimethoxyquinoxalin-2-yl)-2-fluoro-phenyl]-N-[2-methyl-5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)pyrazol-3-yl]acetamide;

2-[4-(6,7-dimethoxyquinoxalin-2-yl)-2-fluoro-phenyl]-N-[3-(2,2,2-trifluoro-1,1-dimethyl-ethyl)-1H-pyrazol-5-yl]acetamide;

2-[4-[6-(cyanomethoxy)-7-methoxy-quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide

2-[2-fluoro-4-(7-hydroxy-6-methoxy-quinoxalin-2-yl)phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-[2-(1,2,4-triazol-1-yl)ethoxy]quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-[6-[2-(dimethylamino)-2-oxo-ethoxy]-7-methoxy-quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[6-methoxy-7-(2-morpholinoethoxy)quinoxalin-2-yl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-(2-methoxyethoxy)-3-quinolyl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-(2-morpholinoethoxy)-3-quinolyl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-(2-morpholinoethoxy)-3-quinolyl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-[2-[(3S)-3-hydroxypyrrolidin-1-yl]ethoxy]-6-methoxy-quinoxalin-2-yl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[4-[6-(2-aminoethoxy)-7-methoxy-3-quinolyl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-[6-(2-acetamidoethoxy)-7-methoxy-3-quinolyl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-(6,7-dimethoxyquinoxalin-2-yl)-2-fluoro-phenyl]-N-(4,4-dimethyl-5,6-dihydropyrrolo[1,2-b]pyrazol-2-yl)acetamide;

2-[2-fluoro-4-[6-(3-hydroxypropoxy)-7-methoxy-quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[6-methoxy-7-[2-(methylamino)ethoxy]quinoxalin-2-yl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[6-methoxy-7-(2-morpholinoethoxy)-3-quinolyl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[4-[7-[2-[acetyl(methyl)amino]ethoxy]-6-methoxy-quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-[2-[(3R)-3-hydroxypyrrolidin-1-yl]ethoxy]-6-methoxy-3-quinolyl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-[2-[2-hydroxyethyl(methyl)amino]ethoxy]-6-methoxy-3-quinolyl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-[2-(2-hydroxyethylamino)ethoxy]-6-methoxy-3-quinolyl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-[(2R)-2-hydroxypropoxy]-6-methoxy-quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[6-methoxy-7-(3-morpholinopropoxy)quinoxalin-2-yl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[4-[6-(2-aminoethoxy)-7-methoxy-3-quinolyl]-2-fluoro-phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[4-[6-(2-acetamidoethoxy)-7-methoxy-3-quinolyl]-2-fluoro-phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[6-[2-(4-hydroxy-1-piperidyl)ethoxy]-7-methoxy-3-quinolyl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[4-[6-[2-(4,4-difluoro-1-piperidyl)ethoxy]-7-methoxy-3-quinolyl]-2-fluoro-phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[6-[(2R)-2-hydroxypropoxy]-7-methoxy-quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-(3-morpholinopropoxy)quinoxalin-2-yl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-[2-(1,2,4-triazol-1-yl)ethoxy]quinoxalin-2-yl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-[2-(1,2,4-triazol-4-yl)ethoxy]quinoxalin-2-yl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-(3-morpholinopropoxy)quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[6-methoxy-7-(3-morpholinopropoxy)quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-[7-(3-acetamidopropoxy)-6-methoxy-quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

N-(5-tert-butylisoxazol-3-yl)-2-[4-[7-methoxy-6-(2-morpholinoethoxy)quinoxalin-2-yl]phenyl]acetamide;

2-[4-[6-[2-(1,1-dioxo-1,4-thiazinan-4-yl)ethoxy]-7-methoxy-quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-(6,7-dimethoxyquinoxalin-2-yl)-3-fluoro-phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[4-(6,7-dimethoxyquinoxalin-2-yl)-2,5-difluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-(6,7-dimethoxyquinoxalin-2-yl)-2,5-difluoro-phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[4-[6,7-bis(2-acetamidoethoxy)quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[4-[6,7-bis[2-[acetyl(methyl)amino]ethoxy]quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-(3-methylsulfonylpropoxy)quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-[2-(6-oxa-3-azabicyclo[3.1.1]heptan-3-yl)ethoxy]quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-[2-(2-oxa-5-azabicyclo[2.2.1]heptan-5-yl)ethoxy]quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-(6,7-dimethoxyquinoxalin-2-yl)-2,6-difluoro-phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[4-(6,7-dimethoxyquinoxalin-2-yl)-2,6-difluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-[7-(3-aminopropoxy)-6-methoxy-quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-(2-morpholinoethoxy)quinoxalin-2-yl]phenyl]-N-[2-methyl-5-[1-(trifluoromethyl)cyclopropyl]pyrazol-3-yl]acetamide;

2-[5-(6,7-dimethoxyquinoxalin-2-yl)-3-fluoro-2-pyridyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-(2-morpholinoethoxy)quinoxalin-2-yl]phenyl]-N-[3-[1-(trifluoromethyl)cyclopropyl]-1H-pyrazol-5-yl]acetamide;

2-[4-[7-methoxy-6-(2-morpholinoethoxy)quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[6-methoxy-7-(2-morpholinoethoxy)-3-quinolyl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-[6-(1,2-dihydroxy-1-methyl-ethyl)-7-methoxy-quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[6-methoxy-7-(2-morpholinoethoxy)quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-(2-morpholinoethoxy)quinoxalin-2-yl]phenyl]-N-[3-(2,2,2-trifluoro-1,1-dimethyl-ethyl)-1H-pyrazol-5-yl]acetamide;

2-[4-[7-(2,3-dihydroxypropoxy)-6-methoxy-quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-[6-(3-acetamidopropoxy)-7-methoxy-quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-[6-(2,3-dihydroxypropoxy)-7-methoxy-quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-(2-hydroxy-2-methyl-propoxy)-6-methoxy-quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-[2-(1,4-oxazepan-4-yl)ethoxy]quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-(2-piperazin-1-ylethoxy)quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-[2-[(2R)-2-methylmorpholin-4-yl]ethoxy]quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-[2-[(3S)-3-methylmorpholin-4-yl]ethoxy]quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-[2-(9-oxa-3-azabicyclo[3.3.1]nonan-3-yl)ethoxy]quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-[2-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)ethoxy]quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[6-(2-hydroxy-2-methyl-propoxy)-7-methoxy-quinoxalin-2-yl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-[2-[(3R)-3-methylmorpholin-4-yl]ethoxy]quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-[2-[(2S)-2-methylmorpholin-4-yl]ethoxy]quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide; and

2-[2-fluoro-4-[6-(2-hydroxy-2-methyl-propoxy)-7-methoxy-quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide.

13. A pharmaceutical composition comprising a compound of any one of claims 1-12 and a pharmaceutically acceptable carrier.

14. A method for the treatment of a disease selected from an inflammatory disease, an autoimmune disease and cancer, comprising administering a therapeutically effective amount of a compound of any of claims 1-12.

15. The method of claim 14, wherein the cancer is a hematological cancer.

16. The method of claim 15, wherein the hematological cancer is acute myeloid leukemia, acute lymphoblastic leukemia or myelodysplastic syndromes.

17. The method of any one of claims 14-16, wherein the disease is modulated by one or more receptors selected from FLT3, KIT, RET, CSF1R, PDGFRα and PDGFRβ.

18. The method of any one of claims 14-17, wherein the disease is mediated by one or more FLT3 mutations selected from FLT3-ITD mutations and FLT3 tyrosine kinase domain mutations.

19. The method of any one of claims 14-18, wherein the disease is mediated by one or more FLT3-ITD mutations and one or more FLT3 tyrosine kinase domain mutations.

20. The method of any one of claims 14-19, wherein the disease is mediated by one or more FLT3-ITD mutations and one or more FLT3 tyrosine kinase domain point mutations at positions selected from E608, N676, F691, C828, D835, D839, N841, Y842 and M855.

21. The method of any one of claims 14-20, wherein the disease is resistant to a FLT3 inhibitor.

22. The method of claim 21, wherein the FLT3 inhibitor is sorafenib, sunitinib, midostaurin or quizartinib.

23. The method of any one of claims 14-20, further comprising administering a FLT3 inhibitor.

24. A method of modulating FLT3, CSF1R, KIT, RET, PDGFRα and/or PDGFRβ comprising administering a compound of any one of claims 1-12.

25. The compound of any one of claims 1-12 for treating a disease selected from an inflammatory disease, an autoimmune disease and cancer.


26. The compound of claim 25, wherein the cancer is hematological cancer.

27. A use of the compound of any one of claims 1-12 for manufacturing a medicament for the treatment of a disease selected from an inflammatory disease, an autoimmune disease and cancer.

28. A use of the compound of any one of claims 1-12 for manufacturing a medicament for the treatment of a hematological cancer.

What is claimed is:

1. A compound having the Formula I:



I

or a pharmaceutically acceptable salt, solvate, clathrate, hydrate, a single stereoisomer, a mixture of stereoisomers or a racemic mixture of stereoisomers thereof, wherein:

Ring A is azolyl;

J is O or S;

Z is N or CR^9;

R^1 and R^2, together with the carbon atoms to which they are attached, form a 6-membered aryl or a 5- or 6-membered heteroaryl, where the substituents, when present, are one, two, three or four Q groups, selected from (i) and (ii):

(i) each of the one, two, three or four Q groups is independently selected from deuterium, halo, cyano, alkyl, alkenyl, alkynyl, haloalkyl, cycloalkyl, cycloalkylalkyl, aryl, aralkyl, heterocyclyl, heterocyclylalkyl, heteroaryl, heteroaralkyl, $-R^uOR^{x'}$, $-R^uOR^vOR^{x'}$, $-R^uOR^vOC(O)R^{x'}$, $-R^uOR^vOC(O)N(R^y)(R^z)$, $-R^uOR^vN(R^y)(R^z)$, $-R^uOR^vN{=}N^+{=}N$, $-R^uOR^vN(R^y)C(O)R^{x'}$, $-R^uOR^vN(R^y)C(O)N(R^y)(R^z)$, $-R^uOR^vN(R^y)C(O)OR^{x''}$, $-R^uOR^vN(R^y)S(O)_tR^{x''}$, $-R^uOR^vS(O)_tR^{x''}$, $-R^uOR^vS(O)_tN(R^y)(R^z)$, $-R^uOR^vC(O)R^{x'}$, $-R^uOR^vC(=NOR^{x'})R^{x'}$ $-R^uOR^vC(O)N(R^y)(R^z)$, $-R^uN(R^y)(R^z)$, $-R^uN(R^y)R^vOR^{x'}$, $-R^uN(R^y)R^vOC(O)R^{x'}$, $-R^uN(R^y)R^vOC(O)N(R^y)(R^z)$, $-R^uN(R^y)R^vN(R^y)(R^z)$, $-R^uN(R^y)R^vN(R^y)C(O)R^{x'}$, $-R^uN(R^y)R^vN(R^y)C(O)N(R^y)(R^z)$, $-R^uN(R^y)R^vN(R^y)C(O)OR^{x''}$, $-R^uN(R^y)R^vN(R^y)S(O)_tR^{x''}$, $-R^uN(R^y)R^vS(O)_tR^{x''}$, $-R^uN(R^y)R^vS(O)_tN(R^y)(R^z)$, $-R^uN(R^y)R^vC(O)R^{x'}$,

$-R^uN(R^y)R^vC(O)N(R^y)(R^z)$, $-R^uN(R^y)S(O)_tR^{x''}$, $-R^uN(R^y)S(O)_tR^vOR^{x'}$, $-R^uN(R^y)C(O)R^{x'}$, $-R^uN(R^y)C(O)R^vOR^{x'}$, $-R^uC(O)N(R^y)(R^z)$, $-R^uC(O)N(R^y)N(R^y)(R^z)$, $-R^uC(O)N(R^y)R^vOR^{x'}$, $-R^uC(O)N(R^y)R^vOC(O)R^{x'}$, $-R^uC(O)N(R^y)R^vOC(O)N(R^y)(R^z)$, $-R^uC(O)N(R^y)R^vN(R^y)(R^z)$, $-R^uC(O)N(R^y)R^vN(R^y)C(O)R^{x'}$, $-R^uC(O)N(R^y)R^vN(R^y)C(O)N(R^y)(R^z)$, $-R^uC(O)N(R^y)R^vN(R^y)C(O)OR^{x''}$, $--R^uC(O)N(R^y)R^vN(R^y)S(O)_tR^{x''}$, $-R^uC(O)N(R^y)R^vS(O)_tR^{x''}$, $-R^uC(O)N(R^y)R^vS(O)_tN(R^y)(R^z)$, $-R^uC(O)N(R^y)R^vC(O)R^{x'}$, $-R^uC(O)N(R^y)R^vC(O)N(R^y)(R^z)$, $-R^uC(O)OR^{x'}$, $-R^uC(O)OR^vOR^{x'}$, $-R^uC(O)R^{x'}$, $-R^uC(O)R^vOR^{x'}$, $-R^uS(O)_tR^{x''}$, $-R^uS(O)_tR^vOR^{x'}$, $-R^uOP(O)(OH)_2$, and $-R^uOS(O)_2(OH)$ where the alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, aryl, aralkyl, heterocyclyl, heterocyclylalkyl, heteroaryl or heteroaralkyl is each independently optionally substituted with 1 to 5 groups each independently selected from halo, alkyl, haloalkyl and $-R^uOR^{x'}$; and

(ii) two adjacent Q groups, together with the atoms to which they are attached may form cycloalkyl, cycloalkenyl, heterocyclyl, aryl or heteroaryl where the cycloalkyl, cycloalkenyl, heterocyclyl, aryl or heteroaryl is each independently optionally substituted with one or more deuterium atoms or 1 to 4 groups each independently selected from halo, alkyl, haloalkyl, cyano, $-C(O)N(R^y)(R^z)$, $-R^uOR^{x'}$, $-R^uOR^vOR^{x'}$, $-R^uN(R^y)(R^z)$, $-R^uS(O)_tR^{x''}$, heteroaryl and heterocyclyl ;

each t is independently 0, 1 or 2;

R^3 is hydrogen, alkyl or haloalkyl;

R^4 and R^5 are selected from (i) and (ii):

(i) R^4 and R^5 are each independently hydrogen, deuterium, halo, alkyl, alkenyl, alkynyl, haloalkyl, hydroxy, alkoxy or amino; and

(ii) R^4 and R^5, together with the carbon atom to which they are attached, form cycloalkly or heterocylyl;

each R^6 is independently selected from deuterium, halo, cyano, alkyl, alkenyl, alkynyl, haloalkyl, hydroxyalkyl, cycloalkyl, cycloalkylalkyl, aryl, heterocyclyl, heteroaryl, $-R^uOR^{x'}$, $-R^uN(R^y)(R^z)$, $-R^uC(O)N(R^y)(R^z)$ and $-R^uS(O)_tR^{x''}$;

each R^7 is independently selected from deuterium, halo, alkyl, alkenyl, alkynyl, haloalkyl, cycloalkyl, cycloalkylalkyl, aryl, aralkyl, heterocyclyl, heterocyclylalkyl, heteroaryl, heteroaralkyl, $-R^uOR^{x'}$, $-R^uOR^vOR^{x'}$ and $-R^uOR^vN(R^y)(R^z)$ where the alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, aryl, aralkyl, heterocyclyl, heterocyclylalkyl, heteroaryl, heteroaralkyl and the $R^{x'}$ of $-R^uOR^{x'}$ and $-R^uOR^vOR^{x'}$ is each independently optionally substituted with 1 to 9 groups each independently selected from deuterium, halo, cyano, alkyl, alkenyl, alkynyl, haloalkyl, cyanoalkyl, hydroxyalkyl, cycloalkyl, heterocyclyl, aryl, heteroaryl, hydroxy, alkoxy, and $-R^uN(R^y)(R^z)$; or

two R^7s, together with the atoms to which they are attached, form a heterocyclyl optionally substituted with one or more deuterium atoms or 1 to 4 groups each independently selected from deuterium, halo, alkyl and haloalkyl;

R^8 and R^9 are each independently hydrogen, deuterium, halo, alkyl, haloalkyl, cyano, $-C(O)N(R^y)(R^z)$, $-R^uOR^{x'}$, $-R^uOR^vOR^{x'}$, $-R^uN(R^y)(R^z)$, $-R^uS(O)_tR^{x''}$, $-N=N^+=N$, cycloalkyl, cycloalkylalkyl, aryl, aralkyl, heterocyclyl, heterocyclylalkyl, heteroaryl or heteroaralkyl;

each R^u is independently alkylene, alkenylene, alkynylene or a direct bond wherein the alkylene, alkenylene or alkynylene is optionally substituted with one or more deuterium atoms;

each R^v is independently alkylene, alkenylene or alkynylene wherein the alkylene, alkenylene or alkynylene is optionally substituted with one or more deuterium atoms;

each $R^{x'}$ is independently hydrogen, alkyl, haloalkyl, cyanoalkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, heterocyclyl, heterocyclylalkyl, aryl, aralkyl, heteroaryl, or heteroaralkyl, where the alkyl, haloalkyl, cyanoalkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, heterocyclyl, heterocyclylalkyl, aryl, aralkyl, heteroaryl or heteroaralkyl is each independently optionally substituted with one or more deuterium atoms or 1 to 5 groups each independently selected from halo, cyano, alkyl, alkenyl, alkynyl, haloalkyl, aminoalkyl, cyanoalkyl, hydroxyalkyl, cycloalkyl, heterocyclyl, aryl, heteroaryl, hydroxy, alkoxy, haloalkoxy, amino, aminoalkyl, $-R^uOP(O)(OH)_2$, and $-R^uOS(O)_2(OH)$;

each $R^{x''}$ is independently alkyl, haloalkyl, cyanoalkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, heterocyclyl, heterocyclylalkyl, aryl, aralkyl, heteroaryl, or heteroaralkyl, where the alkyl, haloalkyl, cyanoalkyl, alkenyl, alkynyl cycloalkyl,

cycloalkylalkyl, heterocyclyl, heterocyclylalkyl, aryl, aralkyl, heteroaryl or heteroaralkyl is each independently optionally substituted with one or more deuterium atoms or 1 to 5 groups each independently selected from halo, cyano, alkyl, haloalkyl, aminoalkyl, hydroxy, alkoxy, haloalkoxy, amino, aminoalkyl, $-R^uOP(O)(OH)_2$, and $-R^uOS(O)_2(OH)$;

each R^y and R^z is independently selected from (i), (ii) and (iii) as follows:

(i) each R^y and R^z is independently hydrogen, alkyl, alkenyl, alkynyl, haloalkyl, alkoxyalkyl, haloalkoxyalkyl, hydroxyalkyl, cycloalkyl, cycloalkylalkyl, heterocyclyl, heterocyclylalkyl, aryl, aralkyl, heteoraryl or heteroaralkyl where the alkyl, alkenyl, alkynyl, alkoxyalkyl or hydroxyalkyl is each independently optionally substituted with one or more deuterium atoms and where the cyloalkyl, cycloalkylalkyl, heterocyclyl, heterocyclylalkyl, aryl, aralkyl, heteoraryl or heteroaralkyl is each independently optionally substituted with one or more deuterium atoms or 1 to 5 groups each independently selected from halo, cyano, alkyl, haloalkyl, hydroxy, alkoxy, haloalkoxy and amino;

(ii) R^y and R^z, together with the nitrogen atom to which they are attached, form a heterocyclyl optionally substituted with one or more deuterium atoms or 1 to 5 groups each independently selected from halo, cyano, haloalkyl, alkyl, alkenyl, alkynyl, hydroxy, alkoxy, haloalkoxy, amino, and oxo; and

(iii) R^y and R^z, together with the nitrogen atom to which they are attached, form a heteroaryl optionally substituted with one or more deuterium atoms or 1 to 5 groups each independently selected from halo, cyano, haloalkyl, alkyl, alkenyl, alkynyl, hydroxy, alkoxy, haloalkoxy and amino;


m is an integer from 0 to 4, and

n is an integer from 0 to 4;

wherein the compound is selected such that when ring A is pyrazolyl, m is 1 and Z is CH, R^7 is not cyclopropyl.

2. The compound of claim1 wherein Ring A is isoxazolyl.

3. The compound of claim 1 wherein substituted Ring A is:



each R^7 is independently selected from halo, alkyl, alkenyl, alkynyl, haloalkyl, cycloalkyl, cycloalkylalkyl, aryl, aralkyl, heterocyclyl, heterocyclylalkyl, heteroaryl, heteroaralkyl, $-R^uOR^{x'}$, $-R^uOR^vOR^{x'}$ and $-R^uOR^vN(R^y)(R^z)$ where the alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, aryl, aralkyl, heterocyclyl, heterocyclylalkyl, heteroaryl, heteroaralkyl and the $R^{x'}$ of $-R^uOR^{x'}$ and $-R^uOR^vOR^{x'}$ are optionally substituted with 1 to 9 groups each independently selected from deuterium, halo, cyano, alkyl, alkenyl, alkynyl, cycloalkyl, heterocyclyl, aryl, heteroaryl, hydroxy, alkoxy, and $-R^uN(R^y)(R^z)$;

each R^u is independently alkylene, alkenylene, alkynylene or a direct bond wherein the alkylene, alkenylene or alkynylene is optionally substituted with one or more deuterium atoms;

each R^v is independently alkylene, alkenylene or alkynylene wherein the alkylene, alkenylene or alkynylene is optionally substituted with one or more deuterium atoms;

each $R^{x'}$ is independently hydrogen, alkyl, haloalkyl, cyanoalkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, heterocyclyl, heterocyclylalkyl, aryl, aralkyl, heteroaryl, or heteroaralkyl, where the alkyl, haloalkyl, cyanoalkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, heterocyclyl, heterocyclylalkyl, aryl, aralkyl, heteroaryl or heteroaralkyl is each independently optionally substituted with one or more deuterium atoms or 1 to 5 groups each independently selected from halo, cyano, alkyl, alkenyl, alkynyl, haloalkyl, aminoalkyl, cyanoalkyl, hydroxyalkyl, cycloalkyl, heterocyclyl, aryl, heteroaryl, hydroxy, alkoxy, haloalkoxy, amino, aminoalkyl, $-R^uOP(O)(OH)_2$, and $-R^uOS(O)_2(OH)$;

each R^y and R^z is independently selected from (i), (ii) and (iii) as follows:

(i) each R^y and R^z is independently hydrogen, alkyl, alkenyl, alkynyl, haloalkyl, alkoxyalkyl, haloalkoxyalkyl, hydroxyalkyl, cycloalkyl, cycloalkylalkyl, heterocyclyl, heterocyclylalkyl, aryl, aralkyl, heteoraryl or heteroaralkyl where the alkyl, alkenyl, alkynyl, alkoxyalkyl or hydroxyalkyl is each independently optionally substituted with one or more deuterium atoms and where the cyloalkyl, cycloalkylalkyl, heterocyclyl, heterocyclylalkyl, aryl, aralkyl,

heteoraryl or heteroaralkyl is each independently optionally substituted with one or more deuterium atoms or 1 to 5 groups each independently selected from halo, cyano, alkyl, haloalkyl, hydroxy, alkoxy, haloalkoxy and amino;

(ii) R^y and R^z, together with the nitrogen atom to which they are attached, form a heterocyclyl optionally substituted with one or more deuterium atoms or 1 to 5 groups each independently selected from halo, cyano, haloalkyl, alkyl, alkenyl, alkynyl, hydroxy, alkoxy, haloalkoxy, amino, and oxo; and

(iii) R^y and R^z, together with the nitrogen atom to which they are attached, form a heteroaryl optionally substituted with one or more deuterium atoms or 1 to 5 groups each independently selected from halo, cyano, haloalkyl, alkyl, alkenyl, alkynyl, hydroxy, alkoxy, haloalkoxy and amino.


4. The compound of any one of claims 1-3, wherein R^4 and R^5 are both hydrogen or halo.

5. The compound of any one of claims 1-4, wherein R^4 and R^5 are both hydrogen.

6. The compound of any one of claims 1-5, wherein Z is N.


7. The compound of any one of claims 1-6, wherein R^8 is hydrogen.

8. The compound of any one of claims 1-7 having the Formula II:




II.

9. The compound of any one of claims 1-7 having the Formula III




III.

10. The compound of any one of claims 1-7 having the Formula IV:



IV.

11. The compound of any one of claims 1-7 having the Formula V:



where ring B is a 5- or 6-membered heteroaryl.

12. The compound of of claim 1, wherein the compound is selected from:

2-(4-(6,7-dimethoxyquinoxalin-2-yl)phenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(7-methoxyquinolin-3-yl)phenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(5*H*-pyrrolo[2,3-*b*]pyrazin-2-yl)phenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(6,7-dimethoxyquinoxalin-2-yl)-2-fluorophenyl)-N-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(6,7-dimethoxyquinolin-3-yl)phenyl)-N-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

N-(5-(*tert*-butyl)isoxazol-3-yl)-2-(4-(6,7-dimethoxyquinoxalin-2-yl)phenyl)acetamide;

2-(4-(3-aminoquinoxalin-2-yl)phenyl)-N-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(6,7-dimethoxyquinoxalin-2-yl)phenyl)-N-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)acetamide;

2-(4-(5-methyl-5*H*-pyrrolo[2,3-*b*]pyrazin-3-yl)phenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(thieno[3,2-*b*]pyridin-6-yl)phenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(1,5-naphthyridin-3-yl)phenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(1,6-naphthyridin-3-yl)phenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(5,7-dimethoxyquinolin-3-yl)phenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(1*H*-imidazo[4,5-*b*]pyrazin-5-yl)phenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(1*H*-pyrazolo[3,4-*b*]pyridin-5-yl)phenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(6,7-dimethoxyquinoxalin-2-yl)phenyl)-N-(5-(1-hydroxy-2-methylpropan-2-yl)isoxazol-3-yl)acetamide;

2-(4-(6,7,8,9-tetrahydro-5*H*-pyrazino[2,3-*b*]indol-2-yl)phenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(1*H*-pyrrolo[2,3-*b*]pyridin-5-yl)phenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(thieno[2,3-*b*]pyridin-5-yl)phenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide ;

2-(4-(2-methyl-3*H*-imidazo[4,5-*b*]pyridin-6-yl)phenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(1-methyl-1*H*-pyrazolo[4,3-*b*]pyridin-6-yl)phenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide ;

2-(4-(6-methoxyquinoxalin-2-yl)phenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide ;

2-(4-(7-methoxyquinoxalin-2-yl)phenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide ;

2-(4-(6-(2-methoxyethoxy)quinoxalin-2-yl)phenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(1*H*-pyrrolo[2,3-*b*]pyridin-5-yl)phenyl)-*N*-(5-(*tert*-butyl)isoxazol-3-yl)acetamide;

2-(4-(1*H*-pyrrolo[2,3-*b*]pyridin-5-yl)phenyl)-*N*-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)acetamide;

N-(5-(*tert*-butyl)isoxazol-3-yl)-2-(2-fluoro-4-(1*H*-pyrrolo[2,3-*b*]pyridin-5-yl)phenyl)acetamide;

2-(2-fluoro-4-(1*H*-pyrrolo[2,3-*b*]pyridin-5-yl)phenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(2-fluoro-4-(1*H*-pyrrolo[2,3-*b*]pyridin-5-yl)phenyl)-*N*-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)acetamide;

2-(2-fluoro-4-(5*H*-pyrrolo[2,3-*b*]pyrazin-2-yl)phenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(1H-pyrazolo[3,4-b]pyridin-5-yl)phenyl)-N-(5-(*tert*-butyl)isoxazol-3-yl)acetamide;

N-(5-(*tert*-butyl)isoxazol-3-yl)-2-(2-fluoro-4-(1H-pyrazolo[3,4-b]pyridin-5-yl)phenyl)acetamide;

2-(2-fluoro-4-(1H-pyrazolo[3,4-b]pyridin-5-yl)phenyl)-N-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(2-fluoro-4-(1H-pyrazolo[3,4-b]pyridin-5-yl)phenyl)-N-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)acetamide;

2-(4-(3-methoxy-1*H*-pyrazolo[3,4-*b*]pyridin-5-yl)phenyl)-*N*-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)acetamide;

2-(4-(5,7-dimethoxyquinolin-3-yl)-2-fluorophenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

N-(5-(*tert*-butyl)isoxazol-3-yl)-2-(4-(3-cyano-1H-pyrazolo[3,4-b]pyridin-5-yl)phenyl)acetamide;

N-(5-(*tert*-butyl)isoxazol-3-yl)-2-(4-(3-chloro-1H-pyrazolo[3,4-b]pyridin-5-yl)phenyl)acetamide;

2-(4-(3-ethoxy-1*H*-pyrazolo[3,4-*b*]pyridin-5-yl)phenyl)-*N*-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)acetamide;

N-(5-(*tert*-butyl)isoxazol-3-yl)-2-(4-(3-methyl-1H-pyrazolo[3,4-b]pyridin-5-yl)phenyl)acetamide;

2-(4-(3*H*-[1,2,3]triazolo[4,5-*b*]pyridin-6-yl)phenyl)-*N*-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)acetamide;

2-(4-(6,7-dimethoxyquinoxalin-2-yl)-3-fluorophenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

N-(5-(*tert*-butyl)isoxazol-3-yl)-2-(4-(6,7-dimethoxyquinoxalin-2-yl)-2-fluorophenyl)acetamide;

2-(4-(1H-pyrazolo[3,4-b]pyridin-5-yl)phenyl)-N-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)acetamide;

5-(4-(2-((5-(*tert*-butyl)isoxazol-3-yl)amino)-2-oxoethyl)phenyl)-N,N-dimethyl-1H-pyrazolo[3,4-b]pyridine-3-carboxamide;

2-(4-(6,7-dimethoxyquinoxalin-2-yl)-2-fluorophenyl)-*N*-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)acetamide;

2-(4-(3-(2-methoxyethoxy)-1*H*-pyrazolo[3,4-*b*]pyridin-5-yl)phenyl)-*N*-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)acetamide;

2-(4-(3-(piperidin-4-yloxy)-1*H*-pyrazolo[3,4-*b*]pyridin-5-yl)phenyl)-*N*-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)acetamide formate salt;

2-(4-(3-(piperidin-4-yloxy)-1*H*-pyrazolo[3,4-*b*]pyridin-5-yl)phenyl)-*N*-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)acetamide;

5-(4-(2-((5-(*tert*-butyl)isoxazol-3-yl)amino)-2-oxoethyl)phenyl)-N,N-dimethyl-1H-pyrrolo[2,3-b]pyridine-2-carboxamide;

N-(5-(*tert*-butyl)isoxazol-3-yl)-2-(4-(2-(hydroxymethyl)-1H-pyrrolo[2,3-b]pyridin-5-yl)phenyl)acetamide;

N-(5-(*tert*-butyl)isoxazol-3-yl)-2-(2-fluoro-4-(3-methyl-1H-pyrazolo[3,4-b]pyridin-5-yl)phenyl)acetamide;

N-(5-(*tert*-butyl)isoxazol-3-yl)-2-(4-(2-((dimethylamino)methyl)-1H-pyrrolo[2,3-b]pyridin-5-yl)phenyl)acetamide;

2-(2-fluoro-4-(3-methoxy-1*H*-pyrazolo[3,4-*b*]pyridin-5-yl)phenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

N-(5-(*tert*-butyl)isoxazol-3-yl)-2-(4-(3-((methylamino)methyl)-1*H*-pyrrolo[2,3-*b*]pyridin-5-yl)phenyl)acetamide;

N-(5-(*tert*-butyl)isoxazol-3-yl)-2-(2-fluoro-4-(3-(hydroxymethyl)-1H-pyrazolo[3,4-b]pyridin-5-yl)phenyl)acetamide;

2-(2-fluoro-4-(1H-pyrazolo[3,4-b]pyridin-5-yl)phenyl)-N-(5-(1-(trifluoromethyl)cyclobutyl)isoxazol-3-yl)acetamide;

N-(5-(*tert*-butyl)isoxazol-3-yl)-2-(2-fluoro-4-(3-((methylamino)methyl)-1H-pyrazolo[3,4-b]pyridin-5-yl)phenyl)acetamide;

N-(5-(*tert*-butyl)isoxazol-3-yl)-2-(4-(3-((dimethylamino)methyl)-1H-pyrazolo[3,4-b]pyridin-5-yl)-2-fluorophenyl)acetamide;

N-(5-(*tert*-butyl)isoxazol-3-yl)-2-(4-(3-((dimethylamino)methyl)-1*H*-pyrrolo[2,3-*b*]pyridin-5-yl)phenyl)acetamide formate salt;

N-(5-(*tert*-butyl)isoxazol-3-yl)-2-(4-(3-((dimethylamino)methyl)-1*H*-pyrrolo[2,3-*b*]pyridin-5-yl)phenyl)acetamide;

N-(5-(*tert*-butyl)isoxazol-3-yl)-2-(4-(3-(hydroxymethyl)-1*H*-pyrrolo[2,3-*b*]pyridin-5-yl)phenyl)acetamide;

2-(4-(3-(dimethylamino)-1*H*-pyrazolo[3,4-*b*]pyridin-5-yl)-2-fluorophenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

N-(5-(*tert*-butyl)isoxazol-3-yl)-2-(2-fluoro-4-(3-(1-hydroxyethyl)-1H-pyrazolo[3,4-b]pyridin-5-yl)phenyl)acetamide;

2-(2-fluoro-4-(3-methoxy-1*H*-pyrazolo[3,4-*b*]pyridin-5-yl)phenyl)-*N*-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)acetamide;

5-(4-(2-((5-(*tert*-butyl)isoxazol-3-yl)amino)-2-oxoethyl)phenyl)-N-(2-hydroxyethyl)-1H-pyrrolo[2,3-b]pyridine-2-carboxamide;

5-(4-(2-((5-(*tert*-butyl)isoxazol-3-yl)amino)-2-oxoethyl)phenyl)-N-methyl-1H-pyrrolo[2,3-b]pyridine-2-carboxamide;

5-(4-(2-((5-(*tert*-butyl)isoxazol-3-yl)amino)-2-oxoethyl)phenyl)-N-(2-(dimethylamino)ethyl)-1H-pyrrolo[2,3-b]pyridine-2-carboxamide;

5-(4-(2-((5-(*tert*-butyl)isoxazol-3-yl)amino)-2-oxoethyl)phenyl)-N-(3-(dimethylamino)propyl)-N-methyl-1H-pyrrolo[2,3-b]pyridine-2-carboxamide;

5-(4-(2-((5-(*tert*-butyl)isoxazol-3-yl)amino)-2-oxoethyl)phenyl)-N-(2-(methylsulfonyl)ethyl)-1H-pyrrolo[2,3-b]pyridine-2-carboxamide;

5-(4-(2-((5-(*tert*-butyl)isoxazol-3-yl)amino)-2-oxoethyl)phenyl)-N-(1-methylpiperidin-4-yl)-1H-pyrrolo[2,3-b]pyridine-2-carboxamide;

2-(2-fluoro-4-(2-(hydroxymethyl)-1H-pyrrolo[2,3-b]pyridin-5-yl)phenyl)-N-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(1*H*-pyrrolo[2,3-*b*]pyridin-5-yl)phenyl)-*N*-(3-(*tert*-butyl)isoxazol-5-yl)acetamide;

2-(4-(6,7-dimethoxyquinoxalin-2-yl)phenyl)-*N*-(3-(1-(trifluoromethyl)cyclopropyl)isoxazol-5-yl)acetamide;

N-(3-(*tert*-butyl)isoxazol-5-yl)-2-(4-(6,7-dimethoxyquinoxalin-2-yl)phenyl)acetamide;

((2-(3-fluoro-4-(2-oxo-2-((5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)amino)ethyl)phenyl)quinoxaline-6,7-diyl)bis(oxy))bis(ethane-2,1-diyl) diacetate;

2-(4-(6,7-bis(2-hydroxyethoxy)quinoxalin-2-yl)-2-fluorophenyl)-N-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(2,3-dihydro-[1,4]dioxino[2,3-g]quinoxalin-7-yl)-2-fluorophenyl)-N-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide**;**

2-(2-fluoro-4-(6-methoxy-7-(2-methoxyethoxy)quinoxalin-2-yl)phenyl)-N-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(2-fluoro-4-(7-methoxy-6-(2-methoxyethoxy)quinoxalin-2-yl)phenyl)-N-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(2-fluoro-4-(6-hydroxy-7-methoxyquinoxalin-2-yl)phenyl)-N-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(2-fluoro-4-(7-methoxy-6-(2-morpholinoethoxy)quinoxalin-2-yl)phenyl)-N-

(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(2-fluoro-4-(7-(2-hydroxyethoxy)-6-methoxyquinoxalin-2-yl)phenyl)-N-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(2-fluoro-4-(7-methoxy-6-(2-(4-methylpiperazin-1-yl)ethoxy)quinoxalin-2-yl)phenyl)-N-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(6-(2-(3,3-difluoropyrrolidin-1-yl)ethoxy)-7-methoxyquinoxalin-2-yl)-2-fluorophenyl)-N-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(6-bromo-7-methoxyquinoxalin-2-yl)-2-fluorophenyl)-N-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(6-(2,3-dihydroxypropyl)-7-methoxyquinoxalin-2-yl)-2-fluorophenyl)-N-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(2-fluoro-4-(7-methoxy-6-((2-morpholinoethyl)amino)quinoxalin-2-yl)phenyl)-N-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(7-ethoxy-6-methoxyquinolin-3-yl)-2-fluorophenyl)-*N*-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(2-Fluoro-4-{6-[2-(3-fluoro-4-hydroxy-piperidin-1-yl)-ethoxy]-7-methoxy-quinolin-3-yl}-phenyl)-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)-isoxazol-3-yl]-acetamide;

2-(2-fluoro-4-(7-(2-hydroxyethoxy)-6-methoxyquinolin-3-yl)phenyl)-N-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(4-(6-(azetidin-3-yloxy)-7-methoxyquinoxalin-2-yl)-2-fluorophenyl)-N-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(2-fluoro-4-(7-methoxy-6-((1-methylazetidin-3-yl)oxy)quinoxalin-2-yl)phenyl)-N-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

2-(2-fluoro-4-(7-(2-hydroxyethoxy)-6-methoxyquinolin-3-yl)phenyl)-N-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)acetamide;

N-(5-(*tert*-butyl)isoxazol-3-yl)-2-(2-fluoro-4-(7-methoxy-6-(2-

morpholinoethoxy)quinoxalin-2-yl)phenyl)acetamide;

2-(4-(7-methoxy-6-(2-morpholinoethoxy)quinoxalin-2-yl)phenyl)-N-(5-(1,1,1-trifluoro-2-methylpropan-2-yl)isoxazol-3-yl)acetamide;

2-(2-fluoro-4-(7-methoxy-6-(2-morpholinoethoxy)quinoxalin-2-yl)phenyl)-N-(1-methyl-3-(1,1,1-trifluoro-2-methylpropan-2-yl)-1H-pyrazol-5-yl)acetamide;

2-(2-fluoro-4-(7-methoxy-6-(2-morpholinoethoxy)quinoxalin-2-yl)phenyl)-N-(3-(1-methylcyclopropyl)isoxazol-5-yl)acetamide;

2-(4-(6-(2-(3,3-dimethylmorpholino)ethoxy)-7-methoxyquinoxalin-2-yl)-2-fluorophenyl)-N-(5-(1-(trifluoromethyl)cyclopropyl)isoxazol-3-yl)acetamide;

N-(5-tert-butylisoxazol-3-yl)-2-[4-[3-(3-hydroxyoxetan-3-yl)-1H-pyrrolo[2,3-b]pyridin-5-yl]phenyl]acetamide;

2-[2-fluoro-4-[2-(hydroxymethyl)-2,3-dihydrooxazolo[3,4]pyrazolo[1,3-b]pyridin-8-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

N-(5-tert-butylisoxazol-3-yl)-2-[4-[2-(4-methylpiperazine-1-carbonyl)-1H-pyrrolo[2,3-b]pyridin-5-yl]phenyl]acetamide;

5-[4-[2-[(5-tert-butylisoxazol-3-yl)amino]-2-oxo-ethyl]phenyl]-N-[2-(dimethylamino)ethyl]-1H-pyrazolo[3,4-b]pyridine-3-carboxamide;

N-(5-tert-butylisoxazol-3-yl)-2-[4-[3-(triazol-2-yl)-1H-pyrazolo[3,4-b]pyridin-5-yl]phenyl]acetamide;

2-[4-[3-(2,2-difluoroethoxy)-1H-pyrazolo[3,4-b]pyridin-5-yl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

N-(5-tert-butylisoxazol-3-yl)-2-[4-[3-(triazol-1-yl)-1H-pyrazolo[3,4-b]pyridin-5-yl]phenyl]acetamide;

2-[2-fluoro-4-[3-(2-fluoroethoxy)-1H-pyrazolo[3,4-b]pyridin-5-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-[6-[2-(4-ethylpiperazin-1-yl)ethoxy]-7-methoxy-quinoxalin-2-yl]-2-

fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

5-[3-fluoro-4-[2-oxo-2-[[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]amino]ethyl]phenyl]-1H-pyrrolo[2,3-b]pyridine-2-carboxylic acid;

5-[3-fluoro-4-[2-oxo-2-[[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]amino]ethyl]phenyl]-N-(2-methylsulfonylethyl)-1H-pyrrolo[2,3-b]pyridine-2-carboxamide;

N-[2-(dimethylamino)ethyl]-5-[3-fluoro-4-[2-oxo-2-[[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]amino]ethyl]phenyl]-1H-pyrrolo[2,3-b]pyridine-2-carboxamide;

N-(5-tert-butylisoxazol-3-yl)-2-[4-[3-(1-methylpyrazol-4-yl)-1H-pyrazolo[3,4-b]pyridin-5-yl]phenyl]acetamide;

2-[4-[2-[3-(dimethylamino)pyrrolidine-1-carbonyl]-1H-pyrrolo[2,3-b]pyridin-5-yl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[2-(3-hydroxyazetidine-1-carbonyl)-1H-pyrrolo[2,3-b]pyridin-5-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

N-(azetidin-3-yl)-5-[3-fluoro-4-[2-oxo-2-[[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]amino]ethyl]phenyl]-1H-pyrrolo[2,3-b]pyridine-2-carboxamide;

5-[3-fluoro-4-[2-oxo-2-[[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]amino]ethyl]phenyl]-N-(1-methylazetidin-3-yl)-1H-pyrrolo[2,3-b]pyridine-2-carboxamide;

2-[2-fluoro-4-[3-[2-(trifluoromethoxy)ethoxy]-1H-pyrazolo[3,4-b]pyridin-5-yl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-(5,6,7-trimethoxy-3-quinolyl)phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

N-(5-tert-butylisoxazol-3-yl)-2-[4-(5,6,7-trimethoxy-3-quinolyl)phenyl]acetamide;

2-[4-[2-(dimethylaminocarbamoyl)-1H-pyrrolo[2,3-b]pyridin-5-yl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-(6,7-diethoxyquinoxalin-2-yl)-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-([1,3]dioxolo[4,5-g]quinoxalin-6-yl)-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-[6,7-bis(2-methoxyethoxy)quinoxalin-2-yl]phenyl]-N-(5-tert-butylisoxazol-3-yl)acetamide;

2-[2-fluoro-4-[(2R)-2-(hydroxymethyl)-2,3-dihydro-[1,4]dioxino[2,3-g]quinoxalin-7-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[(3R)-3-(hydroxymethyl)-2,3-dihydro-[1,4]dioxino[2,3-g]quinoxalin-7-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-(3-amino-6,7-dimethoxy-quinoxalin-2-yl)-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-(3,6,7-trimethoxyquinoxalin-2-yl)phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-[6,7-bis(2-methoxyethoxy)quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[6-methoxy-7-(2-methoxyethoxy)-3-quinolyl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[[3-[3-fluoro-4-[2-oxo-2-[[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]amino]ethyl]phenyl]-6-methoxy-7-quinolyl]oxy]ethyl acetate;

2-[4-(6,7-dimethoxy-3-quinolyl)-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-(6,7-dimethoxy-3-quinolyl)-2-fluoro-phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-[3-fluoro-4-[2-oxo-2-[[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-

yl]amino]ethyl]phenyl]-7-methoxy-quinoxalin-6-yl]oxyethyl acetate;

2-[2-fluoro-4-[6-(2-hydroxyethoxy)-7-methoxy-quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

ethyl 3-[3-fluoro-4-[2-oxo-2-[[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]amino]ethyl]phenyl]-6,7-dimethoxy-quinoxaline-2-carboxylate;

3-[3-fluoro-4-[2-oxo-2-[[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]amino]ethyl]phenyl]-6,7-dimethoxy-quinoxaline-2-carboxylic acid;

2-[2-fluoro-4-[7-methoxy-6-(2-pyrrolidin-1-ylethoxy)quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

3-[3-fluoro-4-[2-oxo-2-[[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]amino]ethyl]phenyl]-6,7-dimethoxy-quinoxaline-2-carboxamide;

2-[2-[3-fluoro-4-[2-oxo-2-[[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]amino]ethyl]phenyl]-7-methoxy-quinoxalin-6-yl]oxyethyl N,N-dimethylcarbamate;

2-[2-fluoro-4-[3-(hydroxymethyl)-6,7-dimethoxy-quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-(4-chloro-6,7-dimethoxy-3-quinolyl)-2-fluoro-phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

N-(5-tert-butyl-2-methyl-pyrazol-3-yl)-2-[4-(6,7-dimethoxyquinoxalin-2-yl)-2-fluoro-phenyl]acetamide;

N-(5-tert-butyl-2-phenyl-pyrazol-3-yl)-2-[4-(6,7-dimethoxyquinoxalin-2-yl)-2-fluoro-phenyl]acetamide;

2-[4-(4-azido-6,7-dimethoxy-3-quinolyl)-2-fluoro-phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[4-[6-(1-ethylazetidin-3-yl)oxy-7-methoxy-quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-(4-amino-6,7-dimethoxy-3-quinolyl)-2-fluoro-phenyl]-N-[5-(2,2,2-

trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-(oxetan-3-yloxy)quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-(4,6,7-trimethoxy-3-quinolyl)phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[4-(3-chloro-6,7-dimethoxy-quinoxalin-2-yl)-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-(oxetan-3-yloxy)quinoxalin-2-yl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[4-[6-(azetidin-3-yloxy)-7-methoxy-quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[4-[6-(1-ethylazetidin-3-yl)oxy-7-methoxy-quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-(1-methylazetidin-3-yl)oxy-quinoxalin-2-yl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[4-(8-amino-3-quinolyl)-2-fluoro-phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[4-(6,7-dimethoxy-3-hydroxy-quinoxalin-2-yl)-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

N-(3-tert-butyl-1H-pyrazol-5-yl)-2-[4-(6,7-dimethoxyquinoxalin-2-yl)-2-fluoro-phenyl]acetamide;

2-[4-[6,7-bis[2-(dimethylamino)-2-oxo-ethoxy]quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-(6-methoxypyrido[2,3-b]pyrazin-3-yl)phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-(6-methoxypyrido[2,3-b]pyrazin-2-yl)phenyl]-N-[5-[1-

(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-(7-benzyloxy-6-methoxy-quinoxalin-2-yl)-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-(7-hydroxy-6-methoxy-quinoxalin-2-yl)phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-[7-[2-(dimethylamino)ethoxy]-6-methoxy-quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-(2-methoxyethoxy)quinoxalin-2-yl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[6-methoxy-7-(2-methoxyethoxy)quinoxalin-2-yl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

N-(5-tert-butyl-2-methyl-pyrazol-3-yl)-2-[2-fluoro-4-[6-methoxy-7-(2-methoxyethoxy)quinoxalin-2-yl]phenyl]acetamide;

N-(5-tert-butyl-2-methyl-pyrazol-3-yl)-2-[2-fluoro-4-[7-methoxy-6-(2-methoxyethoxy)quinoxalin-2-yl]phenyl]acetamide;

2-[4-(6-benzyloxy-7-methoxy-quinoxalin-2-yl)-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-(6-hydroxy-7-methoxy-quinoxalin-2-yl)phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[6-(2-hydroxyethoxy)-7-methoxy-quinoxalin-2-yl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[4-[6-(2-azidoethoxy)-7-methoxy-quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-[6-(2-aminoethoxy)-7-methoxy-quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-[6-(2-acetamidoethoxy)-7-methoxy-quinoxalin-2-yl]-2-fluoro-phenyl]-N-

[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-(6,7-dimethoxy-3-methyl-quinoxalin-2-yl)-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-(2-hydroxyethoxy)-6-methoxy-quinoxalin-2-yl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-(2-morpholinoethoxy)quinoxalin-2-yl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[4-(6,7-dimethoxyquinoxalin-2-yl)-2-fluoro-phenyl]-N-[2-methyl-5-[1-(trifluoromethyl)cyclopropyl]pyrazol-3-yl]acetamide;

N-[2-tert-butyl-5-[1-(trifluoromethyl)cyclopropyl]pyrazol-3-yl]-2-[4-(6,7-dimethoxyquinoxalin-2-yl)-2-fluoro-phenyl]acetamide;

2-[4-[6-[2-(2,6-dimethylmorpholin-4-yl)ethoxy]-7-methoxy-quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-[2-(methylamino)ethoxy]quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-[6-[2-[acetyl(methyl)amino]ethoxy]-7-methoxy-quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-(2-methoxyethoxy)-3-quinolyl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[6-(2-hydroxyethoxy)-7-methoxy-3-quinolyl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[6-(2-hydroxyethoxy)-7-methoxy-3-quinolyl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-(6,7-dimethoxyquinoxalin-2-yl)-2-fluoro-phenyl]-N-[3-[1-(trifluoromethyl)cyclopropyl]-1H-pyrazol-5-yl]acetamide;

2-[4-(6,7-dimethoxyquinoxalin-2-yl)-2-fluoro-phenyl]-N-[2-methyl-5-(2,2,2-

trifluoro-1,1-dimethyl-ethyl)pyrazol-3-yl]acetamide;

2-[4-(6,7-dimethoxyquinoxalin-2-yl)-2-fluoro-phenyl]-N-[3-(2,2,2-trifluoro-1,1-dimethyl-ethyl)-1H-pyrazol-5-yl]acetamide;

2-[4-[6-(cyanomethoxy)-7-methoxy-quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide

2-[2-fluoro-4-(7-hydroxy-6-methoxy-quinoxalin-2-yl)phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-[2-(1,2,4-triazol-1-yl)ethoxy]quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-[6-[2-(dimethylamino)-2-oxo-ethoxy]-7-methoxy-quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[6-methoxy-7-(2-morpholinoethoxy)quinoxalin-2-yl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-(2-methoxyethoxy)-3-quinolyl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-(2-morpholinoethoxy)-3-quinolyl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-(2-morpholinoethoxy)-3-quinolyl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-[2-[(3S)-3-hydroxypyrrolidin-1-yl]ethoxy]-6-methoxy-quinoxalin-2-yl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[4-[6-(2-aminoethoxy)-7-methoxy-3-quinolyl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-[6-(2-acetamidoethoxy)-7-methoxy-3-quinolyl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-(6,7-dimethoxyquinoxalin-2-yl)-2-fluoro-phenyl]-N-(4,4-dimethyl-5,6-

dihydropyrrolo[1,2-b]pyrazol-2-yl)acetamide;

2-[2-fluoro-4-[6-(3-hydroxypropoxy)-7-methoxy-quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[6-methoxy-7-[2-(methylamino)ethoxy]quinoxalin-2-yl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[6-methoxy-7-(2-morpholinoethoxy)-3-quinolyl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[4-[7-[2-[acetyl(methyl)amino]ethoxy]-6-methoxy-quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-[2-[(3R)-3-hydroxypyrrolidin-1-yl]ethoxy]-6-methoxy-3-quinolyl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-[2-[2-hydroxyethyl(methyl)amino]ethoxy]-6-methoxy-3-quinolyl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-[2-(2-hydroxyethylamino)ethoxy]-6-methoxy-3-quinolyl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-[(2R)-2-hydroxypropoxy]-6-methoxy-quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[6-methoxy-7-(3-morpholinopropoxy)quinoxalin-2-yl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[4-[6-(2-aminoethoxy)-7-methoxy-3-quinolyl]-2-fluoro-phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[4-[6-(2-acetamidoethoxy)-7-methoxy-3-quinolyl]-2-fluoro-phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[6-[2-(4-hydroxy-1-piperidyl)ethoxy]-7-methoxy-3-quinolyl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[4-[6-[2-(4,4-difluoro-1-piperidyl)ethoxy]-7-methoxy-3-quinolyl]-2-fluoro-

phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[6-[(2R)-2-hydroxypropoxy]-7-methoxy-quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-(3-morpholinopropoxy)quinoxalin-2-yl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-[2-(1,2,4-triazol-1-yl)ethoxy]quinoxalin-2-yl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-[2-(1,2,4-triazol-4-yl)ethoxy]quinoxalin-2-yl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-(3-morpholinopropoxy)quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[6-methoxy-7-(3-morpholinopropoxy)quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-[7-(3-acetamidopropoxy)-6-methoxy-quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

N-(5-tert-butylisoxazol-3-yl)-2-[4-[7-methoxy-6-(2-morpholinoethoxy)quinoxalin-2-yl]phenyl]acetamide;

2-[4-[6-[2-(1,1-dioxo-1,4-thiazinan-4-yl)ethoxy]-7-methoxy-quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-(6,7-dimethoxyquinoxalin-2-yl)-3-fluoro-phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[4-(6,7-dimethoxyquinoxalin-2-yl)-2,5-difluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-(6,7-dimethoxyquinoxalin-2-yl)-2,5-difluoro-phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[4-[6,7-bis(2-acetamidoethoxy)quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-

(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[4-[6,7-bis[2-[acetyl(methyl)amino]ethoxy]quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-(3-methylsulfonylpropoxy)quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-[2-(6-oxa-3-azabicyclo[3.1.1]heptan-3-yl)ethoxy]quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-[2-(2-oxa-5-azabicyclo[2.2.1]heptan-5-yl)ethoxy]quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-(6,7-dimethoxyquinoxalin-2-yl)-2,6-difluoro-phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[4-(6,7-dimethoxyquinoxalin-2-yl)-2,6-difluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-[7-(3-aminopropoxy)-6-methoxy-quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-(2-morpholinoethoxy)quinoxalin-2-yl]phenyl]-N-[2-methyl-5-[1-(trifluoromethyl)cyclopropyl]pyrazol-3-yl]acetamide;

2-[5-(6,7-dimethoxyquinoxalin-2-yl)-3-fluoro-2-pyridyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-(2-morpholinoethoxy)quinoxalin-2-yl]phenyl]-N-[3-[1-(trifluoromethyl)cyclopropyl]-1H-pyrazol-5-yl]acetamide;

2-[4-[7-methoxy-6-(2-morpholinoethoxy)quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[6-methoxy-7-(2-morpholinoethoxy)-3-quinolyl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-[6-(1,2-dihydroxy-1-methyl-ethyl)-7-methoxy-quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[6-methoxy-7-(2-morpholinoethoxy)quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-(2-morpholinoethoxy)quinoxalin-2-yl]phenyl]-N-[3-(2,2,2-trifluoro-1,1-dimethyl-ethyl)-1H-pyrazol-5-yl]acetamide;

2-[4-[7-(2,3-dihydroxypropoxy)-6-methoxy-quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-[6-(3-acetamidopropoxy)-7-methoxy-quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[4-[6-(2,3-dihydroxypropoxy)-7-methoxy-quinoxalin-2-yl]-2-fluoro-phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-(2-hydroxy-2-methyl-propoxy)-6-methoxy-quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-[2-(1,4-oxazepan-4-yl)ethoxy]quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-(2-piperazin-1-ylethoxy)quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-[2-[(2R)-2-methylmorpholin-4-yl]ethoxy]quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-[2-[(3S)-3-methylmorpholin-4-yl]ethoxy]quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-[2-(9-oxa-3-azabicyclo[3.3.1]nonan-3-yl)ethoxy]quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-[2-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)ethoxy]quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[6-(2-hydroxy-2-methyl-propoxy)-7-methoxy-quinoxalin-2-yl]phenyl]-N-[5-(2,2,2-trifluoro-1,1-dimethyl-ethyl)isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-[2-[(3R)-3-methylmorpholin-4-yl]ethoxy]quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide;

2-[2-fluoro-4-[7-methoxy-6-[2-[(2S)-2-methylmorpholin-4-yl]ethoxy]quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide; and

2-[2-fluoro-4-[6-(2-hydroxy-2-methyl-propoxy)-7-methoxy-quinoxalin-2-yl]phenyl]-N-[5-[1-(trifluoromethyl)cyclopropyl]isoxazol-3-yl]acetamide.

13. A pharmaceutical composition comprising a compound of any one of claims 1-12 and a pharmaceutically acceptable carrier.

14. Use of a therapeutically effective amount of a compound of any of claims 1-12 in the manufacture of a medicament for the treatment of a disease selected from an inflammatory disease, an autoimmune disease and cancer.

15. The use of claim 14, wherein the cancer is a hematological cancer.

16. The use of claim 15, wherein the hematological cancer is acute myeloid leukemia, acute lymphoblastic leukemia or myelodysplastic syndromes.

17. The use of any one of claims 14-16, wherein the disease is modulated by one or more receptors selected from FLT3, KIT, RET, CSF1R, PDGFRα and PDGFRβ.

18. The use of any one of claims 14-17, wherein the disease is mediated by one or more FLT3 mutations selected from FLT3-ITD mutations and FLT3 tyrosine kinase domain

mutations.

19. The use of any one of claims 14-18, wherein the disease is mediated by one or more FLT3-ITD mutations and one or more FLT3 tyrosine kinase domain mutations.

20. The use of any one of claims 14-19, wherein the disease is mediated by one or more FLT3-ITD mutations and one or more FLT3 tyrosine kinase domain point mutations at positions selected from E608, N676, F691, C828, D835, D839, N841, Y842 and M855.

21. The use of any one of claims 14-20, wherein the disease is resistant to a FLT3 inhibitor.

22. The use of claim 21, wherein the FLT3 inhibitor is sorafenib, sunitinib, midostaurin or quizartinib.

23. The use of any one of claims 14-20, further comprising administering a FLT3 inhibitor.

24. A use of modulating FLT3, CSF1R, KIT, RET, PDGFRα and/or PDGFRβ comprising administering a compound of any one of claims 1-12.

25. The compound of any one of claims 1-12 for use in therapy.