


CLAIMS

1. Compound of the formula (I)



5

(I)

where

R1 denotes A,

R3 denotes A or H,

A in each case independently denotes unbranched or branched alkyl having 1, 2, 3, 4, 5, 6, 7, 8, 9 or 10 C atoms, where, independently of one another, 1, 2, 3, 4, 5, 6 or 7 H atoms may be replaced by Hal,

Het¹ denotes mono- or bicyclic heteroaryl having 2, 3, 4, 5, 6, 7, 8 or 9 C atoms and 1, 2, 3 or 4 N, O and/or S atoms, which may be unsubstituted or mono-, di- or trisubstituted, independently of one another, by Hal, A, CN, $-(CY_2)_p-OY$, $-(CY_2)_p-NYY$, $-(CY_2)_p-COOY$, $-(CY_2)_p-CO-NYY$, $-(CY_2)_p-NY-COY$, -Het² and/or $-SO_2-Het^2$,

Het² denotes a monocyclic saturated heterocycle having 2, 3, 4, 5, 6 or 7 C atoms and 1, 2, 3 or 4 N, O and/or S atoms, which may be unsubstituted or monosubstituted by A,

20 HET denotes a 5- or 6-membered aromatic heterocycle having 1, 2 or 3 N atoms and optionally an O atom or S atom, where this heterocycle is linked to the N atom of the skeleton via the ring C atom and where this heterocycle may be unsubstituted or substituted by one, two or three substituents, which are selected, independently of one another, from the group consisting of: Hal, A, Het², CN, $-(CY_2)_p-OY$, $-(CY_2)_p-OZ$, $-(CY_2)_p-O-Het^2$, $-(CY_2)_p-O-(CY_2)_t-Het^2$, $-(CY_2)_p-O-(CY_2)_t-NYY$, $-(CY_2)_p-O-(CY_2)_t-OY$, $-(CY_2)_p-O-(CY_2)_t-POAA$, $-(CY_2)_p-NYY$, $-(CY_2)_p-COOY$, $-(CY_2)_p-CO-NYY$, $-(CY_2)_p-NY-COY$, $-SO_2-Het^2$, CyA, $-(CY_2)_p-O-(CY_2)_t-SO_2-Y$, $-(CY_2)_p-NY-SO_2-Y$, and $-(CY_2)_p-SO_2-Y$, and where this heterocycle may be part of a bicyclic 11- or 12-membered aromatic heterocycle, where this bicyclic

30

aromatic heterocycle may overall be unsubstituted or substituted by one, two, three or more substituents, which are selected, independently of one another, from the group consisting of: Hal, A, Het², -CN, -(CY₂)_p-OY, -(CY₂)_p-OZ, -(CY₂)_p-O-Het², -(CY₂)_p-O-(CY₂)_t-Het², -(CY₂)_p-O-(CY₂)_t-NYY, -(CY₂)_p-O-(CY₂)_t-OY, -(CY₂)_p-O-(CY₂)_t-POAA, -(CY₂)_p-NYY, -(CY₂)_p-COOY, -(CY₂)_p-CO-NYY, -(CY₂)_p-NY-COY, -SO₂-Het², and CyA, -(CY₂)_p-O-(CY₂)_t-SO₂-Y, -(CY₂)_p-NY-SO₂-Y, and -(CY₂)_p-SO₂-Y,

Y denotes H or A,

Z denotes unbranched or branched alkenyl having 2, 3, 4, 5, 6, 7, 8, 9 or 10 C atoms, where, independently of one another, 1, 2, 3, 4, 5, 6 or 7 H atoms may be replaced by Hal,

CyA denotes cycloalkyl having 3, 4, 5, 6, 7 or 8 ring C atoms which is unsubstituted or mono- or polysubstituted, independently of one another, by Hal, A, CN, -(CY₂)_p-OY, -(CY₂)_p-NYY, -(CY₂)_p-COOY, -(CY₂)_p-CO-NYY and/or -(CY₂)_p-NY-COY,

Hal denotes F, Cl, Br or I, and

p denotes 0, 1, 2, 3, 4, 5 or 6

t denotes 1, 2, 3, 4, 5 or 6,

and/or pharmaceutically usable derivative, salt, solvate, tautomer, stereoisomer thereof, including mixtures thereof in all ratios.

2. Compound of the formula (I) according to Claim 1

in which

Het¹ denotes mono- or bicyclic heteroaryl having 2, 3, 4, 5, 6, 7, 8 or 9 C atoms and 1, 2, 3 or 4 N, O and/or S atoms, which may be unsubstituted or mono-, di- or trisubstituted, independently of one another, by Hal, A, CN, -(CY₂)_p-OY, -(CY₂)_p-NYY, -(CY₂)_p-COOY, -(CY₂)_p-CO-NYY, -(CY₂)_p-NY-COY and/or -SO₂-Het²,

HET denotes a 5- or 6-membered aromatic heterocycle having 1, 2 or 3 N atoms and optionally an O atom or S atom, where this heterocycle is linked to the N atom of the skeleton via a ring C atom and where this heterocycle may be unsubstituted or substituted by one, two or three substituents, which are selected, independently of one another, from the group consisting of: Hal, A, Het², CN, -(CY₂)_p-OY, -(CY₂)_p-O-(CY₂)_t-OY, -(CY₂)_p-O-(CY₂)_t-POAA, -(CY₂)_p-NYY, -(CY₂)_p-COOY, -(CY₂)_p-CO-NYY, -(CY₂)_p-NY-COY or -SO₂-Het²; and may be part of a bicyclic 11- or 12-membered aromatic heterocycle, where this bicyclic aromatic heterocycle

may overall be unsubstituted or substituted by one, two, three or more substituents, which are selected, independently of one another, from the group consisting of: Hal, A, Het², -CN, -(CY₂)_p-OY, -(CY₂)_p-O-(CY₂)_t-OY, -(CY₂)_p-O-(CY₂)_t-POAA, -(CY₂)_p-NYY, -(CY₂)_p-COOY, -(CY₂)_p-CO-NYY, -(CY₂)_p-NY-COY or -SO₂-Het²,

Hal denotes F, Cl, Br or I,

p denotes, independently of one another, 0, 1, 2, 3, 4, 5 or 6 and

t denotes 1, 2, 3, 4, 5 or 6.

and/or pharmaceutically usable derivative, salt, solvate, tautomer, stereoisomer thereof, including mixtures thereof in all ratios.

3. Compound of the formula (I) according to Claim 1 or 2, where HET is selected from the following aromatic heterocycles, which may in each case be unsubstituted or substituted as defined in Claim 1 or 2:

pyrrolyl, oxazolyl, isoxazolyl, thiazolyl, isothiazolyl, pyrazolyl, imidazolyl, 1-oxa-2,3-diazolyl, 1-oxa-2,4-diazolyl, 1-oxa-3,4-diazolyl, 1-oxa-2,5-diazolyl, 1-thia-2,3-diazolyl, 1-thia-2,4-diazolyl, 1-thia-3,4-diazolyl, 1-thia-2,5-diazolyl, 1,2,3-triazolyl, 1,3,4-triazolyl, and tetrazolyl; pyridinyl, pyrimidinyl, pyrazinyl and pyridazinyl; indolyl, isoindolyl, benzimidazolyl, indazolyl, benzoxazolyl, benzothiazolyl, benzotriazolyl, pyrrolo[2,3-b]pyridinyl, pyrrolo[2,3-c]pyridinyl, pyrrolo[3,2-b]pyridinyl, pyrrolo[3,2-c]pyridinyl, imidazo[4,5-b]pyridinyl, imidazo[4,5-c]pyridinyl, pyrazolo[4,3-d]pyridinyl, pyrazolo[4,3-c]pyridinyl, pyrazolo[3,4-c]pyridinyl, pyrazolo[3,4-b]pyridinyl, purinyl, indozilanyl, imidazo[1,2-a]pyridinyl, imidazo[1,5-a]pyridinyl, pyrazolo[1,5-a]pyridinyl, pyrrolo[1,2-b]pyridazinyl, imidazo[1,2-c]pyrimidinyl, quinolinyl, isoquinolinyl, cinnolinyl, quinazolinyl, quinoxalinyl, phtalazinyl, 1,6-naphtyridinyl, 1,7-naphtyridinyl, 1,8-naphtyridinyl, 1,5-naphtyridinyl, 2,6-naphthyridinyl, 2,7-naphthyridinyl, pyrido[3,2-d]pyrimidinyl, pyrido[4,3-d]pyrimidinyl, pyrido[3,4-d]pyrimidinyl, pyrido[2,3-d]pyrimidinyl, pyrido[2,3-d]pyrazinyl, pyrido[3,4-b]pyrazinyl, pyrazino[2,3-b]pyrazinyl, pyrimido[5,4-d]pyrimidinyl, pyrimido[4,5-d]pyrimidinyl, benzoxazolyl, benzothiazolyl, benzisoxazolyl, benzisothiazolyl, furopyridinyl, and thienopyridinyl,

and/or pharmaceutically usable derivative, salt, solvate, tautomer, stereoisomer thereof, including mixtures thereof in all ratios.

4. Compound of the formula (I) according to Claim 1, 2 or 3, where HET is selected from the following 5- or 6-membered monocyclic aromatic heterocycles, which may in each case be unsubstituted or substituted as defined in Claim 1 or 2: pyridinyl, pyrimidinyl, pyrazolyl, thiazolyl, imidazolyl,

and/or pharmaceutically usable derivative, salt, solvate, tautomer, stereoisomer thereof, including mixtures thereof in all ratios.

5. Compound of the formula (I) according to Claim 1, 2 or 3, where HET is selected from pyrrolo[3,2-c]pyridinyl, pyrrolo[2,3-b]pyridinyl and quinolinyl, which may in each case be unsubstituted or substituted as defined in Claim 1 or 2, preferably 1H-pyrrolo[3,2-c]pyridin-6-yl, 1H-pyrrolo[2,3-b]pyridin-6-yl or 5-fluoro-1H-pyrrolo[2,3-b]pyridin-6-yl,

and/or pharmaceutically usable derivative, salt, solvate, tautomer, stereoisomer thereof, including mixtures thereof in all ratios.

6. Compound of the formula (I) according to Claim 3, 4 or 5, where the aromatic heterocycles HET may be substituted by one, two, three or more substituents which are selected, independently of one another, from the group consisting of: F, Cl, methyl, ethyl, propyl, isopropyl, methoxy, ethoxy, propoxy, piperazinyl, tetrahydropyranyl, -CN, 2-methoxyethoxy, 2-hydroxyethoxy, fluoromethoxy, difluoromethoxy, N-methylcarbamoyl (-C(=O)-NH-CH₃), 2-methylaminoethoxy, 1-methyl-azetidin-3-yl-methoxy, trideuteriomethoxy, trifluoromethoxy, methylsulfonylmethoxy, methylsulfonyl, cyclopropyl, allyloxy, piperazinyl, and azetidinyloxy,

and/or pharmaceutically usable derivative, salt, solvate, tautomer, stereoisomer thereof, including mixtures thereof in all ratios.

7. Compound of the formula (I) according to Claim 1, 2, 3, 4, 5 or 6 where HET is selected from the following 5- or 6-membered monocyclic aromatic heterocycles: pyridin-2-yl, pyridin-4-yl, 5-allyloxy-3-fluoropyridin-2-yl, 5-(azetidin-3-yloxy)-3-fluoropyridin-2-yl, 5-chloro-3-fluoropyridin-2-yl, 3-cyclopropylpyridin-4-yl, 3-cyclopropyl-5-fluoropyridin-4-yl, 3,5-difluoropyridin-2-yl, 3,5-difluoropyridin-4-yl, 5-difluoromethoxy-3-fluoropyridin-2-yl, 3-difluoromethoxy-5-fluoropyridin-4-yl, 5-ethoxy-3-fluoropyridin-2-yl, 3-fluoro-5-(1-methylazetidin-3-ylmethoxy)pyridin-2-yl, 3-fluoro-5-methoxypyridin-4-yl, 3-fluoro-5-methoxypyridin-2-yl, 3-fluoro-5-fluoromethoxypyridin-4-yl, 3-fluoropyridin-2-yl, 3-fluoro-5-methylsulfonylmethoxypyridin-2-yl, 3-fluoro-5-methylsulfonylpyridin-2-yl, 3-fluoro-5-(2-methylaminoethoxy)pyridin-2-yl, 3-fluoro-5-methylpyridin-4-yl, 3-fluoro-5-methylpyridin-2-yl, 3-fluoropyridin-4-yl, 3-fluoropyridin-2-yl, 3-fluoro-5-piperazin-1-ylpyridin-2-yl, 3-chloropyridin-4-yl, 3-ethylpyridin-4-yl, 3-ethyl-5-fluoropyridin-4-yl, 3-ethyl-5-methylpyridin-4-yl, 5-fluoropyridin-2-yl, 3-methylpyridin-4-yl, 3-methoxypyridin-4-yl, 2-cyanopyridin-4-yl, 3-cyanopyridin-4-yl, 3-cyanopyridin-6-yl, 3-cyano-5-fluoropyridin-4-yl, 3-

fluoro-5-(2-methoxyethoxy)pyridin-2-yl, 3-fluoro-5-(2-hydroxyethoxy)pyridin-2-yl, 3-fluoro-5-(trideuteriomethoxy)pyridin-4-yl, 3-fluoro-5-(trideuteriomethoxy)pyridin-2-yl, 5-fluoro-3-(N-methylcarbamoyl)pyridin-6-yl, 5-fluoropyrimidin-2-yl, 5-fluoropyrimidin-4-yl, pyrimidin-2-yl, pyrimidin-5-yl, 1H-pyrazol-4-yl, 1-ethyl-3-methyl-1H-pyrazol-4-yl, 1,2-dimethyl-1H-pyrazol-4-yl, 1,3-dimethyl-1H-pyrazol-4-yl, 1-methyl-1H-pyrazol-4-yl, 1-(tetrahydropyran-4-yl)-1H-pyrazol-4-yl, 2-methyl-2H-pyrazol-3-yl, 3-methyl-1H-pyrazol-4-yl, 2-methylthiazol-4-yl, 3,5-dimethyl-1H-pyrazol-4-yl, 3-fluoro-1-methyl-pyrazol-4-yl, thiazol-2-yl, and 1-methyl-1H-imidazolyl,

and/or pharmaceutically usable derivative, salt, solvate, tautomer, stereoisomer thereof, including mixtures thereof in all ratios.

8. Compound of the formula (I) according to Claim 1, 2, 3, 4, 5, 6 or 7, where R₁ is methyl, and/or pharmaceutically usable derivative, salt, solvate, tautomer, stereoisomer thereof, including mixtures thereof in all ratios.

9. Compound of the formula (I) according to Claim 1, 2, 3, 4, 5, 6, 7, or 8, where Het¹ is a monocyclic heteroaryl having 2, 3, or 4 C atoms and 1, 2, or 3 N atoms, which may be unsubstituted or substituted as defined in Claim 1 or 2, and/or pharmaceutically usable derivative, salt, solvate, tautomer, stereoisomer thereof, including mixtures thereof in all ratios.

10. Compound of the formula (I) according to Claim 9, where Het¹ is selected from pyridinyl, pyrimidinyl, pyrazolyl, triazolyl and imidazolyl, which may be unsubstituted or substituted as defined in Claim 1 or 2, and/or pharmaceutically usable derivative, salt, solvate, tautomer, stereoisomer thereof, including mixtures thereof in all ratios.

11. Compound of the formula (I) according to Claim 10, where Het¹ is pyrazolyl, which may be unsubstituted or substituted as defined in Claim 1 or 2, and/or pharmaceutically usable derivative, salt, solvate, tautomer, stereoisomer thereof, including mixtures thereof in all ratios.

12. Compound of the formula (I) according to Claim 10, where Het¹ is triazolyl, preferably 1,2,3-triazolyl, which may be unsubstituted or substituted as defined in Claim 1 or 2,

and/or pharmaceutically usable derivative, salt, solvate, tautomer, stereoisomer thereof, including mixtures thereof in all ratios.







13. Compound of the formula (I) according to Claim 9, 10, 11 or 12, where Het¹ is unsubstituted or substituted by one or two substituents selected, independently of one another, from alkyl, which may be unsubstituted or mono- or polysubstituted by halogen, in particular F, or from -OY, -NYY, halogen, and -Het², particularly preferably methyl, ethyl, amino, methoxy, fluoromethyl, difluoromethyl, fluorine, azetidiny, and/or pharmaceutically usable derivative, salt, solvate, tautomer, stereoisomer thereof, including mixtures thereof in all ratios.
14. Compound of the formula (I) according to Claim 10, where Het¹ is selected from: 1H-pyrazol-4-yl, 2H-pyrazol-3-yl, 1H-pyrazol-3-yl, 1-methyl-1H-pyrazol-4-yl, 3-methyl-1H-pyrazol-4-yl, 5-methyl-1H-pyrazol-3-yl, 4-methyl-1H-pyrazol-3-yl, 1-fluoromethyl-1H-pyrazol-4-yl, 1-difluoromethyl-1H-pyrazol-4-yl, 1,3-dimethyl-1H-pyrazol-4-yl, 1-ethyl-1H-pyrazol-4-yl, 1-ethyl-3-methyl-1H-pyrazolyl, 3-fluoro-1-methyl-1H-pyrazol-4-yl, 3-amino-1H-pyrazol-5-yl, 2H-1,2,3-triazol-4-yl, 3H-1,2,3-triazol-4-yl, 1-methyl-1H-1,2,3-triazol-4-yl, 2-methyl-2H-1,2,3-triazol-4-yl, 2-amino-1H-imidazol-4-yl, 6-methoxypyridin-3-yl, and 1-(azetidin-3-yl)-3-methyl-1H-pyrazol-4-yl, and/or pharmaceutically usable derivative, salt, solvate, tautomer, stereoisomer thereof, including mixtures thereof in all ratios.
15. Compound of the formula (I) according to Claim 1, 2, 3, 4, 5, 6, 7, or 8, where Het¹ is a bicyclic heteroaryl having 6, 7 or 8 C atoms and 1, 2, or 3 N atoms, which may be unsubstituted or substituted as defined in Claim 1 or 2, and/or pharmaceutically usable derivative, salt, solvate, tautomer, stereoisomer thereof, including mixtures thereof in all ratios.
16. Compound of the formula (I) according to Claim 15, where Het¹ is selected from bezimidazolyl, imidazo[4,5-b]pyridinyl, benzodiazolyl, which may be unsubstituted or substituted as in Claim 1 or 2, preferably 2-methyl-3H-benzimidazol-5-yl, , 2-methyl-1H-imidazo[4,5-b]pyridin-6-yl, and/or pharmaceutically usable derivative, salt, solvate, tautomer, stereoisomer thereof, including mixtures thereof in all ratios
17. Compound of the formula (I) according to Claim 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 or 16, where R₃ denotes unbranched or branched alkyl having 1, 2, or 3 C atoms, where 1, 2, 3, 4, or 5 H atoms may be replaced, independently of one another, by Hal, and particularly preferably denotes methyl,







and/or pharmaceutically usable derivative, salt, solvate, tautomer, stereoisomer thereof, including mixtures thereof in all ratios.






18. Compound according to Claim 1, selected from:

5






	1-(3,5-Difluoropyridin-2-yl)-7-methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(3,5-Difluoropyridin-4-yl)-7-methoxy-3-methyl-8-(1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(1,3-Dimethyl-1H-pyrazol-4-yl)-7-methoxy-3-methyl-8-(1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(1,3-Dimethyl-1H-pyrazol-4-yl)-7-methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(3,5-Difluoropyridin-2-yl)-7-methoxy-3-methyl-8-(1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one






	1-(3-Fluoropyridin-2-yl)-7-methoxy-3-methyl-8-(1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(3-Fluoro-5-methylpyridin-4-yl)-7-methoxy-3-methyl-8-(1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(3-Fluoropyridin-4-yl)-7-methoxy-3-methyl-8-(1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1,8-Bis-(1,3-dimethyl-1H-pyrazol-4-yl)-7-methoxy-3-methyl-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(3,5-Difluoropyridin-2-yl)-8-(1,3-dimethyl-1H-pyrazol-4-yl)-7-methoxy-3-methyl-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(3-Ethyl-5-fluoropyridin-4-yl)-7-methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one






	8-(1-Ethyl-1H-pyrazol-4-yl)-1-(3-fluoro-5-methoxypyridin-4-yl)-7-methoxy-3-methyl-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(3-Fluoropyridin-2-yl)-7-methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(3-Fluoro-5-methoxypyridin-4-yl)-7-methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	8-(1,3-Dimethyl-1H-pyrazol-4-yl)-1-(3-fluoropyridin-2-yl)-7-methoxy-3-methyl-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	7-Methoxy-3-methyl-1-(1-methyl-1H-pyrazol-4-yl)-8-(1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(3-Fluoro-5-methylpyridin-4-yl)-7-methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one

	7-Methoxy-3-methyl-1-(3-methylpyridin-4-yl)-8-(1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(3-Fluoro-5-methylpyridin-2-yl)-7-methoxy-3-methyl-8-(1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(1,3-Dimethyl-1H-pyrazol-4-yl)-8-(1-ethyl-1H-pyrazol-4-yl)-7-methoxy-3-methyl-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(3,5-Difluoropyridin-4-yl)-7-methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	7-Methoxy-3-methyl-1,8-bis-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one

	8-(1-Ethyl-1H-pyrazol-4-yl)-1-(3-fluoropyridin-2-yl)-7-methoxy-3-methyl-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(3-Ethyl-5-fluoropyridin-4-yl)-8-(1-ethyl-1H-pyrazol-4-yl)-7-methoxy-3-methyl-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(3,5-Difluoropyridin-4-yl)-8-(1-ethyl-1H-pyrazol-4-yl)-7-methoxy-3-methyl-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(3-Fluoro-5-methylpyridin-2-yl)-7-methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	7-Methoxy-1-(3-methoxypyridin-4-yl)-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one






	1-(3-Fluoropyridin-2-yl)-7-methoxy-3-methyl-8-(5-methyl-1H-pyrazol-3-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	7-Methoxy-3-methyl-1-(2-methylthiazol-4-yl)-8-(1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(5-Fluoropyrimidin-4-yl)-7-methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1H,2H,3H-imidazo[4,5-c]quinolin-2-one
	7-Methoxy-1-(3-methoxypyridin-4-yl)-3-methyl-8-(1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	8-(1-Ethyl-1H-pyrazol-4-yl)-1-(3-fluoropyridin-4-yl)-7-methoxy-3-methyl-1,3-dihydroimidazo[4,5-c]quinolin-2-one

	8-(1-Ethyl-1H-pyrazol-4-yl)-7-methoxy-3-methyl-1-(3-methylpyridin-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(3-Fluoropyridin-4-yl)-7-methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(5-Fluoropyrimidin-2-yl)-7-methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	7-Methoxy-3-methyl-8-(1H-pyrazol-4-yl)-1-[1-(tetrahydropyran-4-yl)-1H-pyrazol-4-yl]-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	8-(1-Ethyl-1H-pyrazol-4-yl)-1-(3-fluoro-5-methylpyridin-4-yl)-7-methoxy-3-methyl-1,3-dihydroimidazo[4,5-c]quinolin-2-one







	8-(1,3-Dimethyl-1H-pyrazol-4-yl)-1-(3-fluoro-5-methylpyridin-4-yl)-7-methoxy-3-methyl-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	7-Methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1-(3-methylpyridin-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	7-Methoxy-3-methyl-1-(2-methyl-2H-pyrazol-3-yl)-8-(1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(1,3-Dimethyl-1H-pyrazol-4-yl)-7-methoxy-3-methyl-8-(1-methyl-1H-1,2,3-triazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	7-Methoxy-3-methyl-1-(3-methyl-1H-pyrazol-4-yl)-8-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one






	5-Fluoro-4-[7-methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-2-oxo-2,3-dihydroimidazo[4,5-c]quinolin-1-yl]nicotinonitrile
	4-[7-Methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-2-oxo-2,3-dihydroimidazo[4,5-c]quinolin-1-yl]pyridine-2-carbonitrile
	4-[7-Methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-2-oxo-2,3-dihydroimidazo[4,5-c]quinolin-1-yl]nicotinonitrile
	7-Methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1-thiazol-2-yl-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	6-[7-Methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-2-oxo-2,3-dihydroimidazo[4,5-c]quinolin-1-yl]nicotinonitrile
	7-Methoxy-3-methyl-1-(2-methyl-2H-pyrazol-3-yl)-8-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one






	1-(5-Fluoropyridin-2-yl)-7-methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(3-Fluoropyridin-2-yl)-7-methoxy-3-methyl-8-(1-methyl-1H-1,2,3-triazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	7-Methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1-pyrimidin-2-yl-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	7-Methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1-(1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(3-Ethyl-5-methylpyridin-4-yl)-7-methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	7-Methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1-[1-(tetrahydropyran-4-yl)-1H-pyrazol-4-yl]-1,3-dihydroimidazo[4,5-c]quinolin-2-one

	7-Methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1-pyridin-2-yl-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	7-Methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1-pyrimidin-5-yl-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	7-Methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1-pyridin-4-yl-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	7-Methoxy-3-methyl-1-(1-methyl-1H-imidazol-4-yl)-8-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(3-Chloropyridin-4-yl)-7-methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one







	1-(3-Ethyl-5-methylpyridin-4-yl)-8-(1-ethyl-1H-pyrazol-4-yl)-7-methoxy-3-methyl-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	8-(1-Ethyl-1H-pyrazol-4-yl)-7-methoxy-3-methyl-1-pyridin-4-yl-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(3-Fluoro-5-methylpyridin-4-yl)-7-methoxy-3-methyl-8-(1-methyl-1H-1,2,3-triazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(3-Fluoropyridin-4-yl)-7-methoxy-3-methyl-8-(1-methyl-1H-1,2,3-triazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	8-(3-Amino-1H-pyrazol-5-yl)-1-(3-fluoro-2-pyridyl)-7-methoxy-3-methyl-imidazo[4,5-c]quinolin-2-one

	1-[3-Fluoro-5-(2-methoxyethoxy)-2-pyridyl]-7-methoxy-3-methyl-8-(1-methylpyrazol-4-yl)imidazo[4,5-c]quinolin-2-one
	1-[3-Fluoro-5-(2-hydroxyethoxy)-2-pyridyl]-7-methoxy-3-methyl-8-(1-methylpyrazol-4-yl)imidazo[4,5-c]quinolin-2-one
	7-Methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1-quinolin-2-yl-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	7-Methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1-(1H-pyrrolo[2,3-b]pyridin-6-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(3,5-Difluoropyridin-2-yl)-7-methoxy-3-methyl-8-(2-methyl-2H-1,2,3-triazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(1,3-Dimethyl-1H-pyrazol-4-yl)-7-methoxy-3-methyl-8-(2-methyl-2H-1,2,3-triazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one

	1-(3-Fluoro-5-methylpyridin-4-yl)-7-methoxy-3-methyl-8-(2-methyl-2H-1,2,3-triazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	8-(1-Ethyl-1H-pyrazol-4-yl)-7-methoxy-1-(3-methoxypyridin-4-yl)-3-methyl-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(3-Fluoro-5-methoxypyridin-2-yl)-7-methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	8-(1,3-Dimethyl-1H-pyrazol-4-yl)-1-(3-fluoro-5-methoxypyridin-2-yl)-7-methoxy-3-methyl-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(3,5-Difluoropyridin-2-yl)-7-methoxy-8-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one

	1-(3,5-Difluoropyridin-2-yl)-8-(1,3-dimethyl-1H-pyrazol-4-yl)-7-methoxy-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(3-Fluoro-5-methoxypyridin-2-yl)-7-methoxy-3-methyl-8-(2H-pyrazol-3-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(3-Fluoro-5-fluoromethoxypyridin-2-yl)-7-methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	8-(1-Ethyl-1H-pyrazol-4-yl)-1-(3-fluoro-5-methoxypyridin-2-yl)-7-methoxy-3-methyl-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(3-Ethyl-5-fluoropyridin-4-yl)-7-methoxy-3-methyl-8-(2-methyl-2H-1,2,3-triazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one

	1-(5-Ethoxy-3-fluoropyridin-2-yl)-7-methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(5-Difluoromethoxy-3-fluoropyridin-2-yl)-7-methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(3-Fluoro-5-methoxypyridin-2-yl)-7-methoxy-8-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(3-Fluoro-5-methoxypyridin-4-yl)-7-methoxy-8-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(3,5-Difluoropyridin-2-yl)-7-methoxy-3-methyl-8-(3-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(3,5-Dimethyl-1H-pyrazol-4-yl)-7-methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one

	1-(5-Chloro-3-fluoropyridin-2-yl)-7-methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	7-Methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1-(1H-pyrrolo[3,2-c]pyridin-6-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(1,3-Dimethyl-1H-pyrazol-4-yl)-7-methoxy-3-methyl-8-(1H-pyrazol-3-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(3-Fluoro-5-methoxypyridin-2-yl)-7-methoxy-3-methyl-8-(3-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(3-Fluoro-5-piperazin-1-ylpyridin-2-yl)-7-methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(3-Fluoro-5-methoxypyridin-4-yl)-7-methoxy-3-methyl-8-(2H-pyrazol-3-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one






	1-(3-Ethyl-5-fluoropyridin-4-yl)-7-methoxy-3-methyl-8-(2H-1,2,3-triazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(3-Ethyl-5-fluoropyridin-4-yl)-7-methoxy-3-methyl-8-(1-methyl-1H-1,2,3-triazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(3-Fluoro-5-methoxypyridin-4-yl)-7-methoxy-3-methyl-8-(2-methyl-2H-1,2,3-triazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(3-Fluoro-5-methoxypyridin-2-yl)-7-methoxy-3-methyl-8-(3H-1,2,3-triazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	8-(1,3-Dimethyl-1H-pyrazol-4-yl)-1-(3-fluoro-5-methoxypyridin-4-yl)-7-methoxy-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(1-Ethyl-3-methyl-1H-pyrazol-4-yl)-7-methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one






	1-(3-Fluoro-5-methoxypyridin-4-yl)-7-methoxy-3-methyl-8-(1-methyl-1H-1,2,3-triazol-4-yl)-1,3-dihydroimidazo[4,5-c]-quinolin-2-one
	1-(1,3-Dimethyl-1H-pyrazol-4-yl)-7-methoxy-3-methyl-8-(2-methyl-3H-benzimidazol-5-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(3-Fluoro-5-methoxypyridin-2-yl)-7-methoxy-3-methyl-8-(1-methyl-1H-1,2,3-triazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(3-Fluoro-5-methoxypyridin-4-yl)-7-methoxy-3-methyl-8-(3H-1,2,3-triazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	8-(1,3-Dimethyl-1H-pyrazol-4-yl)-1-(1-ethyl-3-methyl-1H-pyrazol-4-yl)-7-methoxy-3-methyl-1,3-dihydroimidazo[4,5-c]quinolin-2-one







	1-(3-Fluoro-5-methoxypyridin-4-yl)-7-methoxy-3-methyl-8-(2-methyl-3H-benzimidazol-5-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(3-Fluoro-5-methoxypyridin-4-yl)-7-methoxy-8-(6-methoxypyridin-3-yl)-3-methyl-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	5-Fluoro-6-[7-methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-2-oxo-2,3-dihydroimidazo[4,5-c]quinolin-1-yl]-N-methylnicotinamide
	6-[8-(1,3-Dimethyl-1H-pyrazol-4-yl)-7-methoxy-3-methyl-2-oxo-2,3-dihydroimidazo[4,5-c]quinolin-1-yl]-5-fluoro-N-methylnicotinamide
	1-(3-Fluoro-5-methoxypyridin-4-yl)-8-(1-fluoromethyl-1H-pyrazol-4-yl)-7-methoxy-3-methyl-1,3-dihydroimidazo[4,5-c]quinolin-2-one

	1-(3-Fluoro-1-methyl-1H-pyrazol-4-yl)-7-methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	8-(1-Ethyl-3-methyl-1H-pyrazol-4-yl)-1-(3-fluoro-5-methoxypyridin-4-yl)-7-methoxy-3-methyl-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	8-(1-Difluoromethyl-1H-pyrazol-4-yl)-1-(3-fluoro-5-methoxypyridin-4-yl)-7-methoxy-3-methyl-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(3-Fluoro-5-methoxypyridin-2-yl)-7-methoxy-3-methyl-8-(2-methyl-3H-benzimidazol-5-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-[3-Fluoro-5-(trideuteriomethoxy)-4-pyridyl]-7-methoxy-3-methyl-8-(1-methylpyrazol-4-yl)imidazo[4,5-c]quinolin-2-one



	1-(3-Difluoromethoxy-5-fluoropyridin-4-yl)-7-methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(3-Difluoromethoxy-5-fluoropyridin-4-yl)-8-(1,3-dimethyl-1H-pyrazol-4-yl)-7-methoxy-3-methyl-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(3-Fluoro-5-fluoromethoxypyridin-4-yl)-7-methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	8-(1,3-Dimethyl-1H-pyrazol-4-yl)-1-(3-fluoro-5-fluoromethoxypyridin-4-yl)-7-methoxy-3-methyl-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	8-(1,3-Dimethylpyrazol-4-yl)-1-[3-fluoro-5-(trideuteriomethoxy)-4-pyridyl]-7-methoxy-3-methyl-imidazo[4,5-c]quinolin-2-one
	1-(1,3-Dimethyl-1H-pyrazol-4-yl)-7-methoxy-3-methyl-8-(4-methyl-1H-pyrazol-3-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one

	1-(3-Fluoro-5-methoxypyridin-4-yl)-7-methoxy-3-methyl-8-(2-methyl-1H-imidazo[4,5-b]pyridin-6-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	8-(3H-Benzimidazol-5-yl)-1-(3-fluoro-5-methoxypyridin-2-yl)-7-methoxy-3-methyl-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(1,3-Dimethyl-1H-pyrazol-4-yl)-7-methoxy-3-methyl-8-(2-methyl-1H-imidazo[4,5-b]pyridin-6-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-[3-Fluoro-5-(trideuteriomethoxy)-2-pyridyl]-7-methoxy-3-methyl-8-(1-methylpyrazol-4-yl)imidazo[4,5-c]quinolin-2-one
	1-(3-Ethylpyridin-4-yl)-7-methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one

	8-(1-Ethyl-1H-pyrazol-4-yl)-1-(3-ethylpyridin-4-yl)-7-methoxy-3-methyl-1,3-dihydroimidazo[4,5-c] quinolin-2-one
	1-(3-Fluoropyridin-2-yl)-7-methoxy-3-methyl-8-(2-methyl-2H-1,2,3-triazol-4-yl)-1,3-dihydroimidazo[4,5-c] quinolin-2-one
	1-(3-Fluoro-1-methyl-1H-pyrazol-4-yl)-7-methoxy-8-(6-methoxypyridin-3-yl)-3-methyl-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(3-Cyclopropylpyridin-4-yl)-7-methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c] quinolin-2-one
	1-(3-Fluoro-5-methylsulfonylmethoxypyridin-2-yl)-7-methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]-quinolin-2-one


	1-(3-Cyclopropyl-5-fluoropyridin-4-yl)-7-methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	8-(1,3-Dimethyl-1H-pyrazol-4-yl)-1-(3-fluoro-5-methylsulfonylmethoxypyridin-2-yl)-7-methoxy-3-methyl-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(5-Allyloxy-3-fluoropyridin-2-yl)-7-methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-[5-(Azetidin-3-yloxy)-3-fluoropyridin-2-yl]-7-methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-[3-Fluoro-5-(2-methylamino-ethoxy)-pyridin-2-yl]-7-methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-[3-Fluoro-5-(1-methyl-azetidin-3-yl-methoxy)-pyridin-2-yl]-7-methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one

	8-[1-(Azetidin-3-yl)-1H-pyrazol-4-yl]-1-(3-fluoro-5-methoxypyridin-4-yl)-7-methoxy-3-methyl-1H,2H,3H-imidazo[4,5-c]quinolin-2-one
	1-(3-Fluoro-5-methoxypyridin-4-yl)-7-methoxy-3-methyl-8-(3-fluoro-1-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(1,3-Dimethyl-1H-pyrazol-4-yl)-7-methoxy-3-methyl-8-(3-fluoro-1-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-(5-Fluoro-1H-pyrrolo[2,3-b]pyridin-6-yl)-7-methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-[3-Fluoro-5-(trifluoromethoxy)-4-pyridyl]-7-methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one
	1-[3-Fluoro-5-(trifluoromethoxy)-4-pyridyl]-7-methoxy-3-methyl-8-(1,3-dimethylpyrazol-4-yl)-1,3-dihydroimidazo[4,5-c]quinolin-2-one

	1-(3-Fluoro-5-methylsulfonyl-pyridin-2-yl)-7-methoxy-3-methyl-8-(1-methyl-1H-pyrazol-4-yl)-1H,2H,3H-imidazo[4,5-c]quinolin-2-one
	8-[1-(Azetidin-3-yl)-3-methyl-1H-pyrazol-4-yl]-1-(3-fluoro-5-methoxypyridin-4-yl)-7-methoxy-3-methyl-1H,2H,3H-imidazo[4,5-c]quinolin-2-one

and/or pharmaceutically usable derivative, salt, solvate, tautomer, stereoisomer thereof, including mixtures thereof in all ratios.

- 5 19. Compound according to Claim 1, which is

	8-(1,3-Dimethyl-1H-pyrazol-4-yl)-1-(3-fluoro-5-methoxypyridin-4-yl)-7-methoxy-3-methyl-1,3-dihydroimidazo[4,5-c]quinolin-2-one
---	---

and/or pharmaceutically usable salt thereof.

- 10 20. Compound according to one of Claims 1 to 19 and/or pharmaceutically usable derivative, salt, solvate, tautomer, or stereoisomer thereof, for use as medicament.
- 15 21. Use of a compound according to one of Claims 1 to 19 and/or pharmaceutically usable derivative, salt, solvate, tautomer, or stereoisomer thereof, in the manufacture of a medicament for the treatment of cancer, tumours and/or metastases.
22. The use of a compound according to Claim 21, wherein the treatment is to be used in combination with radiotherapy or at least one anticancer agent.

- 23 Use of a compound according to one of Claims 1 to 19 and/or pharmaceutically usable derivative, salt, solvate, tautomer, or stereoisomer thereof, for the sensitisation of cancer cells to an anticancer agent and/or ionising radiation.

5

24. The use of a compound and/or pharmaceutically usable derivative, salt, solvate, tautomer, stereoisomer thereof, according to one of Claims 21 or 22, where the tumour is selected from the group of diseases of squamous epithelium, bladder, stomach, kidneys, head, neck, oesophagus, cervix, thyroid, intestine, bone, liver, brain, prostate, urogenital tract, lymphatic system, larynx, lung, skin, blood and immune system, and/or the cancer is selected from the group of monocytic leukaemia, lung adenocarcinoma, small-cell lung carcinoma, pancreatic cancer, glioblastoma, intestinal carcinoma, breast carcinoma, acute myeloid leukaemia, chronic myeloid leukaemia, acute lymphatic leukaemia, chronic lymphatic leukaemia, Hodgkin's lymphoma and non-Hodgkin's lymphoma

10

15

25. Pharmaceutical composition comprising an effective amount of at least one compound according to one of Claims 1 to 19 and/or a pharmaceutically usable derivative, salt, solvate, tautomer, or stereoisomer thereof, optionally together with at least one pharmaceutically tolerated excipient.

20

26. Pharmaceutical composition according to Claim 25, furthermore comprising at least one further medicament active compound, preferably at least one anticancer agent.

25

27. The use of a kit consisting of separate packs of
(a) an effective amount of a compound according to one of Claims 1 to 19 and/or pharmaceutically usable derivative, salt, solvate, tautomer, or stereoisomer thereof, and
(b) an effective amount of a further medicament active compound, preferably an anticancer agent in the manufacture of a medicament for the treatment of cancer, tumours and/or metastases.

30

35