

Fig. 1




Fig. 2




Fig. 3




Fig. 4

The screenshot shows a user interface for setting external conditions. At the top, a dropdown menu labeled C41 shows 'Construction site' with 'Tokyo, JAPAN' selected. Below this, there are two columns of options. The left column, labeled C42, is titled 'Options with direct sunlight' and lists five options with checkboxes: 'May, morning, sunny, facing the east', 'May, afternoon, sunny, facing the south', 'May, early evening, sunny, facing the west', 'August, morning, sunny, facing the east', and 'August, afternoon, sunny, facing the south'. The right column, labeled C43, is titled 'Options without direct sunlight' and lists five options with checkboxes: 'May, morning, sunny, facing the west', 'May, morning, cloudy, facing the east', 'May, afternoon, sunny, facing the north', 'May, morning, cloudy, facing the south', and 'May, early evening, sunny, facing the east'. At the bottom, there are two buttons: 'Cancel' (labeled C44) and 'Set' (labeled C45).

Fig. 5




Fig. 6




Fig. 7

C81 Vision glass			C82 Spandrel glass		
☐	Vision glass V1	☐	☐	Spandrel glass S1	☐
☒	Vision glass V2	☒	☐	Spandrel glass S2	☐
☐	Vision glass V3	☐	☒	Spandrel glass S3	☒
☐	Vision glass V4	☐	☐	Spandrel glass S4	☐
☐	Vision glass V5	☐	☐	Spandrel glass S5	☐

C83

Cancel

C84

Set

Fig. 8




Fig. 9

